

The SDEI sciarid collection I

Nomenklature on the base of Catalogue »Die Trauermücken (Diptera: Sciaridae) der Erde«
[»The Dark Winged Fungus Gnats (Diptera: Sciaridae) of the World« - in preparation]

Last update: 01.03.2009

Results: 43,309 slides (det. material) + 81,095 slides (indet. material) = 124,404 slides

Remarks:

TM = Type material (HT/LT and/or PT/PLT)

Blue = Unpublished new species, genus or subgenus

BT = Unpublished new data (spec. nov.; nom. nov.; comb. nov.; syn. nov.; restit.; preocc.)

TAXA	TYPE MATERIAL (TM)	NUMBER OF SLIDES	SPECIES GROUP
653 species	252 taxa with types	43,309 slides	-

Acuatella MOHRIG, 2003

vestituda MOHRIG, 2003

Aerumnosa MOHRIG, 1999

furcillata MOHRIG, 1999

noctinigra MOHRIG, 1999

nocturna MOHRIG, 1999

perfida MOHRIG, 1999

rhinocerata MOHRIG, 1999

trichovenosa MOHRIG, 1999

Allopyxia* FREEMAN, 1952aokii* (NAKANE, 1971)*patrizii* FREEMAN, 1952***Amesicrium* ENDERLEIN, 1911***nanum* ENDERLEIN, 1911

[= ? Cecidomyiidae]

[= ? Cecidomyiidae]

Angustosciara* RUDZINSKI, 1997robusta* RUDZINSKI, 1997***Aniarella* ENDERLEIN, 1911***brevis* (RÜBSAAMEN, 1894)*pellucens* ENDERLEIN, 1911***Apelmocreagris* ENDERLEIN, 1911***leucacrocera* ENDERLEIN, 1911???? MENZEL **nom. nov.***pruinosa* (RÜBSAAMEN, 1894) [preocc.] **syn nov.***rufithorax* (VAN DER WULP, 1881) **comb. nov.***thoracica* (MACQUART, 1838)= *bibionea* (SPEISER, 1909)= *bibionea* var. *miniaticeps* (ENDERLEIN, 1911)= *ruficollis* (WALKER, 1848)

1

[deposit as *Sciara* in coll. SDEI]***Archicratyna* MOHRIG, 2005***arcana* MOHRIG & RÖSCHMANN, 2005 †*subarcana* MOHRIG & RÖSCHMANN, 2005 †*trichoarcana* MOHRIG & RÖSCHMANN, 2005 †*zimbabwensis* MOHRIG & RÖSCHMANN, 2005***Austrosciara* SCHMITZ & MJÖBERG, 1924***termitophila* SCHMITZ & MJÖBERG, 1924[= ? *Pseudoaptanogyna* VIMMER, 1926]***Brachisia* YANG, ZHANG & YANG, 1995***calva* YANG, ZHANG & YANG, 1995

Bradysia WINNERTZ, 1867

<i>acerba</i> MOHRIG & RÖSCHMANN, 2004			<i>B. hilaris</i> -group
<i>acerpontia</i> MENZEL & MOHRIG, 1991	TM	7	<i>B. angustipennis</i> -group
= <i>abdominalis</i> (WINNERTZ, 1867) [preocc.]			<i>B. angustipennis</i> -group
<i>acuta</i> (JOHANNSEN, 1912)			UNPLACED
<i>affinis</i> (ZETTERSTEDT, 1838)			<i>B. fungicola</i> -group
<i>afghanica</i> TUOMIKOSKI, 1960			UNPLACED
<i>albanensis</i> (LENGERSDORF, 1926)		7	<i>B. rufescens</i> -group
<i>albochaeta</i> MOHRIG & MAMAEV, 1985			<i>B. tilicola</i> -group
<i>alpicola</i> (WINNERTZ, 1867)		88	<i>B. alpicola</i> -group
= <i>caliginosa</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
= <i>concolor</i> (BELING, 1873)	TM		<i>B. alpicola</i> -group
= <i>egens</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
= <i>meridiana</i> (LENGERSDORF, 1926)	TM		<i>B. alpicola</i> -group
= <i>moreensis</i> (LENGERSDORF, 1926)	TM		<i>B. alpicola</i> -group
= <i>mutabilis</i> (LENGERSDORF, 1926)			<i>B. alpicola</i> -group
= <i>obscura</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
= <i>rogenhoferi</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
<i>altaica</i> KOMAROVA, 1997			<i>B. angustipennis</i> -group
<i>alutacea</i> MOHRIG & DIMITROVA, 1993		1	<i>B. hilaris</i> -group
<i>amurensis</i> MOHRIG & MAMAEV, 1979			<i>B. giraudii</i> -group
<i>angustata</i> TUOMIKOSKI, 1960		5	<i>B. fungicola</i> -group
= <i>chandleri</i> MENZEL, 2007 syn. nov.	TM		<i>B. fungicola</i> -group
<i>angustipennis</i> WINNERTZ, 1867		9	<i>B. angustipennis</i> -group
= <i>campestris</i> MOHRIG & MAMAEV, 1970	TM		<i>B. angustipennis</i> -group
= <i>pedestris</i> (KIEFFER, 1903)			<i>B. angustipennis</i> -group
<i>angustoocularis</i> MOHRIG & KRIVOSHEINA, 1989		23	<i>B. fungicola</i> -group
= <i>luteocoxa</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. fungicola</i> -group
<i>angustostylata</i> MENZEL, 2005	TM	10	<i>B. angustostylata</i> -group
<i>antehilaris</i> MOHRIG & MAMAEV, 1983			<i>B. hilaris</i> -group
<i>antiqua</i> MOHRIG & RÖSCHMANN, 2005 †			UNPLACED
<i>aprica</i> (WINNERTZ, 1867)		51	<i>B. fungicola</i> -group
= <i>ingrata</i> var. <i>varicornis</i> (STROBL, 1910)			<i>B. fungicola</i> -group
<i>arcana</i> MENZEL & MOHRIG, 1998	TM	2	<i>B. tilicola</i> -group
<i>arcula</i> VILKAMAA, SALMELA & HIPPA, 2007	TM	1	<i>B. praecox</i> -group

<i>ascenda</i> RUDZINSKI, 1994	25		<i>B. tilicola</i> -group
<i>asiatica</i> STEFFAN, 1972			UNPLACED
= <i>orientalis</i> (BRUNETTI, 1912) [preocc.]			UNPLACED
<i>atracornea</i> MOHRIG & MENZEL, 1992			<i>B. fungicola</i> -group
<i>atrorubens</i> MOHRIG, 1994	1		<i>B. angustipennis</i> -group
<i>atropina</i> MOHRIG, 1994			<i>B. tilicola</i> -group
<i>auriculariae</i> YANG, ZHANG & YANG, ????			UNPLACED
<i>austera</i> MENZEL & HELLER, 2006	TM 10		<i>B. fungicola</i> -group
<i>baishanzuna</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>barbarossae</i> MOHRIG & MAMAEV, 1970	TM 15		<i>B. angustipennis</i> -group
<i>basalimedia</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>basiangustata</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>basilatissima</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>bellstedti</i> MENZEL & MOHRIG, 1998			<i>B. fungicola</i> -group
= <i>procera</i> MOHRIG & MENZEL, 1990 [preocc.]			<i>B. fungicola</i> -group
<i>bicolor</i> (MEIGEN, 1818)	62		<i>B. pallipes</i> -group
= <i>abdominalis</i> (LEHMANN, 1824)			<i>B. pallipes</i> -group
= <i>bicolor</i> var. <i>alpestris</i> (LENGERSDORF, 1926)			<i>B. pallipes</i> -group
= <i>bore</i> (WALKER, 1848)			<i>B. pallipes</i> -group
= <i>rufiventris</i> (MACQUART, 1834)			<i>B. pallipes</i> -group
<i>bicuspinata</i> YANG, ZHANG & YANG, ????			UNPLACED
<i>bidentata</i> YANG & ZHANG, 1987			<i>B. fungicola</i> -group
<i>bilobata</i> MOHRIG & KOZÁNEK, 1992			<i>B. pallipes</i> -group
<i>bishopi</i> STEFFAN, 1973	95		<i>B. hilaris</i> -group
<i>bispinifera</i> MOHRIG & KRIVOSHEINA, 1983			<i>B. hilaris</i> -group
<i>blanki</i> MENZEL spec. nov.	TM 1	(SUI)	<i>B. rufescens</i> -group
<i>boitsovoensis</i> MENZEL spec. nov.	TM 1	(RUS)	<i>B. praecox</i> -group
<i>boninensis</i> STEFFAN, 1969			UNPLACED
<i>brachyflagellata</i> MOHRIG & KAUSCHKE, 1994			<i>B. hilaris</i> -group
<i>brachystyla</i> MOHRIG & MAMAEV, 1989			<i>B. fungicola</i> -group
<i>brachytoma</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>brasiliana</i> (LANE, 1959)			UNPLACED
<i>breviallata</i> MOHRIG & MENZEL, 1992	24		<i>B. rufescens</i> -group
<i>brevifurcata</i> (STROBL, 1910)			<i>B. pallipes</i> -group
<i>brevipalpis</i> ALAM, 1988			UNPLACED

<i>brevispina</i> TUOMIKOSKI, 1960	362		<i>B. tilicola</i> -group
<i>bulbigera</i> MOHRIG & KAUSCHKE, 1994	28		<i>B. tilicola</i> -group
<i>canariensis</i> MENZEL spec. nov.	TM 4	(ESP)	<i>B. tilicola</i> -group
<i>cardiocrivora</i> SASAKAWA, 1983	TM 4		<i>B. procera</i> -group
<i>cauta</i> MOHRIG & RÖSCHMANN, 2004			UNPLACED
<i>cavernicola</i> MOHRIG & ECKERT, 1999			<i>B. tilicola</i> -group
<i>chenjinae</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>chikuni</i> YANG & TAN, 1995			? <i>B. tilicola</i> -group
<i>chlorocornea</i> MOHRIG & MENZEL, 1992	TM 1		<i>B. fungicola</i> -group
<i>choui</i> YANG & ZHANG, 1989			UNPLACED
<i>chunguii</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>chunmeiae</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>ciliocera</i> MOHRIG & RÖSCHMANN, 2004			<i>B. hilaris</i> -group
<i>cinerascens</i> (GRZEGORZEK, 1884)	100		<i>B. pallipes</i> -group
= <i>interstincta</i> (GRZEGORZEK, 1884)			<i>B. pallipes</i> -group
= <i>lanicauda</i> TUOMIKOSKI, 1960			<i>B. pallipes</i> -group
<i>clara</i> MOHRIG & RÖSCHMANN, 2004			<i>B. hilaris</i> -group
<i>cohilaris</i> MOHRIG & KRIVOSHEINA, 1986			<i>B. hilaris</i> -group
<i>commixta</i> (WINNERTZ, 1867)			<i>B. pallipes</i> -group
<i>compacta</i> MOHRIG & MENZEL, 1993	TM 3		<i>B. pallipes</i> -group
<i>compacta</i> YANG, ZHANG & YANG, 1993 [? preocc.]			UNPLACED
<i>confinis</i> (WINNERTZ, 1867)	317		<i>B. rufescens</i> -group
= <i>myrtilli</i> (WINNERTZ, 1867)			<i>B. rufescens</i> -group
= <i>nigrescens</i> (WINNERTZ, 1869)	TM		<i>B. rufescens</i> -group
= <i>occulta</i> (WINNERTZ, 1867)			<i>B. rufescens</i> -group
= <i>sororcula</i> (WINNERTZ, 1867)			<i>B. rufescens</i> -group
= <i>tarda</i> (WINNERTZ, 1867)			<i>B. rufescens</i> -group
<i>congata</i> YANG, ZHANG & YANG, 1993			? <i>B. fungicola</i> -group
<i>conspersa</i> MOHRIG & DIMITROVA, 1993			<i>B. hilaris</i> -group
<i>cornispina</i> YANG & ZHANG, 1992			UNPLACED
<i>cornuta</i> MENZEL spec. nov.	TM 2	(UAE)	<i>B. tilicola</i> -group
<i>crassicera</i> MOHRIG & RÖSCHMANN, 2004			<i>B. pallipes</i> -group
<i>crassinervis</i> FREY, 1948			<i>B. angustipennis</i> -group
<i>cryptacantha</i> YANG, ZHANG & YANG, 2003			UNPLACED
<i>crinita</i> MOHRIG & HÖVEMEYER, 1992	7		<i>B. praecox</i> -group

<i>ctenoura</i> YANG, ZHANG & YANG, 1993			<i>B. hilaris</i> -group
<i>cuneiforma</i> KOMAROVA, 1997			<i>B. fungicola</i> -group
= <i>tridonta</i> KOMAROVA, 2003 syn. nov.			<i>B. fungicola</i> -group
<i>curvipedicula</i> (LENGERSDORF, 1938)			UNPLACED
<i>cuspidalis</i> MENZEL & MOHRIG, 1991	TM	16	<i>B. angustipennis</i> -group
<i>dalmatina</i> (LENGERSDORF, 1937)		1	<i>B. tilicola</i> -group
<i>dazhulana</i> YANG, ZHANG & YANG, 2003			UNPLACED
<i>defossa</i> YANG & ZHANG, 1995			UNPLACED
<i>delectabilis</i> MOHRIG & MENZEL, 1992			<i>B. hilaris</i> -group
<i>desolata</i> RUDZINSKI, 1994			<i>B. rufescens</i> -group
<i>diabolica</i> (LENGERSDORF, 1938)			UNPLACED
<i>dictyophorae</i> YANG & ZHANG, 1995			UNPLACED
<i>digitata</i> MENZEL & HELLER spec. nov.	TM	12	<i>B. tilicola</i> -group
<i>diluta</i> (JOHANNSEN, 1912)			UNPLACED
<i>difformis</i> FREY, 1948		374	<i>B. tilicola</i> -group
= <i>agrestis</i> SASAKAWA, 1978			<i>B. tilicola</i> -group
= <i>paupera</i> TUOMIKOSKI, 1960			<i>B. tilicola</i> -group
<i>dilucida</i> MOHRIG, 2003			UNPLACED
<i>dimidiata</i> MOHRIG & RÖSCHMANN, 2005 †			UNPLACED
<i>disopsis</i> MOHRIG & MAMAEV, 1970			UNPLACED
<i>dissimilis</i> (LENGERSDORF, 1927)	TM	1	UNPLACED
<i>distincta</i> (STAEGER, 1840)		25	<i>B. alpicola</i> -group
= <i>egregia</i> (BELING, 1873)	TM		<i>B. alpicola</i> -group
= <i>fastuosa</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
= <i>insignis</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
<i>diversiabdominalis</i> (LENGERSDORF, 1941)	TM	19	<i>B. nervosa</i> -group
= <i>latistylia</i> MOHRIG & MAMAEV, 1983			<i>B. nervosa</i> -group
<i>diversispina</i> MOHRIG & BLASCO-ZUMETA, 1996		2	<i>B. pallipes</i> -group
<i>dolosa</i> LAURENCE, 1994	TM	3	<i>B. dolosa</i> -group
<i>drakenbergensis</i> HÖVEMEYER, 1989	TM	37	<i>B. lobata</i> -group
<i>dubia</i> (WINNERTZ, 1867)			<i>B. pallipes</i> -group
= ? <i>thomae</i> MACQUART, ????			UNPLACED
<i>elobata</i> MOHRIG, 1994			<i>B. pallipes</i> -group
<i>entraqueensis</i> MOHRIG & RÖSCHMANN, 1993		1	<i>B. alpicola</i> -group
<i>excelsa</i> MENZEL & MOHRIG, 1998	TM	37	<i>B. fungicola</i> -group

<i>exigua</i> TUOMIKOSKI, 1959			<i>B. tilicola</i> -group
<i>exoleta</i> MOHRIG & RÖSCHMANN, 2005 †			UNPLACED
<i>fallaciosa</i> (MENZEL, 1995)	TM	11	<i>B. fallaciosa</i> -group
<i>familiaris</i> RUDZINSKI & SCHULZ, 1996	TM	7	<i>B. tilicola</i> -group
<i>fenestralis</i> (ZETTERSTEDT, 1838)		1	<i>B. tilicola</i> -group
= <i>frigida</i> (WINNERTZ, 1867)			<i>B. tilicola</i> -group
<i>festiva</i> MENZEL spec. nov.	TM	4	<i>B. angustipennis</i> -group
<i>fimbriata</i> MOHRIG, 1987		7	<i>B. procera</i> -group
= <i>divaricata</i> SASAKAWA, 1994	TM		<i>B. procera</i> -group
<i>flavipila</i> TUOMIKOSKI, 1960		27	<i>B. angustipennis</i> -group
<i>floribunda</i> MOHRIG, 2003			UNPLACED
<i>florida</i> MOHRIG, 1987		11	<i>B. fungicola</i> -group
<i>forattinii</i> (LANE, 1959)			UNPLACED
<i>forcipulata</i> (LUNDBECK, 1898)		14	<i>B. pallipes</i> -group
= <i>humicola</i> (LUNDBECK, 1898)			<i>B. pallipes</i> -group
= <i>moestula</i> TUOMIKOSKI, 1960			<i>B. pallipes</i> -group
<i>forficulata</i> (BEZZI, 1914)		97	<i>B. pallipes</i> -group
<i>fugaca</i> MOHRIG & MAMAEV, 1989			<i>B. fungicola</i> -group
<i>fungicola</i> (WINNERTZ, 1867)		112	<i>B. fungicola</i> -group
= <i>fera</i> (WINNERTZ, 1867)			<i>B. fungicola</i> -group
= <i>funga</i> KOMAROVA, 2003 syn. nov.			<i>B. fungicola</i> -group
= <i>hercyniae</i> (WINNERTZ, 1869)	TM		<i>B. fungicola</i> -group
= <i>incana</i> (STROBL, 1910)			<i>B. fungicola</i> -group
= <i>ingrata</i> (WINNERTZ, 1867)			<i>B. fungicola</i> -group
= <i>sylvicola</i> (WINNERTZ, 1869)	TM		<i>B. fungicola</i> -group
<i>fuscothorax</i> ALAM, 1988			UNPLACED
<i>giraudii</i> (EGGER, 1862)		35	<i>B. giraudii</i> -group
= <i>clavigera</i> (LENGERSDORF, 1926)			<i>B. giraudii</i> -group
= <i>nemorum</i> (WINNERTZ, 1867)			<i>B. giraudii</i> -group
<i>globulifera</i> (LENGERSDORF, 1934)		1	<i>B. nervosa</i> -group
= <i>fennica</i> (LENGERSDORF, 1940)			<i>B. nervosa</i> -group
<i>gonata</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>grandicellaris</i> (LENGERSDORF, 1926)			<i>B. pallipes</i> -group
<i>gratiosa</i> MENZEL, 1995	TM	2	<i>B. pallipes</i> -group
<i>griseicollis</i> (EDWARDS, 1933)			UNPLACED

<i>guadunana</i> YANG, ZHANG & YANG, 2003			UNPLACED
<i>helleri</i> MENZEL & MOHRIG, 1998	4		<i>B. pallipes</i> -group
= <i>subbrunnipes</i> MOHRIG & HELLER, 1992 [preocc.]			<i>B. pallipes</i> -group
<i>helveola</i> (RÜBSAAMEN, 1894)			UNPLACED
<i>heydemanni</i> (LENGERSDORF, 1955)	167		<i>B. pallipes</i> -group
= <i>submontana</i> (MOHRIG, 1985)			<i>B. pallipes</i> -group
<i>hilariformis</i> TUOMIKOSKI, 1960	26		<i>B. hilaris</i> -group
<i>hilaris</i> (WINNERTZ, 1867)	1		<i>B. hilaris</i> -group
= <i>betuleti</i> (LENGERSDORF, 1940)			<i>B. hilaris</i> -group
<i>hildae</i> HELLER, 2000	TM 1		<i>B. tilicola</i> -group
<i>hirsutiseta</i> MOHRIG & KRIVOSHEINA, 1989	2		<i>B. hilaris</i> -group
<i>holsatica</i> HELLER, 2004	TM 9		<i>B. fungicola</i> -group
<i>hortensis</i> HELLER, 2000	TM 1		<i>B. hortensis</i> -group
<i>hortulana</i> MOHRIG & MAMAEV, 1989			<i>B. hilaris</i> -group
<i>huoditangana</i> YANG & ZHANG, 1989			UNPLACED
<i>hyalichaeta</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. tilicola</i> -group
<i>hygida</i> SAUAIA & ALVES, 1968			UNPLACED
<i>impatiens</i> (JOHANNSEN, 1912)			<i>B. tilicola</i> -group
= <i>hardyi</i> (SHAW, 1952)			<i>B. tilicola</i> -group
<i>incidera</i> MOHRIG, 2003			UNPLACED
<i>individua</i> MOHRIG & KRIVOSHEINA, 1985	1		<i>B. alpicola</i> -group
= <i>antemorio</i> MOHRIG & MAMAEV, 1985			<i>B. alpicola</i> -group
<i>inopinata</i> MENZEL & MOHRIG spec. nov.	TM 12	(ESP)	<i>B. alpicola</i> -group
<i>introflexa</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>inuitata</i> TUOMIKOSKI, 1960	21		<i>B. rufescens</i> -group
<i>inversa</i> MOHRIG & MENZEL, 1993			<i>B. pallipes</i> -group
<i>iridipennis</i> (ZETTERSTEDT, 1838)	10		<i>B. praecox</i> -group
= <i>hirundina</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>latiuscula</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>merula</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>tremulae</i> (BELING, 1873)	TM		<i>B. praecox</i> -group
<i>ismayi</i> MENZEL, 2006	TM 3		<i>B. hortensis</i> -group
<i>japonica</i> (ENDERLEIN, 1911)			UNPLACED
<i>jianglensis</i> YANG, ZHANG & YANG, 1993			? <i>B. fungicola</i> -group
<i>johannseni</i> (ENDERLEIN, 1912)			UNPLACED

= <i>nigricans</i> (JOHANNSEN, 1912) [preocc.]			UNPLACED
<i>kairensis</i> (BECKER, 1903)			<i>B. alpicola</i> -group
<i>kassebeeri</i> HELLER, 1998	TM	4	<i>B. fungicola</i> -group
<i>kopetdagica</i> GERBACHEVSKAJA, 1986			<i>B. praecox</i> -group
= <i>monticola</i> ANTONOVA, 1975			<i>B. praecox</i> -group
<i>kraussi</i> STEFFAN, 1969			UNPLACED
<i>laboriosa</i> MOHRIG, 1999			<i>B. lobata</i> -group
<i>lamprina</i> (EDWARDS, 1933)			UNPLACED
<i>lapponica</i> (LENGERSDORF, 1926)		37	<i>B. giraudii</i> -group
= <i>nigerrima</i> (LENGERSDORF, 1940)			<i>B. giraudii</i> -group
= <i>pseudopraecox</i> FREY, 1948			<i>B. giraudii</i> -group
= <i>quinquedentata</i> (LENGERSDORF, 1936)			<i>B. giraudii</i> -group
<i>lasiphlepia</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>latiflagellomera</i> ALAM, 1988			UNPLACED
<i>latipennis</i> MENZEL, 2002	TM	6	<i>B. rufescens</i> -group
<i>latiponsa</i> RUDZINSKI, 1997			UNPLACED
<i>latiterga</i> TUOMIKOSKI, 1960			<i>B. fungicola</i> -group
<i>laurencei</i> MENZEL & MOHRIG, 2000	TM	2	<i>B. nervosa</i> -group
<i>lembkei</i> MOHRIG & MENZEL, 1990	TM	13	<i>B. angustipennis</i> -group
<i>leptocera</i> TUOMIKOSKI, 1959			<i>B. tilicola</i> -group
<i>leptoptera</i> TUOMIKOSKI, 1960		1	<i>B. angustipennis</i> -group
<i>leucocera</i> (KIEFFER, 1912)			UNPLACED
<i>leucopeza</i> MOHRIG & MAMAIEV, 1989		60	<i>B. praecox</i> -group
<i>lii</i> YANG & ZHANG, 1987			UNPLACED
<i>lilienthalae</i> MOHRIG & MENZEL, 1990	TM	2	<i>B. angustipennis</i> -group
<i>liquidipennis</i> MENZEL spec. nov.	TM	1	<i>B. praecox</i> -group
		(RUS)	UNPLACED
<i>liubana</i> YANG & ZHANG, 1989			UNPLACED
<i>lobata</i> HONDRU, 1968		19	<i>B. lobata</i> -group
<i>lobulifera</i> FREY, 1948		36	<i>B. angustipennis</i> -group
<i>longicauda</i> MOHRIG & MENZEL, 1990	TM	7	<i>B. praecox</i> -group
<i>longicubitalis</i> (LENGERSDORF, 1924)		35	<i>B. rufescens</i> -group
= <i>cinereovittata</i> FREY, 1948			<i>B. rufescens</i> -group
<i>longimentula</i> (SASAKAWA, 1994)			<i>B. procera</i> -group
<i>longinquans</i> (ENDERLEIN, 1911)			UNPLACED
<i>longioculosa</i> MOHRIG & RÖSCHMANN, 2004			UNPLACED

<i>longiradiomedialis</i> ALAM, 1988			UNPLACED
<i>longiseta</i> YANG & ZHANG, 1987			UNPLACED
<i>longispina</i> MOHRIG & MAMAEV, 1989			<i>B. angustipennis</i> -group
<i>longistyla</i> MOHRIG & KRIVOSHEINA, 1982	4		<i>B. dolosa</i> -group
= <i>longistyla</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. dolosa</i> -group
<i>longitibialis</i> (LENGERSDORF, 1939)			UNPLACED
<i>loricata</i> MOHRIG & KRIVOSHEINA, 1987			<i>B. rufescens</i> -group
<i>loriculata</i> MOHRIG, 1985			<i>B. rufescens</i> -group
<i>loxostyla</i> RUDZINSKI, 1992			<i>B. praecox</i> -group
<i>lucichaeta</i> MOHRIG & KRIVOSHEINA, 1989	4		<i>B. tilicola</i> -group
<i>lucida</i> MOHRIG & MAMAEV, 1989	283		<i>B. tilicola</i> -group
= <i>nigrispina</i> MENZEL, 2006 syn. nov.	TM		<i>B. tilicola</i> -group
= <i>pseudodalmatina</i> MOHRIG & RÖSCHMANN, 1993 syn. nov.			<i>B. tilicola</i> -group
<i>luhi</i> YANG & ZHANG, 1985			UNPLACED
<i>luodiana</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>lutaria</i> (WINNERTZ, 1869)	TM	63	<i>B. pallipes</i> -group
= <i>postbicolor</i> MOHRIG & KRIVOSHEINA, 1983			<i>B. pallipes</i> -group
<i>luteicauda</i> MOHRIG & MAMAEV, 1989	1		<i>B. angustipennis</i> -group
<i>luteolineata</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. hilaris</i> -group
<i>macfarlanei</i> (JONES, 1920)			UNPLACED
<i>maggiaensis</i> MOHRIG & RÖSCHMANN, 1994			<i>B. fungicola</i> -group
<i>magnifica</i> MOHRIG & MENZEL, 1993			<i>B. pallipes</i> -group
= <i>melanura</i> (MOHRIG & KRIVOSHEINA, 1983) [preocc.]			<i>B. pallipes</i> -group
<i>malitiosa</i> RUDZINSKI, 1996			<i>B. polonica</i> -group
<i>matogrossensis</i> (LANE, 1959)			UNPLACED
<i>mediterranea</i> MOHRIG & MENZEL, 1992	TM	8	<i>B. tilicola</i> -group
<i>meigeni</i> (RÜBSAAMEN, 1894)		29	<i>B. angustostylata</i> -group
= <i>atrata</i> (BELING, 1872) [preocc.]	TM		<i>B. angustostylata</i> -group
= <i>flavohalterata</i> MOHRIG & MENZEL, 1990	TM		<i>B. angustostylata</i> -group
<i>melaina</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. hilaris</i> -group
<i>melanota</i> MOHRIG & MAMAEV, 1989	15		<i>B. alpicola</i> -group
<i>melanura</i> MOHRIG & MAMAEV, 1982	10		<i>B. melanura</i> -group
<i>mellea</i> MOHRIG & RÖSCHMANN, 2004			<i>B. pararufescens</i> -group
<i>microspina</i> MOHRIG & KRIVOSHEINA, 1989	2		<i>B. tilicola</i> -group
<i>migueli</i> MENZEL spec. nov.	TM	6	<i>B. hilaris</i> -group

<i>minima</i> MOHRIG & MAMAEV, 1989			<i>B. hilaris</i> -group
<i>minuscula</i> (LENGERSDORF, 1939)			UNPLACED
<i>minutissima</i> MOHRIG & MAMAEV, 1989			<i>B. angustipennis</i> -group
<i>miranda</i> MENZEL spec. nov.	TM	15 (ESP)	<i>B. pallipes</i> -group
<i>moerens</i> (WINNERTZ, 1868)			<i>B. pallipes</i> -group
<i>moesta</i> FREY, 1948		2	<i>B. pallipes</i> -group
= <i>albosetosa</i> FREY, 1948			<i>B. pallipes</i> -group
<i>moganica</i> YANG & ZHANG, 1992			UNPLACED
<i>molokaiensis</i> (GRIMSHAW, 1901)			<i>B. fungicola</i> -group
= <i>stonei</i> (SHAW, 1952)			<i>B. fungicola</i> -group
<i>monospina</i> RUDZINSKI, 1991			<i>B. fungicola</i> -group
<i>nedongana</i> YANG & ZHANG, 1987			UNPLACED
<i>neocampestris</i> RUDZINSKI, 1993			<i>B. fungicola</i> -group
<i>neoreflexa</i> MOHRIG & RÖSCHMANN, 1996		5	<i>B. pallipes</i> -group
<i>nervosa</i> (MEIGEN, 1818)		4	<i>B. nervosa</i> -group
= <i>fucata</i> (MEIGEN, 1818)			<i>B. nervosa</i> -group
= <i>variabilis</i> (ZETTERSTEDT, 1838)			<i>B. nervosa</i> -group
<i>nicolae</i> MOHRIG & HELLER, 1992		2	<i>B. tilicola</i> -group
<i>nigriceps</i> (ENDERLEIN, 1912) [preocc.] comb. nov.			<i>B. hilaris</i> -group
<i>nigrisensilla</i> ALAM, 1988			UNPLACED
<i>nigrochaeta</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. fungicola</i> -group
<i>ningshana</i> YANG & ZHANG, 1989			UNPLACED
<i>nitida</i> MOHRIG & MAMAEV, 1989		1	<i>B. fungicola</i> -group
<i>nitidicollis</i> (MEIGEN, 1818)		742	<i>B. praecox</i> -group
= <i>alacris</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>albicans</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>aprilina</i> (MEIGEN, 1818)			<i>B. praecox</i> -group
= <i>atroparva</i> FREY, 1948			<i>B. praecox</i> -group
= <i>fenestrata</i> (MEIGEN, 1818)			<i>B. praecox</i> -group
= <i>inornata</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>reforma</i> RUDZINSKI, 1993	TM		<i>B. praecox</i> -group
= <i>scatopsoides</i> (MEIGEN, 1818)			<i>B. praecox</i> -group
= <i>tenella</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>trichoptera</i> (LENGERSDORF, 1926)			<i>B. praecox</i> -group
<i>nocturna</i> TUOMIKOSKI, 1960		66	<i>B. pallipes</i> -group

<i>nomica</i> MOHRIG & RÖSCHMANN, 1996	642	<i>B. tilicola</i> -group
<i>normalis</i> FREY, 1948	6	<i>B. lobata</i> -group
<i>obscuricostalis</i> (LENGERSDORF, 1938)		UNPLACED
<i>obtusa</i> MOHRIG & RÖSCHMANN, 2004		<i>B. tilicola</i> -group
<i>ocellaris</i> (COMSTOCK, 1882)	956	<i>B. tilicola</i> -group
= <i>bijca</i> KOMAROVA, 2003 syn. nov.		<i>B. tilicola</i> -group
= <i>disjuncta</i> YANG, ZHANG & YANG, 1993		<i>B. tilicola</i> -group
= <i>garretti</i> (SHAW, 1952)		<i>B. tilicola</i> -group
= <i>johannseni</i> (SHAW, 1952)		<i>B. tilicola</i> -group
= <i>laffooni</i> (SHAW, 1952)		<i>B. tilicola</i> -group
= <i>picticornis</i> YANG & ZHANG, 1987		<i>B. tilicola</i> -group
= <i>prothalliorum</i> (DE MEIJERE, 1946)		<i>B. tilicola</i> -group
= <i>robusticalcar</i> ALAM, 1988		<i>B. tilicola</i> -group
= <i>rubicundula</i> FREY, 1948		<i>B. tilicola</i> -group
= <i>tritici</i> (COQUILLET, 1895)		<i>B. tilicola</i> -group
<i>oculosa</i> MOHRIG & RÖSCHMANN, 2004		UNPLACED
<i>odoriphaga</i> YANG & ZHANG, 1985		<i>B. fungicola</i> -group
<i>opaca</i> (WINNERTZ, 1871)	TM 2	<i>B. alpicola</i> -group
= <i>formosa</i> (WINNERTZ, 1871)		<i>B. alpicola</i> -group
<i>optata</i> RUDZINSKI, 1994	126	<i>B. tilicola</i> -group
<i>pakkana</i> (EDWARDS, 1933)		UNPLACED
<i>pallidipes</i> MOHRIG & MAMAEV, 1989		<i>B. hilaris</i> -group
<i>pallidiventris</i> (WINNERTZ, 1867)		<i>B. angustipennis</i> -group
<i>pallipes</i> (FABRICIUS, 1787)	18	<i>B. pallipes</i> -group
= <i>agilis</i> (WINNERTZ, 1867)		<i>B. pallipes</i> -group
= <i>brunnipes</i> (MEIGEN, 1804)		<i>B. pallipes</i> -group
= <i>conica</i> (GRZEGORZEK, 1884)		<i>B. pallipes</i> -group
= <i>dispar</i> (WINNERTZ, 1868)		<i>B. pallipes</i> -group
= <i>engadinica</i> (WINNERTZ, 1867)		<i>B. pallipes</i> -group
= <i>fallax</i> (WINNERTZ, 1867)		<i>B. pallipes</i> -group
= <i>kowarzii</i> (GRZEGORZEK, 1884)		<i>B. pallipes</i> -group
= <i>laeta</i> (GRZEGORZEK, 1884)		<i>B. pallipes</i> -group
= <i>luctuosa</i> (WINNERTZ, 1867)		<i>B. pallipes</i> -group
= <i>morbosa</i> (WINNERTZ, 1867)		<i>B. pallipes</i> -group
= <i>picipes</i> (ZETTERSTEDT, 1838)		<i>B. pallipes</i> -group

= <i>rufipodex</i> (FREY, 1945)			<i>B. pallipes</i> -group
= <i>rufipodex</i> var. <i>elysiaca</i> (FREY, 1945)			<i>B. pallipes</i> -group
= <i>spretata</i> (WINNERTZ, 1867)			<i>B. pallipes</i> -group
= <i>tristis</i> (WINNERTZ, 1867)			<i>B. pallipes</i> -group
= <i>umbratica</i> (ZETTERSTEDT, 1851)			<i>B. pallipes</i> -group
<i>paralobata</i> MOHRIG & MAMAEV, 1989			<i>B. lobata</i> -group
<i>paranocturna</i> RUDZINSKI, 1994			<i>B. pallipes</i> -group
<i>pararufescens</i> MOHRIG & RÖSCHMANN, 2004			<i>B. pararufescens</i> -group
<i>parasita</i> (LENGERSDORF, 1933)			UNPLACED
<i>pauperata</i> (WINNERTZ, 1867)	1		<i>B. alpicola</i> -group
= <i>aestivalis</i> (WINNERTZ, 1871)			<i>B. alpicola</i> -group
= <i>antennata</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
= <i>lugubris</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
= <i>rustica</i> (WINNERTZ, 1867)			<i>B. alpicola</i> -group
<i>pectibia</i> YANG & ZHANG, 1992			UNPLACED
<i>pectinata</i> (WINNERTZ, 1867)	1		<i>B. hilaris</i> -group
<i>pectoralis</i> (STAEGER, 1840)	143		<i>B. fungicola</i> -group
= <i>castanea</i> MOHRIG & MENZEL, 1990	TM		<i>B. fungicola</i> -group
<i>peraffinis</i> TUOMIKOSKI, 1960	4		<i>B. fungicola</i> -group
<i>phalerata</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>pilistriata</i> FREY, 1948	6		<i>B. tilicola</i> -group
<i>placida</i> (WINNERTZ, 1867)	516		<i>B. nervosa</i> -group
= <i>fimbricauda</i> TUOMIKOSKI, 1960			<i>B. nervosa</i> -group
<i>polonica</i> (LENGERSDORF, 1929)	273		<i>B. polonica</i> -group
= <i>edwardsi</i> FREEMAN, 1983			<i>B. polonica</i> -group
= <i>spinidensa</i> HONDRU, 1968			<i>B. polonica</i> -group
<i>posthilaris</i> MOHRIG & MAMAEV, 1982			<i>B. hilaris</i> -group
<i>postlobata</i> MOHRIG & MAMAEV, 1989			<i>B. lobata</i> -group
<i>postrufescens</i> MOHRIG & MENZEL, 1990	3		<i>B. angustipennis</i> -group
<i>praecox</i> (MEIGEN, 1818)	97		<i>B. praecox</i> -group
= <i>albinervis</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>brevipalpis</i> (WINNERTZ, 1868)			<i>B. praecox</i> -group
= <i>inundata</i> KOMAROVA, 2000 syn. nov.			<i>B. praecox</i> -group
= <i>leclerqi</i> (LENGERSDORF, 1950)			<i>B. praecox</i> -group
= <i>macilenta</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group

= <i>morosa</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>nocticolor</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>simplex</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>simplex</i> var. <i>subsimplax</i> (LENGERSDORF, 1926)			<i>B. praecox</i> -group
= <i>unicolor</i> (WINNERTZ, 1868)			<i>B. praecox</i> -group
<i>praehilaris</i> MOHRIG & MAMAEV, 1982			<i>B. hilaris</i> -group
<i>praemonticola</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. fungicola</i> -group
<i>praemorio</i> MOHRIG & MAMAEV, 1985	6		<i>B. alpicola</i> -group
<i>praepaupera</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. tilicola</i> -group
<i>pratincola</i> TUOMIKOSKI, 1960	62		<i>B. fungicola</i> -group
<i>procera</i> (WINNERTZ, 1868)	6		<i>B. procera</i> -group
= <i>neofusca</i> (MOHRIG & KRIVOSHEINA, 1982)			<i>B. procera</i> -group
<i>profunda</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. alpicola</i> -group
<i>promissa</i> MOHRIG & RÖSCHMANN, 1999	22		<i>B. nervosa</i> -group
<i>protohilaris</i> MOHRIG & KRIVOSHEINA, 1983			<i>B. hilaris</i> -group
<i>pruinosa</i> (LENGERSDORF, 1939)			UNPLACED
<i>pseudocampestris</i> MOHRIG, 1978	25		<i>B. fungicola</i> -group
<i>pseudohilaris</i> MOHRIG & KRIVOSHEINA, 1983			<i>B. hilaris</i> -group
<i>pseudopolonica</i> MOHRIG & RÖSCHMANN, 1994	1		<i>B. polonica</i> -group
<i>pteroleurostigma</i> (LENGERSDORF, 1938)			UNPLACED
<i>pugiata</i> MENZEL, HELLER & SMITH, 2002	TM 1		<i>B. giraudii</i> -group
<i>pustulispina</i> YANG & ZHANG, 1989			UNPLACED
<i>qinlingana</i> YANG & ZHANG, 1989			? <i>B. alpicola</i> -group
<i>quadrata</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>quadridentata</i> YANG & ZHANG, 1987			UNPLACED
<i>quadrispina</i> MENZEL spec. nov.	TM 2	(UAE)	<i>B. nervosa</i> -group
<i>quadrispinistylata</i> ALAM, 1988	1		<i>B. hilaris</i> -group
<i>quasiradicum</i> ALAM, 1988			UNPLACED
<i>quinquespina</i> YANG, ZHANG & YANG, 1993			<i>B. hilaris</i> -group
<i>radicicola</i> (LENGERSDORF, 1939)			UNPLACED
<i>radicum</i> (BRUNETTI, 1912)			UNPLACED
<i>ravensburgensis</i> RUDZINSKI & DRISSNER, 1994	TM 2		<i>B. pallipes</i> -group
<i>rectinervis</i> FREY, 1948	14		<i>B. angustipennis</i> -group
<i>reflexa</i> TUOMIKOSKI, 1960	9		<i>B. pallipes</i> -group
<i>regularis</i> (LENGERSDORF, 1934)	59		<i>B. nervosa</i> -group

= <i>spherostyla</i> KOMAROVA, 2003 syn. nov.			<i>B. nervosa</i> -group
= <i>subnervosa</i> FREY, 1948			<i>B. nervosa</i> -group
<i>reticulata</i> (LENGERSDORF, 1939)			UNPLACED
<i>reticulata</i> MOHRIG & RÖSCHMANN, 2004 [preocc.]			<i>B. hilaris</i> -group
<i>reynoldsi</i> (METZ, 1938)			<i>B. tilicola</i> -group
<i>rostrata</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>rubrascuta</i> MOHRIG & MAMAEV, 1982	16		<i>B. polonica</i> -group
<i>rufescens</i> (ZETTERSTEDT, 1852)	14		<i>B. rufescens</i> -group
= <i>pullula</i> (WINNERTZ, 1867)			<i>B. rufescens</i> -group
= <i>somnians</i> (WINNERTZ, 1867)			<i>B. rufescens</i> -group
= <i>testacea</i> (ZETTERSTEDT, 1851) [preocc.]			<i>B. rufescens</i> -group
= <i>villosa</i> (WINNERTZ, 1867)			<i>B. rufescens</i> -group
<i>ruginosa</i> MOHRIG, 1994			<i>B. angustipennis</i> -group
<i>sachalinensis</i> MOHRIG & KRIVOSHEINA, 1989			<i>B. fallaciosa</i> -group
<i>salina</i> RUDZINSKI, 2000	1		<i>B. hilaris</i> -group
<i>santorina</i> MOHRIG & MENZEL, 1992	TM 1		<i>B. pallipes</i> -group
<i>sarcinispina</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>sauteri</i> MENZEL & MOHRIG, 1991	TM 1		<i>B. semirufescens</i> -group
<i>scabricornis</i> TUOMIKOSKI, 1960	202		<i>B. fungicola</i> -group
<i>scita</i> (JOHANNSEN, 1912)			UNPLACED
<i>semibrachyptera</i> (MEUNIER, 1903) † comb. nov.			UNPLACED
<i>semihilaris</i> MOHRIG & KRIVOSHEINA, 1983	25		<i>B. fungicola</i> -group
<i>semirufescens</i> MOHRIG, 1999			<i>B. semirufescens</i> -group
<i>senilis</i> (WINNERTZ, 1867)			UNPLACED
<i>serrata</i> YANG & ZHANG, 1987			UNPLACED
<i>sexdentata</i> (PETTEY, 1918)			UNPLACED [= ? <i>B. tilicola</i> -group]
<i>siberica</i> KOMAROVA, 2001			<i>B. nervosa</i> -group
<i>sicelidis</i> MOHRIG & MENZEL, 1993			<i>B. pallipes</i> -group
<i>siciliensis</i> (LENGERSDORF, 1926)			<i>B. praecox</i> -group
<i>signata</i> (WINNERTZ, 1867)	159		<i>B. tilicola</i> -group
= <i>bulbostyla</i> MOHRIG & MENZEL, 1990	TM		<i>B. tilicola</i> -group
= <i>polychaeta</i> KOMAROVA, 2003 syn. nov.			<i>B. tilicola</i> -group
<i>siliquaris</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>silvosa</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>smithae</i> MENZEL & HELLER, 2005	TM 7		<i>B. lobata</i> -group

<i>snyderi</i> STEFFAN, 1969		UNPLACED
<i>sordida</i> (ZETTERSTEDT, 1838)		UNPLACED
<i>spatitergum</i> (HARDY, 1956)	3	UNPLACED
<i>spinea</i> MOHRIG & RÖSCHMANN, 2004		<i>B. hilaris</i> -group
<i>spinellosa</i> YANG & ZHANG, 1989		UNPLACED
<i>spinostyla</i> MOHRIG & MENZEL, 1990	TM 1	<i>B. fungicola</i> -group
<i>splendida</i> MOHRIG & KRIVOSHEINA, 1989	10	<i>B. tilicola</i> -group
<i>strenua</i> (WINNERTZ, 1867)	76	<i>B. pallipes</i> -group
= <i>annulata absoloni</i> (BEZZI, 1911)		<i>B. pallipes</i> -group
= <i>ardua</i> (GRZEGORZEK, 1884)		<i>B. pallipes</i> -group
<i>strigata</i> (STAEGER, 1840)	22	<i>B. rufescens</i> -group
= <i>robusta</i> (LENGERSDORF, 1926) [preocc.]		<i>B. rufescens</i> -group
<i>stupenda</i> MOHRIG, 1999		<i>B. hilaris</i> -group
<i>subaffinis</i> MOHRIG & KRIVOSHEINA, 1989	1	<i>B. fungicola</i> -group
<i>subalpina</i> FREY, 1948	22	<i>B. melanura</i> -group
<i>subamoena</i> MOHRIG & KRIVOSHEINA, 1989		<i>B. tilicola</i> -group
<i>subangustata</i> MOHRIG & KRIVOSHEINA, 1989		<i>B. fungicola</i> -group
<i>subaprica</i> MOHRIG & KRIVOSHEINA, 1989		<i>B. fungicola</i> -group
<i>subbetuleti</i> MOHRIG & KRIVOSHEINA, 1989		<i>B. nervosa</i> -group
<i>subbrunnipes</i> (EDWARDS, 1933)		UNPLACED
<i>subconfinis</i> MOHRIG & MAMAEV, 1985	1	<i>B. rufescens</i> -group
<i>subcuneostylata</i> ALAM, 1988		UNPLACED
<i>subfungicola</i> MOHRIG & KRIVOSHEINA, 1989	2	<i>B. fungicola</i> -group
<i>subgiraudi</i> MOHRIG & MENZEL, 1990		<i>B. giraudii</i> -group
<i>subhilaris</i> MOHRIG & MAMAEV, 1982		<i>B. hilaris</i> -group
<i>subiridipennis</i> MOHRIG & MENZEL, 1992	TM 2	<i>B. praecox</i> -group
<i>submarginata</i> TUOMIKOSKI, 1959	122	<i>B. hilaris</i> -group
<i>submoesta</i> MOHRIG & KRIVOSHEINA, 1989	4	<i>B. pallipes</i> -group
= <i>kronthaleri</i> RUDZINSKI, 1993		<i>B. pallipes</i> -group
<i>submonticola</i> MOHRIG & MAMAEV, 1989		<i>B. fungicola</i> -group
<i>submorio</i> MOHRIG & KRIVOSHEINA, 1983		<i>B. alpicola</i> -group
<i>subpallidipes</i> MOHRIG & MENZEL, 1992		<i>B. hilaris</i> -group
<i>subrufescens</i> MOHRIG & KRIVOSHEINA, 1989	8	<i>B. angustipennis</i> -group
<i>subsantorina</i> MOHRIG & KAUSCHKE, 1997	TM 12	<i>B. pallipes</i> -group
<i>subscabricornis</i> MOHRIG & MENZEL, 1990	TM 65	<i>B. fungicola</i> -group

<i>subspinea</i> MOHRIG & RÖSCHMANN, 2004				<i>B. hilaris</i> -group
<i>subvernalis</i> MOHRIG & HELLER, 1992	31			<i>B. praecox</i> -group
<i>tenuicalcar</i> ALAM, 1988				UNPLACED
<i>tenuicauda</i> MOHRIG & MENZEL, 1990	TM 22			<i>B. praecox</i> -group
= <i>neopraecox</i> RUDZINSKI, 1996 syn. nov.				<i>B. praecox</i> -group
<i>terricola</i> FREY, 1948				<i>B. tilicola</i> -group
<i>tiliae</i> MENZEL spec. nov.	TM 26	(GER)		<i>B. praecox</i> -group
<i>tilicola</i> (LOEW, 1850)	111			<i>B. tilicola</i> -group
= <i>amoena</i> (WINNERTZ, 1867)				<i>B. tilicola</i> -group
= <i>alma</i> (WINNERTZ, 1871)				<i>B. tilicola</i> -group
= <i>cellarum</i> FREY, 1948				<i>B. tilicola</i> -group
= <i>coprophila</i> (LINTNER, 1895)				<i>B. tilicola</i> -group
= <i>domestica</i> FREY, 1948				<i>B. tilicola</i> -group
= <i>incomta</i> (WINNERTZ, 1867)				<i>B. tilicola</i> -group
= <i>marcilla</i> (HUTTON, 1902)				<i>B. tilicola</i> -group
= <i>nanella</i> (FREY, 1936)				<i>B. tilicola</i> -group
= <i>selecta</i> (WINNERTZ, 1871)				<i>B. tilicola</i> -group
= <i>setigera</i> (WINNERTZ, 1867)				<i>B. tilicola</i> -group
= <i>silvatica</i> (MEIGEN, 1818)				<i>B. tilicola</i> -group
= <i>triseriata</i> (WINNERTZ, 1867)				<i>B. tilicola</i> -group
= <i>turbida</i> (WINNERTZ, 1867)				<i>B. tilicola</i> -group
= <i>vana</i> (WINNERTZ, 1871)				<i>B. tilicola</i> -group
= <i>vividula</i> (WINNERTZ, 1867)				<i>B. tilicola</i> -group
= <i>volucris</i> (WINNERTZ, 1867)				<i>B. tilicola</i> -group
= <i>wendalinae</i> (VAN BRUGGEN, 1954)				<i>B. tilicola</i> -group
<i>tobiasi</i> MENZEL & MOHRIG, 2000				<i>B. fungicola</i> -group
= <i>longiseta</i> MOHRIG & MAMAEV, 1989 [preocc.]				<i>B. fungicola</i> -group
<i>tomentosa</i> YANG, ZHANG & YANG, 1993				UNPLACED
<i>tongmaiana</i> YANG & ZHANG, 1987				? <i>B. nervosa</i> -group
<i>triacanthifera</i> YANG & ZHANG, 1987				UNPLACED
<i>trigonospina</i> YANG, ZHANG & YANG, 1995				UNPLACED
<i>trispinifera</i> MOHRIG & KRIVOSHEINA, 1979	4			<i>B. fungicola</i> -group
= <i>furcata</i> YANG, ZHANG & YANG, 1993				<i>B. fungicola</i> -group
= <i>furcatina</i> YANG, ZHANG & YANG, 1995				<i>B. fungicola</i> -group
= <i>subbispinifera</i> KOMAROVA, 2001 syn. nov.				<i>B. fungicola</i> -group

<i>trispinosa</i> ALAM, 1988			UNPLACED
<i>trivittata</i> (STAEGER, 1840)	2743		<i>B. tilicola</i> -group
= <i>basalis</i> (WINNERTZ, 1867)			<i>B. tilicola</i> -group
= <i>decipiens</i> (WINNERTZ, 1867)			<i>B. tilicola</i> -group
= <i>devittata</i> TUOMIKOSKI, 1959			<i>B. tilicola</i> -group
= <i>lignorum</i> (KIEFFER, 1919)			<i>B. tilicola</i> -group
= <i>spectrum</i> (WINNERTZ, 1867)			<i>B. tilicola</i> -group
= <i>versicolorea</i> (LENGERSDORF, 1940)			<i>B. tilicola</i> -group
<i>truncorum</i> (FREY, 1945)			<i>B. tilicola</i> -group
<i>tuberosa</i> ALAM, 1988			UNPLACED
<i>tumulta</i> MOHRIG, 2003			UNPLACED
<i>tungmuguana</i> YANG & ZHANG, 2003			UNPLACED
<i>turgida</i> MOHRIG & RÖSCHMANN, 2004			? <i>B. hilaris</i> -group
<i>umesaoi</i> SASAKAWA, 1962			UNPLACED
<i>una</i> YANG & ZHANG, 1992			UNPLACED
<i>urticae</i> MOHRIG & MENZEL, 1992	TM 37		<i>B. tilicola</i> -group
<i>vagans</i> (WINNERTZ, 1868)	2840		<i>B. rufescens</i> -group
= <i>angustipennis</i> FREY, 1948 [preocc.]			<i>B. rufescens</i> -group
= <i>callicera</i> FREY, 1948			<i>B. rufescens</i> -group
= <i>richardi</i> GERBACHEVSKAJA, 1986			<i>B. rufescens</i> -group
<i>validolobata</i> MOHRIG, 2003			UNPLACED
<i>vaneyi</i> (FALCOZ, 1913)			<i>B. pallipes</i> -group
<i>varians</i> (JOHANNSEN, 1912)			UNPLACED
<i>variolata</i> MENZEL & KOMAROVA spec. nov.			<i>B. fungicola</i> -group
<i>variopalpa</i> MOHRIG & BLASCO-ZUMETA, 1996	TM 1		<i>B. angustipennis</i> -group
<i>vafra</i> MENZEL spec. nov.	TM 6	(ESP)	<i>B. praecox</i> -group
<i>verna</i> MENZEL spec. nov.	TM 2	(ESP)	<i>B. praecox</i> -group
<i>vernalis</i> (ZETTERSTEDT, 1851)	24		<i>B. praecox</i> -group
= <i>monticola</i> (WINNERTZ, 1867)			<i>B. praecox</i> -group
= <i>vallestris</i> (LENGERSDORF, 1926)			<i>B. praecox</i> -group
<i>verruca</i> YANG, ZHANG & YANG, 1995			UNPLACED
<i>vicina</i> MENZEL spec. nov.	TM 7	(ESP / ISR)	<i>B. angustipennis</i> -group
<i>virgulata</i> (LENGERSDORF, 1938)			UNPLACED
<i>watsoni</i> COLLESS, 1962			<i>B. pallipes</i> -group
<i>weiningana</i> YANG, ZHANG & YANG, 1993			UNPLACED

<i>xenoreflexa</i> MOHRIG & MENZEL, 1993	2		<i>B. pallipes</i> -group
<i>xizangana</i> YANG & ZHANG, 1987			UNPLACED
<i>yangi</i> TAN & YANG, 1995			? <i>B. tilicola</i> -group
<i>yasumatsui</i> (SASAKAWA, 1961) comb. nov.			? <i>B. fungicola</i> -group
<i>yuhuacavernaria</i> YANG & ZHANG, 1995			UNPLACED
<i>zerchei</i> MENZEL spec. nov.	TM 2	(ESP)	<i>B. rufescens</i> -group
<i>zetterstedti</i> MOHRIG & MENZEL, 1993	TM 81		<i>B. melanura</i> -group
<i>zhenzhongi</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>zingiberis</i> (SASAKAWA, 1985)	TM 8		<i>B. procera</i> -group
<i>zizhong</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>zonata</i> RUDZINSKI, 1993	1		<i>B. praecox</i> -group
<i>zygocera</i> (EDWARDS, 1933)			UNPLACED
<i>Bradysiopsis</i> TUOMIKOSKI, 1960			
<i>angustistyla</i> MENZEL spec. nov.	TM 4	(ESP)	<i>Br. vittata</i> -group
<i>deflexa</i> MENZEL spec. nov.	TM 2	(ESP)	<i>Br. vittata</i> -group
<i>disjuncta</i> (MOHRIG & MAMAEV, 1970)			<i>Br. disjuncta</i> -group
<i>repentina</i> MOHRIG & RÖSCHMANN, 2005 †			UNPLACED
<i>sordida</i> (MOHRIG, 1999) comb. nov.			<i>Br. sordida</i> -group
<i>vittata</i> (MEIGEN, 1830)	34		<i>Br. vittata</i> -group
= <i>leucotricha</i> (TUOMIKOSKI, 1960)			<i>Br. vittata</i> -group
= <i>quinquelineata</i> var. <i>alpujarrensis</i> (STROBL, 1900)			<i>Br. vittata</i> -group
= <i>quinquelineata</i> var. <i>nigripes</i> (STROBL, 1898)	TM		<i>Br. vittata</i> -group
<i>vittigera</i> (ZETTERSTEDT, 1851)	2		<i>Br. vittata</i> -group
<i>wilden</i> MENZEL spec. nov.	TM 2	(ESP)	<i>Br. disjuncta</i> -group
<i>Camptochaeta</i> HIPPA & VILKAMAA, 1994			
<i>aequidens</i> HIPPA & VILKAMAA, 1994			
<i>bichaeta</i> (KOMAROVA, 1995) comb. nov.			
<i>bournei</i> (SHAW, 1941)	7		
= <i>subvivax</i> (MOHRIG, 1985)			
<i>camptochaeta</i> (TUOMIKOSKI, 1960)	27		
<i>cladiator</i> HIPPA & VILKAMAA, 1994	1		
<i>coei</i> (FREEMAN, 1983)	1		
<i>compar</i> HIPPA & VILKAMAA, 1994			

<i>consimilis</i> (HOLMGREN, 1869)	14
<i>delicata</i> (LENGERSDORF, 1935)	18
= <i>macrodon</i> (FREY, 1948)	
= <i>pallidiventr</i> is (HOLMGREN, 1869) [preocc.]	
<i>desideralis</i> (MOHRIG & KRIVOSHEINA, 1985)	
<i>duplicata</i> HIPPA & VILKAMAA, 1994	
<i>falcator</i> HIPPA & VILKAMAA, 1994	
<i>falcidens</i> HIPPA & VILKAMAA, 1994	
<i>fallax</i> HIPPA & VILKAMAA, 1994	12
<i>flagellifera</i> HIPPA & VILKAMAA, 1994	
<i>galinae</i> HIPPA & VILKAMAA, 1994	
<i>gigantostylata</i> HELLER & MENZEL, 2005	
<i>hirtula</i> (LENGERSDORF, 1934)	42
= <i>fulvicollis</i> (TUOMIKOSKI, 1960)	
<i>inflata</i> HIPPA & VILKAMAA, 1994	
<i>jeskei</i> (MOHRIG & RÖSCHMANN, 1993)	
<i>longicosta</i> HIPPA & VILKAMAA, 1994	
<i>mimica</i> HIPPA & VILKAMAA, 1994	
<i>mutua</i> (JOHANNSEN, 1912)	1
<i>ofenkaulis</i> (LENGERSDORF, 1925)	74
<i>pellax</i> HIPPA & VILKAMAA, 1994	
<i>propria</i> HIPPA & VILKAMAA, 1994	
<i>quadriceps</i> HIPPA & VILKAMAA, 1994	
<i>scanica</i> HIPPA & VILKAMAA, 1994	6
<i>sicilicula</i> HIPPA & VILKAMAA, 1994	5
<i>simulator</i> HIPPA & VILKAMAA, 1994	
<i>spicigera</i> HIPPA & VILKAMAA, 1994	
<i>stammeri</i> (LENGERSDORF, 1940)	1
<i>subcamptochaeta</i> (MOHRIG, 1992)	8
= <i>pentacantha</i> KOMAROVA, HIPPA & VILKAMAA, 2007 syn. nov.	
<i>tenuipalpalis</i> (MOHRIG & ANTONOVA, 1978)	9
= <i>licina</i> (SASAKAWA, 1994)	
<i>uncifera</i> HIPPA & VILKAMAA, 1994	
<i>uniformis</i> (MOHRIG & MENZEL, 1990)	TM 36
<i>vivax</i> (FREY, 1948)	12

<i>xystica</i> HIPPA & VILKAMAA, 1994	
= <i>nigrospinulata</i> (MAMAEV, 2001) syn. nov.	
<i>xysticoides</i> HIPPA & VILKAMAA, 1994	
<i>Ceratosciara</i> ENDERLEIN, 1911	
<i>corniculata</i> ENDERLEIN, 1911	26
<i>Chaetosciara</i> FREY, 1942	
<i>estlandica</i> (LENGERSDORF, 1929)	7
= <i>lengersdorfi</i> (FREY, 1948)	
<i>gilva</i> MOHRIG & RÖSCHMANN, 2004	
<i>ingrata</i> MOHRIG, 1999	
<i>joffrei</i> (PETTEY, 1918)	
<i>lygropis</i> (EDWARDS, 1928)	
<i>obsoleta</i> MOHRIG & RÖSCHMANN, 2005 †	
<i>pendleburyi</i> (EDWARDS, 1928)	
<i>recta</i> MOHRIG, 1999	
<i>solutospina</i> MOHRIG, 2003	
<i>takahashii</i> SASAKAWA, 1992	1
<i>tenompokensis</i> (EDWARDS, 1933)	
<i>umbalis</i> MOHRIG & KRIVOSHEINA, 1990	
<i>Claustropyga</i> HIPPA, VILKAMAA & MOHRIG, 2003	
<i>abblanda</i> (FREEMAN, 1983)	84
<i>acanthostyla</i> (TUOMIKOSKI, 1960)	
<i>aperta</i> HIPPA, VILKAMAA & MOHRIG, 2003	
<i>auriculata</i> HIPPA, VILKAMAA & MOHRIG, 2003	
<i>brevichaeta</i> (MOHRIG & ANTONOVA, 1978)	6
<i>clausa</i> (TUOMIKOSKI, 1960)	4
<i>corticis</i> (MOHRIG & ANTONOVA, 1978)	
<i>ctenophora</i> HIPPA, VILKAMAA & MOHRIG, 2003	
<i>elizabethae</i> HIPPA, VILKAMAA & MOHRIG, 2003	
<i>heteroclausu</i> (RUDZINSKI, 1991)	4
<i>janetscheki</i> (MOHRIG & RÖSCHMANN, 1993)	
<i>mirifica</i> VILKAMAA & HIPPA, 2007	

<i>obtusidens</i> HIPPA, VILKAMAA & MOHRIG, 2003			
<i>refrigerata</i> (LENGERSDORF, 1930)	4		
= <i>scandinavica</i> (RUDZINSKI, 1992)			
<i>sajanica</i> (MOHRIG & ANTONOVA, 1978)			
<i>simplicis</i> HIPPA, VILKAMAA & MOHRIG, 2003			
<i>spicea</i> VILKAMAA & HIPPA, 2007			
<i>subcorticis</i> (MOHRIG & KRIVOSHEINA, 1985)			
<i>triloba</i> VILKAMAA & HIPPA, 2007			
<i>tumida</i> HIPPA, VILKAMAA & MOHRIG, 2003	TM	2	
<i>Corynoptera</i> WINNERTZ, 1867			
<i>abducera</i> MOHRIG & RULIK, 1999			<i>C. membranigera</i> -group
<i>acantharia</i> MOHRIG & RÖSCHMANN, 1993	1		<i>C. acantharia</i> -group
<i>acerrima</i> MOHRIG & DIMITROVA, 1992			<i>C. acerrima</i> -group
<i>acuminata</i> MOHRIG & DIMITROVA, 1992			<i>C. parvula</i> -group
<i>alpina</i> MOHRIG, 1978	346		<i>C. crassistylata</i> -group
<i>alticola</i> (KIEFFER, 1919)	2		<i>C. flavicauda</i> -group
= <i>postpiniphila</i> MOHRIG & MAMAEV, 1992	TM		<i>C. flavicauda</i> -group
<i>anae</i> MOHRIG & HELLER, 1992	1		<i>C. subtilis</i> -group
<i>ancylospina</i> MOHRIG, 1999			<i>C. ancylospina</i> -group
<i>angusta</i> MENZEL, 2005	TM	3	<i>C. parvula</i> -group
<i>angusticornis</i> MENZEL spec. nov.	TM	10	(UAE) <i>C. parvula</i> -group
<i>antennaria</i> MENZEL spec. nov.	TM	1	(GER) <i>C. concinna</i> -group
<i>antespinifera</i> MOHRIG, 1987	2		<i>C. spinifera</i> -group
<i>applanata</i> MOHRIG & DIMITROVA, 1992	1		<i>C. subtilis</i> -group
<i>apuliaensis</i> MOHRIG & KAUSCHKE, 1994	1		<i>C. parvula</i> -group
<i>armigera</i> VILKAMAA & HIPPA, 2006			<i>C. boletiphaga</i> -group
<i>assimilis</i> MENZEL, 2005			<i>C. parvula</i> -group
<i>baradlana</i> (KNÉZY, 1932)			<i>C. forcipata</i> -group
<i>barbata</i> TUOMIKOSKI, 1960	6		<i>C. forcipata</i> -group
<i>basisetosa</i> MOHRIG, 1999			<i>C. basisetosa</i> -group
<i>bellicosa</i> (HIPPA & VILKAMAA, 1994)			UNPLACED
<i>bernardoensis</i> MOHRIG & RÖSCHMANN, 1993			<i>C. flavicauda</i> -group
<i>bicuspidata</i> (LENGERSDORF, 1926)	39		<i>C. membranigera</i> -group
= <i>gymnops</i> TUOMIKOSKI, 1960			<i>C. membranigera</i> -group

<i>bipartita</i> MOHRIG & KRIVOSHEINA, 1985			<i>C. subtilis</i> -group
<i>bispinulosa</i> MOHRIG & DIMITROVA, 1992	2		<i>C. forcipata</i> -group
<i>bistrispina</i> (BUKOWSKI & LENGERSDORF, 1936)	11		<i>C. boletiphaga</i> -group
= <i>defecta</i> (FREY, 1948)			<i>C. boletiphaga</i> -group
<i>bisulca</i> MOHRIG & MAMAEV, 1987			<i>C. subtilis</i> -group
<i>blanda</i> (WINNERTZ, 1867)	203		<i>C. blanda</i> -group
= <i>curviligula</i> (LENGERSDORF, 1952)			<i>C. blanda</i> -group
= <i>villica</i> (WINNERTZ, 1867)			<i>C. blanda</i> -group
<i>boletiphaga</i> (LENGERSDORF, 1940)	234		<i>C. boletiphaga</i> -group
= <i>filiceti</i> (FREY, 1948)			<i>C. boletiphaga</i> -group
= <i>geogenia</i> TUOMIKOSKI, 1960			<i>C. boletiphaga</i> -group
= <i>scebulifera</i> KOMAROVA, 2000 syn. nov.			<i>C. boletiphaga</i> -group
<i>brachypennis</i> (LENGERSDORF, 1926)			UNPLACED
<i>breviformis</i> MOHRIG & KRIVOSHEINA, 1983	15		<i>C. subtilis</i> -group
<i>bulgarica</i> MOHRIG & MAMAEV, 1992	3		<i>C. parvula</i> -group
<i>caesula</i> MENZEL spec. nov.	TM 6	(ESP)	<i>C. subtilis</i> -group
<i>calcaripotens</i> ALAM, 1988			UNPLACED
<i>calva</i> (VILKAMAA & HIPPA, 2005) ? comb. nov.			UNPLACED
<i>caustica</i> MOHRIG & RÖSCHMANN, 1996			UNPLACED
<i>cavicola</i> (ZILAHY-SEBESS, 1950)			UNPLACED
<i>cavipes</i> MOHRIG, 1993	TM 88		<i>C. concinna</i> -group
<i>chaetospina</i> MOHRIG & RÖSCHMANN, 1996			UNPLACED
<i>christinae</i> MOHRIG & KRIVOSHEINA, 1982	1		<i>C. forcipata</i> -group
<i>cincinnata</i> MOHRIG & BLASCO-ZUMETA, 1996			<i>C. boletiphaga</i> -group
<i>collina</i> (VILKAMAA & HIPPA, 2005) ? comb. nov.			UNPLACED
<i>compressa</i> (WALKER, 1848)	6		<i>C. forcipata</i> -group
= <i>confunda</i> RUDZINSKI & SCHULZ, 1996			<i>C. forcipata</i> -group
= <i>pallida</i> (WALKER, 1856)			<i>C. forcipata</i> -group
<i>concinna</i> (WINNERTZ, 1867)	117		<i>C. concinna</i> -group
= <i>semiconcinna</i> MOHRIG & KRIVOSHEINA, 1985			<i>C. concinna</i> -group
<i>confirmata</i> MOHRIG, 1985	4		<i>C. subtilis</i> -group
<i>connochaeta</i> MOHRIG & KRIVOSHEINA, 1983			<i>C. concinna</i> -group
<i>contusa</i> MOHRIG, 1994	1		<i>C. boletiphaga</i> -group
<i>coronospina</i> MOHRIG, 1999			<i>C. ancylospina</i> -group
<i>cowanorum</i> MOHRIG, 1999			<i>C. ancylospina</i> -group

<i>crassistylata</i> (FREY, 1948) comb. nov.	17	<i>C. crassistylata</i> -group
= <i>altaica</i> (KOMAROVA, 1995) [<i>Plastosciara</i>] [preocc.] comb. nov.		<i>C. crassistylata</i> -group
<i>cruciata</i> (HIPPA & VILKAMAA, 1994)	1	<i>C. parvula</i> -group
<i>cuniculata</i> (LENGERSDORF, 1942)	14	<i>C. parvula</i> -group
= <i>caldariorum</i> TUOMIKOSKI, 1960		<i>C. parvula</i> -group
<i>curiosa</i> (MEUNIER, 1904) †		UNPLACED
<i>cursor</i> (HIPPA & VILKAMAA, 1994)	20	<i>C. parvula</i> -group
<i>curvata</i> MOHRIG & MAMAEV, 1987	11	<i>C. crassistylata</i> -group
<i>curvispinosa</i> FREEMAN, 1983	2	<i>C. boletiphaga</i> -group
<i>densisetosa</i> MOHRIG, 1999		<i>C. basisetosa</i> -group
<i>densospica</i> MOHRIG, 1999		<i>C. harrisi</i> -group
<i>dentata</i> (BUKOWSKI & LENGERSDORF, 1936)	32	<i>C. parvula</i> -group
<i>dentatula</i> MOHRIG & KRIVOSHEINA, 1983		<i>C. parvula</i> -group
<i>dentiforceps</i> (BUKOWSKI & LENGERSDORF, 1936)	15	<i>C. parvula</i> -group
<i>deserta</i> HELLER & MENZEL, 2006	46	<i>C. parvula</i> -group
= <i>minutula</i> (BUKOWSKI & LENGERSDORF, 1936) [preocc.]		<i>C. parvula</i> -group
<i>didymistyla</i> MOHRIG, 1999		<i>C. basisetosa</i> -group
<i>disporata</i> MOHRIG, 1994	7	<i>C. parvula</i> -group
<i>diversa</i> MENZEL & MOHRIG spec. nov.	TM 3	<i>C. diversa</i> -group
<i>diversicalcaria</i> MOHRIG, 2004		UNPLACED
<i>dividospica</i> MOHRIG, 1999		<i>C. harrisi</i> -group
<i>dumosa</i> SASAKAWA, 1994		<i>C. dumosa</i> -group
<i>eocenica</i> (MEUNIER, 1904) †		UNPLACED
= <i>verticillata</i> (MEUNIER, 1904) †		UNPLACED
<i>evenhuisi</i> RÖSCHMANN & MOHRIG, 1995 †		UNPLACED
= <i>difficilis</i> (MEUNIER, 1904) [preocc.] †		UNPLACED
<i>exilis</i> (HIPPA & VILKAMAA, 1994)		UNPLACED
<i>expressospina</i> MOHRIG, 1999		<i>C. ancylospina</i> -group
<i>facticia</i> MOHRIG, 1999		[formerly <i>C. nigrohalteralis</i> -group]
<i>fera</i> MOHRIG & HELLER, 1992	1	<i>C. boletiphaga</i> -group
<i>filisetosa</i> MOHRIG, 1999		<i>C. basisetosa</i> -group
<i>filispica</i> MOHRIG, 1999		<i>C. harrisi</i> -group
<i>flavicauda</i> (ZETTERSTEDT, 1855)	158	<i>C. flavicauda</i> -group
<i>flavicoxa</i> MOHRIG & MAMAEV, 1992		<i>C. forcipata</i> -group
<i>flavosignata</i> MENZEL & HELLER, 2006	TM 8	<i>C. membranigera</i> -group

<i>forcipata</i> (WINNERTZ, 1867)	422			<i>C. forcipata</i> -group
= <i>echinocordyla</i> LAURENCE, 1994	TM			<i>C. forcipata</i> -group
= <i>involuta</i> (FREY, 1948)				<i>C. forcipata</i> -group
<i>francescae</i> MOHRIG & KAUSCHKE, 1994				<i>C. boletiphaga</i> -group
<i>fratercula</i> VILKAMAA & HIPPA, 2006				<i>C. boletiphaga</i> -group
<i>fritzi</i> MOHRIG & RULIK, 2001	6			<i>C. tridentata</i> -group
<i>furcata</i> (HIPPA & VILKAMAA, 1994)	91			<i>C. parvula</i> -group
<i>furcifera</i> MOHRIG & MAMAEV, 1987	121			<i>C. boletiphaga</i> -group
= <i>vitella</i> RUDZINSKI & DRISSNER, 1992				<i>C. boletiphaga</i> -group
<i>fuscispica</i> MOHRIG, 1999				<i>C. harrisi</i> -group
<i>gemina</i> (HIPPA & VILKAMAA, 1994)				<i>C. parvula</i> -group
<i>gladiota</i> MOHRIG, 2004				UNPLACED
<i>globiformis</i> (FREY, 1945)	153			<i>C. concinna</i> -group
= <i>globula</i> FREEMAN, 1983				<i>C. concinna</i> -group
= <i>paraglobula</i> RUDZINSKI, 1988				<i>C. concinna</i> -group
<i>globosa</i> MENZEL spec. nov.	TM 1	(ESP)		<i>C. concinna</i> -group
<i>gloriosa</i> MENZEL spec. nov.	TM 1	(ESP)		<i>C. boletiphaga</i> -group
<i>grothae</i> MOHRIG & MENZEL, 1990	TM 67			<i>C. subtilis</i> -group
= <i>pinusia</i> KOMAROVA, 1998 syn. nov.				<i>C. subtilis</i> -group
<i>hannae</i> MENZEL, 2005	TM 7			<i>C. concinna</i> -group
<i>harrisi</i> (EDWARDS, 1927)	1			<i>C. harrisi</i> -group
<i>hemiacantha</i> MOHRIG & MAMAEV, 1992	28			<i>C. membranigera</i> -group
<i>hemisetosa</i> MOHRIG, 1999				<i>C. basisetosa</i> -group
<i>heterochela</i> STEFFAN, 1969				UNPLACED
<i>hypopygialis</i> (LENGERSDORF, 1926)	129			<i>C. flavicauda</i> -group
= <i>pachycerca</i> (FREY, 1948)				<i>C. flavicauda</i> -group
= <i>piniphila</i> (LENGERSDORF, 1940)				<i>C. flavicauda</i> -group
<i>ignorata</i> MOHRIG & FROESE, 1992	1			<i>C. parvula</i> -group
<i>immunita</i> MENZEL, 1995	TM 1			<i>C. dumosa</i> -group
<i>inculta</i> MENZEL spec. nov.	TM 1	(GER)		<i>C. inculta</i> -group
<i>incurva</i> RUDZINSKI & SCHULZ, 1996				<i>C. parvula</i> -group
<i>inexpectata</i> TUOMIKOSKI, 1960	75			<i>C. subtilis</i> -group
= <i>saetistyla</i> MOHRIG & KRIVOSHEINA, 1985 syn. nov.				<i>C. subtilis</i> -group
= <i>densiseta</i> MOHRIG & MENZEL, 1990 syn. nov.	TM			<i>C. subtilis</i> -group
<i>inundata</i> FRITZ, 1982	131			<i>C. parvula</i> -group

= <i>recurvispina</i> FREEMAN, 1987			<i>C. parvula</i> -group
<i>interposita</i> MENZEL spec. nov.	TM 3	(CZE / GER)	<i>C. concinna</i> -group
<i>iocosa</i> MOHRIG & RÖSCHMANN, 2005 †			UNPLACED
<i>ioculatoria</i> MOHRIG 1999			<i>C. crassistylata</i> -group
<i>irmgardis</i> (LENGERSDORF, 1930)	173		<i>C. subtilis</i> -group
= <i>globulifera</i> KOMAROVA, 1995 syn. nov.			<i>C. subtilis</i> -group
= <i>subtilissima</i> (FREY, 1948)			<i>C. subtilis</i> -group
<i>kallweiti</i> MENZEL spec. nov.	TM 1	(RUS)	<i>C. parvula</i> -group
<i>karlkulbei</i> MOHRIG & RÖSCHMANN, 1996			UNPLACED
<i>klebsii</i> (MEUNIER, 1904) †	3		UNPLACED
= <i>bella</i> (MEUNIER, 1904) †			UNPLACED
= <i>electra</i> (MEUNIER, 1904) †			UNPLACED
= <i>hirticornis</i> (LOEW, 1850) [preocc.] †			UNPLACED
= <i>infernalis</i> (MEUNIER, 1904) †			UNPLACED
= <i>minuscula</i> (MEUNIER, 1904) †			UNPLACED
= <i>morosoides</i> (MEUNIER, 1904) †			UNPLACED
= <i>palmnickii</i> (MEUNIER, 1904) †			UNPLACED
= <i>variabilis</i> (MEUNIER, 1904) †			UNPLACED
<i>koenigsbergiensis</i> MOHRIG & RÖSCHMANN, 1994 †			UNPLACED
<i>latistylata</i> (HARDY, 1956)	316		<i>C. parvula</i> -group
= <i>praegladiota</i> MOHRIG, 2004			<i>C. parvula</i> -group
<i>laureti</i> (FREY, 1949)			<i>C. tridentata</i> -group
<i>levis</i> TUOMIKOSKI, 1960	3		<i>C. subtilis</i> -group
<i>longispina</i> (YANG & ZHANG, 1989)			UNPLACED
<i>luravi</i> (JOHANNSEN, 1929)			UNPLACED
<i>luteofusca</i> (BUKOWSKI & LENGERSDORF, 1936)	144		<i>C. subtilis</i> -group
<i>magica</i> MOHRIG & DIMITROVA, 1992			<i>C. spinifera</i> -group
<i>macricula</i> MOHRIG & KRIVOSHEINA, 1986			<i>C. subtilis</i> -group
<i>mamaevi</i> (HIPPA & VILKAMAA, 1994)	1		<i>C. parvula</i> -group
<i>marinae</i> MOHRIG & MAMAEV, 1986	11		<i>C. subtilis</i> -group
<i>mediana</i> MOHRIG & MAMAEV, 1982			<i>C. subtilis</i> -group
<i>melanochaeta</i> MOHRIG & MENZEL, 1992	TM 34		<i>C. subtilis</i> -group
<i>membranigera</i> (KIEFFER, 1903)	510		<i>C. membranigera</i> -group
= <i>trispina</i> TUOMIKOSKI, 1960			<i>C. membranigera</i> -group
<i>menzeli</i> (VILKAMAA & HIPPA, 2005) comb. nov.	TM 4		<i>C. menzeli</i> -group

<i>microsetosa</i> MOHRIG, 1999				<i>C. basisetosa</i> -group
<i>minima</i> (MEIGEN, 1818)	86			<i>C. boletiphaga</i> -group
= <i>brachyptera</i> (LENGERSDORF, 1941)	TM			<i>C. boletiphaga</i> -group
= <i>brevipennis</i> (WALKER, 1848)				<i>C. boletiphaga</i> -group
<i>minuta</i> (HIPPA & VILKAMAA, 1994)				UNPLACED
<i>monstera</i> KOMAROVA, 1995				<i>C. tridentata</i> -group
<i>montana</i> (WINNERTZ, 1869)	TM 6			<i>C. flavicauda</i> -group
= <i>fusca</i> (WINNERTZ, 1871)	TM			<i>C. flavicauda</i> -group
<i>neutralis</i> RÖSCHMANN & MOHRIG, 1995 †				UNPLACED
<i>nigrocauda</i> MOHRIG & MENZEL, 1990				<i>C. subtilis</i> -group
<i>nigrospina</i> MOHRIG, 1999				[formerly <i>C. nigrohalteralis</i> -group]
<i>nigrotegminis</i> MOHRIG, 1999				<i>C. basisetosa</i> -group
<i>nyxa</i> (MOHRIG & MENZEL, 1992)				<i>C. boletiphaga</i> -group
<i>obscuripila</i> TUOMIKOSKI, 1960	19			<i>C. parvula</i> -group
<i>oririclausa</i> MOHRIG, 1999				<i>C. basisetosa</i> -group
<i>ovata</i> MENZEL spec. nov.	TM 1	(GER)		<i>C. parvula</i> -group
<i>ovatula</i> MENZEL & MOHRIG, 2000				UNPLACED
= <i>minima</i> ALAM, 1988 [preocc.]				UNPLACED
<i>pannosa</i> RUDZINSKI, 1995	TM 2			<i>C. parvula</i> -group
<i>parasetosa</i> MOHRIG, 1999				<i>C. basisetosa</i> -group
<i>parcitata</i> MOHRIG & KRIVOSHEINA, 1986				<i>C. membranigera</i> -group
<i>parvula</i> (WINNERTZ, 1867)	46			<i>C. parvula</i> -group
= <i>uncinata</i> (HIPPA & VILKAMAA, 1994)				<i>C. parvula</i> -group
<i>parvulaformis</i> MOHRIG, 1985	1			<i>C. parvula</i> -group
<i>pentaspina</i> MOHRIG, 1999				[formerly <i>C. nigrohalteralis</i> -group]
<i>perochaeta</i> (MOHRIG & MENZEL, 1990)	TM 125			<i>C. acantharia</i> -group
<i>perpusilla</i> WINNERTZ, 1867	230			<i>C. subtilis</i> -group
= <i>bicornis</i> (LENGERSDORF, 1943)				<i>C. subtilis</i> -group
= <i>dubitata</i> TUOMIKOSKI, 1960				<i>C. subtilis</i> -group
<i>pertaesa</i> MOHRIG, 2003				UNPLACED
<i>philpotti</i> (TONNOIR, 1927)				<i>C. forcipata</i> -group
<i>plasioetosa</i> MOHRIG, 1999				<i>C. basisetosa</i> -group
<i>postforcipata</i> RUDZINSKI, 1993	2			<i>C. forcipata</i> -group
<i>postglobiformis</i> MOHRIG, 1993	TM 130			<i>C. concinna</i> -group
<i>postobscuripila</i> MOHRIG & RÖSCHMANN, 1993				<i>C. parvula</i> -group

<i>postparvula</i> MOHRIG & KRIVOSHEINA, 1982	1		<i>C. parvula</i> -group
<i>praedentata</i> MOHRIG & MAMAEV, 1987	12		<i>C. parvula</i> -group
<i>praecaesula</i> MENZEL spec. nov.	TM 3	(ESP)	<i>C. subtilis</i> -group
<i>praeforcipata</i> MOHRIG & MAMAEV, 1987	9		<i>C. concinna</i> -group
= <i>bidens</i> (KOMAROVA, 2001) syn. nov.			<i>C. concinna</i> -group
= <i>duplicata</i> (RUDZINSKI, 1992)			<i>C. concinna</i> -group
<i>praefurcifera</i> MOHRIG, 1994	TM 3		<i>C. boletiphaga</i> -group
<i>praeparvula</i> MOHRIG & KRIVOSHEINA, 1983	34		<i>C. parvula</i> -group
<i>praepiniphila</i> MOHRIG & DIMITROVA, 1992	2		<i>C. flavicauda</i> -group
<i>praevia</i> (MOHRIG & MENZEL, 1992)	TM 5		<i>C. subtilis</i> -group
<i>prinospina</i> MOHRIG, 1999			<i>C. ancylospina</i> -group
<i>prisca</i> MOHRIG & RÖSCHMANN, 2005 †			UNPLACED
<i>priscospina</i> MOHRIG, 1999			<i>C. ancylospina</i> -group
<i>pristina</i> RÖSCHMANN & MOHRIG, 2005 †			UNPLACED
<i>proboletiphaga</i> MOHRIG & RÖSCHMANN, 1993			<i>C. acerrima</i> -group
<i>pronospica</i> MOHRIG, 1999			<i>C. harrisi</i> -group
<i>propriospina</i> MOHRIG, 1999			<i>C. ancylospina</i> -group
<i>prospina</i> MOHRIG, 1999			<i>C. ancylospina</i> -group
<i>psilospina</i> MOHRIG, 1999			<i>C. ancylospina</i> -group
<i>quadridens</i> (HIPPA & VILKAMAA, 1994)			<i>C. parvula</i> -group
<i>quantula</i> (HIPPA & VILKAMAA, 1994)			<i>C. parvula</i> -group
<i>quasisetosa</i> MOHRIG, 1999			<i>C. basisetosa</i> -group
<i>ritzkowskii</i> RÖSCHMANN & MOHRIG, 1995 †			UNPLACED
<i>robustior</i> VILKAMAA & HIPPA, 2006	4		<i>C. boletiphaga</i> -group
<i>roederi</i> (LENGERSDORF, 1931)			<i>C. flavicauda</i> -group
<i>roeschmanni</i> MOHRIG & RULIK, 2001			<i>C. tridentata</i> -group
<i>saccata</i> TUOMIKOSKI, 1960	198		<i>C. membranigera</i> -group
= <i>arboris</i> FRITZ, 1982			<i>C. membranigera</i> -group
<i>schumanni</i> MOHRIG & RÖSCHMANN, 1994 †	TM 2		UNPLACED
<i>scitula</i> MENZEL spec. nov.	TM 2	(POR)	<i>C. boletiphaga</i> -group
<i>sedula</i> MOHRIG & KRIVOSHEINA, 1985	41		<i>C. subtilis</i> -group
= <i>consumpta</i> (FREEMAN, 1987)			<i>C. subtilis</i> -group
<i>semiaggregata</i> MOHRIG, 1999			<i>C. basisetosa</i> -group
<i>semicurvata</i> MOHRIG, 1987	20		<i>C. crassistylata</i> -group
<i>semipedestris</i> MOHRIG & BLASCO-ZUMETA, 1996			<i>C. membranigera</i> -group

<i>semisaccata</i> MOHRIG & MAMAEV, 1987	15	<i>C. boletiphaga</i> -group
<i>sepei</i> (HIPPA & VILKAMAA, 2005) comb. nov.		<i>C. crassistylata</i> -group
<i>serena</i> (WINNERTZ, 1868)		<i>C. subtilis</i> -group
<i>setosa</i> FREEMAN, 1983	17	<i>C. membranigera</i> -group
<i>sicca</i> MOHRIG & RÖSCHMANN, 2004		? <i>C. parvula</i> -group
<i>simonae</i> RUDZINSKI, 1992	36	<i>C. subtilis</i> -group
<i>sphenoptera</i> TUOMIKOSKI, 1960	108	<i>C. subtilis</i> -group
<i>spinifera</i> TUOMIKOSKI, 1960	14	<i>C. spinifera</i> -group
<i>spinosula</i> MOHRIG & RÖSCHMANN, 1993		<i>C. parvula</i> -group
<i>spoeckeri</i> (LENGERSDORF, 1930)	3	<i>C. forcipata</i> -group
= <i>venerata</i> RUDZINSKI, 1994		<i>C. forcipata</i> -group
<i>spungisi</i> MOHRIG & KRIVOSHEINA, 1985		<i>C. subtilis</i> -group
<i>stipidaria</i> MOHRIG, 1994	TM 4	<i>C. flavicauda</i> -group
<i>styptica</i> (MOHRIG & RÖSCHMANN, 1993)		<i>C. concinna</i> -group
<i>subagilis</i> MOHRIG & RÖSCHMANN, 1994 †		UNPLACED
<i>subantarctica</i> STEFFAN, 1964		UNPLACED
<i>subblanda</i> TUOMIKOSKI, 1960		<i>C. blanda</i> -group
<i>subcavipes</i> MENZEL & SMITH, 2007	TM 1	<i>C. concinna</i> -group
<i>subconcinna</i> MOHRIG, 1987		<i>C. forcipata</i> -group
<i>subcurvata</i> MOHRIG, 1987		<i>C. crassistylata</i> -group
<i>subdentata</i> MOHRIG, 1985	149	<i>C. parvula</i> -group
<i>subforcipata</i> MOHRIG & MENZEL, 1990	TM 21	<i>C. forcipata</i> -group
<i>subfurcifera</i> MOHRIG & HÖVEMEYER, 1992	9	<i>C. boletiphaga</i> -group
= <i>differa</i> RUDZINSKI, 1994		<i>C. boletiphaga</i> -group
<i>subparvula</i> TUOMIKOSKI, 1960	247	<i>C. parvula</i> -group
<i>subpiniphila</i> MOHRIG & MAMAEV, 1992		<i>C. flavicauda</i> -group
<i>subsaccata</i> MOHRIG & KRIVOSHEINA, 1982		<i>C. subtilis</i> -group
<i>subsedula</i> MOHRIG & MAMAEV, 1987		<i>C. subtilis</i> -group
<i>subtetrachaeta</i> KOMAROVA, 1995		<i>C. subtilis</i> -group
<i>subtilis</i> (LENGERSDORF, 1929)	43	<i>C. subtilis</i> -group
= <i>longicornis</i> (BUKOWSKI & LENGERSDORF, 1936)		<i>C. subtilis</i> -group
= <i>signhildae</i> (FREY, 1948)		<i>C. subtilis</i> -group
<i>subvariegata</i> RUDZINSKI, 1992		<i>C. blanda</i> -group
<i>syriaca</i> (LENGERSDORF, 1934)	1	<i>C. flavicauda</i> -group
= <i>lindbergii</i> TUOMIKOSKI, 1959		<i>C. flavicauda</i> -group

<i>tapleyi</i> (EDWARDS, 1927)	1			[formerly <i>C. nigrohalteralis</i> -group]
<i>tetrachaeta</i> TUOMIKOSKI, 1960	47			<i>C. subtilis</i> -group
<i>thula</i> (VILKAMAA & HIPPA, 2005) ? comb. nov.				UNPLACED
<i>trepida</i> (WINNERTZ, 1867)	298			<i>C. subtilis</i> -group
= <i>campylodonta</i> KOMAROVA, 1995 syn. nov.				<i>C. subtilis</i> -group
= <i>clinochaeta</i> TUOMIKOSKI, 1960				<i>C. subtilis</i> -group
= <i>subflava</i> (LENGERSDORF, 1941)	TM			<i>C. subtilis</i> -group
<i>triacantha</i> TUOMIKOSKI, 1960				<i>C. membranigera</i> -group
<i>triangulata</i> MOHRIG, 1985				<i>C. spinifera</i> -group
<i>tridentata</i> HONDRU, 1968	64			<i>C. tridentata</i> -group
= <i>pratorum</i> FRITZ, 1982				<i>C. tridentata</i> -group
<i>trispinulosa</i> MOHRIG & BLASCO-ZUMETA, 1996				<i>C. parvula</i> -group
<i>tristicula</i> (WINNERTZ, 1867)				UNPLACED
= <i>umbellatarum</i> (WINNERTZ, 1867)				UNPLACED
<i>tritospinosula</i> RÖSCHMANN & MOHRIG, 1995 †				UNPLACED
<i>turbata</i> MOHRIG & RÖSCHMANN, 2004				UNPLACED
<i>turkmenica</i> ANTONOVA, 1975				<i>C. boletiphaga</i> -group
<i>ultima</i> (VILKAMAA & HIPPA, 2005) ? comb. nov.				? <i>C. menzeli</i> -group
<i>umbrata</i> MENZEL spec. nov.	TM	32	(ESP)	<i>C. crassistylata</i> -group
<i>umbrosa</i> (MEUNIER, 1904) †				UNPLACED
= <i>agilis</i> (MEUNIER, 1904) †				UNPLACED
= <i>conwentzii</i> (MEUNIER, 1904) †				UNPLACED
<i>uncata</i> MENZEL & SMITH, 2006	TM	13		<i>C. subtilis</i> -group
<i>undulosa</i> MENZEL & MOHRIG spec. nov.	TM	35	(ESP)	<i>C. subtilis</i> -group
<i>uniceps</i> (HIPPA & VILKAMAA, 1994)				UNPLACED
<i>unidentata</i> (HIPPA & VILKAMAA, 1994)		17		<i>C. parvula</i> -group
<i>vagula</i> TUOMIKOSKI, 1960		3		<i>C. boletiphaga</i> -group
<i>variegata</i> MOHRIG, 1985				<i>C. blanda</i> -group
<i>variospina</i> MOHRIG, 1999				[formerly <i>C. nigrohalteralis</i> -group]
<i>verrucifera</i> (LENGERSDORF, 1952)		57		<i>C. spinifera</i> -group
<i>voluptuosa</i> MOHRIG & MAMAEV, 1987	TM	3		<i>C. subtilis</i> -group
<i>waltraudis</i> MOHRIG & MAMAEV, 1987		2		<i>C. subtilis</i> -group
<i>winnertzi</i> MOHRIG, 1993	TM	31		<i>C. concinna</i> -group

***Cosmosciara* FREY, 1942**

adrostylata (HARDY, 1956) ? **comb. nov.**
conciliata (MOHRIG, 2003)
latipons (HARDY, 1956)
libidinosa (MOHRIG, 2003)
longicosta (HARDY, 1956)
perniciosa (EDWARDS, 1922) 205
 = *brevicalcarata* (HARDY, 1956)
 = *semifacta* (MOHRIG & RÖSCHMANN, 1999)

***Cratyna* WINNERTZ, 1867**

SG *Cratyna* WINNERTZ, 1867 s. str.

acuminata (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
aimoresi (LANE, 1960) **comb. nov.**
albispina (YANG, ZHANG & YANG, 1993) **comb. nov.**
alpina (MOHRIG & MENZEL, 1992) TM 11
ambigua (LENGERSDORF, 1934) 93
 = *latiforceps* (BUKOWSKI & LENGERSDORF, 1936)
 = *lignea* (LENGERSDORF, 1941)
 = *prima* (FREY, 1942)
atra WINNERTZ, 1867 2
 = *corticalis* (LENGERSDORF, 1930)
 = *pictiventris* (KIEFFER, 1898)
aurora (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
betulae (MOHRIG & MAMAEV, 1992) 152
boracensis (LANE, 1960) **comb. nov.**
 = *barrettoi* (LANE, 1960) **syn. nov.**
breviflagellata (MOHRIG & MAMAEV, 1985)
brevimera (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
brevispina (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
caraosi (LANE, 1960) **comb. nov.**
ciliocera MOHRIG, 2003
ciliovenosa MOHRIG, 2003
clavigera (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
clavula (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
clinostyla (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**

- collina* (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
compta MOHRIG, 1999
conica (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
coniciformis (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
consensa MOHRIG, 1999
consentanea MOHRIG, 1999
consilia (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
constricta (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
contracta MOHRIG & RÖSCHMANN, 1996 1
coronicornis (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
crassichaeta (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
crinita (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
cucarisi (LANE, 1960) **comb. nov.**
 = *downsi* (LANE, 1960) **syn. nov.**
cryptospina (RUDZINSKI, 1993) 3
dactylica (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
delicia (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
denticula (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
distorata MOHRIG, 1999
epsilon (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
excisa (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
expedita (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
ficta MOHRIG, 1999
flagelloparva (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
flagria MOHRIG, 1999
flagriantennata MOHRIG, 1999
flagritissima MOHRIG, 1999
flavivaria MOHRIG, 1999
foveola (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
freemani MENZEL & MOHRIG, 2000 TM 1
friesei (MENZEL & MOHRIG, 1991) TM 1
fumoalata MOHRIG & RÖSCHMANN, 2004
gemina (MOHRIG & MAMAIEV, 1980)
ghanaensis (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**
gigas (HIPPA, VILKAMAA & HEINAKROON, 1998) **comb. nov.**

<i>gilva</i> RUDZINSKI, 2000	2		
<i>hirticornis</i> (MEIGEN, 1818)			
<i>index</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>indotata</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>integra</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>interflagria</i> MOHRIG, 1999			
<i>intermedia</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>kirkspriggsi</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>kurilensis</i> (MOHRIG & KRIVOSHEINA, 1982)			
<i>lagena</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>latidactyla</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>longicercus</i> (MOHRIG & MAMAEV, 1982)			
<i>longipennis</i> (LENGERSDORF, 1931)			
<i>longitegmenta</i> MOHRIG, 1999			
<i>micra</i> MOHRIG, 2003			
<i>montuosa</i> MOHRIG, 1999			
<i>musicola</i> (STEFFAN, 1969)			
<i>nigerrima</i> (MOHRIG & KRIVOSHEINA, 1979)			
<i>nivea</i> (MOHRIG & KRIVOSHEINA, 1979)			
<i>pernitida</i> (EDWARDS, 1915)	14		
<i>postglobula</i> (RUDZINSKI, 1993)			
<i>praecompta</i> MOHRIG, 1999			
<i>prominula</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>protrusa</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>quadrifalx</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>redunca</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>retracta</i> MENZEL spec. nov.	TM 3	(POR)	
<i>sagitta</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>schineri</i> (WINNERTZ, 1867)	10		
= <i>arenaria</i> (BELING, 1872)	TM		
= <i>glabricollis</i> (WINNERTZ, 1871)	TM		
= <i>intermedia</i> (WINNERTZ, 1867)			
= <i>stokesi</i> (EDWARDS, 1925)			
<i>sentiosa</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>spicicauda</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			

<i>subalpina</i> (MOHRIG & MAMAEV, 1990)			
<i>subcompta</i> MOHRIG, 1999			
<i>symplecta</i> (RUDZINSKI, 1991)		3	
<i>tempestiva</i> MOHRIG & RÖSCHMANN, 2005 †			
<i>torula</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>trichodactyla</i> (HIPPA, VILKAMAA & HEINAKROON, 1998) comb. nov.			
<i>uliginosa</i> (LENGERSDORF, 1929)		645	
<i>vaporariorum</i> (FREY, 1948)			
<i>zealandica</i> MOHRIG, 1999			
SG <i>Diversicratyna</i> MENZEL & MOHRIG, 1998			
<i>globigerina</i> (MOHRIG & KRIVOSHEINA, 1985)			
<i>jaluitensis</i> (STEFFAN, 1969)			
<i>perornata</i> (MOHRIG & RÖSCHMANN, 1993)	TM	5	
= <i>abscondita</i> RUDZINSKI, 1994			
<i>salomonis</i> (MOHRIG & MAMAEV, 1985)		3	
<i>spiculosa</i> (RUDZINSKI, 1993)		5	
= <i>taractica</i> (LAURENCE, 1994)	TM		
<i>unispinula</i> (MOHRIG & MENZEL, 1992)			
<i>yapensis</i> (STEFFAN, 1969)			
SG <i>Peyerimhoffia</i> KIEFFER, 1903			
<i>auriculae</i> (YANG & ZHANG, 1987)			
<i>curtipennis</i> (EDWARDS, 1926)			
<i>hybrida</i> (MOHRIG & MAMAEV, 1974)		3	
<i>imitata</i> MENZEL spec. nov.	TM	1	(GER)
<i>infera</i> (VILKAMAA & HIPPA, 2005) comb. nov.			
<i>keilbachi</i> (MOHRIG & RÖSCHMANN, 1994) †			
<i>obtusicauda</i> (STROBL, 1900)		1	
<i>vagabunda</i> (WINNERTZ, 1867)		490	
= <i>alata</i> (FREY, 1948)			
= <i>brachyptera</i> (KIEFFER, 1903)			
SG <i>Pictosciara</i> MOHRIG, 2004			
<i>brevipalpis</i> (STEFFAN, 1969)			
<i>subvera</i> MOHRIG, 2004			
<i>variovera</i> MOHRIG, 2004			
<i>vera</i> MOHRIG, 2004			

SG *Spathobdella* FREY, 1948

<i>archaica</i> RÖSCHMANN & MOHRIG, 1995 †	
<i>colei</i> (FREEMAN, 1990)	159
<i>egertoni</i> (EDWARDS, 1934)	
<i>exteria</i> MOHRIG, 2003	
<i>falcata</i> (TUOMIKOSKI, 1960)	59
<i>falcifera</i> (LENGERSDORF, 1933)	66
<i>keilini</i> (EDWARDS, 1915)	6
<i>nobilis</i> (WINNERTZ, 1867)	242
= <i>brachialis</i> (WINNERTZ, 1867)	
= <i>cunctans</i> (WINNERTZ, 1871)	TM
<i>perplexa</i> (WINNERTZ, 1867)	20
= <i>brevicornis</i> (TUOMIKOSKI, 1957)	
= <i>dispar</i> (BELING, 1885) [preocc.]	TM
= <i>gregaria</i> (BELING, 1872)	TM
= <i>pilosa</i> (RÜBSAAMEN, 1894) [preocc.]	
= <i>socialis</i> (WINNERTZ, 1871)	TM
<i>phili</i> MENZEL, 2002	TM 2
<i>tuberculata</i> (TUOMIKOSKI, 1960)	4

SG *Termitosciara* SCHMITZ, 1915

<i>biarticulata</i> (SCHMITZ, 1915)	
Incertae sedis in <i>Cratyna</i>	
<i>brevicaudata</i> (YANG & ZHANG, 1989)	
<i>interposita</i> MOHRIG & RÖSCHMANN, 2005 †	
<i>quadrispinosa</i> (STEFFAN, 1969)	
<i>villosantennata</i> MOHRIG & RÖSCHMANN, 2005 †	

***Ctenosciara* TUOMIKOSKI, 1960**

<i>angustistylata</i> SUTOU & ITO, 2003	TM 1
<i>constrictans</i> (EDWARDS, 1927)	1
= <i>nubeculosa</i> (EDWARDS, 1927)	
<i>exigua</i> SALMELA & VILKAMAA, 2005	
<i>griseinervis</i> (EDWARDS, 1927)	1
<i>hawaiiensis</i> (HARDY, 1956)	
<i>hyalipennis</i> (MEIGEN, 1804)	3734

= <i>annulata</i> (MEIGEN, 1818)	
= <i>autumnalis</i> (WINNERTZ, 1867)	
= <i>electa</i> (GRZEGORZEK, 1884)	
= <i>eximia</i> (WINNERTZ, 1867)	
= <i>insularis</i> (FREY, 1936)	
= <i>rufa</i> (GRZEGORZEK, 1884)	
= <i>sordidella</i> (ZETTERSTEDT, 1851)	
<i>insolita</i> (SASAKAWA, 1994)	
<i>japonica</i> SUTOU & ITO, 2003	TM 7
<i>leucotricha</i> KOMAROVA, 1995	
<i>longicollis</i> (EDWARDS, 1934) comb. nov.	
<i>lutea</i> (MEIGEN, 1804)	24
<i>meridiana</i> SUTOU & ITO, 2003	TM 1
<i>multispinosa</i> STEFFAN, 1969	
<i>nigrostyla</i> MOHRIG, 1999	
<i>nudata</i> MOHRIG & KOZÁNEK, 1992	2
<i>nudopteryx</i> MOHRIG, 1999	
<i>ovalis</i> (EDWARDS, 1927)	1
<i>rufulenta</i> (EDWARDS, 1927)	2
= <i>vicarians</i> (EDWARDS, 1927)	
<i>satoshii</i> SUTOU & ITO, 2003	
<i>xanthonota</i> (EDWARDS, 1927)	
<i>Dichopygina</i> VILKAMAA, HIPPA & KOMAROVA, 2004	
<i>aculeata</i> VILKAMAA, HIPPA & KOMAROVA, 2004	11
<i>bernhardi</i> VILKAMAA, HIPPA & KOMAROVA, 2004	1
<i>duplicis</i> VILKAMAA, HIPPA & KOMAROVA, 2004	3
<i>intermedia</i> (MOHRIG & KRIVOSHEINA, 1982)	3
<i>nigrohalteralis</i> (FREY, 1948)	63
<i>ramosa</i> VILKAMAA, HIPPA & KOMAROVA, 2004	30
<i>stricta</i> VILKAMAA, HIPPA & KOMAROVA, 2004	
<i>Dodecasciara</i> EDWARDS, 1928	
<i>debilis</i> EDWARDS, 1928	

Epidapus* HALIDAY, 1851*SG *Cornepidapus* MENZEL & MOHRIG, 2000***subtigris* MOHRIG & MAMAEV, 1987*tigris* MOHRIG & KRIVOSHEINA, 1985**SG *Epidapus* HALIDAY, 1851 s. str.***alnicola* (TUOMIKOSKI, 1957) 21*antegracilis* MOHRIG & DIMITROVA, 1993*atomarius* (DE GEER, 1778) 1800= *acutehomerata* (VENTURI, 1964)= *brevipalpis* (KIEFFER, 1903)= *degeerii* (BIGOT, 1854)= *melina* (SCHMITZ, 1915)= *monocalcarata* (VIMMER, 1928)= *moravica* (CZIŽEK, 1917)= *pumila* (WINNERTZ, 1853)= *soudeki* (VIMMER, 1926)= *venaticus* HALIDAY in WALKER, 1856*bipalpatus* MOHRIG, 1982 1*brachyflagellatus* MOHRIG & RÖSCHMANN, 1996*brevihalteratus* RÖSCHMANN & MOHRIG, 1995 †*consensus* MOHRIG, 2004*detriticola* (KRATOCHVIL, 1936) 239*fagicola* HONDURU, 1968*flavothoracicus* MOHRIG & RÖSCHMANN, 2004*gracilipes* MENZEL, 2007 TM 6*gracilis* (WALKER, 1848) 259= *aptera* (KIEFFER, 1903)= *edwardsi* FREEMAN, 1983= *gracilis* (WINNERTZ, 1853) [preocc.]= *longicornis* (LENGERSDORF, 1941) TM= *pulicina* (FREY, 1952)*ignotus* (LENGERSDORF, 1942) 24= *gracilior* (TUOMIKOSKI, 1960)*illicitus* MOHRIG & RULIK, 1999*insolitus* MENZEL **spec. nov.** TM 87 (ESP)*E. atomarius*-group*E. microthorax*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. microthorax*-group*E. microthorax*-group

UNPLACED

UNPLACED

E. detriticola-group*E. atomarius*-group

UNPLACED

E. atomarius-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. atomarius*-group*E. microthorax*-group*E. microthorax*-group

<i>italicus</i> (VENTURI, 1963)				<i>E. atomarius</i> -group
<i>lacertosus</i> MOHRIG, 2003				UNPLACED
<i>lagrecai</i> (VENTURI, 1963)				<i>E. detriticola</i> -group
<i>latibulus</i> MENZEL spec. nov.	TM	235	(ESP)	<i>E. detriticola</i> -group [as <i>Corynoptera latibula</i>]
<i>longisetus</i> MOHRIG & RÖSCHMANN, 2005 †				UNPLACED
<i>lucifuga</i> (MOHRIG, 1970)		75		<i>E. detriticola</i> -group
<i>macrohalteratus</i> MOHRIG & MENZEL, 1992	TM	6		<i>E. microthorax</i> -group
<i>macrospinatus</i> MOHRIG & RÖSCHMANN, 2005 †				UNPLACED
<i>menzeli</i> RÖSCHMANN & MOHRIG, 1994 †	TM	1		<i>E. microthorax</i> -group
<i>microspinus</i> MOHRIG & RÖSCHMANN, 2005 †				UNPLACED
<i>microthorax</i> (BÖRNER, 1903)		512		<i>E. microthorax</i> -group
= <i>gracilicornis</i> (LENGERSDORF, 1926)				<i>E. microthorax</i> -group
= <i>intermittens</i> TUOMIKOSKI, 1959				<i>E. microthorax</i> -group
= <i>obenbergeri</i> (VIMMER, 1926)				<i>E. microthorax</i> -group
= <i>subdetrita</i> (KRATOCHVIL, 1936)				<i>E. microthorax</i> -group
= <i>subdetrita</i> var. <i>bispina</i> (KRATOCHVIL, 1936)				<i>E. microthorax</i> -group
= <i>subdetrita</i> var. <i>monospina</i> (KRATOCHVIL, 1936)				<i>E. microthorax</i> -group
= <i>subdetrita</i> var. <i>trispina</i> (KRATOCHVIL, 1936)				<i>E. microthorax</i> -group
<i>montivivus</i> (MOHRIG, 1970)		15		<i>E. microthorax</i> -group
<i>palaeogracilis</i> RÖSCHMANN & MOHRIG, 1993 †				<i>E. atomarius</i> -group
<i>postdetriticola</i> MOHRIG & RÖSCHMANN, 1996				<i>E. detriticola</i> -group
<i>primulus</i> RUDZINSKI, 2000				<i>E. microthorax</i> -group
<i>probus</i> MOHRIG, 2004				UNPLACED
<i>schillei</i> (BÖRNER, 1903)		102		<i>E. atomarius</i> -group
= <i>absoloni</i> CZIŽEK, 1915				<i>E. atomarius</i> -group
= <i>titan</i> FREY, 1948				<i>E. atomarius</i> -group
<i>spinosulus</i> MOHRIG & BLASCO-ZUMETA, 1996		155		<i>E. microthorax</i> -group
<i>strenuus</i> MOHRIG, 2004				UNPLACED
<i>subdetriticola</i> MOHRIG & RÖSCHMANN, 1996				<i>E. detriticola</i> -group
<i>subgracilis</i> MENZEL & MOHRIG, 2006	TM	3		<i>E. atomarius</i> -group
<i>trispinus</i> MENZEL spec. nov.	TM	2	(UAE)	<i>E. microthorax</i> -group
<i>tuwensis</i> (MOHRIG & MAMAIEV, 1990)				<i>E. atomarius</i> -group
<i>unistylatus</i> RÖSCHMANN & MOHRIG, 1995 †				UNPLACED
SG <i>Macrotarsus</i> MOHRIG, 2004				
<i>longicubitalis</i> MOHRIG, 2004				

<i>nanus</i> MENZEL, 2007	TM	4	
<i>pellitus</i> MOHRIG, 2004			
<i>primus</i> MOHRIG, 2004			
<i>quinespinus</i> MOHRIG, 2004			
SG <i>Pseudoaptanogyna</i> VIMMER, 1926			
<i>abieticola</i> FREY, 1948			<i>E. ignavus</i> -group
<i>absconditus</i> (VIMMER, 1926)		343	<i>E. absconditus</i> -group
= <i>flabellata</i> (LENGERSDORF, 1942)			<i>E. absconditus</i> -group
<i>adstrictosetus</i> MOHRIG & RÖSCHMANN, 2005 †			UNPLACED
<i>anomalus</i> MOHRIG & DIMITROVA, 1993			<i>E. ignavus</i> -group
<i>bispinosulus</i> MOHRIG & KAUSCHKE, 1994			<i>E. subcarpaticus</i> -group
<i>caecus</i> MENZEL spec. nov.	TM	1	(ESP)
<i>canicattii</i> MOHRIG & KAUSCHKE, 1994		3	<i>E. caecus</i> -group
<i>carpaticus</i> (MOHRIG & MAMAEV, 1985)			<i>E. subcarpaticus</i> -group
<i>compressus</i> MENZEL spec. nov.	TM	1	(CZE)
<i>crassipes</i> (KIEFFER, 1906)			<i>E. subcarpaticus</i> -group
<i>debilis</i> MENZEL, 2003	TM	1	<i>E. ignavus</i> -group
<i>echinatum</i> MOHRIG & KOZÁNEK, 1992		2	<i>E. ignavus</i> -group
<i>gracillimus</i> MOHRIG, 1994		24	<i>E. subcarpaticus</i> -group
<i>ignavus</i> (LENGERSDORF, 1941)	TM	2	<i>E. subcarpaticus</i> -group
<i>incundus</i> MOHRIG, 2004			<i>E. ignavus</i> -group
<i>inversus</i> MOHRIG, 2004			UNPLACED
<i>mixtus</i> MOHRIG, 2003			UNPLACED
<i>obstinatus</i> MOHRIG & RÖSCHMANN, 2004			UNPLACED
<i>pallidus</i> (SÉGUY, 1961)		2	<i>E. subcarpaticus</i> -group
<i>primarius</i> RÖSCHMANN & MOHRIG, 1995 †			UNPLACED
<i>quadrspinosus</i> MOHRIG & MAMAEV, 1990			<i>E. absconditus</i> -group
<i>quadrspinulus</i> (MOHRIG & MAMAEV, 1990)			<i>E. subcarpaticus</i> -group
<i>subcarpaticus</i> MOHRIG & MAMAEV, 1990			<i>E. subcarpaticus</i> -group
<i>succinellus</i> MOHRIG & RÖSCHMANN, 1994 †			UNPLACED
SG <i>Pseudoepidapus</i> MOHRIG, 1982			
<i>bikinensis</i> MENZEL & MOHRIG, 2000	TM	1	
<i>denticulatus</i> (MOHRIG & KRIVOSHEINA, 1982)			
Incertae sedis in <i>Epidapus</i>			
<i>chaetovenosus</i> MOHRIG, 1999			

ctenosciaroides MOHRIG, 1999
espinosalus MOHRIG, 1999
parvus MOHRIG, 1999

***Eugnoriste* COQUILLET, 1896**
brevirostris (COQUILLET, 1904)
capensis STEFFAN, 1967
occidentalis COQUILLET, 1896
pernitens (EDWARDS, 1941)
planiforceps STEFFAN, 1971
villosabdoinalis MOHRIG, 2003

***Euricrium* ENDERLEIN, 1911**
afrum LENGERSDORF, 1939
ruebsaameni ENDERLEIN, 1911

***Eurobradysia* LENGERSDORF, 1930**
acicularis LENGERSDORF, 1930
argenteomaculata (FREY, 1942)

***Eurysciara* LENGERSDORF, 1927**
rostrata LENGERSDORF, 1927
sensillata (RUDZINSKI, 2005) ? **comb. nov.**

TM 2

***Faratsiho* PAULIAN, 1956**
microptera PAULIAN, 1956

***Gephyromma* ENDERLEIN, 1911**
fulgidum ENDERLEIN, 1911

***Hermapterosciara* MOHRIG & MAMAEV, 1970**
duplicata (MOHRIG & MAMAEV, 1970)

3

***Hybosciara* RÜBSAAMEN, 1894**
fragilis MORGANTE, 1969

gigantea (MACQUART, 1846)
gigantea RÜBSAAMEN, 1894 [= ? preocc.]

***Hyperlasion* SCHMITZ, 1918**

aliens MOHRIG, 2004 4
capitulatum MOHRIG, 2003 ? **comb. nov.**
magnisensoria (HARDY, 1956)
multisetus MOHRIG & RÖSCHMANN, 2004
pilosostyla (MOHRIG, 1999) ? **comb. nov.**
politum MOHRIG, 2004
viridiventris (FREY, 1945) 2
wasmanni SCHMITZ, 1918 249

***Keilbachia* MOHRIG, 1987**

acamptochaeta HIPPA & VILKAMAA, 2007
acerspina MOHRIG, 1999 1
aculeata VILKAMAA, KOMAROVA & HIPPA, 2006
acumina VILKAMAA, MENZEL & HIPPA **spec. nov.** TM 29
adjuncta VILKAMAA, MENZEL & HIPPA **spec. nov.** TM 1
adunca HIPPA & VILKAMAA, 2007
ancylonema HIPPA & VILKAMAA, 2007
apprima VILKAMAA, KOMAROVA & HIPPA, 2006
arcuata VILKAMAA, KOMAROVA & HIPPA, 2006
arrecta VILKAMAA, KOMAROVA & HIPPA, 2006
bicuspis HIPPA & VILKAMAA, 2007
bifida VILKAMAA, MENZEL & HIPPA **spec. nov.** TM 1
biflagripina MOHRIG, 1999
brevicoxa VILKAMAA, MENZEL & HIPPA **spec. nov.**
camptonema HIPPA & VILKAMAA, 2007
camptospina VILKAMAA, MENZEL & HIPPA **spec. nov.** TM 1
clinata HIPPA & VILKAMAA, 2007
cornuta VILKAMAA, MENZEL & HIPPA **spec. nov.**
criniloba VILKAMAA, MENZEL & HIPPA **spec. nov.** TM 1
curvispina (EDWARDS, 1931)
demissa VILKAMAA, KOMAROVA & HIPPA, 2006

K. flagria-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. flagria-group
K. flagria-group
K. flagria-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. nepalensis-group
K. flagria-group
K. nepalensis-group
K. nepalensis-group

<i>fasciata</i> HIPPA & VILKAMAA, 2007			<i>K. flagria</i> -group
<i>ferrata</i> (HIPPA & VILKAMAA, 1994)	13		<i>K. sasakawai</i> -group
<i>filigera</i> HIPPA & VILKAMAA, 2007			<i>K. flagria</i> -group
<i>flabellata</i> HIPPA & VILKAMAA, 2007			<i>K. flagria</i> -group
<i>flagria</i> MOHRIG, 1999			<i>K. flagria</i> -group
<i>flagrispina</i> MOHRIG, 1999			<i>K. nepalensis</i> -group
<i>foveolata</i> HIPPA & VILKAMAA, 2007			<i>K. flagria</i> -group
<i>gigas</i> HIPPA & VILKAMAA, 2007			<i>K. flagria</i> -group
<i>hamata</i> MENZEL, 1995	TM	1	<i>K. nepalensis</i> -group
<i>indigena</i> MOHRIG, 2004			UNPLACED
<i>incissa</i> VILKAMAA, MENZEL & HIPPA spec. nov.	TM	1	<i>K. flagria</i> -group
<i>macripes</i> VILKAMAA, MENZEL & HIPPA spec. nov.	TM	3	<i>K. nepalensis</i> -group
<i>megacantha</i> VILKAMAA, MENZEL & HIPPA spec. nov.	TM	1	<i>K. nepalensis</i> -group
<i>mira</i> VILKAMAA, KOMAROVA & HIPPA, 2006			<i>K. nepalensis</i> -group
<i>mirabilis</i> HIPPA & VILKAMAA, 2007			<i>K. nepalensis</i> -group
<i>neglecta</i> (JOHANNSEN, 1912)			UNPLACED
<i>nepalensis</i> MOHRIG, 1987			<i>K. nepalensis</i> -group
<i>oligonema</i> HIPPA & VILKAMAA, 2007			<i>K. flagria</i> -group
<i>orthonema</i> HIPPA & VILKAMAA, 2007			<i>K. nepalensis</i> -group
<i>paucipalpa</i> MOHRIG & RÖSCHMANN, 2004			<i>K. nepalensis</i> -group
<i>rima</i> HIPPA & VILKAMAA, 2007			<i>K. flagria</i> -group
<i>sasakawai</i> (MOHRIG & MENZEL, 1992)	136		<i>K. sasakawai</i> -group
<i>scutica</i> VILKAMAA, KOMAROVA & HIPPA, 2006			<i>K. nepalensis</i> -group
<i>tenerrima</i> MENZEL, 1995	TM	1	<i>K. nepalensis</i> -group
<i>tenuicula</i> VILKAMAA, KOMAROVA & HIPPA, 2006			<i>K. nepalensis</i> -group
<i>trispinoides</i> VILKAMAA, MENZEL & HIPPA spec. nov.	TM	1	<i>K. nepalensis</i> -group
<i>Leptosciarella</i> TUOMIKOSKI, 1960			
SG <i>Hirtipennia</i> MOHRIG & MENZEL, 1997			
<i>hirtipennis</i> (ZETTERSTEDT, 1838)	28		
= <i>absurda</i> (WINNERTZ, 1867)			
= <i>hirtipennis</i> var. <i>minor</i> (FREY, 1948)			
= <i>jugicola</i> (STROBL, 1898)			
= <i>parcepilosa</i> var. <i>opacicollis</i> (STROBL, 1902)			
<i>holotricha</i> MOHRIG & MENZEL, 1997			

<i>parcepilosa</i> (STROBL, 1900)		8
= <i>quadristrigata</i> (STROBL, 1909)		
<i>tomentosa</i> (MOHRIG & KAUSCHKE, 1994)	TM	13
SG <i>Leptosciarella</i> TUOMIKOSKI, 1960 s. str.		
<i>albescens</i> (MOHRIG & MAMAEV, 1987)		
<i>aspiculosa</i> MOHRIG, 1999		
<i>botuli</i> (MEUNIER, 1904) †		1
= <i>sendelina</i> (MEUNIER, 1904) †		
<i>brevior</i> (TUOMIKOSKI, 1960)		
<i>brevipalpa</i> (MOHRIG & MENZEL, 1992)		18
<i>cerifera</i> MOHRIG & MENZEL, 1997	TM	6
<i>claviforceps</i> (TUOMIKOSKI, 1960)		
<i>dimera</i> (TUOMIKOSKI, 1960)		2
<i>dolichocorpa</i> RUDZINSKI, 2005		
<i>furiosa</i> RUDZINSKI, 2005		
<i>fuscipalpa</i> (MOHRIG & MAMAEV, 1979)		34
<i>helvetica</i> (RUDZINSKI, 1992)		1
<i>hispida</i> (WINNERTZ, 1871) restit.	TM	114
<i>imberba</i> RUDZINSKI, 2005		
<i>infausta</i> (MOHRIG & RÖSCHMANN, 1994) †		
<i>ironica</i> RUDZINSKI, 2005		
<i>juniperi</i> (MOHRIG & BLASCO-ZUMETA, 1996)	TM	56
<i>longistilis</i> (HONDROU, 1968)		
<i>macrociliata</i> (MOHRIG & RÖSCHMANN, 1994) †		
<i>manifesta</i> MOHRIG & RÖSCHMANN, 2005 †		
<i>mediterranea</i> (MOHRIG & KAUSCHKE, 1994)		3
<i>melanoma</i> (MOHRIG & MENZEL, 1990)		16
<i>melanoxera</i> MOHRIG & MENZEL, 1997		
<i>microacantha</i> (RÖSCHMANN & MOHRIG, 1995) †		
<i>microciliata</i> (MOHRIG & RÖSCHMANN, 1994) †		1
<i>nativa</i> RUDZINSKI, 2005		
<i>neopalpa</i> RUDZINSKI, 2005		
<i>nigrosetosa</i> (FREEMAN, 1990)		
= <i>truncatula</i> MOHRIG & MENZEL, 1997		
<i>nudinervis</i> (TUOMIKOSKI, 1960)		2

<i>nudinervosa</i> MOHRIG & RÖSCHMANN, 2004			
<i>opaca</i> (MOHRIG & KRIVOSHEINA, 1983)			
<i>orientalis</i> (MEUNIER, 1904) †			
<i>pelleola</i> MENZEL spec. nov.	TM	2	(UAE)
<i>perturbata</i> RUDZINSKI, 2005			
<i>pilosa</i> (STAEGER, 1840)		13	
= <i>elegans</i> var. <i>defecta</i> (STROBL, 1910)			
= <i>subspinulosa</i> (EDWARDS, 1925)			
<i>prospera</i> MOHRIG, 2003			
<i>protorotunda</i> (MOHRIG & RÖSCHMANN, 1994) †			
<i>pseudorecens</i> (RÖSCHMANN & MOHRIG, 1995) †			
<i>rejecta</i> (WINNERTZ, 1867)		83	
= <i>echinata</i> (LENGERSDORF, 1926)			
= <i>elongata</i> (WINNERTZ, 1867) [preocc.]			
<i>rotunda</i> (MOHRIG & MAMAEV, 1990)			
<i>scutellata</i> (STAEGER, 1840)		122	
= <i>bilineata</i> (STAEGER, 1840)			
= <i>elegans</i> (WINNERTZ, 1867)			
= <i>inhonesta</i> (WINNERTZ, 1867)			
= <i>interrupta</i> (STROBL, 1895)			
= <i>obscuripennis</i> (WINNERTZ, 1867)			
<i>subcoarctata</i> MOHRIG & MENZEL, 1997			
<i>subpilosa</i> (EDWARDS, 1925)		44	
= <i>subelegans</i> (MOHRIG & MAMAEV, 1985)			
<i>subviatica</i> MOHRIG & MENZEL, 1997	TM	6	
<i>succinea</i> (HONG, 1974) † comb. nov.			
<i>tertiaria</i> (MEUNIER, 1904) †			
<i>trochanterata</i> (ZETTERSTEDT, 1851)		129	[incl. 4 slides from Isola 2000 (FRA) = spec. nov.]
= <i>coarctata</i> (WINNERTZ, 1867)			
= <i>hirsutissima</i> (STROBL, 1895)			
= <i>prisca</i> (WINNERTZ, 1867)			
= <i>saltuum</i> (WINNERTZ, 1868)			
= <i>splendens</i> (WINNERTZ, 1867) [<i>Sciara</i>]			
<i>truncata</i> (TUOMIKOSKI, 1960)		5	
<i>viatica</i> (WINNERTZ, 1867)		64	

= <i>proxima</i> (WINNERTZ, 1867)			
<i>viaticella</i> (MOHRIG & KRIVOSHEINA, 1979)			
<i>yerburyi</i> (FREEMAN, 1983)		14	
<i>zieglerei</i> MENZEL spec. nov.	TM	2	(RUS)
SG <i>Leptospina</i> MOHRIG & MENZEL, 1997			
<i>atricha</i> (TUOMIKOSKI, 1960)		2	
<i>dentata</i> (MOHRIG & KRIVOSHEINA, 1979)			
<i>lobodentata</i> MOHRIG & MENZEL, 1997			
<i>subdentata</i> (MOHRIG & MENZEL, 1992)			
SG <i>Trichosiopsis</i> TUOMIKOSKI, 1960			
<i>tuberculigera</i> (TUOMIKOSKI, 1960)			
<i>Leucosciara</i> MOHRIG, 2003			
<i>imperfecta</i> MOHRIG, 2003			
<i>inana</i> MOHRIG, 2003			
<i>Lobosciara</i> STEFFAN, 1969			
<i>adebratti</i> VILKAMAA & HIPPA, 1994			
<i>bilobata</i> VILKAMAA & HIPPA, 1994		5	
<i>latiloba</i> VILKAMAA & HIPPA, 1994			
<i>spinipennis</i> (SASAKAWA, 1962)			
<i>trilobata</i> VILKAMAA & HIPPA, 1994			
<i>Lycoriella</i> FREY, 1942			
SG <i>Coelostylina</i> TUOMIKOSKI, 1960			
<i>altaica</i> (KOMAROVA, 1995) [<i>Corynoptera</i>] comb. nov.			<i>L. secundaria</i> -group
<i>eflagellata</i> TUOMIKOSKI, 1960		18	<i>L. secundaria</i> -group
<i>freyi</i> TUOMIKOSKI, 1960		2	<i>L. freyi</i> -group
<i>lycorielloides</i> (MOHRIG & KRIVOSHEINA, 1985)			<i>L. secundaria</i> -group
<i>pallidior</i> TUOMIKOSKI, 1960			<i>L. secundaria</i> -group
<i>polaris</i> MOHRIG & MAMAEV, 1985		2	<i>L. freyi</i> -group
= <i>nonflagellata</i> MAMAEV, 2001 syn. nov.			<i>L. freyi</i> -group
<i>secundaria</i> MOHRIG & MENZEL, 1990	TM	5	<i>L. secundaria</i> -group
SG <i>Hemineurina</i> FREY, 1942			
<i>abbrevinervis</i> (HOLMGREN, 1869)		34	<i>L. inflata</i> -group

<i>acerstyla</i> MOHRIG & KRIVOSHEINA, 1987			<i>L. inflata</i> -group
<i>algida</i> (FREY, 1948) restit.	415		<i>L. inflata</i> -group
<i>brevicubitalis</i> (LENGERSDORF, 1926)			<i>L. vitticollis</i> -group
<i>chentejensis</i> MENZEL, 1992	TM 1		<i>L. vitticollis</i> -group
<i>cochleata</i> (RÜBSAAMEN, 1898)			<i>L. vitticollis</i> -group
= <i>haemorrhoidalis</i> (LUNDBECK, 1898)			<i>L. vitticollis</i> -group
<i>conspicua</i> (WINNERTZ, 1867)	41		<i>L. inflata</i> -group
<i>dearmata</i> MOHRIG & KRIVOSHEINA, 1987	3		<i>L. vitticollis</i> -group
<i>flavicornis</i> MOHRIG & MAMAEV, 1985	1		<i>L. inflata</i> -group
<i>flavipeda</i> MOHRIG & KRIVOSHEINA, 1987			<i>L. inflata</i> -group
<i>gerbatshevskayae</i> ANTONOVA, 1975	6		<i>L. inflata</i> -group
<i>gigastyla</i> MOHRIG & MENZEL, 1992			<i>L. inflata</i> -group
<i>globiceps</i> (BECHER, 1886)	3		<i>L. inflata</i> -group
<i>heydeni</i> (WINNERTZ, 1867)			UNPLACED
<i>hiemalis</i> MOHRIG & MAMAEV, 1985			<i>L. vitticollis</i> -group
<i>honesta</i> MENZEL, 1992	TM 1		<i>L. inflata</i> -group
<i>inflata</i> (WINNERTZ, 1867)	93		<i>L. inflata</i> -group
= <i>difficilis</i> (GRZEGORZEK, 1884)			<i>L. inflata</i> -group
= <i>interdicta</i> (GRZEGORZEK, 1884)			<i>L. inflata</i> -group
= <i>nitens</i> (WINNERTZ, 1867)			<i>L. inflata</i> -group
= <i>subvenosa</i> MOHRIG & KRIVOSHEINA, 1983			<i>L. inflata</i> -group
<i>janetscheki</i> (LENGERSDORF, 1953)			<i>L. vitticollis</i> -group
<i>laevigata</i> (LENGERSDORF, 1926)			<i>L. inflata</i> -group
<i>mesochra</i> (SHAW, 1941) ? comb. nov.			UNPLACED
<i>modesta</i> (STAEGER, 1840)	64		<i>L. inflata</i> -group
= <i>arctica</i> (HOLMGREN, 1869)			<i>L. inflata</i> -group
= <i>ecalcarata</i> (HOLMGREN, 1869)			<i>L. inflata</i> -group
= <i>frigida</i> (HOLMGREN, 1869) [preocc.]			<i>L. inflata</i> -group
= <i>fumatella</i> (LUNDBECK, 1898)			<i>L. inflata</i> -group
= <i>groenlandica</i> (HOLMGREN, 1872)			<i>L. inflata</i> -group
= <i>holmgreni</i> (RÜBSAAMEN, 1894)			<i>L. inflata</i> -group
<i>neimongolana</i> ZHANG & YANG, 1990			UNPLACED
<i>nudata</i> MOHRIG & MAMAEV, 1990			<i>L. inflata</i> -group
<i>olschwangi</i> MOHRIG & MAMAEV, 1983			<i>L. vitticollis</i> -group
<i>postconspicua</i> MOHRIG, 1985	1		<i>L. inflata</i> -group

<i>proconspicua</i> MOHRIG, 1985			<i>L. inflata</i> -group
<i>quadriseta</i> YANG & ZHANG, 1987			UNPLACED
<i>riparia</i> (HOLMGREN, 1883)			<i>L. inflata</i> -group
<i>speciosissima</i> (STROBL, 1898)			UNPLACED
<i>subpermutata</i> MOHRIG & MAMAEV, 1990			<i>L. vitticollis</i> -group
<i>thuringiensis</i> MENZEL & MOHRIG, 1991	TM	127	<i>L. inflata</i> -group
<i>venosa</i> (STAEGER, 1840)		8	<i>L. inflata</i> -group
= <i>crassivenosa</i> (LENGERSDORF, 1943)			<i>L. inflata</i> -group
= <i>lepida</i> (WINNERTZ, 1867)			<i>L. inflata</i> -group
= <i>praevenosa</i> MOHRIG & MENZEL, 1990	TM		<i>L. inflata</i> -group
<i>ventrosa</i> (LENGERSDORF, 1941)	TM	6	<i>L. inflata</i> -group
<i>vitticollis</i> (HOLMGREN, 1883)		6	<i>L. vitticollis</i> -group
= <i>glacialis</i> (LUNDBECK, 1898) [preocc.]			<i>L. vitticollis</i> -group
= <i>permutata</i> (LUNDBECK, 1900)			<i>L. vitticollis</i> -group
SG <i>Lycoriella</i> FREY, 1942 s. str.			
<i>aberrans</i> TUOMIKOSKI, 1960		1	
<i>acutostylia</i> MOHRIG & MENZEL, 1990	TM	4	
<i>aliena</i> (WINNERTZ, 1867)			
<i>approximatonervis</i> (FREY, 1948)		1	
<i>asturiensis</i> MENZEL spec. nov.	TM	1	(ESP)
<i>attenuata</i> (RÜBSAAMEN, 1898)			
= <i>latipennis</i> (LUNDBECK, 1898)			
<i>auripila</i> (WINNERTZ, 1867)			
= <i>detrita</i> (FREY, 1953)			
= <i>tenuis</i> (WINNERTZ, 1867)			
= <i>urbana</i> (WINNERTZ, 1867)			
<i>bispinalis</i> YANG & ZHANG, 1987			
<i>brevipila</i> TUOMIKOSKI, 1960		25	
<i>caesar</i> (JOHANNSEN, 1929)			
<i>castanescens</i> (LENGERSDORF, 1940)		556	
= <i>agarici</i> LOUDON, 1978			
= <i>brevipetiolata</i> (SHAW, 1941) ? syn. nov.			
= <i>difficilis</i> (FREY, 1948) [preocc.]			
= <i>fucorum</i> (FREY, 1948)			
= <i>paucisetulosa</i> (FREY, 1948)			

= <i>rufotincta</i> TUOMIKOSKI, 1959			
<i>cellaris</i> (LENGERSDORF, 1934)	46		
= <i>rufula</i> TUOMIKOSKI, 1959			
= <i>stramentorum</i> (FREY, 1948)			
<i>deserticola</i> (MOHRIG & MAMAEV, 1983)			
<i>epleuroti</i> YANG & ZHANG, 1987			
<i>felix</i> (SCHMITZ, 1919)	2		
<i>hoyti</i> (HARDY, 1956)			[? = <i>Xylosciara</i>]
<i>inconspicua</i> TUOMIKOSKI, 1960	97		
<i>ingenua</i> (DUFOUR, 1839)	232		
= <i>agraria</i> (FELT, 1897) ? syn. nov.			
= <i>auberti</i> (SÉGUY, 1940) ? syn. nov.			
= <i>bigoti</i> (LABOULBÈNE, 1863)			
= <i>celer</i> (WINNERTZ, 1867)			
= <i>debilis</i> (WINNERTZ, 1867)			
= <i>decliva</i> (WINNERTZ, 1867)			
= <i>flammulinae</i> (SASAKAWA, 1983)			
= <i>flaviventris</i> (WINNERTZ, 1867)			
= <i>humilis</i> (WINNERTZ, 1867)			
= <i>jauva</i> (RAPP, 1946) ? syn. nov.			
= <i>mali</i> (FITCH, 1856)			
= <i>mycorum</i> (FREY, 1948)			
= <i>pauciseta</i> (FELT, 1897)			
= <i>ramicola</i> (KIEFFER, 1919)			
= <i>segnis</i> (WINNERTZ, 1871)			
= <i>solani</i> (WINNERTZ, 1871)	TM		
= <i>velox</i> (WINNERTZ, 1867)			
= <i>venusta</i> (WINNERTZ, 1867)			
<i>jingleuroti</i> YANG & ZHANG, 1987			
<i>jipleuroti</i> YANG & ZHANG, 1987			
<i>latilobata</i> MENZEL & MOHRIG, 2000	TM	3	
<i>latistyla</i> FREEMAN, 1987			
<i>lundstromi</i> (FREY, 1948)		382	
<i>maxima</i> YANG & ZHANG, 1992			
<i>micria</i> MOHRIG & MENZEL, 1990	TM	511	

<i>minutula</i> MOHRIG & KRIVOSHEINA, 1987	9		
<i>multiset</i> a (FELT, 1897)			
<i>parva</i> (HOLMGREN, 1869)	72		
= <i>curvispina</i> TUOMIKOSKI, 1960			
= <i>difficilis</i> var. <i>obscuratipes</i> (FREY, 1948)			
<i>pleuroti</i> YANG & ZHANG, 1987			
<i>robusticornis</i> MENZEL spec. nov.	TM 1	(ESP)	
<i>sativae</i> (JOHANNSEN, 1912) ? comb. nov.			
<i>similis</i> (WINNERTZ, 1867)			
<i>solispina</i> (HARDY, 1956)			
<i>stylata</i> MOHRIG & MAMAEV, 1985	3		
<i>suboptica</i> MOHRIG & MAMAEV, 1990			
<i>subterranea</i> (MÄRKEL, 1844)	8		
= <i>vanderwieli</i> (SCHMITZ, 1920)			
<i>tibetana</i> YANG & ZHANG, 1987			
<i>tuomikoskii</i> MOHRIG & MAMAEV, 1978			
<i>weberi</i> MENZEL spec. nov.	TM 80	(GER)	
<i>yunpleuroti</i> YANG & ZHANG, 1987			
SG Merizomma SASAKAWA, 2003			
<i>codonopsivora</i> SASAKAWA, 1997			
Incertae sedis in Lycoriella			
<i>approximata</i> (SKUSE, 1888)			
<i>audax</i> (SKUSE, 1888)			
<i>basaliamata</i> YANG & ZHANG, 1988			
<i>morosa</i> (MEUNIER, 1904) †			
<i>multiset</i> a SKUSE, 1888/1890			
<i>pimpliformis</i> (ENDERLEIN, 1911)			
= <i>obscurans</i> (ENDERLEIN, 1911)			
<i>similans</i> (JOHANNSEN, 1925)			
<i>solita</i> (WALKER, 1857) ? comb. nov.			
 Manusciara YANG, ZHANG & YANG, 1995			
<i>quadridigitata</i> YANG, ZHANG & YANG, 1995			
 Manzumbadoa JASCHHOF & MOHRIG, 2005			

[= ? *Corynoptera* or *Camptochaeta*]
[= ? *C. spinifera*-group or *Camptochaeta*]

bradysioides JASCHHOF & MOHRIG, 2005

***Merianina* FREY, 1942**

americana FREY, 1942

kuscheli FREEMAN, 1953

***Metangela* RÜBSAAMEN, 1894**

calliptera RÜBSAAMEN, 1894

ruebsaameni LANE, 1946

spinata LANE, 1955 **restit.**

toxoneura (OSTEN SACKEN, 1862)

***Moehnia* PRITCHARD, 1960**

SG *Afromoehnia* RUDZINSKI, 1999

breviata RUDZINSKI, 1999

SG *Moehnia* PRITCHARD, 1960 s. str.

erema PRITCHARD, 1960

1

SG *Neomoehnia* RUDZINSKI, 1999

quantula HIPPA, MENZEL & JASCHHOF, 1997

***Mohrigia* MENZEL, 1995**

hippai MENZEL, 1995

TM 3

hylotoma MENZEL & MOHRIG, 2000

TM 1

megalocornuta (MOHRIG & MENZEL, 1992)

M. hippai-group

M. hylotoma-group

M. hylotoma-group

***Neophnyxia* TONNOIR, 1927**

nelsoniana TONNOIR, 1927

***Neozygoneura* LENGERSDORF, 1942**

fasciatellum LENGERSDORF, 1942

***Odontosciara* RÜBSAAMEN, 1908**

SG *Obscura* MOHRIG, 2003

grandis MOHRIG, 2003

SG *Odontosciara* RÜBSAAMEN, 1908 s. str.

<i>nigra</i> (WIEDEMANN, 1821)	9	
<i>nocta</i> MOHRIG, 2003		
Incertae sedis in <i>Odontosciara</i>		
<i>exacta</i> (BRUNETTI, 1912) ? comb. nov.		
<i>impostor</i> (BRUNETTI, 1912) ? comb. nov.		
<i>walkeri</i> (RÜBSAAMEN, 1894)		
= <i>longipes</i> WALKER, 1861 [preocc.]		
<i>Parapnyxia</i> MOHRIG & MAMAEV, 1970		
SG <i>Parapnyxia</i> MOHRIG & MAMAEV, 1970 s. str.		
<i>arabensis</i> MENZEL spec. nov.	TM 536	(UAE)
<i>hispanica</i> MOHRIG & BLASCO-ZUMETA, 1996	7	
<i>intermedialis</i> MOHRIG & BLASCO-ZUMETA, 1996	4	
<i>latifurcata</i> (LENGERSDORF, 1942)		
= <i>germanica</i> MOHRIG, 1970	TM	
<i>quadripina</i> MOHRIG & MAMAEV, 1990	TM 1	
<i>terricola</i> (KIEFFER, 1919)		
<i>turkmenica</i> MOHRIG & MAMAEV, 1990	TM 14	
<i>vermiformis</i> MOHRIG & MAMAEV, 1970	TM 1	
SG <i>Xenopnyxia</i> MOHRIG & MAMAEV, 1970		
<i>armata</i> MOHRIG & MAMAEV, 1970	TM 1	
<i>deserticola</i> MOHRIG & MAMAEV, 1970		
<i>subarmata</i> MOHRIG & MAMAEV, 1983		
<i>Pelliciplanta</i> MOHRIG, 2004		
<i>unica</i> MOHRIG, 2004		
<i>Peniosciara</i> FREY, 1942		
<i>cornuta</i> (LENGERSDORF, 1927)	TM 5	
<i>megacantha</i> (EDWARDS, 1927)		
<i>Phytosciara</i> FREY, 1942		
SG <i>Dolichosciara</i> TUOMIKOSKI, 1960		
<i>arisaemae</i> SASAKAWA, 1994	TM 2	
<i>atrata</i> MOHRIG, 1999		

<i>bella</i> MOHRIG, 1999			
<i>bellaformis</i> MOHRIG, 1999			
<i>bistriata</i> (STROBL, 1880)		6	
<i>brachygaster</i> STEFFAN, 1969			
<i>chaetocoxa</i> MOHRIG, 1999			
<i>conturbata</i> MOHRIG, 1999			
<i>eleganta</i> KOMAROVA, 1998			
<i>exlobata</i> MOHRIG, 2003			
<i>fabulosa</i> (RUDZINSKI, 2000) comb. nov.			
<i>filispinosa</i> MOHRIG, 1999			
<i>flavescens</i> (ENDERLEIN, 1911)			
<i>flavipes</i> (MEIGEN, 1804)		159	
= <i>flavipes</i> var. <i>nigrithorax</i> (STROBL, 1898)			
= <i>fugax</i> (GRZEGORZEK, 1884)			
<i>fumida</i> MOHRIG, 1999			
<i>gilvifucata</i> MOHRIG, 1999			
<i>hippai</i> (KOMAROVA & VILKAMAA, 2006) comb. nov.			
<i>intermedialis</i> ANTONOVA, 1977		1	
<i>japonica</i> (SASAKAWA, 1961) comb. nov.			
<i>megumiae</i> SASAKAWA, 1994			
<i>nepalensis</i> MOHRIG & MENZEL, 1994	TM	5	
<i>nigrovittata</i> (STROBL, 1910)			
<i>ninae</i> ANTONOVA, 1977			
<i>orcina</i> TUOMIKOSKI, 1960		8	
<i>ornata</i> (WINNERTZ, 1867)		13	
<i>pseudoornata</i> MOHRIG, 1999			
<i>ruficoxa</i> (BRUNETTI, 1912)			
<i>saetosa</i> (LENGERSDORF, 1929)		3	
<i>semiferruginea</i> MENZEL, 1995	TM	3	
<i>subflavipes</i> MOHRIG & MENZEL, 1994			
<i>subfumida</i> MOHRIG, 1999			
<i>subornata</i> MOHRIG & MENZEL, 1994	?TM	1	(PT, lost in SDEI)
SG <i>Phytosciara</i> FREY, 1942 s. str.			
<i>halterata</i> (LENGERSDORF, 1926)		3	
<i>macrotricha</i> (LENGERSDORF, 1926)		7	

- maculosa* MOHRIG, 1999
- oldenbergi* MOHRIG & MENZEL, 1994 TM 2
- prohalterata* MOHRIG & MENZEL, 1992
- pseudohalterata* MOHRIG, 1999
- SG Prosciara** FREY, 1942
- accincta* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- advena* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- anfracta* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- angustiloba* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- biceps* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- bifida* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- biloba* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- bispicata* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- bisulcata* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- bituberosa* ALAM, CHAUDHURI & DASGUPTA, 1989
- brevisulca* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- coheri* MOHRIG & MENZEL, 1994 TM 2
- collina* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- commina* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- contigera* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- coracina* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- coronula* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- crassidens* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- crebrichaeta* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- crenula* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- cultrata* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- cygnix* (VILKAMAA & HIPPA, 1996)
- decamera* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- didactyla* (KJAERANDSEN, 1994) **comb. nov.**
- difurcata* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- dilatata* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- diversa* (VILKAMAA & HIPPA, 1996) **comb. nov.**
- dolichochoeta* (HIPPA & VILKAMAA, 1991) **comb. nov.**
- duplex* (HIPPA & VILKAMAA, 1991) **comb. nov.** 2
- duplicidens* (VILKAMAA & HIPPA, 1996) **comb. nov.**

- ensifera* (HIPPA & VILKAMAA, 1991) **comb. nov.**
evexa (VILKAMAA & HIPPA, 1996) **comb. nov.**
exsecta (VILKAMAA & HIPPA, 1996)
extrema (VILKAMAA & HIPPA, 1996) **comb. nov.**
exuta (VILKAMAA & HIPPA, 1996) **comb. nov.**
falcicula (VILKAMAA & HIPPA, 1996) **comb. nov.**
ferulifera (VILKAMAA & HIPPA, 1996) **comb. nov.**
filichaeta (HIPPA & VILKAMAA, 1991)
flavidula (VILKAMAA & HIPPA, 1996)
furcifera (HIPPA & VILKAMAA, 1991) **comb. nov.**
furtiva (VILKAMAA & HIPPA, 1996) 2
 = *flexa* RUDZINSKI, 1996 TM
fuscina (VILKAMAA & HIPPA, 1996) **comb. nov.**
gambosa (VILKAMAA & HIPPA, 1996) **comb. nov.**
gemellata (HIPPA & VILKAMAA, 1991) **comb. nov.** 1
germana (VILKAMAA & HIPPA, 1996)
gibbosa (HIPPA & VILKAMAA, 1991) **comb. nov.**
glomerata (HIPPA & VILKAMAA, 1991) **comb. nov.**
hastigera (VILKAMAA & HIPPA, 1996) **comb. nov.**
incisa (VILKAMAA & HIPPA, 1996) **comb. nov.**
insignituberosa ALAM, CHAUDHURI & DASGUPTA, 1989
latifurca (HIPPA & VILKAMAA, 1991) **comb. nov.**
latilingula (HIPPA & VILKAMAA, 1991) **comb. nov.**
ligulifera (VILKAMAA & HIPPA, 1996) **comb. nov.**
megacera (HIPPA & VILKAMAA, 1991) **comb. nov.**
megachaeta (HIPPA & VILKAMAA, 1991) **comb. nov.**
meracula (VILKAMAA & HIPPA, 1996) **comb. nov.**
mima (HIPPA & VILKAMAA, 1991) **comb. nov.**
obtusa (VILKAMAA & HIPPA, 1996) **comb. nov.**
pandoxa (VILKAMAA & HIPPA, 1996) **comb. nov.**
parallela (VILKAMAA & HIPPA, 1996) **comb. nov.**
parmula (VILKAMAA & HIPPA, 1996) **comb. nov.**
pectinifera (HIPPA & VILKAMAA, 1991)
pentacanta (HIPPA & VILKAMAA, 1991) 1
pentadactyla (HIPPA & VILKAMAA, 1991) **comb. nov.**

<i>perfida</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>pexata</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>plusiochaeta</i> (HIPPA & VILKAMAA, 1991)		
<i>pollex</i> (HIPPA & VILKAMAA, 1991) comb. nov.		
<i>porrecta</i> (LENGERSDORF, 1929)	TM	5
<i>processifera</i> (HIPPA & VILKAMAA, 1991) comb. nov.		
<i>producta</i> TUOMIKOSKI, 1960		1
<i>prolifera</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>prolixa</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>prosciaroides</i> (TUOMIKOSKI, 1960)		35
<i>quadriangulata</i> MOHRIG & KRIVOSHEINA, 1985		
<i>quantula</i> (HIPPA & VILKAMAA, 1991) comb. nov.		
<i>scopulifera</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>setifurca</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>spicispina</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>subulata</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>subungulata</i> MOHRIG & MENZEL, 1994		
<i>tetrix</i> (HIPPA & VILKAMAA, 1991) comb. nov.		
<i>torulosa</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>triloba</i> (HIPPA & VILKAMAA, 1991)		
<i>tumidula</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>turgida</i> (VILKAMAA & HIPPA, 1996) comb. nov.		
<i>ungulata</i> (WINNERTZ, 1867)		78
<i>ussuriensis</i> ANTONOVA, 1977		1
= <i>lobata</i> ANTONOVA, 1977		
<i>vulcanata</i> STEFFAN, 1973		
Incertae sedis in <i>Phytosciara</i>		
<i>endotriacantha</i> YANG, ZHANG & YANG, 1995		
<i>fanjingana</i> (YANG & ZHANG, 1988)		
<i>pectinata</i> YANG, ZHANG & YANG, 1995		
<i>qingyuana</i> YANG, ZHANG & YANG, 1995		
<i>stenura</i> YANG, ZHANG & YANG, ????		
 <i>Pnyxia</i> JOHANNSEN, 1912		
<i>scabiei</i> (HOPKINS, 1895)		23

[incl. 2 slides = Pn. spec. nov. 1 and Pn. spec. nov. 3]

= <i>dispar</i> SCHMITZ, 1927	
= <i>ruffoi</i> (VENTURI, 1970)	
= <i>subterranea</i> (SCHMITZ, 1913)	
<i>schmallenbergensis</i> MENZEL & MOHRIG, 1998	TM 2
<i>tanyae</i> (PAULIAN, 1960) ? comb. nov.	
<i>thaleri</i> (MOHRIG & MAMAEV, 1978)	TM 1

***Pnyxiopalpus* VILKAMAA & HIPPA, 1999**

<i>acanthipes</i> VILKAMAA & HIPPA, 1999	
<i>aculeatus</i> VILKAMAA & HIPPA, 1999	
<i>adebratti</i> VILKAMAA & HIPPA, 1999	
<i>aphrodite</i> VILKAMAA & HIPPA, 1999	
<i>dentaneus</i> VILKAMAA & HIPPA, 1999	
<i>fossor</i> VILKAMAA & HIPPA, 1999	
<i>fuscinellus</i> VILKAMAA & HIPPA, 1999	
<i>hamatus</i> VILKAMAA & HIPPA, 1999	
<i>latifalx</i> VILKAMAA & HIPPA, 1999	
<i>macrocellus</i> VILKAMAA & HIPPA, 1999	
<i>microdon</i> VILKAMAA & HIPPA, 1999	
<i>nepenthophilus</i> VILKAMAA & HIPPA, 1999	
<i>noona</i> VILKAMAA & HIPPA, 1999	
<i>raptor</i> VILKAMAA & HIPPA, 1999	
<i>reticulatus</i> VILKAMAA & HIPPA, 1999	
<i>simplex</i> VILKAMAA & HIPPA, 1999	

***Pnyxiopsis* TUOMIKOSKI, 1960**

<i>aliger</i> TUOMIKOSKI, 1960	4
<i>degener</i> (TUOMIKOSKI, 1957)	1

***Protolycoriella* MOHRIG & RÖSCHMANN, 1995 †**

<i>aliena</i> (RÖSCHMANN & MOHRIG, 1995) †	
<i>gigaspina</i> (RÖSCHMANN & MOHRIG, 1995) †	
<i>neogenica</i> (RÖSCHMANN & MOHRIG, 1995) †	

***Protosciara* QUIÉVREUX, 1938 †**

???

Pseudolycoriella* MENZEL & MOHRIG, 1998abreivicaudata* (YANG, ZHANG & YANG, 1993)*aculeacera* MOHRIG & RULIK, 2004*anguistifurca* (ALAM, 1988)*aulica* MENZEL **spec. nov.***barbata* MOHRIG & RULIK, 2004*bicornis* (MENZEL, 1997)*bifasciculata* (RUDZINSKI, 1997)*bispina* MOHRIG, 1999*brachyacantha* MENZEL **spec. nov.***breviantennata* (MOHRIG & MAMAEV, 1983)*breviseta* MOHRIG, 1999*bruckii* (WINNERTZ, 1867)= *virgultorum* (WINNERTZ, 1867)*brunnea* (BUKOWSKI & LENGERSDORF, 1936)= *arboricola* (MOHRIG & MAMAEV, 1979)= *palposa* (RUDZINSKI & DRISSNER, 1992)*campanulata* (FREY, 1945)*coecoalata* MOHRIG, 2003*columbia* (PETTEY, 1918) **comb. nov.***compacta* HELLER, 2000= *vetula* (RUDZINSKI, 2000)*curvimedia* MOHRIG & RULIK, 2004*curviseta* MOHRIG, 2003*defluviata* RUDZINSKI, 2003*deformata* RUDZINSKI, 2003*dissonata* (MOHRIG & MAMAEV, 1982)*fascistylata* (ALAM, 1988)*ferocia* MOHRIG, 2003*florentissima* MOHRIG & RULIK, 2004*fuscivenosa* MOHRIG & RULIK, 2004*fuscorubroides* MOHRIG & BLASCO-ZUMETA, 1996*hartmanni* (MENZEL & MOHRIG, 1991)

TM 1 (ESP)

TM 20

TM 49 (GER / GBR)

1

3

69

TM 1

TM 7

TM 2

UNPLACED

Pseudol. aculeacera-group

UNPLACED

Pseudol. aulica-group*Pseudol. torva*-group*Pseudol. torva*-group

UNPLACED

UNPLACED

Pseudol. bruckii-group*Pseudol. bruckii*-group

UNPLACED

Pseudol. bruckii-group*Pseudol. bruckii*-group*Pseudol. bruckii*-group*Pseudol. bruckii*-group*Pseudol. bruckii*-group*Pseudol. bruckii*-group

UNPLACED

UNPLACED

Pseudol. fuscorubroides-group*Pseudol. fuscorubroides*-group

UNPLACED

UNPLACED

UNPLACED

UNPLACED

Pseudol. bruckii-group

UNPLACED

UNPLACED

UNPLACED

UNPLACED

Pseudol. fuscorubroides-group*Pseudol. bruckii*-group

<i>hispana</i> (LENGERSDORF, 1957)	187		<i>Pseudol. bruckii</i> -group
<i>horribilis</i> (EDWARDS, 1931)	1		<i>Pseudol. horribilis</i> -group
= <i>longiculmi</i> (ALAM, 1988)			<i>Pseudol. horribilis</i> -group
<i>indocera</i> MOHRIG & RULIK, 2004			UNPLACED
<i>inexplorata</i> RUDZINSKI, 2003			UNPLACED
<i>insularis</i> MENZEL spec. nov.	TM 18	(ESP)	<i>Pseudol. bruckii</i> -group
<i>japonensis</i> (MOHRIG & MENZEL, 1992)	2		<i>Pseudol. bruckii</i> -group
<i>jejuna</i> (EDWARDS, 1927)	3		UNPLACED
<i>koreensis</i> (MOHRIG & MENZEL, 1992)	3		<i>Pseudol. bruckii</i> -group
<i>kumasiensis</i> (RUDZINSKI, 1997)			UNPLACED
<i>kutzscheri</i> MENZEL spec. nov.	TM 1	(RUS)	<i>Pseudol. bruckii</i> -group
<i>longisetaria</i> MENZEL spec. nov.	TM 1	(RUS)	<i>Pseudol. bruckii</i> -group
<i>macrotegmeta</i> MOHRIG, 1999			UNPLACED
<i>mecocteniuni</i> (ZHANG & YANG, 1990)			UNPLACED
<i>meinacusi</i> (LANE, 1959)			UNPLACED
<i>microcteniuni</i> (YANG & ZHANG, 1987)	20		<i>Pseudol. bruckii</i> -group
<i>monticula</i> (MOHRIG & MENZEL, 1992)	3		<i>Pseudol. bruckii</i> -group
<i>morenae</i> (STROBL, 1900)	8		<i>Pseudol. morenae</i> -group
= <i>longicornis</i> (ANTONOVA, 1975)			<i>Pseudol. morenae</i> -group
= <i>longiseta</i> (BUKOWSKI & LENGERSDORF, 1936)			<i>Pseudol. morenae</i> -group
<i>neotropica</i> (LANE, 1959)			UNPLACED
<i>nodulosa</i> (MOHRIG & KRIVOSHEINA, 1985)	52		<i>Pseudol. bruckii</i> -group
= <i>borealis</i> (KOMAROVA, 2002) syn. nov.			<i>Pseudol. bruckii</i> -group
<i>oblonga</i> (YANG, ZHANG & YANG, 1993)			UNPLACED
<i>ovistyla</i> MOHRIG & RULIK, 2004			<i>Pseudol. aculeacera</i> -group
<i>paludum</i> (FREY, 1948)	173		<i>Pseudol. bruckii</i> -group
= <i>leucocera</i> (MOHRIG & MENZEL, 1990)	TM		<i>Pseudol. bruckii</i> -group
= <i>polliciformis</i> (FREEMAN, 1990)			<i>Pseudol. bruckii</i> -group
<i>pammela</i> (EDWARDS, 1928)	2		UNPLACED
<i>parilis</i> (JOHANNSEN, 1912)			UNPLACED
<i>parilongiculmi</i> (ALAM, 1988)			UNPLACED
<i>patronata</i> RUDZINSKI, 2003			UNPLACED
<i>ponapensis</i> (STEFFAN, 1969)			UNPLACED
<i>pristinata</i> RUDZINSKI, 2003			UNPLACED
<i>pseudoparvula</i> (ALAM, 1988)			UNPLACED

<i>pugionata</i> RUDZINSKI, 2003			UNPLACED
<i>pulla</i> MOHRIG & RULIK, 2004			<i>Pseudol. torva</i> -group
<i>regalis</i> MENZEL spec. nov.	TM 18	(UAE)	UNPLACED
<i>rigua</i> (MENZEL & MOHRIG, 1991)	TM 1		<i>Pseudol. bruckii</i> -group
= <i>atrostriata</i> (MOHRIG & HELLER, 1992)			<i>Pseudol. bruckii</i> -group
<i>rotundostyla</i> MOHRIG & RULIK, 2004			<i>Pseudol. aculeacera</i> -group
<i>sabroskyi</i> (STEFFAN, 1969)			UNPLACED
<i>semialata</i> (EDWARDS, 1913)	1		<i>Pseudol. morenae</i> -group
<i>setigera</i> (HARDY, 1960)	38		<i>Pseudol. bruckii</i> -group
<i>sexspinosa</i> (ALAM, 1988)			UNPLACED
<i>subbruckii</i> (MOHRIG & HÖVEMEYER, 1992)	TM 34		<i>Pseudol. bruckii</i> -group
<i>submonticula</i> (MOHRIG & MAMAEV, 1990)			<i>Pseudol. bruckii</i> -group
<i>subovistyla</i> MOHRIG & RULIK, 2004			<i>Pseudol. aculeacera</i> -group
<i>subvetula</i> RUDZINSKI, 2000			<i>Pseudol. bruckii</i> -group
<i>tenebriosa</i> MOHRIG & RULIK, 1999			<i>Pseudol. fuscorubroides</i> -group
<i>sylviae</i> (STEFFAN, 1969)			UNPLACED
<i>torva</i> MOHRIG & RULIK, 2004			<i>Pseudol. torva</i> -group
<i>tumida</i> MENZEL spec. nov.	TM 18	(POR)	<i>Pseudol. bruckii</i> -group
<i>unispina</i> (MOHRIG & KRIVOSHEINA, 1983)			<i>Pseudol. bruckii</i> -group
<i>virgata</i> MOHRIG & RULIK, 2004			<i>Pseudol. aculeacera</i> -group
<i>zealandica</i> (EDWARDS, 1927)	1		UNPLACED

***Pseudosciara* SCHINER, 1866**

SG *Pseudosciara* SCHINER, 1866 s. str.

antunesi (LANE, 1946) **comb. nov.**

boracensis LANE, 1959

cariba LANE, 1959

concinna (WILLISTON, 1896) **comb. nov.**

coroicoensis EDWARDS, 1934

debilis (WILLISTON, 1896)

delectata (WILLISTON, 1896)

forceps (PETTEY, 1918)

= *aitkeni* LANE, 1959 **syn. nov.**

golbachi LANE, 1959

humeropicta (LENGERSDORF, 1931)

- muricata* (LENGERSDORF, 1926)
neotropica LANE, 1959
nigricolor (ENDERLEIN, 1911)
pedunculata (ENDERLEIN, 1911)
pygmaea (ENDERLEIN, 1911)
ribeiroi (LANE, 1955) **restit.**
superba EDWARDS, 1934
thoracica (LENGERSDORF, 1930)
striata (RÜBSAAMEN, 1894)
SG *Pseudosciarella* MOHRIG & MENZEL subgen. nov.
bifasciata EDWARDS, 1934
Incertae sedis in *Pseudosciara*
coxalba EDWARDS, 1941
fragistyla MOHRIG & RÖSCHMANN, 2004
grisapex EDWARDS, 1934
hirtella SCHINER, 1866
hirtipes (ENDERLEIN, 1911)
lindneri (LENGERSDORF, 1930)
laticornis (WALKER, 1857) **comb. nov.**
 = *funesta* (ENDERLEIN, 1911)
 = *sulcata* (VAN DER WULP, 1887)
longicera MOHRIG & RÖSCHMANN, 2004
luteicoxa (ENDERLEIN, 1911)
 = *paradoxa* (PETTEY, 1918)
melanocephala (FABRICIUS, 1805)
pubescens (MORGANTE, 1969) **comb. nov.**
trifasciata (COQUILLET, 1904)
- Pseudozygomma* MOHRIG, 2004**
contraria MOHRIG, 2004
flavoabdominalis MOHRIG, 2004
nigroalata MOHRIG, 2004
nigrocorporea MOHRIG, 2004
setimedia (EDWARDS, 1931)

Psilomegalosphys* ENDERLEIN, 1911xanthogaster* ENDERLEIN, 1911= *rufoabdominalis* (BRUNETTI, 1912)***Pterothrix* MOHRIG, 2003***capillosa* MOHRIG, 2003*piliata* MOHRIG, 2003***Qisciara* YANG, ZHANG & YANG, 1993***bellula* YANG, ZHANG & YANG, 1993[? = *Chaetosciara* FREY, 1942]***Rhynchomegalosphys* LENGERSDORF, 1931***aethiops* LENGERSDORF, 1931***Rhynchosciara* RÜBSAAMEN, 1894***americana* (WIEDEMANN, 1821)= *angelae* NONATO & PAVAN, 1951= *atra* (MACQUART, 1838)*argentiniensis* LENGERSDORF, 1930*baschanti* BREUER, 1967*brevicornis* RÜBSAAMEN, 1894*busaccai* BREUER, 1969*cognata* (WALKER, 1848)= *villosa* RÜBSAAMEN, 1894*grelleti* BREUER, 1969*guimaraesi* BREUER, 1969*hollaenderi* TOLEDO FILHO, 1969*mathildae* BREUER, 1969*milleri* PAVAN & BREUER, 1955*praecipua* (WALKER, 1848)*primogenita* (WALKER, 1856) ? **comb. nov.***propinqua* (WALKER, 1848) ? **comb. nov.*****Scatopsiara* EDWARDS, 1927****SG *Scatopsiara* EDWARDS, 1927 s. str.**

<i>aberrantia</i> MOHRIG & MAMAEV, 1983			<i>Sc. atomaria</i> -group (? <i>Sc. aberrantia</i> -group)
<i>amplituda</i> RUDZINSKI, 2004			UNPLACED
<i>andrei</i> MENZEL, 2006	TM	1	<i>Sc. atomaria</i> -group
<i>antefluviatilis</i> MOHRIG & RÖSCHMANN, 1994		1	<i>Sc. vitripennis</i> -group
<i>atomaria</i> (ZETTERSTEDT, 1851)		2667	<i>Sc. atomaria</i> -group
= <i>falsaria</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
= <i>hybrida</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
= <i>mundula</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
= <i>pagana</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
= <i>pratinicola</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
= <i>silvestris</i> (FREY, 1936)			<i>Sc. atomaria</i> -group
= <i>soluta</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
= <i>vivida</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
<i>antoniusi</i> MENZEL spec. nov.	TM	23 (UAE)	UNPLACED
<i>brevicornis</i> (ZETTERSTEDT, 1851)			<i>Sc. vitripennis</i> -group
<i>buccina</i> MOHRIG & MAMAEV, 1985		1	<i>Sc. atomaria</i> -group
= <i>monstrata</i> MAMAEV, 2001 syn. nov.			<i>Sc. atomaria</i> -group
<i>bucera</i> RUDZINSKI, 1994		33	<i>Sc. atomaria</i> -group
<i>calamophila</i> FREY, 1948		188	<i>Sc. atomaria</i> -group
<i>crassispiculosa</i> MOHRIG, 1999			<i>Sc. vitripennis</i> -group
<i>crassivena</i> MOHRIG, 2004			UNPLACED
<i>curvatibia</i> YANG, ZHANG & YANG, 1993			UNPLACED
<i>curviforceps</i> (BUKOWSKI & LENGERSDORF, 1936)		4	<i>Sc. atomaria</i> -group
= <i>myrmecophila</i> FREY, 1948			<i>Sc. atomaria</i> -group
= <i>subnacta</i> MOHRIG & MAMAEV, 1979			<i>Sc. atomaria</i> -group
<i>dicuspidata</i> MOHRIG & ANTONOVA, 1978			<i>Sc. atomaria</i> -group
<i>edwardsi</i> FREEMAN, 1983		21	<i>Sc. atomaria</i> -group
<i>fluviatiliformis</i> MOHRIG & MAMAEV, 1987		23	<i>Sc. vitripennis</i> -group
= <i>germana</i> RUDZINSKI, 1994			<i>Sc. vitripennis</i> -group
<i>fluviatilis</i> (LENGERSDORF, 1940)		22	<i>Sc. vitripennis</i> -group
= <i>coei</i> FREEMAN, 1983			<i>Sc. vitripennis</i> -group
= <i>pulchra</i> (LENGERSDORF, 1940)			<i>Sc. vitripennis</i> -group
= <i>robusticornis</i> (FREY, 1948)			<i>Sc. vitripennis</i> -group
<i>funesta</i> MOHRIG, 2003			UNPLACED
<i>geophila</i> TUOMIKOSKI, 1960		34	<i>Sc. atomaria</i> -group

<i>glorificata</i> RUDZINSKI, 2004			UNPLACED (? <i>Sc. aberrantia</i> -group)
<i>grossa</i> MENZEL spec. nov.	TM 4	(SWE / RUS)	<i>Sc. atomaria</i> -group
<i>keilbachi</i> MOHRIG & MAMAEV, 1979			<i>Sc. vitripennis</i> -group
<i>latiptera</i> RUDZINSKI, 1995	TM 1		<i>Sc. atomaria</i> -group
<i>longispina</i> MOHRIG & KRIVOSHEINA, 1983			<i>Sc. atomaria</i> -group
<i>morionella</i> (HOLMGREN, 1883)			<i>Sc. vitripennis</i> -group
= <i>biformis</i> (LUNDBECK, 1898)			<i>Sc. vitripennis</i> -group
<i>multispina</i> (BUKOWSKI & LENGERSDORF, 1936)		125	<i>Sc. vitripennis</i> -group
= <i>barbula</i> MOHRIG & MAMAEV, 1985			<i>Sc. vitripennis</i> -group
<i>nacta</i> (JOHANNSEN, 1912)		82	<i>Sc. atomaria</i> -group
= <i>sibirica</i> KOMAROVA, 1998 syn. nov.			<i>Sc. atomaria</i> -group
<i>nana</i> (WINNERTZ, 1871)		36	<i>Sc. vitripennis</i> -group
<i>nebula</i> MOHRIG & MAMAEV, 1986			<i>Sc. vitripennis</i> -group
<i>necopinata</i> RUDZINSKI, 2004			UNPLACED
<i>neglecta</i> MENZEL & MOHRIG, 1998	TM 59		<i>Sc. atomaria</i> -group
<i>nigrita</i> HARDY, 1956			UNPLACED
<i>occulta</i> MOHRIG & KRIVOSHEINA, 1990			<i>Sc. vitripennis</i> -group
<i>philosophia</i> RUDZINSKI, 2004			UNPLACED (? <i>Sc. aberrantia</i> -group)
<i>platyventralis</i> (LENGERSDORF, 1957)			<i>Sc. vitripennis</i> -group
<i>postgeophila</i> MOHRIG & MENZEL, 1992			<i>Sc. atomaria</i> -group
<i>postpusilla</i> MOHRIG & MAMAEV, 1985			<i>Sc. atomaria</i> -group
<i>pumilio</i> (HOLMGREN, 1883)			<i>Sc. vitripennis</i> -group
<i>pusilla</i> (MEIGEN, 1818)		45	<i>Sc. atomaria</i> -group
= <i>paludicicola</i> (LENGERSDORF, 1940)			<i>Sc. atomaria</i> -group
= <i>pavida</i> (WINNERTZ, 1867)			<i>Sc. atomaria</i> -group
= <i>pusilliformis</i> MOHRIG & MAMAEV, 1986			<i>Sc. atomaria</i> -group
= <i>zygoneuroides</i> FREY, 1948			<i>Sc. atomaria</i> -group
<i>subbuccina</i> MOHRIG & HÖVEMEYER, 1992			<i>Sc. atomaria</i> -group
<i>subcalamophila</i> MENZEL & MOHRIG, 1991	TM 14		<i>Sc. atomaria</i> -group
= <i>subvivida</i> LAURENCE, 1994	TM		<i>Sc. atomaria</i> -group
<i>subciliata</i> TUOMIKOSKI, 1960		1	<i>Sc. vitripennis</i> -group
<i>subgeophila</i> MOHRIG & MAMAEV, 1990			<i>Sc. atomaria</i> -group
<i>tenuicornis</i> (LENGERSDORF, 1932)		2	<i>Sc. atomaria</i> -group
<i>tricuspidata</i> (WINNERTZ, 1867)		8	<i>Sc. atomaria</i> -group
= <i>degenerans</i> (FREY, 1948)			<i>Sc. atomaria</i> -group

= <i>invalida</i> (WINNERTZ, 1867)				<i>Sc. atomaria</i> -group
= <i>leucoptera</i> FREY, 1948				<i>Sc. atomaria</i> -group
= <i>tenax</i> (WINNERTZ, 1867)				<i>Sc. atomaria</i> -group
<i>unicalcar</i> ALAM, DASGUPTA & CHAUDHURI, 1996				UNPLACED
= <i>suprema</i> RUDZINSKI, 2004				UNPLACED
<i>unicalcarata</i> (EDWARDS, 1927)				UNPLACED
<i>ventrosa</i> MOHRIG & RÖSCHMANN, 2004				? <i>Sc. atomaria</i> -group
<i>vitripennis</i> (MEIGEN, 1818)		467		<i>Sc. vitripennis</i> -group
= <i>actuosa</i> (JOHANNSEN, 1912) ? syn. nov.				<i>Sc. vitripennis</i> -group
= <i>aucta</i> (WINNERTZ, 1867)				<i>Sc. vitripennis</i> -group
= <i>basaliseta</i> (YANG & ZHANG, 1987)				<i>Sc. vitripennis</i> -group
= <i>coracina</i> (ZETTERSTEDT, 1851)				<i>Sc. vitripennis</i> -group
= <i>intermista</i> (WINNERTZ, 1867)				<i>Sc. vitripennis</i> -group
= <i>nitidula</i> (ZETTERSTEDT, 1851)				<i>Sc. vitripennis</i> -group
= <i>quinquelineata</i> (MACQUART, 1834)				<i>Sc. vitripennis</i> -group
= <i>superba</i> (WINNERTZ, 1867)				<i>Sc. vitripennis</i> -group
SG <i>Xenopygina</i> FREY, 1948				
<i>abiecta</i> MOHRIG & RÖSCHMANN, 2004				
<i>ampliocerosa</i> MOHRIG, 2004				
<i>armata</i> MOHRIG & MAMAEV, 1983		293		
<i>bispina</i> MENZEL spec. nov.	TM	1	(ESP)	
<i>brevicostalis</i> (LENGERSDORF, 1938)				
<i>camptospina</i> MOHRIG & MAMAEV, 1990		9		
<i>caribiana</i> MOHRIG & RÖSCHMANN, 2004				
<i>cunicularius</i> (LENGERSDORF, 1943)				
<i>curvilinea</i> (LENGERSDORF, 1934)		8		
= <i>ventrospina</i> MOHRIG & MAMAEV, 1983				
<i>dentifera</i> (FREY, 1936)		24		
= <i>aculea</i> MOHRIG, 1985				
= <i>siccata</i> MOHRIG & KAUSCHKE, 1997	TM			
<i>destituta</i> MOHRIG & RÖSCHMANN, 2004				
<i>fritzi</i> MOHRIG & MENZEL, 1992	TM	13		
= <i>semantica</i> (LAURENCE, 1994)	TM			
<i>gabyae</i> (HELLER, 1998)		1		
<i>gracilipennis</i> (LENGERSDORF, 1942)		419		

<i>hastata</i> (JOHANNSEN, 1912)	4		
<i>maroccoensis</i> MOHRIG & JASCHHOF, 1997	1		
<i>monocerosa</i> MOHRIG, 2004			
<i>praearmata</i> MENZEL spec. nov.	TM 84	(UAE)	
<i>paradoxa</i> (FREY, 1948)			
= <i>carinifera</i> (MAMAEV, 2001) syn. nov.			
<i>quadrispina</i> (MOHRIG & KRIVOSHEINA, 1982)			
<i>simillima</i> (TUOMIKOSKI, 1960)	3		
= <i>pectinata</i> (MOHRIG & MENZEL, 1990)	TM		
<i>subapicalis</i> (RUDZINSKI, 1993)			
<i>subarmata</i> MOHRIG & MAMAEV, 1983	4		
<i>tenuissima</i> MENZEL spec. nov.	TM 1	(RUS)	
<i>teres</i> (WINNERTZ, 1867)			
<i>terribilis</i> MOHRIG & RÖSCHMANN, 2004			
<i>ventrospinula</i> MOHRIG & MAMAEV, 1983			
<i>vulgatissima</i> MENZEL spec. nov.	TM 886	(UAE)	
<i>weiperti</i> MENZEL & MOHRIG, 1991	TM 7		
Incertae sedis in <i>Scatopsciara</i>			
<i>grandifrons</i> (FREY, 1942)			
<i>oligoseta</i> YANG & ZHANG, 1987			
<i>saproxylla</i> TUOMIKOSKI, 1960			
<i>trispina</i> ZHANG & YANG, 1990			
<i>Schwenckfeldina</i> FREY, 1942			
<i>archoica</i> MOHRIG & SOLÓRZANO KRAEMER, 2007 †			
<i>breviantenna</i> STEFFAN, 1972			
= <i>saltuum</i> (EDWARDS, 1928) [preocc.]			
<i>cameronensis</i> (EDWARDS, 1928)			
<i>carbonaria</i> (MEIGEN, 1830)	404		
= <i>atra</i> (MEIGEN, ????)			
= <i>frauenfeldi</i> (WINNERTZ, 1867)			
= <i>illepida</i> (WINNERTZ, 1867)			
= <i>indigena</i> (WINNERTZ, 1867)			
= <i>pilosa</i> ANTONOVA, 1975			
<i>custodiata</i> RUDZINSKI, 2005			

<i>dux</i> (JOHANNSEN, 1912)		
<i>explicata</i> MOHRIG & MAMAEV, 1982	1	
<i>filamentosa</i> MOHRIG, 2003		
<i>forcipigera</i> (ENDERLEIN, 1911)		
= <i>trifida</i> (LENGERSDORF, 1930)		
<i>imitans</i> (JOHANNSEN, 1912)		
<i>impar</i> (LENGERSDORF, 1935)		
<i>inopinata</i> MOHRIG, 1999		
<i>kinabaluana</i> (EDWARDS, 1933)		
<i>lobocoxa</i> SUTOU, 2005		
<i>lumuensis</i> (EDWARDS, 1933)		
<i>moebiusi</i> (RÜBSAAMEN, 1894)		
<i>pahangensis</i> (EDWARDS, 1928)		
<i>pravitata</i> RUDZINSKI, 2005		
<i>pectinea</i> MENZEL & MOHRIG, 1991	TM 1	
<i>ponderosa</i> (WALKER, 1864)		
<i>regia</i> MOHRIG, 1999		
<i>tridentata</i> (RÜBSAAMEN, 1898)	16	
= <i>atrata</i> (HOLMGREN, 1869) [preocc.]		
= <i>holmgreni</i> (JACOBSON, 1898) [preocc.]		
= <i>incisiforceps</i> (FREY, 1948)		
= <i>johannseni</i> (SHAW, 1941) ? syn. nov.		
= <i>laguncularis</i> (LENGERSDORF, 1930)		
= <i>validicornis</i> (LUNDBECK, 1898)		
= <i>variabilis</i> (BOHEMAN, 1865) ? syn. nov.		
 <i>Sciara</i> MEIGEN, 1803		
<i>aequalis</i> RÜBSAAMEN, 1894		UNPLACED
<i>aethiops</i> RÜBSAAMEN, 1894		UNPLACED
<i>africana</i> RÜBSAAMEN, 1894		UNPLACED
= <i>tristis</i> BIGOT, 1891 [preocc.]		UNPLACED
<i>albicoxa</i> ENDERLEIN, 1912		UNPLACED
<i>analisis</i> SCHINER, 1864	71	<i>S. hemerobioides</i> -group
<i>antonovae</i> MOHRIG & KRIVOSHEINA, 1990	3	<i>S. ruficauda</i> -group
= <i>obliquicapilli</i> (YANG & ZHANG, 1993) [?1988] ? syn. nov.		<i>S. ruficauda</i> -group

<i>barnardi</i> EDWARDS, 1925		UNPLACED
<i>biformata</i> ENDERLEIN, 1912		UNPLACED
<i>capensis</i> EDWARDS, 1925		UNPLACED
<i>confusa</i> WALKER, 1856		UNPLACED
<i>conulifera</i> EDWARDS, 1928		UNPLACED
<i>copiosa</i> LENGERSDORF, 1927	TM 3	<i>S. humeralis</i> -group
<i>brevipetiolata</i> (ENDERLEIN, 1911)		UNPLACED
<i>denticornis</i> (LENGERSDORF, 1939)		UNPLACED
<i>differens</i> (LENGERSDORF, 1938)	1	UNPLACED
<i>divergens</i> ENDERLEIN, 1912		UNPLACED
<i>diversipes</i> BRUNETTI, 1912		UNPLACED
<i>crinita</i> (LENGERSDORF, 1944) comb. nov.		UNPLACED
<i>flavimana</i> ZETTERSTEDT, 1851	36	<i>S. ruficauda</i> -group
= <i>fulgens</i> WINNERTZ, 1867		<i>S. ruficauda</i> -group
= <i>isopalpi</i> ZHANG & YANG, 1990 ? syn. nov.		<i>S. ruficauda</i> -group
= <i>mannii</i> WINNERTZ, 1867		<i>S. ruficauda</i> -group
= <i>xizangana</i> YANG & ZHANG, 1987 ? syn. nov.		<i>S. ruficauda</i> -group
<i>flaviseta</i> BRUNETTI, 1912		UNPLACED
<i>flavomarginata</i> MOHRIG & MAMAEV, 1982		<i>S. hemerobioides</i> -group
<i>flavoscutellata</i> EDWARDS, 1914		UNPLACED
<i>fuscolimbata</i> (ENDERLEIN, 1911)		UNPLACED
<i>helvola</i> WINNERTZ, 1867	16	<i>S. hemerobioides</i> -group
<i>hemerobioides</i> (SCOPOLI, 1763)	29	<i>S. hemerobioides</i> -group
= <i>lateralis</i> MEIGEN, 1818		<i>S. hemerobioides</i> -group
= <i>thomae</i> (LINNAEUS, 1767)		<i>S. hemerobioides</i> -group
= <i>valida</i> WINNERTZ, 1867		<i>S. hemerobioides</i> -group
<i>humeralis</i> ZETTERSTEDT, 1851	92	<i>S. humeralis</i> -group
= <i>analis</i> var. <i>bezzii</i> DEL GUERCIO, 1905		<i>S. humeralis</i> -group
= <i>armata</i> WINNERTZ, 1867		<i>S. humeralis</i> -group
= <i>hamatilis</i> YANG, ZHANG & YANG, 1993		<i>S. humeralis</i> -group
<i>incerta</i> WINNERTZ, 1867	164	<i>S. hemerobioides</i> -group
= <i>piriformis</i> ANTONOVA, 1978		<i>S. hemerobioides</i> -group
= <i>tibialis</i> WINNERTZ, 1867		<i>S. hemerobioides</i> -group
<i>infantula</i> EDWARDS, 1931		UNPLACED
<i>isarthria</i> (SPEISER, 1909)		UNPLACED

<i>kitakamiensis</i> SUTOU, 2004	TM 4	<i>S. humeralis</i> -group
<i>lackschewitzi</i> (LENGERSDORF, 1934)		<i>S. hemerobioides</i> -group
<i>maculithorax</i> (LENGERSDORF, 1938)		UNPLACED
<i>mahensis</i> KIEFFER, 1912		UNPLACED
<i>maolana</i> YANG, ZHANG & YANG, 1993		? <i>S. humeralis</i> -group
<i>matsumurai</i> MENZEL nom. nov.	6	<i>S. hemerobioides</i> -group
= <i>thoracica</i> MATSUMURA, 1916 [preocc.] syn. nov.		<i>S. hemerobioides</i> -group
<i>melanostyla</i> MOHRIG & KRIVOSHEINA, 1990	8	<i>S. ruficauda</i> -group
<i>militaris</i> NOWICKI, 1868	TM 18	<i>S. hemerobioides</i> -group
= <i>agminis</i> (KJELLANDER, 1943)	TM	<i>S. hemerobioides</i> -group
= <i>frauenfeldi</i> var. <i>minor</i> STROBL, 1898		<i>S. hemerobioides</i> -group
<i>mendax</i> TUOMIKOSKI, 1960	28	<i>S. hemerobioides</i> -group
= <i>marginata</i> MOHRIG & KRIVOSHEINA, 1983 [preocc.]		<i>S. hemerobioides</i> -group
= <i>modesta</i> (WINNERTZ, 1867) [preocc.]		<i>S. hemerobioides</i> -group
= <i>nursei</i> FREEMAN, 1983		<i>S. hemerobioides</i> -group
= <i>ulrichi</i> MENZEL & MOHRIG, 1998		<i>S. hemerobioides</i> -group
<i>multispinulosa</i> MOHRIG & KOZÁNEK, 1992		<i>S. humeralis</i> -group
<i>nepalensis</i> MOHRIG, 1987		<i>S. hemerobioides</i> -group
<i>nigropicea</i> WALKER, 1848		UNPLACED
<i>nitulina</i> EDWARDS, 1931		UNPLACED
<i>ochrolabis</i> LOEW, 1869	7	<i>S. hemerobioides</i> -group
<i>palliceps</i> EDWARDS, 1928		UNPLACED
<i>parallela</i> BRUNETTI, 1912		UNPLACED
= <i>evanescens</i> BRUNETTI, 1912		UNPLACED
<i>pectilinealis</i> SUTOU, 2004		<i>S. ruficauda</i> -group
<i>penicillata</i> (LENGERSDORF, 1944)		UNPLACED
<i>polita</i> SAY, 1824		UNPLACED
<i>pusilla</i> (DOLESCHALL, 1856)		UNPLACED
<i>pynacantha</i> YANG, ZHANG & YANG, 1993		UNPLACED
<i>quadrimaculata</i> RÜBSAAMEN, 1894		UNPLACED
<i>rimiscutellata</i> ENDERLEIN, 1912		UNPLACED
<i>rufa</i> WALKER, 1848		UNPLACED
<i>ruficauda</i> MEIGEN, 1818	112	<i>S. ruficauda</i> -group
= <i>boleti</i> WINNERTZ, 1867		<i>S. ruficauda</i> -group
= <i>mamaevi</i> ANTONOVA, 1978		<i>S. ruficauda</i> -group

= *vigilax* WINNERTZ, 1867
schultzei RÜBSAAMEN, 1908
sclerocerci YANG, ZHANG & YANG, 1993
seychellensis ENDERLEIN, 1912
speculum BEZZI, 1906
stigmatopleura EDWARDS, 1925
sumatrana (ENDERLEIN, 1911)
thomsoni RÜBSAAMEN, 1894
 = *moerens* THOMSON, 1869 [preocc.]
trileucartha BEZZI, 1906
yadongana YANG & ZHANG, 1987
zalampra (SPEISER, 1909)

S. ruficauda-group
 UNPLACED
 UNPLACED
 UNPLACED
 UNPLACED
 UNPLACED
 UNPLACED
 UNPLACED
 UNPLACED
 UNPLACED
 UNPLACED

***Sciarella* MEUNIER, 1903 †**
mycetophiliformis MEUNIER, 1903 †

[? = Mycetophilidae s. l.]

***Scythropochroa* ENDERLEIN, 1911**

atrachata MOHRIG, 2004
atrichoalata MOHRIG, 2004
diversispina MOHRIG, 1999
gressitti STEFFAN, 1969
incohata LENGERSDORF, 1930
latefurcata ENDERLEIN, 1911 1
longipennis (BRUNETTI, 1912)
 = *longitudinalis* (BRUNETTI, 1912)
micropalpa MOHRIG, 2004
multispinosa MOHRIG & MAMAIEV, 1985
quercicola (WINNERTZ, 1869) TM 3
 = *thomae* var. *nevadensis* (STROBL, 1900)
nitida EDWARDS, 1927
parapectinea MOHRIG, 2004
paucitrichata MOHRIG, 2004
radialis LENGERSDORF, 1926 12
samoana EDWARDS, 1928
semitrichata MOHRIG, 2004

sordidata EDWARDS, 1928

= *cyclophora* EDWARDS, 1929 ? **syn. nov.**

trichoalata MOHRIG, 2004

trichovenosa MOHRIG, 2004

trispinosa STEFFAN, 1969

velata ENDERLEIN, 1911

***Succinosciara* MOHRIG & RÖSCHMANN, 1995 †**

acuminata RÖSCHMANN & MOHRIG, 1995 †

***Tergosciara* RUDZINSKI, 1997**

laciniata RUDZINSKI, 1997

***Trichodapus* MOHRIG & MENZEL, 1997**

SG *Protosciarella* MOHRIG, 2003 ? comb. nov.

ampullocera (MOHRIG & RÖSCHMANN, 2004) ? **comb. nov.**

bipalpatus (MOHRIG, 2003) ? **comb. nov.**

macroabdominalis (MOHRIG, 2003) ? **comb. nov.**

virgatoalatus (MOHRIG, 2003) ? **comb. nov.**

SG *Trichodapus* MOHRIG & MENZEL, 1997 s. str. subgen. nov.

conjunctivus MOHRIG & RÖSCHMANN, 1997

longicera (LENGERSDORF, 1926)

rhenanus (FRITZ, 1982)

= *rhenanum* (FRITZ, 1983)

= *schoengeisingensis* (RUDZINSKI, 1994)

subvagulus (MOHRIG & KRIVOSHEINA, 1983)

***Trichosciara* MOHRIG, 2003**

spinimana (LENGERSDORF, 1944)

***Trichosia* WINNERTZ, 1867**

SG *Archaeosciara* MOHRIG & RÖSCHMANN, 1994†

ruebsaamenia (MEUNIER, 1904) †

= *robusta* (MEUNIER, 1904)[preocc.] †

venohirsuta RÖSCHMANN & MOHRIG, 1995 †

SG *Baeosciara* TUOMIKOSKI, 1960

discolor (LENGERSDORF, 1928) 1
 = *pusillima* (FREY, 1942)
involuta (RUDZINSKI, 2005) **comb. nov.**
macrotricha (RUDZINSKI, 2005) **stat. et comb. nov.**

scotica (EDWARDS, 1925) 4
sinuata MENZEL & MOHRIG, 1997 TM 1

SG *Mouffetina* FREY, 1942

filispina MENZEL & MOHRIG, 1997
gryptostyla MOHRIG & RÖSCHMANN, 1997
nova MOHRIG & RÖSCHMANN, 2005 †
pulchricornis (EDWARDS, 1925) 7
silvestris (MOHRIG & ANTONOVA, 1978)

SG *Palaeotrichosia* MOHRIG & RÖSCHMANN, 1994 †

diabolica (MEUNIER, 1904) †
errans (MEUNIER, 1904) †
incomposita MAMAEV, 2001 **SG comb. nov.**
kedingi RÖSCHMANN & MOHRIG, 1995 †
preciosa (MEUNIER, 1904) †
resinae RÖSCHMANN & MOHRIG, 1995 †
voelsgeni RÖSCHMANN & MOHRIG, 1995 †

SG *Trichosia* WINNERTZ, 1867 s. str.

acrotricha TUOMIKOSKI, 1960 22
basdeni FREEMAN, 1983 10
borealis (FREY, 1942) 3
confusa MENZEL & MOHRIG, 1997 TM 22
confusoides MENZEL **spec. nov.** TM 1 (ESP)
conglobata RUDZINSKI, 2005
controversa RUDZINSKI, 2005
edwardsi (LENGERSDORF, 1930) 147
flavicoxa TUOMIKOSKI, 1960 27
glabra (MEIGEN, 1830) 26
gravitata RUDZINSKI, 2005
hypertricha MENZEL & MOHRIG, 1997
jenkinsoni FREEMAN, 1987

<i>meunieri</i> (COCKERELL, 1910) †	1		
= <i>prolifera</i> (MEUNIER, 1904) [preocc.] †			
<i>morio</i> (FABRICIUS, 1794)	65		
= <i>caudata</i> (WALKER, 1848)			
= <i>dziedzickii</i> (GRZEGORZEK, 1884)			
= <i>florilega</i> (LINNAEUS, ????) ? syn. nov.			
= <i>longiventris</i> (ZETTERSTEDT, 1851)			
= <i>mikii</i> (GRZEGORZEK, 1884)			
= <i>sznablii</i> (GRZEGORZEK, 1884)			
<i>morosa</i> RUDZINSKI, 2005			
<i>pseudoussurica</i> MOHRIG & KRIVOSHEINA, 1979			
<i>simulans</i> MENZEL spec. nov.	TM 2	(ESP)	
<i>splendens</i> WINNERTZ, 1867	16		
= <i>maxima</i> STROBL, 1880			
= <i>winnertzi</i> NOWICKI, 1868			
<i>trapezia</i> YANG, ZHANG & YANG, 1993			
<i>trichata</i> MENZEL & MOHRIG, 1997			
<i>ussurica</i> MOHRIG & ANTONOVA, 1978			
Incertae sedis in <i>Trichosia</i>			
<i>calcarata</i> MOHRIG & MAMAEV, 1970			
<i>silvicola</i> MOHRIG & MAMAEV, 1970			
 <i>Trichosillana</i> RUDZINSKI, 2005			
<i>imperiosa</i> RUDZINSKI, 2005			
 <i>Vulagisciara</i> EVENHUIS, 2007			
<i>myrmecophila</i> EVENHUIS, 2007			
 <i>Xenosciara</i> VILKAMAA & HIPPA, 2004			
<i>invisa</i> VILKAMAA & HIPPA, 2004			
 <i>Xylosciara</i> TUOMIKOSKI, 1957			
SG <i>Protoxylosciara</i> TUOMIKOSKI, 1960			
<i>brevipes</i> STEFFAN, 1964			
<i>endocristata</i> RUDZINSKI, 1992	2		

<i>longiforceps</i> (BUKOWSKI & LENGERSDORF, 1936)	8		
= <i>denudata</i> (MOHRIG & MENZEL, 1990)	TM		
SG <i>Xylosciara</i> TUOMIKOSKI, 1957 s. str.			
<i>acanthaformis</i> MOHRIG & MAMAEV, 1983			<i>X. heptacantha</i> -group
<i>aculeata</i> MOHRIG & KRIVOSHEINA, 1979			<i>X. heptacantha</i> -group
<i>betulae</i> TUOMIKOSKI, 1960	23		<i>X. lignicola</i> -group
<i>flavopedalis</i> MOHRIG & KRIVOSHEINA, 1982			<i>X. heptacantha</i> -group
<i>heptacantha</i> TUOMIKOSKI, 1957	27		<i>X. heptacantha</i> -group
<i>horrida</i> HIPPA & VILKAMAA, 2004			<i>X. heptacantha</i> -group
<i>inornata</i> MOHRIG & KRIVOSHEINA, 1979			<i>X. heptacantha</i> -group
<i>krivosheinae</i> MOHRIG & ANTONOVA, 1978			<i>X. heptacantha</i> -group
<i>lignicola</i> (WINNERTZ, 1867)	72		<i>X. lignicola</i> -group
= <i>belingi</i> (WINNERTZ, 1869)	TM		<i>X. lignicola</i> -group
= <i>hortulana</i> (BELING, 1873)	TM		<i>X. lignicola</i> -group
= <i>nitidissima</i> (STROBL, 1880)			<i>X. lignicola</i> -group
<i>merodon</i> HIPPA & VILKAMAA, 2004			<i>X. lignicola</i> -group
<i>microdon</i> (FREY, 1948)	2		<i>X. lignicola</i> -group
<i>miraculosa</i> (MOHRIG & ANTONOVA, 1978)	2		<i>X. lignicola</i> -group
<i>misella</i> (FREY, 1948)	11		<i>X. heptacantha</i> -group
<i>ontario</i> HIPPA & VILKAMAA, 2004			<i>X. lignicola</i> -group
<i>phryganophila</i> (FREY, 1948)	3		<i>X. heptacantha</i> -group
<i>pulcherrima</i> MOHRIG & MAMAEV, 1979			<i>X. heptacantha</i> -group
<i>separata</i> RUDZINSKI, 1996	TM 3		<i>X. heptacantha</i> -group
<i>spectabilis</i> RUDZINSKI, 1992	21		<i>X. heptacantha</i> -group
<i>steleocera</i> TUOMIKOSKI, 1960	6		<i>X. lignicola</i> -group
<i>subbetulae</i> MOHRIG & KRIVOSHEINA, 1982	1		<i>X. heptacantha</i> -group
<i>trigemina</i> HIPPA & VILKAMAA, 2004			<i>X. lignicola</i> -group
<i>trimera</i> TUOMIKOSKI, 1960	3		<i>X. lignicola</i> -group
<i>tubulosa</i> MENZEL spec. nov.	TM 2	(POR)	<i>X. heptacantha</i> -group
<i>validinervis</i> TUOMIKOSKI, 1960	7		<i>X. lignicola</i> -group
<i>xanthogaster</i> MOHRIG & KRIVOSHEINA, 1979			<i>X. heptacantha</i> -group
Incertae sedis in <i>Xylosciara</i>			
<i>mohrigi</i> HIPPA & VILKAMAA, 2004			[= SG <i>Protoxylosciara</i> or ? <i>X. heptacantha</i> -group]

***Zygomma* ENDERLEIN, 1911**

acuta MOHRIG, 2003
alboantennata (LANE, 1946) **comb. nov.**
boliviana (EDWARDS, 1934) **comb. nov.**
fasciatellum ENDERLEIN, 1911
 = *maculipennis* (LANE, 1946) [preocc.]
 = *stonei* (LANE, 1947)
freemani (LANE, 1955) **comb. nov.**
glaberrima (EDWARDS, 1934) **comb. nov.**
modica MOHRIG, 2003
suspiciosa MOHRIG, 2003
transversalis (EDWARDS, 1934)
varians (LANE, 1955) **comb. nov.**
zygoneura (WILLISTON, 1896) **comb. nov.**
 = *willistoni* (LENGERSDORF, 1940)

***Zygoneura* MEIGEN, 1830**

SG *Allozygoneura* MENZEL & MOHRIG, 1998

calthae TUOMIKOSKI, 1960 8

petasitidis SASAKAWA, 1997

SG *Pharetratula* MAMAEV, 1968

bidens (MAMAEV, 1968) 1

 = *sinica* (ZHANG & YANG, 1990)

divergens (MAMAEV, 1976)

flavicornis (MAMAEV, 1968) 1

subdivergens (MOHRIG & MAMAEV, 1990)

transferata RUDZINSKI, 2005

SG *Zygoneura* MEIGEN, 1830 s. str.

mohrigi MAMAEV, 1985 1

sajanica MAMAEV, 1976

sciarina MEIGEN, 1830 76

Incertae sedis in *Zygoneura*

contractans (EDWARDS, 1927)

flavicoxa JOHANNSEN, 1912

pernitidum (EDWARDS, 1914)

unimacula LANE, 1955

Incertae sedis in SCIARIDAE (= »unplaced species« in Sciaridae)

- abbreviata* BARNSSTON, ??? [Sciara]
abbreviata WALKER, 1848 [Sciara]
abditata JOHANNSEN, 1912 [Sciara]
abnormalis LANE, 1959 [Neosciara]
acuminata HEER, 1849 † [Sciara] [= ? Mycetophilidae s. l.]
acutimedialis LENGERSDORF, 1941 [Neosciara] [= ? Bradysia]
acutula YANG, ZHANG & YANG, 1995 [Corynoptera]
adjuncta SKUSE, 1890 [Sciara]
aemula SKUSE, 1888 [Sciara]
aequans ENDERLEIN, 1911 [Lycoria]
africana LENGERSDORF, 1938 [Zygoneura]
aitkeni LANE, 1959 [Neosciara]
albistigmata YANG, ZHANG & YANG, 1995 [Corynoptera]
amabilis SKUSE, 1888 [Sciara]
angusta GRZEGORZEK, 1884 [Sciara]
anodonta YANG, ZHANG & YANG, 1993 [Phorodonta]
antennarium LENGERSDORF, 1926 [Euricrium]
antica WALKER, 1856 [Sciara]
antiqua LENGERSDORF, 1940 [Lycoria (Sciara)]
antrocola YANG & ZHANG, 1995 [Lycoriella] [= ? Corynoptera]
apicalba YANG, ZHANG & YANG, 1993 [Bradysia] [= ? Corynoptera]
aquila SKUSE, 1888 [Sciara]
arcuans ENDERLEIN, 1911 [Lycoria]
arcuata GARRETT, 1925 [Sciara]
arenicola STEFFAN, 1984 [Plastosciara]
aspirans GRZEGORZEK, 1884 [Sciara]
atavina VON HEYDEN, 1870 † [Sciara]
atrata SAY, 1824 [Sciara]
atratura SKUSE, 1888 [Sciara]
atrifrons EDWARDS, 1928 [Sciara]
auriculata YANG, ZHANG & YANG, 1995 [Bradysia]
aurosa RUDZINSKI, 1997 [Sciara]
azteca LANE, 1959 [Neosciara]
baishanzuna YANG, ZHANG & YANG, 1995 [Lycoriella]

- bambusae* YANG, ZHANG & YANG, 2003 [*Phytosciara*]
basalis LOEW, ???? † [*Sciara*]
beebei SHAW & SHAW, 1950 [*Sciara (Neosciara)*]
bellingeri SHAW, 1953 [*Bradysia*]
berckhemeri ARMBRUSTER, 1938 † [*Lycoria*]
bicolor ROHDENDORF, 1962 † [*Lycoria*]
bicolorata LENGERSDORF, 1930 [*Trichosia*]
bicuspidata YANG, ZHANG & YANG, 1993 [*Bradysia*] [= ? *Scatopsiara*]
bisperi YANG, ZHANG & YANG, 1993 [*Phytosciara*]
bispina FISHER, 1938 [*Sciara*] [= ? *Bradysia* or *Lycoriella*]
bispinosa PETTEY, 1918 [*Sciara*] [= ? *Scatopsiara* or *Corynoptera*]
bituberculata YANG & ZHANG, 2003 [*Bradysia*] [= ? *Phytosciara (Prosciara)*]
blandula LENGERSDORF, 1944 [*Lycoria*] [= ? *Sciara*]
borealis RÜBSAAMEN, 1898 [*Sciara*]
borgmeieri LENGERSDORF, 1926 [*Euricrium*]
bororoi LANE, 1959 [*Neosciara*]
brachyceroidis (HONG, 1981) † [*Sciara*]
braeuhaeuseri ARMBRUSTER, 1938 † [*Lycoria*]
branconis ARMBRUSTER, 1938 † [*Lycoria*]
breviantenna STEFFAN, ???? [*Scythropochroa*]
brevifurca SKUSE, 1888 [*Sciara*]
brevipetiolata EDWARDS, 1927 [*Peyerimhoffia*]
breviapodeme ALAM, DASGUPTA & CHAUDHURI, 1996 [*Scatopsiara*]
browni SHAW, 1935 [*Sciara (Neosciara)*]
brunnipes var. *boliviensis* LENGERSDORF, 1930 [*Neosciara*]
brunniventris SENIOR-WHITE, 1922 [*Sciara*]
bulbiformis YANG, ZHANG & YANG, 1993 [*Bradysia*] [= ? *Corynoptera*]
bullastylata RUDZINSKI, 1997 [*Sciara*]
caldaria LINTNER, 1895 [*Sciara*]
campbellensis (STEFFAN, 1964) [*Bradysia*] [= ? *Corynoptera* or *Camptochaeta*]
campylura YANG, ZHANG & YANG, 1993 [*Bradysia*] [= ? *Scatopsiara*]
carbonaria affinis ???? [*Sciara*]
cavatica SKUSE, 1888 [*Sciara*]
chamei YANG, ZHANG & YANG, 1995 [*Bradysia*]
chilensis RÜBSAAMEN, 1894 [nom. nov. pro *Sciara pallipes* GAY, ????]

- = *pallipes* GAY, ???? [preocc.]
chrysitis (HONG, 1981) † [Sciara]
cingulata RÜBSAAMEN, 1894 [Sciara]
clavata GARRETT, 1925 [Sciara]
colorata GRZEGORZEK, 1884 [Sciara]
columbia PETTEY, 1918 [Neosciara]
columbiana ENDERLEIN, 1911 [Lycoria]
compacta BRUNETTI, 1912 [Sciara]
cona (HONG, 1981) † [Sciara]
conglomerata PETTEY, 1918 [Neosciara] [= ? *Lycoriella* (*Hemineurina*)]
congregata JOHANNSEN, 1914 [Sciara]
conicudata YANG, ZHANG & YANG, 1995 [*Phytosciara*]
conjuncta SKUSE, 1890 [Sciara]
consanguinea SKUSE, 1890 [Sciara]
contermina SKUSE, 1890 [Sciara]
costalis WIEDEMANN, 1828 [Sciara]
costata MEIGEN, 1818 [Sciara]
crassicornis SKUSE, 1890 [Sciara]
cryptocteniuni YANG & ZHANG, 1988 [*Bradysia*]
ctenotibia YANG, ZHANG & YANG, 1993 [*Phytosciara*]
cucumeris JOHANNSEN, 1912 [Sciara]
curta (HONG, 1981) † [*Zygoneura*] [= ? *Bradysia*]
curvinervis EDWARDS, 1928 [Sciara]
curvispinosa YANG, ZHANG & YANG, 1993 [*Lycoriella*]
cyclota YANG, ZHANG & YANG, 1995 [*Phorodonta*]
dactylina YANG, ZHANG & YANG, 1993 [*Bradysia*]
defectuosa MEUNIER, 1903 † [Sciara] [= ? Mycetophilidae s. l.]
deffneri ARMBRUSTER, 1938 † [Lycoria]
defossa VON HEYDEN, 1870 † [Sciara]
deleta HEER, 1865 † [Sciara]
dendrotica STEFFAN, 1968 [*Scatopsiara*]
densa YANG, ZHANG & YANG, 1993 [*Phytosciara*]
deperdita SCUDDER, 1890 † [Sciara]
destita LENGERSDORF, 1944 [Lycoria]
diacantha EDWARDS, 1928 [Sciara] [= ? *Bradysia*]

dichaeta SHAW, 1941 [*Sciara* (*Neosciara*)]
diderma GARRETT, 1925 [*Sciara*]
dietleni ARMBRUSTER, 1938 † [*Lycoria*]
dimidiata SAY, 1832 [*Sciara*]
diminutica PHILIPPI, 1865 [*Sciara*]
diota GARRETT, 1925 [*Sciara*]
dipetala YANG, ZHANG & YANG, 1995 [*Lycoriella*]
dispositata RUDZINSKI, 2004 [*Scatopsciara* (*Xenopygina*)]
distigma EDWARDS, 1924 [*Sciara*]
distinguenda BRUNETTI, 1912 [*Sciara*]
diversa SKUSE, 1888 [*Sciara*]
dives JOHANNSEN, 1912 [*Sciara*]
dolens JOHANNSEN, 1912 [*Sciara*]
dolichoflagella YANG & ZHANG, 1995 [*Bradysia*]
dolicholabis EDWARDS, 1927 [*Sciara*]
dolichopoda YANG, ZHANG & YANG, 1993 [*Phorodonta*]
dolichotoma YANG, ZHANG & YANG, 1995 [*Phytosciara*]
dolosa SKUSE, 1888 [*Sciara*]
domestica PHILIPPI, 1865 [*Sciara*]
dubia MEUNIER, 1904 † [*Corynoptera*]
dureti LANE, 1959 [*Neosciara*]
ehрати ARMBRUSTER, 1938 † [*Lycoria*]
electriphila COCKERELL, 1910 † [*Sciara*]
elegans MORGANTE, 1969 [*Bradysia*]
elongatula LENGERSDORF, 1944 [*Lycoria*]
endrissi ARMBRUSTER, 1938 † [*Lycoria*]
equalis WILLISTON, 1896 [*Sciara*]
ericia PETTEY, 1918 [*Neosciara*]
erratica SKUSE, 1888 [*Sciara*]
euryopteris (HONG, 1981) † [*Sciara*]
evanescens ENDERLEIN, 1911 [*Lycoria*]
evanescens SKUSE, 1888 [*Sciara*]
exigua SAY, 1824 [*Sciara*]
exilis SAY, 1829 [*Sciara*]
exposita SKUSE, 1890 [*Sciara*]

[= ? *Bradysia*][= ? *Cratyna* (*Cratyna*)]

- exsequialis* SKUSE, 1890 [*Sciara*] [= ? *Bradysia*]
falcata PETTEY, 1918 [*Neosciara*] [= ? *B. pallipes*-group]
familiaris SKUSE, 1888 [*Sciara*]
fanjingana (YANG & ZHANG, 1988) [*Lycoriella*] [= ? *Odontosciara*]
fanjingshana YANG & ZHANG, 1988 [*Trichosia*]
farri SHAW, 1953 [*Bradysia*]
fasciata WALKER, 1856 [*Sciara*]
fasciata LENGERSDORF, 1926 [*Metangela*]
fascipennis BRUNETTI, 1912 [*Sciara*]
fatigans JOHANNSEN, 1912 [*Sciara*] [= ? *Corynoptera*]
felti PETTEY, 1918 [*Neosciara*] [= ? *Scatopsciara* (*Scatopsciara*)]
femoralis DOLESCHALL, 1858 [*Sciara*]
femorata SAY, 1823 [*Sciara*]
festina SKUSE, 1888 [*Sciara*]
festiva SKUSE, 1888 [*Sciara*]
filipes WALKER, 1865 [*Sciara*]
fimbripes EDWARDS, 1931 [*Phorodonta*] [= ? *Bradysia*]
finitima SKUSE, 1888 [*Sciara*]
flammiventris BRUNETTI, 1912 [*Sciara*]
 = *hirtilineatoides* SENIOR-WHITE, 1922 [*Sciara*]
flavibasis EDWARDS, 1928 [*Plastosciara*]
flavicingula EDWARDS, 1927 [*Phorodonta*]
flavicollis BRUNETTI, 1912 [*Sciara*]
flavicoxis SKUSE, 1890 [*Sciara*]
flavipectus BRUNETTI, 1912 [*Sciara*]
flavofemorata BRUNETTI, 1912 [*Sciara*]
fletcheræ SENIOR-WHITE, 1922 [*Sciara*]
florissantensis COCKERELL, 1917 † [*Sciara*]
fluminensis LANE, 1959 [*Neosciara*]
fochi PETTEY, 1918 [*Neosciara*] [= ? *Schwenckfeldina*]
forcipata ENDERLEIN, 1911 [*Neosciara*]
formosana SHIRAKI, 1913 [*Hybosciara*]
fraasi ARMBRUSTER, 1938 † [*Lycoria*]
fratercula BRUNETTI, 1912 [*Sciara*]
fraterna SAY, 1824 [*Sciara*]

- frequens* SKUSE, 1888 [*Sciara*]
froggatti SKUSE, 1888 [*Sciara*]
fruhstorferi RÜBSAAMEN, 1894 [*Odontonyx*]
fujiana YANG & ZHANG, 2003 [*Phorodonta*]
fulgescens ENDERLEIN, 1911 [*Lycoria*]
fuliginosa BLANCHARD, 1852 [*Sciara*]
fuliginosa (FITCH, 1856) [*Sciara*]
fulvescens ENDERLEIN, 1911 [*Sciara*]
fulvicauda FELT, 1897 [*Sciara*]
fulviventris WIEDEMANN, 1821 [*Sciara*]
fumida JOHANNSEN, 1912 [*Sciara*] [= ? *Bradysia*]
fumigans ENDERLEIN, 1911 [*Lycoria*]
fumipennis SKUSE, 1888 [*Sciara*]
fusca FREEMAN, 1953 [*Bradysia* (*Chaetosciara*)]
fuscescens ENDERLEIN, 1911 [*Lycoria*]
fuscipes MEIGEN, 1818 [*Sciara*]
fushunensis HONG, 1979 / 1980 † [*Lycoria*]
futilis JOHANNSEN, 1912 [*Sciara*]
geminispina YANG, ZHANG & YANG, 1993 [*Bradysia*]
germana WILLISTON, 1896 [*Sciara*]
ghesquierei LENGERSDORF, 1938 [*Trichosia*]
glabrifrons EDWARDS, 1928 [*Psilosciara*]
glacialis RÜBSAAMEN, 1898 [*Sciara*]
grandis PETTEY, 1918 [*Neosciara*] [= ? *B. pallipes*-group]
grzegorzeki RÜBSAAMEN, 1894 [*Sciara*] [nom. nov. pro *Sciara confusa* GRZEGORZEK, 1884]
 = *confusa* GRZEGORZEK, 1884 [*Sciara*] [preocc.]
guayanensis ENDERLEIN, 1911 [*Lycoria*]
guizhouana YANG & ZHANG, 1988 [*Bradysia*]
gymnops EDWARDS, 1928 [*Psilosciara*]
habilis JOHANNSEN, 1912 [*Sciara*] [= ? *Bradysia* or *Cratyna*]
hamata PETTEY, 1918 [*Neosciara*] [= ? *Bradysia*]
hamulosa YANG, ZHANG & YANG, 1993 [*Phytosciara*]
hartii JOHANNSEN, 1912 [*Sciara*]
hebes LOEW, 1869 [*Trichosia*]
helmsi SKUSE, 1890 [*Sciara*]

- hendersoni* EDWARDS, 1928 [*Sciara*]
hennigi ARMBRUSTER, 1938 † [*Lycoria*]
heteroceroidis (HONG, 1981) † [*Sciara*]
heteroptera DE MEIJERE, 1913 [*Sciara*] [= ? *Bradysia*]
heteropus PHILIPPI, 1865 [*Sciara*]
hexacantha YANG, ZHANG & YANG, 1995 [*Bradysia*]
hirtella HEER, 1849 † [*Sciara*]
hirtilineata BRUNETTI, 1912 [*Sciara*]
hoelzlei ARMBRUSTER, 1938 † [*Lycoria*]
horrescens EDWARDS, 1928 [*Sciara*]
huanggangshana YANG, ZHANG & YANG, 2003 [*Lycoriella*] [= ? *Corynoptera*]
hyaescens ENDERLEIN, 1911 [*Lycoria*]
hypacantha YANG, ZHANG & YANG, 1995 [*Lycoriella*]
ignobilis SKUSE, 1888 [*Sciara*]
ignorata MEUNIER, 1904 † [*Sciara*]
ikomai SASAKAWA, 1962 [*Bradysia* (*Chaetosciara*)]
inconspicua BRUNETTI, 1912 [*Sciara*]
inconstans FITCH, 1856 [*Molobrus*]
indica WALKER, 1856 [*Sciara*]
infixa SKUSE, 1890 [*Sciara*]
infrequens SKUSE, 1888 [*Sciara*]
infuscatipennis BLANCHARD, 1852 [*Sciara*]
insolita LENGERSDORF, 1941 [*Neosciara*] [= ? *Zygoneura*]
insularis LANE, 1959 [*Neosciara*]
isoacantha YANG, ZHANG & YANG, 1995 [*Lycoriella*]
jacobsoni EDWARDS, 1931 [*Sciara*] [= ? *Corynoptera*]
janassa VON HEYDEN, 1870 † [*Sciara*] [= ? *Mycetophilidae* s. l.]
janduisi LANE, 1959 [*Neosciara*]
japonica SASAKAWA, 1961 [*Ectrepesthoneura*] [= ? *Phytosciara* (*Dolichosciara*)]
jeanneli SÉGUY, 1940 [*Sciara*]
johannseni SHAW, 1953 [*Epidapus*]
joossi ARMBRUSTER, 1938 † [*Lycoria*]
jucunda JOHANNSEN, 1912 [*Sciara*] [= ? *Bradysia*]
kaihuana YANG, ZHANG & YANG, 1995 [*Bradysia*]
kaingangi LANE, 1959 [*Neosciara*]

- kaiseri* SHAW, 1941 [*Sciara (Neosciara)*]
karnyi EDWARDS, 1927 [*Sciara*]
khasiensis SENIOR-WHITE, 1922 [*Sciara*]
kluepfeli ARMBRUSTER, 1938 † [*Lycoria*]
latelineata BRUNETTI, 1912 [*Sciara*]
latimedialis LENGERSDORF, 1941 [*Neosciara*]
latipons EDWARDS, 1928 [*Sciara*]
latispinosa YANG, ZHANG & YANG, 1995 [*Bradysia*]
leptogaster SCHINER, 1868 [*Sciara*]
lengersdorfi ARMBRUSTER, 1938 † [*Lycoria*]
leucogaster EDWARDS, 1925 [*Scythropochroa*]
lobifera EDWARDS, 1928 [*Phorodonta*]
lobosa PETTEY, 1918 [*Neosciara*] [= ? *Chaetosciara*]
longiantenna YANG, ZHANG & YANG, 1993 [*Phorodonta*]
longicolla YANG, ZHANG & YANG, 1993 [*Bradysia*]
longimedia YANG, ZHANG & YANG, 1993 [*Bradysia*] [= ? *Scatopsiara*]
longinervis BRUNETTI, 1912 [*Sciara*] [= ? *Scythropochroa*]
longipes MEIGEN, 1818 [*Sciara*]
longipilis LENGERSDORF, 1930 [*Lycoria (Sciara)*]
longirostris YANG, ZHANG & YANG, 1995 [*Lycoriella*]
longispina PETTEY, 1918 [*Neosciara*] [= ? *Cratyna (Spathobdella)*]
longitoma YANG, ZHANG & YANG, 1993 [*Bradysia*]
longqishana YANG, ZHANG & YANG, 1993 [*Bradysia*] [= ? *Scatopsiara*]
lucidipennis SKUSE, 1888 [*Sciara*]
lucipeta EDWARDS, 1928 [*Sciara*]
luctifica SKUSE, 1888 [*Sciara*]
luculenta SKUSE, 1888 [*Sciara*]
lugens JOHANNSEN, 1912 [*Sciara*]
lurida WALKER, 1848 [*Sciara*]
luteiventris BRUNETTI, 1912 [*Sciara*]
luteola PETTEY, 1918 [*Neosciara*]
luteolamellata EDWARDS, 1928 [*Sciara*]
mabiusi LANE, 1959 [*Neosciara*]
macclurei SHAW, 1941 [*Sciara (Neosciara)*] [= ? *Cratyna*]
macleayi SKUSE, 1888 [*Sciara*]

- macroptera* PETTEY, 1918 [*Neosciara*] [= ? *Bradysia*]
macrura YANG, ZHANG & YANG, 1995 [*Bradysia*]
maculipennis SKUSE, 1890 [*Zygoneura*]
maesta SKUSE, 1888 [*Sciara*]
malayana EDWARDS, 1928 [*Phorodonta*] [= ? *Dolichosciara*]
marauasi LANE, 1959 [*Neosciara*]
marginalis VON RÖDER, 1886 [*Sciara*]
marginata RÜBSAAMEN, 1898 [*Sciara*] [preocc.]
marginata SKUSE, 1890 [*Sciara*]
martii NOVAK, ??? † [*Sciara*]
mastersi SKUSE, 1888 [*Trichosia*]
media FREEMAN, 1953 [*Bradysia (Chaetosciara)*]
mediofusca EDWARDS, 1928 [*Sciara*]
melaleuca EDWARDS, 1928 [*Sciara*]
mellea JOHANNSEN, 1912 [*Sciara*]
mexicana LANE, 1959 [*Neosciara*]
microtricha EDWARDS, 1928 [*Sciara*]
migrator EDWARDS, 1927 [*Sciara*]
milleri ARMBRUSTER, 1938 † [*Lycoria*]
minpleuroti YANG & ZHANG, 2003 [*Bradysia*] [= ? *Scatopsciara*]
minuens ENDERLEIN, 1911 [*Lycoria*]
minuta SASAKAWA, 1962 [*Bradysia (Chaetosciara)*] [= ? *Corynoptera*]
minutela SKUSE, 1888 [*Sciara*]
minutula HEER, 1849 † [*Sciara*] [= ? Mycetophilidae s. l.]
monacantha EDWARDS, 1928 [*Sciara*] [= ? *Mohrigia* or *Lycoriella*]
monacantha YANG, ZHANG & YANG, 1995 [*Bradysia*]
montana YANG, ZHANG & YANG, 1993 [*Phytosciara*]
montivaga SKUSE, 1888 [*Sciara*]
multispinistyla ALAM, DASGUPTA & CHAUDHURI, 1996 [*Scatopsciara*]
munda JOHANNSEN, 1912 [*Sciara*]
myrmecophilum LENGERSDORF, 1925 [*Euricrium*]
nemoralis MEIGEN, 1818 [*Sciara*]
neorufescens MILLER, 1950 [*Sciara*] [nom. nov. pro *Sciara rufescens* HUTTON, 1881]
 = *rufescens* HUTTON, 1881 [*Sciara*] [preocc.]
nigrans ENDERLEIN, 1911 [*Lycoria*]

- nigricalcar* EDWARDS, 1933 [*Scythropochroa*]
nigricans ENDERLEIN, 1911 [*Lycoria*]
nigriceps SCHUMMEL, 1832 [*Sciara*]
nigrifemur EDWARDS, 1928 [*Sciara*]
nigrina RÜBSAAMEN, 1894 [*Sciara*]
nigripennis BRUNETTI, 1912 [*Sciara*]
nigripes MEIGEN, 1830 [*Sciara*]
nitens FREEMAN, 1953 [*Psilosciara*]
nitidithorax BRUNETTI, 1912 [*Sciara*]
niveiapicalis BRUNETTI, 1912 [*Sciara*]
noduspina YANG, ZHANG & YANG, 1993 [*Bradysia*]
notata SKUSE, 1888 [*Sciara*] [= ? *Bradysia*]
novalobata RUDZINSKI, 1997 [*Bradysia*]
nowickii GRZEGORZEK, 1884 [*Sciara*]
nubicula SKUSE, 1888 [*Sciara*]
nubilans ENDERLEIN, 1911 [*Lycoria*]
nyctoptera EDWARDS, 1931 [*Phorodonta*]
obesa YANG, ZHANG & YANG, 1995 [*Bradysia*]
obiquicapilli YANG, ZHANG & YANG, ??? [Trichosia]
obsolescens ENDERLEIN, 1911 [*Lycoria*]
ochrogaster EDWARDS, 1933 [*Scythropochroa*]
octospina YANG, ZHANG & YANG, 1993 [*Phytosciara*]
opposita BRUNETTI, 1912 [*Sciara*]
ornatipennis EDWARDS, 1933 [*Trichosia*]
ornatula SKUSE, 1888 [*Sciara*]
orthacantha YANG, ZHANG & YANG, 1993 [*Lycoriella*] [= ? *Mohrigia*]
ovata PETTEY, 1918 [*Neosciara*] [= ? *Corynoptera*]
oxyura EDWARDS, 1931 [*Peyerimhoffia*]
pacifica EDWARDS, 1924 [*Phorodonta*] [? *Phytosciara* (*Dolichosciara*)]
pallescens BRUNETTI, 1912 [*Sciara*]
 = *fulvescens* BRUNETTI, 1912 [*Sciara*] [preocc.]
pallespina YANG, ZHANG & YANG, 1995 [*Bradysia*]
pallipes BLANCHARD, 1852 [*Sciara*]
pallipes MEIGEN, 1818 [*Sciara*]
palpiclavata YANG, ZHANG & YANG, 2003 [*Bradysia*]

<i>paradichaeta</i> SHAW, 1941 [<i>Sciara</i>]	[= ? <i>Ctenosciara</i> or <i>Bradysia</i>]
<i>parviseta</i> FELT, 1898 [<i>Sciara</i>]	[Not included in FELT (1897, 1898) !!!]
<i>parvispina</i> YANG & ZHANG, 1988 [<i>Bradysia</i>]	
<i>patricii</i> SÉGUY, 1960 [<i>Sciara</i>]	[= ? <i>Bradysia</i>]
<i>paulistana</i> LANE, 1959 [<i>Neosciara</i>]	
<i>penna</i> PETTEY, 1918 [<i>Neosciara</i>]	[= ? <i>Bradysia</i> or <i>Corynoptera</i>]
<i>perfecta</i> PETTEY, 1918 [<i>Neosciara</i>]	[= ? <i>Bradysia</i>]
<i>pernitida</i> SKUSE, 1888 [<i>Sciara</i>]	
<i>perpallida</i> EDWARDS, 1925 [<i>Phorodonta</i>]	
<i>perpusilla</i> WALKER, 1848 [<i>Sciara</i>]	
<i>persicariae</i> LINNAEUS, ???? [<i>Tipula</i>]	
<i>petaini</i> PETTEY, 1918 [<i>Neosciara</i>]	[= ? <i>B. polonica</i> -group]
<i>pictipes</i> SKUSE, 1888 [<i>Sciara</i>]	
<i>philippinensis</i> EDWARDS, 1929 [<i>Sciara</i>]	
<i>picea</i> RÜBSAAMEN, 1894 [<i>Sciara</i>]	[= ? <i>Bradysia</i>]
<i>pilata</i> PETTEY, 1918 [<i>Neosciara</i>]	[= ? <i>Scatopsiara</i> or ? <i>Corynoptera</i>]
<i>pilularia</i> LENGERSDORF, 1941 [<i>Neosciara</i>]	
<i>pleciodes</i> ENDERLEIN, 1911 [<i>Lycoria</i>]	
<i>podagrica</i> FABRICIUS, ???? [????]	
<i>politicollis</i> EDWARDS, 1928 [<i>Phorodonta</i>]	
<i>politula</i> EDWARDS, 1928 [<i>Sciara</i>]	
<i>pollicis</i> PETTEY, 1918 [<i>Neosciara</i>]	[= ? <i>Pseudolykoriella</i>]
<i>polychaeta</i> PETTEY, 1918 [<i>Neosciara</i>]	[= ? <i>Lycoriella (Hemineurina)</i>]
<i>pompeckii</i> ARMBRUSTER, 1938 † [<i>Lycoria</i>]	
<i>portoricensis</i> LANE, 1959 [<i>Neosciara</i>]	
<i>praecellens</i> SKUSE, 1890 [<i>Sciara</i>]	
<i>prisca</i> GERMAR, 1839 † [<i>Sciara</i>]	
<i>proboscidea</i> LENGERSDORF, 1931 [<i>Rhynchosciara</i>]	
<i>prolifera</i> FELT, 1897 [<i>Sciara</i>]	
<i>prominens</i> HARDY, 1956 [<i>Sciara (Lycoriella)</i>]	[= ? <i>Corynoptera</i>]
<i>promiscua</i> SKUSE, 1890 [<i>Sciara</i>]	
<i>propinquans</i> ENDERLEIN, 1911 [<i>Lycoria</i>]	
<i>prosthioxantha</i> ENDERLEIN, 1911 [<i>Lycoria</i>]	
<i>psychina</i> ENDERLEIN, 1911 [<i>Lycoria</i>]	
<i>pubericornis</i> EDWARDS, 1928 [<i>Phorodonta</i>]	

puberula LENGERSDORF, 1944 [*Lycoria*]
pubescens LENGERSDORF, 1944 [*Lycoria*]
pubianalis LENGERSDORF, 1940 [*Pseudosciara*]
pulicaria MEIGEN, 1818 [*Sciara*]
pumila YANG, ZHANG & YANG, 1995 [*Trichosia*]
punctata WALKER, 1848 [*Sciara*]
puripennis EDWARDS, 1928 [*Scythropochroa*]
pygmaea LENGERSDORF, 1929 [*Sciara*]
pygophora SCHINER, 1868 [*Sciara*]
 = *striatipennis* SCHINER, 1868 [*Sciara*]
qinana YANG & ZHANG, 1988 [*Bradysia*]
quadrispinosa PETTEY, 1918 [*Neosciara*]
quenstedti ARMBRUSTER, 1938 † [*Lycoria*]
rabelloi LANE, 1959 [*Neosciara*]
radialis SHAW, 1934 [*Sciara*]
rara MEUNIER, 1904 † [*Sciara*]
ratana EDWARDS, 1928 [*Sciara*]
reciproca WALKER, 1856 [*Sciara*]
recondita SKUSE, 1890 [*Sciara*]
recta LENGERSDORF, 1941 [*Lycoria*]
regens ENDERLEIN, 1911 [*Lycoria*]
remota DE MEIJERE, 1913 [*Zygoneura*]
rhodogaster EDWARDS, 1933 [*Scythropochroa*]
rhynchophysa YANG, ZHANG & YANG, 1993 [*Plastosciara*]
ribeiroi LANE, 1943 [????]
robusta WALKER, 1848 [*Sciara*]
rotondipennis MACQUART, ??? [????]
rottensis VON HEYDEN, 1870 † [*Sciara*]
rotunda RÜBSAAMEN, 1894 [*Sciara*]
rotundipennis MACQUART, 1838 [*Sciara*]
rubra (HARRISON, 1955) [*Sciara*]
sandalimorpha YANG, ZHANG & YANG, 1995 [*Bradysia*]
satiata GRZEGORZEK, 1884 [*Sciara*]
schremmeri BACHMAYER, 1961 † [*Lycoria*]
sciastica WILLISTON, 1896 [*Zygoneura*]

[= ? *Phytosciara* (*Dolichosciara*)]

[= ? *Scatopsiara*]

[= ? *Mohrigia*]

[= ? *Lycoriella* (*Hemineurina*)]

- sciophila* LOEW, 1869 [*Sciara*]
scitula SKUSE, 1888 [*Sciara*]
scopuli SCUDDER, 1890 † [*Sciara*]
sedula SKUSE, 1888 [*Sciara*]
seemanni ARMBRUSTER, 1938 † [*Lycoria*]
segmenticornis BRUNETTI, 1912 [*Sciara*]
selangoriana EDWARDS, 1928 [*Sciara*]
selecta WALKER, 1859 [*Sciara*]
septemtrionalis RÜBSAAMEN, 1898 [*Sciara*]
sepulta LEWIS, 1969 † [*Sciara*]
serenipennis SKUSE, 1890 [*Sciara*]
sericata MEIGEN, 1830 [*Sciara*]
setilineata BRUNETTI, 1912 [*Sciara*]
sexsetosa BRUNETTI, 1912 [*Sciara*]
 = *quadrisetosa* BRUNETTI, 1912 [*Sciara*]
siegeli LANE, 1959 [*Neosciara*]
silvestrii KIEFFER, 1910 [*Sciara*]
simulans ENDERLEIN, 1911 [*Lycoria*]
simulans JOHANNSEN, ???? [*Sciara*]
simulator EDWARDS, 1928 [*Sciara*] [= ? *Xylosciara*]
simulatrix LENGERSDORF, 1940 [*Neosciara*]
singhalensis RÜBSAAMEN, 1894 [*Sciara*]
sinica YANG & ZHANG, 2003 [*Trichosiopsis*]
sororia SKUSE, 1888 [*Sciara*]
spectabilis SKUSE, 1888 [*Sciara*]
spinata PETTEY, 1918 [*Neosciara*] [= ? *Camptochaeta*]
splendida MEUNIER, 1904 † [*Sciara*]
trausi KOHRING & SCHLÜTER, 1993 † [*Sciara*]
stenopteris (HONG, 1981) † [*Lycoria*]
strenua YANG, ZHANG & YANG, 1995 [*Phytosciara*]
subconiferoterga ALAM, 1988 [*Bradysia*]
subfasciata EDWARDS, 1933 [*Scythropochroa*]
subfascipennis EDWARDS, 1928 [*Sciara*]
subgrandis SHAW, 1941 [*Sciara* (*Neosciara*)] [= ? *Bradysia*]
subnuda EDWARDS, 1933 [*Trichosia*]

- subtrivialis* PETTEY, 1918 [*Neosciara*] [= ? *Bradysia*]
surinamensis LENGERSDORF, 1931 [*Sciara* (*Neosciara*)]
svavis GRZEGORZEK, 1884 [*Sciara*]
tanypeza MEUNIER, 1899 † [*Sciara*]
tenebricosa LENGERSDORF, 1941 [*Neosciara*]
tepperi SKUSE, 1890 [*Sciara*]
tetraleuca EDWARDS, 1931 [*Sciara*]
thailandina SASAKAWA, 1962 [*Bradysia* (*Bradysia*)]
tianzei YANG, ZHANG & YANG, 1993 [*Bradysia*]
tibiaspinosa YANG, ZHANG & YANG, 2003 [*Bradysia*] [= ? *Corynoptera*]
tiliacea KOMAROVA, 2000 [*Corynoptera*]
townesi SHAW, 1935 [*Sciara*]
transpacifica CURRAN, 1925 [*Sciara*]
trifasciata BRUNETTI, 1912 [*Sciara*]
trifolii PETTEY, 1918 [*Neosciara*] [= ? *Lycoriella* (*Lycoriella*) *castanescens* (LENGERSDORF, 1940)]
trifurca PETTEY, 1918 [*Neosciara*] [= ? *C. membranigera*-group]
trilineata BRUNETTI, 1912 [*Sciara*] [= ? *Trichosia*]
trinidadensis LANE, 1959 [*Neosciara*]
tristans ENDERLEIN, 1911 [*Lycoria*]
trivialis JOHANNSEN, 1912 [*Sciara*]
trivittigera EDWARDS, 1928 [*Phorodonta*]
trogloodytes HEER, 1864 † [*Sciara*]
tryoni SKUSE, 1890 [*Sciara*]
tuberculatus EDWARDS, 1927 [*Epidapus*]
tumidicauda YANG, ZHANG & YANG, 1995 [*Bradysia*]
tupinamba LANE, 1959 [*Neosciara*]
turrita DE MEIJERE, 1913 [*Sciara*]
uichancoi PETTEY, 1918 [*Sciara*] [= ? *Xylosciara*]
uncata YANG, ZHANG & YANG, 1993 [*Phytosciara*]
uncipleuroti YANG & ZHANG, 1994 [*Bradysia*]
unica SKUSE, 1888 [*Sciara*]
unicolor SAY, 1829 [*Sciara*]
unicorn GARRETT, 1925 [*Sciara*]
unispina YANG & ZHANG, 1988 [*Lycoriella*]
varipes WALKER, 1865 [*Sciara*]

vecors SKUSE, 1888 [*Sciara*]
venezuelensis LANE, 1959 [*Neosciara*]
ventricosa LENGERSDORF, 1941 [*Neosciara*]
vergens ENDERLEIN, 1911 [*Lycoria*]
vespertilio SCHINER, 1868 [*Sciara*]
vicina JOHANNSEN, 1912 [*Sciara*]
villosa MEUNIER, 1904 † [*Sciara*]
villosoides MEUNIER, 1904 † [*Sciara*]
vulgaris FITCH, 1856 [*Molobrus*]
vulpina GRZEGORZEK, 1884 [*Sciara*]
wageri ARMBRUSTER, 1938 [*Lycoria*]
wangi YANG & ZHANG, 1988 [*Bradysia*]
willershausensis KOHRING & SCHLÜTER, 1993 † [*Sciara*]
willinki LANE, 1959 [*Neosciara*]
winnertzi SKUSE, 1888 [*Sciara*]
winnertzii VON HEYDEN, 1870 † [*Sciara*]
womersleyi SÉGUY, 1940 [*Sciara*]
wuhongi YANG, ZHANG & YANG, 1995 [*Lycoriella*]
wui YANG & ZHANG, 1988 [*Bradysia*]
wui YANG, ZHANG & YANG, 1995 [*Phytosciara*]
wuyiana YANG, ZHANG & YANG, 2003 [*Phytosciara*]
xianydingi YANG, ZHANG & YANG, 1993 [*Bradysia*]
yungata YANG, ZHANG & YANG, 1995 [*Bradysia*]
zealandica KIEFFER, 1910 [*Sciara*]
zheana YANG, ZHANG & YANG, 1995 [*Scatopsciara*]

[= ? *Lycoriella*]