


# Senckenberg Deutsches Entomologisches Institut

Eberswalder Str. 90, 15374 Müncheberg, Germany



## Hemimetabola Collection: Crickets, Grasshoppers, Locusts – Orthoptera

(28.10.2010)

Curator: Dr. Stephan M. Blank, sblank@senckenberg.de, phone: +49/33432/736983730

Technical assistant: Angelika Weirauch, aweirauch@senckenberg.de, phone: +49/33432/736983721

Please note that the data displayed here have not yet been verified (e.g. spellings). We are still working on completing this inventory.

SPECIES	SPECIMENS	PA	NA	NT	OR	ET	AU	TYPE MATERIAL
● ACRIDIDAE								
Abisares viridipennis (Burmeister, 1838)	2					X		
Abracris flavolineata (De Geer, 1773)	10			X				
Acanthacris ruficornis (Fabricius, 1787)	19	X				X	X	
Acanthoxia gladiator (Westwood, 1842)	1					X		
Achurum carinatum (Walker, 1870)	6		X					
Achurum sumichrasti (Saussure, 1861)	2		X					
Acorypha ferrifer (Walker, 1870)	1					X		
Acorypha macracantha (Martínez y Fernández-Castillo, 1898)	2					X		
Acorypha mossambica (Brancsik, 1893)	2					X		
Acorypha picta Krauss, 1877	2					X		Acorypha picta Krauss, 1877, 1 paratype
Acrida (Tryxalis) spec.	25	X						
Acrida exaltata (Walker, 1859)	1				X			
Acrida hungarica Herbst, 1786	11	X						
Acrida sulphuripennis (Gerstaecker, 1869)	2					X		
Acrida turrata (Linné, 1758)	118	X			X		X	
Acrida ungarica mediterranea Dirsh, 1949	2	X						
Acridoderes crassus Bolivar, 1889	1					X		
Acrolophitus hirtipes (Say, 1825)	2		X					
Acrophymus cuspidatus (Karsch, 1900)	2					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Acrotylus blondeli Saussure, 1884	1					X		
Acrotylus deustus (Thunberg, 1815)	1					X		
Acrotylus furcifer Saussure, 1888	6					X		Acrotylus furcifer aurantius Uvarov, 1953, 2 paratypes
Acrotylus insubricus (Scopoli, 1786)	48	X						
Acrotylus longipes (Charpentier, 1845)	8	X						
Acrotylus patruelis (Herrich-Schäffer, 1838)	8	X				X		
Acryptera (Paracryptera) labiata (Brullé, 1832)	4	X						
Adimantus ornatissimus (Burmeister, 1838)	2			X				
Adreppus fallax Sjöstedt, 1921	1						X	Coryphistes obtusoalatus Sjöstedt, 1933, 1 syntype
Aeoloplides turnbulli (Thomas, 1872)	1		X					
Aeropedellus clavatus (Thomas, 1873)	9		X					
Aeropedellus variegatus variegatus (Fischer von Waldheim, 1846)	2	X						
Afroxyrhopes procera (Burmeister, 1838)	3					X		
Ageneotettix deorum (Scudder, 1876)	11		X					
Ageneotettix salutator (Rehn, 1927)	2		X					Zapata salutator Rehn, 1927, 2 paratypes
Agroecotettix modestus crypsidomus Hebard, 1922	1		X					Agroecotettix modestus crypsidomus Hebard, 1922, 1 paratype
Aidemona azteca (Saussure, 1861)	5			X				
Aiolopus longicornis Sjöstedt, 1909	2	X						
Aiolopus simulatrix simulatrix (Walker, 1870)	2	X						
Aiolopus strepens (Latreille, 1804)	5	X						
Aiolopus strepens strepens (Latreille, 1804)	28	X						
Aiolopus thalassinus (Fabricius, 1781)	2	X						
Aiolopus thalassinus tamulus (Fabricius, 1798)	94				X		X	
Aiolopus thalassinus thalassinus (Fabricius, 1781)	43	X				X		
Alectorolophus speciosus Brunner von Wattenwyl, 1898	1				X			
Allotruxalis gracilis (Giglio-Tos, 1897)	2			X				
Amblytropidia mysteca (Saussure, 1861)	10		X	X				
Amblytropidia robusta Bruner, 1906	3			X				
Amblytropidia trinitatis Bruner, 1904	3			X				Amblytropidia insignis Hebard, 1923, 3 paratypes
Amismizia puppa Bolivar, 1914	2	X						
Amphitornus coloradus (Thomas, 1873)	12		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Anacridium aegyptium (Linné, 1776)	44	X			X			
Anacridium javanicum Willemse, 1932	1				X			Anacridium javanicum Willemse, 1932, holotype
Anacridium moestum (Serville, 1838)	2					X		
Anaeolopus dorsalis (Thunberg, 1815)	1					X		
Antiphanes nodicollis (Burmeister, 1838)	1			X				
Antiphon acropyrinon (Perty, 1832)	16			X				
Apalacris cingulatipes (Bolivar, 1898)	1				X			
Apalacris contracta (Walker, 1870)	5				X			
Apoboleus degener Karsch, 1891	1					X		
Apotropis tricarinata (Stål, 1878)	1						X	
Aptenopedes aptera Scudder, 1878	1		X					
Aptenopedes sphenarioides clara Rehn, 1902	1		X					
Aptenopedes sphenarioides Scudder, 1878	5		X					
Arcyptera (Arcyptera) fusca (Pallas, 1773)	63	X						
Arcyptera (Arcyptera) tornosi Bolivar, 1884	5	X						
Arcyptera (Pararcyptera) microptera (Fischer von Waldheim, 1833)	3	X						
Arphia conspersa Scudder, 1875	10		X					
Arphia granulata Saussure, 1884	8		X					
Arphia pseudonietana (Thomas, 1870)	9		X					
Arphia simplex Scudder, 1875	3		X					
Arphia sulphurea (Fabricius, 1781)	11		X					
Arphia xanthoptera (Burmeister, 1838)	19							
Asemoplus montanus (Bruner, 1885)	2		X					
Aulocara ellioti (Thomas, 1870)	14		X					
Aulocara femoratum Scudder, 1899	3		X					
Auloserpusia sylvestris Rehn, 1914	1					X		
Austracris basalis (Walker, 1870)	3						X	
Austracris guttulosa guttulosa (Walker, 1870)	9					X	X	
Austracris proxima (Walker, 1870)	2						X	
Austroicetes pusilla (Walker, 1870)	1						X	
Bacuita excentrica (Willemse, 1932)	1				X			Boettcheria excentrica Willemse, 1932, holotype; Maculacris virescens Willemse, 1939, holotype

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Badistica bellula Karsch, 1891	1					X		
Baeacris punctulatus (Thunberg, 1824)	9			X				
Barombia tuberculosa Karsch, 1891	1					X		
Bermius odontocercus Stål, 1878	1					X		
Bibracte cristulata Stål, 1878	1				X			
Bibracte deminuta Brunner von Wattenwyl, 1898	1				X			
Bibracte hagenbachi (Haan, 1842)	1				X			
Binaluacris (Binaluacris) viridis Willemse, 1932	1				X			Binaluacris Binaluacris viridis Willemse, 1932, holotype
Booneacris glacialis (Scudder, 1862)	8		X					
Boopedon nubilum (Say, 1825)	1		X					
Borellia bruneri (Rehn, 1906)	4			X				
Brachycrotaphus tryxalicerus (Fischer, 1853)	1	X						
Brachycrotaphus tryxalicerus (Fischer, 1853)	4	X						
Brachyphymus vylderi vylderi (Stål, 1876)	1					X		Karasicola örtendahli Sjöstedt, 1932, 1 syntype
Bradynotes obesa (Thomas, 1872)	2		X					
Bradynotes obesa caurus Scudder, 1897	2		X					
Brunneria brunnea (Thomas, 1871)	4		X					
Bryodema barahense Pallas,	3	X						
Bryodema gebleri (Fischer von Waldheim, 1836)	2	X						
Bryodema luctosum (Stoll, 1813)	1	X						
Bryodemella (Bryodemella) tuberculata tuberculata (Fabricius, 1775)	8	X						
Buckellacris chilcotinae (Hebard, 1922)	4		X					
Caledia captiva (Fabricius, 1775)	1						X	
Calephorops viridis Sjöstedt, 1920	2						X	Calephorops viridis Sjöstedt, 1920, 1 syntype
Calephorus compressicornis (Latreille, 1804)	6	X						
Calephorus ornatus (Walker, 1870)	42					X		
Calephorus vitalisi Bolivar, 1914	3					X		
Calliptamicus semiroseus (Serville, 1838)	2					X		
Calliptamus abbreviatus Ikonnikow, 1913	2	X						
Calliptamus barbarus barbarus (Costa, 1836)	5	X						
Calliptamus coelesyriensis Giglio-Tos, 1893	2	X						
Calliptamus plebeius plebeius (Walker, 1870)	9	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Camnula pellucida</i> (Scudder, 1862)	33		X					
<i>Campylacantha olivacea</i> (Scudder, 1875)	6		X					
<i>Cannula gracilis</i> (Burmeister, 1838)	3					X		
<i>Cantantops spec. (humilis)</i>	3			X		X		
<i>Capraiuscola ebneri carpathica</i> (Cejchan, 1958)	4	X						Miramella carpathica ebneri Cejchan, 1958, 2 paratypes
<i>Cardeniopsis nigropunctatus</i> (Bolivar, 1882)	2					X		
<i>Cardeniopsis putidus</i> (Karsch, 1896)	3					X		
<i>Caryanda spuria</i> (Stål, 1861)	2				X			
<i>Cataloipus oberthuri oberthuri</i> (Bolívar, 1890)	2					X		
<i>Catantops brachypterus</i> Shin.	1				X			
<i>Catantops coulouiana</i> Saussure	2					X		
<i>Catantops melanostictus</i> Schaum, 1853	21				X	X		
<i>Catantops orientalis</i> Kyrbi, 1888	1						X	
<i>Catantopsis sacalava</i> (Brancsik, 1893)	3					X		
<i>Cedarinia reticulata</i> (Stål, 1878)	2						X	
<i>Celes variabilis</i> (Pallas, 1771)	10	X						
<i>Ceracris armillatus laeta</i> (Karny, 1915)	1				X			Parapleurus armillatus Karny, 1915, 1 syntype
<i>Ceracris deflorata</i> (Brunner von Wattenwyl, 1893)	2				X			
<i>Ceracris fasciata</i> (Brunner von Wattenwyl, 1893)	1				X			
<i>Ceracris nigricornis nigricornis</i> Walker, 1870	3				X			
<i>Charora pentagrammica</i> Bolivar, 1899	2	X						
<i>Chibchacris digitifera</i> Hebard, 1923	3		X					Chibchacris digitifera Hebard, 1923, 3 paratypes
<i>Chirista compta</i> (Walker, 1870)	4					X		
<i>Chloealtis abdominalis</i> (Thomas, 1873)	11		X					
<i>Chloealtis conspersa</i> (Harris, 1841)	19		X					
<i>Chloeobora grossa</i> Saussure, 1884	3				X	X		
<i>Chlorus varicolor</i> Stål	1			X				
<i>Chondracris rosea</i> (De Geer, 1773)	22	X			X			
<i>Choroedocus capensis</i> (Thunberg, 1815)	1					X		
<i>Chorthippus (Chorthippus) dorsatus</i> (Zetterstedt, 1821)	106	X						
<i>Chorthippus (Chorthippus) jucundus</i> (Fischer, 1853)	1	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Chorthippus (Chorthippus) parallelus (Zetterstedt, 1821)	74	X						
Chorthippus (Glyptobothrus) apricarius apricarius (Linné, 1758)	137	X						
Chorthippus (Glyptobothrus) biguttulus biguttulus (Linné, 1758)	139	X				X		
Chorthippus (Glyptobothrus) brunneus (Thunberg, 1815)	142	X						
Chorthippus (Glyptobothrus) brunneus (Thunberg, 1815)	41	X						
Chorthippus (Glyptobothrus) macrocerus macrocerus (Fischer von Waldheim, 1846)	1	X						
Chorthippus (Glyptobothrus) mollis mollis (Charpentier, 1825)	59	X						
Chorthippus (Glyptobothrus) pullus (Philippi, 1830)	9	X						
Chorthippus (Glyptobothrus) vagans vagans (Eversmann, 1848)	11	X						
Chorthippus angulatus Tarbinsky, 1927	1	X						
Chorthippus longicornis (Latreille, 1804)	76	X						
Chorthippus montanus (Charpentier, 1825)	32	X						
Chorthippus spec.	19	X						
Chortippus curtipennis curtipennis (Harris, 1835)	30		X					
Chortoicetes signata Br.,	2						X	
Chortoicetes spuria Stl.,	1						X	
Chortoicetes terminifera (Walker, 1870)	1						X	
Chortophaga australior Rehn & Hebard, 1911	13		X					
Chortophaga cubensis (Scudder, 1875)	1			X				
Chortophaga viridifasciata (De Geer, 1773)	29	X	X					
Chorthippus albomarginatus (De Geer, 1773)	116	X						
Chromacrida brunneriana (Bolivar, 1893)	1					X		
Chrysochraon dispar dispar (Germar, 1834)	75	X						
Cibolacris parviceps (Walker, 1870)	4		X					
Circotettix carlinianus (Thomas, 1870)	5		X					
Circotettix rabula Rehn & Hebard, 1906	1		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Cirphula pyrrhocnemis</i> (Stål, 1861)	2						X	
<i>Comacris semicarinatus</i> (Gerstaecker, 1869)	2					X		
<i>Compsacris pulcher</i> Bolivar, 1890	1			X				
<i>Conipoda calcarata</i> Saussure, 1884	1					X		
<i>Conophymacris chinensis</i> Willemse, 1932	24	X						<i>Conophymacris chinensis</i> Willemse, 1932, lectotype, 23 paralectotypes
<i>Conozoa sulcifrons</i> (Scudder, 1876)	8		X					
<i>Conuacris multicolor</i> Willemse, 1932	2				X			<i>Conuacris multicoloris</i> Willemse, 1932, holotype, 1 paratype
<i>Cophohippus burri</i> Uvarov, 1953	2					X		<i>Cophohippus burri</i> Uvarov, 1953, 2 paratypes
<i>Copiocera erythrogastra</i> (Petry, 1834)	1			X				
<i>Copiocera specularis</i> Gerstaecker, 1889	2			X				
<i>Coptacra foedata</i> (Serville, 1838)	15				X			
<i>Cordillacris occipitalis</i> (Thomas, 1873)	2		X					
<i>Cornops longipenne</i> (De Geer, 1773)	1			X				
<i>Coryphistes ruricola</i> (Burmeister, 1838)	6						X	
<i>Coryphosima stenoptera stenoptera</i> (Schaum, 1853)	1					X		
<i>Coscineuta cicatricosa</i> Bolivar, 1890	1			X				
<i>Cratypedes lateritius</i> (Saussure, 1884)	2		X					
<i>Cratypedes neglectus</i> (Thomas, 1870)	6		X					
<i>Cruciotacris werneriana</i> (Karny, 1907)	1					X		
<i>Cryptocatantops haemorrhoidalis</i> (Krauss, 1877)	1					X		
<i>Cylindrotettix dorsalis</i> (Burmeister, 1838)	7			X				
<i>Cylindrotettix obscurus</i> (Thunberg, 1827)	1			X				
<i>Cyphocerastis laeta</i> Karsch, 1891	1					X		
<i>Cyphocerastis tristis</i> Karsch, 1891	1					X		<i>Cyphocerastis tristis</i> Karsch, 1891, 1 syntype
<i>Cyrtacanthacris aeruginosa</i> (Stoll, 1813)	1					X		
<i>Cyrtacanthacris aeruginosa flavescens</i> Walker, 1870	6					X		
<i>Cyrtacanthacris consanguinea</i> (Serville, 1838)	1				X			
<i>Cyrtacanthacris tatarica</i> (Linné, 1758)	15				X	X		
<i>Cyrtacanthacris variegatum</i> Walker	2					X		
<i>Dactylotum bicolor pictum</i> (Thomas, 1870)	6		X					
<i>Dendrotettix australis</i> (Morse, 1907)	1		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Derotmema haydeni</i> (Thomas, 1872)	4		X					
<i>Derotmema laticinctum</i> Scudder, 1900	1		X					
<i>Desmopterella biroi</i> (Bolivar, 1905)	5						X	
<i>Desmopterella buergersi</i> Ramme, 1941	4						X	<i>Desmopterella bürgersi</i> Ramme, 1941, 2 paratypes
<i>Desmopterella cercata</i> Ramme, 1941	1						X	
<i>Desmopterella marginata</i> (Bolivar, 1898)	1						X	
<i>Diabolocatantops axillaris</i> (Thunberg, 1815)	1					X		
<i>Diabolocatantops axillaris saucius</i> (Burmeister, 1838)	3					X		
<i>Diabolocatantops innotabilis</i> (Walker, 1870)	2					X		
<i>Diabolocatantops pinguis</i> (Stål, 1861)	1				X			
<i>Dichromorpha australis</i> Bruner, 1900	2			X				
<i>Dichromorpha elegans</i> (Morse, 1896)	17		X					
<i>Dichromorpha prominula</i> (Bruner, 1904)	4		X					
<i>Dichromorpha viridis</i> (Scudder, 1862)	18		X					
<i>Dichroplus conspersus</i> Bruner, 1900	1			X				
<i>Dichroplus elongatus</i> Giglio-Tos, 1894	4			X				
<i>Dichroplus fuscus</i> (thunberg, 1815)	1			X				
<i>Dichroplus patruelis</i> (Stål, 1861)	2			X				
<i>Dichroplus vittatus</i> Bruner, 1900	1			X				
<i>Dichroplus vittigerum</i> (Blanchard, 1851)	1			X				
<i>Dichroplus vittigerum</i> (Blanchard, 1851)	1			X				
<i>Diexis varentzovi</i> Zubovski, 1899	3	X						
<i>Dissosteira carolina</i> (Linné, 1758)	27		X					
<i>Dissosteira pictipennis</i> Bruner, 1905	9		X					
<i>Dittopternis ceylonica</i> Saussure, 1884	1				X			
<i>Dittopternis sauteri</i> Karny, 1915	4				X			<i>Dittopternis sauteri</i> Karny, 1915, 4 syntypes
<i>Dittopternis turbata</i> (Walker, 1870)	1				X			
<i>Dnopherula callosa</i> Karsch, 1896	2					X		<i>Dnopherula plagiata</i> Uvarov, 1953, 2 paratypes
<i>Dnopherula punctata</i> (Uvarov, 1926)	8					X		<i>Aulacobothrus punctatus</i> Uvarov, 1926, 2 paratypes
<i>Dociostaurus</i> ( <i>Dociostaurus</i> ) <i>maroccanus</i> (Thunberg, 1815)	10	X						
<i>Dociostaurus</i> ( <i>Dociostaurus</i> ) <i>plotnikovi</i> Uvarov, 1921	2	X						
<i>Dociostaurus</i> ( <i>Dociostaurus</i> ) <i>tartarus</i> Stshelkanovtzev, 1921	12	X						



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Dociostaurus</i> ( <i>Kazakia</i> ) <i>brevicollis</i> (Eversmann, 1848)	6	X						
<i>Dociostaurus</i> ( <i>Kazakia</i> ) <i>genei</i> (Ocskay, 1832)	1	X						
<i>Dociostaurus</i> ( <i>Stauronotulus</i> ) <i>dantini</i> Bolivar, 1914	2	X						
<i>Dociostaurus</i> spec.	2	X						
<i>Duronia chloronata</i> (Stål, 1876)	12					X		
<i>Duroniella kalmyka</i> (Adelung, 1906)	4	X						
<i>Duroniella lucasii</i> (Bolivar, 1881)	8	X						
<i>Ecphantus quadrilobus</i> Stål, 1878	1						X	
<i>Egnatius apicalis</i> Stål, 1876	7	X						
<i>Encoptolophus costalis</i> (Scudder, 1862)	4		X					
<i>Encoptolophus sordidus</i> (Burmeister, 1838)	22		X					
<i>Eotettix signatus</i> Scudder, 1897	2		X					
<i>Epacromius ceorulipes</i> (Ivanov, 1888)	1	X						
<i>Epacromius coerulipes pannonicus</i> Karny	7	X						
<i>Epacromius tergestinus tergestinus</i> (Charpentier, 1825)	9	X						
<i>Epistaurus succineus</i> (Krauss, 1877)	2					X		
<i>Eritettix obscurus</i> (Scudder, 1878)	2		X					
<i>Euchorthippus albolineatus</i> (Lucas, 1849)	1	X						
<i>Euchorthippus declivus</i> (Brisout de Barneville, 1848)	39	X						
<i>Euchorthippus pulvinatus</i> (Fischer von Waldheim, 1846)	15	X						
<i>Eucoptacra ceylonica</i> Kirby, 1914	1				X			
<i>Eucoptacra praemorsa</i> (Stål, 1861)	3				X			
<i>Euplectrotettix ferrugineus</i> Bruner, 1900	2			X				
<i>Eupropacris cylindricollis</i> (Schaum, 1853)	1					X		
<i>Eusphingonotus japonicus</i> (Saussure, 1888)	1	X						
<i>Euthymia fasciata</i> (Walker, 1870)	2					X		
<i>Euthymia polychroma</i> Brancsik, 1893	1					X		
<i>Euthystira brachyptera brachyptera</i> (Ocskay, 1826)	29	X						
<i>Eutryxalis filata</i> (Walker, 1870)	2			X				
<i>Eutryxalis filata minor</i> (Giglio-Tos, 1897)	4			X				
<i>Eyprepocnemis alacris</i> (Serville, 1838)	3				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Eyrepocnemis plorans ibandana</i> Giglio-Tos, 1907	43					X		
<i>Eyrepocnemis plorans plorans</i> (Charpentier, 1825)	18	X				X		
<i>Fenestra bohlsii</i> Giglio-Tos, 1895	4			X				
<i>Finotina radama</i> (Brancsik, 1893)	1					X		
<i>Gastrimargus acutangulus</i> (Stål, 1873)	1					X		
<i>Gastrimargus africanus</i> (Saussure, 1888)	6	X				X		
<i>Gastrimargus africanus madagascariensis</i> Sjöstedt, 1928	2					X		
<i>Gastrimargus determinatus vitripennis</i> (Saussure, 1888)	2					X		
<i>Gastrimargus marmoratus</i> (Thunberg, 1815)	68	X			X	X		
<i>Gastrimargus musicus</i> (Fabricius, 1775)	6						X	
<i>Gastrimargus nubilus</i> Uvarov, 1925	55	X						<i>Conophymacris chinensis</i> Willemse, 1933, 25 syntypes
<i>Gelastorhinus chinensis</i> Willemse, 1932	1				X			<i>Gelastorhinus chinensis</i> Willemse, 1932, holotype
<i>Gelastorhinus dubia</i> Willemse, 1932	1				X			
<i>Gelastorhinus edax</i> Saussure, 1899	2					X		
<i>Gelastorhinus semipictus</i> (Walker, 1870)	1				X			
<i>Gelastorhinus striatus</i> Willemse, 1932	2				X			<i>Gelastorhinus striata</i> Willemse, 1932, 1 paratype
<i>Gesonula mundata mundata</i> (Walker, 1870)	4				X			
<i>Gesonula punctifrons</i> (Stål, 1861)	5				X			
<i>Gesonula spec.</i>	2				X			
<i>Glyphoclonus miripennis</i> Karsch, 1896	1					X		
<i>Gomphocerippus fufus</i> (Linné, 1758)	60	X						
<i>Gomphocerus sibiricus</i> (Linné, 1767)	20	X						
<i>Goniaea opomaloides</i> (Walker, 1870)								
<i>Goniaea vocans</i> (Fabricius, 1775)	3						X	
<i>Goniaeae australasiae</i> (Leach, 1814)	7						X	
<i>Guaranacris specularis</i> (Bruner, 1906)	1			X				
<i>Gymnbothrus brevipes</i> Miller, 1926	2					X		<i>Gymnbothrus brevipes</i> Miller, 1926, 2 paratypes
<i>Gymnbothrus temporalis temporalis</i> (Stål, 1876)	5					X		
<i>Gymnbothrus variabilis</i> Bruner, 1910	3					X		
<i>Gymnoscirtetes pusillus</i> Scudder, 1897	9		X					
<i>Hadrolecocatantops quadratus</i> (Walker, 1870)	6					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Hadrotettix trifasciatus</i> (Say, 1828)	8		X					
<i>Harpezocatantops stylifer</i> (Krauss, 1877)	2					X		
<i>Heliastus benjamini</i> Caudell, 1905	1		X					
<i>Heliastus sumichrasti</i> (Saussure, 1861)	3			X				
<i>Heliaula rufa</i> (Scudder, 1899)	2		X					
<i>Hesperotettix osceola</i> Hebard, 1918	2		X					
<i>Hesperotettix speciosus</i> (Scudder, 1872)	4		X					
<i>Hesperotettix viridis</i> (Thomas, 1872)	8		X					
<i>Hesperotettix viridis pratensis</i> Scudder, 1897	8		X					
<i>Heteracris antennata</i> (Bolivar, 1914)	1					X		
<i>Heteracris coerulescens</i> (Stål, 1876)	3					X		
<i>Heteracris coerulipes</i> (Sjöstedt, 1909)	1					X		
<i>Heteracris guineensis</i> (Krauss, 1890)	2					X		
<i>Heteracris jaenneli</i> (Bolivar, 1914)	1					X		
<i>Heteracris littoralis</i> (Rambur, 1838)	6	X						
<i>Heteracris nigricornis</i> (Saussure, 1899)	1					X		
<i>Heteracris pterosticha</i> (Fischer von Waldheim, 1833)	6	X						
<i>Heteracris syriaca</i> (Brunner von Wattenwyl, 1893)	2	X						
<i>Heteropternis coulöniana</i> (Saussure, 1884)	3					X		
<i>Heteropternis obscurella</i> (Blanchard, 1853)	3						X	
<i>Heteropternis pudica</i> (Serville, 1838)	1					X		
<i>Heteropternis respondens</i> (Walker, 1859)	18				X			
<i>Heteropternis thoracica</i> (Walker, 1870)	6					X		
<i>Hieroglyphus annulicornis</i> (Shirakis, 1910)	13				X			
<i>Hieroglyphus banian</i> (Fabricius, 1798)	4				X			
<i>Hieroglyphus concolor</i> (Walker, 1870)	1				X			
<i>Hilethera nigerica</i> (Uvarov, 1926)	1					X		
<i>Hippiscus ocelote</i> (Saussure, 1861)	11		X					
<i>Holopercna gerstaeckerii</i> (Bolivar, 1890)	16					X		
<i>Humbe tenuicornis</i> (Schaum, 1853)	6					X		
<i>Hyalopteryx rufipennis</i> Charpentier, 1843	3			X				
<i>Hyalorrhapis clausi</i> (Kittary, 1849)	5	X						
<i>Hylopedetes mirandus</i> Rehn, 1929	2			X				<i>Hylopedetes mirandus</i> Rehn, 1929, 2 paratypes

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Hypochlora alba</i> (Dodge, 1876)	2		X					
<i>Jodacris ferruginea ferruginea</i> (Giglio-Tos, 1894)	1			X				
<i>Kraussaria angulifera</i> (Krauss, 1877)	1					X		
<i>Lactista azteca</i> (Saussure, 1861)	2		X					
<i>Lactista gibbosus</i> Saussure, 1884	1		X					
<i>Lactista punctata</i> (Stål, 1873)	6		X					
<i>Leptacris kraussi</i> (Bolivar, 1890)	1					X		
<i>Leptacris monteiroi</i> (Bolivar, 1890)	1					X		
<i>Leptacris monteiroi hova</i> (Karsch, 1896)	1					X		
<i>Leptopternis gracilis</i> (Eversmann, 1848)	6	X						
<i>Leptysma marginicollis</i> (Serville, 1838)	8		X					
<i>Leva arabica</i> (Uvarov, 1936)	2	X						<i>Stenohippus arabicus</i> Uvarov, 1936, 2 paratypes
<i>Ligurotettix coquilletti</i> McNeill, 1897	1		X					
<i>Lithoscirtus miniatulus</i> (Rehn, 1905)	3			X				
<i>Locheuma brunneri</i> (Scudder, 1875)	1			X				
<i>Locusta migratoria</i> (Linné, 1758)	52	X			X		X	
<i>Locusta migratoria capito</i> Saussure, 1884	2					X		
<i>Locusta migratoria migratorioides</i> (Reiche & Fairmaire, 1849)	34	X			X	X		
<i>Machaeridia bilineata</i> Stål, 1873	2					X		
<i>Machaerocera mexicana</i> Saussure, 1859	7		X					
<i>Macrotona australis</i> (Walker, 1870)	1						X	
<i>Maculacris flavomaculata</i> Willemse, 1932	2				X			<i>Maculacris flavomaculata</i> Willemse, 1932, 1 paratype
<i>Mazaea granulosa</i> Stål, 1876	2					X		
<i>Mecostethus parapleurus parapleurus</i> (Hagenbach, 1822)	11	X						
<i>Mecostethus parapleurus parapleurus</i> (Hagenbach, 1822)	13	X						
<i>Melanoplus abovatipennis</i> Scudder	5		X					
<i>Melanoplus adelogyrus</i> Hubbel, 1932	2		X					<i>Melanoplus adelogyrus</i> Hubbel, 1932, 2 paratypes
<i>Melanoplus alpinus</i> Scudder, 1897	4		X					
<i>Melanoplus angustipennis</i> (Dodge, 1877)	4		X					
<i>Melanoplus apalachicola</i> Hubbel, 1932	1		X					<i>Melanoplus apalachicola</i> Hubbel, 1932, 1 paratype
<i>Melanoplus bivittatus</i> (Say, 1825)	23		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Melanoplus borealis borealis (Fieber, 1853)	13		X					
Melanoplus bruneri Scudder, 1897	3		X					
Melanoplus cinereus Scudder, 1878	4		X					
Melanoplus confusus Scudder, 1897	11		X					
Melanoplus davisii (Hebard, 1918)	1		X					Eotettix davisii Hebard, 1918, 1 paratype
Melanoplus dawsoni (Scudder, 1875)	4		X					
Melanoplus devastator Scudder, 1878	11		X					
Melanoplus differentialis (Thomas, 1865)	11		X					
Melanoplus eurycercus Hebard, 1920	4		X					
Melanoplus fasciatus (Walker, 1870)	12		X					
Melanoplus femurrubrum (De Geer, 1773)	26		X					
Melanoplus flavidus Scudder, 1878	2		X					
Melanoplus forcipatus Hubbel, 1932	2		X					Melanoplus forcipatus Hubbel, 1932, 2 paratypes
Melanoplus frigidus (Boheman, 1846)	17	X						
Melanoplus gladstoni Scudder, 1897	6		X					
Melanoplus hubbelli Hebard, 1935	2		X					
Melanoplus infantilis Scudder, 1878	8		X					
Melanoplus islandicus Blatchley, 1898	2		X					
Melanoplus keeleri luridus (Dodge, 1876)	8		X					
Melanoplus lakinus (Scudder, 1878)	3		X					
Melanoplus mancus (Smith, 1868)	4		X					
Melanoplus marginatus (Scudder, 1876)	6		X					
Melanoplus mexicanus (Saussure, 1861)	8		X					
Melanoplus occidentalis (Thomas, 1872)	4		X					
Melanoplus oregonensis (Thomas, 1875)	2		X					
Melanoplus packardii Scudder, 1878	7		X					
Melanoplus ponderosus ponderosus (Scudder, 1875)	4		X					
Melanoplus propinquus Scudder, 1897	7		X					
Melanoplus puer (Scudder, 1878)	2		X					
Melanoplus punctulatus (Scudder, 1862)	4		X					
Melanoplus rotundipennis (Scudder, 1878)	2		X					
Melanoplus rusticus obovatipennis (Blatchley, 1894)	2		X					
Melanoplus sanguinipes atlanis (Riley, 1875)	14		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Melanoplus sanguinipes sanguinipes (Fabricius, 1798)	7		X					
Melanoplus scudderi (Uhler, 1864)	8		X					
Melanoplus seminole Hubbel, 1932	2		X					Melanoplus puer seminole Hubbel, 1932, 2 paratypes
Melanoplus tequestae Hubbel, 1932	2		X					Melanoplus tequestae Hubbel, 1932, 2 paratypes
Melanoplus walshii Scudder, 1897	4		X					
Melanoplus washingtonius (Bruner, 1885)	2		X					
Melicodes tenebrosa tenebrosa (Walker, 1870)	1				X			
Melicodes tenebrosa vittaticollis (Stål, 1877)	1				X			
Mermiria bivittata (Serville, 1838)	7		X					
Mermiria picta (Walker, 1870)	5		X					
Mermiria texana Bruner, 1889	1		X					
Mesopsis abbreviatus (Beauvois, 1806)	1					X		
Mestobregma platei (Thomas, 1873)	2		X					
Metaleptea brevicornis (Johannson, 1763)	13		X	X				
Metator nevadensis (Bruner, 1905)	2		X					
Metator pardalinus (Saussure, 1884)	4		X					
Metaxymecus gracilipes (Brancsik, 1895)	2					X		
Micropodisma salamandra (Fischer, 1853)	1	X						
Microtylopteryx fusiformis Rehn, 1905	5			X				Microtylopteryx talamancae Rehn, 1929, 1 paratype
Microtylopteryx hebardi Rehn, 1905	2			X				
Mioscirtus wagneri wagneri (Kittary, 1859)	4	X						
Miramella (Kisella) alpina (Kollar, 1833)	25	X						
Monachidium lunum (Johannson, 1763)	2			X				
Morphacris citrina Kirby, 1910	2					X		
Morphacris fasciata (Thunberg, 1815)	8					X		
Myrmeleotettix antennatus (Fieber, 1853)	7	X						
Myrmeleotettix maculatus maculatus (Thunberg, 1815)	100	X						
Nomadacris septemfasciata (Serville, 1838)	3					X		
Notostaurus albicornis turcmenus (Uvarov, 1926)	8	X						
Notostaurus anatolicus (Krauss, 1896)	8	X						
Ochrilidia pruinosa Brunner von Wattenwyl, 1882	4	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Ochrilidia tibialis</i> (Fieber, 1853)	6	X						
<i>Odontopodisma decipiens</i> Ramme, 1951	11	X						
<i>Oedaleonotus enigma</i> (Scudder, 1876)	4		X					
<i>Oedaleus abruptus</i> (Thunberg, 1815)	1				X			
<i>Oedaleus decorus</i> (Germar, 1825)	23	X						
<i>Oedaleus flavus</i> (Linné, 1758)	2					X		
<i>Oedaleus infernalis</i> Saussure, 1884	46	X						
<i>Oedaleus instillatus</i> Burr, 1900	2					X		
<i>Oedaleus nigrofasciatus</i> (De Geer, 1773)	20	X						
<i>Oedaleus senegalensis</i> (Krauss, 1877)	3	X						
<i>Oedaleus senegalensis</i> (Krauss, 1877)	1	X						
<i>Oedaleus virgula</i> (Snellen van Vollenhoven, 1869)	1					X		
<i>Oedipoda caerulescens</i> (Linné, 1758)	120	X						
<i>Oedipoda caerulescens sulfurescens</i> Saussure, 1884	2	X						
<i>Oedipoda charpentieri</i> Fieber, 1853	5	X						
<i>Oedipoda fuscocincta</i> Lucas, 1849	2	X						
<i>Oedipoda fuscocincta portugalensis</i> Ramme, 1931	4	X						<i>Oedipoda fuscocincta portugalensis</i> Ramme, 1931, 4 paratypes
<i>Oedipoda germanica</i> (Latreille, 1804)	4	X						
<i>Oedipoda miniata</i> (Pallas, 1771)	21	X						
<i>Oedipoda miniata decolor</i> Saussure,	2	X						
<i>Oedipoda miniata miniata</i> (Pallas, 1771)	34	X						
<i>Oedipoda schochi</i> Saussure, 1884	1	X						
<i>Oedipodacris aberrans</i> Willemse, 1932	1				X			<i>Oedipodacris aberrans</i> Willemse, 1932, holotype
<i>Omalotettix obliquus</i> (Thunberg, 1824)	1			X				
<i>Ommatolampis perspicillata</i> (Johannson, 1763)	10			X				
<i>Omocestus</i> ( <i>Dreuxius</i> ) <i>bolivari</i> Chopard, 1939	2	X						
<i>Omocestus</i> ( <i>Dreuxius</i> ) <i>minutissimus</i> (Brullé, 1832)	2	X						
<i>Omocestus</i> ( <i>Dreuxius</i> ) <i>uhagonii</i> (Bolivar, 1876)	2	X						
<i>Omocestus</i> ( <i>Omocestus</i> ) <i>haemorrhoidalis</i> <i>haemorrhoidalis</i> (Charpentier, 1825)	60	X						
<i>Omocestus</i> ( <i>Omocestus</i> ) <i>panteli</i> (Bolivar, 1887)	2	X						
<i>Omocestus</i> ( <i>Omocestus</i> ) <i>petraeus</i> (Brisout de Barneville, 1855)	37	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Omocestus (Omocestus) raymondi (Yersin, 1863)	2	X						
Omocestus (Omocestus) rufipes (Zetterstedt, 1821)	70	X						
Omocestus (Omocestus) viridulus viridulus (Linné, 1758)	88	X						
Opaonella tenuis Hebard, 1923	1			X				Opaonella tenuis Hebard, 1923, 1 paratype
Opeia obscura (Thomas, 1872)	8		X					
Ornithacris cyanea (Stoll, 1813)	1					X		
Ornithacris pictula (Bolivar, 1882)	2					X		
Orphula pagana (Stål, 1861)	7			X				
Orphula vitripenne (Bruner, 1904)	1			X				
Orphulella concinnula (Walker, 1870)	5			X				
Orphulella pelidna (Burmeister, 1838)	35		X					
Orphulella punctata (De Geer, 1773)	24			X				
Orphulella speciosa (Scudder, 1862)	38		X					
Orphulina balloui (Rehn, 1905)	3			X				
Orthochtha dasyncnemis dasyncnemis (Gerstaecker, 1869)	3					X		
Oxya hyla hyla Serville, 1831	8					X		
Oxya japonica (Thunberg, 1815)	35				X			
Oxya japonica vitticollis (Blanchard, 1853)	6						X	
Oxya luteola (Haan, 1842)	1				X			
Oxya velox (Fabricius, 1787)	9	X			X			
Oxya yezoensis Shiraki, 1910	2				X			Oxya podisma Karny, 1915, 2 syntypes
Oxycatantops adustus (Walker, 1870)	1					X		
Oxycatantops annulipes (Stål, 1873)	6					X		
Oxycatantops spissus praemonstrator (Karsch, 1893)	2				X		X	
Oxycatantops spissus spissus (Walker, 1870)	1					X		
Oxya hyla intricata (Stål, 1861)	29				X		X	
Oxyrrhepes obtusa (Haan, 1842)	3							
Paracinema tricolor (Thunberg, 1815)	14	X				X		
Paraidemona mimica Scudder, 1897	3		X					
Paralobopoma bugoiensis Rehn, 1914	1					X		Paralobopoma bugoiensis Rehn, 1914, 1 paratype
Parapodisma mikado (Bolivar, 1890)	2	X			X			



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Parapropacris notatus (Karsch, 1891)	2					X		
Pardalophora apiculata (Harris, 1835)	14		X					
Pardalophora phoenicoptera (Burmeister, 1838)	8		X					
Parepistaurus deses Karsch, 1896	1					X		
Parga xanthoptera (Stål, 1855)	1					X		
Paroxya atlantica Scudder, 1877	1		X					
Paroxya clavuliger (Serville, 1838)	10		X					
Paroxya hoosieri (Blatchley, 1892)	2		X					
Patanga japonica (Bolivar, 1898)	12	X						
Patanga luteicornis (Serville, 1838)	1				X			
Patanga succincta (Johannson, 1763)	6	X			X			
Paulinia acuminata (De Geer, 1773)	13			X				
Pedies variabilis Sussure	1		X					
Pelecinotus brachypterus Bolivar, 1902	2				X			
Perala viridis Sjöstedt, 1921	1						X	
Peripolus pedarius (Stål, 1878)	1				X			
Peruvia nigromarginata (Scudder, 1875)	5			X				
Pezotettix giornae (Rossi, 1794)	30	X						
Phaeocatantops decoratus (Gerstaecker, 1869)	3					X		
Phaulacridium vittatum (Sjöstedt, 1920)	1						X	
Phlaeoba abberans Willemse, 1937	1				X			Phlaeoba abberans Willemse, 1937, holotype
Phlaeoba antennata Brunner von Wattenwyl, 1893	8				X			
Phlaeoba fumosa (Serville, 1838)	8				X			
Phlaeoba infumata Brunner von Wattenwyl, 1893	3				X			
Phlaeoba unicolor Bolivar, 1914	1				X			
Phlibostroma quadrimaculatum (Thomas, 1871)	17		X					
Phoetaliotes nebrascensis (Thomas, 1872)	1		X					
Pnorisa squalus (Stål, 1861)	4					X		
Podisma pedestris (Linné, 1758)	40	X						
Podisma pedestris alata Serv.	1	X						
Proctolabus mexicanus (Saussure, 1859)	2		X					
Prumna primnoa (Motschulsky, 1846)	1	X						
Prumnacris rainierensis (Caudell, 1907)	4		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Pseudogmothela pedestris</i> Uvarov, 1953	2					X		<i>Pseudogmothela pedestris</i> Uvarov, 1953, 2 paratypes
<i>Pseudopomala brachyptera</i> (Scudder, 1862)	10		X					
<i>Pseudostauronotus occidentalis</i> Westwood	1			X				
<i>Pseudoxya diminuta</i> (Walker, 1871)	7				X			
<i>Psiloscirtus apterus</i> (Scudder, 1875)	1			X				
<i>Psinidia fenestralis</i> (Serville, 1838)	17		X					
<i>Psoloessa delicatula</i> (Scudder, 1876)	4		X					
<i>Psophus stridulus</i> (Linné, 1758)	69	X						
<i>Pternoscirta cinctifemur</i> (Walker, 1859)	1				X			
<i>Pteropera verrucigena</i> Karsch, 1891	1					X		
<i>Pteroperina steini</i> (Rehn, 1914)	1					X		<i>Pteropera steini</i> Rehn, 1914, 1 paratype
<i>Pterotiltus impennis</i> (Karsch, 1891)	1					X		
<i>Pycnodictya galinieri</i> (Reiche & Fairmaire, 1849)	5					X		
<i>Pycnodictya obscura</i> (Linné, 1758)	1					X		
<i>Pycnosarcus bacuminosus</i> Chp.	2			X				
<i>Pyrgoderma armata</i> Fischer von Waldheim, 1846	30	X						
<i>Qualetta maculata</i> Sjöstedt, 1921	1						X	
<i>Quangula minuta</i> Uvarov, 1953	2					X		<i>Quangula minuta</i> Uvarov, 1953, 2 paratypes
<i>Quirognesia brullei</i> Bolivar,	1	X						
<i>Quirognesia notabilis</i> Walker,	2	X						
<i>Racilia multicolora</i> (Willemse, 1932)	1				X			<i>Eoacridium multicolora</i> Willemse, 1932, 1 paratype
<i>Ramburiella bolivari</i> (Kuthy, 1907)	1	X						
<i>Ramburiella hispanica</i> (Rambur, 1838)	1	X						
<i>Ramburiella turcomana</i> (Fischer von Waldheim, 1846)	2	X						
<i>Ramburiella turcomana</i> (Fischer von Waldheim, 1846)	1	X						
<i>Rectitropis brunneri</i> (Bolivar, 1898)	1						X	
<i>Rectitropis exclusa</i> (Walker, 1870)	1					X		
<i>Rhachitopis crassus</i> (Walker, 1870)	4					X		<i>Rhachitopis ceraseus</i> Uvarov, 1922, 2 paratypes
<i>Rhadinacris schistocercoides</i> (Brancsik, 1893)	1					X		
<i>Rhammatocerus brasiliensis</i> (Bruner, 1904)	4			X				
<i>Rhammatocerus brunneri</i> (Giglio-Tos, 1895)	3			X				
<i>Rhammatocerus variabilis</i> (Bruner, 1900)	1			X				
<i>Rhammatocerus viatorius</i> (Saussure, 1861)	9			X				

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Rodunia intercalata Walker,	1					X		
Ronderosia bergi (Stål, 1878)	6			X				
Schistocera carneipes (Serville, 1838)	2			X				
Schistocera melanocera (Stål, 1861)	1			X				
Schistocera pallens (Thunberg, 1815)	1			X				
Schistocera serialis cubense (Saussure, 1861)	1			X				
Schistocerca alutacea (Harris, 1841)	10		X					
Schistocerca alutacea rubiginosa (Harris, 1862)	10		X					
Schistocerca americana (Drury, 1773)	28		X	X				
Schistocerca cancellata (Serville, 1838)	61			X				
Schistocerca ceratiola Hubbell & Walker, 1928	6		X					Schistocerca ceratiola Hubbell & Walker, 1928, 6 paratypes
Schistocerca damnifica (Saussure, 1861)	3	X	X					
Schistocerca flavofasciata (De Geer, 1773)	5			X				
Schistocerca gregaria (Forskål, 1775)	23	X				X		
Schistocerca maculipennis Bruner, 1913	2			X				
Schistocerca nitens (Thunberg, 1815)	2		X					
Schistocerca nitens columbina (Thunberg, 1824)	8			X				
Schistocerca nitens nitens (Thunberg, 1815)	2			X				
Schistocerca obscura (Fabricius, 1798)	2		X					
Schistocerca olivacea Serville	1		X					
Schistocerca shoshone (Thomas, 1873)	4		X					
Scintharista magnifica Uvarov, 1922	1					X		
Scintharista saucia (Stål, 1873)	1					X		
Scyllinula humilis (Blanchard, 1851)	3			X				
Segellia nitidula Karsch, 1891	5					X		Segellia nitidula Karsch, 1891, 2 syntypes
Serpusia opacula Karsch, 1891	1					X		
Serpusia succursor (Karsch, 1896)	1					X		
Shirakiacris shirakii (Bolivar, 1914)	13	X						
Sikkimiana darjeelingensis (Bolivar, 1914)	2				X			
Sinaloa pulchella Hebard, 1925	4		X					Sinaloa pulchella Hebard, 1925, 4 paratypes
Sitalces volxemi Stål, 1878	1			X				
Spathosternum nigrotaeniatum (Stål, 1876)	3					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Spathosternum prasiniferum</i> (Walker, 1871)	1				X			
<i>Spathosternum prasiniferum sinense</i> Uvarov, 1931	1	X						
<i>Spathosternum venulosum</i> Stål, 1878	1				X			
<i>Spharagemon bolli</i> Scudder, 1875	16		X					
<i>Spharagemon collare</i> (Scudder, 1872)	15		X					
<i>Spharagemon crepitans</i> (Saussure, 1884)	2		X					
<i>Spharagemon cristatum</i> Scudder, 1875	1		X					
<i>Spharagemon equale</i> (Say, 1825)	7		X					
<i>Spharagemon equale</i> (Say, 1825)	1		X					
<i>Spharagemon marmorata marmorata</i> (Harris, 1841)	10		X					
<i>Spharagemon marmorata picta</i> (Scudder, 1877)	1		X					
<i>Spharagemon saxatile</i> Morse, 1894	8		X					<i>Spharagemon saxatile</i> Morse, 1894, 2 syntypes
<i>Sphingoderus carinatus</i> (Saussure, 1888)	1	X						
<i>Sphingonotus balteatus</i> (Serville, 1838)	1					X		
<i>Sphingonotus batteatus</i>	1					X		
<i>Sphingonotus caeruleus</i> (Linné, 1767)	57	X						
<i>Sphingonotus callosus</i> (Fieber, 1853)	4	X						
<i>Sphingonotus candidus</i> Costa, 1888	2	X						
<i>Sphingonotus carinatus</i> (Saussure, 1888)	11	X						
<i>Sphingonotus fennicus</i> kein Autor	3	X						
<i>Sphingonotus fuscoirroratus</i> (Stål, 1861)	1			X				
<i>Sphingonotus gracilis</i> Miller	2					X		
<i>Sphingonotus haitensis</i> (Saussure, 1861)	2			X				
<i>Sphingonotus haitensis cubensis</i> Saussure, 1884	2			X				
<i>Sphingonotus lucasi</i> Berdold det., 1939	1					X		
<i>Sphingonotus nebulosus</i> (Fischer von Waldheim, 1846)	3	X						
<i>Sphingonotus nebulosus persa</i> Saussure, 1884	5	X						
<i>Sphingonotus octofasciatus</i> (Serville, 1838)	18	X						
<i>Sphingonotus personatus</i> Zanon, 1926	4	X						
<i>Sphingonotus rubescens</i> (Walker, 1870)	15	X				X		
<i>Sphingonotus satrapes satrapes</i> Saussure, 1884	5	X						
<i>Sphingonotus savignyi</i> Saussure, 1884	13	X				X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Staurocleis magnifica (Uvarov, 1923)	2					X		Staurocleis magnifica Uvarov, 1923, 1 paratype
Stauroderus scalaris scalaris (Fischer von Waldheim, 1846)	20	X						
Staurorhectus longicornis Giglio-Tos, 1897	7			X				
Stenacris vitreipennis (Marschall, 1836)	3		X					
Stenacris xanthochlora (Marschall, 1836)	2			X				
Stenobothrus amoenus (Brisout de Barneville, 1850)	1	X						
Stenobothrus bolivarii (Brunner von Wattenwyl, 1876)	1	X						
Stenobothrus crassipes (Charpentier, 1825)	19	X						
Stenobothrus fischeri (Eversmann, 1848)	2	X						
Stenobothrus lineatus (Panzer, 1796)	127	X						
Stenobothrus nigromaculatus nigromaculatus (Herrich-Schäffer, 1840)	48	X						
Stenobothrus palpalis Uvarov, 1927	2	X						
Stenobothrus stigmaticus (Rambur, 1838)	20	X						
Stenocatantops angustifrons (Walker, 1870)	3						X	
Stenocatantops angustifrons (Walker, 1870)	2						X	
Stenocatantops splendens (Thunberg, 1815)	45				X			
Stenocrobylus festivus Karsch, 1891	3					X		
Stenopola bohlsii Giglio-Tos, 1895	1			X				
Stenopola dorsalis (Thunberg, 1827)	1			X				
Stethophyma gracile (Scudder, 1862)	7		X					
Stethophyma grossum (Linné, 1758)	22	X						
Stethophyma grossum (Linné, 1758)	27	X						
Stethophyma lineatum (Scudder, 1862)	11		X					
Stethophyma platyptera (Scudder, 1862)	6		X					
Stolzia rubritarsi (Willemse, 1932)	1				X			Incolacris rubritarsi Willemse, 1932, 1 paratype
Stolzia trifasciata (Willemse, 1932)	1				X			Incolacris trifasciata Willemse, 1932, 1 paratype
Syrbula admirabilis (Uhler, 1864)	16		X					
Tauchira rufotibialis (Willemse, 1925)	2				X			Paratraulia elegantula Willemse, 1930, 1 paratype
Tauchiridea adusta Bolivar, 1918	2						X	
Teratodes monticollis (Gray, 1832)	1				X			
Terpillaria pulchra Sjöstedt, 1920	1						X	Terpillaria pulchra Sjöstedt, 1920, 1 syntype

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Tetrataenia surinama (Linné, 1764)	2			X				
Thalpomena algeriana (Lucas, 1849)	1	X						
Tonkinacris decoratus Carl, 1916	1				X			
Trachyrhachys kiowa (Thomas, 1872)	21		X					
Traulia antennata Bolivar, 1917	1				X			
Traulia flavoannulata (Stål, 1861)	1				X			
Traulia sanguinipes Stål, 1878	1				X			
Trilophidia annulata (Thunberg, 1815)	48	X			X	X		
Trilophidia conturbata (Walker, 1870)	3					X		
Trilophidia cristella (Stål, 1861)	5				X			
Trilophidia repleta (Walker, 1870)	4					X		
Trimerotropis cincta (Thomas, 1870)	2		X					
Trimerotropis cyaneipennis Bruner, 1889	1		X					
Trimerotropis diversellus Hebard, 1928	1		X					
Trimerotropis fontana Thomas, 1876	18		X					
Trimerotropis huroniana Walker, 1902	2		X					
Trimerotropis latifasciata Scudder, 1880	2		X					
Trimerotropis maritima (Harris, 1841)	20		X					
Trimerotropis melanoptera Mc Neill, 1901	1		X					
Trimerotropis ochraceipennis (Blanchard, 1851)	2			X				
Trimerotropis pallidipennis (Burmeister, 1838)	20		X	X				
Trimerotropis salina Mc Neill, 1901	2		X					
Trimerotropis thalassica Bruner, 1889	2		X					
Trimerotropis verruculata (Kirby, 1837)	14		X					
Trimerotropis verruculata suffusa Scudder, 1876	9		X					
Tropidolophus formosus (Say, 1825)	1		X					
Tropidopola cylindrica (Marschall, 1836)	3	X						
Tropidopola gracea longicornis Uvarov, 1926	7	X						
Truxalis nasuta (Linné, 1758)	11	X				X		
Truxaloides serratus (Thunberg, 1815)	1					X		
Tylotropidius didymus (Thunberf, 1815)	2					X		
Tylotropidius varicornis (Walker, 1870)								
Valanga conspersa Uvarov, 1923	1						X	



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Burrinia humbertiana</i> (Saussure, 1903)	1				X			
<i>Butania lugubris</i> (Brunner von Wattenwyl, 1898)	1				X			
<i>Eriantella formosana</i> (Shiraki, 1910)	5				X			
<i>Erianthus dohrni</i> Bolivar, 1914	6				X			
<i>Erianthus guttatus</i> (Westwood, 1842)	1				X			
<i>Erucius</i> ( <i>Erucius</i> ) <i>apicalis</i> (Westwood, 1842)	1				X			
<i>Erucius</i> ( <i>Erucius</i> ) <i>bifasciatus</i> Stål, 1877	4				X			
<i>Erucius</i> ( <i>Erucius</i> ) <i>dimidiatipes luteipes</i> Bolivar, 1930	1				X			
<i>Hemierianthus gabonicus</i> Saussure, 1903	3					X		
<i>Macroerianthus flavoinflatus</i> (Brunner von Wattenwyl, 1898)	1				X			
<i>Pseuderianthus erectus</i> (Karsch, 1889)	3				X			
<i>Pseudomnesicles roseosignatus</i> (Brunner von Wattenwyl, 1898)	1				X			
<i>Xiphicera gallinacea</i> (Fabricius, 1793)	3				X			
<b>● CYLINDRACHETIDAE</b>								
<i>Cylindrorcytes spegazzinii</i> (Giglio-Tos, 1914)	1			X				
<b>● DERICORYTHIDAE</b>								
<i>Conophyma semenovi</i> Zubovski, 1898	4	X						
<i>Conophyma sokolovi</i> Zubovski, 1899	5	X						
<i>Dericorys albidula</i> Serville, 1838	2	X						
<i>Dericorys annulata</i> (Fieber, 1853)	4	X						
<i>Dericorys lobata</i> (Brullé, 1840)	12	X						
<i>Dericorys millierei</i> Finot & Bonnet, 1884	4	X						<i>Dericorys millierei</i> Finot & Bonnet, 1884, 2 syntypes
<i>Dericorys tibialis</i> (Pallas, 1773)	4	X						
<b>● EPISACTIDAE</b>								
<i>Gymnotettix lithocolletus</i> Rehn & Rehn, 1934	2			X				<i>Gymnotettix lithocolletus</i> Rehn & Rehn, 1934, 2 paratypes
<i>Lethus oresterus</i> Rehn & Rehn, 1934	1			X				<i>Lethus oresterus</i> Rehn & Rehn, 1934, 1 paratype
<i>Pielomastax octavii</i> Chang, 1937	2				X			
<b>● EUMASTACIDAE</b>								
<i>Eumastax vittata</i> Burr, 1899	1			X				
<i>Homeomastax dentata</i> (Saussure, 1903)	1			X				
<i>Homeomastax silvicola</i> (Rehn & Rehn, 1934)	1			X				<i>Eumastax silvicola</i> Rehn & Rehn, 1934, 1 paratype



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Paramastax nigra (Scudder, 1875)	1			X				
Paramastax rosenbergi (Burr, 1899)	7			X				
Pseudeumastacops militaris (Gerstaecker, 1889)	1			X				
Pseudomastax gaudens (Burr, 1899)	2			X				
Pseudomastax magna (Giglio-Tos, 1898)	2			X				
Pseudomastax personata (Bolivar, 1881)	2			X				
Pseudomastax vicina (Burr, 1899)	2			X				
Sciaphilomastax pardalina (Burr, 1899)	2			X				
<b>● GRYLLACRIDIDAE</b>								
Afrogryllacris africana (Brunner von Wattenwyl, 1888)	4					X		
Anancistrogera brachyptera (Gerstaecker, 1860)	38				X			
Apotrechus unicolor Brunner von Wattenwyl, 1888	2						X	
Capnogryllacris fumigata (Haan, 1842)	1				X			
Caustogryllacris podocausta (Haan, 1842)	2				X			
Diaphanogryllacris aequalis (Walker, 1859)	1				X			
Diaphanogryllacris tibialis (Serville, 1838)	1				X			
Diaphanogryllacris translucens (Serville, 1838)	1				X			
Dibelona brasiliensis Brunner von Wattenwyl, 1888	2			X				
Gryllacris fuscifrons Gerstaecker, 1860	3				X			
Gryllacris javanica Griffini, 1908	1				X			
Gryllacris rufovaria Kirby, 1888	1						X	
Gryllacris signifera (Stoll, 1813)	3				X			
Hadrogryllacris magna (Brunner von Wattenwyl, 1888)	2						X	
Pardogryllacris lineolata (Serville, 1838)	1				X			
<b>● GRYLLIDAE</b>								
Acanthogryllus brunneri (Saussure, 1877)	2					X		
Acheta domesticus (Linné, 1758)	28	X	X					
Acheta gossypii (Costa, 1855)	1	X						
Allonemobius fasciatus (De Geer, 1773)	12		X		X			
Allonemobius griseus (Walker, 1904)	2			X				
Anaudus thoracicus Saussure, 1874	1			X				
Anaxipha cayennensis (Saussure, 1897)	4			X				

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Anaxipha exigua (Say, 1825)	2		X	X				
Anaxipha gracilis (Saussure, 1869)	1		X					
Anaxipha longipennis (Serville, 1838)	3				X			
Anaxipha maculifrons Chopard, 1937	2			X				Anaxipha maculifrons Chopard, 1937, holotype, 1 paratype
Anaxipha minuta (Linné, 1767)	3			X				
Anaxipha pallens (Stål, 1861)	2			X				
Anaxipha venustula (Saussure, 1878)	1				X			
Anaxipha vicina Chopard, 1925	10				X			
Anurogryllus antillarum (Saussure, 1874)	1			X				
Anurogryllus muticus (De Geer, 1773)	6			X				
Aphonmorphus duplovenatus Chopard, 1937	1			X				Aphonmorphus duplovenatus Chopard, 1937, holotype
Aphonmorphus telskii (Saussure, 1874)	1			X				
Argizala brasilensis Walker, 1869	1			X				
Argizala brasiliensis Walker, 1869	1			X				
Brachytrupes megacephalus (Lefebvre, 1827)	2					X		
Brachytrupes membranaceus (Drury, 1773)	5					X		
Cardiodactylus novaeguinea (Haan, 1842)	6				X		X	
Cranistus colliurides Stål, 1861	1			X				
Cryncus scenicus (Gerstaecker, 1869)	1					X		
Cyrtoxipha gundlachi Saussure, 1874	1			X				
Dianemobius mikado (Shiraki, 1913)	1				X			
Diatrypa tolteca Saussure, 1874	1			X				
Duolandrevus (Duolandrevus) brachypterus (Haan, 1842)	1				X			
Duolandrevus (Duolandrevus) coulonianus (Saussure, 1877)	1				X			
Duolandrevus (Jorama) curtipennis Chopard, 1937	2				X			Duolandrevus Jorama curtipennis Chopard, 1937, holotype, 1 paratype
Endacusta (Endacusta) australis (Saussure, 1878)	1						X	
Eneoptera surinamensis (De Geer, 1773)	9			X				
Eugryllodes escalerae (Bolivar, 1894)	2	X						
Eunemobius carolinus carolinus (Scudder, 1877)	2		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Euscyrtodes crassiceps</i> (Saussure, 1878)	1				X			
<i>Euscyrtus</i> ( <i>Euscyrtus</i> ) <i>bivittatus</i> Guérin-Méneville, 1844	2					X		
<i>Euscyrtus</i> ( <i>Euscyrtus</i> ) <i>necydaloides</i> (Walker, 1869)	1				X			
<i>Euscyrtus</i> ( <i>Euscyrtus</i> ) <i>sigmoidalis</i> Saussure, 1877	3				X			
<i>Euscyrtus</i> ( <i>Osus</i> ) <i>concinus</i> (Haan, 1842)	1				X			
<i>Euscyrtus</i> ( <i>Osus</i> ) <i>hemelytrus</i> (Haan, 1842)	1				X			
<i>Fryerius madecassa</i> (Saussure, 1878)	2					X		
<i>Grylloderes melanocephalus</i> (Serville, 1838)	2						X	
<i>Grylloderes morio</i> (Fabricius, 1781)	2					X		
<i>Grylloderes nefandus</i> (Kirby, 1906)	1				X			
<i>Grylloderes quadristrigatus</i> (Saussure, 1877)	1					X		
<i>Gryllodes sigillatus</i> (Walker, 1869)	12				X			
<i>Gryllomorpha</i> ( <i>Gryllomorpha</i> ) <i>dalmatina</i> (Ocskay, 1832)	1	X						
<i>Gryllus</i> ( <i>Gryllus</i> ) <i>argentinus</i> Saussure, 1874	3			X				
<i>Gryllus</i> ( <i>Gryllus</i> ) <i>armatus</i> Scudder, 1902	2		X					
<i>Gryllus</i> ( <i>Gryllus</i> ) <i>assimilis</i> (Fabricius, 1775)	21			X				
<i>Gryllus</i> ( <i>Gryllus</i> ) <i>bimaculatus</i> De Geer, 1773	33	X			X	X		
<i>Gryllus</i> ( <i>Gryllus</i> ) <i>campestris</i> Linné, 1758	47	X						
<i>Gryllus</i> ( <i>Gryllus</i> ) <i>fulvipennis</i> Blanchard, 1851	6			X				
<i>Gryllus</i> ( <i>Gryllus</i> ) <i>integer</i> Scudder, 1901	1		X					
<i>Gryllus pennsylvanicus</i> Burmeister, 1838	8		X					
<i>Gymnogryllus angustus</i> (Saussure, 1877)	1				X			
<i>Gymnogryllus caviceps</i> (Karsch, 1893)	1					X		
<i>Gymnogryllus leucostictus</i> (Burmeister, 1838)	1				X			
<i>Gymnogryllus pulvillatus</i> (Saussure, 1877)	1						X	
<i>Hapithus aztecus</i> (Saussure, 1874)	1		X					
<i>Homoeogryllus reticulatus</i> (Fabricius, 1781)	1					X		
<i>Homoeogryllus tessellatus</i> (Serville, 1838)	2					X		
<i>Homoeoxipha lycoides</i> (Walker, 1869)	11				X			
<i>Hygronemobius albipalpus</i> (Saussure, 1877)	1			X				
<i>Itara</i> ( <i>Itara</i> ) <i>distincta</i> Gorochov, 1997	1				X			<i>Itara Itara distincta</i> Gorochov, 1997, holotype

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Itara (Itara) vietnamensis</i> Gorochov, 1985	1				X			
<i>Itara (Phormincter) melanocephala</i> Gorochov, 1988	1				X			
<i>Landreva clara</i> (Walker, 1869)	2				X			
<i>Larandeicus bicolor</i> Chopard, 1937	1				X			<i>Larandeicus bicolor</i> Chopard, 1937, holotype
<i>Lebinthus bitaeniatus</i> Stål, 1877	7				X			
<i>Lebinthus striolatus</i> (Brunner von Wattenwyl, 1898)	1				X			
<i>Lepidogryllus parvulus</i> (Walker, 1869)	5						X	
<i>Lerneca fuscipennis</i> (Saussure, 1874)	1			X				
<i>Lerneca varipes</i> Walker, 1869	1			X				
<i>Lissotrachelus ater</i> Brunner von Wattenwyl, 1893	3				X			
<i>Loxoblemmus arietulus</i> Saussure, 1877	1				X			
<i>Loxoblemmus detectus</i> (Serville, 1838)	4				X			
<i>Loxoblemmus doenitzi</i> Stein, 1881	14				X			
<i>Loxoblemmus equestris</i> Saussure, 1877	5				X			
<i>Loxoblemmus haani</i> Saussure, 1877	1				X			
<i>Loxoblemmus parabolicus</i> Saussure, 1877	1				X			
<i>Luzonogryllus (Luzonogryllus) annulipes</i> (Bolivar, 1889)	2				X			
<i>Melanogryllus desertus</i> (Pallas, 1771)	30	X						
<i>Metioche flavipes</i> (Saussure, 1878)	18				X			
<i>Metioche haani</i> (Saussure, 1878)	1				X			
<i>Metioche vittaticollis</i> (Stål, 1861)	4				X			
<i>Metioche vittaticollis insularis</i> (Saussure, 1878)	5				X			
<i>Miogryllus convolutus</i> (Johannson, 1763)	2		X					
<i>Miogryllus verticalis</i> (Serville, 1838)	1		X					
<i>Mitius castaneus</i> (Chopard, 1937)	1				X			<i>Loxoblemmus castaneus</i> Chopard, 1937, holotype
<i>Mnesibulus (Mnesibulus) bicolor</i> (Haan, 1842)	1				X			
<i>Modicogryllus (Eumodicogryllus) bordigalensis</i> (Latreille, 1804)	11	X			X			
<i>Modicogryllus (Modicogryllus) confirmatus</i> (Walker, 1859)	8				X			
<i>Modicogryllus (Modicogryllus) consobrinus</i> (Saussure, 1877)	1					X		
<i>Modicogryllus (Modicogryllus) conspersus</i> (Schaum, 1853)	2					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Modicogryllus (Modicogryllus) frontalis (Fieber, 1844)	5	X						
Modicogryllus (Modicogryllus) ornatus (Shiraki, 1913)	7				X			
Munda asyrinx (Saussure, 1878)	1				X			
Munda cicur (Saussure, 1878)	1				X			
Munda fasciata (Haan, 1842)	1				X			
Munda javana (Saussure, 1878)	3				X			
Natula pallidula (Matsumura, 1911)	1				X			
Nemobius sylvestris (Bosc, 1792)	29	X						
Neomorpha cearensis (Rehn, 1917)	1			X				
Neonemobius mormonius (Scudder, 1896)	2		X					
Neoxabea bipunctata (De Geer, 1773)	3			X				
Nisitrus brunnerianus Saussure, 1878	1				X			
Nisitrus hyalinus Saussure, 1878	2				X			
Nisitrus vittatus (Haan, 1842)	3				X			
Odontogryllus setosus Saussure, 1877	1			X				
Oecanthus argentinus Saussure, 1874	3			X				
Oecanthus indicus Saussure, 1878	3				X			
Oecanthus latipennis Riley, 1881	2		X					
Oecanthus macer Karsch, 1893	1					X		
Oecanthus nigricornis Walker, 1869	12		X		X			
Oecanthus niveus (De Geer, 1773)	6		X					
Oecanthus pellucens (Scopoli, 1763)	13		X					
Oecanthus quadripunctatus Beutenmüller, 1894	4		X					
Oecanthus tenuis Walker, 1869	1			X				
Oecanthus turanicus Uvarov, 1912	1	X						
Orocharis gryllodes (Pallas, 1772)	1		X					
Orocharis saltator Uhler, 1864	1		X					
Orthoxiphus atriceps Saussure, 1899	2				X			
Paragryllodes madecassus Chopard, 1927	1				X			
Paragryllus rex Saussure, 1874	1			X				
Paranisitra longipes Chopard, 1925	2				X			
Paratrigonidium majusculum Karny, 1915	1				X			Paratrigonidium majusculum Karny, 1915, holotype
Paroecanthus annulatus (Scudder, 1869)	1			X				

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Patiscus cephalotes</i> (Saussure, 1878)	2				X			
<i>Patiscus dorsalis</i> (Stål, 1877)	13				X			
<i>Pentacentrus formosanus</i> Karny, 1915	1				X			<i>Pentacentrus formosanus</i> Karny, 1915, holotype
<i>Phaeophilacris bukobiana</i> Rehn, 1914	1					X		<i>Phaeophilacris affinis</i> Rehn, 1914, 1 paratype
<i>Phonarellus</i> ( <i>Phonarellus</i> ) <i>erythrocephalus</i> (Serville, 1838)	1				X			
<i>Phonarellus</i> ( <i>Phonarellus</i> ) <i>humeralis</i> (Walker, 1871)	1				X			
<i>Phonarellus</i> ( <i>Semaphorellus</i> ) <i>miurus</i> (Saussure, 1877)	1					X		
<i>Phyllopalpus pulchellus</i> Uhler, 1864	2		X					
<i>Phylloscyrtus amoenus</i> (Burmeister, 1880)	1			X				
<i>Phylloscyrtus elegans</i> Guérin-Méneville, 1844	1			X				
<i>Phylloscyrtus viridicatus</i> (Saussure, 1897)	1			X				
<i>Platydictylus gaimardi</i> Serville, 1838	3				X			
<i>Platydictylus helvolus</i> Serville, 1838	2				X			
<i>Plebeiogryllus plebejus</i> (Saussure, 1877)	7				X	X		
<i>Podoscirtodes americanus</i> (Saussure, 1878)	2		X					
<i>Polionemobius taprobanensis</i> (Walker, 1869)	2				X			
<i>Poliotrella greeni</i> (Chopard, 1925)	2				X			
<i>Ponca venosa</i> Hebard, 1928	1			X				
<i>Prozvenella marginipennis</i> (Chopard, 1969)	1				X			
<i>Pteronemobius</i> ( <i>Pteronemobius</i> ) <i>caudatus</i> (Shiraki, 1913)	3				X			
<i>Pteronemobius</i> ( <i>Pteronemobius</i> ) <i>chopardi</i> (Bolivar, 1922)	1					X		
<i>Pteronemobius</i> ( <i>Pteronemobius</i> ) <i>heydenii</i> (Fischer, 1853)	19				X			
<i>Pteronemobius</i> ( <i>Pteronemobius</i> ) <i>indicus</i> (Walker, 1869)	3				X			
<i>Pteronemobius</i> ( <i>Pteronemobius</i> ) <i>nigrofasciatus</i> Matsumura, 1904	2				X			
<i>Pteroplistes platyxiphus</i> (Haan, 1842)	1				X			
<i>Repapa brevipes</i> (Chopard, 1937)	1				X			<i>Duolandrevus brevipes</i> Chopard, 1937, holotype
<i>Rhicnogryllus fascipes</i> Chopard, 1925	3				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Scapsipedus marginatus (Afzelius & Brannius, 1804)	5				X	X		
Scapsipedus niger (Harris, 1841)	7		X					
Sciobia caliendra (Fischer, 1853)	1	X						
Sciobia chevreuxi Bolivar, 1925	5	X						
Sciobia finoti (Brunner von Wattenwyl, 1882)	5	X						
Sciobia lusitanica lusitanica (Rambur, 1838)	1	X						
Sclerogryllus coriaceus (Haan, 1842)	2				X			
Symphyloxiphus pictus (Saussure, 1897)	2			X				
Symphyloxiphus riveti (Chopard, 1913)	1			X				
Symphyloxiphus varians Hebard, 1932	1			X				Symphyloxiphus varians Hebard, 1932, 1 paratype
Tairona pulchella Hebard, 1928	2			X				Tairona pulchella Hebard, 1928, 2 paratypes
Tarbinskiellus portentosus (Lichtenstein, 1796)	16				X			
Tartarogryllus tartarus (Saussure, 1894)	1	X						
Teleogryllus (Macroteleogryllus) mitratus (Burmeister, 1838)	33	X			X			
Teleogryllus commodus (Walker, 1869)	2						X	
Teleogryllus leucostomus (Serville, 1838)	1					X		
Teleogryllus oceanicus (Le Guillou, 1841)	11						X	
Teleogryllus oceanicus (Le Guillou, 1841)	2				X			
Teleogryllus xanthoneurus (Gerstaecker, 1869)	1					X		
Trellius (Protrellius) buqueti (Serville, 1838)	1				X			Heterotrypus buqueti ( Serville, 1838, neotype
Tremellia fratercula (Chopard, 1937)	1				X			Heterotrypus fratercula Chopard, 1937, holotype
Trigonidium (Trigonidium) cicindeloides Rambur, 1838	8	X			X			
Trigonidium humbertianum (Saussure, 1878)	6				X			
Trujalia hofmanni (Saussure, 1878)	2				X			
Uvaroviella (Acla) multivenosa (Chopard, 1937)	1			X				Acla multivenosa Chopard, 1937, holotype
Uvaroviella (Aclodes) vittatum (Chopard, 1937)	1			X				Aclodes vittatum Chopard, 1937, holotype
Varitrella (Varitrella) quadrata (Haan, 1842)	1				X			
Velarifictorus (Buangina) mediocris (Mjoberg, 1913)	2					X		
Velarifictorus (Velarifictorus) aspersus (Walker, 1869)	2				X			
Velarifictorus (Velarifictorus) bolivari (Uvarov, 1912)	1				X			Gryllulus angustifrons Chopard, 1937, holotype
Velarifictorus (Velarifictorus) hemelytrus (Saussure, 1877)	2				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Vescelia variegata</i> (Chopard, 1937)	3				X			<i>Heterotrypus variegata</i> Chopard, 1937, 3 syntypes
<i>Xenogryllus eneopteroides</i> Bolivar, 1890	2					X		
<i>Xenogryllus marmoratus unipartitus</i> (Karny, 1915)	1				X			
<i>Xenogryllus marmoratus unipartitus</i> (Karny, 1915)	1				X			<i>Heterotrypus unipartitus</i> Karny, 1915, holotype
<b>● GRYLLOTALPIDAE</b>								
<i>Gryllotalpa africana</i> Beauvois, 1805	78	X		X	X	X	X	
<i>Gryllotalpa australis</i> Erichson, 1842	6						X	
<i>Gryllotalpa borealis</i> Burmeister, 1838								
<i>Gryllotalpa cophtha</i> (Haan, 1842)	2	X						
<i>Gryllotalpa debilis</i> Gerstaecker, 1869	2					X		
<i>Gryllotalpa gryllotalpa</i> (Linné, 1758)	33	X						
<i>Gryllotalpa hirsuta</i> Burmeister, 1838	1				X			
<i>Gryllotalpa minuta</i> Burmeister, 1838	1				X			
<i>Gryllotalpa nitidula</i> Serville, 1838	1						X	
<i>Gryllotalpa oya</i> Tindale, 1928	3						X	<i>Gryllotalpa oya</i> Tindale, 1928, 1 paratype
<i>Gryllotalpa unispina</i> Saussure, 1874	1	X						
<i>Neocurtilla hexadactyla</i> (Perty, 1832)	13			X				
<i>Scapteriscus borellii</i> Giglio-Tos, 1894	5			X				
<i>Scapteriscus didactylus</i> (Latreille, 1804)	3			X				
<i>Scapteriscus tetradactylus</i> (Perty, 1832)	3			X				
<i>Scapteriscus vicinus</i> Scudder, 1869	2			X				
<b>● MOGOPLISTIDAE</b>								
<i>Arachnocephalus vestitus</i> Costa, 1855	8	X						
<i>Cycloptiloides americanus</i> (Saussure, 1874)	1						X	
<i>Cycloptilum bidens</i> Hebard, 1931	2		X					<i>Cycloptilum bidens</i> Hebard, 1931, 2 paratypes
<i>Ectatoderus antillarum</i> Redtenbacher, 1892	7		X					
<i>Hoplosphyrum boreale</i> (Scudder, 1902)	1		X					
<i>Mogoplistes brunneus</i> Serville, 1838	3	X						
<i>Ornebius abdominalis</i> (Stål, 1877)	1				X			
<i>Ornebius annulatus</i> (Hebard, 1928)	1			X				<i>Cycloptilum annulatum</i> Hebard, 1928, 1 paratype
<i>Ornebius cucullatus</i> (Bolivar, 1889)	1				X			
<i>Ornebius flavipalpis</i> (Kirby, 1900)	6						X	
<i>Ornebius formosanus</i> (Shiraki, 1911)	1				X			



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<b>● MORABIDAE</b>								
Heide amiculi (Sjöstedt, 1921)	2						X	
<b>● MYRMECOPHILIDAE</b>								
Myrmecophilus (Myrmecophilus) acervorum (Panzer, 1799)	26	X						
Myrmecophilus (Myrmecophilus) sapporensis Matsumura, 1904	2				X			
<b>● OMMEXECHIDAE</b>								
Clarazella bimaculata (Giglio-Tos, 1894)	1			X				
Clarazella patagona Pictet & Saussure, 1887	1			X				
Conometopus sulcaticollis (Blanchard, 1851)	1			X				
Graea horrida Philippi, 1863	1			X				
Macrophasma biroi (Redtenbacher, 1908)	5						X	
Ommexecha brunneri Bolivar, 1884	1			X				
Ommexecha gigliotosi Bolivar, 1899	1			X				
Ommexecha virens Serville, 1831	4			X				
Spathalium audouin Blanchard, 1836	1			X				
<b>● PAMPHAGIDAE</b>								
Acaeropa indica (Bolivar, 1884)	1				X			
Acinipe deceptorica (Bolivar, 1878)	1	X						
Acinipe expansa (Brunner von Wattenwyl, 1882)	1	X						
Acinipe hesperica Rambur, 1838	2	X						
Asiotmethis heptapotamicus heptapotamicus (Zubovski, 1898)	2	X						
Atrichotmethis semenovi (Zubovski, 1899)	3	X						
Batrachornis perloides Saussure, 1884	1					X		
Batrachotetrix stollia Saussure, 1884	1					X		
Eremopeza cinerascens cinerascens (Stål, 1875)	1	X						
Eumigus monticolus (Rambur, 1838)	1	X						
Euryparaphes bolivarii (Stål, 1876)	1	X						
Euryparaphes flexuosus Uvarov, 1927	3	X						
Euryparaphes sitifensis (Brisout de Barneville, 1854)	1	X						
Euryparaphes terrulentus (Serville, 1838)	4	X						
Glyphanus obtusus Fieber, 1853	1	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Glyphotmethis dimorphus (Uvarov, 1934)	10	X						
Glyphotmethis heldreichi (Brunner von Wattenwyl, 1882)	3	X						Tmethis heldreichi adaliae Uvarov, 1928, holotype, 2 paratypes
Glyphotmethis holtzi holtzi (Werner, 1901)	2	X						
Haplotropis brunneriana Saussure, 1888	15	X						
Hoplolopha horrida (Burmeister, 1838)	1					X		
Hoplolopha reflexa (Walker, 1870)	1					X		
Hoplolopha transvaalica Stål,	3					X		
Iranotmethis cyanipennis cyanipennis (Saussure, 1884)	1	X						
Lamarckiana cucullata (Stoll, 1813)	1					X		
Lobosceliana cinerascens (Stål, 1873)	1					X		
Melanotmethis fuscipennis fuscipennis (Redtenbacher, 1889)	6	X						
Nocaracris cyanipes (Fischer von Waldheim, 1846)	4	X						
Ocneridia nigropunctata (Lucas, 1849)	1	X						
Ocneridia volxemi (Bolivar, 1878)	1	X						
Ocnerodes brunnerii brunnerii (Bolivar, 1876)	3	X						
Orchamus yersini (Brunner von Wattenwyl, 1882)	1	X						
Pamphagus elephas (Linné, 1758)	2	X						
Pamphagus marmoratus Burmeister, 1838	2	X						
Paracnipe saharae (Pictet & Saussure, 1893)	1	X						
Paraeumigus parvulus parvulus (Bolivar, 1907)	1	X						
Porthetis carinata (Linné, 1758)	1					X		
Prionosthenus (Prionosthenus) galericulatus (Stål, 1876)	1	X						
Prionotropis hystrix (Germar, 1817)	14	X						
Saxetania cultricolis cultricolis (Saussure, 1887)	2	X						
Strumiger desertorum Zubovski, 1896	6	X						
Tmethis accessorius Fischer von Waldheim, 1833	1	X						
Tmethis cisti (Fabricius, 1787)	5	X						
Tmethis cisti clavelii (Lucas, 1850)	8	X						
Tmethis festivus (Saussure, 1884)	4	X						
Tmethis Larven verschiedene,	21	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Tuarega insignis (Lucas, 1851)	3	X						
<b>● PNEUMORIDAE</b>								
Bullacris discolor (Thunberg, 1810)	1					X		
<b>● PROPHALANGOPSIDAE</b>								
Cyphoderris monstrosa piperi Caudell, 1904	2		X					
Cyphoderris Monstrosa Uhler, 1864	2		X					
<b>● PROSCOPIIDAE</b>								
Apioscelis bulbosa (Scudder, 1869)	2			X				
Astroma compactum Brunner von Wattenwyl, 1890	1			X				
Cephalocoema sica (Serville, 1838)	5			X				
Corynorhynchus hispidus (Klug, 1820)	3			X				
Corynorhynchus radula (Klug, 1820)	1			X				
Hybusa occidentalis (Westwood, 1843)	3			X				
Orienscopia costulata (Burmeister, 1880)	5			X				
Proscopia granulata Klug, 1820	8			X				
Stiphra lobata Brunner von Wattenwyl, 1890	2			X				
Tetanorhynchus bihastatus Rehn, 1904	2			X				
<b>● PYRGACRIDIDAE</b>								
Chrotogonus (Chrotogonus) oxypterus (Blanchard, 1836)	2				X			
<b>● PYRGOMORPHIDAE</b>								
Atractomorpha aberrans Karsch, 1888	1					X		
Atractomorpha acutipennis (Guérin-Méneville, 1844)	3					X		
Atractomorpha acutipennis gerstaeckeri Bolivar, 1884	13					X		
Atractomorpha crenaticeps (Blanchard, 1853)	3						X	
Atractomorpha crenolata (Fabricius, 1793)	15				X			
Atractomorpha lata (Mochulsky, 1866)	9	X					X	
Atractomorpha psittacina (Haan, 1842)	25	X			X		X	
Atractomorpha rufopunctata Bolivar, 1894	1					X		
Atractomorpha sinensis Bolivar, 1905	17				X			
Aularches miliaris (Linné, 1758)	6				X			
Chrotogonus (Chrotogonus) hemipterus Schaum, 1853	3					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Chrotogonus homalodemus (Blanchard, 1836)	18	X				X		
Chrotogonus (Chrotogonus) turanicus Kuthy, 1905	3	X						
Dictyophorus (Dictyophorus) spumans (Thunberg, 1787)	2					X		
Dictyophorus (Dictyophorus) spumans ater (Distant, 1892)	1					X		
Dictyophorus (Tapesiella) griseus griseus (Reiche & Fairmaire, 1849)	12					X		
Loveridgacris impotens (Karsch, 1888)	1					X		
Meubelia gracilis Willemse, 1932	3				X			Meubelia gracilis Willemse, 1932, 1 paratype
Minorissa pustulata Walker, 1870	1			X				
Monistria discrepans (Walker, 1871)	1						X	
Monistria pustulifera (Walker, 1871)	2						X	
Occidentosphena ruandensis (Rehn, 1914)	1					X		
Ochrophlebia cafra ligneola (Serville, 1838)	1					X		
Omura congrua Walker, 1870	1			X				
Parapetasia femorata Bolivar, 1884	4					X		
Phymateus (Maphyteus) baccatus Stål, 1876	3					X		
Phymateus (Maphyteus) leprosus (Fabricius, 1793)	3					X		
Phymateus (Phymateus) aegrotus (Gerstaecker, 1869)	5					X		
Phymateus (Phymateus) cinctus (Fabricius, 1793)	1					X		
Phymateus (Phymateus) madagassus Karsch, 1888	1					X		
Phymateus (Phymateus) morbillosus (Linné, 1758)	5					X		
Phymateus (Phymateus) pulcherrimus Bolivar, 1904	1					X		
Phymateus (Phymateus) saxosus Coquerel, 1862	9					X		
Phymateus (Phymateus) viridipes brunneri Bolivar, 1884	1					X		
Phymateus (Phymateus) viridipes Stål, 1873	3							
Phymateus spec.	1					X		
Phyteumas purpurascens purpurascens (Karsch, 1896)	2					X		
Poekilocerus bufonius (Klug, 1832)	1	X						
Poekilocerus bufonius hieroglyphicus (Klug, 1829)	1					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Poekilocerus pictus</i> (Fabricius, 1775)	1				X			
<i>Pyrgomorpha</i> ( <i>Phymelloides</i> ) <i>granulata</i> Stål, 1875	5					X		
<i>Pyrgomorpha</i> ( <i>Phymelloides</i> ) <i>vignaudi</i> (Guérin-Méneville, 1849)	2					X		
<i>Pyrgomorpha</i> ( <i>Pyrgomorpha</i> ) <i>agarena</i> (Bolivar, 1894)	2	X						
<i>Pyrgomorpha</i> ( <i>Pyrgomorpha</i> ) <i>conica</i> (Olivier, 1791)	20	X				X		
<i>Pyrgomorpha</i> ( <i>Pyrgomorpha</i> ) <i>cypria</i> Bolivar, 1901	6	X						
<i>Pyrgomorpha</i> ( <i>Pyrgomorpha</i> ) <i>granosa</i> Stål, 1876	2	X						
<i>Pyrgomorpha cognata</i> Krauss, 1877	1					X		
<i>Pyrgomorpha vosseleri</i> Uvarov, 1923	1					X		
<i>Rubellia nigrosignata</i> Stål, 1875	3					X		
<i>Rutidoderes squarrosus</i> (Linné, 1771)	6					X		
<i>Sphenarium mexicanum histrio</i> Gerstaecker, 1884	2		X					
<i>Sphenarium mexicanum mexicanum</i> Saussure, 1859	4		X					
<i>Sphenarium purpurascens</i> Charpentier, 1842	2		X					
<i>Tagasta indica</i> Bolivar, 1905	1				X			
<i>Tagasta marginella</i> (Thunberg, 1815)	3				X			
<i>Taphronota</i> ( <i>Epamontor</i> ) <i>stali</i> Bolivar, 1884	2					X		
<i>Taphronota</i> ( <i>Taphronota</i> ) <i>calliparea</i> (Schaum, 1853)	8					X		
<i>Taphronota</i> ( <i>Taphronota</i> ) <i>ferruginea</i> (Fabricius, 1781)	6					X		
<i>Taphronota occidentalis</i> Karsch, 1892	1					X		
<i>Zonocerus elegans elegans</i> (Thunberg, 1815)	26					X		
<i>Zonocerus variegatus</i> (Linné, 1758)	6					X		
<b>● RHAPHIDOPHORIDAE</b>								
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>agassizii</i> (Scudder, 1861)	2		X					
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>brevipes</i> Scudder, 1862	3		X					
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>gracilipes</i> (Haldeman, 1850)	2		X					
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>latens</i> Scudder, 1862	2		X					
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>maculatus</i> (Harris, 1835)	1		X					
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>pallescens</i> Bruner, 1891	2		X					
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>pallidipes</i> Walker, 1905	2		X					
<i>Ceuthophilus</i> ( <i>Ceuthophilus</i> ) <i>tenebrarum</i> Scudder, 1894	2		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Ceuthophilus (Ceuthophilus) uhleri Scudder, 1862	2		X					
Ceuthophilus (Geotettix) guttulosis nigricans Scudder, 1894	6		X					
Diestrammena (Diestrammena) ingens Karny, 1915	1				X			Diestrammena Diestrammena ingens Karny, 1915, holotype
Diestrammena (Diestrammena) japonica Blatchley, 1920	2				X			
Diestrammena (Gymnaeta) bruneri (Karny, 1934)	13				X			
Diestrammena (Tachycines) asynamora (Adelung, 1902)	34	X						
Diestrammena (Tachycines) hoffmani (Karny, 1934)	24	X						
Dolichopoda (Dolichopoda) palpata (Sulzer, 1776)	7	X						
Euhadenoecus puteanus (Scudder, 1877)	2		X					
Heteromallus spinifer (Blanchard, 1851)	9			X				
Pachyrhamma edwardsii (Scudder, 1869)	1						X	
Phrixocnemis spec.	2		X					
Pristoceuthophilus celatus (Scudder, 1894)	1		X					
Rhaphidophora loricata (Burmeister, 1838)	3				X			
Rhaphidophora obesa Karny, 1924	1				X			
Troglophilus (Troglophilus) cavicola (Kollar, 1833)	2	X						
Troglophilus (Troglophilus) neglectus Krauss, 1879	1	X						
Udenus fasciatus Ander, 1938	1			X				
Udeopsylla robusta (Haldeman, 1850)	2		X					
<b>● RIPIPTERIGYDAE</b>								
Ripteryx ornata Chopard, 1927	3			X				
Mirhipipteryx biloba biloba (Hebard, 1928)	3			X				Ripteryx biloba Hebard, 1928, 3 paratypes
Ripteryx biolleyi Saussure, 1896	4			X				
Ripteryx carbonaria Saussure, 1896	3			X				
Ripteryx cyanipennis Saussure, 1874	1			X				
Ripteryx forceps Saussure, 1896	1			X				
Ripteryx insignis Chopard, 1937	2			X				Ripteryx insignis Chopard, 1937, holotype
Ripteryx limbata Burmeister, 1838	2			X				
Ripteryx marginata Newmann, 1834	1			X				
Ripteryx mexicana Saussure, 1859	1			X				

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Ripteryx notata Burmeister, 1838	7			X				Ripteryx chopardi Willemse, 1922, holotype, 3 paratypes
Ripteryx rivularia Saussure, 1896	5			X				
<b>● ROMALEIDAE</b>								
Aeolacris octomaculata (Scudder, 1869)	1			X				
Agriacris auripennis (Walker, 1870)	4			X				
Antandrus viridis (Blanchard, 1851)	1			X				
Brachystola magna (Girard, 1854)	9		X					
Chariacris violacea (Gerstaecker, 1889)	2			X				
Chromacris colorata (Serville, 1838)	2		X					
Chromacris miles (Drury, 1773)	23			X				
Chromacris peruviana (Pictet & Saussure, 1887)	3			X				
Chromacris psittacus (Gerstaecker, 1873)	1			X				
Chromacris speciosa (Thunberg, 1824)	6			X				
Chromacris trogon (Gerstaecker, 1873)	1			X				
Cibotopteryx variegata Rehn, 1905	1			X				
Colpolopha latipennis Stål, 1878	2			X				
Colpolopha obsoleta (Serville, 1831)	16			X				
Colpolopha praemorsa Gerstaecker, 1889	1			X				
Dietronotus graeca Uvarov	3	X						
Diponthus permistus (Serville, 1838)	1			X				
Maculiparia rotundata rotundata (Stål, 1878)	1			X				
Phaeoparia lineaalba (Linné, 1758)	6			X				
Prionacris compressa Stål, 1878	1			X				
Prionolopha serrata (Linné, 1758)	12			X				
Procolpia emarginata (Serville, 1831)	1			X				
Procolpia minor Giglio-Tos, 1894	2			X				
Prorhachis granulosa Scudder, 1875	1			X				
Pseudonautia geniculata (Stål, 1873)	1			X				
Rhcnoderma corallipes (Gerstaecker, 1889)								
Rhomalea unicoloripes	3			X				
Romalea microptera (Beauvois, 1817)	10		X					
Staleochlora trilineata (Serville, 1831)	6			X				

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Staleochlora viridicata viridicata (Serville, 1838)	1			X				
Taeniopoda centurio (Drury, 1773)	4		X					
Taeniopoda eques (Burmeister, 1838)	2		X					
Taeniopoda varipennis Rehn, 1905	1			X				
Titanacris albipes (De Geer, 1773)	1			X				
Titanacris olfersii (Burmeister, 1838)	4			X				
Tropidacris collaris (Stoll, 1813)	1			X				
Tropidacris cristata (Linné, 1758)	3			X				
Tropidacris cristata dux (Drury, 1773)	9			X				
Tropidacris spec.	1			X				
Xyelus attenuatus (Rehn, 1909)	2			X				
Xyelus discoideus angulatus (Stål, 1873)								
Xyelus discoideus rosulentus (Stål, 1878)	1			X				
Xyelus laevipes (Stål, 1878)	1			X				
Xyelus regularis (Bruner, 1905)	2			X				
Xyleus discoideus (Serville, 1831)	4			X				
Zoniopoda iheringi Pictet & Saussure, 1887	1			X				
Zoniopoda omnicolor (Blanchard, 1843)	2			X				
Zoniopoda tarsata (Serville, 1831)	7			X				
<b>● STENOPELMATIDAE</b>								
Sia (Maxentius) pinguis (Walker, 1869)	1					X		
Stenopelmatus fuscus Haldeman, 1852	1		X					
<b>● TETRIGIDAE</b>								
Acmophyllum undulatum Karsch, 1890	1					X		
Acrydium bimaculatum Fieber	1	X						
Afrocriotettix nigellus (Bolivar, 1887)	7					X		
Afrolarcus aequalis (Karsch, 1890)	1					X		
Afrolarcus angulatus (Hancock, 1910)	1					X		
Allotettix cayennensis (Bolivar, 1887)	5			X		X		
Allotettix peruvianus (Bolivar, 1887)	4			X				
Allotettix prolongarus Hancock, 1899	1			X				Allotettix prolongarus Hancock, 1899, 1 paratype
Amorphopus notabilis Serville, 1838	1			X				
Amphibotettix longipes Hancock, 1906	2				X			



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Andriana pyramidata Rehn, 1929	4					X		Andriana pyramidata Rehn, 1929, 2 paratypes
Arexion suavis Rehn, 1929	1					X		Arexion suavis Rehn, 1929, 1 paratype
Astyalus tessmanni (Günther, 1938)	1					X		Trachytettix tessmanni Günther, 1938, 1 paratype
Austrohancockia platynota (Karny, 1915)	1				X			Potua platynota Karny, 1915, 1 syntype
Bara turgida Rehn, 1929	3					X		Bara turgida Rehn, 1929, 3 paratypes
Batrachidea mucronata (Saint-Fargeau & Serville, 1825)	3			X				
Bolivaritettix amphinotoides Günther, 1939	1				X			Bolivaritettix amphinotoides Günther, 1939, holotype
Bolivaritettix palawanicus Günther, 1939	15				X			Bolivaritettix palawanicus Günther, 1939, 14 syntypes
Bolivaritettix paraguensis Günther, 1939	5				X			Bolivaritettix paraguensis Günther, 1939, 5 syntypes
Bolivaritettix sculpta (Bolivar, 1887)	1				X			
Bolivaritettix sikkinensis (Bolivar, 1909)	1				X			Hedotettix rugulosus Karny, 1915, holotype
Bolotettix perminutus (Bolivar, 1887)	4				X			
Camelotettix curvinotus Hancock, 1907	1						X	
Cleostratus monocerus Stål, 1877	2				X			
Coptotettix capitatus Bolivar, 1887	2				X			
Coptotettix ferrugineus Bolivar, 1887	3				X			
Coptotettix fossulatus Bolivar, 1887	1				X			
Coptotettix fuliginosus Bolivar, 1887	1				X			
Coptotettix rotundatus Hancock, 1907	1				X			
Coptotettix sauteri Günther, 1941	1				X			Coptotettix sauteri Günther, 1941, 1 syntype
Crimisus contractus Bolivar, 1887	1			X				
Criotettix bispinosus (Dalman, 1818)	11				X			
Criotettix fuscus (Hancock, 1907)	4				X			
Criotettix inornatus (Walker, 1871)	2				X			
Criotettix japonicus (Haan, 1842)	1				X			
Criotettix miliarius Bolivar, 1887	1				X			
Criotettix saginatus Bolivar, 1887	2				X			
Dasyleurotettix lobulatus (Stål, 1861)	1			X				
Depressotetrix depressa (Brisout de Barneville, 1848)	4	X						
Dinotettix biafrensis Bolivar, 1905	4					X		
Dinotettix conradti Günther, 1939	1					X		Dinotettix conradti Günther, 1939, holotype
Dinotettix major Bolivar, 1905	1					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Diotarus verrucifer</i> Stål, 1877	3				X			
<i>Discotettix belzebuth</i> (Serville, 1838)	4				X			
<i>Discotettix scabridus</i> (Stål, 1877)	9				X			
<i>Dolatettix belingae</i> (Günther, 1929)	3				X			
<i>Dolatettix sulcatus</i> (Stål, 1877)	3				X			
<i>Eomorphopus antennatus</i> (Bolivar, 1887)	2			X				
<i>Ergatettix dorsiferus</i> (Walker, 1871)	1				X			
<i>Ergatettix guentheri</i> Steinmann, 1970	2				X			
<i>Ergatettix interruptus</i> (Brunner von Wattenwyl, 1893)	1				X			
<i>Ergatettix spec.</i>	4				X			
<i>Eucriotettix grandis</i> (Hancock, 1912)	1				X			
<i>Eucriotettix magnus</i> (Hancock, 1907)	2				X			
<i>Eucriotettix oculatus</i> (Bolivar, 1898)	7				X			
<i>Eucriotettix tricarinatus</i> (Bolivar, 1887)	3				X			
<i>Euparatettix histricus</i> (Stål, 1861)	28				X			
<i>Euparatettix tricarinatus</i> (Bolivar, 1887)	3				X			
<i>Euparatettix variabilis</i> (Bolivar, 1887)	34				X			
<i>Euscelimena gavialis</i> (Saussure, 1861)	2				X			
<i>Falconia planitarsis</i> Hancock, 1935	2				X			
<i>Falconius clavitarsis</i> (Bolivar, 1887)	1				X			
<i>Falconius palawanicus</i> Günther, 1938	3				X			<i>Falconius palawanicus</i> Günther, 1938, holotype, 2 paratypes
<i>Gavialidium novaeguineae</i> Bolivar, 1898	4						X	
<i>Gavialidium philippinum</i> Bolivar, 1887								
<i>Hedotettix gracilis</i> (Haan, 1842)	5				X			<i>Hedotettix crassipes</i> Karny, 1915, 1 syntype
<i>Hedotettix guibelondoi</i> Bolivar, 1887	10				X			
<i>Hedotettix punctatus</i> Hancock, 1909	2				X			<i>Hedotettix cristatus</i> Karny, 1915, holotype
<i>Hexocera hexodon</i> (Haan, 1842)	1				X			
<i>Hirrius mindanaensis</i> Günther, 1838	2				X			<i>Hirrius mindanaensis</i> Günther, 1838, 2 syntypes
<i>Holocerus lucifer</i> (Serville, 1838)	1					X		
<i>Hyboella dilatata</i> (Haan, 1842)	1				X			
<i>Hymenotes triangularis</i> Westwood, 1837	5				X			
<i>Lamellitettigodes contractus</i> (Bolivar, 1887)	24				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Lamellitettigodes tricristatus (Bolivar, 1898)	3				X			
Loxilobus acutus (Hancock, 1904)	5				X			
Loxilobus saigonensis Günther, 1938	1				X			Loxilobus saigonensis Günther, 1938, 1 syntype
Macromotettix sokutsuensis (Karny, 1915)	1				X			Acrydium sokutsuense Karny, 1915, holotype
Mazarredia (Mazarredia) rufipes (Stål, 1877)	2				X			
Mazarredia (Prosoaltus) cephalica (De Haan, 1842)	1				X			
Mazarredia (Prosoaltus) oculatus (Hancock, 1913)	1				X			
Metrodora elytratus Günther,	1			X				
Metrodora lutosa Bolivar, 1887	2			X				
Metrodora sinuata (Morse, 1900)	1			X				
Metrodora uniformis (Bruner, 1910)	1			X				
Micronotus caudatus (Saussure, 1861)	22			X				
Misythus gladiatrix (Walker, 1871)	2				X			
Morphopus phyllocerus (Bolivar, 1887)	5					X		
Neotettix femoratus (Scudder, 1869)	7		X					
Nomotettix cristatus (Scudder, 1862)	10		X					
Nomotettix cristatus compressus Morse, 1895								
Notocerus cornutus Hancock, 1907	1					X		
Ophiotettix burgersi Bolivar, 1929	1						X	
Ophiotettix cygnicollis Walker, 1871	2						X	
Otumba amazonica (Bolivar, 1887)	3			X				
Otumba dentata Hancock, 1907	3			X				
Otumba marcapata Hancock, 1907	1			X				Otumba marcapata Hancock, 1907, 1 paratype
Oxytettix arius (Rehn, 1929)	1					X		
Paraguelus palawanicus Günther, 1939	3				X			Paraguelus palawanicus Günther, 1939, 3 syntypes
Paramphibotettix sanguinolentus (Bolivar, 1887)	7				X			
Paratettix africanus Bolivar, 1908	3					X		
Paratettix antennatus Hebard, 1923	3			X				
Paratettix aztecus (Saussure, 1861)	14		X					Paratettix hesperus Morse, 1899, 6 syntypes
Paratettix cingalensis (Walker, 1871)	2				X			
Paratettix cucullatus (Burmeister, 1838)	16		X					
Paratettix curtipennis (Hancock, 1912)	1				X			
Paratettix formalis Bolivar, 1887	1				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Paratettix freygessneri Bolivar, 1887	2			X				
Paratettix meridionalis (Rambur, 1838)	6	X						
Paratettix mexicanus (Saussure, 1861)	2			X				
Paratettix rugosus (Scudder, 1862)	2		X					
Paratettix scaber (Thunberg, 1815)	8					X		
Paratettix schochi Bolivar, 1887	3		X					
Paratettix spathulatus (Stål, 1861)	1						X	Paratettix productus Sjöstedt, 1936, holotype
Paratettix toltecus (Saussure, 1861)	4			X				
Paurotarsus insolitus Rehn, 1916	2			X				
Paurotarsus ruficornis (Walker, 1871)	2			X				
Paxilla obesa (Scudder, 1877)	5		X					
Phaesticus mellerborgi (Stål, 1855)	1				X			
Phyllotettix rhombeus (Linné, 1767)	1			X				
Platygavialidium formosanum (Tinkham, 1936)	11				X			
Platygavialidium kraussi (Bolivar, 1887)	5				X			
Potua sumatrensis coronata Bolivar, 1887	1				X			
Pseudoparatettix lineatus (Hancock, 1907)	2				X			Bolotettix exiguus Günther, 1935, 1 paratype
Pseudoparatettix luridus (Bolivar, 1887)	8				X			
Pterotettix bigibbosus (Hancock, 1900)	2					X		
Rehnitettix olsufieffi Günther, 1939	1					X		Rehnitettix olsufieffi Günther, 1939, holotype
Rostella phyllocera (Bolivar, 1887)	1				X			
Saussurella cornuta (Haan, 1842)	1				X			
Saussurella decurva Brunner von Wattenwyl, 1893	2				X			
Saussurella javanica Bolivar, 1898	3				X			
Scaria hamata (De Geer, 1773)	2			X				
Scelimena boettcheri Günther, 1938	13				X			Scelimena boettcheri Günther, 1938, 12 syntypes
Scelimena celebica (Bolivar, 1887)	3				X			
Scelimena producta (Serville, 1838)	6				X			
Scelimena spiculata (Stål, 1877)	4				X			
Spartolus minax (Walker, 1871)	3				X			
Stenodorus extenuatus Hancock, 1906	2			X				Stenodorus extenuatus Hancock, 1906, 2 paratypes
Systolederus greeni Bolivar, 1892	1				X			
Systolederus haani Bolivar, 1887	9				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Systolederus ophthalmicus Bolivar, 1887	1				X			
Syzygotettix baeri (Bolívar, 1887)	4				X			
Syzygotettix boettcheri Günther, 1938	10				X			Syzygotettix boettcheri Günther, 1938, 9 syntypes
Syzygotettix vicinus Günther, 1938	9				X			Syzygotettix vicinus Günther, 1938, 9 syntypes
Tagaloscelimena aurivilli (Bolivar, 1887)	15				X			
Tagaloscelimena aurivillii (Bolivar, 1887)	2				X			
Tegotettix sagittarius (Bolivar, 1887)	1				X			
Tetrix arenosa angusta (Hancock, 1896)	6		X					
Tetrix arenosa Burmeister, 1838	8		X					
Tetrix bipunctata (Linné, 1758)	52	X						
Tetrix brunnerii (Bolivar, 1887)	4		X					
Tetrix ceperoi (Bolivar, 1887)	9	X						
Tetrix japonica (Bolivar, 1887)	5	X						
Tetrix kraussi Saulcy, 1888	8	X						
Tetrix ornata (Say, 1824)	21		X					
Tetrix subulata (Linné, 1758)	103	X	X					
Tetrix tartara (Bolivar, 1887)	4	X						
Tetrix tenuicornis (Stahlberg, 1891)	21	X						
Tetrix tuerki Krauss, 1876	3	X						
Tetrix undulata (Sowerby, 1806)	9	X						
Tettigidea guatemalteca Bolivar, 1887	1			X				
Tettigidea lateralis (Say, 1824)	33		X					
Tettigidea multicostata Bolivar, 1887	4			X				
Tettigidea nicaraguae Bruner, 1895	1			X				
Thoradonta nodulosa (Stål, 1861)	1				X			
Thoradonta palawanica Günther, 1838	3				X			Thoradonta palawanica Günther, 1838, 3 syntypes
Trachytettix bufo (Costa, 1864)	3					X		
Trachytettix uncinata Serville	1				X			
Tripetalocera ferruginea Westwood, 1834	1				X			
Trypophyllum glabrifrons Karsch, 1890	4					X		
Xerophyllum platycoris (Westwood, 1839)	6					X		
Xistra sagittata (Bolivar, 1887)	5				X			
Xistrella dohrni palawanica Günther, 1939	3				X			Xistrella dohrni palawanica Günther, 1939, holotype, 2 paratypes

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Xistrellula kankauense (Karny, 1915)	10				X			Acrydium kankauense Karny, 1915, 10 syntypes
<b>● TETTIGONIIDAE</b>								
Acanthodiphrus conspersus Walker, 1871	1			X				
Acanthodis aquilina (Linné, 1758)	1			X				
Acanthodis longicauda (Stål, 1874)	3			X				
Acanthoplus longipes (Charpentier, 1845)	6					X		
Acanthoproctus cervinus (Haan, 1842)	1					X		
Acauloplacella (Acauloplacella) oceanica (Pictet & Saussure, 1892)	1				X			
Acauloplacella (Papuaprium) immunis (Brunner von Wattenwyl, 1895)	2				X			
Acridoxena hewaniana Smith, 1865	5					X		
Acripeza reticulata Guérin-Méneville, 1832	4						X	
Acrometopa servillea macropoda (Burmeister, 1838)	3	X						
Adeclus spiculatus (Stål, 1873)	1			X				
Afromecopoda preussiana (Karsch, 1891)	4					X		
Aganacris nitida (Perty, 1832)	2			X				
Agraecia maculata Redtenbacher, 1891	2			X				
Agraecia punctata (Saint-Fargeau & Serville, 1825)	1			X				
Agraecia sansibara Redtenbacher, 1891	1					X		
Agraecia subulata Redtenbacher, 1891	3			X				
Amblycorypha oblongifolia (De Geer, 1773)	2		X					
Amblycorypha rotundifolia (Scudder, 1862)	3		X					
Amblycorypha uhleri Stål, 1876	1		X					
Anabrus longipes Caudell, 1907	2		X					
Anabrus simplex Haldeman, 1852	4		X					
Anaulacomera brevicauda Brunner von Wattenwyl, 1891	2			X				
Anaulacomera concisa Brunner von Wattenwyl, 1878	1			X				
Anaulacomera cornucervi Brunner von Wattenwyl, 1878	1			X				
Anaulacomera delineata Brunner von Wattenwyl, 1891	1			X				
Anaulacomera gracilis Brunner von Wattenwyl, 1891	1			X				

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Anaulacomera intermedia Brunner von Wattenwyl, 1878	2			X				
Anaulacomera laticauda Brunner von Wattenwyl, 1878	2			X				
Anaulacomera lativertex Brunner von Wattenwyl, 1878	2			X				
Anaulacomera nodulosa Stål, 1873	2			X				
Anaulacomera spinata Brunner von Wattenwyl, 1878	2			X				
Anaulacomera sulcata Brunner von Wattenwyl, 1878	2			X				
Ancylecha fenestrata (Fabricius, 1793)	1				X			
Aniarella proxima (Brunner von Wattenwyl, 1891)	1			X				
Aniarella punctulata (Brunner von Wattenwyl, 1878)	1			X				
Anisotochra gracilipes Karsch, 1889	1					X		
Anoedopoda erosa Karsch, 1891	1					X		
Anoedopoda lamellata (Linné, 1758)	4					X		
Anonistus scariosus (Burmeister, 1838)	3			X				
Anterastes serbicus Brunner von Wattenwyl, 1882	1	X						
Apote notabilis Scudder, 1897	4		X					
Apteroscirtus denudatus Karsch, 1891	4					X		
Arachnacris regalis (Karny, 1924)	1				X			
Arantia excelsior Karsch, 1889	1					X		
Arantia orthocnemis Karsch, 1890	1					X		
Arantia retinervis Karsch, 1889	1					X		
Arnobia pilipes (Haan, 1842)	1				X			
Arnobia trichopus (Haan, 1842)	1				X			
Atlanticus (Atlanticus) sinensis Uvarov, 1924	1				X			
Atlanticus (Atlanticus) testaceus (Scudder, 1901)	2		X					
Barbitistes constrictus Brunner von Wattenwyl, 1878	2	X						
Barbitistes fischeri (Yersin, 1854)	6	X						
Barbitistes serricauda (Fabricius, 1794)	10	X						
Barbitistes yersini Brunner von Wattenwyl, 1878	1	X						
Batodromeus subulo (Karsch, 1893)	1					X		
Belocephalus subapterus Scudder, 1875	1			X				
Bicolorana (Bicolorana) bicolor (Philippi, 1830)	57	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Bicolorana</i> ( <i>Bicolorana</i> ) <i>roeselii</i> (agenbach, 1822)	73	X						
<i>Bradyporus dasypus</i> (Illiger, 1800)	5	X						
<i>Bucrates clausus</i> (Scudder, 1878)	2			X				
<i>Caedicia simplex</i> (Walker, 1869)	1						X	
<i>Caedicia thymifolia</i> (Fabricius, 1775)	21				X			
<i>Caedicia valida</i> (Walker, 1869)	2						X	
<i>Callimenellus ferrugineus</i> (Brunner von Wattenwyl, 1895)	3				X			
<i>Callimenus dilatatus</i> Stål, 1875	4	X						
<i>Callimenus latipes</i> Stål, 1872	2	X						
<i>Callimenus multituberculatus</i> (Fischer von Waldheim, 1833)	1	X						
<i>Carliphisis acutipennis</i> (Carl, 1908)	1							
<i>Casigneta similis</i> Dohrn	1				X			
<i>Caulopsis cuspidata</i> (Scudder, 1878)	2			X				
<i>Caulopsis microprora</i> Hebard, 1927	1			X				<i>Caulopsis microprora</i> Hebard, 1927, 1 paratype
<i>Caulopsis oberthuri</i> Bolivar, 1903	4			X				
<i>Ceraia dentata</i> (Brunner von Wattenwyl, 1878)	2			X				
<i>Ceraia punctulata</i> (Brunner von Wattenwyl, 1878)	1			X				
<i>Ceraia tibialis</i> Brunner von Wattenwyl, 1891	1			X				
<i>Cestromoecha tenuipes</i> (Karsch, 1890)	1					X		
<i>Characta bituberculata</i> Redtenbacher, 1892	1				X			
<i>Chloracris prasina</i> (Pictet & Saussure, 1892)	1				X			
<i>Climacoptera parallela</i> (Walker, 1869)	1				X			
<i>Climacoptera venosa</i> (Walker, 1869)	1				X			
<i>Clonia</i> ( <i>Clonia</i> ) <i>wahlbergi</i> Stål, 1855	1					X		
<i>Cnemidophyllum</i> ( <i>Cnemidophyllum</i> ) <i>lineatum</i> (Brunner von Wattenwyl, 1891)	1			X				
<i>Cnemidophyllum</i> ( <i>Cnemidophyllum</i> ) <i>oblitum</i> Costa Lima, 1933	1			X				
<i>Cnemidophyllum</i> ( <i>Eupeucestes</i> ) <i>citrifolium</i> (Linné, 1758)	2			X				
<i>Cocconotus</i> ( <i>Cocconotus</i> ) <i>laevifrons</i> (Brunner von Wattenwyl, 1895)	1			X				



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Conchotopoda eptocerca (Stål, 1876)	2					X		
Conocephalus (Anisoptera) angustifrons (Redtenbacher, 1891)	2			X				
Conocephalus (Anisoptera) cinereus Thunberg, 1815	2			X				
Conocephalus (Anisoptera) dorsalis (Latreille, 1804)	42	X						
Conocephalus (Anisoptera) fasciatus (De Geer, 1773)	10		X					
Conocephalus (Anisoptera) formosus (Redtenbacher, 1891)	2				X			
Conocephalus (Anisoptera) fuscus (Fabricius, 1793)	40	X						
Conocephalus (Anisoptera) ictus (Scudder, 1875)	5		X					
Conocephalus (Anisoptera) iris (Serville, 1838)	1					X		
Conocephalus (Anisoptera) longipennis (Haan, 1842)	3				X			
Conocephalus (Anisoptera) maculatus (Le Guillou, 1841)	25				X			
Conocephalus (Anisoptera) melaenus (Haan, 1842)	5				X			
Conocephalus (Anisoptera) saltator (Saussure, 1859)	6		X	X				
Conocephalus (Anisoptera) sctriatus (Scudder, 1875)	4		X					
Conocephalus (Anisoptera) truncatus (Redtenbacher, 1891)	2			X				
Conocephalus (Anisoptera) versicolor (Redtenbacher, 1891)	1			X				
Conocephalus (Conocephalus) brevipennis (Scudder, 1862)	15		X					
Conocephalus (Conocephalus) gracillimus Morse, 1901	1		X					
Conocephalus (Conocephalus) nigropleurum (Bruner, 1891)	2		X					
Conocephalus (Conocephalus) saltans (Scudder, 1872)	5		X					
Conocephalus (Opeastylus) longipes (Redtenbacher, 1891)	6			X				
Conocephalus (Opeastylus) vitticollis (Blanchard, 1851)	3			X				
Conocephalus affinis Redtenbacher, 1891	6				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Copiphora capito</i> Stål, 1874	2			X				
<i>Copiphora cochleata</i> Redtenbacher, 1891	2			X				
<i>Copiphora cornuta</i> (De Geer, 1773)	1			X				
<i>Copiphora longicauda</i> Serville, 1831	1			X				
<i>Corycoides abruptus</i> (Krauss, 1890)	1					X		
<i>Corycoides jurinei</i> (Saussure, 1862)	1					X		
<i>Corycoides karschi</i> (Krauss, 1890)	3					X		
<i>Corycoides spec.</i>	1					X		
<i>Cosmoderus erinaceus</i> (Fairmaire, 1858)	3					X		
<i>Cosmophyllum olivaceum</i> Blanchard, 1851	1			X				
<i>Cratioma fenestratum</i> (Stoll, 1787)	1				X			
<i>Cycloptera aurantifolia</i> (Stoll, 1787)	2			X				
<i>Cycloptera speculata</i> (Burmeister, 1838)	3			X				
<i>Cymatomera argillata</i> Karsch, 1891	1					X		
<i>Cymatomera denticollis</i> Schaum, 1853	4					X		
<i>Cyrtaspis scutata</i> (Charpentier, 1825)	2	X						
<i>Dasyscelus dilatatus</i> Brunner von Wattenwyl, 1895	1			X				
<i>Dasyscelus normalis</i> Brunner von Wattenwyl, 1895	1			X				
<i>Dasyscelus planiusculus</i> Brunner von Wattenwyl, 1895	2			X				
<i>Decticus albifrons</i> (Fabricius, 1775)	13	X						
<i>Decticus verrucivorus</i> (Linné, 1758)	59	X						
<i>Deflorita deflorita</i> (Brunner von Wattenwyl, 1878)	1				X			
<i>Despoina spinosa</i> Brunner von Wattenwyl, 1895	1				X			
<i>Dichopetala tridactyla</i> Rehn & Hebard, 1914	1		X					<i>Dichopetala tridactyla</i> Rehn & Hebard, 1914, 1 paratype
<i>Dicranacrus furcifer</i> Redtenbacher, 1891	1					X		
<i>Dicranacrus variegatus</i> Redtenbacher, 1891	1					X		
<i>Dicranopsyra multicolor</i> Dohrn, 1892	1				X			
<i>Dioncomena ornata</i> Brunner von Wattenwyl, 1878	1					X		
<i>Diophanes roscens</i> Saussure & Pictet, 1898	1			X				
<i>Diophanes salvifolius salvifolius</i> (Lichtenstein, 1796)	1			X				
<i>Drymadusa limbata</i> Brunner von Wattenwyl, 1882	1	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Duceta javanica (Brunner von Wattenwyl, 1891)	1				X			
Ducetia japonica (Thunberg, 1815)	1				X			
Dysonia fuscifrons (Brunner von Wattenwyl, 1878)	2			X				
Dysonia spec.	1			X				
Ectemna carinata Brunner von Wattenwyl, 1878	1			X				
Elbenia appendiculata Brunner von Wattenwyl, 1898	1				X			
Elbenia nigrosignata Stål, 1876	1						X	
Elbenia tenera Brunner von Wattenwyl, 1878	2				X			
Elimaea (Rhaebelimaesa) bakeri Hebard, 1922	3				X			
Elimaea (Elimaea) chloris (Haan, 1842)	2				X			
Elimaea (Elimaea) hoozanensis Karny, 1915	1				X			Elimaea Elimaea hoozanensis Karny, 1915, 1 syntype
Elimaea (Elimaea) inversa (Brunner von Wattenwyl, 1891)	1				X			
Elimaea (Elimaea) melanocantha (Walker, 1869)	1				X			
Elimaea (Elimaea) poaefolia (Haan, 1842)	2				X			
Elimaea (Elimaea) rosea Brunner von Wattenwyl, 1878	1				X			
Elimaea (Elimaea) schenklingi Karny, 1915	2				X			Elimaea Elimaea schenklingi Karny, 1915, 2 syntypes
Elimaea (Elimaea) securigera Brunner von Wattenwyl, 1868	1				X			
Elimaea (Orthelimaesa) flavolineata Brunner von Wattenwyl, 1878	2				X			
Elimaea (Orthelimaesa) insignis (Walker, 1869)	2				X			
Elimaea (Rhaebelimaesa) caricifolia (Haan, 1842)	1				X			
Elimaea (Rhaebelimaesa) curvicercata Brunner von Wattenwyl, 1891	2				X			
Elimaea (Rhaebelimaesa) longicercata Brunner von Wattenwyl, 1891	1				X			
Elimaea (Rhaebelimaesa) puncticosta Bolivar, 1914	1				X			
Elimaea punctifera (Walker, 1869)	2				X			
Engonia minor Brunner von Wattenwyl, 1878	1			X				
Enthacanthodes parvus (Brunner von Wattenwyl, 1895)	1			X				
Enyaliopsis inflatus Weidner, 1941	1					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Enyaliopsis petersii</i> (Schaum, 1853)	1					X		
<i>Enyaliopsis spec.</i>	1					X		
<i>Eobiana engelhardti</i> (Uvarov, 1926)	1	X						
<i>Ephippiger discoidales</i> Fieber, 1853	10	X						
<i>Ephippiger diurnus</i> Dufour, 1841	1	X						
<i>Ephippiger ephippiger</i> (Fiebig, 1784)	8	X						
<i>Ephippiger zelleri</i> Fischer, 1853	2	X						
<i>Ephippigerida areolaria</i> (Bolivar, 1876 or 1877?)	2	X						
<i>Ephippigerida carinata</i> (Bolivar, 1877)	5	X						
<i>Ephippigerida nigromarginata</i> (Lucas, 1849)	1	X						
<i>Ephippigerida pantingana</i> (Navàs, 1904)	2	X						
<i>Ephippigerida taeniata</i> (Saussure, 1898)	1	X						
<i>Ephippitytha trigintiduoguttata</i> (Serville, 1838)	1						X	
<i>Erechthis gundlachi</i> Bolivar, 1888	1			X				
<i>Eriolus caraibeus</i> Bolivar, 1888	1			X				
<i>Euceraia atosignata</i> (Brunner von Wattenwyl, 1891)	1			X				
<i>Euconchophora spinigera</i> (Redtenbacher, 1891)	1					X		
<i>Euconocephalus australis</i> (Bolivar, 1884)	3						X	
<i>Euconocephalus brachyxiphus</i> (Redtenbacher, 1891)	7				X			
<i>Euconocephalus coarctatus</i> (Redtenbacher, 1891)	2				X			
<i>Euconocephalus coniceps</i> (Redtenbacher, 1891)	1				X			
<i>Euconocephalus gracilis</i> (Redtenbacher, 1891)	8				X			
<i>Euconocephalus indicus</i> (Redtenbacher, 1891)	8				X			
<i>Euconocephalus insulanus</i> (Redtenbacher, 1891)	3				X			
<i>Euconocephalus mucro</i> (Haan, 1842)	3				X			
<i>Euconocephalus pallidus</i> (Redtenbacher, 1891)	16				X			
<i>Euconocephalus picteti</i> (Redtenbacher, 1891)	2				X			
<i>Euconocephalus thunbergi</i> (Montrouzier, 1855)	1	X						
<i>Euconocephalus ustalus</i> (Redtenbacher, 1891)	1				X			
<i>Eugaster guyoni</i> (Serville, 1838)	3	X						
<i>Eugaster spinulosa</i> (Johannson, 1763)	1	X						
<i>Euhexacentrus annulicornis</i> (Stål, 1877)	4				X			
<i>Eumacroxiphus megapterus</i> (Brongniart, 1897)	1				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Eumacroxiphus vaginatus</i> (Pictet, 1888)	1				X			
<i>Eumecopoda cyrtoscelis</i> (Karsch, 1888)	1				X			
<i>Eupholidoptera chabrieri</i> (Charpentier, 1825)	9	X						
<i>Eurycorypha prasinata</i> Stål, 1874	2					X		
<i>Eurycorypha stylata</i> Stål, 1873	1					X		
<i>Eurycorypha varia</i> Brunner von Wattenwyl, 1891	1					X		
<i>Euthypoda brevipennis</i> (Redtenbacher, 1892)	1					X		
<i>Euthypoda kangaroo</i> (Pictet, 1888)	2					X		
<i>Furnia malaya</i> Stål, 1876	1				X			
<i>Gampsocleis abbreviata ebneri</i> Uvarov, 1921	4	X						
<i>Gampsocleis gratiosa</i> Brunner von Wattenwyl, 1862	3	X						
<i>Gnathoclitia vorax</i> (Stoll, 1813)	1			X				
<i>Gongrocnemis</i> ( <i>Gongrocnemis</i> ) <i>tenebrosa</i> (Walker, 1870)	1		X					
<i>Gongrocnemis</i> ( <i>Melanocnemis</i> ) <i>hilaris</i> (Brunner von Wattenwyl, 1895)	1			X				
<i>Gymnoscirtus unguiculatus</i> (Karsch, 1888)	1					X		
<i>Hapalophyllum vrazi</i> (Bolívar, 1898)	1				X			
<i>Hemielimaea</i> ( <i>Pseudelimaea</i> ) <i>tonkinensis</i> Dohrn, 1906	3				X			
<i>Hetrodes pupus</i> (Linné, 1758)	1					X		
<i>Hexacentrus dorsatus</i> Redtenbacher, 1891	2					X		
<i>Hexacentrus femoralis</i> Dohrn, 1905	1				X			
<i>Hexacentrus inflatus</i> Redtenbacher, 1891	1					X		
<i>Hexacentrus pusillus</i> Redtenbacher, 1891	1				X			
<i>Hexacentrus unicolor</i> Serville, 1831	13				X			
<i>Holochlora albida</i> Brunner von Wattenwyl, 1878	1				X			
<i>Holochlora brevifissa</i> Brunner von Wattenwyl, 1878	2				X			
<i>Holochlora ensis</i> (Haan, 1842)	3				X			
<i>Holochlora forstenii</i> (Haan, 1842)	1				X			
<i>Holochlora hebardii</i> Karny, 1926	1				X			
<i>Holochlora javanica</i> Brunner von Wattenwyl, 1878	1				X			
<i>Holochlora maxima</i> Hebard, 1922	3				X			
<i>Holochlora signata</i> Brunner von Wattenwyl, 1891	2				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Holochlora spectabilis (Walker, 1869)	1				X			
Holochlora venosa Stål, 1873	1				X			
Homotoicha diversa Brunner von Wattenwyl, 1891	1			X				
Hoplidostylus argillatus Karsch, 1893	2					X		
Horatosphaga stuhlmanni (Karsch, 1896)	1					X		
Hyperophora brasiliensis Brunner von Wattenwyl, 1878	1			X				
Hyperophora minor Brunner von Wattenwyl, 1891	2			X				
Hyperophora peruviana Brunner von Wattenwyl, 1891	1			X				
Hyperphrona angusta Brunner von Wattenwyl, 1878	1			X				
Hyperphrona binotata Brunner von Wattenwyl, 1891	1			X				
Hyperphrona gracilis Brunner von Wattenwyl, 1891	2			X				
Hyperphrona sordida Brunner von Wattenwyl, 1891	3			X				
Hyperphrona striolata Brunner von Wattenwyl, 1878	1			X				
Hyperphrona submaculata Brunner von Wattenwyl, 1878	1			X				
Idiarthron atrispinum (Stål, 1874)	1			X				
Idiarthron incurvum (Stål, 1875)	1			X				
Insara bolivari (Griffini, 1896)	1			X				
Insara intermedia (Brunner von Wattenwyl, 1878)	1			X				
Insara sinaloae Hebard, 1925	2		X					Insara sinaloae Hebard, 1925, 2 paratypes
Insara tolteca (Serville, 1859)	1		X					
Inscudderia strigata (Scudder, 1898)	4		X					
Inscudderia walkeri Hebard, 1925	3		X					
Ischnomela gracilis Stål, 1873	1			X				
Isophya camptoxipha (Fieber, 1853)	2	X						
Isophya costata Brunner von Wattenwyl, 1878	2	X						
Isophya pyrenea (Serville, 1838)	19	X						
Isopsera vaga Brunner von Wattenwyl, 1878	1				X			
Itarissa nitidula (Brunner von Wattenwyl, 1878)	1			X				
Itarissa rectinervis (Brunner von Wattenwyl, 1891)	1			X				
Jamaicana subguttata (Walker, 1870)	2			X				
Lacipoda immunda Brunner von Wattenwyl, 1895	1				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Lanista annulicornis (Walker, 1869)	1					X		
Leproscirtus granulatus (Karsch, 1886)	2					X		
Leptoderes ornatipennis Serville, 1838	2				X			
Leptophyes albiovittata (Kollar, 1833)	22	X						
Leptophyes bosci Fieber, 1853	13	X						
Leptophyes punctatissima (Bosc, 1792)	4	X						
Leptotettix voluptarius Brunner von Wattenwyl, 1895	2			X				
Letana inflata (Brunner von Wattenwyl, 1878)	2				X			
Letana lineata Walker, 1869	2				X			
Leurophyllum consanguineum (Serville, 1838)	2			X				
Leurophyllum luridum (Brunner von Wattenwyl, 1895)	1			X				
Leurophyllum vulturinum (De Geer, 1773)	1			X				
Lichenochrus crassipes Karsch, 1890	1					X		
Ligocatinus olivaceum (Brunner von Wattenwyl, 1891)	1			X				
Ligocatinus spinatus (Brunner von Wattenwyl, 1878)	2			X				
Liotrachela lobata Brunner von Wattenwyl, 1891	5				X			
Liotrachela philippina Brunner von Wattenwyl, 1878	1				X			
Liparoscelsis pallidispina Stål, 1873	1		X					
Liparoscelsis modesta (Brunner von Wattenwyl, 1895)	1			X				
Lirometopum coronatum Scudder, 1875	2			X				
Listrocelis atrata Redtenbacher, 1891	1			X				
Listrocelis carinata Karny, 1907	3			X				
Macrochiton adjutor Brunner von Wattenwyl, 1895	1			X				
Macroxiphus sumatranus (Haan, 1842)	1				X			
Meconema thalassinum (De Geer, 1773)	47	X						
Mecopoda elongata (Linné, 1758)	43	X			X			
Melanophoxus brunneri Karny, 1907	2			X				
Merocidius flavolimbatus Brunner von Wattenwyl, 1895	1			X				
Merocidius glabratus Burmeister, 1838	1			X				
Merocidius intermedius Brunner von Wattenwyl, 1895	3			X				
Metaplastes ornatus (Ramme, 1931)	1	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Metholce nigritarsis alker, 1871	1						X	
Metrioptera (Metrioptera) brachyptera (Linné, 1761)	42	X						
Microcentrum angustatum Brunner von Wattenwyl, 1878	1			X				
Microcentrum lanceolatum (Burmeister, 1838)	1			X				
Microcentrum marginellum (Serville, 1838)	7			X				
Microcentrum retinerve (Burmeister, 1838)	2			X				
Microcentrum rhombifolium (Saussure, 1859)	3		X					
Microcentrum simplex Hebard, 1932	1			X				Microcentrum simplex Hebard, 1932, 1 paratype
Mimetica incisa Stål, 1875	1			X				
Mimetica viridifolia Brunner von Wattenwyl, 1895	2			X				
Mioacris brevifolia (Haan, 1842)	1				X			
Mirollia carinata carinata (Haan, 1842)	1				X			
Molpa bilineolata Walker, 1870	2				X			
Moncheca bisulca (Serville, 1825)	3			X				
Moncheca pretiosa Walker, 1869	1			X				
Moncheca viridis (Redtenbacher, 1891)	1			X				
Montezumina sinaloae Hebard, 1925	1		X					Montezumina sinaloae Hebard, 1925, 1 paratype
Morgenia hamuligera Karsch, 1890	1					X		
Mormotus clavaticercus Karsch, 1891	1					X		
Mossula salomonis Kirby, 1891	2						X	
Mustius afzelii (Stål, 1873)	2					X		
Mustius serrulatus Bolívar, 1886	1					X		
Neduba carinata Walker, 1869	1		X					
Neoconocephalus affinis (Beauvois, 1805)	8			X				
Neoconocephalus brunneri (Redtenbacher, 1891)	1			X				
Neoconocephalus carbonarius (Redtenbacher, 1891)	1			X				
Neoconocephalus elongatus (Redtenbacher, 1891)	2			X				
Neoconocephalus ensiger (Harris, 1841)	3		X					
Neoconocephalus exaltatus (Walker, 1869)	2			X				
Neoconocephalus flavirostris (Redtenbacher, 1891)	2			X				
Neoconocephalus harti Karny, 1909	2			X				
Neoconocephalus infuscatus (Scudder, 1875)	2			X				



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Neoconocephalus kraussi</i> (Redtenbacher, 1891)	3			X				
<i>Neoconocephalus maculosus</i> (Redtenbacher, 1891)	2			X				
<i>Neoconocephalus maxillosus</i> (Fabricius, 1775)	5			X				
<i>Neoconocephalus maximus</i> (Karny, 1907)	3			X				
<i>Neoconocephalus mexicanus</i> (Saussure, 1859)	2		X					
<i>Neoconocephalus nebrascensis</i> (Bruner, 1891)	1		X					
<i>Neoconocephalus nigricans</i> (Redtenbacher, 1891)	2			X				
<i>Neoconocephalus puiggarii</i> (Bolivar, 1884)	1			X				
<i>Neoconocephalus robustus</i> (Scudder, 1862)	1		X					
<i>Neoconocephalus rugosicollis</i> (Bolivar, 1881)	3			X				
<i>Neoconocephalus testaceus</i> (Redtenbacher, 1891)	2			X				
<i>Neoconocephalus triops</i> (Linné, 1758)	5			X				
<i>Neoconocephalus truncatirostris</i> (Redtenbacher, 1891)	2			X				
<i>Neoconocephalus tuberculatus</i> (De Geer, 1773)	2			X				
<i>Neodiaphlebus uniformis</i> (Brunner von Wattenwyl, 1898)	1						X	
<i>Nicsara bifasciata</i> (Redtenbacher, 1891)	2						X	
<i>Nicsara hageni</i> Dohrn, 1905	1						X	
<i>Nicsara inferior</i> (Brunner von Wattenwyl, 1898)	1				X			
<i>Nicsara moluccana</i> (Redtenbacher, 1891)	1				X			
<i>Nicsara nigrifrons</i> (Brunner von Wattenwyl, 1898)	1							
<i>Nicsara schlaginhaufeni</i> Karny, 1912	1						X	
<i>Odontolakis virescens</i> Redtenbacher, 1891	1					X		
<i>Odontoxiphidium apterum</i> Morse, 1901	2		X					
<i>Ommatoptera mutila</i> (Vignon, 1923)	1			X				<i>Ommatoptera bicorrosa</i> Vignon, 1926, holotype
<i>Ommatoptera pictifolia</i> (Walker, 1870)	5			X				<i>Ommatoptera sera</i> Vignon, 1926, holotype
<i>Onconotus laxmanni</i> (Pallas, 1771)	1	X						
<i>Onomarchus leuconotus</i> (Serville, 1838)	1				X			
<i>Onomarchus uninotatus</i> (Serville, 1838)	2				X			
<i>Opisthodicrus cochlearistylus</i> Karsch, 1891	1					X		
<i>Orchelimum</i> ( <i>Orchelimum</i> ) <i>agile</i> (De Geer, 1773)	4		X					
<i>Orchelimum</i> ( <i>Orchelimum</i> ) <i>concinnum</i> Scudder, 1862	5		X					

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Orchelimum (Orchelimum) gladiator Bruner, 1891	5		X					
Orchelimum (Orchelimum) laticauda (Redtenbacher, 1891)	1		X					
Orchelimum (Orchelimum) nigripes Scudder, 1875	2		X					
Orchelimum (Orchelimum) vulgare Harris, 1841	3		X					
Orophus conspersus (Brunner von Wattenwyl, 1878)	2			X				
Orophus erosus (Brunner von Wattenwyl, 1891)	1			X				
Orophus tessellatus tessellatus (Saussure, 1861)	4			X				
Oxylakis punctipennis Redtenbacher, 1891	1				X			
Oxyprora flavicornis Redtenbacher, 1891	1			X				
Oxystethus intermedius Redtenbacher, 1891	3				X			
Pachytrachis gracilis (Brunner von Wattenwyl, 1861)	10	X						
Pachytrachis striolatus (Fieber, 1853)	1	X						
Pantecphylus (Pantecphylus) cerambycinus Karsch, 1891	1					X		
Parableta integricauda Brunner von Wattenwyl, 1878	2			X				
Parableta soror (Brunner von Wattenwyl, 1891)	2			X				
Parabucrates brevicauda (Scudder, 1869)	4			X				
Paracaedicia serrata Brunner von Wattenwyl, 1891	2						X	
Paracaedicia tibialis Brunner von Wattenwyl, 1891	3						X	
Paracaedicia verrucosa Brunner von Wattenwyl, 1891	1						X	
Paracycloptera reticulata (Kirby, 1906)	1			X				
Paradiaphlebus vittatus (Brunner von Wattenwyl, 1898)	1						X	
Paragraecia javanica Karny, 1907	2				X			
Parahexacentrus paradoxus (Karny, 1907)	1						X	
Paralistroscelis listrosceloides (Karny, 1907)	2					X		
Paramorsimus acutelaminatus (Brunner von Wattenwyl, 1895)	1				X			
Paramorsimus maculifolius (Pictet & Saussure, 1892)	2				X			
Paraphidnia spec.	2			X				
Paraphisis (Heterophisis) listeri (Kirby, 1888)	1						X	
Pardalota asymmetrica Karsch, 1896	4					X		
Pelerinus alienus (Brunner von Wattenwyl, 1878)	1				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Peranabrus scabricollis</i> (Thomas, 1872)	2		X					
<i>Petaloptera zendala</i> Saussure, 1859	1			X				
<i>Pezodrymadusa magnifica</i> (Werner, 1901)	1	X						
<i>Phaneroptera brevis</i> (Serville, 1838)	1				X			
<i>Phaneroptera brevis</i> (Serville, 1838)	11				X			
<i>Phaneroptera falcata</i> (Poda, 1761)	16	X						
<i>Phaneroptera furcifera</i> Stål, 1861	28				X			
<i>Phaneroptera gracilis</i> Burmeister, 1838	1				X			
<i>Phaneroptera nana</i> Fieber, 1853	1					X		
<i>Phaneroptera nana</i> Fieber, 1853	1	X						
<i>Phaneroptera nigroantennata</i> Brunner von Wattenwyl, 1878	2				X			
<i>Phaneroptera trigonia</i> Ragge, 1957	3				X			<i>Phaneroptera trigonia</i> Ragge, 1957, 3 paratypes
<i>Phaulula compressa</i> (Brunner von Wattenwyl, 1891)	1				X			
<i>Phaulula daitoensis</i> (Matsumura & Shiraki, 1908)	1				X			
<i>Phaulula galeata</i> (Hebard, 1922)	1				X			
<i>Phaulula laevis</i> (Brunner von Wattenwyl, 1878)	4				X			
<i>Phaulula phaneropteroides</i> (Brunner von Wattenwyl, 1891)	1				X			
<i>Philophyllia guttulata</i> Stål, 1873	1			X				
<i>Philophyllia latior</i> Brunner von Wattenwyl, 1878	2			X				
<i>Phisis africana</i> Karny, 1907	2					X		
<i>Phisis pectinatra</i> (Guérin-Méneville, 1832)	1				X			
<i>Phlugiola dahlemica</i> Eichler, 1938	17	X						
<i>Phlugis chrysopa</i> Bolivar, 1888	1			X				
<i>Phlugis spinipes</i> (Fabricius, 1775)	1			X				
<i>Phlugis teres</i> (De Geer, 1773)	2			X				
<i>Phlugis virens</i> (Thunberg, 1815)	4			X				
<i>Pholidoptera aptera</i> (Fabricius, 1793)	53	X						
<i>Pholidoptera dalmatica</i> (Krauss, 1879)	3	X						
<i>Pholidoptera fallax</i> (Fischer, 1853)	9	X						
<i>Pholidoptera femorata</i> (Fieber, 1853)	2	X						
<i>Pholidoptera frivaldskyi</i> (Herman, 1871)	1	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Pholidoptera griseoptera (De Geer, 1773)	59	X						
Pholidoptera littoralis (Fieber, 1853)	2	X						
Phygela haanii Stål, 1876	1				X			
Phygela marginata Brunner von Wattenwyl, 1878	3				X			
Phyllomimus (Phyllomimus) inversus Brunner von Wattenwyl, 1895	1				X			
Phyllomimus (Phyllomimus) pallidus Brunner von Wattenwyl, 1895	1				X			
Phyllomimus (Phyllomimus) sinincus Beier, 1954	1				X			
Phyllomimus (Phyllomimus) unicolor (Brunner von Wattenwyl, 1895)	4				X			
Phyllophora keyica Brunner von Wattenwyl, 1898	1						X	
Phyllophora pellucida Karny, 1924	1						X	
Phyllophora speciosa Thunberg, 1815	2						X	
Phyllophorella transiens Karny, 1924	2						X	
Phylloptera (Phylloptera) arata Brunner von Wattenwyl, 1878	1			X				
Phylloptera (Phylloptera) coriacea Brunner von Wattenwyl, 1891	3			X				
Phylloptera famula Brunner von Wattenwyl, 1878	3			X				
Phylloptera ovalifolia Burmeister, 1838	2			X				
Phylloptera peruviana Brunner von Wattenwyl, 1878	2			X				
Phyllozelus (Phyllozelus) infumatus Brunner von Wattenwyl, 1893	1				X			
Plagiopleura consobrina Brunner von Wattenwyl, 1891	1			X				
Plagiopleura nigromarginata Stål, 1873	1			X				
Plangia albolineata (Brunner von Wattenwyl, 1878)	1					X		
Plangia graminea (Serville, 1838)	1					X		
Platycleis (Platycleis) affinis Fieber, 1853	7	X						
Platycleis (Platycleis) albopunctata (Goeze, 1778)	67	X						
Platycleis (Platycleis) albopunctata grisea (Fabricius, 1781)	8	X						
Platycleis (Platycleis) escalerae Bolivar, 1899	1	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Platycleis (Platycleis) intermedia (Serville, 1838)	3	X						
Platyphyllum viridifolium (Serville, 1825)	1			X				
Platystolus martinezii (Bolivar, 1873)	2	X						
Platystolus obvius Navàs, 1904	2	X						
Pleminia brachyxipha Brunner von Wattenwyl, 1895	1			X				
Pleminia vicina Brunner von Wattenwyl, 1895	1			X				
Poecilimon affinis (Frivaldsky, 1867)	2	X						
Poecilimon elegans (Brunner von Wattenwyl, 1878)	1	X						
Poecilimon gracilis (Fieber, 1853)	1	X						
Poecilimon jonicus (Fieber, 1853)	2	X						
Poecilimon nobilis (Brunner von Wattenwyl, 1878)	1	X						
Poecilimon ornatus (Schmidt, 1850)	2	X						
Poecilimon propinquus Brunner von Wattenwyl, 1878	2	X						
Poecilimon tauricus Retowski, 1888	2	X						
Poecilogramma striatifemur Karsch, 1887	1					X		
Poecilopsyra octoseriata (Haan, 1842)	1				X			
Polyancistrus serrulatus serrulatus (Beauvois, 1805)	1			X				
Polycleptis scutellifera Karsch, 1891	11			X				
Polysarcus denticauda (Charpentier, 1825)	22	X						
Polysarcus elbursianus (Uvarov, 1929)	1	X						
Polysarcus zacharovi (Stshelkanovtzev, 1909)	5	X						
Poreuomena africana Brunner von Wattenwyl, 1878	1					X		
Preussia lobatipes Karsch, 1890	1					X		
Pristonotus tuberosus (Stål, 1875)	1			X				
Promeca fuscescens (Haan, 1842)	1				X			
Pseudoburgilis rosea Brunner von Wattenwyl, 1878	1			X				
Pseudonicsara (Pseudonicsara) crassicercus Karny, 1912	1						X	
Pseudonicsara (Pseudonicsara) pallidifrons (Brunner von Wattenwyl, 1898)	1						X	
Pseudophyllus dyaka (Hebard, 1922)	1				X			
Pseudophyllus neriifolius (Lichtenstein, 1796)	2				X			
Pseudorhynchus crassipes (Haan, 1842)	2				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Pseudorhynchus lessonii</i> Serville, 1838	3						X	
<i>Pseudorhynchus lessonii</i> Serville, 1838	3						X	
<i>Pseudorhynchus minor</i> Redtenbacher, 1891	3						X	
<i>Pseudorhynchus pungens</i> Schaum, 1853	1					X		
<i>Pseudorhynchus sikkimensis</i> Karny, 1907	1				X			
<i>Psorodonotus venosus</i> (Fischer von Waldheim, 1839)	6	X						
<i>Psorodonotus venosus brunneri</i> Stshelkanovtzev, 1914	1	X						
<i>Psorodonotus venosus brunneri</i> Stshelkanovtzev, 1914	1	X						
<i>Psyrana borneensis</i> (Brunner von Wattenwyl, 1878)	2						X	
<i>Psyrana longelaminata</i> (Brunner von Wattenwyl, 1891)	3				X			
<i>Psyrana melanonota</i> (Stål, 1876)	3				X			
<i>Psyrana pomona</i> (Kirby, 1900)	3						X	
<i>Pterochroza ocellata</i> (Linné, 1758)	1			X				
<i>Pterophylla</i> ( <i>Pterophylla</i> ) <i>camellifolia</i> (Fabricius, 1775)	1		X					
<i>Pycnogaster</i> ( <i>Bradygaster</i> ) <i>inermis</i> (Rambur, 1838)	1	X						
<i>Pycnogaster</i> ( <i>Pycnogaster</i> ) <i>graellsii</i> Bolivar, 1873	3	X						
<i>Pycnopalpa bicordata</i> (Serville, 1825)	13			X				
<i>Pyrgocorypha formosana</i> Matsumura & Shiraki, 1908	2				X			
<i>Pyrgocorypha sallei</i> (Saussure, 1859)	2		X					
<i>Pyrgocorypha subulata</i> (Thunberg, 1815)	3				X			
<i>Pyrgocorypha uncinata</i> (Harris, 1841)	4		X					
<i>Rhacocleis germanica</i> (Herrich-Schäffer, 1840)	12	X						
<i>Rhinischia transiens</i> (Brunner von Wattenwyl, 1895)				X				
<i>Rhodopteryx elongata</i> Vignon, 1924	1			X				
<i>Ruspolia basiguttata</i> (Bolivar, 1906)	3					X		
<i>Ruspolia differens</i> (Serville, 1838)	6					X		
<i>Ruspolia lineosa</i> (Walker, 1869)	8				X			
<i>Ruspolia nitidula</i> (Scopoli, 1786)	18	X				X		
<i>Saga natoliae</i> Serville, 1838	10	X						
<i>Saga ornata</i> Burmeister, 1838	2	X						
<i>Saga spec.</i>	1	X						

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Salomona godeffroyi (Pictet, 1888)	3						X	
Salomona megacephala (Haan, 1842)	1						X	
Salomona obscura javanica Redtenbacher, 1891	3				X			
Salomona ustulata Redtenbacher, 1891	1						X	
Sanaa imperialis (White, 1846)	1				X			
Sasima spinosa (Brunner von Wattenwyl, 1898)	1						X	
Sasima spinosa sinuata Kästner, 1933	2						X	Sasima spinosa sinuata Kästner, 1933, 2 syntypes
Sasima spinosa sinuata Kästner, 1933	2						X	Sasima spinosa sinuata Kästner, 1933, 2 syntypes
Sathrophyllia femorata (Fabricius, 1787)	2				X			
Sathrophyllia rugosa (Linné, 1758)	7				X		X	
Scambophyllum sanguinolentum (Westwood, 1848)	1				X			
Scaphura elegans (Serville, 1838)	15			X				
Scaphura nigra (Thunberg, 1824)	10			X				
Scaphura spec.	1			X				
Schedocentrus (Prodiarthron) innotatus (Walker, 1870)	2			X				
Schedocentrus (Prodiarthron) nigroantennatus (Brunner von Wattenwyl, 1895)	2			X				
Schedocentrus (Schedocentrus) areolatus (Brunner von Wattenwyl, 1895)	1			X				
Scotussa liens (Stål, 1861)				X				
Scudderia cuneata Morse, 1901	1		X					
Scudderia curvicauda (De Geer, 1773)	4		X					
Scudderia curvicauda borealis Rehn & Hebard, 1914	2		X					
Scudderia curvicauda laticauda Brunner von Wattenwyl, 1878	2		X					
Scudderia furcata Brunner von Wattenwyl, 1878	4		X					
Scudderia furcata sinaloae Hebard, 1932	2		X					Scudderia furcata sinaloae Hebard, 1932, 2 paratypes
Scudderia paronae Griffini, 1896	1			X				
Scudderia pistillata Brunner von Wattenwyl, 1878	4		X					
Scudderia texensis Saussure & Pictet, 1897	2		X					
Segestes decoratus Redtenbacher, 1892	1						X	
Segestidea novaeguineae (Brancsik, 1898)	1						X	
Semileptotettix arenosus (Burmeister, 1838)	1			X				

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
<i>Sexava coriacea</i> (Linné, 1758)	2				X			
<i>Sexava nubila</i> (Stål, 1874)	1				X			
<i>Siliquofera grandis</i> (Blanchard, 1853)	15			X			X	
<i>Sinochlora voluptaria</i> (Carl, 1914)	2				X			
<i>Steirodon</i> ( <i>Peucestes</i> ) <i>dentatum</i> (Stål, 1874)	1			X				
<i>Steirodon</i> ( <i>Peucestes</i> ) <i>striolatus</i> (Brunner von Wattenwyl, 1878)	1			X				
<i>Steirodon</i> ( <i>Posidippus</i> ) <i>rarospinulosum</i> (Brunner von Wattenwyl, 1891)	1			X				
<i>Steirodon</i> ( <i>Steirodon</i> ) <i>citrifolius</i> (Stål, 1873)	1			X				
<i>Steirodon validum</i> Stål, 1874	3			X				
<i>Steiroxys borealis</i> Scudder, 1894	1		X					
<i>Steiroxys trilineatus</i> (Thomas, 1870)	2		X					
<i>Stenamblyphyllum dilutum</i> Karsch, 1896	1					X		
<i>Stenampyx annulicornis</i> Karsch, 1891	1					X		
<i>Stenophyllia modesta</i> (Blanchard, 1851)	2			X				
<i>Steropleurus lucasi</i> (Brunner von Wattenwyl, 1882)	1	X						
<i>Steropleurus stalii</i> (Bolivar, 1878)	2	X						
<i>Stibaroptera nitidifolia</i> (Haan, 1842)	1				X			
<i>Stictophaula spinosolaminata</i> (Brunner von Wattenwyl, 1878)	1				X			
<i>Stilpnochlora azteca</i> (Saussure, 1859)	5			X				
<i>Stilpnochlora incisa</i> Brunner von Wattenwyl, 1878	2			X				
<i>Stilpnochlora laurifolia</i> (Linné, 1758)	1			X				
<i>Stilpnochlora marginella</i> (Serville, 1838)	3			X				
<i>Stilpnochlora thoracica</i> (Serville, 1831)	2			X				
<i>Subria amazonica</i> Redtenbacher, 1891	1			X				
<i>Subria sulcata</i> Redtenbacher, 1891	1				X			
<i>Sympaestria acutelobata</i> Brunner von Wattenwyl, 1848	1				X			
<i>Syntechna olivaceoviridis</i> Brunner von Wattenwyl, 1878	1			X				
<i>Syntechna tarasca</i> (Saussure, 1859)	2			X				
<i>Tanusia brullaei</i> (Blanchard, 1840)	2			X				



<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Tanusia decorata (Walker, 1870)	3			X				
Tanusia versicolor Vignon, 1923	1			X				
Tapiena Bolivar, 1906	1				X			
Tegra novaehollandiae (Haan, 1842)	2				X			Tarphe karnya Willemse, 1933, holotype
Temnophyllus atrosignatus Brunner von Wattenwyl, 1895	2				X			
Terpandrus horridus (Burmeister, 1838)	1						X	
Tessellana veyseli (Koçak, 1984)	1	X						
Tessellana veyseli (Koçak, 1984)	12	X						
Tetraconcha fenestrata Karsch, 1890	2					X		
Tetragonomera marmorata (Burmeister, 1838)	1			X				
Tettigonia cantans (Fuessly, 1775)	38	X						
Tettigonia caudata (Charpentier, 1842)	13	X						
Tettigonia chinensis Willemse, 1933	1				X			
Tettigonia hispanica Bolivar, 1893	6	X						
Tettigonia viridissima (Linné, 1758)	47	X						
Theudoria melanocnemis (Stål, 1861)	1			X				
Theudoria nigrolineata Brunner von Wattenwyl, 1891	3			X				
Thliboscelus hypericifolius (Stoll, 1813)	1			X				
Thyridorhoptrum senegalense (Krauss, 1877)	4					X		
Tomeophera pugiunculata Brunner von Wattenwyl, 1878	1			X				
Tomias (Semiophygus) arescus (Karsch, 1896)	1					X		
Topana cincticornis (Stål, 1873)	3			X				
Topana tuberculata (Brunner von Wattenwyl, 1878)	3			X				
Trichophallus gracilis (Karny, 1907)	1						X	
Triencentrus nigrospinosus (Brunner von Wattenwyl, 1895)	1			X				
Tylopsis lilifolia (Fabricius, 1793)	15	X						
Tympanocompus acclivis Karsch, 1891	2					X		
Tympanophyllum (Anapriion) virescens (Serville, 1838)	1				X			
Tympanophyllum (Tympanophyllum) atroterminatum (Brunner von Wattenwyl, 1895)	1				X			

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Tympanoptera grioleti Pictet & Saussure, 1892	1				X			
Typhoptera staudingeri (Brunner von Wattenwyl, 1895)	1				X			
Uromenus (Bolivarius) brevicollis insularis Chopard, 1923	2	X						
Uromenus (Bolivarius) elegans (Fischer, 1853)	1	X						
Uromenus (Uromenus) compressicollis (Fischer, 1853)	1	X						
Uromenus (Uromenus) laticollis (Lucas, 1849)	2	X						
Uronemus (Bolivarius) brevicollis (Fischer, 1853)	1	X						Ephippiger confusus Finot, 1897, 1 syntype
Vella cruenta (Burmeister, 1838)	1			X				
Viadana myrtifolia (Linné, 1758)	2			X				
Viadana zetterstedti (Stål, 1861)	1			X				
Xestophrys horvathi Bolivar, 1905	3				X			
Xestophrys javanicus Redtenbacher, 1891	1				X			
Xiphidiopsis (Xiphidiopsis) distincta Redtenbacher, 1891	1				X			
Xiphidiopsis (Xiphidiopsis) fallax Redtenbacher, 1891	1				X			
Xiphidiopsis (Xiphidiopsis) lita Hebard, 1922	6						X	
Xiphophyllum (Xiphophyllum) atosignatum atosignatum (Brunner von Wattenwyl, 1895)	2			X				
Yersinella raymondi (Yersin, 1860)	6	X						
Zabalius lineolatus (Stål, 1873)	1					X		
Zabalius ophthalmicus (Walker, 1869)	2					X		
Zeuneria melanopeza Karsch, 1889	1					X		
Zulpha perlaria (Westwood, 1848)	1						X	
<b>● THERICLEIDAE</b>								
Plagiotriptus hippiscus (Gerstaecker, 1869)	1					X		
<b>● TRIDACTYLIDAE</b>								
Ellipes minuta (Scudder, 1862)	3		X					
Ellipes minuta (Scudder, 1863)	2		X					
Neotridactylus apicalis (Say, 1825)	1		X					
Neotridactylus australis (Bruner, 1916)	1			X				Tridactylus latipes Chopard, 1937, holotype
Tridactylus paradoxus Latreille, 1802	1					X		

<b>SPECIES</b>	<b>SPECIMENS</b>	<b>PA</b>	<b>NA</b>	<b>NT</b>	<b>OR</b>	<b>ET</b>	<b>AU</b>	<b>TYPE MATERIAL</b>
Tridactylus thoracicus Guérin-Méneville, 1844	2				X			
Xya japonica (Haan, 1842)	26				X			
Xya nigripennis (Chopard, 1936)	1				X			
Xya variegata (Latreille, 1809)	36	X			X			
<b>● TRIGONOPTERYGIDAE</b>								
Systema philippensis (Walker, 1870)	2				X			
Systema rafflesii Westwood, 1841	3				X			
Trigonopteryx (Trigonopteryx) punctata Charpentier, 1841	2				X			