
| | |
|---|--------|
| <i>Agapostemon atracoeruleus</i> Friese | 6 ex. |
| <i>Agapostemon castaneus</i> Friese | 1 ex. |
| <i>Agapostemon chapadensis</i> Cockerell | 3 ex. |
| <i>Agapostemon cockerelli</i> Crawford, 1901 | 8 ex. |
| <i>Agapostemon femoratus</i> Crawford, 1901 | 14 ex. |
| <i>Agapostemon melliventris</i> Cresson | 8 ex. |
| <i>Agapostemon nasutus</i> Smith, 1853 | 15 ex. |
| <i>Agapostemon semimelleus</i> Cockerell | 5 ex. |
| <i>Agapostemon semiviridis</i> Cresson | 1 ex. |
| <i>Agapostemon sericeus</i> (Forster, 1771) | 9 ex. |
| <i>Agapostemon splendens</i> (Lepeletier, 1841) | 8 ex. |
| <i>Agapostemon texanus</i> Cresson, 1872 | 28 ex. |
| <i>Agapostemon virescens</i> (Fabricius, 1775) | 14 ex. |
| <i>Aglæ caerulea</i> Lepeletier & Serville, 1825 | 2 ex. |
| <i>Allodape abdominalis</i> Brauns | 1 ex. |
| <i>Allodape bipunctata</i> Friese | 1 ex. |
| <i>Allodape candida</i> Smith, 1879 | 1 ex. |
| <i>Allodape clypeata</i> Brauns | 2 ex. |
| <i>Allodape crinita</i> Brauns, valid? | 1 ex. |
| <i>Allodape cupulifera</i> Vachal | 3 ex. |
| <i>Allodape dichroa</i> Strand, 1915 | 3 ex. |
| <i>Allodape elisabethana</i> Brauns | 1 ex. |
| <i>Allodape friesei</i> Brauns | 2 ex. |
| <i>Allodape hirsuta</i> Brauns | 1 ex. |
| <i>Allodape lacteipennis</i> Brauns | 5 ex. |
| <i>Allodape marginata</i> Smith | 40 ex. |
| <i>Allodape pallipes</i> Friese | 2 ex. |
| <i>Allodape panurgoides</i> Smith | 3 ex. |
| <i>Allodape paradoxa</i> Brauns | 1 ex. |
| <i>Allodape pringlei</i> Cameron | 4 ex. |
| <i>Allodape quadrilineata</i> Cameron | 1 ex. |
| <i>Allodape rufiventris</i> Friese | 1 ex. |
| <i>Allodape simillima</i> Smith | 1 ex. |
| <i>Allodape strigata</i> Brullé | 2 ex. |
| <i>Allodape unicolor</i> Smith | 4 ex. |
| <i>Allodape variegata</i> Smith | 7 ex. |
| <i>Ammobates mavromoustakisi</i> Popov, 1944 | 2 ex. |
| <i>Ammobates muticus</i> Spinola, 1843 | 3 ex. |
| <i>Ammobates oraniensis</i> (Lepeletier, 1841) | 2 ex. |
| <i>Ammobates punctatus</i> (Fabricius, 1804) | 44 ex. |
| <i>Ammobates vinctus</i> Gerstaecker, 1869 | 1 ex. |
| <i>Ammobatoides abdominalis</i> (Eversmann, 1852) | 11 ex. |
| <i>Ammobatoides melectoides</i> (Smith, 1854) | 1 ex. |
| <i>Ancyla oraniensis</i> Lepeletier, 1841 | 2 ex. |
| <i>Ancyla orientalis</i> | 1 ex. |
| <i>Ancyloscelis armata</i> | 1 ex. |
| <i>Ancyloscelis chilensis</i> Spinola | 8 ex. |

| | |
|---|---------|
| <i>Ancyloscelis clypearis</i> Friese, 1906 | 2 ex. |
| <i>Ancyloscelis hirsuta</i> Friese | 1 ex. |
| <i>Ancyloscelis nigerrima</i> Friese, 1906 | 7 ex. |
| <i>Ancyloscelis nigriceps</i> Friese, 1906 | 8 ex. |
| <i>Ancyloscelis riparia</i> Ducke | 1 ex. |
| <i>Andrena aciculata</i> Morawitz, 1886 | 1 ex. |
| <i>Andrena aegypticola larnacensis</i> Mavromoustakis, 1954 | 2 ex. |
| <i>Andrena aeneiventris</i> Morawitz, 1872 | 22 ex. |
| <i>Andrena agilissima</i> (Scopoli, 1770) | 90 ex. |
| <i>Andrena alascana asperrima</i> Warncke, 1974 | 7 ex. |
| <i>Andrena albifacies</i> Alfken, 1927 | 1 ex. |
| <i>Andrena albihirta</i> (Ashmead, 1890) | 3 ex. |
| <i>Andrena albopunctata</i> (Rossi, 1792) | 15 ex. |
| <i>Andrena alfkenella</i> Perkins, 1914 | 22 ex. |
| <i>Andrena algeriensis</i> Friese | 1 ex. |
| <i>Andrena amphibola</i> (Viereck, 1904) | 3 ex. |
| <i>Andrena andrenoides</i> (Cresson, 1878) | 1 ex. |
| <i>Andrena andresi</i> Friese | 1 ex. |
| <i>Andrena angustior</i> (Kirby, 1802) | 4 ex. |
| <i>Andrena angustitarsata</i> Viereck, 1904 | 6 ex. |
| <i>Andrena antigana</i> Pérez, 1895 | 1 ex. |
| <i>Andrena apicata</i> Smith, 1847 | 29 ex. |
| <i>Andrena apiformis</i> Kriechbaumer, 1873 | 2 ex. |
| <i>Andrena argentata</i> Smith, 1844 | 52 ex. |
| <i>Andrena armata</i> (Gmelin, 1790) | 5 ex. |
| <i>Andrena arsinoe</i> Schmiedeknecht, 1900 | 1 ex. |
| <i>Andrena asiatica</i> Friese, 1921 | 2 ex. |
| <i>Andrena asteris</i> Robertson, 1891 | 1 ex. |
| <i>Andrena atrata</i> Friese, 1887 | 1 ex. |
| <i>Andrena atratula</i> Friese | 2 ex. |
| <i>Andrena atrotegularis</i> Hedicke, 1923 | 1 ex. |
| <i>Andrena auricoma</i> Smith, 1879 | 1 ex. |
| <i>Andrena azerbaijshanica</i> Lebedev, 1933 | 1 ex. |
| <i>Andrena barbareae</i> Panzer, 1805 | 9 ex. |
| <i>Andrena barbilabris</i> (Kirby, 1802) | 182 ex. |
| <i>Andrena basalis minor</i> Schmiedeknecht | 7 ex. |
| <i>Andrena batava</i> Pérez | 1 ex. |
| <i>Andrena bicolor</i> Fabricius, 1775 | 175 ex. |
| <i>Andrena bicolorata</i> (Rossi, 1790) | 7 ex. |
| <i>Andrena biguttata</i> Friese, 1922 | 1 ex. |
| <i>Andrena bimaculata</i> (Kirby, 1802) | 44 ex. |
| <i>Andrena bimaculata atrorubricata</i> Dours, 1872 | 1 ex. |
| <i>Andrena binominata</i> Smith, 1853 | 2 ex. |
| <i>Andrena boyerella</i> Dours, 1872 | 2 ex. |
| <i>Andrena boyerella leucolippa</i> Pérez, 1895 | 4 ex. |
| <i>Andrena braccata</i> Viereck, 1907 | 1 ex. |
| <i>Andrena bradleyi</i> Viereck, 1907 | 2 ex. |

| | |
|---|---------|
| <i>Andrena bucephala</i> Stephens, 1846 | 4 ex. |
| <i>Andrena buckelli</i> Viereck, 1924 | 1 ex. |
| <i>Andrena caerulea</i> Smith, 1879 | 1 ex. |
| <i>Andrena campanulae</i> Viereck & Cockerell, 1914 | 5 ex. |
| <i>Andrena canadensis</i> Dalla Torre, 1896 | 4 ex. |
| <i>Andrena candida</i> Smith, 1879 | 19 ex. |
| <i>Andrena canaeae</i> Strand, 1915 | 3 ex. |
| <i>Andrena caneibia</i> Strand, 1915 | 1 ex. |
| <i>Andrena carantonica</i> Pérez, 1902 | 97 ex. |
| <i>Andrena carlini</i> Cockerell, 1901 | 8 ex. |
| <i>Andrena chrysopus</i> Pérez, 1903 | 1 ex. |
| <i>Andrena chrysopyga</i> Schenck, 1853 | 20 ex. |
| <i>Andrena chrysosceles</i> (Kirby, 1802) | 39 ex. |
| <i>Andrena cineraria</i> (Linné, 1758) | 96 ex. |
| <i>Andrena cineraria germanica</i> Stoeckhert, i.l. | 32 ex. |
| <i>Andrena cineraria helvetica</i> Stoeckhert, i.l. | 7 ex. |
| <i>Andrena cinerea</i> Brullé, 1832 | 73 ex. |
| <i>Andrena cinereophila</i> Warncke, 1965 | 1 ex. |
| <i>Andrena clarkella</i> (Kirby, 1802) | 88 ex. |
| <i>Andrena cleodora</i> (Viereck, 1904) | 1 ex. |
| <i>Andrena clypeata</i> Brullé, 1832 | 6 ex. |
| <i>Andrena clypella</i> Strand, 1921 | 1 ex. |
| <i>Andrena clypella hasitata</i> Warncke, 1973 | 7 ex. |
| <i>Andrena coactipostica</i> Viereck, 1917 | 4 ex. |
| <i>Andrena coitana</i> (Kirby, 1802) | 46 ex. |
| <i>Andrena colletiformis</i> Morawitz, 1874 | 108 ex. |
| <i>Andrena combinata</i> (Christ, 1791) | 55 ex. |
| <i>Andrena commoda</i> Smith, 1879 | 1 ex. |
| <i>Andrena compta</i> Lepeletier, 1841 | 2 ex. |
| <i>Andrena concinna</i> Smith, 1853 | 1 ex. |
| <i>Andrena concinna paradoxa</i> Friese, 1921 | 1 ex. |
| <i>Andrena congruens</i> Schmiedeknecht, 1882 | 15 ex. |
| <i>Andrena corssubalpina</i> Theunert | 1 ex. |
| <i>Andrena crataegi</i> Robertson, 1893 | 62 ex. |
| <i>Andrena cressonii</i> Robertson, 1891 | 11 ex. |
| <i>Andrena cubiceps</i> Friese, 1914 | 9 ex. |
| <i>Andrena cupreotincta</i> Cockerell, 1901 | 1 ex. |
| <i>Andrena curvana</i> Warncke, 1965 | 2 ex. |
| <i>Andrena curvungula</i> Thomson, 1870 | 47 ex. |
| <i>Andrena cussariensis</i> Morawitz, 1886 | 1 ex. |
| <i>Andrena decipiens</i> Schenck, 1861 | 12 ex. |
| <i>Andrena denticulata</i> (Kirby, 1802) | 57 ex. |
| <i>Andrena discophora</i> Morawitz, 1876 | 7 ex. |
| <i>Andrena distinguenda</i> Schenck, 1871 | 7 ex. |
| <i>Andrena djelfensis</i> Pérez, 1895 | 9 ex. |
| <i>Andrena dorsalis</i> Brullé, 1832 | 4 ex. |
| <i>Andrena dorsata</i> (Kirby, 1802) | 137 ex. |

| | |
|---|---------|
| <i>Andrena dorsata propinqua</i> Schenck, 1853 | 2 ex. |
| <i>Andrena durangoensis</i> Viereck & Cockerell, 1914 | 4 ex. |
| <i>Andrena elegans</i> Giraud, 1864 | 4 ex. |
| <i>Andrena erberi</i> Morawitz, 1872 | 5 ex. |
| <i>Andrena erigeniae</i> Robertson, 1891 | 2 ex. |
| <i>Andrena errans</i> Smith, 1879 | 3 ex. |
| <i>Andrena erythrocnemis</i> Morawitz, 1870 | 20 ex. |
| <i>Andrena erythrogaster</i> (Ashmead, 1890) | 2 ex. |
| <i>Andrena erythronota</i> | 1 ex. |
| <i>Andrena eximia</i> Smith, 1847 | 13 ex. |
| <i>Andrena fabrella</i> Pérez, 1903 | 4 ex. |
| <i>Andrena falsifica</i> Perkins, 1915 | 29 ex. |
| <i>Andrena ferox</i> Smith, 1847 | 6 ex. |
| <i>Andrena ferrugineicrus</i> Dours, 1872 | 10 ex. |
| <i>Andrena fimbriata</i> Brullé, 1832 | 2 ex. |
| <i>Andrena flavipes</i> Panzer, 1799 | 587 ex. |
| <i>Andrena florea</i> Fabricius, 1793 | 44 ex. |
| <i>Andrena floricola</i> Eversmann, 1852 | 23 ex. |
| <i>Andrena florivaga</i> Eversmann, 1852 | 4 ex. |
| <i>Andrena forsterella</i> Warncke, 1968 | 2 ex. |
| <i>Andrena frigida</i> Smith, 1853 | 1 ex. |
| <i>Andrena fucata</i> Smith, 1847 | 91 ex. |
| <i>Andrena fulva</i> (Müller, 1766) | 182 ex. |
| <i>Andrena fulvago</i> (Christ, 1791) | 46 ex. |
| <i>Andrena fulvata</i> Stoeckhert, 1930 | 2 ex. |
| <i>Andrena fulvida</i> Schenck, 1853 | 13 ex. |
| <i>Andrena fulvitaris</i> Brullé, 1832 | 9 ex. |
| <i>Andrena fuscipes</i> (Kirby, 1802) | 62 ex. |
| <i>Andrena fuscocalcarata</i> Morawitz, 1878 | 1 ex. |
| <i>Andrena fuscosa</i> Erichson, 1835 | 43 ex. |
| <i>Andrena gallica</i> Schmiedeknecht, 1883 | 52 ex. |
| <i>Andrena gallica xanthura</i> Kriechbaumer | 2 ex. |
| <i>Andrena gazella</i> Friese, 1922 | 1 ex. |
| <i>Andrena gelriae</i> Van der Vecht, 1927 | 6 ex. |
| <i>Andrena gomera chalcogastra</i> Warncke, 1968 | 4 ex. |
| <i>Andrena gomerensis wollastoni</i> Warncke, 1993 | 9 ex. |
| <i>Andrena granulosa</i> Pérez, 1902 | 2 ex. |
| <i>Andrena granulosa enslini</i> Alfken, 1921 | 2 ex. |
| <i>Andrena gravida</i> Imhoff, 1832 | 83 ex. |
| <i>Andrena haemorrhoea</i> (Fabricius, 1781) | 344 ex. |
| <i>Andrena harveyi</i> Viereck, 1904 | 1 ex. |
| <i>Andrena hattorfiana</i> (Fabricius, 1775) | 146 ex. |
| <i>Andrena helenica</i> Warncke, 1965 | 2 ex. |
| <i>Andrena helvola</i> (Linné, 1758) | 152 ex. |
| <i>Andrena hemileuca</i> Viereck, 1904 | 3 ex. |
| <i>Andrena hesperia</i> Smith, 1853 | 5 ex. |
| <i>Andrena heteroptera</i> Dours | 1 ex. |

| | |
|--|---------|
| <i>Andrena hippotes</i> Robertson, 1895 | 6 ex. |
| <i>Andrena hirticincta</i> Provancher, 1888 | 4 ex. |
| <i>Andrena hoffmanni</i> Strand, 1915 | 1 ex. |
| <i>Andrena hova</i> Warncke, 1975 | 2 ex. |
| <i>Andrena humabilis</i> Warncke, 1965 | 1 ex. |
| <i>Andrena humilis</i> Imhoff, 1832 | 87 ex. |
| <i>Andrena hungarica</i> Friese, 1887 | 1 ex. |
| <i>Andrena hyacinthina</i> Mavromoustakis, 1958 | 2 ex. |
| <i>Andrena hypopolia</i> Schmiedeknecht, 1883 | 11 ex. |
| <i>Andrena hystrix</i> Schmiedeknecht, 1883 | 3 ex. |
| <i>Andrena illinoiensis</i> Robertson, 1891 | 9 ex. |
| <i>Andrena impunctata</i> Pérez, 1895 | 2 ex. |
| <i>Andrena incisa</i> Eversmann, 1852 | 1 ex. |
| <i>Andrena infirma</i> Morawitz, 1876 | 1 ex. |
| <i>Andrena innesi</i> Gribodo, 1894 | 1 ex. |
| <i>Andrena intermedia</i> Thomson, 1870 | 3 ex. |
| <i>Andrena isis</i> Schmiedeknecht, 1900 | 1 ex. |
| <i>Andrena korleviciana</i> Friese, 1887 | 1 ex. |
| <i>Andrena kornosica</i> Mavromoustakis, 1954 | 1 ex. |
| <i>Andrena kriebbaumeri</i> Schmiedeknecht, 1883 | 28 ex. |
| <i>Andrena labialis</i> (Kirby, 1802) | 83 ex. |
| <i>Andrena labiata</i> Fabricius, 1781 | 88 ex. |
| <i>Andrena lagopus</i> Latreille, 1809 | 13 ex. |
| <i>Andrena lapponica</i> Zetterstedt, 1838 | 62 ex. |
| <i>Andrena lateralis</i> Morawitz, 1876 | 2 ex. |
| <i>Andrena lathyri</i> Alfken, 1899 | 24 ex. |
| <i>Andrena lepida</i> Schenck, 1859 | 1 ex. |
| <i>Andrena leucorhina</i> Morawitz, 1876 | 1 ex. |
| <i>Andrena limassolica</i> Mavromoustakis, 1948 | 1 ex. |
| <i>Andrena limata</i> Smith, 1853 | 16 ex. |
| <i>Andrena limbata</i> Eversmann, 1852 | 8 ex. |
| <i>Andrena lucens algira</i> Friese | 3 ex. |
| <i>Andrena lupinorum</i> Cockerell, 1906 | 1 ex. |
| <i>Andrena luridiloma</i> Strand, 1915 | 1 ex. |
| <i>Andrena macrocephala</i> Cockerell, 1916 | 4 ex. |
| <i>Andrena marginata</i> Fabricius, 1776 | 63 ex. |
| <i>Andrena mariae</i> Robertson, 1891 | 5 ex. |
| <i>Andrena melacana</i> Warncke, 1968 | 2 ex. |
| <i>Andrena meripes</i> Friese, 1922 | 2 ex. |
| <i>Andrena merriami</i> Cockerell, 1901 | 3 ex. |
| <i>Andrena microchlora</i> Cockerell, 1922 | 2 ex. |
| <i>Andrena migiella</i> Dours, 1873 | 5 ex. |
| <i>Andrena milwaukeensis</i> Graenicher, 1903 | 2 ex. |
| <i>Andrena minutula</i> (Kirby, 1802) | 127 ex. |
| <i>Andrena minutuloides</i> Perkins, 1914 | 53 ex. |
| <i>Andrena miranda</i> Smith, 1879 | 4 ex. |
| <i>Andrena miserabilis</i> Cresson, 1872 | 13 ex. |

| | |
|---|---------|
| <i>Andrena mitis</i> Schmiedeknecht, 1883 | 12 ex. |
| <i>Andrena morawitzi</i> Thomson, 1872 | 11 ex. |
| <i>Andrena morio</i> Brullé, 1832 | 78 ex. |
| <i>Andrena mucida</i> Kriechbaumer, 1873 | 7 ex. |
| <i>Andrena mucronata</i> Morawitz, 1871 | 7 ex. |
| <i>Andrena nana</i> (Kirby, 1802) | 77 ex. |
| <i>Andrena nanaeformis</i> Noskiewicz, 1925 | 14 ex. |
| <i>Andrena nanula</i> Nylander, 1848 | 1 ex. |
| <i>Andrena nasipolita</i> Strand, 1913 | 1 ex. |
| <i>Andrena nasuta</i> Giraud, 1863 | 74 ex. |
| <i>Andrena nawai</i> Cockerell, 1913 | 2 ex. |
| <i>Andrena neocyprica</i> Mavromoustakis, 1956 | 4 ex. |
| <i>Andrena nigrae</i> Robertson, 1905 | 1 ex. |
| <i>Andrena nigriceps</i> (Kirby, 1802) | 27 ex. |
| <i>Andrena nigrihirta</i> (Ashmead, 1890) | 1 ex. |
| <i>Andrena nigroaenea</i> (Kirby, 1802) | 210 ex. |
| <i>Andrena nigroaenea candiae</i> Strand, 1915 | 2 ex. |
| <i>Andrena nigrocaerula</i> Cockerell, 1897 | 14 ex. |
| <i>Andrena nigroolivacea</i> Dours, 1873 | 12 ex. |
| <i>Andrena nigrospina</i> Thompson, 1872 | 4 ex. |
| <i>Andrena nitida</i> (Müller, 1776) | 140 ex. |
| <i>Andrena nitidiuscula</i> Schenck, 1853 | 32 ex. |
| <i>Andrena nivalis</i> Smith, 1853 | 5 ex. |
| <i>Andrena niveata</i> Friese, 1887 | 11 ex. |
| <i>Andrena nobilis</i> Morawitz, 1873 | 11 ex. |
| <i>Andrena nortoni</i> Viereck | 1 ex. |
| <i>Andrena nubecula</i> Smith, 1853 | 3 ex. |
| <i>Andrena numida syracusa</i> Strand, 1921 | 1 ex. |
| <i>Andrena nuptialis</i> Pérez, 1902 | 4 ex. |
| <i>Andrena nycthemera</i> Imhoff, 1868 | 34 ex. |
| <i>Andrena obscuripostica</i> Viereck, 1916 | 4 ex. |
| <i>Andrena omissa</i> Schmiedeknecht | 1 ex. |
| <i>Andrena opaciventris</i> Cockerell, 1916 | 11 ex. |
| <i>Andrena oralis</i> Morawitz, 1876 | 2 ex. |
| <i>Andrena orbitalis</i> Morawitz, 1871 | 4 ex. |
| <i>Andrena orizabibia</i> Strand | 1 ex. |
| <i>Andrena ornata</i> Morawitz, 1866 | 1 ex. |
| <i>Andrena osmioides</i> Cockerell, 1916 | 4 ex. |
| <i>Andrena oulskii</i> Radoszkowsky, 1868 | 1 ex. |
| <i>Andrena ovatula</i> (Kirby, 1802) | 125 ex. |
| <i>Andrena ovatula heliopolis</i> Friese, 1914 | 5 ex. |
| <i>Andrena pacta</i> Viereck, 1903 | 3 ex. |
| <i>Andrena pallidifovea</i> (Viereck, 1904) | 4 ex. |
| <i>Andrena pallidiscopa</i> (Viereck, 1904) | 1 ex. |
| <i>Andrena pallitarsis</i> Pérez, 1903 | 3 ex. |
| <i>Andrena pandellei</i> Pérez, 1895 | 27 ex. |
| <i>Andrena panurgimorpha</i> Mavromoustakis, 1957 | 3 ex. |

| | |
|---|---------|
| <i>Andrena panurgina</i> Destefani, 1889 | 6 ex. |
| <i>Andrena pareklisiae</i> Mavromoustakis, 1957 | 2 ex. |
| <i>Andrena parviceps</i> Kriechbaumer, 1873 | 11 ex. |
| <i>Andrena parvula</i> W. Kirby | 75 ex. |
| <i>Andrena paucisquama</i> Noskiewicz, 1924 | 8 ex. |
| <i>Andrena pectoralis cretensis</i> Friese | 1 ex. |
| <i>Andrena pellucens</i> Pérez, 1903 | 15 ex. |
| <i>Andrena perplexa</i> Smith, 1853 | 1 ex. |
| <i>Andrena pilipes</i> Fabricius, 1781 | 123 ex. |
| <i>Andrena piperi</i> Viereck, 1904 | 7 ex. |
| <i>Andrena placida</i> Smith, 1853 | 1 ex. |
| <i>Andrena polemediana</i> Mavromoustakis, 1956 | 2 ex. |
| <i>Andrena polita</i> Smith, 1847 | 32 ex. |
| <i>Andrena porterae</i> Cockerell, 1900 | 2 ex. |
| <i>Andrena potentillae</i> Panzer, 1809 | 28 ex. |
| <i>Andrena poupillieri</i> Dours, 1872 | 2 ex. |
| <i>Andrena praecox</i> (Scopoli, 1763) | 113 ex. |
| <i>Andrena proxima</i> (Kirby, 1802) | 72 ex. |
| <i>Andrena prunorum</i> Cockerell, 1896 | 32 ex. |
| <i>Andrena pusilla</i> Pérez, 1903 | 4 ex. |
| <i>Andrena pyropygia</i> Kriechbaumer, 1873 | 4 ex. |
| <i>Andrena pyrozonata</i> Friese, 1921 | 1 ex. |
| <i>Andrena ranunculi</i> Schmiedeknecht, 1884 | 1 ex. |
| <i>Andrena ratisbonensis</i> Stoeckhert, 1924 | 1 ex. |
| <i>Andrena robertsonii</i> Dalla Torre, 1896 | 1 ex. |
| <i>Andrena rogenhoferi</i> Morawitz, 1872 | 14 ex. |
| <i>Andrena rosae</i> Panzer, 1801 | 112 ex. |
| <i>Andrena roseipes</i> Alfken, 1933 | 5 ex. |
| <i>Andrena ruficrus</i> Nylander, 1848 | 25 ex. |
| <i>Andrena rufiventris</i> Lepeletier, 1841 | 8 ex. |
| <i>Andrena rufizona</i> Imhoff, 1834 | 3 ex. |
| <i>Andrena rufula</i> Schmiedeknecht, 1883 | 9 ex. |
| <i>Andrena rugosa</i> Robertson, 1891 | 1 ex. |
| <i>Andrena salicifloris</i> Cockerell, 1897 | 4 ex. |
| <i>Andrena salina</i> Stoeckhert, i.l. | 5 ex. |
| <i>Andrena sandanskia</i> Warncke, 1973 | 4 ex. |
| <i>Andrena sardoia</i> Lepeletier, 1841 | 3 ex. |
| <i>Andrena savignyi</i> Spinola, 1838 | 10 ex. |
| <i>Andrena saxonica</i> Stoeckhert, 1935 | 1 ex. |
| <i>Andrena schencki</i> Morawitz, 1866 | 59 ex. |
| <i>Andrena schlettereri</i> Friese, 1896 | 1 ex. |
| <i>Andrena schmiedeknechti</i> Magretti, 1883 | 1 ex. |
| <i>Andrena scita</i> Eversmann, 1852 | 31 ex. |
| <i>Andrena scotica</i> Perkins, 1916 | 5 ex. |
| <i>Andrena semiflava</i> Lebedev, 1933 | 1 ex. |
| <i>Andrena semilaevis</i> Pérez, 1903 | 6 ex. |
| <i>Andrena seminuda</i> Friese, 1896 | 4 ex. |

| | |
|---|---------|
| <i>Andrena semipunctata</i> Cockerell, 1902 | 4 ex. |
| <i>Andrena senecionis</i> Pérez, 1895 | 5 ex. |
| <i>Andrena senex</i> Eversmann, 1852 | 1 ex. |
| <i>Andrena sericata</i> Imhoff, 1868 | 10 ex. |
| <i>Andrena sigmundi</i> Cockerell, 1902 | 2 ex. |
| <i>Andrena similis</i> Smith, 1849 | 17 ex. |
| <i>Andrena simillima</i> Smith, 1851 | 7 ex. |
| <i>Andrena simontornyella</i> Noskiewicz, 1939 | 1 ex. |
| <i>Andrena simplex</i> Smith, 1853 | 2 ex. |
| <i>Andrena sladeni</i> Viereck, 1924 | 1 ex. |
| <i>Andrena sordida</i> Morawitz, 1876 | 1 ex. |
| <i>Andrena spreta</i> Pérez, 1895 | 1 ex. |
| <i>Andrena strigifrontalis</i> Strand, 1921 | 1 ex. |
| <i>Andrena strohella</i> Stoeckhert, 1928 | 7 ex. |
| <i>Andrena subaustralis</i> Cockerell, 1898 | 7 ex. |
| <i>Andrena subopaca</i> Nylander, 1848 | 123 ex. |
| <i>Andrena subproximana</i> Strand, 1913 | 1 ex. |
| <i>Andrena subshawella</i> Strand, 1915 | 4 ex. |
| <i>Andrena subtilis</i> Smith, 1879 | 8 ex. |
| <i>Andrena suerinensis</i> Friese, 1884 | 17 ex. |
| <i>Andrena surda</i> Cockerell, 1910 | 1 ex. |
| <i>Andrena susterai</i> Alfken, 1914 | 2 ex. |
| <i>Andrena symphyti</i> Schmiedeknecht, 1883 | 9 ex. |
| <i>Andrena synadelpha</i> Perkins, 1914 | 4 ex. |
| <i>Andrena taraxaci</i> Giraud, 1861 | 27 ex. |
| <i>Andrena taraxaci chikuzensis</i> Hirashima | 2 ex. |
| <i>Andrena taraxaci orientana</i> Warncke, 1965 | 1 ex. |
| <i>Andrena tarsata</i> Nylander, 1848 | 19 ex. |
| <i>Andrena thomsoni</i> Ducke, 1898 | 2 ex. |
| <i>Andrena thoracica</i> (Fabricius, 1775) | 40 ex. |
| <i>Andrena tibialis</i> (Kirby, 1802) | 104 ex. |
| <i>Andrena timberlakei</i> Cockerell, 1929 | 4 ex. |
| <i>Andrena toelgiana</i> Friese, 1921 | 1 ex. |
| <i>Andrena topazana</i> Cockerell, 1906 | 1 ex. |
| <i>Andrena transitoria</i> Morawitz, 1871 | 8 ex. |
| <i>Andrena trevoris</i> Cockerell, 1897 | 1 ex. |
| <i>Andrena trimmerana</i> (Kirby, 1802) | 66 ex. |
| <i>Andrena trimmerana fusca</i> Lepelletier, 1841 | 2 ex. |
| <i>Andrena truncatilabris</i> Morawitz, 1877 | 12 ex. |
| <i>Andrena tscheki</i> Morawitz, 1872 | 6 ex. |
| <i>Andrena tsingtauica</i> Strand, 1915 | 1 ex. |
| <i>Andrena turkestanica</i> Friese, 1922 | 1 ex. |
| <i>Andrena ungeri</i> Mavromoustakis, 1952 | 11 ex. |
| <i>Andrena vachali</i> Pérez, 1895 | 5 ex. |
| <i>Andrena vachali cretica</i> Strand, 1915 | 8 ex. |
| <i>Andrena vaga</i> Panzer, 1799 | 151 ex. |
| <i>Andrena varia</i> Pérez, 1895 | 1 ex. |

| | |
|---|---------|
| <i>Andrena variabilis</i> Smith, 1853 | 14 ex. |
| <i>Andrena varians</i> (Kirby, 1802) | 70 ex. |
| <i>Andrena ventralis</i> Imhoff, 1832 | 104 ex. |
| <i>Andrena ventricosa</i> Dours, 1873 | 25 ex. |
| <i>Andrena verticalis</i> Pérez, 1895 | 1 ex. |
| <i>Andrena vetula</i> Lepeletier, 1841 | 5 ex. |
| <i>Andrena vetula tyrrhena</i> Alfken, 1938 | 3 ex. |
| <i>Andrena vicina</i> Smith, 1853 | 24 ex. |
| <i>Andrena viridescens</i> Viereck, 1916 | 19 ex. |
| <i>Andrena vulpecula</i> Kriechbaumer, 1873 | 3 ex. |
| <i>Andrena wilhelmbertschulzi</i> Strand | 6 ex. |
| <i>Andrena wilkella</i> (Kirby, 1802) | 163 ex. |
| <i>Anthidium auricolle</i> Friese | 1 ex. |
| <i>Anthidium auritum</i> Klug, 1832 | 5 ex. |
| <i>Anthidium beaumonti ochrognathum</i> Benoit | 8 ex. |
| <i>Anthidium byssinum</i> (Panzer, 1798) | 100 ex. |
| <i>Anthidium calcaratum</i> Friese | 1 ex. |
| <i>Anthidium capricola</i> Brauns | 2 ex. |
| <i>Anthidium caturigense</i> Giraud, 1863 | 11 ex. |
| <i>Anthidium chilense</i> Spinola, 1851 | 13 ex. |
| <i>Anthidium cimbiciforme</i> Smith, 1854 | 4 ex. |
| <i>Anthidium cinctum bennigseni</i> Strand | 1 ex. |
| <i>Anthidium cingulatum</i> Latreille, 1809 | 35 ex. |
| <i>Anthidium collectum</i> Huard, 1896 | 4 ex. |
| <i>Anthidium cucullatum</i> Friese | 2 ex. |
| <i>Anthidium dalmaticum</i> Mocsáry, 1884 | 2 ex. |
| <i>Anthidium diadema</i> Latreille, 1809 | 4 ex. |
| <i>Anthidium ecuadorium</i> Friese | 1 ex. |
| <i>Anthidium edwardsii</i> Cresson, 1878 | 4 ex. |
| <i>Anthidium emarginatum</i> (Say, 1824) | 5 ex. |
| <i>Anthidium ferrugineum discoidale</i> (Latreille, 1809) | 3 ex. |
| <i>Anthidium florentinum</i> (Fabricius, 1775) | 32 ex. |
| <i>Anthidium grohmanni</i> (Spinola, 1838) | 7 ex. |
| <i>Anthidium illustre</i> Cresson, 1879 | 4 ex. |
| <i>Anthidium interruptum</i> (Fabricius, 1781) | 10 ex. |
| <i>Anthidium jenseni</i> Friese | 2 ex. |
| <i>Anthidium laterale</i> Latreille, 1809 | 12 ex. |
| <i>Anthidium laticeps</i> (Morawitz, 1873) | 3 ex. |
| <i>Anthidium latreillei</i> (Spinola, 1838) | 11 ex. |
| <i>Anthidium limbiferum</i> Morawitz, 1875 | 2 ex. |
| <i>Anthidium lituratum</i> (Panzer, 1801) | 2 ex. |
| <i>Anthidium loti</i> Perris, 1852 | 20 ex. |
| <i>Anthidium malacopygum</i> Gribodo, 1894 | 1 ex. |
| <i>Anthidium manicatum</i> (Linné, 1758) | 218 ex. |
| <i>Anthidium manicatum barbarum</i> Lepeletier, 1841 | 2 ex. |
| <i>Anthidium melanurum</i> Klug, 1832 | 1 ex. |
| <i>Anthidium montanum</i> Morawitz, 1864 | 21 ex. |

| | |
|---|---------|
| <i>Anthidium notatum robertsoni</i> (Cockerell, 1904) | 4 ex. |
| <i>Anthidium oblongatum</i> (Illiger, 1806) | 105 ex. |
| <i>Anthidium obscuratum</i> Morawitz, 1875 | 1 ex. |
| <i>Anthidium ordonezi sticticum</i> Dusmet, 1915 | 4 ex. |
| <i>Anthidium ovasi</i> Warncke, 1980 | 1 ex. |
| <i>Anthidium pubescens</i> Morawitz, 1872 | 2 ex. |
| <i>Anthidium punctatum</i> Latreille, 1809 | 55 ex. |
| <i>Anthidium sanguineum</i> Friese | 1 ex. |
| <i>Anthidium scapulare</i> Latreille, 1809 | 32 ex. |
| <i>Anthidium septemdentatum</i> Latreille, 1809 | 90 ex. |
| <i>Anthidium siculum</i> Spinola, 1838 | 18 ex. |
| <i>Anthidium spinosum</i> Lepeletier | 4 ex. |
| <i>Anthidium sticticum</i> (Fabricius, 1787) | 24 ex. |
| <i>Anthidium strigatum</i> (Panzer, 1805) | 107 ex. |
| <i>Anthidium strigatum luteum</i> (Friese, 1897) | 16 ex. |
| <i>Anthidium taeniatum</i> Latreille, 1809 | 15 ex. |
| <i>Anthidium undulatum</i> Dours, 1873 | 2 ex. |
| <i>Anthidium wuestneii</i> Mocsáry, 1887 | 4 ex. |
| <i>Anthophora abrupta</i> Say, 1837 | 2 ex. |
| <i>Anthophora acraensis</i> (Fabricius, 1793) | 8 ex. |
| <i>Anthophora aestivalis</i> (Panzer, 1801) | 55 ex. |
| <i>Anthophora aestivalis obscurus</i> Friese | 3 ex. |
| <i>Anthophora agama</i> Radoszkowsky, 1869 | 9 ex. |
| <i>Anthophora albigena</i> Lepeletier, 1841 | 54 ex. |
| <i>Anthophora albocaudata</i> Dours, 1869 | 2 ex. |
| <i>Anthophora alluaudi</i> Pérez, 1895 | 8 ex. |
| <i>Anthophora alluaudi fuerteventurae</i> Lieftinck | 2 ex. |
| <i>Anthophora antimena</i> Saussure, 1890 | 3 ex. |
| <i>Anthophora arequipensis</i> BrŠthes, 1920 | 9 ex. |
| <i>Anthophora atrata</i> Cresson, 1865 | 1 ex. |
| <i>Anthophora atripes</i> Friese, 1922 | 3 ex. |
| <i>Anthophora atroalba</i> Lepeletier, 1841 | 12 ex. |
| <i>Anthophora atrocincta</i> Lepeletier, 1841 | 9 ex. |
| <i>Anthophora balneorum</i> Lepeletier, 1841 | 2 ex. |
| <i>Anthophora biciliata</i> Lepeletier, 1841 | 3 ex. |
| <i>Anthophora bimaculata</i> (Panzer, 1798) | 115 ex. |
| <i>Anthophora blanda</i> Pérez, 1895 | 1 ex. |
| <i>Anthophora bombiformis</i> Smith | 1 ex. |
| <i>Anthophora bomboides</i> Kirby, 1837 | 4 ex. |
| <i>Anthophora borealis</i> Morawitz, 1864 | 6 ex. |
| <i>Anthophora braunsiana</i> Friese, 1905 | 3 ex. |
| <i>Anthophora byssina</i> (Klug, 1845) | 3 ex. |
| <i>Anthophora caerulea</i> Friese, 1905 | 1 ex. |
| <i>Anthophora calcarata</i> Lepeletier, 1841 | 1 ex. |
| <i>Anthophora calceifera</i> Cockerell, 1911 | 8 ex. |
| <i>Anthophora calens</i> Lepeletier, 1841 | 6 ex. |
| <i>Anthophora californica</i> Cresson, 1869 | 4 ex. |

| | |
|--|--------|
| <i>Anthophora canescens</i> Brullé, 1832 | 17 ex. |
| <i>Anthophora capensis</i> Friese | 2 ex. |
| <i>Anthophora cincreus</i> (Friese, 1896) | 2 ex. |
| <i>Anthophora cingulata</i> (Fabricius, 1775) | 3 ex. |
| <i>Anthophora circulata</i> Friese | 17 ex. |
| <i>Anthophora comberi</i> Cockerell | 1 ex. |
| <i>Anthophora confusa</i> Smith, 1854 | 1 ex. |
| <i>Anthophora crinipes</i> Smith, 1854 | 30 ex. |
| <i>Anthophora cypriola</i> Friese, i.l. | 3 ex. |
| <i>Anthophora dalmatica</i> Pérez, 1902 | 1 ex. |
| <i>Anthophora dispar</i> Lepeletier, 1841 | 14 ex. |
| <i>Anthophora dubia</i> Eversmann, 1852 | 8 ex. |
| <i>Anthophora dufourii</i> Lepeletier, 1841 | 16 ex. |
| <i>Anthophora edwardsii</i> Cresson, 1878 | 7 ex. |
| <i>Anthophora elegans</i> Smith, 1859 | 1 ex. |
| <i>Anthophora fallax</i> Smith, 1879 | 1 ex. |
| <i>Anthophora femorata</i> (Olivier, 1789) | 1 ex. |
| <i>Anthophora fimbriata</i> Smith, 1879 | 2 ex. |
| <i>Anthophora florea</i> Smith, 1879 | 4 ex. |
| <i>Anthophora fulvitaris</i> Brullé, 1832 | 23 ex. |
| <i>Anthophora furcata</i> (Panzer, 1798) | 86 ex. |
| <i>Anthophora furcata syringae</i> (Cockerell, 1898) | 4 ex. |
| <i>Anthophora furcata terminalis</i> Cresson, 1869 | 2 ex. |
| <i>Anthophora garrula</i> (Rossi, 1790) | 7 ex. |
| <i>Anthophora gracilipes</i> Morawitz 1873 | 1 ex. |
| <i>Anthophora harmalae</i> Morawitz, 1878 | 1 ex. |
| <i>Anthophora hartigi</i> Alfken, 1926 | 2 ex. |
| <i>Anthophora hispanica</i> (Fabricius, 1787) | 10 ex. |
| <i>Anthophora incerta</i> Spinola, 1851 | 1 ex. |
| <i>Anthophora insignita</i> (Brooks, 1988) | 1 ex. |
| <i>Anthophora korotonensis</i> (Cockerell, 1911) | 7 ex. |
| <i>Anthophora lanata</i> (Klug, 1845) | 1 ex. |
| <i>Anthophora langei</i> Friese | 8 ex. |
| <i>Anthophora larvata</i> Giraud, 1863 | 1 ex. |
| <i>Anthophora leucomelaena</i> (Dalla Torre, 1896) | 1 ex. |
| <i>Anthophora leucophora</i> (Friese, 1905) | 1 ex. |
| <i>Anthophora magnilabris</i> Fedtschenko, 1875 | 1 ex. |
| <i>Anthophora moricei</i> (Friese, 1899) | 2 ex. |
| <i>Anthophora mucida</i> Gribodo, 1873 | 7 ex. |
| <i>Anthophora murina</i> Fedtschenko, 1875 | 1 ex. |
| <i>Anthophora murrayensis</i> (Rayment, 1939) | 2 ex. |
| <i>Anthophora muscaria</i> Fedtschenko, 1875 | 4 ex. |
| <i>Anthophora nigricornis</i> Morawitz, 1873 | 1 ex. |
| <i>Anthophora nigrigula</i> Cockerell, 1924 | 1 ex. |
| <i>Anthophora nigroclypeata</i> Friese, 1909 | 3 ex. |
| <i>Anthophora niveata</i> Friese, 1905 | 3 ex. |
| <i>Anthophora niveocincta</i> Smith, 1854 | 1 ex. |

| | |
|---|---------|
| <i>Anthophora nubica</i> Lepeletier, 1841 | 3 ex. |
| <i>Anthophora ochroleuca</i> Pérez, 1879 | 2 ex. |
| <i>Anthophora orotavae</i> (Saunders, 1904) | 4 ex. |
| <i>Anthophora pacifica</i> Cresson, 1878 | 5 ex. |
| <i>Anthophora pacifica infernalis</i> (Dalla Torre, 1896) | 1 ex. |
| <i>Anthophora paranensis</i> Holmberg, 1903 | 2 ex. |
| <i>Anthophora patruelis</i> Cockerell, 1931 | 4 ex. |
| <i>Anthophora pilipes nigra</i> Friese | 2 ex. |
| <i>Anthophora pipiens</i> Mocsáry, 1879 | 2 ex. |
| <i>Anthophora plagiata</i> (Illiger, 1806) | 89 ex. |
| <i>Anthophora planiceps</i> Friese | 1 ex. |
| <i>Anthophora plumipes</i> (Pallas, 1772) | 303 ex. |
| <i>Anthophora podagra</i> Lepeletier, 1841 | 1 ex. |
| <i>Anthophora porterae</i> Cockerell, 1900 | 1 ex. |
| <i>Anthophora praecox</i> Friese, 1909 | 4 ex. |
| <i>Anthophora pseudobasalis</i> Strand | 2 ex. |
| <i>Anthophora pubescens</i> (Fabricius, 1781) | 20 ex. |
| <i>Anthophora pygmaea</i> Meade-Waldo, 1914 | 2 ex. |
| <i>Anthophora quadricolor</i> (Erichson, 1840) | 8 ex. |
| <i>Anthophora quadrifasciata</i> (Villers, 1789) | 53 ex. |
| <i>Anthophora quadrimaculata</i> (Panzer, 1798) | 95 ex. |
| <i>Anthophora restita</i> Smith | 1 ex. |
| <i>Anthophora retusa</i> (Linné, 1758) | 63 ex. |
| <i>Anthophora rhodesiae</i> Meade-Waldo, 1914 | 1 ex. |
| <i>Anthophora robusta</i> (Klug, 1845) | 7 ex. |
| <i>Anthophora rogenhoferi</i> Morawitz, 1872 | 4 ex. |
| <i>Anthophora rubricrus</i> Dours, 1869 | 6 ex. |
| <i>Anthophora rutilans</i> Dours, 1869 | 3 ex. |
| <i>Anthophora salviae</i> Morawitz, 1876 | 7 ex. |
| <i>Anthophora sauteri</i> Friese, 1910 | 1 ex. |
| <i>Anthophora senescens</i> Lepeletier, 1841 | 8 ex. |
| <i>Anthophora sicheli</i> Radoszkowsky, 1868 | 1 ex. |
| <i>Anthophora spilostoma</i> (Cameron, 1905) | 1 ex. |
| <i>Anthophora squammulosa</i> Dours, 1869 | 4 ex. |
| <i>Anthophora subcoerulea</i> (Lepeletier, 1841) | 1 ex. |
| <i>Anthophora subinsularis</i> (Strand,) | 1 ex. |
| <i>Anthophora urbana</i> Cresson, 1878 | 6 ex. |
| <i>Anthophora urens</i> (Cockerell, 1911) | 9 ex. |
| <i>Anthophora ursina</i> Cresson, 1869 | 2 ex. |
| <i>Anthophora velocissima</i> Fedtschenko, 1875 | 3 ex. |
| <i>Anthophora vestita</i> Smith, 1854 | 15 ex. |
| <i>Anthophora violacea</i> Lepeletier, 1841 | 1 ex. |
| <i>Anthophora vivida</i> Smith, 1879 | 1 ex. |
| <i>Anthophora vividula</i> (Strand, 1910) | 2 ex. |
| <i>Anthophora waltoni</i> Cockerell, 1910 | 1 ex. |
| <i>Anthophora zonata</i> (Linné, 1758) | 81 ex. |
| <i>Anthophora zonatula</i> S. M. | 4 ex. |

| | |
|---|---------|
| <i>Anthrenoides palpalis</i> Schrottky | 1 ex. |
| <i>Apis andreniformis</i> Smith, 1858 | 2 ex. |
| <i>Apis cerana</i> Fabricius, 1793 | 62 ex. |
| <i>Apis dorsata</i> Fabricius, 1793 | 13 ex. |
| <i>Apis florea</i> Fabricius, 1787 | 59 ex. |
| <i>Apis mellifera</i> Linné, 1758 | 161 ex. |
| <i>Apis mellifera adansonii</i> Latreille, 1804 | 50 ex. |
| <i>Apis mellifera americana</i> | 4 ex. |
| <i>Apis mellifera cypria</i> Pollmann | 8 ex. |
| <i>Apis mellifera fasciata</i> Latreille | 7 ex. |
| <i>Apis mellifera friesei</i> But. | 2 ex. |
| <i>Apis mellifera intermissa</i> Buttel-Reepen | 36 ex. |
| <i>Apis mellifera ligustica</i> Spinola, 1806 | 75 ex. |
| <i>Apis mellifera nigritarum</i> Lepeletier | 1 ex. |
| <i>Apis mellifera peroni</i> Smith | 23 ex. |
| <i>Apis mellifera syriaca</i> Buttel-Reepen | 2 ex. |
| <i>Apis socialus</i> Smith | 3 ex. |
| <i>Ashmaediella aridula</i> Cockerell, 1910 | 1 ex. |
| <i>Ashmaediella bigeloviae</i> (Cockerell, 1897) | 4 ex. |
| <i>Ashmaediella breviceps</i> Michener, 1939 | 4 ex. |
| <i>Ashmaediella buconis</i> (Say, 1837) | 2 ex. |
| <i>Ashmaediella buconis denticulata</i> (Cresson, 1878) | 8 ex. |
| <i>Ashmaediella cactorum cactorum</i> (Cockerell, 1897) | 1 ex. |
| <i>Ashmaediella californica</i> (Ashmead, 1897) | 4 ex. |
| <i>Ashmaediella femorata</i> (Michener, 1936) | 2 ex. |
| <i>Ashmaediella gillettei</i> Titus, 1904 | 5 ex. |
| <i>Ashmaediella salviae</i> Michener | 2 ex. |
| <i>Ashmeadiella rufitarsis</i> Michener | 2 ex. |
| <i>Ashmeadiella timberlakei</i> Michener, 1936 | 1 ex. |
| <i>Augochlora albiceps</i> Friese, 1925 | 3 ex. |
| <i>Augochlora argentina</i> Friese, 1908 | 12 ex. |
| <i>Augochlora auriventris</i> Friese | 8 ex. |
| <i>Augochlora brasiliensis</i> Friese | 2 ex. |
| <i>Augochlora bucephala</i> Smith | 1 ex. |
| <i>Augochlora calisto</i> Smith | 3 ex. |
| <i>Augochlora chloridis</i> Friese | 3 ex. |
| <i>Augochlora chloris</i> Spinola | 19 ex. |
| <i>Augochlora coerulescens</i> Friese | 2 ex. |
| <i>Augochlora costaricensis</i> Friese | 16 ex. |
| <i>Augochlora cubensis</i> Friese | 1 ex. |
| <i>Augochlora cupreola</i> Cockerell | 1 ex. |
| <i>Augochlora cupricollis</i> Friese | 2 ex. |
| <i>Augochlora cupriventris</i> Friese | 2 ex. |
| <i>Augochlora discicollis</i> Friese | 3 ex. |
| <i>Augochlora ecuadoria</i> Friese | 2 ex. |
| <i>Augochlora floridana</i> Friese | 2 ex. |
| <i>Augochlora foxiana</i> Cockerell | 1 ex. |

| | |
|---|--------|
| <i>Augochlora graminea</i> Smith | 28 ex. |
| <i>Augochlora hemitomes</i> Vachal | 1 ex. |
| <i>Augochlora ignea</i> Friese | 5 ex. |
| <i>Augochlora iris</i> Schrottky | 4 ex. |
| <i>Augochlora junio</i> Schrottky | 2 ex. |
| <i>Augochlora leopoldensis</i> Friese | 2 ex. |
| <i>Augochlora muelleri</i> Cockerell | 1 ex. |
| <i>Augochlora mulleri</i> Cockerell | 2 ex. |
| <i>Augochlora nigerrima</i> Friese | 8 ex. |
| <i>Augochlora nigrocyanea</i> Cockerell, 1897 | 2 ex. |
| <i>Augochlora notophos</i> Vachal | 2 ex. |
| <i>Augochlora obscuripes</i> Friese | 1 ex. |
| <i>Augochlora paraensis</i> Friese | 3 ex. |
| <i>Augochlora patens</i> Vachal | 2 ex. |
| <i>Augochlora pulcherrima</i> Friese | 2 ex. |
| <i>Augochlora pura</i> (Say, 1837) | 13 ex. |
| <i>Augochlora regina</i> Smith | 1 ex. |
| <i>Augochlora saltensis</i> Friese | 1 ex. |
| <i>Augochlora tarpeija</i> Smith | 2 ex. |
| <i>Augochlora testaceipes</i> Friese | 3 ex. |
| <i>Augochlora thusnelda</i> Schrottky | 3 ex. |
| <i>Augochlora tupaeamaru</i> Holmberg | 4 ex. |
| <i>Augochlora tupaeamaru cyanescens</i> Friese | 1 ex. |
| <i>Augochlora varians</i> Vachal | 1 ex. |
| <i>Augochlora vesta</i> Smith | 2 ex. |
| <i>Augochlora virgili</i> Friese | 3 ex. |
| <i>Augochlorella pomoniella</i> (Cockerell, 1915) | 6 ex. |
| <i>Augochlorella striata</i> (Provancher, 1888) | 12 ex. |
| <i>Augochloropsis argentina</i> Friese, 1908 | 2 ex. |
| <i>Augochloropsis cyanea</i> (Schrottky, 1901) | 2 ex. |
| <i>Augochloropsis ignita</i> (Smith, 1861) | 12 ex. |
| <i>Augochloropsis metallica</i> (Fabricius, 1793) | 4 ex. |
| <i>Augochloropsis metallica fulgida</i> (Smith, 1853) | 1 ex. |
| <i>Augochloropsis sumptuosa</i> Smith, 1853 | 2 ex. |
| <i>Augochloropsis viridula</i> Smith | 2 ex. |
| <i>Austronomia australica</i> (Smith, 1875) | 3 ex. |
| <i>Austronomia nomiformis</i> (Strand, 1914) | 3 ex. |
| <i>Austronomia takauensis</i> Friese, 1910 | 18 ex. |
| <i>Axestotrigona erythra</i> (Schletterer, 1891) | 1 ex. |
| <i>Bellanthidium infuscatum</i> (Erichson, 1835) | 7 ex. |
| <i>Biastes brevicornis</i> (Panzer, 1798) | 9 ex. |
| <i>Biastes emarginatus</i> (Schenck, 1853) | 1 ex. |
| <i>Biastes truncatus</i> (Nylander, 1848) | 4 ex. |
| <i>Biglossa armata</i> Friese, 1906 | 5 ex. |
| <i>Biglossa azarae</i> Friese | 2 ex. |
| <i>Biglossa herbsti</i> Friese | 1 ex. |
| <i>Biglossa joergenseni</i> Friese | 4 ex. |

| | |
|---|---------|
| <i>Biglossa marginata</i> (Spinola, 1851) | 5 ex. |
| <i>Biglossa praecox</i> Friese | 4 ex. |
| <i>Biglossa rubriventris</i> Friese | 2 ex. |
| <i>Biglossa semicyanea</i> Spinola | 5 ex. |
| <i>Biglossa similis</i> Friese, 1906 | 3 ex. |
| <i>Biglossa</i> sp. | 2 ex. |
| <i>Biglossa thoracica</i> Friese, 1906 | 4 ex. |
| <i>Bombus affinis</i> Cresson, 1863 | 16 ex. |
| <i>Bombus alpinus</i> (Linné, 1758) | 5 ex. |
| <i>Bombus apollineus</i> Skorikov, 1910 | 1 ex. |
| <i>Bombus appositus</i> Cresson, 1878 | 4 ex. |
| <i>Bombus ardens</i> Smith | 4 ex. |
| <i>Bombus argillaceus</i> (Scopoli, 1763) | 84 ex. |
| <i>Bombus armeniacus</i> Radoszkowsky, 1877 | 18 ex. |
| <i>Bombus ashtoni</i> (Cresson, 1864) | 3 ex. |
| <i>Bombus asiaticus</i> Morawitz | 3 ex. |
| <i>Bombus atratus</i> Franklin, 1913 | 2 ex. |
| <i>Bombus atripes</i> Smith | 5 ex. |
| <i>Bombus balteatus</i> Dahlbom, 1832 | 10 ex. |
| <i>Bombus barbutellus</i> (Kirby, 1802) | 85 ex. |
| <i>Bombus beaticola</i> Tkalcu, 1968 | 4 ex. |
| <i>Bombus bicoloratus</i> Smith, 1879 | 5 ex. |
| <i>Bombus bifarius</i> Cresson, 1878 | 22 ex. |
| <i>Bombus bimaculatus</i> Cresson, 1863 | 6 ex. |
| <i>Bombus biroi</i> (Vogt,) | 2 ex. |
| <i>Bombus bohemicus</i> Seidl, 1838 | 244 ex. |
| <i>Bombus borealis</i> Kirby, 1837 | 3 ex. |
| <i>Bombus branicki</i> Radoszkowsky, 1893 | 3 ex. |
| <i>Bombus brasiliensis</i> Lepeletier | 3 ex. |
| <i>Bombus brodmanni</i> Vogt, 1909 | 1 ex. |
| <i>Bombus californicus</i> Smith, 1854 | 5 ex. |
| <i>Bombus caliginosus</i> (Frison, 1927) | 2 ex. |
| <i>Bombus campestris</i> (Panzer, 1801) | 132 ex. |
| <i>Bombus cayennensis</i> Lepeletier | 28 ex. |
| <i>Bombus centralis</i> Cresson, 1864 | 8 ex. |
| <i>Bombus channicus</i> | 1 ex. |
| <i>Bombus cingulatus</i> Wahlberg, 1854 | 4 ex. |
| <i>Bombus citrinus</i> Smith | 2 ex. |
| <i>Bombus confusus</i> Schenck, 1859 | 73 ex. |
| <i>Bombus consobrinus</i> Dahlbom, 1832 | 6 ex. |
| <i>Bombus crotchii</i> Cresson, 1878 | 3 ex. |
| <i>Bombus cryptarum</i> (Fabricius, 1775) | 23 ex. |
| <i>Bombus cryptarum reinigianus</i> Rasmont, 1984 | 9 ex. |
| <i>Bombus cullumanus serrisquama</i> Morawitz, 1888 | 2 ex. |
| <i>Bombus dahlbomi</i> Guérin, 1835 | 57 ex. |
| <i>Bombus defector</i> Skorikov | 2 ex. |
| <i>Bombus distinguendus</i> Morawitz, 1869 | 86 ex. |

| | |
|---|---------|
| Bombus diversus Smith, 1869 | 8 ex. |
| Bombus edwardsii Cresson, 1878 | 7 ex. |
| Bombus ephippiatus | 3 ex. |
| Bombus fedtschenkoi Morawitz, 1875 | 1 ex. |
| Bombus ferganicus Radoszkowsky, 1893 | 1 ex. |
| Bombus fervidus (Fabricius, 1798) | 22 ex. |
| Bombus filchnerae Vogt | 4 ex. |
| Bombus flavidus Eversmann, 1852 | 5 ex. |
| Bombus flavifrons Cresson, 1863 | 10 ex. |
| Bombus fragrans (Pallas, 1771) | 18 ex. |
| Bombus funebris Smith, 1854 | 1 ex. |
| Bombus gerstaeckeri Morawitz, 1881 | 20 ex. |
| Bombus griseocollis (Degeer, 1773) | 21 ex. |
| Bombus haematurus Kriechbaumer, 1870 | 3 ex. |
| Bombus haemorrhoidalis Smith, 1852 | 3 ex. |
| Bombus hortorum (Linné, 1761) | 252 ex. |
| Bombus humilis Illiger, 1806 | 293 ex. |
| Bombus huntii Greene, 1860 | 5 ex. |
| Bombus hyperboreus Schönherr, 1809 | 2 ex. |
| Bombus hypnorum (Linné, 1758) | 233 ex. |
| Bombus ignitus Smith, 1869 | 12 ex. |
| Bombus impatiens Cresson, 1863 | 36 ex. |
| Bombus incertus Morawitz, 1881 | 6 ex. |
| Bombus japonicus Dalla Torre | 3 ex. |
| Bombus jonellus (Kirby, 1802) | 92 ex. |
| Bombus keriensis Morawitz | 10 ex. |
| Bombus kohli Cockerell | 12 ex. |
| Bombus laboriosa Fabricius, 1804 | 7 ex. |
| Bombus laesus Morawitz, 1875 | 15 ex. |
| Bombus lapidarius (Linné, 1758) | 548 ex. |
| Bombus latissimus Friese | 10 ex. |
| Bombus lucorum (Linné, 1761) | 532 ex. |
| Bombus magnus (Vogt, 1911) | 2 ex. |
| Bombus maxillosus Klug, 1817 | 14 ex. |
| Bombus melanopygus Nylander, 1848 | 46 ex. |
| Bombus melanurus Lepeletier, 1836 | 11 ex. |
| Bombus mendax Gerstaecker, 1869 | 23 ex. |
| Bombus mesomelas Gerstaecker, 1869 | 93 ex. |
| Bombus miniatocaudatus Vogt | 2 ex. |
| Bombus mixtus Cresson, 1878 | 15 ex. |
| Bombus mlokosiewitzi Radoszkowsky, 1877 | 2 ex. |
| Bombus modestus Eversmann, 1852 | 3 ex. |
| Bombus monticola Smith, 1849 | 57 ex. |
| Bombus morawitzanus (Popov, 1931) | 2 ex. |
| Bombus morrisoni Cresson, 1878 | 3 ex. |
| Bombus mucidus Gerstaecker, 1869 | 20 ex. |
| Bombus muscorum (Linné, 1758) | 158 ex. |

| | |
|--|---------|
| <i>Bombus nevadensis</i> Cresson, 1874 | 9 ex. |
| <i>Bombus niger</i> Franklin | 2 ex. |
| <i>Bombus ningpolensis</i> Friese | 1 ex. |
| <i>Bombus niveatus</i> Kriechbaumer, 1870 | 9 ex. |
| <i>Bombus norvegicus</i> (Sparre-Schneider, 1918) | 6 ex. |
| <i>Bombus occidentalis</i> Greene, 1858 | 22 ex. |
| <i>Bombus opifex</i> Smith, 1879 | 2 ex. |
| <i>Bombus opulentus</i> Smith, 1861 | 13 ex. |
| <i>Bombus pagdeni</i> Tkalcu oder Kruseman, i. l. | 3 ex. |
| <i>Bombus pascuorum</i> (Scopoli, 1763) | 802 ex. |
| <i>Bombus pascuorum floralis</i> (Gmelin, 1790) | 10 ex. |
| <i>Bombus patagiatus</i> Nylander, 1848 | 37 ex. |
| <i>Bombus pennsylvanicus</i> (Degeer, 1773) | 32 ex. |
| <i>Bombus perezi</i> Schulthess, 1886 | 3 ex. |
| <i>Bombus perplexus</i> Cresson, 1863 | 5 ex. |
| <i>Bombus persicus</i> Radoszkowsky, 1881 | 5 ex. |
| <i>Bombus pleuralis</i> Nylander, 1848 | 6 ex. |
| <i>Bombus polaris</i> Curtis, 1835 | 1 ex. |
| <i>Bombus pomorum</i> (Panzer, 1805) | 107 ex. |
| <i>Bombus portschinskyi</i> Radoszkowsky, 1883 | 2 ex. |
| <i>Bombus pratorum</i> (Linné, 1761) | 405 ex. |
| <i>Bombus pubescens</i> Spinola | 2 ex. |
| <i>Bombus pyrenaeus</i> Pérez, 1879 | 29 ex. |
| <i>Bombus quadricolor</i> (Lepeletier, 1832) | 25 ex. |
| <i>Bombus redizorzevi</i> Popov, 1931 | 1 ex. |
| <i>Bombus rubicundus</i> Smith, 1854 | 2 ex. |
| <i>Bombus ruderarius</i> (Müller, 1776) | 153 ex. |
| <i>Bombus ruderarius trifasciatus</i> Alfken, 1913 | 1 ex. |
| <i>Bombus ruderarius zonophorus</i> Skirikov | 72 ex. |
| <i>Bombus ruderatus</i> (Fabricius, 1775) | 73 ex. |
| <i>Bombus rufipes</i> Lepeletier, 1836 | 1 ex. |
| <i>Bombus rufocinctus</i> Cresson, 1863 | 4 ex. |
| <i>Bombus rupestris</i> (Fabricius, 1793) | 291 ex. |
| <i>Bombus sapporensis</i> Cockerell | 7 ex. |
| <i>Bombus schrencki</i> Morawitz, 1881 | 5 ex. |
| <i>Bombus sibiricus</i> (Fabricius, 1781) | 10 ex. |
| <i>Bombus sicheli</i> Radoszkowsky, 1859 | 76 ex. |
| <i>Bombus sitkensis</i> Nylander, 1848 | 10 ex. |
| <i>Bombus soroensis</i> (Fabricius, 1776) | 288 ex. |
| <i>Bombus sporadicus</i> Nylander, 1848 | 10 ex. |
| <i>Bombus subterraneus</i> (Linné, 1758) | 106 ex. |
| <i>Bombus subtypicus</i> Skorikov | 6 ex. |
| <i>Bombus suckley</i> (Greene, 1860) | 8 ex. |
| <i>Bombus sushkini</i> Skorikov | 3 ex. |
| <i>Bombus sylvarum</i> (Linné, 1761) | 327 ex. |
| <i>Bombus sylvestris</i> (Lepeletier, 1832) | 80 ex. |
| <i>Bombus sylvicola</i> Kirby, 1837 | 5 ex. |

| | |
|---|---------|
| <i>Bombus ternarius</i> Say, 1837 | 8 ex. |
| <i>Bombus terrestris</i> (Linné, 1758) | 415 ex. |
| <i>Bombus terricola</i> Kirby, 1837 | 10 ex. |
| <i>Bombus thoracicus</i> Sichel, 1862 | 1 ex. |
| <i>Bombus turkestanicus</i> Skorikov | 11 ex. |
| <i>Bombus unifasciatus</i> Smith | 3 ex. |
| <i>Bombus ussurensis</i> Radoszkowsky, 1877 | 9 ex. |
| <i>Bombus vagans</i> Smith, 1854 | 23 ex. |
| <i>Bombus variabilis</i> (Cresson, 1872) | 2 ex. |
| <i>Bombus velutinus</i> Illiger | 5 ex. |
| <i>Bombus vestalis</i> (Geoffroy, 1785) | 186 ex. |
| <i>Bombus veteranus</i> (Fabricius, 1793) | 151 ex. |
| <i>Bombus violaceus</i> Lepeletier | 10 ex. |
| <i>Bombus volucelloides</i> Gribodo, 1891 | 3 ex. |
| <i>Bombus vorticosus</i> Gerstaecker, 1872 | 5 ex. |
| <i>Bombus vosnesenskii</i> Radoszkowsky, 1862 | 11 ex. |
| <i>Bombus wilemani</i> Cockerell | 2 ex. |
| <i>Bombus wittenburgi</i> Vogt | 3 ex. |
| <i>Bombus wurfleni</i> Radoszkowsky, 1859 | 122 ex. |
| <i>Bombus zonatus</i> Smith, 1854 | 15 ex. |
| <i>Brachyglossula caerulea</i> Spinola | 2 ex. |
| <i>Brachyglossula flavicornis</i> Spinola | 2 ex. |
| <i>Brachyglossula herbsti</i> Friese | 3 ex. |
| <i>Brachyglossula iheringi</i> Schrottky | 2 ex. |
| <i>Brachyglossula rufiventris</i> (Spinola,) | 8 ex. |
| <i>Branthidium braunsi</i> (Friese, 1904) | 3 ex. |
| <i>Braunsapis facialis</i> (Gerstaecker,) | 4 ex. |
| <i>Braunsapis foveata</i> (Smith,) | 4 ex. |
| <i>Braunsapis hewitti</i> Cameron, 1908 | 1 ex. |
| <i>Cadeguala albopilosa</i> (Spinola,) | 16 ex. |
| <i>Cadeguala occidentalis</i> Spinola, 1851 | 35 ex. |
| <i>Calliopsis coloradensis</i> Cresson, 1878 | 3 ex. |
| <i>Callomelitta picta perpicta</i> Cockerell | 10 ex. |
| <i>Canephorula apiformis</i> (Friese, 1908) | 3 ex. |
| <i>Capicola braunsiana</i> Friese | 3 ex. |
| <i>Caupolicana argentina</i> Friese | 2 ex. |
| <i>Caupolicana curvipes</i> Friese | 1 ex. |
| <i>Caupolicana dimidiata</i> Herbst, 1917 | 1 ex. |
| <i>Caupolicana eximia</i> Smith | 2 ex. |
| <i>Caupolicana fulvicollis</i> Spinola, 1851 | 6 ex. |
| <i>Caupolicana funebris</i> Smith, 1879 | 10 ex. |
| <i>Caupolicana gayi</i> Spinola, 1851 | 7 ex. |
| <i>Caupolicana gayi clavicollis</i> Reed | 1 ex. |
| <i>Caupolicana hirsuta</i> Spinola, 1851 | 9 ex. |
| <i>Caupolicana lugubris</i> Smith, 1859 | 3 ex. |
| <i>Caupolicana luteipes</i> Friese, 1916 | 1 ex. |
| <i>Caupolicana niveofasciata</i> Friese | 3 ex. |

| | |
|--|--------|
| <i>Caupolicana peruviana</i> Friese | 1 ex. |
| <i>Caupolicana pubescens</i> Smith, 1879 | 14 ex. |
| <i>Caupolicana ruficollis</i> Friese, 1906 | 2 ex. |
| <i>Caupolicana rufipes</i> Friese, 1904 | 1 ex. |
| <i>Caupolicana smithiana</i> Friese, 1908 | 2 ex. |
| <i>Caupolicana trifasciata</i> (Spinola,) | 1 ex. |
| <i>Caupolicana zikani</i> (Friese, 1925) | 1 ex. |
| <i>Centris aenea</i> Lepeletier, 1841 | 2 ex. |
| <i>Centris agilis</i> Smith, 1874 | 1 ex. |
| <i>Centris americana</i> (Klug, 1810) | 4 ex. |
| <i>Centris atra</i> Friese, 1899 | 1 ex. |
| <i>Centris atripes</i> Mocsáry, 1899 | 8 ex. |
| <i>Centris atriventris grandis</i> Ducke | 2 ex. |
| <i>Centris bicolor</i> Lepeletier, 1841 | 5 ex. |
| <i>Centris bimaculata</i> Lepeletier, 1841 | 4 ex. |
| <i>Centris brethesi</i> Schrottky | 3 ex. |
| <i>Centris breviceps</i> Friese, 1899 | 2 ex. |
| <i>Centris burgdorfi</i> Friese | 1 ex. |
| <i>Centris caelebs</i> Friese | 1 ex. |
| <i>Centris chilensis</i> (Spinola, 1851) | 8 ex. |
| <i>Centris chilensis necqueensis</i> Friese | 1 ex. |
| <i>Centris clypearis</i> Friese | 3 ex. |
| <i>Centris collaris</i> Lepeletier, 1841 | 3 ex. |
| <i>Centris collaris fluviatilis</i> Friese, 1924 | 1 ex. |
| <i>Centris conspersa</i> Mocsáry, 1899 | 1 ex. |
| <i>Centris conspersa cerberus</i> Friese | 2 ex. |
| <i>Centris costaricensis</i> Friese, 1924 | 1 ex. |
| <i>Centris denudans</i> Lepeletier | 3 ex. |
| <i>Centris difformis</i> Smith, 1854 | 1 ex. |
| <i>Centris discolor</i> Smith, 1874 | 3 ex. |
| <i>Centris fasciatella</i> Friese, 1900 | 1 ex. |
| <i>Centris festiva</i> Smith | 10 ex. |
| <i>Centris flavifrons</i> Fabricius | 1 ex. |
| <i>Centris flavilabris</i> Burmeister | 7 ex. |
| <i>Centris furcata</i> Fabricius | 2 ex. |
| <i>Centris fusciventris</i> Mocsáry | 2 ex. |
| <i>Centris hyptidis</i> Ducke | 2 ex. |
| <i>Centris inermis</i> Friese, 1899 | 3 ex. |
| <i>Centris insignis</i> Smith, 1854 | 1 ex. |
| <i>Centris insularis</i> Smith, 1874 | 1 ex. |
| <i>Centris klugi</i> Friese | 2 ex. |
| <i>Centris labrosa</i> Friese, 1899 | 9 ex. |
| <i>Centris lanipes</i> (Fabricius, 1775) | 11 ex. |
| <i>Centris lanosa</i> Cresson, 1872 | 7 ex. |
| <i>Centris lineolata</i> Lepeletier | 2 ex. |
| <i>Centris minuta</i> Mocsáry | 8 ex. |
| <i>Centris muralis</i> Burmeister, 1876 | 4 ex. |

| | |
|--|--------|
| <i>Centris nigerrima</i> (Spinola, 1851) | 7 ex. |
| <i>Centris nigrifacies</i> Friese | 1 ex. |
| <i>Centris nigripes</i> Friese | 1 ex. |
| <i>Centris nigriventris</i> Burmeister, 1876 | 5 ex. |
| <i>Centris nigrofasciata</i> Friese | 2 ex. |
| <i>Centris nitens</i> Lepeletier, 1841 | 1 ex. |
| <i>Centris nitida</i> Smith, 1874 | 1 ex. |
| <i>Centris nitida facialis</i> Mocsáry | 9 ex. |
| <i>Centris nobilis</i> Westwood, 1840 | 5 ex. |
| <i>Centris obsoleta</i> Lepeletier, 1841 | 1 ex. |
| <i>Centris ocellaris</i> Ducke | 1 ex. |
| <i>Centris pallida</i> Fox, 1899 | 2 ex. |
| <i>Centris personata</i> Smith, 1874 | 7 ex. |
| <i>Centris plumipes</i> Smith | 1 ex. |
| <i>Centris poecila</i> Lepeletier, 1841 | 14 ex. |
| <i>Centris rhodopus</i> Cockerell, 1897 | 2 ex. |
| <i>Centris rubella</i> Smith | 2 ex. |
| <i>Centris tarsata</i> Smith, 1874 | 2 ex. |
| <i>Centris tricolor</i> Friese, 1899 | 2 ex. |
| <i>Centris varia</i> (Erichson, 1848) | 6 ex. |
| <i>Centris versicolor</i> (Fabricius, 1775) | 9 ex. |
| <i>Centris versicolor grossa</i> Friese | 1 ex. |
| <i>Centris versicolor rufiventris</i> Friese, 1924 | 1 ex. |
| <i>Centris weilenmanni</i> Friese, 1900 | 1 ex. |
| <i>Cephalotrigona capitata</i> (Smith, 1854) | 19 ex. |
| <i>Cephalotrigona capitata zexmeniae</i> Cockerell, 1912 | 1 ex. |
| <i>Ceratina abdominalis</i> Smith, 1907 | 1 ex. |
| <i>Ceratina acantha</i> Provancher, 1895 | 20 ex. |
| <i>Ceratina acuta</i> Friese, 1896 | 5 ex. |
| <i>Ceratina aenescens</i> Friese | 1 ex. |
| <i>Ceratina aloes</i> Brauns | 5 ex. |
| <i>Ceratina arizonensis</i> Cockerell, 1898 | 5 ex. |
| <i>Ceratina aurata</i> Friese | 4 ex. |
| <i>Ceratina beata</i> Cameron | 1 ex. |
| <i>Ceratina bicolorata</i> Smith | 4 ex. |
| <i>Ceratina bispinosa</i> Handlirsch, 1889 | 3 ex. |
| <i>Ceratina braunsiana</i> Friese | 4 ex. |
| <i>Ceratina callosa</i> (Fabricius, 1794) | 2 ex. |
| <i>Ceratina chalcites</i> Latreille, 1809 | 14 ex. |
| <i>Ceratina chalybea</i> (Fabricius, 1794) | 18 ex. |
| <i>Ceratina chrysomalla</i> Gerstaecker, 1869 | 2 ex. |
| <i>Ceratina cockerelli</i> Smith, 1907 | 1 ex. |
| <i>Ceratina crassipes</i> Friese | 2 ex. |
| <i>Ceratina cucurbitina</i> (Rossi, 1792) | 93 ex. |
| <i>Ceratina cuprea</i> Fr. | 9 ex. |
| <i>Ceratina cyanea</i> (Kirby, 1802) | 71 ex. |
| <i>Ceratina cyaniventris</i> Cresson, 1865 | 1 ex. |

| | |
|---|--------|
| <i>Ceratina dallatorreana</i> Friese, 1896 | 3 ex. |
| <i>Ceratina dentipes</i> Friese, 1904 | 1 ex. |
| <i>Ceratina dentiventris</i> Gerstaecker, 1869 | 6 ex. |
| <i>Ceratina dimidiata</i> Friese | 8 ex. |
| <i>Ceratina dupla</i> Say, 1837 | 7 ex. |
| <i>Ceratina emarginata</i> Friese | 2 ex. |
| <i>Ceratina flavicornis</i> Friese | 3 ex. |
| <i>Ceratina fulvitaris</i> Friese | 2 ex. |
| <i>Ceratina fumipennigera</i> Strand, 1914 | 2 ex. |
| <i>Ceratina gayetina</i> Spinola | 6 ex. |
| <i>Ceratina gayi</i> Spinola | 5 ex. |
| <i>Ceratina gravidula</i> Gerstaecker, 1869 | 2 ex. |
| <i>Ceratina hieroglyphica</i> Smith | 35 ex. |
| <i>Ceratina japonica alpicola</i> Shiokawa, 2002 | 4 ex. |
| <i>Ceratina kankauensis</i> Strand, 1913 | 1 ex. |
| <i>Ceratina kosemponis</i> Strand, 1913 | 10 ex. |
| <i>Ceratina labrosa</i> Friese | 1 ex. |
| <i>Ceratina lacta ecuadoria</i> Friese | 4 ex. |
| <i>Ceratina laevifrons</i> Morawitz, 1895 | 1 ex. |
| <i>Ceratina laticeps</i> Friese | 14 ex. |
| <i>Ceratina liliputana</i> Brauns, i.l. | 2 ex. |
| <i>Ceratina loewi</i> Gerstaecker, 1869 | 6 ex. |
| <i>Ceratina ludwigi</i> Strand, 1914 | 1 ex. |
| <i>Ceratina mandibularis</i> Friese, 1896 | 1 ex. |
| <i>Ceratina minima</i> Friese | 2 ex. |
| <i>Ceratina mocsaryi</i> Friese, 1896 | 1 ex. |
| <i>Ceratina morawitzi</i> Sickmann, 1894 | 41 ex. |
| <i>Ceratina nigroenea</i> Gerstaecker, 1869 | 3 ex. |
| <i>Ceratina nigrolabiata</i> Friese, 1896 | 6 ex. |
| <i>Ceratina nigrolateralis vechti</i> Baker, 1997 | 4 ex. |
| <i>Ceratina okinawana taiwanensis</i> Shiokawa | 7 ex. |
| <i>Ceratina opaca</i> Friese | 1 ex. |
| <i>Ceratina paradoxa</i> Brauns, i.l. | 1 ex. |
| <i>Ceratina parvula</i> Smith, 1854 | 2 ex. |
| <i>Ceratina postica</i> Spinola | 2 ex. |
| <i>Ceratina pulchripes</i> Shiokawa, 2002 | 5 ex. |
| <i>Ceratina punctiventris</i> Fabricius | 1 ex. |
| <i>Ceratina sauteri</i> Strand, 1913 | 2 ex. |
| <i>Ceratina sexmaculata</i> Smith | 39 ex. |
| <i>Ceratina smaragdula</i> Fabricius, 1887 | 4 ex. |
| <i>Ceratina subquadrata</i> Smith | 2 ex. |
| <i>Ceratina subulata</i> Brauns, i.l. | 2 ex. |
| <i>Ceratina takasagona</i> Shiokawa & Hirashima, 1982 | 5 ex. |
| <i>Ceratina tehuacana</i> Strand, 1919 | 4 ex. |
| <i>Ceratina trimaculata</i> Friese | 7 ex. |
| <i>Ceratina truncata</i> Friese | 2 ex. |
| <i>Ceratina unicolor</i> Friese | 37 ex. |

| | |
|--|---------|
| <i>Ceratina viridis</i> Guérin, 1844 | 2 ex. |
| <i>Ceratina zebra</i> Friese | 12 ex. |
| <i>Ceratina zikanyi</i> Friese | 2 ex. |
| <i>Chalepogenoides buchwaldi</i> Cockerell | 1 ex. |
| <i>Chalikodoma canescens</i> Brullé, 1840 | 1 ex. |
| <i>Chelostomopsis rubifloris</i> (Cockerell, 1898) | 2 ex. |
| <i>Chilicola albida</i> (Friese, 1906) | 7 ex. |
| <i>Chilicola costaricensis</i> Friese | 6 ex. |
| <i>Chilicola frieseana</i> Friese | 1 ex. |
| <i>Chilicola friesei</i> P. Herbst | 3 ex. |
| <i>Chilicola hahni</i> Herbst, 1923 | 2 ex. |
| <i>Chilicola herbsti</i> (Friese, 1906) | 6 ex. |
| <i>Chilicola inermis</i> Friese, 1908 | 7 ex. |
| <i>Chilicola longiventris</i> Friese, i.l. | 2 ex. |
| <i>Chilicola minor</i> (Philippi, 1866) | 2 ex. |
| <i>Chilicola plebeja</i> Spinola | 4 ex. |
| <i>Coelioxys acanthura</i> (Illiger, 1806) | 1 ex. |
| <i>Coelioxys afra</i> Lepeletier, 1841 | 54 ex. |
| <i>Coelioxys afra sauteri</i> Cockerell | 11 ex. |
| <i>Coelioxys albifrons</i> Friese | 1 ex. |
| <i>Coelioxys argentea</i> Lepeletier, 1841 | 1 ex. |
| <i>Coelioxys aurifrons</i> Smith, 1854 | 1 ex. |
| <i>Coelioxys aurolimbata</i> Förster, 1853 | 44 ex. |
| <i>Coelioxys brachyvolva</i> Friese | 1 ex. |
| <i>Coelioxys brevicaudata</i> Friese, 1905 | 1 ex. |
| <i>Coelioxys brevis</i> Eversmann, 1852 | 12 ex. |
| <i>Coelioxys coeruleipennis</i> Friese, 1904 | 3 ex. |
| <i>Coelioxys conoidea</i> (Illiger, 1806) | 135 ex. |
| <i>Coelioxys decipiens</i> Spinola, 1838 | 20 ex. |
| <i>Coelioxys difformis</i> Friese, 1904 | 4 ex. |
| <i>Coelioxys dolichos</i> Fox, 1890 | 1 ex. |
| <i>Coelioxys eardleyi</i> Schwarz | 1 ex. |
| <i>Coelioxys echinata</i> Förster, 1853 | 11 ex. |
| <i>Coelioxys elongata</i> Lepeletier, 1841 | 12 ex. |
| <i>Coelioxys erythropus</i> Friese | 2 ex. |
| <i>Coelioxys formosicola</i> Strand, 1913 | 1 ex. |
| <i>Coelioxys haemorrhhoa</i> Förster, 1853 | 3 ex. |
| <i>Coelioxys inermis</i> (Kirby, 1802) | 62 ex. |
| <i>Coelioxys kosemponis</i> Strand, 1913 | 4 ex. |
| <i>Coelioxys lanceolata</i> Nylander, 1852 | 1 ex. |
| <i>Coelioxys mandibularis</i> Nylander, 1848 | 58 ex. |
| <i>Coelioxys octodentata</i> Say, 1824 | 40 ex. |
| <i>Coelioxys osmia</i> Alfken | 2 ex. |
| <i>Coelioxys pergandei</i> Schletterer, 1890 | 2 ex. |
| <i>Coelioxys peruviana</i> Friese | 2 ex. |
| <i>Coelioxys pirata</i> Holmberg, 1885 | 1 ex. |
| <i>Coelioxys quadridentata</i> (Linné, 1758) | 78 ex. |

| | |
|--|---------|
| <i>Coelioxys rhinosus</i> Cockerell | 6 ex. |
| <i>Coelioxys rufescens</i> Lepeletier & Serville, 1825 | 114 ex. |
| <i>Coelioxys rufescens latefasciata</i> Morawitz | 2 ex. |
| <i>Coelioxys rufitarsis</i> Smith, 1854 | 4 ex. |
| <i>Coelioxys sanguinicollis</i> Friese | 1 ex. |
| <i>Coelioxys sayi</i> Robertson, 1897 | 2 ex. |
| <i>Coelioxys sodalis</i> Cresson, 1878 | 3 ex. |
| <i>Coelioxys suisharyonis</i> Strand, 1913 | 4 ex. |
| <i>Coelioxys sumatrana</i> Enderlein, 1906 | 1 ex. |
| <i>Coelioxys taihorinica</i> Strand, 1913 | 1 ex. |
| <i>Coelioxys taihorinica latipyga</i> Strand, 1913 | 1 ex. |
| <i>Coelioxys testiformis</i> Friese | 2 ex. |
| <i>Coelioxys ventralis</i> Friese | 2 ex. |
| <i>Colletes abeillei</i> Pérez, 1903 | 4 ex. |
| <i>Colletes acutus</i> Pérez, 1903 | 1 ex. |
| <i>Colletes aethiops</i> Cresson | 4 ex. |
| <i>Colletes albomaculatus</i> (Lucas, 1849) | 20 ex. |
| <i>Colletes americanus</i> Cresson, 1868 | 3 ex. |
| <i>Colletes anchusae</i> Noskiewicz, 1924 | 1 ex. |
| <i>Colletes andreri</i> Friese | 1 ex. |
| <i>Colletes angelicus</i> Cockerell, 1905 | 4 ex. |
| <i>Colletes argentinus</i> Friese, 1908 | 4 ex. |
| <i>Colletes bicolor</i> Smith, 1879 | 4 ex. |
| <i>Colletes buchwaldi</i> Friese | 2 ex. |
| <i>Colletes californicus</i> Provancher, 1895 | 4 ex. |
| <i>Colletes capensis</i> Cameron | 2 ex. |
| <i>Colletes carinatus</i> Radoszkowsky, 1891 | 1 ex. |
| <i>Colletes caskanus</i> (Strand, 1919) | 2 ex. |
| <i>Colletes caspicus</i> Morawitz, 1874 | 2 ex. |
| <i>Colletes caspicus balticus</i> Alfken, 1912 | 4 ex. |
| <i>Colletes caspicus maidli</i> Noskiewicz, 1936 | 2 ex. |
| <i>Colletes cercops dimidiatus</i> Morice | 4 ex. |
| <i>Colletes chalybaeus</i> Friese | 4 ex. |
| <i>Colletes chentehensis</i> Yasumatsu, 1935 | 1 ex. |
| <i>Colletes ciliatus</i> Patton, 1879 | 6 ex. |
| <i>Colletes cognatus</i> Spinola, 1851 | 5 ex. |
| <i>Colletes collaris</i> Dours, 1872 | 4 ex. |
| <i>Colletes compactus</i> Cresson, 1868 | 2 ex. |
| <i>Colletes consors pascoensis</i> Cockerell, 1898 | 1 ex. |
| <i>Colletes coriandri</i> Pérez, 1895 | 2 ex. |
| <i>Colletes costaricensis</i> Friese | 6 ex. |
| <i>Colletes cretaceus farinosus</i> Morawitz, 1878 | 1 ex. |
| <i>Colletes creticus</i> Noskiewicz, 1936 | 1 ex. |
| <i>Colletes cunicularius</i> (Linné, 1761) | 117 ex. |
| <i>Colletes cyanescens</i> Haliday, 1836 | 10 ex. |
| <i>Colletes daviesanus</i> Smith, 1846 | 178 ex. |
| <i>Colletes daviesanus tuberculatus</i> Morawitz, 1894 | 4 ex. |

| | |
|--|--------|
| <i>Colletes dimidiatus</i> Brullé, 1840 | 2 ex. |
| <i>Colletes dimidiatus canescens</i> Smith, 1853 | 6 ex. |
| <i>Colletes dimidiatus cecrops</i> Morice, 1904 | 1 ex. |
| <i>Colletes dimidiatus illyricus</i> Noskiewicz, 1936 | 2 ex. |
| <i>Colletes distinctus</i> Cresson, 1868 | 1 ex. |
| <i>Colletes dorsalis</i> Morawitz, 1888 | 2 ex. |
| <i>Colletes ecuadorius</i> Friese | 2 ex. |
| <i>Colletes eous</i> Morice, 1904 | 6 ex. |
| <i>Colletes eulophi</i> Robertson, 1891 | 1 ex. |
| <i>Colletes floralis</i> Eversmann, 1852 | 17 ex. |
| <i>Colletes fodiens</i> (Geoffroy, 1765) | 72 ex. |
| <i>Colletes formosus</i> Perez | 1 ex. |
| <i>Colletes foveolaris</i> Perez, 1903 | 1 ex. |
| <i>Colletes friesei</i> Cockerell | 1 ex. |
| <i>Colletes fulgidus</i> Swenk, 1904 | 8 ex. |
| <i>Colletes fulvofasciatus</i> Friese | 1 ex. |
| <i>Colletes fulvothoracicus</i> Friese | 2 ex. |
| <i>Colletes furfuraceus</i> Holmberg | 2 ex. |
| <i>Colletes gallicus</i> Radoszkowsky, 1891 | 3 ex. |
| <i>Colletes gomerensis dimidiatus</i> Warncke, 1978 | 1 ex. |
| <i>Colletes graeffei</i> Alfken, 1900 | 1 ex. |
| <i>Colletes</i> Gruppe 4 rufitarsis Kuhlmann i.litt. | 2 ex. |
| <i>Colletes hakkeri</i> Kuhlmann, 2002 | 3 ex. |
| <i>Colletes hederæ</i> Schmidt & Westrich, 1993 | 61 ex. |
| <i>Colletes hyalinus gaudialis</i> Cockerell, 1905 | 6 ex. |
| <i>Colletes hylaeiformis</i> Eversmann, 1852 | 12 ex. |
| <i>Colletes impunctatus</i> Nylander, 1852 | 8 ex. |
| <i>Colletes inaequalis</i> Say, 1837 | 2 ex. |
| <i>Colletes inexpectatus</i> Noskiewicz, 1936 | 7 ex. |
| <i>Colletes inflatus</i> Vachal | 5 ex. |
| <i>Colletes jankowskyi</i> Radoszkowsky, 1891 | 1 ex. |
| <i>Colletes joergenseni</i> Friese | 4 ex. |
| <i>Colletes judaicus</i> Noskiewicz, 1955 | 1 ex. |
| <i>Colletes kincaidii</i> Cockerell, 1898 | 6 ex. |
| <i>Colletes kozlovi</i> Friese | 2 ex. |
| <i>Colletes lacunatus</i> Dours, 1872 | 3 ex. |
| <i>Colletes laticeps</i> Friese | 7 ex. |
| <i>Colletes ligatus</i> Erichson, 1855 | 4 ex. |
| <i>Colletes maculipennis</i> Friese | 1 ex. |
| <i>Colletes maidli caspicus</i> Noskiewicz | 2 ex. |
| <i>Colletes marginatus</i> Smith, 1846 | 42 ex. |
| <i>Colletes marginatus pallescens</i> Noskiewicz, 1936 | 3 ex. |
| <i>Colletes marleyi</i> Cockerell | 3 ex. |
| <i>Colletes metaleucus</i> Friese | 2 ex. |
| <i>Colletes mexicanicola</i> Strand, 1919 | 1 ex. |
| <i>Colletes mexiconis</i> Strand, 1919 | 1 ex. |
| <i>Colletes meyeri</i> Noskiewicz, 1936 | 4 ex. |

| | |
|---|--------|
| <i>Colletes mlokoszewiczi</i> Radoszkowsky, 1891 | 18 ex. |
| <i>Colletes montivagus</i> Friese | 2 ex. |
| <i>Colletes morawitzi</i> Noskiewicz, 1936 | 1 ex. |
| <i>Colletes mucoreus</i> Friese | 2 ex. |
| <i>Colletes musculus</i> Friese, 1910 | 3 ex. |
| <i>Colletes nanus</i> Friese, 1898 | 16 ex. |
| <i>Colletes nasutus</i> Smith, 1853 | 23 ex. |
| <i>Colletes nigricans</i> Gistel, 1857 | 6 ex. |
| <i>Colletes nigrifrons</i> Titus, 1900 | 1 ex. |
| <i>Colletes nigrifulus</i> Friese, 1910 | 2 ex. |
| <i>Colletes nitidicollis</i> Friese | 2 ex. |
| <i>Colletes nitidilabris</i> Strand, 1919 | 4 ex. |
| <i>Colletes occidentalis</i> tetra Spinola | 16 ex. |
| <i>Colletes ottomanus</i> Noskiewicz | 14 ex. |
| <i>Colletes perezi</i> Morice, 1904 | 6 ex. |
| <i>Colletes petropolitanus</i> Dalla Torre, 1896 | 2 ex. |
| <i>Colletes phaceliae</i> Cockerell, 1906 | 1 ex. |
| <i>Colletes pumilus</i> Morice, 1904 | 10 ex. |
| <i>Colletes punctatus</i> Mocsáry, 1877 | 12 ex. |
| <i>Colletes roborowskii</i> Friese, 1913 | 2 ex. |
| <i>Colletes rufipes</i> Smith, 1879 | 3 ex. |
| <i>Colletes rufoniger</i> Friese | 1 ex. |
| <i>Colletes rugicollis</i> Friese, 1900 | 12 ex. |
| <i>Colletes sanctus</i> Cockerell, 1910 | 1 ex. |
| <i>Colletes semicyaneus</i> Spinola | 2 ex. |
| <i>Colletes seminitidus</i> Spinola | 11 ex. |
| <i>Colletes shonae</i> Kuhlmann | 1 ex. |
| <i>Colletes similis</i> Schenck, 1853 | 63 ex. |
| <i>Colletes simulans armatus</i> Patton, 1879 | 7 ex. |
| <i>Colletes simulans nevadensis</i> Swenk, 1908 | 7 ex. |
| <i>Colletes sororcula</i> Cockerell | 2 ex. |
| <i>Colletes steinbachi</i> Friese | 2 ex. |
| <i>Colletes succinctus</i> (Linné, 1758) | 83 ex. |
| <i>Colletes succinctus brevigena</i> Noskiewicz, 1936 | 7 ex. |
| <i>Colletes tehuacanus</i> Strand, 1919 | 1 ex. |
| <i>Colletes validus</i> Cresson, 1868 | 3 ex. |
| <i>Colletes viridans</i> Vachal, 1909 | 4 ex. |
| <i>Conanthalictus bakeri</i> Alfken | 4 ex. |
| <i>Corynura chilensis</i> Spinola | 3 ex. |
| <i>Corynura chloris</i> (Spinola, 1851) | 18 ex. |
| <i>Corynura norops</i> Vachal | 2 ex. |
| <i>Corynura pubescens</i> Friese | 1 ex. |
| <i>Crocisaspidia nigripes</i> (Friese, 1904) | 3 ex. |
| <i>Ctenioschelus latreillei</i> Lepeletier | 2 ex. |
| <i>Ctenoplectra cornuta</i> Gribodo, 1891 | 6 ex. |
| <i>Ctenoplectra davidi</i> Vachal, 1903 | 4 ex. |
| <i>Ctenoplectra kelloggi</i> Cockerell, 1930 | 1 ex. |

| | |
|--|---------|
| <i>Curvinomia speciosa</i> (Friese, 1908) | 1 ex. |
| <i>Dasypoda albipila</i> Spinola, 1838 | 1 ex. |
| <i>Dasypoda argentata</i> Panzer, 1809 | 110 ex. |
| <i>Dasypoda braccata</i> Eversmann, 1852 | 14 ex. |
| <i>Dasypoda cingulata</i> Spinola, 1838 | 2 ex. |
| <i>Dasypoda crassicornis</i> Friese | 2 ex. |
| <i>Dasypoda crassipes</i> Friese | 2 ex. |
| <i>Dasypoda eversmanni</i> Mocsáry | 2 ex. |
| <i>Dasypoda filicornis</i> Friese | 3 ex. |
| <i>Dasypoda graniensis hirtipes</i> Perez | 5 ex. |
| <i>Dasypoda hirtipes</i> (Fabricius, 1793) | 256 ex. |
| <i>Dasypoda pyriformis</i> Radoszkowsky, 1887 | 4 ex. |
| <i>Dasypoda pyrotrichia</i> Förster, 1855 | 1 ex. |
| <i>Dasypoda spinigera europaea</i> Warncke, 1973 | 7 ex. |
| <i>Dasypoda suripes</i> (Christ, 1791) | 24 ex. |
| <i>Dasypoda visnaga</i> (Rossi, 1790) | 10 ex. |
| <i>Diadasia bituberculata</i> (Cresson, 1878) | 6 ex. |
| <i>Diadasia chilensis</i> (Spinola, 1851) | 1 ex. |
| <i>Diadasia consociata</i> Timberlake, 1939 | 2 ex. |
| <i>Diadasia diminuta</i> (Cresson, 1878) | 7 ex. |
| <i>Diadasia enavata</i> (Cresson, 1872) | 4 ex. |
| <i>Diadasia laticauda</i> Cockerell, 1905 | 2 ex. |
| <i>Dialictus spec.</i> | 4 ex. |
| <i>Dianthidium bicoloratum</i> Smith | 1 ex. |
| <i>Dianthidium parvum parvum</i> (Cresson, 1878) | 2 ex. |
| <i>Dianthidium simile</i> (Cresson, 1864) | 1 ex. |
| <i>Dianthidium subparvum</i> Swenk, 1914 | 4 ex. |
| <i>Dioxys cincta</i> (Jurine, 1807) | 16 ex. |
| <i>Dioxys moesta</i> Costa, 1883 | 1 ex. |
| <i>Dioxys pannonica</i> Mocsáry, 1877 | 5 ex. |
| <i>Dioxys productus</i> (Cresson, 1879) | 1 ex. |
| <i>Dioxys tridentata</i> (Nylander, 1848) | 10 ex. |
| <i>Diphaglossa gayi</i> Spinola, 1851 | 19 ex. |
| <i>Doeringiella remigatus</i> Fabricius, 1804 | 1 ex. |
| <i>Duckeola ghilianii</i> (Spinola, 1853) | 1 ex. |
| <i>Dufourea alpina</i> Morawitz, 1865 | 9 ex. |
| <i>Dufourea dentiventris</i> (Nylander, 1848) | 31 ex. |
| <i>Dufourea fimbriata</i> (Cresson, 1906) | 31 ex. |
| <i>Dufourea halictula</i> Nylander, 1852 | 4 ex. |
| <i>Dufourea holocyanea</i> (Cockerell, 1925) | 10 ex. |
| <i>Dufourea inermis</i> (Nylander, 1848) | 11 ex. |
| <i>Dufourea maura</i> (Cresson, 1878) | 1 ex. |
| <i>Dufourea minuta</i> Lepeletier, 1841 | 8 ex. |
| <i>Dufourea mulleri</i> (Cockerell, 1898) | 4 ex. |
| <i>Dufourea paradoxa</i> Morawitz, 1867 | 3 ex. |
| <i>Dufourea paradoxa atrocoerulea</i> (Morawitz, 1876) | 1 ex. |
| <i>Dufourea virgata</i> (Cockerell, 1898) | 4 ex. |

| | |
|---|---------|
| <i>Dufourea vulgaris</i> (Schenck, 1859) | 62 ex. |
| <i>Egapista opalina</i> Smith | 1 ex. |
| <i>Emphoropsis cineraria</i> (Smith, 1879) | 2 ex. |
| <i>Emphoropsis laboriosa</i> (Fabricius, 1804) | 4 ex. |
| <i>Eoanthidium insulare</i> (Morawitz, 1873) | 1 ex. |
| <i>Epeoloides coecutiens</i> (Fabricius, 1775) | 72 ex. |
| <i>Epeoloides septemnotata</i> (Spinola, 1851) | 2 ex. |
| <i>Epeolus alpinus</i> Friese, 1893 | 8 ex. |
| <i>Epeolus alpinus glacialis</i> Alfken, 1913 | 2 ex. |
| <i>Epeolus amabilis</i> Gerstaecker, 1869 | 1 ex. |
| <i>Epeolus bifasciatus</i> Cameron, 1907 | 4 ex. |
| <i>Epeolus buchwaldi</i> Friese, 1908 | 2 ex. |
| <i>Epeolus burmeisteri</i> Friese, 1908 | 1 ex. |
| <i>Epeolus cruciger</i> (Panzer, 1799) | 78 ex. |
| <i>Epeolus fallax</i> (Morawitz, 1872) | 3 ex. |
| <i>Epeolus fasciatus</i> Friese, 1895 | 1 ex. |
| <i>Epeolus gayi</i> Spinola | 3 ex. |
| <i>Epeolus julliani</i> Pérez, 1884 | 3 ex. |
| <i>Epeolus luteipennis</i> Friese | 4 ex. |
| <i>Epeolus natalensis</i> Smith, 1879 | 1 ex. |
| <i>Epeolus rufithorax</i> (Graenicher, 1928) | 1 ex. |
| <i>Epeolus sarothrinus</i> Cockerell | 4 ex. |
| <i>Epeolus schummeli</i> Schilling, 1849 | 7 ex. |
| <i>Epeolus tanneri</i> (Cockerell, 1928) | 1 ex. |
| <i>Epeolus tristis</i> (Smith, 1854) | 16 ex. |
| <i>Epeolus unifasciatus</i> Friese, 1908 | 1 ex. |
| <i>Epeolus variegatus</i> (Linné, 1758) | 133 ex. |
| <i>Epicharis albofasciata</i> Smith, 1874 | 2 ex. |
| <i>Epicharis dejeanii</i> Lepeletier, 1841 | 1 ex. |
| <i>Epicharis duckei</i> Friese | 1 ex. |
| <i>Epicharis excisa</i> Mocsáry, 1898 | 1 ex. |
| <i>Epicharis festiva</i> Smith | 1 ex. |
| <i>Epicharis lateralis</i> Smith | 1 ex. |
| <i>Epicharis lunulata</i> Mocsáry, 1898 | 8 ex. |
| <i>Epicharis lunulata albescens</i> Friese | 1 ex. |
| <i>Epicharis maculata</i> Smith, 1874 | 8 ex. |
| <i>Epicharis quadrinotata</i> Mocsáry, 1898 | 4 ex. |
| <i>Epicharis rustica</i> (Olivier, 1789) | 11 ex. |
| <i>Epicharis rustica flava</i> Friese | 2 ex. |
| <i>Epicharis shizacanta</i> DUCKE | 1 ex. |
| <i>Epicharis umbraculata</i> (Fabricius, 1804) | 2 ex. |
| <i>Epicharis unicalcarata</i> DUCKE | 2 ex. |
| <i>Ericrocis lata</i> (Cresson, 1878) | 2 ex. |
| <i>Euaspis abdominalis</i> (Fabricius, 1793) | 6 ex. |
| <i>Euaspis abdominalis martini</i> Vachal, 1910 | 1 ex. |
| <i>Euaspis basalis</i> (Ritsema, 1874) | 11 ex. |
| <i>Euaspis erythros</i> (Meunier, 1890) | 1 ex. |

| | |
|---|---------|
| <i>Eucera albiceps</i> Friese | 3 ex. |
| <i>Eucera albofasciata albofasciata</i> Friese | 1 ex. |
| <i>Eucera albofasciata piceitricha</i> Strand, 1915 | 5 ex. |
| <i>Eucera algira</i> Brullé, 1840 | 2 ex. |
| <i>Eucera alternans</i> (Brullé, 1832) | 9 ex. |
| <i>Eucera alticincta</i> (Lepelletier, 1841) | 6 ex. |
| <i>Eucera analis</i> Baer, 1850 | 10 ex. |
| <i>Eucera areolata</i> Friese | 1 ex. |
| <i>Eucera armeniaca</i> Morawitz, 1878 | 3 ex. |
| <i>Eucera atraticeps nigriceps</i> Friese | 1 ex. |
| <i>Eucera atricornis</i> Fabricius, 1793 | 1 ex. |
| <i>Eucera barbata</i> Lepelletier | 2 ex. |
| <i>Eucera basistrigatula</i> Strand, 1913 | 1 ex. |
| <i>Eucera berlandi</i> Dusmet, 1926 | 1 ex. |
| <i>Eucera bidentata</i> Pérez, 1887 | 3 ex. |
| <i>Eucera bifasciata</i> Dalla Torre | 8 ex. |
| <i>Eucera bifasciata pallescens</i> Friese | 2 ex. |
| <i>Eucera brasiliensis</i> Dalla Torre | 1 ex. |
| <i>Eucera caspica</i> Morawitz, 1873 | 21 ex. |
| <i>Eucera caucasica</i> Morawitz, 1873 | 3 ex. |
| <i>Eucera chilensis</i> Herbst | 7 ex. |
| <i>Eucera cineraria</i> Eversmann, 1852 | 28 ex. |
| <i>Eucera clypeata</i> Erichson, 1835 | 62 ex. |
| <i>Eucera commixta</i> (Dours, 1873) | 1 ex. |
| <i>Eucera commixtana</i> Strand, 1913 | 1 ex. |
| <i>Eucera cordleyi</i> Viereck | 2 ex. |
| <i>Eucera corvina</i> Friese | 2 ex. |
| <i>Eucera costaricensis</i> Friese | 7 ex. |
| <i>Eucera crassipes</i> Friese, 1906 | 4 ex. |
| <i>Eucera cunicularia</i> Klug, 1845 | 1 ex. |
| <i>Eucera curvitaris</i> Mocsáry, 1879 | 2 ex. |
| <i>Eucera cypria</i> Alfken | 1 ex. |
| <i>Eucera dalmatica</i> Lepelletier, 1841 | 56 ex. |
| <i>Eucera damas</i> Vachal | 4 ex. |
| <i>Eucera dentata</i> Germar, 1839 | 156 ex. |
| <i>Eucera dimidiata</i> Brullé, 1832 | 6 ex. |
| <i>Eucera duckei</i> Friese, 1908 | 2 ex. |
| <i>Eucera edwardsii</i> (Cresson, 1878) | 5 ex. |
| <i>Eucera ephippia</i> Dours, 1873 | 2 ex. |
| <i>Eucera eucnemidea</i> Dours, 1873 | 73 ex. |
| <i>Eucera excisa</i> Mocsáry, 1879 | 1 ex. |
| <i>Eucera fervens</i> Smith | 4 ex. |
| <i>Eucera flavitaris</i> Spinola | 26 ex. |
| <i>Eucera flavitaris bicincta</i> Friese, 1906 | 4 ex. |
| <i>Eucera frieseana</i> Herbst | 3 ex. |
| <i>Eucera fulvescens</i> Giraud, 1863 | 13 ex. |
| <i>Eucera fulvitaris</i> (Cresson, 1878) | 1 ex. |

| | |
|---|---------|
| <i>Eucera fulviventris</i> Smith | 10 ex. |
| <i>Eucera gilva</i> Holmberg, 1884 | 3 ex. |
| <i>Eucera gracilipes</i> Pérez, 1895 | 7 ex. |
| <i>Eucera graeca</i> Radoszkowsky, 1876 | 51 ex. |
| <i>Eucera graja</i> (Eversmann, 1852) | 5 ex. |
| <i>Eucera grisea</i> Fabricius, 1793 | 17 ex. |
| <i>Eucera grozdanici</i> Tkalcu, i. l. | 17 ex. |
| <i>Eucera helvola</i> Klug, 1845 | 15 ex. |
| <i>Eucera herbsti</i> (Friese, 1906) | 3 ex. |
| <i>Eucera hernans</i> Br. | 1 ex. |
| <i>Eucera hirsuta</i> Morawitz, 1875 | 2 ex. |
| <i>Eucera hispana</i> Lepeletier, 1841 | 7 ex. |
| <i>Eucera hungarica</i> (Friese, 1895) | 28 ex. |
| <i>Eucera ignea</i> Tkalcu | 1 ex. |
| <i>Eucera interrupta</i> Baer, 1850 | 67 ex. |
| <i>Eucera joseana</i> Friese | 6 ex. |
| <i>Eucera longicornis</i> Linné, 1758 | 230 ex. |
| <i>Eucera lubintensis</i> Friese | 2 ex. |
| <i>Eucera macroglossa</i> Illiger, 1806 | 54 ex. |
| <i>Eucera malvae crinita</i> (Klug, 1845) | 5 ex. |
| <i>Eucera mediterranea</i> (Friese, 1895) | 3 ex. |
| <i>Eucera melaena</i> Spinola | 1 ex. |
| <i>Eucera melanura</i> Spinola | 20 ex. |
| <i>Eucera meridionalis</i> Dalla Torre & Friese, 1895 | 15 ex. |
| <i>Eucera microsoma</i> Cockerell | 2 ex. |
| <i>Eucera nana</i> Morawitz, 1873 | 7 ex. |
| <i>Eucera nigrescens</i> Pérez, 1879 | 86 ex. |
| <i>Eucera nigriceps</i> Morawitz, 1895 | 1 ex. |
| <i>Eucera nigrifacies</i> Lepeletier, 1841 | 45 ex. |
| <i>Eucera nigrilabris</i> Lepeletier, 1841 | 10 ex. |
| <i>Eucera nigripes</i> Klug, 1845 | 4 ex. |
| <i>Eucera nigroaenea</i> Smith, 1854 | 8 ex. |
| <i>Eucera nigroclypeata</i> Friese | 1 ex. |
| <i>Eucera notata</i> Lepeletier, 1841 | 3 ex. |
| <i>Eucera numida</i> Lepeletier, 1841 | 2 ex. |
| <i>Eucera oraniensis</i> Lepeletier, 1841 | 10 ex. |
| <i>Eucera paganettii</i> Strand, 1915 | 16 ex. |
| <i>Eucera palliventris</i> Friese, 1908 | 2 ex. |
| <i>Eucera pannonica</i> Mocsáry, 1878 | 6 ex. |
| <i>Eucera paraclypeata</i> Sitdikov, 1988 | 4 ex. |
| <i>Eucera parvicornis</i> Mocsáry, 1878 | 9 ex. |
| <i>Eucera parvula</i> Friese, 1895 | 18 ex. |
| <i>Eucera persica</i> (Friese, 1895) | 1 ex. |
| <i>Eucera pollinosa</i> (Lepeletier, 1841) | 41 ex. |
| <i>Eucera proxima</i> Morawitz, 1875 | 19 ex. |
| <i>Eucera puncticollis</i> Morawitz, 1876 | 5 ex. |
| <i>Eucera punctulata</i> Alfken, 1942 | 52 ex. |

| | |
|--|--------|
| <i>Eucera pyropyga</i> Friese | 4 ex. |
| <i>Eucera pyropyga obscurata</i> Friese | 2 ex. |
| <i>Eucera radoszkovskii</i> Morawitz, 1873 | 1 ex. |
| <i>Eucera robertsoni</i> Cockerell | 4 ex. |
| <i>Eucera ruficollis</i> (Brullé, 1832) | 42 ex. |
| <i>Eucera ruficornis biroi</i> Mocsáry, 1879 | 1 ex. |
| <i>Eucera rufitarsis</i> Friese | 2 ex. |
| <i>Eucera salicariae</i> Lepeletier, 1841 | 41 ex. |
| <i>Eucera saltensis</i> Friese | 2 ex. |
| <i>Eucera scutellaris</i> Friese | 2 ex. |
| <i>Eucera seminuda</i> Brullé, 1832 | 10 ex. |
| <i>Eucera sogdiana</i> Morawitz, 1875 | 6 ex. |
| <i>Eucera speciosa</i> Mocsáry | 2 ex. |
| <i>Eucera speculifer</i> Perez, 1910 | 1 ex. |
| <i>Eucera squamosa</i> Lepeletier, 1841 | 13 ex. |
| <i>Eucera strigata</i> (Lepeletier, 1841) | 1 ex. |
| <i>Eucera subamita</i> Vachal | 1 ex. |
| <i>Eucera taihokuensis</i> (Strand, 1913) | 2 ex. |
| <i>Eucera taihorensis</i> (Strand, 1913) | 6 ex. |
| <i>Eucera taprobanicola</i> (Strand, 1913) | 2 ex. |
| <i>Eucera taurica</i> Morawitz, 1870 | 9 ex. |
| <i>Eucera tricincta</i> (Erichson, 1835) | 24 ex. |
| <i>Eucera tristigata</i> Spinola | 15 ex. |
| <i>Eucera tuberculata</i> (Fabricius, 1793) | 3 ex. |
| <i>Eucera valparadisaea</i> Herbst | 3 ex. |
| <i>Eucera velutina</i> Morawitz | 1 ex. |
| <i>Eucera vidua</i> Lepeletier, 1841 | 1 ex. |
| <i>Eucera vulpes</i> Brullé, 1832 | 94 ex. |
| <i>Eucera zebra</i> Friese, 1908 | 3 ex. |
| <i>Eufriesea brasilianorum</i> Friese, 1899 | 1 ex. |
| <i>Eufriesea limbata</i> (Mocsáry, 1897) | 1 ex. |
| <i>Eufriesea mexicana</i> (Mocsáry, 1897) | 2 ex. |
| <i>Eufriesea pulchra</i> (Smith, 1854) | 1 ex. |
| <i>Eufriesea schmidtiana</i> (Friese, 1925) | 1 ex. |
| <i>Eufriesea surinamensis</i> (Linné, 1758) | 19 ex. |
| <i>Eufriesea violacea</i> (Blanchard, 1840) | 8 ex. |
| <i>Euglossa analis</i> Westwood, 1840 | 3 ex. |
| <i>Euglossa azureoviridis</i> Friese, 1930 | 0 ex. |
| <i>Euglossa chalybeata</i> Friese, 1925 | 0 ex. |
| <i>Euglossa cordata</i> (Linné, 1758) | 36 ex. |
| <i>Euglossa cyanea</i> Friese, 1899 | 2 ex. |
| <i>Euglossa hemichlora</i> Cockerell, 1917 | 4 ex. |
| <i>Euglossa ignita</i> Smith, 1874 | 3 ex. |
| <i>Euglossa igniventris</i> Friese, 1925 | 1 ex. |
| <i>Euglossa imperialis</i> Cockerell, 1922 | 3 ex. |
| <i>Euglossa intersecta</i> Latreille, 1838 | 5 ex. |
| <i>Euglossa mandibularis</i> Friese, 1899 | 7 ex. |

| | |
|---|--------|
| <i>Euglossa piliventris</i> Guerin, 1845 | 13 ex. |
| <i>Euglossa truncata</i> Rebelo & Moure, 1995 | 7 ex. |
| <i>Euglossa variabilis</i> Friese, 1899 | 3 ex. |
| <i>Euglossa viridissima</i> Friese, 1899 | 11 ex. |
| <i>Eulaema boliviensis</i> (Friese, 1898) | 1 ex. |
| <i>Eulaema bombiformis</i> Pakarol, 1869 | 4 ex. |
| <i>Eulaema cingulata</i> (Fabricius, 1804) | 12 ex. |
| <i>Eulaema meriana</i> (Olivier, 1789) | 19 ex. |
| <i>Eulaema mocsaryi</i> Friese, 1899 | 3 ex. |
| <i>Eulaema nigrita</i> Lepeletier, 1841 | 4 ex. |
| <i>Eulaema seabrai</i> Moure, 1960 | 2 ex. |
| <i>Eupetersia sakalava</i> Blüthgen, 1936 | 1 ex. |
| <i>Euprosopis elegans occidentalis</i> Ray. | 1 ex. |
| <i>Euryglossa endeavouricola</i> Strand, 1921 | 1 ex. |
| <i>Euryglossa ephippiata</i> Smith | 1 ex. |
| <i>Euryglossa fasciatella</i> Cockerell | 6 ex. |
| <i>Euryglossa furcifera</i> Cockerell, 1913 | 5 ex. |
| <i>Euryglossa goodeniae</i> Cockerell | 7 ex. |
| <i>Euryglossa nitidifrons serrata</i> Cockerell | 7 ex. |
| <i>Euryglossa perpusilla</i> Cockerell | 1 ex. |
| <i>Euryglossa polysticta</i> Cockerell | 6 ex. |
| <i>Euryglossa reginae</i> Cockerell | 1 ex. |
| <i>Euryglossa subsericea</i> Cockerell | 2 ex. |
| <i>Euryglossomorpha nigra</i> (Smith,) | 6 ex. |
| <i>Exaerete dentata</i> (Linné, 1758) | 6 ex. |
| <i>Exaerete frontalis</i> (Guérin, 1845) | 5 ex. |
| <i>Exaerete smaragdina</i> (Guérin, 1845) | 26 ex. |
| <i>Exanthidium eximium</i> (Giraud, 1863) | 3 ex. |
| <i>Exomalopsis albicans</i> (Provancher, 1896) | 4 ex. |
| <i>Exomalopsis caerulea</i> Friese, 1906 | 3 ex. |
| <i>Exomalopsis crassipes</i> Friese | 10 ex. |
| <i>Exomalopsis herbsti</i> Friese, 1906 | 6 ex. |
| <i>Exomalopsis otomita</i> Cresson | 10 ex. |
| <i>Exomalopsis planiceps</i> Smith | 2 ex. |
| <i>Exomalopsis pulchella</i> Cresson, 1865 | 17 ex. |
| <i>Exomalopsis similis</i> Cresson, 1865 | 1 ex. |
| <i>Exoneura angophorae occidentalis</i> Cockerell | 6 ex. |
| <i>Exoneura fultoni</i> Cockerell | 3 ex. |
| <i>Exoneura hamulata</i> Cockerell | 2 ex. |
| <i>Fidelia kobrowi</i> Brauns | 2 ex. |
| <i>Fidelia paradoxa</i> Friese, 1899 | 1 ex. |
| <i>Fidelia villosa</i> Brauns | 2 ex. |
| <i>Florilegus condignus</i> (Cresson, 1878) | 4 ex. |
| <i>Frieseomelitta silvestrii</i> (Friese, 1902) | 2 ex. |
| <i>Gnathoprosopis amicula</i> (Smith, 1879) | 4 ex. |
| <i>Gnathoprosopis euxantha</i> Cockerell | 5 ex. |
| <i>Gnathoprosopis marianella</i> Raym. | 1 ex. |

| | |
|---|--------|
| Habropoda buconis (Friese, 1910) | 7 ex. |
| Habropoda tainanicola (Strand, 1913) | 5 ex. |
| Habropoda tarsata (Spinola, 1838) | 16 ex. |
| Halictus acethaloides | 1 ex. |
| Halictus aenigma Spinola | 14 ex. |
| Halictus aerarius Smith, 1873 | 14 ex. |
| Halictus albipennis Robertson, 1890 | 2 ex. |
| Halictus albofasciatus Smith | 1 ex. |
| Halictus albohirtus Crawford, 1907 | 9 ex. |
| Halictus amblypygus Strand, 1913 | 2 ex. |
| Halictus ampliatus Alfken | 1 ex. |
| Halictus anguliceps Morawitz | 2 ex. |
| Halictus angustata Friese | 3 ex. |
| Halictus apatellatus Strand | 1 ex. |
| Halictus apicatus Friese | 4 ex. |
| Halictus asperulus Pérez, 1895 | 4 ex. |
| Halictus atroglaucus Strand, 1914 | 1 ex. |
| Halictus atromarginatus Cockerell | 1 ex. |
| Halictus atropis Strand, 1915 | 3 ex. |
| Halictus aulacophorus Strand, 1913 | 1 ex. |
| Halictus basizonus Friese | 1 ex. |
| Halictus blackburni Cockerell | 3 ex. |
| Halictus blepharophorus Strand, 1913 | 4 ex. |
| Halictus boliviensis Friese | 2 ex. |
| Halictus brunneiventris Crawford, 1907 | 1 ex. |
| Halictus brunnescens (Eversmann, 1852) | 7 ex. |
| Halictus catalinensis Cockerell | 4 ex. |
| Halictus cattulus Vachal | 4 ex. |
| Halictus cephalicus Morawitz, 1874 | 15 ex. |
| Halictus chilensis Spinola | 7 ex. |
| Halictus chloromelas Alfken | 6 ex. |
| Halictus cire Cameron | 9 ex. |
| Halictus citricornis Vachal | 10 ex. |
| Halictus cochlearitarsis (Dours, 1872) | 2 ex. |
| Halictus compressus (Wal.,) | 1 ex. |
| Halictus confusus Smith, 1853 | 34 ex. |
| Halictus confusus pelagius Ebmer, 1996 | 2 ex. |
| Halictus confusus perkinsi Blüthgen, 1926 | 65 ex. |
| Halictus convexus Cockerell | 11 ex. |
| Halictus corynogaster Spinola | 3 ex. |
| Halictus corynogaster abdominalis Friese | 1 ex. |
| Halictus corynogaster corralensis Friese | 1 ex. |
| Halictus corynogaster valparadisaeus Herbst | 3 ex. |
| Halictus cristatus Smith | 12 ex. |
| Halictus cupreicollis Friese | 2 ex. |
| Halictus curictensis Blüthgen | 2 ex. |
| Halictus cyaniventris Friese | 1 ex. |

| | |
|--|---------|
| <i>Halictus demissus</i> Cockerell | 2 ex. |
| <i>Halictus diversus</i> Smith | 4 ex. |
| <i>Halictus dorni</i> Ebmer, 1982 | 1 ex. |
| <i>Halictus eboracensis</i> Cockerell | 7 ex. |
| <i>Halictus ecuadorius</i> Friese | 1 ex. |
| <i>Halictus emeraldensis</i> Rayment, 1936 | 15 ex. |
| <i>Halictus epicinctus</i> Strand, 1914 | 1 ex. |
| <i>Halictus erythrurus</i> Cockerell | 8 ex. |
| <i>Halictus eurygnathus</i> Blüthgen, 1931 | 31 ex. |
| <i>Halictus farinosus</i> Smith | 14 ex. |
| <i>Halictus ferinus</i> Cameron | 2 ex. |
| <i>Halictus fulvipes</i> (Klug, 1817) | 12 ex. |
| <i>Halictus fuscidactylus</i> Strand, 1914 | 1 ex. |
| <i>Halictus gavarnicus</i> Pérez, 1903 | 6 ex. |
| <i>Halictus gavarnicus tataricus</i> Blüthgen, 1933 | 4 ex. |
| <i>Halictus gemmeus</i> Dours, 1872 | 12 ex. |
| <i>Halictus gigas</i> Friese | 2 ex. |
| <i>Halictus gilesi</i> Cockerell | 6 ex. |
| <i>Halictus heliophilus</i> Cameron | 1 ex. |
| <i>Halictus herbsti</i> Alfken | 8 ex. |
| <i>Halictus herbstiellus</i> Friese | 12 ex. |
| <i>Halictus holtzi</i> Schulz | 13 ex. |
| <i>Halictus hornianus</i> Strand, 1913 | 1 ex. |
| <i>Halictus humiliformis</i> Cockerell | 6 ex. |
| <i>Halictus imitatus</i> Smith, 1853 | 23 ex. |
| <i>Halictus incompletus</i> Crawford, 1907 | 4 ex. |
| <i>Halictus instabilis</i> Cockerell | 2 ex. |
| <i>Halictus joergenseni</i> Friese | 4 ex. |
| <i>Halictus jucundus</i> Smith, 1853 | 9 ex. |
| <i>Halictus jumbo</i> Strand, 1921 | 1 ex. |
| <i>Halictus kessleri</i> Bramson, 1879 | 20 ex. |
| <i>Halictus koshunocharis</i> Strand, 1914 | 1 ex. |
| <i>Halictus lanarius</i> Smith | 8 ex. |
| <i>Halictus langobardicus</i> Blüthgen, 1944 | 3 ex. |
| <i>Halictus lenticus</i> Strand, 1921 | 1 ex. |
| <i>Halictus leucaheneus</i> Ebmer, 1972 | 2 ex. |
| <i>Halictus leucaheneus arenosus</i> Ebmer, 1976 | 1 ex. |
| <i>Halictus ligatus</i> Say, 1837 | 56 ex. |
| <i>Halictus littoralis</i> Raym. | 8 ex. |
| <i>Halictus lutescens</i> Friese, 1921 | 10 ex. |
| <i>Halictus maculatus</i> Smith, 1848 | 122 ex. |
| <i>Halictus maculatus palustris</i> Morawitz, 1876 | 11 ex. |
| <i>Halictus maculosus</i> Alfken | 3 ex. |
| <i>Halictus melanomitratus mitratolus</i> Strand, 1914 | 1 ex. |
| <i>Halictus mesembryanthemiellus</i> Raym. | 31 ex. |
| <i>Halictus mongolicus</i> Morawitz, 1880 | 2 ex. |
| <i>Halictus mutabilis nigrocaeruleus</i> Spinola | 11 ex. |

| | |
|---|---------|
| <i>Halictus nasica</i> Morawitz, 1876 | 5 ex. |
| <i>Halictus nevadensis</i> Crawford, 1907 | 1 ex. |
| <i>Halictus nigroviridis</i> Graenicher, 1910 | 7 ex. |
| <i>Halictus nomioides kamerunensis</i> Friese, 1914 | 1 ex. |
| <i>Halictus notopsilus</i> Strand, 1914 | 2 ex. |
| <i>Halictus nudiventris</i> Friese | 3 ex. |
| <i>Halictus nymphaeorum</i> Robertson, 1895 | 7 ex. |
| <i>Halictus nymphalis</i> Smith, 1853 | 1 ex. |
| <i>Halictus oblongus</i> Lovell, 1905 | 1 ex. |
| <i>Halictus obovatus</i> W. Kirby | 4 ex. |
| <i>Halictus obscuratus</i> Morawitz | 5 ex. |
| <i>Halictus oiospermi</i> (Schrottky, 1909) | 5 ex. |
| <i>Halictus opaciceps</i> Friese | 7 ex. |
| <i>Halictus opacus azureiventris</i> Friese | 3 ex. |
| <i>Halictus oppositum</i> Snellen van Vollenhoven | 3 ex. |
| <i>Halictus oxleyi</i> Cockerell | 1 ex. |
| <i>Halictus pallidellus</i> Ellis, 1914 | 1 ex. |
| <i>Halictus panamorio</i> Friese | 6 ex. |
| <i>Halictus paracolletinus</i> Cockerell | 2 ex. |
| <i>Halictus paradnanus</i> Strand, 1913 | 1 ex. |
| <i>Halictus patellatus</i> Morawitz, 1873 | 24 ex. |
| <i>Halictus patellatus taorminicus</i> Strand, 1921 | 4 ex. |
| <i>Halictus pici</i> Pérez | 2 ex. |
| <i>Halictus pilosus</i> Smith, 1853 | 16 ex. |
| <i>Halictus pityocola</i> Strand, 1914 | 1 ex. |
| <i>Halictus placidus</i> Smith | 8 ex. |
| <i>Halictus pollinosus</i> Sichel, 1860 | 12 ex. |
| <i>Halictus polybioides</i> Duce, 1906 | 1 ex. |
| <i>Halictus postscutellaris</i> Duce | 2 ex. |
| <i>Halictus pseudotetrazonius</i> Strand, 1921 | 2 ex. |
| <i>Halictus pseudovestitus</i> Blüthgen, 1925 | 1 ex. |
| <i>Halictus pubescens</i> Friese | 13 ex. |
| <i>Halictus pulvereus</i> Morawitz, 1873 | 1 ex. |
| <i>Halictus pyropygus</i> Friese | 1 ex. |
| <i>Halictus quadricinctus</i> (Fabricius, 1776) | 135 ex. |
| <i>Halictus rachifer</i> Strand, 1915 | 1 ex. |
| <i>Halictus raymenti</i> Cockerell | 8 ex. |
| <i>Halictus resurgens</i> Nurse, 1903 | 14 ex. |
| <i>Halictus rostraticeps</i> Friese | 17 ex. |
| <i>Halictus rubicundus</i> (Christ, 1791) | 200 ex. |
| <i>Halictus ruficollis</i> Friese | 3 ex. |
| <i>Halictus rufoaeneus</i> Friese | 2 ex. |
| <i>Halictus scabiosae</i> (Rossi, 1790) | 35 ex. |
| <i>Halictus scaphonotus</i> Strand, 1914 | 3 ex. |
| <i>Halictus schmidti</i> Friese | 9 ex. |
| <i>Halictus seductus</i> Cockerell | 13 ex. |
| <i>Halictus seladonius</i> (Fabricius, 1794) | 8 ex. |

| | |
|---|---------|
| <i>Halictus sertus</i> Rayment, i.l. | 2 ex. |
| <i>Halictus sexcinctus</i> (Fabricius, 1775) | 118 ex. |
| <i>Halictus sidereus</i> Cockerell | 2 ex. |
| <i>Halictus signicostatuloides</i> Strand, 1914 | 5 ex. |
| <i>Halictus simplex</i> Blüthgen, 1923 | 19 ex. |
| <i>Halictus smaragdulus</i> Vachal, 1895 | 39 ex. |
| <i>Halictus spec.</i> | 2 ex. |
| <i>Halictus spinolae</i> Friese | 1 ex. |
| <i>Halictus splendens</i> Friese | 2 ex. |
| <i>Halictus statialis</i> Cockerell | 53 ex. |
| <i>Halictus subauratus</i> (Rossi, 1792) | 89 ex. |
| <i>Halictus subinclinans</i> Cockerell | 4 ex. |
| <i>Halictus subinctinans</i> Cockerell | 9 ex. |
| <i>Halictus subpallidifrons</i> Raym. | 3 ex. |
| <i>Halictus suburbanus</i> Cockerell | 4 ex. |
| <i>Halictus suisharyonensis</i> Strand, 1914 | 2 ex. |
| <i>Halictus sultensis</i> Friese | 1 ex. |
| <i>Halictus surrubresensis</i> Strand, 1921 | 1 ex. |
| <i>Halictus sutschanicum</i> Pes. | 1 ex. |
| <i>Halictus taihorinis</i> Strand, 1914 | 4 ex. |
| <i>Halictus taihorinis anpingensis</i> Strand, 1914 | 1 ex. |
| <i>Halictus tectus</i> Radoszkowsky, 1875 | 11 ex. |
| <i>Halictus tegulariformis</i> Crawford, 1907 | 4 ex. |
| <i>Halictus tetrazoniaellus</i> Strand, 1909 | 16 ex. |
| <i>Halictus tetrazonius</i> (Klug, 1817) | 39 ex. |
| <i>Halictus tetrazonius pentheri</i> Blüthgen, 1923 | 1 ex. |
| <i>Halictus trichiosulus</i> Strand, 1914 | 31 ex. |
| <i>Halictus tripartitus</i> Cockerell | 9 ex. |
| <i>Halictus tsingtouensis</i> Strand, 1910 | 4 ex. |
| <i>Halictus tumulorum</i> (Linné, 1758) | 300 ex. |
| <i>Halictus tumulorum higushi</i> Sakagami & Ebmer | 3 ex. |
| <i>Halictus turkomannus</i> Pérez, 1903 | 2 ex. |
| <i>Halictus veronicae</i> Cockerell | 4 ex. |
| <i>Halictus versans</i> Lovell, 1905 | 2 ex. |
| <i>Halictus versatus</i> (Robertson, 1902) | 10 ex. |
| <i>Halictus victoriae</i> Cockerell | 13 ex. |
| <i>Halictus viridatus</i> Lovell, 1905 | 1 ex. |
| <i>Halictus vividus</i> Smith | 2 ex. |
| <i>Halictus volutatorius</i> Cameron | 13 ex. |
| <i>Halictus whiteanus</i> Cameron | 12 ex. |
| <i>Hesperapis arenicola</i> Crawford, 1917 | 2 ex. |
| <i>Hesperapis fuchsi</i> (Viereck, 1909) | 2 ex. |
| <i>Hesperapis fulvipes</i> Crawford, 1917 | 2 ex. |
| <i>Hesperapis ilicifoliae</i> (Cockerell, 1910) | 2 ex. |
| <i>Hesperapis larreae</i> Cockerell, 1907 | 2 ex. |
| <i>Hesperapis laticeps</i> Crawford, 1917 | 2 ex. |
| <i>Hesperapis regularis</i> (Cresson, 1878) | 6 ex. |

| | |
|--|---------|
| <i>Hesperapis rhodecerata</i> Cockerell | 2 ex. |
| <i>Hesperapis rufipes</i> (Ashmead, 1899) | 2 ex. |
| <i>Heterotrigona apicalis</i> (Smith, 1857) | 2 ex. |
| <i>Heterotrigona atripes</i> (Smith, 1857) | 2 ex. |
| <i>Heterotrigona canifrons</i> (Smith, 1857) | 2 ex. |
| <i>Heterotrigona carbonaria</i> (Smith, 1854) | 5 ex. |
| <i>Heterotrigona iridipennis</i> (Smith, 1854) | 6 ex. |
| <i>Heterotrigona laeviceps</i> (Smith, 1857) | 86 ex. |
| <i>Heterotrigona planifrons</i> (Smith, 1864) | 2 ex. |
| <i>Heterotrigona thoracica</i> (Smith, 1857) | 3 ex. |
| <i>Hylaeoides collaris</i> Friese | 3 ex. |
| <i>Hylaeoides concinna</i> Fabricius | 9 ex. |
| <i>Hylaeus aborigensis</i> Dathe, 1994 | 4 ex. |
| <i>Hylaeus accipitris</i> Cockerell | 4 ex. |
| <i>Hylaeus adriaticus</i> (Warncke, 1972) | 1 ex. |
| <i>Hylaeus affinis</i> (Smith, 1853) | 1 ex. |
| <i>Hylaeus albofasciatus</i> Friese | 4 ex. |
| <i>Hylaeus albonotatus</i> (Walker, 1871) | 2 ex. |
| <i>Hylaeus alpinus</i> (Morawitz, 1867) | 4 ex. |
| <i>Hylaeus angustatus</i> (Schenck, 1861) | 66 ex. |
| <i>Hylaeus annularis</i> (Kirby, 1802) | 66 ex. |
| <i>Hylaeus annulatus</i> (Linné, 1758) | 129 ex. |
| <i>Hylaeus armeniaca</i> (Warncke, 1981) | 8 ex. |
| <i>Hylaeus asiaticus</i> (Dalla Torre, 1896) | 1 ex. |
| <i>Hylaeus basalis</i> (Smith, 1853) | 3 ex. |
| <i>Hylaeus bertonii</i> Schrottky | 1 ex. |
| <i>Hylaeus bifasciatus</i> (Jurine, 1807) | 6 ex. |
| <i>Hylaeus bothros</i> Schrottky | 1 ex. |
| <i>Hylaeus braunsi</i> (Alfken, 1905) | 3 ex. |
| <i>Hylaeus braunsianus</i> Alfken | 5 ex. |
| <i>Hylaeus brevicornis</i> Nylander, 1852 | 186 ex. |
| <i>Hylaeus cardioscapus</i> Cockerell, 1924 | 5 ex. |
| <i>Hylaeus clypearis</i> (Schenck, 1853) | 98 ex. |
| <i>Hylaeus coloradensis</i> (Cockerell, 1896) | 2 ex. |
| <i>Hylaeus communis</i> Nylander, 1852 | 508 ex. |
| <i>Hylaeus confluens</i> (Smith, 1853) | 2 ex. |
| <i>Hylaeus confusus</i> Nylander, 1852 | 167 ex. |
| <i>Hylaeus convergens</i> Dathe, 2000 | 2 ex. |
| <i>Hylaeus cornutus</i> Curtis, 1831 | 28 ex. |
| <i>Hylaeus crassanus</i> (Warncke, 1972) | 2 ex. |
| <i>Hylaeus cypricola</i> (Warncke, 1972) | 6 ex. |
| <i>Hylaeus difformis</i> (Eversmann, 1852) | 39 ex. |
| <i>Hylaeus donbakeri</i> Dathe, 1995 | 2 ex. |
| <i>Hylaeus duckei</i> (Alfken, 1904) | 9 ex. |
| <i>Hylaeus ellipticus</i> (Kirby, 1837) | 17 ex. |
| <i>Hylaeus emir</i> Dathe, 2000 | 1 ex. |
| <i>Hylaeus eugeniellus</i> Cockerell | 1 ex. |

| | |
|--|---------|
| <i>Hylaeus euryscapus</i> Förster, 1871 | 6 ex. |
| <i>Hylaeus fossifer</i> Dathe, 1995 | 3 ex. |
| <i>Hylaeus friesei</i> (Alfken, 1904) | 19 ex. |
| <i>Hylaeus fuliginosus</i> (Warncke, 1972) | 1 ex. |
| <i>Hylaeus gazagnairei</i> (Vachal, 1891) | 2 ex. |
| <i>Hylaeus gibbus</i> Saunders, 1850 | 114 ex. |
| <i>Hylaeus gracilicornis</i> (Morawitz, 1867) | 21 ex. |
| <i>Hylaeus gracillimus</i> Schrottky | 1 ex. |
| <i>Hylaeus granulatus</i> (Metz, 1911) | 1 ex. |
| <i>Hylaeus gredleri</i> (Förster, 1871) | 96 ex. |
| <i>Hylaeus hameri</i> Dathe, 1995 | 2 ex. |
| <i>Hylaeus hellenicus</i> Dathe, 2000 | 2 ex. |
| <i>Hylaeus hyalinatus</i> Smith, 1842 | 126 ex. |
| <i>Hylaeus ibericus</i> Dathe, 2000 | 2 ex. |
| <i>Hylaeus imparilis</i> Förster, 1871 | 27 ex. |
| <i>Hylaeus kahri</i> Förster, 1871 | 6 ex. |
| <i>Hylaeus klugi</i> (Friese, 1898) | 2 ex. |
| <i>Hylaeus lepidulus</i> Cockerell, 1924 | 5 ex. |
| <i>Hylaeus leptocephalus</i> (Morawitz, 1870) | 59 ex. |
| <i>Hylaeus lineolatus</i> (Schenck, 1861) | 57 ex. |
| <i>Hylaeus lionotus</i> Alfken | 1 ex. |
| <i>Hylaeus longimaculus</i> (Alfken, 1936) | 30 ex. |
| <i>Hylaeus maculatus</i> Alfken, 1904 | 3 ex. |
| <i>Hylaeus maximilianus</i> sp.n Dathe, 2005 | 1 ex. |
| <i>Hylaeus meridionalis</i> Förster, 1871 | 10 ex. |
| <i>Hylaeus mesillae cressoni</i> (Cockerell, 1907) | 20 ex. |
| <i>Hylaeus modestus</i> Say, 1837 | 17 ex. |
| <i>Hylaeus mongolicus</i> Morawitz, 1890 | 2 ex. |
| <i>Hylaeus morawitzi</i> (Radoszkowsky, 1893) | 1 ex. |
| <i>Hylaeus moricei moricei</i> (Friese, 1898) | 11 ex. |
| <i>Hylaeus nevadensis</i> (Cockerell, 1896) | 2 ex. |
| <i>Hylaeus nigrinus</i> (Fabricius, 1798) | 74 ex. |
| <i>Hylaeus nivaliformis</i> Dathe, 1977 | 4 ex. |
| <i>Hylaeus nivalis</i> (Morawitz, 1867) | 3 ex. |
| <i>Hylaeus niveofasciatus</i> (Dours, 1872) | 2 ex. |
| <i>Hylaeus nubilosus</i> Smith | 4 ex. |
| <i>Hylaeus oblitus</i> (Warncke, 1972) | 7 ex. |
| <i>Hylaeus odontophorus</i> (Strand, 1914) | 1 ex. |
| <i>Hylaeus omanicus</i> Dathe, 1995 | 1 ex. |
| <i>Hylaeus paradoxus</i> Schrottky | 3 ex. |
| <i>Hylaeus paulus</i> Bridwell | 2 ex. |
| <i>Hylaeus pectoralis</i> Förster, 1871 | 16 ex. |
| <i>Hylaeus perdensus</i> Cockerell | 1 ex. |
| <i>Hylaeus pfankuchi</i> (Alfken, 1919) | 5 ex. |
| <i>Hylaeus pictipes</i> Nylander, 1852 | 43 ex. |
| <i>Hylaeus pictus</i> (Smith, 1853) | 16 ex. |
| <i>Hylaeus polifolii</i> (Cockerell, 1901) | 4 ex. |

| | |
|--|---------|
| <i>Hylaeus potanini</i> Morawitz, 1890 | 1 ex. |
| <i>Hylaeus przewalskyi</i> Morawitz, 1890 | 2 ex. |
| <i>Hylaeus punctatus</i> (Brullé, 1832) | 95 ex. |
| <i>Hylaeus punctulatissimus</i> Smith, 1842 | 44 ex. |
| <i>Hylaeus punctulatus</i> Förster | 2 ex. |
| <i>Hylaeus punctus</i> Förster, 1871 | 3 ex. |
| <i>Hylaeus pyrenaicus</i> Dathe, 2000 | 2 ex. |
| <i>Hylaeus quartinae</i> (Gribodo, 1894) | 1 ex. |
| <i>Hylaeus rinki</i> (Gorski, 1852) | 7 ex. |
| <i>Hylaeus rubicola</i> Saunders, 1850 | 2 ex. |
| <i>Hylaeus rugicollis</i> Morawitz, 1874 | 2 ex. |
| <i>Hylaeus schmiedeknechti</i> Friese | 2 ex. |
| <i>Hylaeus scutellaris</i> Morawitz, 1873 | 17 ex. |
| <i>Hylaeus scutellatus</i> (Spinola, 1838) | 2 ex. |
| <i>Hylaeus serotinellus</i> Cockerell | 4 ex. |
| <i>Hylaeus signatus</i> (Panzer, 1798) | 110 ex. |
| <i>Hylaeus sinuatus</i> (Schenck, 1853) | 48 ex. |
| <i>Hylaeus soror</i> (Pérez, 1903) | 7 ex. |
| <i>Hylaeus spilotus</i> Förster, 1871 | 3 ex. |
| <i>Hylaeus styriacus</i> Förster, 1871 | 21 ex. |
| <i>Hylaeus sulphuripes</i> (Gribodo, 1894) | 1 ex. |
| <i>Hylaeus syriacus</i> Alfken, 1936 | 1 ex. |
| <i>Hylaeus taeniolatus</i> Förster, 1871 | 20 ex. |
| <i>Hylaeus taihorinicus</i> (Strand, 1914) | 2 ex. |
| <i>Hylaeus tetris</i> Dathe, 2000 | 2 ex. |
| <i>Hylaeus transversicostatus</i> (Strand, 1913) | 3 ex. |
| <i>Hylaeus transversicostatus chippensis</i> Strand, 1914 | 3 ex. |
| <i>Hylaeus transversicostatus ligulus</i> (Strand, 1913) | 7 ex. |
| <i>Hylaeus transversicostatus rugatulus</i> (Strand, 1913) | 15 ex. |
| <i>Hylaeus trinotatus</i> (Pérez, 1895) | 2 ex. |
| <i>Hylaeus tsingtauensis</i> (Strand, 1915) | 1 ex. |
| <i>Hylaeus tyrolensis</i> Förster, 1871 | 5 ex. |
| <i>Hylaeus variegatus</i> (Fabricius, 1798) | 181 ex. |
| <i>Hylaeus variolaris</i> Morawitz, 1876 | 1 ex. |
| <i>Hylaeus verticalis</i> (Cresson, 1869) | 1 ex. |
| <i>Hylaeus wootoni</i> (Cockerell, 1896) | 4 ex. |
| <i>Hylaeus xanthopoda</i> (Vachal, 1895) | 32 ex. |
| <i>Hypotrigona gribodoi</i> (Magretti, 1894) | 3 ex. |
| <i>Immanthidium repetitum</i> (Schulz, 1906) | 1 ex. |
| <i>Isepeolus lativalvis</i> (Friese, 1908) | 3 ex. |
| <i>Isepeolus luctuosus</i> (Spinola, 1851) | 4 ex. |
| <i>Kelita chilensis</i> (Friese, 1916) | 2 ex. |
| <i>Lasioglossum aegyptiellum</i> (Strand, 1909) | 7 ex. |
| <i>Lasioglossum aeratum</i> (Kirby, 1802) | 24 ex. |
| <i>Lasioglossum</i> aff. japonicum | 1 ex. |
| <i>Lasioglossum</i> affine (Smith, 1853) | 6 ex. |
| <i>Lasioglossum aglyphum</i> (Pérez, 1895) | 1 ex. |

| | |
|--|---------|
| <i>Lasioglossum albipes</i> (Fabricius, 1781) | 181 ex. |
| <i>Lasioglossum albocinctum</i> (Lucas, 1849) | 7 ex. |
| <i>Lasioglossum alinense</i> Cockerell | 5 ex. |
| <i>Lasioglossum allodanum</i> Ebmer & Sakagami, 1985 | 3 ex. |
| <i>Lasioglossum amurense</i> (Vachal, 1902) | 2 ex. |
| <i>Lasioglossum anellum</i> (Vachal, 1903) | 5 ex. |
| <i>Lasioglossum angusticeps</i> (Perkins, 1895) | 1 ex. |
| <i>Lasioglossum arciferum</i> Cockerell | 17 ex. |
| <i>Lasioglossum aricense</i> Schrottky | 1 ex. |
| <i>Lasioglossum aspilurum</i> (Cockerell, 1925) | 1 ex. |
| <i>Lasioglossum athabascense</i> (Sandhouse, 1933) | 1 ex. |
| <i>Lasioglossum baleicum</i> Cockerell, 1937 | 3 ex. |
| <i>Lasioglossum bluethgeni</i> Ebmer, 1971 | 1 ex. |
| <i>Lasioglossum brevicorne</i> (Schenck, 1870) | 15 ex. |
| <i>Lasioglossum breviventre</i> (Schenck, 1853) | 1 ex. |
| <i>Lasioglossum buccale</i> Pérez, 1903 | 2 ex. |
| <i>Lasioglossum calceatum</i> (Scopoli, 1763) | 244 ex. |
| <i>Lasioglossum caspicum</i> (Morawitz, 1874) | 2 ex. |
| <i>Lasioglossum chloropum</i> (Morawitz, 1893) | 1 ex. |
| <i>Lasioglossum cinctipes</i> (Provancher, 1888) | 1 ex. |
| <i>Lasioglossum circe</i> Ebmer, 1982 | 1 ex. |
| <i>Lasioglossum circinatum</i> (Vachal, 1904) | 1 ex. |
| <i>Lasioglossum clavipes</i> (Dours, 1872) | 8 ex. |
| <i>Lasioglossum clypeare</i> (Schenck, 1853) | 2 ex. |
| <i>Lasioglossum clypeiferellum</i> (Strand, 1909) | 4 ex. |
| <i>Lasioglossum coeruleum</i> (Robertson, 1893) | 1 ex. |
| <i>Lasioglossum convexiusculum</i> (Schenck, 1853) | 6 ex. |
| <i>Lasioglossum cooleyi</i> (Crawford, 1906) | 9 ex. |
| <i>Lasioglossum coriaceum</i> (Smith, 1853) | 6 ex. |
| <i>Lasioglossum corvinum</i> Morawitz, 1876 | 1 ex. |
| <i>Lasioglossum costulatum</i> (Kriechbaumer, 1873) | 22 ex. |
| <i>Lasioglossum cressonii</i> (Robertson, 1890) | 2 ex. |
| <i>Lasioglossum cristula</i> (Pérez, 1895) | 2 ex. |
| <i>Lasioglossum damascenum</i> (Pérez, 1911) | 1 ex. |
| <i>Lasioglossum denticolle</i> (Morawitz, 1891) | 3 ex. |
| <i>Lasioglossum discum</i> (Smith, 1853) | 37 ex. |
| <i>Lasioglossum dolichocephalum</i> (Blüthgen, 1923) | 1 ex. |
| <i>Lasioglossum dybowskii</i> (Radoszkowsky, 1876) | 9 ex. |
| <i>Lasioglossum elegans</i> (Lepeletier, 1841) | 13 ex. |
| <i>Lasioglossum ellipticeps</i> (Blüthgen, 1923) | 2 ex. |
| <i>Lasioglossum eriphyle</i> Ebmer, 1996 | 1 ex. |
| <i>Lasioglossum erraticum</i> (Blüthgen, 1931) | 1 ex. |
| <i>Lasioglossum euboense</i> (Strand, 1909) | 7 ex. |
| <i>Lasioglossum eurasicum</i> Ebmer, 1972 | 1 ex. |
| <i>Lasioglossum exiliceps</i> Vach. | 4 ex. |
| <i>Lasioglossum formosae</i> (Strand, 1910) | 43 ex. |
| <i>Lasioglossum foxii</i> (Robertson, 1895) | 3 ex. |

| | |
|---|---------|
| <i>Lasioglossum fratellum</i> (Pérez, 1903) | 37 ex. |
| <i>Lasioglossum fratellum betulae</i> Ebmer, 1978 | 1 ex. |
| <i>Lasioglossum fultoni</i> Cockerell | 4 ex. |
| <i>Lasioglossum fulvicorne</i> (Kirby, 1802) | 292 ex. |
| <i>Lasioglossum glabriusculum</i> (Morawitz, 1872) | 12 ex. |
| <i>Lasioglossum griseolum</i> (Morawitz, 1872) | 6 ex. |
| <i>Lasioglossum hoffmanni</i> (Strand, 1915) | 8 ex. |
| <i>Lasioglossum hybodinum</i> Cockerell | 8 ex. |
| <i>Lasioglossum immunitum</i> Vachal, 1895 | 2 ex. |
| <i>Lasioglossum intermedium</i> (Schenck, 1870) | 5 ex. |
| <i>Lasioglossum interruptum</i> (Panzer, 1798) | 35 ex. |
| <i>Lasioglossum kankauchare</i> (Strand, 1914) | 4 ex. |
| <i>Lasioglossum kiautschouense</i> (Strand, 1910) | 3 ex. |
| <i>Lasioglossum kincaidii</i> (Cockerell, 1898) | 7 ex. |
| <i>Lasioglossum kirgisticum</i> Ebmer, 1972 | 2 ex. |
| <i>Lasioglossum kussariense</i> (Blüthgen, 1925) | 1 ex. |
| <i>Lasioglossum laeve</i> (Kirby, 1802) | 18 ex. |
| <i>Lasioglossum laevigatum</i> (Kirby, 1802) | 49 ex. |
| <i>Lasioglossum laterale</i> (Brullé, 1832) | 5 ex. |
| <i>Lasioglossum laticeps</i> (Schenck, 1870) | 62 ex. |
| <i>Lasioglossum laticeps hellenicum</i> (Blüthgen, 1937) | 2 ex. |
| <i>Lasioglossum lativentre</i> (Schenck, 1853) | 39 ex. |
| <i>Lasioglossum leiosoma</i> (Strand, 1914) | 2 ex. |
| <i>Lasioglossum leucopus</i> (Kirby, 1802) | 43 ex. |
| <i>Lasioglossum leucozonium</i> (Schrank, 1781) | 115 ex. |
| <i>Lasioglossum limbellum</i> (Morawitz, 1876) | 6 ex. |
| <i>Lasioglossum lineare</i> (Schenck, 1870) | 40 ex. |
| <i>Lasioglossum littorale colchicum</i> Ebmer, 1972 | 8 ex. |
| <i>Lasioglossum lucidulum</i> (Schenck, 1861) | 19 ex. |
| <i>Lasioglossum majus</i> (Nylander, 1852) | 22 ex. |
| <i>Lasioglossum malachurum</i> (Kirby, 1802) | 65 ex. |
| <i>Lasioglossum marginatum</i> (Brullé, 1832) | 12 ex. |
| <i>Lasioglossum marginellum</i> (Schenck, 1853) | 4 ex. |
| <i>Lasioglossum mediterraneum</i> (Blüthgen, 1926) | 3 ex. |
| <i>Lasioglossum mesosclerum</i> (Pérez, 1903) | 1 ex. |
| <i>Lasioglossum micante</i> Michener, 1993 | 1 ex. |
| <i>Lasioglossum minutissimum</i> (Kirby, 1802) | 25 ex. |
| <i>Lasioglossum minutulum</i> (Schenck, 1853) | 6 ex. |
| <i>Lasioglossum morio</i> (Fabricius, 1793) | 515 ex. |
| <i>Lasioglossum nigrescens</i> (Crawford, 1907) | 5 ex. |
| <i>Lasioglossum nigripes</i> (Lepeletier, 1841) | 33 ex. |
| <i>Lasioglossum nigrum</i> (Viereck, 1903) | 13 ex. |
| <i>Lasioglossum nipponense</i> Hirashima | 3 ex. |
| <i>Lasioglossum nitidiusculum</i> (Kirby, 1802) | 107 ex. |
| <i>Lasioglossum nitidiusculum pseudocombinatum</i> (Blüthgen, 1921) | 12 ex. |
| <i>Lasioglossum nitidulum</i> (Fabricius, 1804) | 92 ex. |
| <i>Lasioglossum nitidulum fudakowskii</i> (Noskiewicz, 1925) | 2 ex. |

| | |
|---|---------|
| Lasioglossum nodicorne (Morawitz, 1889) | 1 ex. |
| Lasioglossum obscuratum (Morawitz, 1876) | 3 ex. |
| Lasioglossum occidens (Smith, 1873) | 1 ex. |
| Lasioglossum olympiae (Cockerell, 1898) | 3 ex. |
| Lasioglossum ovaliceps (Cockerell, 1898) | 7 ex. |
| Lasioglossum pacificum (Cockerell, 1898) | 2 ex. |
| Lasioglossum pallens (Brullé, 1832) | 2 ex. |
| Lasioglossum pallilomum (Strand, 1914) | 8 ex. |
| Lasioglossum parvulum (Schenck, 1853) | 59 ex. |
| Lasioglossum pauperatum (Brullé, 1832) | 28 ex. |
| Lasioglossum pauxillum (Schenck, 1853) | 208 ex. |
| Lasioglossum pectinatum (Robertson, 1890) | 2 ex. |
| Lasioglossum pectorale (Smith, 1876) | 1 ex. |
| Lasioglossum perplexans Cockerell | 2 ex. |
| Lasioglossum politum (Schenck, 1853) | 39 ex. |
| Lasioglossum prasinum (Smith, 1848) | 4 ex. |
| Lasioglossum problematicum (Blüthgen, 1923) | 3 ex. |
| Lasioglossum proximatium (Smith,) | 4 ex. |
| Lasioglossum pseudocaspicum (Blüthgen, 1923) | 1 ex. |
| Lasioglossum punctatissimum (Schenck, 1853) | 39 ex. |
| Lasioglossum puncticolle (Morawitz, 1872) | 15 ex. |
| Lasioglossum pygmaeum (Schenck, 1853) | 6 ex. |
| Lasioglossum quadrinotatum (Schenck, 1861) | 63 ex. |
| Lasioglossum quadrinotatum (Kirby, 1802) | 37 ex. |
| Lasioglossum quadrisignatum (Schenck, 1853) | 1 ex. |
| Lasioglossum ruficorne (Crawford, 1907) | 23 ex. |
| Lasioglossum rufitarse (Zetterstedt, 1838) | 15 ex. |
| Lasioglossum sanfranciscois (Strand, 1919) | 1 ex. |
| Lasioglossum satschauense mandschuricum Ebmer, 1978 | 2 ex. |
| Lasioglossum scitulum (Smith, 1873) | 2 ex. |
| Lasioglossum scutellaris (Morawitz, 1876) | 1 ex. |
| Lasioglossum secundum Ebmer & Sakagami, 1985 | 1 ex. |
| Lasioglossum semilaeve (Blüthgen, 1923) | 1 ex. |
| Lasioglossum semilucens (Alfken, 1914) | 2 ex. |
| Lasioglossum setulellum (Strand, 1909) | 4 ex. |
| Lasioglossum setulosum (Strand, 1909) | 9 ex. |
| Lasioglossum sexnotatum (Nylander, 1852) | 4 ex. |
| Lasioglossum sexnotatum (Kirby, 1802) | 117 ex. |
| Lasioglossum sexstrigatum (Schenck, 1870) | 35 ex. |
| Lasioglossum sibiriacum (Blüthgen, 1923) | 3 ex. |
| Lasioglossum simplicior (Cockerell, 1931) | 3 ex. |
| Lasioglossum sisymbrii (Cockerell, 1895) | 11 ex. |
| Lasioglossum sole Smith | 9 ex. |
| Lasioglossum sordidus (Smith, 1853) | 6 ex. |
| Lasioglossum soror (Saunders, 1901) | 3 ex. |
| Lasioglossum spec. | 1 ex. |
| Lasioglossum spec. | 1 ex. |

| | |
|--|--------|
| Lasioglossum speculiferum (Cockerell, 1912) | 1 ex. |
| Lasioglossum speculinum (Cockerell, 1925) | 2 ex. |
| Lasioglossum subfasciatum (Imhoff, 1832) | 42 ex. |
| Lasioglossum subfulvicorne (Blüthgen, 1935) | 1 ex. |
| Lasioglossum subopacum (Smith, 1853) | 37 ex. |
| Lasioglossum sulcatulum Cockerell | 1 ex. |
| Lasioglossum sutshanicum Pesenko | 1 ex. |
| Lasioglossum taeniolellum (Vachal, 1903) | 3 ex. |
| Lasioglossum tarsatum (Schenck, 1870) | 7 ex. |
| Lasioglossum transitorium (Schenck, 1868) | 5 ex. |
| Lasioglossum transpositum Cockerell | 2 ex. |
| Lasioglossum trichopygum (Blüthgen, 1923) | 6 ex. |
| Lasioglossum tricinctum (Schenck, 1874) | 7 ex. |
| Lasioglossum trizonatum (Cresson, 1874) | 7 ex. |
| Lasioglossum truncaticolle (Morawitz, 1877) | 12 ex. |
| Lasioglossum truncatum (Robertson, 1901) | 7 ex. |
| Lasioglossum upinense (Morawitz, 1889) | 19 ex. |
| Lasioglossum vagans (Smith, 1857) | 3 ex. |
| Lasioglossum villosulum (Kirby, 1802) | 56 ex. |
| Lasioglossum villosulum trichopse (Strand, 1914) | 9 ex. |
| Lasioglossum viridellum (Cockerell, 1931) | 3 ex. |
| Lasioglossum xanthopus (Kirby, 1802) | 71 ex. |
| Lasioglossum zephyrum (Smith, 1853) | 6 ex. |
| Lasioglossum zonulum (Smith, 1848) | 67 ex. |
| Leiopodus lacertinus Smith, 1854 | 1 ex. |
| Leioproctus caeruleus Spinola | 5 ex. |
| Leioproctus cearensis DUCKE | 1 ex. |
| Leioproctus columbicus Friese | 2 ex. |
| Leioproctus franki Friese | 1 ex. |
| Leioproctus laticeps (Friese,) | 1 ex. |
| Leioproctus marginatus Spinola | 4 ex. |
| Leioproctus neotropicus (Friese, 1908) | 3 ex. |
| Leioproctus neotropicus (Friese, 1908) | 2 ex. |
| Leioproctus piceus Friese | 2 ex. |
| Leioproctus saltensis (Friese, 1908) | 1 ex. |
| Leioproctus semicyaneus Spinola | 5 ex. |
| Leioproctus similis Friese | 1 ex. |
| Leioproctus wagneri Vachal, 1909 | 1 ex. |
| Lepidotrigona hoozana Strand, 1913 | 9 ex. |
| Lepidotrigona ventralis (Smith,) | 3 ex. |
| Lestis aeratus Smith | 1 ex. |
| Lestis bombylans Fabricius | 5 ex. |
| Lestrimelitta limao (Smith, 1863) | 3 ex. |
| Leuconomia braunsiana (Friese, 1909) | 2 ex. |
| Leuconomia candida (Smith, 1875) | 2 ex. |
| Leuconomia rufitarsis (Smith, 1875) | 2 ex. |
| Liopoeum submetallicum (Spinola, 1851) | 20 ex. |

| | |
|--|--------|
| <i>Liothyrapis circumscripta</i> (Schulz, 1906) | 1 ex. |
| <i>Liothyrapis lativentrioides</i> (Brauns, 1930) | 2 ex. |
| <i>Liothyrapis rufiventris</i> | 1 ex. |
| <i>Liothyrapis umbripennis</i> (Friese, 1922) | 1 ex. |
| <i>Liothyrapis verticalis</i> (Smith, 1854) | 1 ex. |
| <i>Lipotriches ceratina</i> Smith, 1857 | 8 ex. |
| <i>Lipotriches exagens</i> Walker, 1860 | 1 ex. |
| <i>Lipotriches rubella</i> (Smith, 1875) | 2 ex. |
| <i>Lipotriches suisharyonis</i> (Strand, 1914) | 39 ex. |
| <i>Lipotriches taprobanae</i> Cameron, 1897 | 1 ex. |
| <i>Lithurgus apicalis</i> Cresson, 1875 | 2 ex. |
| <i>Lithurgus chrysurus</i> Fonscolombe, 1834 | 41 ex. |
| <i>Lithurgus cornutus</i> (Fabricius, 1787) | 3 ex. |
| <i>Lithurgus cornutus fuscipennis</i> (Lepeletier, 1841) | 4 ex. |
| <i>Lithurgus cornutus maximus</i> Radoszkowsky, 1872 | 18 ex. |
| <i>Lithurgus dubius</i> Sichel | 3 ex. |
| <i>Lithurgus muticus</i> Herbst | 2 ex. |
| <i>Macrogalea elliati</i> Saussure | 1 ex. |
| <i>Macronomia fulvohirta</i> (Smith, 1875) | 1 ex. |
| <i>Macronomia griseohirta</i> (Cockerell, 1935) | 1 ex. |
| <i>Macropis europaea</i> Warncke, 1973 | 90 ex. |
| <i>Macropis frivaldskyi</i> Mocsáry, 1878 | 23 ex. |
| <i>Macropis fulvipes</i> (Fabricius, 1804) | 48 ex. |
| <i>Macropis morsei</i> Robertson, 1897 | 1 ex. |
| <i>Macropis patellata</i> Patton, 1880 | 1 ex. |
| <i>Maculonomia apicalis</i> Smith, 1875 | 1 ex. |
| <i>Manuelia gayatina</i> Spinola, 1851 | 5 ex. |
| <i>Manuelia gayi</i> Spinola, 1851 | 5 ex. |
| <i>Manuelia postica</i> Spinola, 1851 | 3 ex. |
| <i>Megachile abdominalis</i> Smith | 1 ex. |
| <i>Megachile abluta</i> Cockerell, 1911 | 29 ex. |
| <i>Megachile abnegatula</i> Cockerell | 5 ex. |
| <i>Megachile acraensis</i> Friese, 1903 | 1 ex. |
| <i>Megachile aculeata</i> (Vachal, 1910) | 1 ex. |
| <i>Megachile addenda</i> Cresson, 1878 | 1 ex. |
| <i>Megachile admixta</i> Cockerell, 1931 | 1 ex. |
| <i>Megachile afra</i> Pasteels, 1965 | 2 ex. |
| <i>Megachile africanibia</i> (Strand, 1912) | 1 ex. |
| <i>Megachile albifascies</i> Alfken | 2 ex. |
| <i>Megachile albisepta</i> (Klug, 1817) | 21 ex. |
| <i>Megachile albocristata</i> Smith, 1853 | 5 ex. |
| <i>Megachile albonotata</i> Radoszkowsky, 1886 | 16 ex. |
| <i>Megachile alpicola</i> Alfken, 1924 | 18 ex. |
| <i>Megachile analis</i> Nylander, 1852 | 10 ex. |
| <i>Megachile anatolica</i> Rebmann, 1968 | 1 ex. |
| <i>Megachile angelarum</i> Cockerell, 1902 | 4 ex. |
| <i>Megachile angulata</i> Smith, 1853 | 1 ex. |

| | |
|--|---------|
| Megachile angustistrigata Alfken, 1924 | 6 ex. |
| Megachile anthidioides Radoszkowsky, 1874 | 3 ex. |
| Megachile anthophila Strand, 1913 | 2 ex. |
| Megachile antinorii Gribodo, 1879 | 2 ex. |
| Megachile apicalis Spinola, 1808 | 25 ex. |
| Megachile apiformis Smith, 1853 | 2 ex. |
| Megachile argentina Friese, 1906 | 1 ex. |
| Megachile asiatica Morawitz, 1875 | 4 ex. |
| Megachile aspernata Cockerell | 1 ex. |
| Megachile aspernata auropubescens Strand, 1913 | 2 ex. |
| Megachile aterrima Smith | 1 ex. |
| Megachile austeni Cockerell | 1 ex. |
| Megachile azteca Cresson | 11 ex. |
| Megachile bakeri Cockerell, 1918 | 1 ex. |
| Megachile basalis Smith, 1853 | 1 ex. |
| Megachile bicavata Cockerell | 1 ex. |
| Megachile bicolor taiwana Cockerell | 7 ex. |
| Megachile bipartita Smith | 2 ex. |
| Megachile bispinosa Friese | 5 ex. |
| Megachile bituberculata Ritsema, 1889 | 1 ex. |
| Megachile boliviensis Friese | 6 ex. |
| Megachile bombiformis Friese, 1904 | 10 ex. |
| Megachile bombiformis combusta Smith | 4 ex. |
| Megachile bombycina Radoszkowsky, 1874 | 7 ex. |
| Megachile brevis Say, 1837 | 14 ex. |
| Megachile brevis onobrychidis Cockerell, 1908 | 4 ex. |
| Megachile brevis pseudobrevis Mitchell, 1936 | 2 ex. |
| Megachile bucephala (Fabricius, 1793) | 1 ex. |
| Megachile campanulae Robertson | 3 ex. |
| Megachile canariensis Pérez | 3 ex. |
| Megachile candida Smith | 2 ex. |
| Megachile centuncularis (Linné, 1758) | 173 ex. |
| Megachile chrysorrhoea (Gerstaecker, 1857) | 6 ex. |
| Megachile cincta (Fabricius, 1771) | 10 ex. |
| Megachile cinerea Friese, 1905 | 3 ex. |
| Megachile circumcincta (Kirby, 1802) | 120 ex. |
| Megachile coelioxoides Cresson | 1 ex. |
| Megachile conjuncta Smith | 1 ex. |
| Megachile costariensis Friese | 5 ex. |
| Megachile cradockensis (Friese, 1909) | 1 ex. |
| Megachile curtula Gerstaecker, 1857 | 1 ex. |
| Megachile curvipes Smith, 1853 | 5 ex. |
| Megachile cypricola Mavromoustakis, 1938 | 1 ex. |
| Megachile decemsignata Radoszkowsky, 1881 | 2 ex. |
| Megachile deceptoría Pérez, 1890 | 6 ex. |
| Megachile dinura Cockerell, 1911 | 1 ex. |
| Megachile discolor Smith, 1853 | 5 ex. |

| | |
|--|---------|
| <i>Megachile disjuncta</i> Friese | 3 ex. |
| <i>Megachile disjunctiformis</i> Cockerell, 1911 | 10 ex. |
| <i>Megachile distinguenda</i> Ruiz, 1940 | 3 ex. |
| <i>Megachile doederleinii</i> Friese, 1898 | 6 ex. |
| <i>Megachile duala</i> Strand, 1914 | 1 ex. |
| <i>Megachile ericetorum</i> Lepeletier, 1841 | 100 ex. |
| <i>Megachile eurymera</i> Smith, 1854 | 6 ex. |
| <i>Megachile euzona</i> Pérez, 1899 | 1 ex. |
| <i>Megachile faceta</i> Bingham, 1897 | 15 ex. |
| <i>Megachile felina</i> Friese, 1904 | 11 ex. |
| <i>Megachile fidelis</i> Cresson, 1878 | 4 ex. |
| <i>Megachile fiebrigi</i> Schrottky, 1908 | 5 ex. |
| <i>Megachile fimbriata</i> Smith, 1853 | 3 ex. |
| <i>Megachile flabellipes</i> Pérez, 1895 | 3 ex. |
| <i>Megachile flavipes</i> (Spinola, 1838) | 11 ex. |
| <i>Megachile frugalis</i> Cresson, 1872 | 2 ex. |
| <i>Megachile fulva</i> Smith, 1853 | 5 ex. |
| <i>Megachile fulvitaris</i> Friese, 1910 | 1 ex. |
| <i>Megachile funebris</i> Radoszkowsky, 1874 | 3 ex. |
| <i>Megachile gemula</i> Cresson, 1878 | 2 ex. |
| <i>Megachile genalis</i> Morawitz, 1880 | 2 ex. |
| <i>Megachile gratiosa</i> Gerstaecker, 1857 | 14 ex. |
| <i>Megachile gratiosella</i> Cockerell, 1935 | 8 ex. |
| <i>Megachile grisescens</i> Morawitz, 1875 | 2 ex. |
| <i>Megachile guarani</i> Friese | 1 ex. |
| <i>Megachile habilis</i> Mitchell, 1930 | 1 ex. |
| <i>Megachile habropodoides</i> Meade-Waldo, 1912 | 2 ex. |
| <i>Megachile hera</i> Bingham, 1897 | 1 ex. |
| <i>Megachile hieronymi</i> Friese, 1906 | 2 ex. |
| <i>Megachile humilis</i> Smith, 1879 | 1 ex. |
| <i>Megachile hungarica</i> Mocsáry, 1877 | 8 ex. |
| <i>Megachile igniscopata</i> Cockerell | 5 ex. |
| <i>Megachile johannis</i> Friese, 1922 | 1 ex. |
| <i>Megachile jonseni</i> Friese | 8 ex. |
| <i>Megachile karrocensis</i> Brauns | 1 ex. |
| <i>Megachile kerenensis</i> Friese | 1 ex. |
| <i>Megachile konowiana</i> Friese, 1903 | 1 ex. |
| <i>Megachile lachesis</i> Smith, 1861 | 1 ex. |
| <i>Megachile lagopoda</i> (Linné, 1761) | 97 ex. |
| <i>Megachile laminata</i> Friese, 1903 | 2 ex. |
| <i>Megachile lapponica</i> Thomson, 1872 | 11 ex. |
| <i>Megachile latimanus</i> Say, 1823 | 28 ex. |
| <i>Megachile latitarsis</i> Friese | 3 ex. |
| <i>Megachile leachella</i> Curtis, 1828 | 116 ex. |
| <i>Megachile lefebvrei</i> Lepeletier, 1841 | 13 ex. |
| <i>Megachile leucomalla</i> Gerstaecker, 1869 | 1 ex. |
| <i>Megachile ligniseca</i> (Kirby, 1802) | 34 ex. |

| | |
|--|---------|
| Megachile lineatipes Cockerell | 1 ex. |
| Megachile luteipennis Friese, 1897 | 1 ex. |
| Megachile macularis Dalla Torre | 3 ex. |
| Megachile manicata Giraud, 1861 | 3 ex. |
| Megachile marchalli Friese, 1904 | 2 ex. |
| Megachile maritima (Kirby, 1802) | 145 ex. |
| Megachile maxillosa Guérin, 1845 | 3 ex. |
| Megachile meadewaldoi (Brauns, 1912) | 3 ex. |
| Megachile melanophaea Smith, 1853 | 3 ex. |
| Megachile melanophaea calogaster Cockerell, 1898 | 7 ex. |
| Megachile melanophaea rohweri Cockerell, 1906 | 1 ex. |
| Megachile melanopyga Costa, 1863 | 10 ex. |
| Megachile mendica Cresson, 1878 | 6 ex. |
| Megachile minutissima Radoszkowsky, 1876 | 1 ex. |
| Megachile montenegrensis Dours, 1873 | 4 ex. |
| Megachile monticola Smith, 1853 | 2 ex. |
| Megachile montivaga Cresson, 1878 | 3 ex. |
| Megachile morio Smith, 1853 | 1 ex. |
| Megachile mucorea Friese, 1898 | 1 ex. |
| Megachile mystacea Friese | 1 ex. |
| Megachile nasalis Smith, 1879 | 5 ex. |
| Megachile nasica Morawitz, 1880 | 1 ex. |
| Megachile nasidens (Friese, 1898) | 2 ex. |
| Megachile nasutula (Brauns, 1912) | 2 ex. |
| Megachile natalensis Friese | 1 ex. |
| Megachile nigriventris Schenck, 1868 | 10 ex. |
| Megachile nivalis Friese, 1903 | 1 ex. |
| Megachile nivescens W. Kirby | 1 ex. |
| Megachile octosignata Nylander, 1852 | 5 ex. |
| Megachile opaculina Cockerell, 1937 | 1 ex. |
| Megachile parallela Smith, 1853 | 4 ex. |
| Megachile parietina (Geoffroy, 1785) | 109 ex. |
| Megachile paulistana Schrottky, 1902 | 1 ex. |
| Megachile perihirta Cockerell, 1898 | 19 ex. |
| Megachile petulans Cresson, 1878 | 1 ex. |
| Megachile philippinensis Friese, 1916 | 1 ex. |
| Megachile picicornis Morawitz, 1877 | 1 ex. |
| Megachile pictiventris Smith | 1 ex. |
| Megachile pilicrus Morawitz, 1877 | 19 ex. |
| Megachile pilidens Alfken, 1924 | 82 ex. |
| Megachile pollinosa Spinola, 1851 | 19 ex. |
| Megachile pontica Alfken | 1 ex. |
| Megachile proserpina Schrottky | 1 ex. |
| Megachile pseudolatimanus Strand, 1919 | 1 ex. |
| Megachile pseudomonticola Hedicke, 1926 | 1 ex. |
| Megachile pugnata Say, 1837 | 2 ex. |
| Megachile pyrenaica Lepeletier, 1841 | 19 ex. |

| | |
|--|--------|
| Megachile pyrrophyga (Strand, 1911) | 1 ex. |
| Megachile pyrrothorax Schletterer, 1891 | 1 ex. |
| Megachile pyrrotricha Cockerell, 1913 | 2 ex. |
| Megachile quadrifasciata Villers | 1 ex. |
| Megachile quinquelineata Cockerell | 3 ex. |
| Megachile rancaguensis Friese, 1905 | 2 ex. |
| Megachile relata Smith, 1879 | 1 ex. |
| Megachile relativa Cresson, 1878 | 9 ex. |
| Megachile rhinoceros Mocsáry, 1892 | 1 ex. |
| Megachile rixator Cockerell | 10 ex. |
| Megachile rotundata (Fabricius, 1787) | 45 ex. |
| Megachile rotundipennis W. Kirby | 1 ex. |
| Megachile rubrimana Morawitz, 1893 | 1 ex. |
| Megachile rubripes Morawitz, 1875 | 5 ex. |
| Megachile ruficeps Friese | 1 ex. |
| Megachile rufipennis (Fabricius, 1793) | 1 ex. |
| Megachile rufipes Fabricius | 2 ex. |
| Megachile rufitarsis Lepeletier, 1841 | 2 ex. |
| Megachile rufiventris Guérin, 1834 | 8 ex. |
| Megachile rufovittata Cockerell, 1911 | 12 ex. |
| Megachile saba Strand, 1914 | 1 ex. |
| Megachile sanguinipes Morawitz, 1875 | 4 ex. |
| Megachile saulcyi | 17 ex. |
| Megachile schmidti Friese | 2 ex. |
| Megachile schmiedeknechti Costa, 1884 | 2 ex. |
| Megachile schnabli Radoszkowsky, 1893 | 1 ex. |
| Megachile schultessi Friese, 1903 | 1 ex. |
| Megachile seclusa Cockerell | 1 ex. |
| Megachile semirufa Sichel, 1867 | 3 ex. |
| Megachile semivenusta Cockerell, 1931 | 1 ex. |
| Megachile sicula (Rossi, 1792) | 41 ex. |
| Megachile simplicipes Friese, 1920 | 14 ex. |
| Megachile sinuata Friese, 1903 | 6 ex. |
| Megachile sjoestedti rubripedana Strand | 1 ex. |
| Megachile spissula Cockerell | 24 ex. |
| Megachile spissula parvula Strand, 1913 | 9 ex. |
| Megachile squalens Haliday | 1 ex. |
| Megachile squamosa Friese | 8 ex. |
| Megachile staudingeri Friese, 1905 | 2 ex. |
| Megachile steinbachi Friese, 1906 | 3 ex. |
| Megachile stuppeola Strand | 1 ex. |
| Megachile subexilis Cockerell, 1908 | 1 ex. |
| Megachile submucida Alfken, 1926 | 2 ex. |
| Megachile subnigra Cresson, 1879 | 1 ex. |
| Megachile syraensis (Radoszkowsky, 1877) | 8 ex. |
| Megachile takaoensis Cockerell, 1911 | 14 ex. |
| Megachile texana Cresson, 1878 | 5 ex. |

| | |
|---|---------|
| Megachile tithonus Smith | 7 ex. |
| Megachile torrida Smith, 1853 | 1 ex. |
| Megachile tranquilla Cockerell | 14 ex. |
| Megachile trichognatha Cockerell | 1 ex. |
| Megachile trichognatha tosticauda Cockerell | 5 ex. |
| Megachile umbripennis Smith | 3 ex. |
| Megachile venusta Smith, 1853 | 21 ex. |
| Megachile versicolor Smith, 1844 | 55 ex. |
| Megachile villipes Morawitz, 1875 | 1 ex. |
| Megachile virgili Friese | 2 ex. |
| Megachile wheeleri Mitchell, 1927 | 1 ex. |
| Megachile willughbiella (Kirby, 1802) | 116 ex. |
| Megalopta angusticeps Friese | 2 ex. |
| Megalopta cuprea Friese | 1 ex. |
| Megalopta ecuadoria Friese | 4 ex. |
| Megalopta fornix Vachal | 1 ex. |
| Megalopta idalia Smith, 1853 | 2 ex. |
| Megalopta lecontei Duce | 2 ex. |
| Megalopta nocturna Friese | 1 ex. |
| Megalopta pallitarsis Friese | 1 ex. |
| Megalopta sodalis | 2 ex. |
| Megalopta texana Cresson | 1 ex. |
| Megandrena enceliae (Cockerell, 1927) | 2 ex. |
| Melecta abyssinica (Radoszkowsky, 1873) | 1 ex. |
| Melecta albifrons Forster, 1771 | 156 ex. |
| Melecta albomaculata (Degeer, 1778) | 2 ex. |
| Melecta alfkeni (Brauns, 1909) | 2 ex. |
| Melecta amata Cockerell | 15 ex. |
| Melecta arcuata Vachal | 1 ex. |
| Melecta ashabadensis Radoszkowsky | 2 ex. |
| Melecta bouyssonii Vachal | 1 ex. |
| Melecta braunsiana Friese | 5 ex. |
| Melecta calceata (Vachal, 1903) | 9 ex. |
| Melecta candiae Strand, 1915 | 1 ex. |
| Melecta ceylonica (Friese, 1905) | 3 ex. |
| Melecta curvispina Lieftinck, 1958 | 8 ex. |
| Melecta decora (Smith, 1852) | 3 ex. |
| Melecta duodecimmaculata (Rossi, 1790) | 5 ex. |
| Melecta emarginata | 2 ex. |
| Melecta frontale Fabricius | 2 ex. |
| Melecta funeraria (Smith, 1854) | 11 ex. |
| Melecta guineensis Radoszkowsky | 2 ex. |
| Melecta histrio (Fabricius, 1775) | 2 ex. |
| Melecta histrionica Illiger, 1806 | 33 ex. |
| Melecta hyalinata (Vachal, 1903) | 1 ex. |
| Melecta italica Radoszkowsky, 1876 | 1 ex. |
| Melecta kanshireana Cockerell | 1 ex. |

| | |
|---|--------|
| <i>Melecta leucorhyncha</i> Gribodo, 1893 | 1 ex. |
| <i>Melecta leucorhyncha taormina</i> Strand, 1919 | 3 ex. |
| <i>Melecta luctuosa</i> (Scopoli, 1770) | 81 ex. |
| <i>Melecta massuri</i> (Radoszkowsky, 1893) | 1 ex. |
| <i>Melecta meripes</i> (Vachal, 1903) | 4 ex. |
| <i>Melecta nitidula quartinae</i> (Gribodo, 1884) | 3 ex. |
| <i>Melecta omissa</i> Cockerell | 6 ex. |
| <i>Melecta orbata</i> (Lepeletier, 1841) | 52 ex. |
| <i>Melecta quinquefasciata</i> (Smith, 1879) | 2 ex. |
| <i>Melecta ramosa</i> (Lepeletier, 1841) | 42 ex. |
| <i>Melecta rectangula</i> (Meyer, 1921) | 9 ex. |
| <i>Melecta scotaspis</i> (Vachal, 1903) | 1 ex. |
| <i>Melecta smithi</i> (Dalla Torre, 1896) | 1 ex. |
| <i>Melecta takaonis</i> (Cockerell, 1911) | 11 ex. |
| <i>Melecta truncata</i> (Pérez, 1883) | 4 ex. |
| <i>Melecta tuberculata</i> Lieftinck, 1980 | 1 ex. |
| <i>Melecta valvata</i> (Brauns, 1909) | 4 ex. |
| <i>Meliplebeia lendliana</i> (Friese, 1900) | 2 ex. |
| <i>Meliplebeia nebulata</i> (Smith, 1854) | 14 ex. |
| <i>Melipona anthidioides</i> Lepeletier, 1836 | 8 ex. |
| <i>Melipona beecheii</i> Bennett, 1835 | 7 ex. |
| <i>Melipona bilineata</i> Say | 2 ex. |
| <i>Melipona eburnea</i> Friese, 1900 | 1 ex. |
| <i>Melipona fasciata</i> Latreille, 1811 | 2 ex. |
| <i>Melipona fuscipes</i> Guérin | 4 ex. |
| <i>Melipona interrupta</i> Latreille, 1811 | 1 ex. |
| <i>Melipona marginata</i> Lepeletier, 1836 | 10 ex. |
| <i>Melipona nigra</i> Lepeletier, 1836 | 10 ex. |
| <i>Melipona pallens</i> Schmb. | 4 ex. |
| <i>Melipona quadrifasciata</i> Lepeletier, 1836 | 6 ex. |
| <i>Melipona quinquefasciata</i> Lepeletier, 1836 | 2 ex. |
| <i>Melipona rufiventris</i> Lepeletier, 1836 | 8 ex. |
| <i>Melipona scutellaris</i> Latreille, 1811 | 3 ex. |
| <i>Melipona tubida</i> Smith | 9 ex. |
| <i>Melissodes agilis</i> Cresson | 2 ex. |
| <i>Melissodes cnici</i> Robertson | 2 ex. |
| <i>Melissodes communis</i> Cresson | 1 ex. |
| <i>Melissodes dagosa</i> Cockerell, 1909 | 16 ex. |
| <i>Melissodes dama</i> Vachal | 2 ex. |
| <i>Melissodes duponsa</i> Cresson | 1 ex. |
| <i>Melissodes eupina</i> Cresson | 1 ex. |
| <i>Melissodes grindeliae</i> Cockerell | 1 ex. |
| <i>Melissodes obliqua</i> Say | 3 ex. |
| <i>Melissodes rivalis</i> Cresson, 1872 | 3 ex. |
| <i>Melissodes robustior</i> Cockerell, 1915 | 4 ex. |
| <i>Melissodes simillima</i> Robertson | 1 ex. |
| <i>Melissodes spec.</i> | 3 ex. |

| | |
|---|---------|
| <i>Melissodes tepida timberlakei</i> Cockerell, 1926 | 4 ex. |
| <i>Melissodes vernonensis</i> Viereck | 1 ex. |
| <i>Melissoptila vulpecula</i> Bertoni & Schrottky | 1 ex. |
| <i>Melitoma chilensis</i> Spinola | 30 ex. |
| <i>Melitoma segmentaria</i> (Fabricius, 1804) | 2 ex. |
| <i>Melitoma taurea</i> Say | 11 ex. |
| <i>Melitta californica</i> Viereck, 1909 | 2 ex. |
| <i>Melitta capensis</i> Brauns | 2 ex. |
| <i>Melitta dimidiata</i> Morawitz, 1876 | 12 ex. |
| <i>Melitta haemorrhoidalis</i> (Fabricius, 1775) | 74 ex. |
| <i>Melitta leporina</i> (Panzer, 1799) | 148 ex. |
| <i>Melitta longicornis</i> Friese | 2 ex. |
| <i>Melitta melanura</i> Nylander | 4 ex. |
| <i>Melitta nigricans</i> Alfken, 1905 | 114 ex. |
| <i>Melitta schmiedeknechti</i> Friese, 1898 | 2 ex. |
| <i>Melitta tricincta</i> Kirby, 1802 | 43 ex. |
| <i>Melitta wankowiczi</i> (Radoszkowsky, 1891) | 4 ex. |
| <i>Melitturga capensis</i> Brauns, 1912 | 1 ex. |
| <i>Melitturga clavicornis</i> (Latreille, 1806) | 34 ex. |
| <i>Melitturga praestans</i> Giraud, 1861 | 1 ex. |
| <i>Meliturgula braunsi</i> Friese, 1903 | 4 ex. |
| <i>Meliturgula minima</i> Friese, 1912 | 1 ex. |
| <i>Meroglossa eucalypti</i> (Cockerell, 1910) | 1 ex. |
| <i>Meroglossa impressifrons</i> (Smith, 1853) | 1 ex. |
| <i>Mesanthidium carduele</i> (Morawitz, 1876) | 1 ex. |
| <i>Mesocheira bicolor</i> Lepeletier & Serville | 41 ex. |
| <i>Mesonychium azureum</i> Lepeletier | 1 ex. |
| <i>Mesoplia gayi</i> Spinola | 7 ex. |
| <i>Mesoplia gayi albescens</i> Friese | 2 ex. |
| <i>Mesoplia jenseni</i> (Friese, 1906) | 3 ex. |
| <i>Mesoplia rufipes</i> Prt. | 1 ex. |
| <i>Mourecotelles</i> sp. | 5 ex. |
| <i>Mydrosoma andina</i> Friese | 1 ex. |
| <i>Nannotrigona dutrae</i> Friese | 1 ex. |
| <i>Nannotrigona punctata</i> (Smith, 1854) | 2 ex. |
| <i>Nannotrigona testaceicornis</i> (Lepeletier, 1836) | 5 ex. |
| <i>Neocorynura cuprifrons</i> (Smith,) | 2 ex. |
| <i>Neocorynura lepidodes</i> Vachal | 1 ex. |
| <i>Neocorynura norops</i> Schrottky | 1 ex. |
| <i>Neocorynura rhytis</i> (Vachal, 1904) | 2 ex. |
| <i>Neocorynura trinax</i> Vachal | 2 ex. |
| <i>Neolarra pruinosa</i> Ashmead, 1890 | 2 ex. |
| <i>Nomada agrestis</i> Fabricius, 1787 | 6 ex. |
| <i>Nomada alboguttata</i> Herrich-Schaeffer, 1839 | 126 ex. |
| <i>Nomada algira</i> Mocsáry, 1883 | 2 ex. |
| <i>Nomada amabilis</i> Radoszkowsky, 1876 | 1 ex. |
| <i>Nomada anpingensis</i> Strand, 1913 | 1 ex. |

| | |
|---|---------|
| <i>Nomada anpingensis</i> suisharyonis Strand, 1914 | 4 ex. |
| <i>Nomada argentata</i> Herrich-Schaeffer, 1839 | 29 ex. |
| <i>Nomada armata</i> Herrich-Schaeffer, 1839 | 25 ex. |
| <i>Nomada articulata</i> Smith, 1854 | 4 ex. |
| <i>Nomada atroscutellaris</i> Strand, 1921 | 6 ex. |
| <i>Nomada baccata</i> Smith, 1844 | 5 ex. |
| <i>Nomada basalis</i> Herrich-Schaeffer, 1839 | 228 ex. |
| <i>Nomada bella</i> Cresson, 1863 | 1 ex. |
| <i>Nomada bifasciata</i> Olivier, 1811 | 16 ex. |
| <i>Nomada bifasciata lepeletieri</i> Pérez, 1884 | 96 ex. |
| <i>Nomada bispinosa</i> Mocsáry, 1883 | 13 ex. |
| <i>Nomada blepharipes</i> Morawitz, 1870 | 4 ex. |
| <i>Nomada bluethgeni</i> Stoeckhert, 1943 | 10 ex. |
| <i>Nomada braunsiana</i> Schmiedeknecht, 1882 | 1 ex. |
| <i>Nomada brevis</i> Saunders, 1908 | 2 ex. |
| <i>Nomada calimorpha</i> Schmiedeknecht, 1882 | 3 ex. |
| <i>Nomada castellana</i> Dusmet, 1913 | 5 ex. |
| <i>Nomada cherkesiana</i> Mavromoustakis, 1955 | 1 ex. |
| <i>Nomada chrysopyga</i> Morawitz, 1871 | 4 ex. |
| <i>Nomada collarae</i> Schwarz, 1964 | 4 ex. |
| <i>Nomada conjungens</i> Herrich-Schaeffer, 1839 | 10 ex. |
| <i>Nomada cuneata</i> (Robertson, 1903) | 1 ex. |
| <i>Nomada diacantha</i> Schwarz, 1981 | 44 ex. |
| <i>Nomada dira</i> Schmiedeknecht, 1882 | 2 ex. |
| <i>Nomada discrepans</i> Schmiedeknecht, 1882 | 1 ex. |
| <i>Nomada distinguenda</i> Morawitz, 1874 | 98 ex. |
| <i>Nomada emarginata</i> Morawitz, 1877 | 7 ex. |
| <i>Nomada eos</i> Schmiedeknecht, 1882 | 4 ex. |
| <i>Nomada errans</i> Lepeletier, 1841 | 5 ex. |
| <i>Nomada fabriciana</i> (Linné, 1767) | 61 ex. |
| <i>Nomada facilis</i> Schwarz, 1967 | 5 ex. |
| <i>Nomada femoralis</i> Morawitz, 1869 | 80 ex. |
| <i>Nomada fenestrata</i> Lepeletier, 1841 | 2 ex. |
| <i>Nomada ferruginata</i> (Linné, 1767) | 95 ex. |
| <i>Nomada flava</i> Panzer, 1798 | 166 ex. |
| <i>Nomada flavinervis</i> Brullé, 1832 | 16 ex. |
| <i>Nomada flavoguttata</i> (Kirby, 1802) | 210 ex. |
| <i>Nomada flavopicta</i> (Kirby, 1802) | 122 ex. |
| <i>Nomada fucata</i> Panzer, 1798 | 323 ex. |
| <i>Nomada fulvicornis</i> Fabricius, 1793 | 189 ex. |
| <i>Nomada furva</i> Panzer, 1798 | 23 ex. |
| <i>Nomada furvoides</i> Stoeckhert, 1943 | 5 ex. |
| <i>Nomada fuscicornis</i> Nylander, 1848 | 60 ex. |
| <i>Nomada gigas</i> Friese, 1905 | 1 ex. |
| <i>Nomada glaberrima</i> Schmiedeknecht, 1882 | 8 ex. |
| <i>Nomada glaucopis</i> Pérez, 1890 | 10 ex. |
| <i>Nomada goodeniana</i> (Kirby, 1802) | 170 ex. |

| | |
|--|---------|
| <i>Nomada guttulata</i> Schenck, 1861 | 14 ex. |
| <i>Nomada gyangensis</i> Cockerell, 1911 | 2 ex. |
| <i>Nomada heiligbrodtii</i> Cresson, 1878 | 1 ex. |
| <i>Nomada hirtipes</i> Pérez, 1884 | 1 ex. |
| <i>Nomada imperialis</i> Schmiedeknecht, 1882 | 2 ex. |
| <i>Nomada incisa</i> Schmiedeknecht, 1882 | 1 ex. |
| <i>Nomada insignipes</i> Schmiedeknecht, 1882 | 5 ex. |
| <i>Nomada integra</i> Brullé, 1832 | 49 ex. |
| <i>Nomada italica</i> Dalla Torre & Friese, 1894 | 12 ex. |
| <i>Nomada jacobaeae</i> Panzer, 1799 | 6 ex. |
| <i>Nomada kohli</i> Schmiedeknecht, 1882 | 15 ex. |
| <i>Nomada kornosica</i> Mavromoustakis, 1958 | 2 ex. |
| <i>Nomada lateritia</i> Mocsáry, 1883 | 1 ex. |
| <i>Nomada lathburiana</i> (Kirby, 1802) | 145 ex. |
| <i>Nomada leucophthalma</i> (Kirby, 1802) | 76 ex. |
| <i>Nomada leucotricha</i> Strand, 1914 | 1 ex. |
| <i>Nomada linsenmaieri</i> Schwarz, 1974 | 2 ex. |
| <i>Nomada lucidula</i> Schwarz, 1967 | 2 ex. |
| <i>Nomada marshamella</i> (Kirby, 1802) | 218 ex. |
| <i>Nomada mauritanica</i> (Lepelletier, 1841) | 2 ex. |
| <i>Nomada mauritanica manni</i> Morawitz, 1872 | 2 ex. |
| <i>Nomada melanopyga</i> Schmiedeknecht, 1882 | 1 ex. |
| <i>Nomada melathoracica</i> Imhoff, 1834 | 2 ex. |
| <i>Nomada merceti</i> Alfken, 1909 | 1 ex. |
| <i>Nomada mocsaryi</i> Schmiedeknecht, 1882 | 1 ex. |
| <i>Nomada moeschleri</i> Alfken, 1913 | 21 ex. |
| <i>Nomada mongolica</i> Schwarz | 3 ex. |
| <i>Nomada moricei</i> Friese, 1899 | 1 ex. |
| <i>Nomada morio</i> (Swederus, 1787) | 1 ex. |
| <i>Nomada mutabilis</i> Morawitz, 1870 | 14 ex. |
| <i>Nomada mutica</i> Morawitz, 1872 | 2 ex. |
| <i>Nomada nausicaa</i> Schmiedeknecht, 1882 | 1 ex. |
| <i>Nomada nitida</i> Schwarz, 1977 | 4 ex. |
| <i>Nomada nobilis</i> Herrich-Schaeffer, 1839 | 29 ex. |
| <i>Nomada obscura</i> Zetterstedt, 1838 | 2 ex. |
| <i>Nomada obtusifrons</i> Nylander, 1848 | 12 ex. |
| <i>Nomada opaca</i> Alfken, 1913 | 1 ex. |
| <i>Nomada pallispinosa</i> Schwarz, 1967 | 3 ex. |
| <i>Nomada palmeni</i> Morawitz, 1888 | 1 ex. |
| <i>Nomada pampicola</i> Holmberg, 1886 | 2 ex. |
| <i>Nomada panurgina</i> Morawitz, 1869 | 1 ex. |
| <i>Nomada panurginoides</i> Saunders, 1908 | 2 ex. |
| <i>Nomada panzeri</i> Lepelletier, 1841 | 203 ex. |
| <i>Nomada panzeri hybrida</i> Schmiedeknecht | 1 ex. |
| <i>Nomada pastoralis</i> Eversmann, 1852 | 1 ex. |
| <i>Nomada pectoralis</i> Morawitz, 1877 | 2 ex. |
| <i>Nomada piccioliana</i> Magretti, 1883 | 5 ex. |

| | |
|--|---------|
| <i>Nomada pleurosticta</i> Herrich-Schaeffer, 1839 | 34 ex. |
| <i>Nomada polemediana</i> Mavromoustakis, 1957 | 3 ex. |
| <i>Nomada pompicola</i> Illiger | 3 ex. |
| <i>Nomada priesneri</i> Schwarz, 1965 | 3 ex. |
| <i>Nomada propinqua</i> Schmiedeknecht, 1882 | 2 ex. |
| <i>Nomada pygidialis</i> Schwarz, 1981 | 2 ex. |
| <i>Nomada radoszkowskiana</i> Loz. | 1 ex. |
| <i>Nomada rhenana</i> Morawitz, 1872 | 41 ex. |
| <i>Nomada rhinula</i> Strand, 1914 | 4 ex. |
| <i>Nomada roberjeotiana</i> Panzer, 1799 | 165 ex. |
| <i>Nomada rostrata</i> Herrich-Schaeffer, 1839 | 5 ex. |
| <i>Nomada rubiginosa</i> Pérez, 1884 | 1 ex. |
| <i>Nomada rubricollis</i> Schwarz, 1967 | 3 ex. |
| <i>Nomada rubriventris</i> Schwarz, 1981 | 3 ex. |
| <i>Nomada ruficornis</i> (Linné, 1758) | 184 ex. |
| <i>Nomada rufipes</i> Fabricius, 1793 | 83 ex. |
| <i>Nomada rufoabdominalis</i> Schwarz, 1963 | 1 ex. |
| <i>Nomada rufosoma</i> Strand, 1921 | 4 ex. |
| <i>Nomada sabulosa</i> Radoszkowsky, 1876 | 1 ex. |
| <i>Nomada sanguinea</i> Smith, 1854 | 2 ex. |
| <i>Nomada sexfasciata</i> Panzer, 1799 | 82 ex. |
| <i>Nomada sheppardana</i> (Kirby, 1802) | 14 ex. |
| <i>Nomada sicula</i> Schwarz, 1974 | 2 ex. |
| <i>Nomada signata</i> Jurine, 1807 | 58 ex. |
| <i>Nomada similis</i> Morawitz, 1872 | 12 ex. |
| <i>Nomada stigma</i> Fabricius, 1804 | 33 ex. |
| <i>Nomada stoeckherti</i> Pittioni, 1951 | 6 ex. |
| <i>Nomada striata</i> Fabricius, 1793 | 155 ex. |
| <i>Nomada succincta</i> Panzer, 1798 | 54 ex. |
| <i>Nomada sybarita</i> Schmiedeknecht, 1882 | 2 ex. |
| <i>Nomada symphyti</i> Stoeckhert, 1930 | 1 ex. |
| <i>Nomada tridentirostris</i> Dours, 1873 | 31 ex. |
| <i>Nomada trispinosa</i> Schmiedeknecht, 1882 | 10 ex. |
| <i>Nomada trispinosa cypria</i> Mavromoustakis, 1952 | 2 ex. |
| <i>Nomada villosa</i> Thomson, 1870 | 11 ex. |
| <i>Nomada xanthopus</i> Friese, 1921 | 1 ex. |
| <i>Nomada zonata</i> Panzer, 1798 | 54 ex. |
| <i>Nomadopsis edwardsii</i> Cresson, 1878 | 6 ex. |
| <i>Nomadopsis linsleyi</i> Rozen, 1958 | 2 ex. |
| <i>Nomadopsis scitula</i> (Cresson, 1878) | 1 ex. |
| <i>Nomadopsis scutellaris</i> Fowler, 1899 | 2 ex. |
| <i>Nomia aurantifer swainsoniae</i> Cockerell | 2 ex. |
| <i>Nomia australica</i> Smith, 1875 | 3 ex. |
| <i>Nomia australica reginae</i> Cockerell | 2 ex. |
| <i>Nomia australica regis</i> Cockerell | 1 ex. |
| <i>Nomia bicornigera</i> Strand | 1 ex. |
| <i>Nomia biroi</i> Friese | 1 ex. |

| | |
|---|--------|
| <i>Nomia bonnefoiensis</i> (Strand, 1921) | 1 ex. |
| <i>Nomia crassipes</i> Fabricius, 1798 | 2 ex. |
| <i>Nomia dalgana bonnefoiensis</i> Strand, 1921 | 2 ex. |
| <i>Nomia dalyana</i> Cameron, 1905 | 7 ex. |
| <i>Nomia dentiventris</i> Smith | 4 ex. |
| <i>Nomia diversipes</i> Latreille, 1806 | 22 ex. |
| <i>Nomia elongata</i> Friese | 3 ex. |
| <i>Nomia hertlei</i> Friese | 1 ex. |
| <i>Nomia horni</i> Strand, 1913 | 1 ex. |
| <i>Nomia iridescens</i> Smith | 1 ex. |
| <i>Nomia joergenseni</i> Friese | 3 ex. |
| <i>Nomia junodiella</i> Friese | 2 ex. |
| <i>Nomia kankauibia</i> Strand, 1913 | 1 ex. |
| <i>Nomia lamellicornis</i> Friese | 2 ex. |
| <i>Nomia laticincta</i> Friese | 1 ex. |
| <i>Nomia limbata</i> Saussure | 1 ex. |
| <i>Nomia maturans</i> Cockerell | 5 ex. |
| <i>Nomia meadewaldoi</i> Brauns | 1 ex. |
| <i>Nomia mediorufa</i> Cockerell | 1 ex. |
| <i>Nomia megasoma</i> Cockerell | 8 ex. |
| <i>Nomia melanderi</i> Cockerell, 1906 | 5 ex. |
| <i>Nomia meridionalis africana</i> Friese | 1 ex. |
| <i>Nomia moerens ulongensis</i> Cockerell | 11 ex. |
| <i>Nomia montivaga</i> Friese | 2 ex. |
| <i>Nomia nevadensis angelesia</i> Cockerell, 1910 | 4 ex. |
| <i>Nomia nitens</i> Cockerell | 1 ex. |
| <i>Nomia nortoni</i> Cresson, 1868 | 2 ex. |
| <i>Nomia nudiventris</i> Friese | 2 ex. |
| <i>Nomia oxybeloides</i> Smith | 2 ex. |
| <i>Nomia parcana</i> Strand, 1913 | 1 ex. |
| <i>Nomia pavonura</i> Cockerell | 12 ex. |
| <i>Nomia philippinensis</i> Friese | 1 ex. |
| <i>Nomia pilamica</i> Strand, 1913 | 1 ex. |
| <i>Nomia producta</i> Smith | 2 ex. |
| <i>Nomia proxima</i> Friese | 1 ex. |
| <i>Nomia pulchella</i> Friese | 2 ex. |
| <i>Nomia punctulata</i> Dalla Torre, 1896 | 15 ex. |
| <i>Nomia quadrifasciata</i> (Ashmead, 1904) | 1 ex. |
| <i>Nomia rufiventris albicincta</i> Suc. | 1 ex. |
| <i>Nomia scitula</i> Bingham, 1903 | 1 ex. |
| <i>Nomia strigata</i> Friese | 2 ex. |
| <i>Nomia tessmanni</i> Strand | 1 ex. |
| <i>Nomia thoracica</i> Smith | 56 ex. |
| <i>Nomia ustula</i> Cockerell | 3 ex. |
| <i>Nomia variabilis</i> Friese | 2 ex. |
| <i>Nomia variabilis fuliginosa</i> Friese | 2 ex. |
| <i>Nomia variabilis triangulifera</i> Friese | 1 ex. |

| | |
|--|---------|
| <i>Nomia variabilis zebra</i> Friese | 1 ex. |
| <i>Nomia vulpina</i> | 5 ex. |
| <i>Nomia wollastoni</i> Friese | 1 ex. |
| <i>Nomioides capensis</i> Blüthgen | 1 ex. |
| <i>Nomioides facilis</i> (Smith, 1853) | 3 ex. |
| <i>Nomioides fasciata</i> Friese, 1898 | 1 ex. |
| <i>Nomioides formosicola</i> Strand, 1913 | 4 ex. |
| <i>Nomioides horni</i> (Strand, 1913) | 1 ex. |
| <i>Nomioides minutissimus</i> (Rossi, 1790) | 54 ex. |
| <i>Nomioides rotundiceps</i> Handlirsch, 1888 | 1 ex. |
| <i>Nomioides variegatus</i> (Olivier, 1789) | 25 ex. |
| <i>Notanthidium steloides</i> (Spinola, 1851) | 10 ex. |
| <i>Notoxaea versicolor</i> (Schrottky, 1903) | 1 ex. |
| <i>Omachtes nigerrimus</i> Friese | 1 ex. |
| <i>Oreopasites euphorbiae</i> Cockerell, 1929 | 4 ex. |
| <i>Oreopasites vanduzeei vanduzeei</i> Cockerell, 1925 | 2 ex. |
| <i>Osiris angustipes</i> Friese, 1930 | 2 ex. |
| <i>Osiris latitarsis</i> Friese | 1 ex. |
| <i>Osmia absurdicornis</i> Brauns, i.l. | 2 ex. |
| <i>Osmia acuticornis</i> Dufour & Perris, 1840 | 6 ex. |
| <i>Osmia adunca</i> (Panzer, 1798) | 210 ex. |
| <i>Osmia albifrons</i> (Kirby, 1837) | 5 ex. |
| <i>Osmia albifrons argentifrons</i> (Cresson, 1864) | 2 ex. |
| <i>Osmia albolateralis</i> Cockerell, 1906 | 2 ex. |
| <i>Osmia anceyi</i> Pérez, 1879 | 2 ex. |
| <i>Osmia andrenoides</i> Spinola, 1808 | 81 ex. |
| <i>Osmia anthocopoides</i> Schenck, 1853 | 48 ex. |
| <i>Osmia apicata</i> Smith, 1853 | 6 ex. |
| <i>Osmia arnoldi</i> Brauns, 1926 | 1 ex. |
| <i>Osmia asiatica</i> Friese, 1921 | 1 ex. |
| <i>Osmia atriventris</i> Cresson, 1864 | 3 ex. |
| <i>Osmia atrocyanea</i> Cockerell, 1897 | 2 ex. |
| <i>Osmia aurulenta</i> (Panzer, 1799) | 148 ex. |
| <i>Osmia azteca</i> Cresson, 1878 | 6 ex. |
| <i>Osmia balearica</i> Schmiedeknecht, 1885 | 2 ex. |
| <i>Osmia benoisti</i> Alfken, 1935 | 8 ex. |
| <i>Osmia bicolor</i> (Schrank, 1781) | 55 ex. |
| <i>Osmia bidentata</i> Morawitz, 1876 | 15 ex. |
| <i>Osmia biscutellae</i> (Cockerell, 1897) | 2 ex. |
| <i>Osmia bisulca</i> Gerstaecker, 1869 | 2 ex. |
| <i>Osmia brachypogon</i> Pérez, 1879 | 2 ex. |
| <i>Osmia braunsiana</i> Friese, 1909 | 2 ex. |
| <i>Osmia brevicornis</i> (Fabricius, 1798) | 72 ex. |
| <i>Osmia brevicornis leucogastra</i> Morawitz, 1875 | 13 ex. |
| <i>Osmia bruneri</i> Cockerell, 1897 | 2 ex. |
| <i>Osmia bucephala</i> Cresson, 1864 | 3 ex. |
| <i>Osmia caerulea</i> (Linné, 1758) | 166 ex. |

| | |
|--|---------|
| <i>Osmia californica</i> Cresson, 1864 | 5 ex. |
| <i>Osmia calla</i> Cockerell, 1897 | 2 ex. |
| <i>Osmia campanularis</i> Morawitz, 1878 | 1 ex. |
| <i>Osmia campanularum</i> (Kirby, 1802) | 36 ex. |
| <i>Osmia cantabrica</i> Benoist, 1935 | 1 ex. |
| <i>Osmia carinata</i> (Cresson, 1864) | 18 ex. |
| <i>Osmia cephalotes longiceps</i> Morawitz, 1876 | 8 ex. |
| <i>Osmia cerinthidis</i> Morawitz, 1875 | 1 ex. |
| <i>Osmia clarescens</i> Cockerell, 1911 | 4 ex. |
| <i>Osmia claviventris</i> Thomson, 1872 | 62 ex. |
| <i>Osmia clypearis</i> Morawitz, 1872 | 1 ex. |
| <i>Osmia cobaltina</i> Cresson, 1878 | 2 ex. |
| <i>Osmia copelandica</i> Cockerell, 1908 | 2 ex. |
| <i>Osmia cornifrons</i> (Radoszkowsky, 1887) | 6 ex. |
| <i>Osmia cornuta</i> (Latreille, 1805) | 27 ex. |
| <i>Osmia cornuta quasirufa</i> Peters, 1978 | 2 ex. |
| <i>Osmia costaricensis</i> Friese | 3 ex. |
| <i>Osmia crenulata</i> (Nylander, 1856) | 30 ex. |
| <i>Osmia cristata</i> Pérez | 2 ex. |
| <i>Osmia croatica</i> Friese, 1893 | 11 ex. |
| <i>Osmia cyanella</i> Cockerell, 1897 | 2 ex. |
| <i>Osmia dalmatica</i> Morawitz, 1871 | 1 ex. |
| <i>Osmia densa pogonigera</i> Cockerell, 1910 | 2 ex. |
| <i>Osmia deserticola</i> (Timberlake & Michener, 1950) | 2 ex. |
| <i>Osmia dido</i> Gribodo, 1894 | 2 ex. |
| <i>Osmia dimidiata</i> Morawitz, 1871 | 24 ex. |
| <i>Osmia dimidiata rossica</i> Friese, 1887 | 1 ex. |
| <i>Osmia distincta</i> (Stoeckhert, 1929) | 10 ex. |
| <i>Osmia dives</i> Mocsáry, 1877 | 2 ex. |
| <i>Osmia dolichocephala</i> | 2 ex. |
| <i>Osmia elizabethae</i> Brauns, 1926 | 1 ex. |
| <i>Osmia emarginata</i> (Nylander, 1856) | 4 ex. |
| <i>Osmia exigua</i> Cresson, 1878 | 4 ex. |
| <i>Osmia ferruginea</i> Latreille, 1811 | 3 ex. |
| <i>Osmia florisomnis</i> (Linné, 1758) | 121 ex. |
| <i>Osmia fulgida</i> Cresson, 1864 | 8 ex. |
| <i>Osmia gallarum</i> Spinola, 1808 | 31 ex. |
| <i>Osmia gallinula</i> Warncke, 1991 | 3 ex. |
| <i>Osmia giliarum</i> Cockerell, 1906 | 1 ex. |
| <i>Osmia glacialis</i> Timberlake, i.l. | 1 ex. |
| <i>Osmia globicola</i> Stadelmann, 1892 | 1 ex. |
| <i>Osmia glutinosa</i> (Giraud, 1871) | 1 ex. |
| <i>Osmia gracilicornis</i> Pérez, 1895 | 0 ex. |
| <i>Osmia grandis</i> (Nylander, 1852) | 8 ex. |
| <i>Osmia grinelli</i> (Cockerell, 1910) | 7 ex. |
| <i>Osmia handlirschi</i> Schletterer, 1889 | 1 ex. |
| <i>Osmia hellados</i> Van der Zanden, 1984 | 5 ex. |

| | |
|--|---------|
| <i>Osmia hypocrita</i> Cockerell, 1906 | 8 ex. |
| <i>Osmia hypostomalis</i> (Michener, 1949) | 2 ex. |
| <i>Osmia inermis</i> (Zetterstedt, 1838) | 4 ex. |
| <i>Osmia jason</i> Benoist, 1929 | 1 ex. |
| <i>Osmia juxta subpurpurea</i> Cockerell, 1897 | 2 ex. |
| <i>Osmia kincaidii</i> Cockerell, 1897 | 1 ex. |
| <i>Osmia kohli</i> Ducke, 1900 | 15 ex. |
| <i>Osmia laboriosa</i> Smith, 1878 | 1 ex. |
| <i>Osmia laeta</i> Sandhouse, 1924 | 5 ex. |
| <i>Osmia laevifrons</i> Morawitz, 1872 | 42 ex. |
| <i>Osmia laeviscutum</i> Alfken, 1935 | 1 ex. |
| <i>Osmia latreillei</i> (Spinola, 1806) | 11 ex. |
| <i>Osmia latreillei iberoafricana</i> Peters, 1975 | 1 ex. |
| <i>Osmia leaiana</i> (Kirby, 1802) | 49 ex. |
| <i>Osmia lepeletieri</i> Pérez, 1879 | 4 ex. |
| <i>Osmia leucomelana</i> (Kirby, 1802) | 13 ex. |
| <i>Osmia lhotelleriei</i> Pérez, 1887 | 1 ex. |
| <i>Osmia lignaria</i> Say, 1837 | 8 ex. |
| <i>Osmia lignaria propinqua</i> Cresson, 1864 | 6 ex. |
| <i>Osmia ligurica</i> Morawitz, 1868 | 5 ex. |
| <i>Osmia loti</i> Morawitz, 1867 | 6 ex. |
| <i>Osmia manicata</i> Morice, 1901 | 25 ex. |
| <i>Osmia marginipennis</i> Cresson, 1878 | 1 ex. |
| <i>Osmia maritima</i> Friese, 1885 | 4 ex. |
| <i>Osmia mea</i> Strand, 1921 | 1 ex. |
| <i>Osmia medanae</i> Magretti, 1890 | 1 ex. |
| <i>Osmia melanocephala</i> Morawitz, 1875 | 4 ex. |
| <i>Osmia melanogaster</i> Spinola, 1808 | 21 ex. |
| <i>Osmia melanura</i> Morawitz, 1872 | 20 ex. |
| <i>Osmia minuta</i> (Crawford, 1916) | 10 ex. |
| <i>Osmia minutula</i> Pérez, 1896 | 1 ex. |
| <i>Osmia mirabilis</i> (Friese, 1899) | 2 ex. |
| <i>Osmia mitis</i> Nylander, 1852 | 8 ex. |
| <i>Osmia mocsaryi</i> Schletterer, 1889 | 1 ex. |
| <i>Osmia moricei</i> (Friese, 1897) | 1 ex. |
| <i>Osmia mucida</i> (Dours, 1873) | 1 ex. |
| <i>Osmia mustelina</i> Gerstaecker, 1869 | 18 ex. |
| <i>Osmia nana</i> Morawitz, 1873 | 9 ex. |
| <i>Osmia nigrifrons</i> Cresson, 1878 | 1 ex. |
| <i>Osmia nigritula</i> Friese, 1902 | 12 ex. |
| <i>Osmia nigriventris</i> (Zetterstedt, 1838) | 3 ex. |
| <i>Osmia nigrobarbata</i> Cockerell, 1916 | 3 ex. |
| <i>Osmia nigrohirta</i> Friese, 1899 | 2 ex. |
| <i>Osmia niveata</i> (Fabricius, 1804) | 138 ex. |
| <i>Osmia orientalis</i> Benoist, 1929 | 3 ex. |
| <i>Osmia othonis</i> Friese, 1914 | 1 ex. |
| <i>Osmia padri</i> (Tkalcu, 1974) | 1 ex. |

| | |
|--|---------|
| <i>Osmia pallicornis</i> (Friese, 1895) | 15 ex. |
| <i>Osmia papaveris</i> (Latreille, 1799) | 35 ex. |
| <i>Osmia paradoxa</i> Friese, 1899 | 2 ex. |
| <i>Osmia parietina</i> Curtis, 1828 | 13 ex. |
| <i>Osmia pentstemonis</i> Cockerell, 1906 | 5 ex. |
| <i>Osmia perezi</i> Ferton, 1895 | 4 ex. |
| <i>Osmia phaceliae</i> Cockerell, 1906 | 2 ex. |
| <i>Osmia pieli</i> Cockerell, 1931 | 1 ex. |
| <i>Osmia pikei</i> Cockerell, 1907 | 1 ex. |
| <i>Osmia pilicornis</i> Smith, 1846 | 7 ex. |
| <i>Osmia pinguis</i> Pérez, 1895 | 1 ex. |
| <i>Osmia praestans</i> Morawitz, 1893 | 5 ex. |
| <i>Osmia princeps</i> (Morawitz, 1873) | 1 ex. |
| <i>Osmia producta</i> (Cresson, 1864) | 13 ex. |
| <i>Osmia proxima</i> (Schletterer, 1889) | 1 ex. |
| <i>Osmia pumila</i> Cresson, 1864 | 3 ex. |
| <i>Osmia pusilla</i> Cresson, 1864 | 2 ex. |
| <i>Osmia quadriceps</i> Cresson, 1878 | 5 ex. |
| <i>Osmia rapunculi</i> (Lepelletier, 1841) | 126 ex. |
| <i>Osmia ravouxi</i> Pérez, 1902 | 5 ex. |
| <i>Osmia robusta</i> (Nylander, 1848) | 4 ex. |
| <i>Osmia rubicola</i> Pérez | 2 ex. |
| <i>Osmia rufa</i> Linné, 1758 | 225 ex. |
| <i>Osmia rufina</i> Cockerell, 1931 | 1 ex. |
| <i>Osmia rufocaudata</i> Friese | 22 ex. |
| <i>Osmia rufohirta</i> Latreille, 1811 | 85 ex. |
| <i>Osmia sambuci</i> (Titus, 1904) | 2 ex. |
| <i>Osmia saundersi</i> Vachal, 1891 | 2 ex. |
| <i>Osmia sauteri</i> (Cockerell, 1911) | 8 ex. |
| <i>Osmia schmiedeknechti</i> (Schletterer, 1889) | 1 ex. |
| <i>Osmia scutellaris</i> Morawitz, 1868 | 2 ex. |
| <i>Osmia scutispina</i> Gribodo, 1894 | 1 ex. |
| <i>Osmia semirubra</i> (Cockerell, 1898) | 4 ex. |
| <i>Osmia signata</i> Erichson, 1835 | 5 ex. |
| <i>Osmia simillima</i> Smith, 1853 | 1 ex. |
| <i>Osmia simplex</i> Morawitz, 1875 | 3 ex. |
| <i>Osmia spinigera</i> Latreille, 1811 | 1 ex. |
| <i>Osmia spinulosa</i> (Kirby, 1802) | 50 ex. |
| <i>Osmia subcornuta</i> Morawitz, 1875 | 1 ex. |
| <i>Osmia submicans</i> Morawitz, 1870 | 8 ex. |
| <i>Osmia sybarita</i> Pérez, 1891 | 3 ex. |
| <i>Osmia tenuicornis</i> Linné | 1 ex. |
| <i>Osmia tiflensis</i> Morawitz, 1876 | 3 ex. |
| <i>Osmia timberlakei</i> (Michener, 1938) | 2 ex. |
| <i>Osmia trevoris</i> Cockerell, 1897 | 1 ex. |
| <i>Osmia tricornis</i> Latreille, 1811 | 16 ex. |
| <i>Osmia tridentata</i> Dufour & Perris, 1840 | 9 ex. |

| | |
|---|---------|
| <i>Osmia tristella</i> Cockerell, 1897 | 1 ex. |
| <i>Osmia truncorum</i> (Linné, 1758) | 98 ex. |
| <i>Osmia tuberculata</i> Nylander, 1848 | 20 ex. |
| <i>Osmia uncinata</i> Gerstaecker, 1869 | 16 ex. |
| <i>Osmia uvulalis</i> (Cockerell, 1902) | 1 ex. |
| <i>Osmia vandykei</i> Sandhouse, 1924 | 1 ex. |
| <i>Osmia variolosa</i> (Cresson, 1872) | 2 ex. |
| <i>Osmia ventralis</i> (Schletterer, 1889) | 5 ex. |
| <i>Osmia versicolor</i> Latreille, 1811 | 15 ex. |
| <i>Osmia villosa</i> (Schenck, 1853) | 11 ex. |
| <i>Osmia viridana</i> Morawitz, 1874 | 3 ex. |
| <i>Osmia xanthomelana</i> (Kirby, 1802) | 32 ex. |
| <i>Osmia xerophila</i> (Cockerell, 1935) | 2 ex. |
| <i>Osmia yermasoyiae corcyraea</i> (Tkalcu, 1979) | 1 ex. |
| <i>Osmia zulu</i> Strand, 1919 | 1 ex. |
| <i>Oxaea austera</i> Gerstaecker, 1867 | 5 ex. |
| <i>Oxaea festiva</i> Smith, 1854 | 2 ex. |
| <i>Oxaea flavescens</i> Klug, 1807 | 5 ex. |
| <i>Oxaea fuscescens</i> Sichel, 1865 | 2 ex. |
| <i>Oxyanthidium aculeatum</i> (Klug, 1832) | 3 ex. |
| <i>Oxytrigona tataira</i> (Smith, 1863) | 7 ex. |
| <i>Oxytrigona tataira flaveola</i> (Friese,) | 2 ex. |
| <i>Pachymelus heydeni</i> (Saussure, 1890) | 1 ex. |
| <i>Pachyprosopis fulvescens</i> Raym. | 6 ex. |
| <i>Palaeorhiza disjuncta</i> Cockerell | 2 ex. |
| <i>Palaeorhiza parallela</i> Cockerell | 4 ex. |
| <i>Palaeorhiza parallela recessiva</i> Cockerell | 1 ex. |
| <i>Palaeorhiza perviridis cassiaefloris</i> Cockerell | 2 ex. |
| <i>Palaeorhiza turneriana</i> Cockerell, 1905 | 4 ex. |
| <i>Panurgus banksianus</i> (Kirby, 1802) | 94 ex. |
| <i>Panurgus brasiliensis</i> | 1 ex. |
| <i>Panurgus brullei albopilosus</i> (Lucas, 1849) | 2 ex. |
| <i>Panurgus calcaratus</i> (Scopoli, 1763) | 154 ex. |
| <i>Panurgus canarius dentipes</i> Warncke, 1972 | 4 ex. |
| <i>Panurgus canescens</i> Latreille, 1811 | 2 ex. |
| <i>Panurgus cavannae</i> Gribodo | 2 ex. |
| <i>Panurgus chilense</i> Friese, 1906 | 3 ex. |
| <i>Panurgus costericensis</i> Friese | 3 ex. |
| <i>Panurgus cressoniellus</i> (Cockerell, 1898) | 1 ex. |
| <i>Panurgus dentatus taorminensis</i> Strand, 1921 | 9 ex. |
| <i>Panurgus dentipes</i> Latreille, 1811 | 33 ex. |
| <i>Panurgus flaviventris</i> Friese, 1906 | 8 ex. |
| <i>Panurgus friesei</i> Mocsáry, 1894 | 5 ex. |
| <i>Panurgus frontalis</i> (Fabricius, 1804) | 26 ex. |
| <i>Panurgus hirsutulus</i> Spinola, 1851 | 10 ex. |
| <i>Panurgus ineptus</i> (Cockerell, 1922) | 3 ex. |
| <i>Panurgus interruptus</i> (Spinola, 1843) | 1 ex. |

| | |
|---|--------|
| <i>Panurgus labiatus</i> (Eversmann, 1852) | 10 ex. |
| <i>Panurgus melanderi</i> Timberlake | 1 ex. |
| <i>Panurgus montanus</i> (Giraud, 1861) | 16 ex. |
| <i>Panurgus nanus</i> Friese | 2 ex. |
| <i>Panurgus ochraceus</i> (Friese, 1908) | 2 ex. |
| <i>Panurgus pallipes</i> Friese | 2 ex. |
| <i>Panurgus prinii</i> Holmberg | 5 ex. |
| <i>Panurgus punctiventris</i> Morawitz, 1876 | 2 ex. |
| <i>Panurgus romani</i> (Aurivillius, 1914) | 4 ex. |
| <i>Panurgus sculpturatus magnus</i> Warncke, 1972 | 1 ex. |
| <i>Panurgus steinbachi</i> (Friese, 1906) | 2 ex. |
| <i>Panurgus submicans</i> Spinola | 2 ex. |
| <i>Panurgus venustus</i> (Erichson, 1835) | 1 ex. |
| <i>Panurgus villosiclypeus</i> Strand, 1921 | 1 ex. |
| <i>Paracolletes advena</i> Smith | 13 ex. |
| <i>Paracolletes capillatus</i> Raym. | 4 ex. |
| <i>Paracolletes carinatus</i> Smith | 1 ex. |
| <i>Paracolletes confusus</i> Cockerell | 3 ex. |
| <i>Paracolletes fulvescens</i> Smith | 2 ex. |
| <i>Paracolletes humerosus</i> Smith | 3 ex. |
| <i>Paracolletes maculatus</i> Raym. | 20 ex. |
| <i>Paracolletes melbournensis</i> Cockerell | 22 ex. |
| <i>Paracolletes metallicus</i> Smith | 6 ex. |
| <i>Paracolletes mimulus</i> Cockerell | 9 ex. |
| <i>Paracolletes nigroclypeatus</i> Cockerell | 7 ex. |
| <i>Paracolletes pachycephalus</i> Cockerell | 2 ex. |
| <i>Paracolletes platycephalus</i> Cockerell | 10 ex. |
| <i>Paracolletes plumosus</i> Smith | 6 ex. |
| <i>Paracolletes providellus bacchalis</i> Cockerell | 16 ex. |
| <i>Paracolletes tuberculatus</i> Cockerell | 20 ex. |
| <i>Paracrocisa kuschakewiczi</i> (Radoszkowsky, 1890) | 2 ex. |
| <i>Paragapostemon mutabilis</i> Spinola | 2 ex. |
| <i>Paragapostemon smaragdulus</i> Friese | 2 ex. |
| <i>Parapsaenythia argentina</i> Friese, 1908 | 4 ex. |
| <i>Parevaspis carbonaria</i> Smith | 1 ex. |
| <i>Parevaspis polynesia</i> Vachal | 1 ex. |
| <i>Partamona cupira</i> (Smith, 1863) | 29 ex. |
| <i>Partamona peckolti musarum</i> (Cockerell, 1917) | 4 ex. |
| <i>Pasites maculatus</i> Jurine, 1807 | 17 ex. |
| <i>Pasites minutus</i> (Mocsáry, 1878) | 3 ex. |
| <i>Peponapis citrullina</i> (Cockerell, 1912) | 4 ex. |
| <i>Peponapis limitaris</i> (Cockerell, 1906) | 13 ex. |
| <i>Peponapis melonis</i> (Friese, 1925) | 4 ex. |
| <i>Peponapis pruinosa</i> (Say, 1837) | 9 ex. |
| <i>Perdita albovittata</i> Cockerell, 1895 | 5 ex. |
| <i>Perdita brasiliensis</i> Schrottky | 3 ex. |
| <i>Perdita bruneri</i> Cockerell, 1897 | 6 ex. |

| | |
|---|--------|
| <i>Perdita claypolei</i> Cockerell, 1901 | 1 ex. |
| <i>Perdita desereta</i> Timberlake, i.l. | 1 ex. |
| <i>Perdita luciae decora</i> Timberlake, 1964 | 3 ex. |
| <i>Perdita luteola</i> Cockerell, 1894 | 2 ex. |
| <i>Perdita malacothricis</i> Timberlake | 2 ex. |
| <i>Perdita mellea</i> Timberlake, 1954 | 2 ex. |
| <i>Perdita minima</i> Cockerell, 1923 | 2 ex. |
| <i>Perdita octomaculata</i> (Say, 1824) | 4 ex. |
| <i>Perdita oregonensis</i> Timberlake, 1929 | 1 ex. |
| <i>Perdita zebrata</i> Cresson, 1878 | 1 ex. |
| <i>Plebeia mosquito</i> (Smith, 1863) | 14 ex. |
| <i>Polyglossa transvaalensis</i> Friese | 8 ex. |
| <i>Prochelostoma philadelphi</i> (Robertson, 1891) | 1 ex. |
| <i>Protandrena albitarsis picipes</i> Cresson, 1872 | 3 ex. |
| <i>Protandrena meridionalis</i> Schrottky | 2 ex. |
| <i>Protoxaea gloriosa</i> Fox, 1893 | 1 ex. |
| <i>Protoxaea tachytiformis</i> Cameron | 1 ex. |
| <i>Proxylocopa olivieri</i> (Lepeletier, 1841) | 7 ex. |
| <i>Proxylocopa olivieri hellenica</i> (Spinola, 1843) | 2 ex. |
| <i>Proxylocopa pavlovskyi</i> (Popov, 1935) | 1 ex. |
| <i>Proxylocopa versicolor</i> (Alfken, 1930) | 1 ex. |
| <i>Psaenythia annulata</i> Gerstaecker, 1868 | 2 ex. |
| <i>Psaenythia bergi</i> Holmberg, 1884 | 1 ex. |
| <i>Psaenythia bifasciata</i> Friese, 1908 | 1 ex. |
| <i>Psaenythia breviceps</i> Friese | 2 ex. |
| <i>Psaenythia burmeisteri</i> Gerstaecker | 1 ex. |
| <i>Psaenythia chrysorrhoea</i> Gerstaecker | 3 ex. |
| <i>Psaenythia laticeps</i> Friese, 1908 | 1 ex. |
| <i>Psaenythia nigrifula</i> Friese | 3 ex. |
| <i>Psaenythia parvula</i> Friese | 2 ex. |
| <i>Psaenythia philanthoides</i> Gerstaecker | 5 ex. |
| <i>Psaenythia picta</i> Gerstaecker | 5 ex. |
| <i>Psaenythia pygmaea</i> Friese | 3 ex. |
| <i>Psaenythia rubriventris</i> Friese | 1 ex. |
| <i>Psaenythia sabulosa</i> (Reed, 1894) | 4 ex. |
| <i>Pseudagapostemon arenarius</i> Schrottky | 5 ex. |
| <i>Pseudapis aegyptiaca</i> (Dalla Torre, 1896) | 3 ex. |
| <i>Pseudapis edentata</i> (Morawitz, 1876) | 1 ex. |
| <i>Pseudapis equestris</i> (Gerstaecker, 1872) | 1 ex. |
| <i>Pseudapis flavoviridis</i> (Cockerell,) | 2 ex. |
| <i>Pseudapis magretti enecta</i> (Cockerell, 1911) | 3 ex. |
| <i>Pseudapis monstrosa</i> (Costa, 1861) | 1 ex. |
| <i>Pseudapis smithella</i> (Gribodo, 1894) | 14 ex. |
| <i>Pseudapis unidentata</i> (Olivier, 1811) | 26 ex. |
| <i>Pseudapis westwoodii</i> (Gribodo, 1894) | 2 ex. |
| <i>Pseudaugochloropsis graminea</i> (Fabricius, 1804) | 2 ex. |
| <i>Pseudopanurgus aethiops</i> Cresson, 1872 | 1 ex. |

| | |
|--|---------|
| <i>Pseuopanurgus asteris</i> Robertson | 1 ex. |
| <i>Ptiloglossa absurdipes</i> Friese, 1908 | 1 ex. |
| <i>Ptiloglossa ducalis</i> Smith, 1853 | 14 ex. |
| <i>Ptiloglossa luctuosa</i> Smith | 1 ex. |
| <i>Ptiloglossa magrettii</i> Friese | 1 ex. |
| <i>Ptiloglossa olivacea</i> Friese | 2 ex. |
| <i>Ptiloglossa pretiosa</i> Friese | 1 ex. |
| <i>Ptiloglossa tarsata</i> (Friese,) | 1 ex. |
| <i>Ptiloglossa tomentosa</i> Friese | 1 ex. |
| <i>Ptiloglossa virgili</i> Friese | 1 ex. |
| <i>Ptilothrix plumatus</i> Smith, 1853 | 2 ex. |
| <i>Ptilothrix tricolor nigerrima</i> Friese | 1 ex. |
| <i>Rediviva peringueyi</i> Friese | 1 ex. |
| <i>Rhathymus bicolor</i> Lepeletier & Serville, 1828 | 2 ex. |
| <i>Rhathymus friesei</i> Ducke | 1 ex. |
| <i>Rhopalomelissa aurifrons</i> (Smith, 1853) | 2 ex. |
| <i>Rhopalomelissa bigibba</i> (Saussure, 1891) | 1 ex. |
| <i>Rhopalomelissa cinerascens</i> (Smith, 1895) | 2 ex. |
| <i>Rhopalomelissa patellifera</i> (Westwood, 1875) | 2 ex. |
| <i>Rhophitoides canus</i> (Eversmann, 1852) | 59 ex. |
| <i>Rophites alfkeni</i> Brauns, 1926 | 1 ex. |
| <i>Rophites dubiosus</i> Warncke, 1979 | 1 ex. |
| <i>Rophites hartmanni</i> Friese | 4 ex. |
| <i>Rophites leclercqi</i> Schwammberger | 1 ex. |
| <i>Rophites montanus quinquespinosus</i> Ebmer | 26 ex. |
| <i>Rophites quinquespinosus</i> Spinola, 1808 | 75 ex. |
| <i>Rophites trispinosus algirus</i> Perez | 34 ex. |
| <i>Ruizantheda mutabilis</i> (Spinola, 1851) | 23 ex. |
| <i>Ruizantheda proxima</i> (Spinola, 1851) | 12 ex. |
| <i>Scaptotrigona mexicana</i> (Guérin, 1845) | 8 ex. |
| <i>Scaptotrigona postica</i> (Latreille, 1807) | 5 ex. |
| <i>Scaura latitarsis</i> (Friese, 1900) | 1 ex. |
| <i>Scapter alfkeni</i> Brauns | 2 ex. |
| <i>Scapter algoensis</i> Brauns | 1 ex. |
| <i>Scapter caffra</i> Brauns | 2 ex. |
| <i>Scapter cupheae</i> Schrottky | 1 ex. |
| <i>Scapter fuscipes</i> Friese | 1 ex. |
| <i>Scapter karoensis</i> Brauns | 2 ex. |
| <i>Scapter rufescens</i> Brauns | 1 ex. |
| <i>Scapter sanguinicollis</i> Brauns | 1 ex. |
| <i>Scapter terminalis</i> Smith | 1 ex. |
| <i>Sphecodes albilabris</i> (Fabricius, 1793) | 162 ex. |
| <i>Sphecodes alternatus</i> Smith, 1853 | 5 ex. |
| <i>Sphecodes antennariae</i> Robertson, 1891 | 1 ex. |
| <i>Sphecodes arvensiformis</i> Cockerell, 1904 | 3 ex. |
| <i>Sphecodes berberis monilicornis</i> Wagner | 2 ex. |
| <i>Sphecodes chilensis</i> Spinola, 1851 | 6 ex. |

| | |
|---|---------|
| <i>Sphecodes crassus</i> Thomson, 1870 | 81 ex. |
| <i>Sphecodes dichrous</i> Smith, 1853 | 1 ex. |
| <i>Sphecodes ephippius</i> (Linné, 1767) | 264 ex. |
| <i>Sphecodes ferruginatus</i> Hagens, 1882 | 33 ex. |
| <i>Sphecodes formosanus</i> Cockerell | 1 ex. |
| <i>Sphecodes geoffrellus</i> (Kirby, 1802) | 78 ex. |
| <i>Sphecodes gibbus</i> (Linné, 1758) | 225 ex. |
| <i>Sphecodes granulosus</i> Sichel, 1865 | 8 ex. |
| <i>Sphecodes hyalinatus</i> Hagens, 1882 | 39 ex. |
| <i>Sphecodes intermedius</i> Blüthgen, 1923 | 2 ex. |
| <i>Sphecodes laticeps</i> Meyer, 1920 | 2 ex. |
| <i>Sphecodes latifrons</i> Cockerell | 1 ex. |
| <i>Sphecodes longulus</i> Hagens, 1882 | 39 ex. |
| <i>Sphecodes marginatus</i> Hagens, 1882 | 14 ex. |
| <i>Sphecodes miniatus</i> Hagens, 1882 | 145 ex. |
| <i>Sphecodes minor</i> Robertson, 1898 | 1 ex. |
| <i>Sphecodes monilicornis</i> (Kirby, 1802) | 302 ex. |
| <i>Sphecodes niger</i> Hagens, 1874 | 11 ex. |
| <i>Sphecodes olivieri</i> Lepageletier & Serville, 1825 | 5 ex. |
| <i>Sphecodes ovatus</i> Thomson | 1 ex. |
| <i>Sphecodes patruelis</i> Cockerell, 1913 | 1 ex. |
| <i>Sphecodes pecosensis</i> Cockerell, 1904 | 2 ex. |
| <i>Sphecodes pellucidus</i> Smith, 1845 | 255 ex. |
| <i>Sphecodes pieli</i> Cockerell | 1 ex. |
| <i>Sphecodes pinguiculus</i> Pérez, 1903 | 3 ex. |
| <i>Sphecodes punctaticeps</i> Thunberg | 1 ex. |
| <i>Sphecodes puncticeps</i> Thomson, 1870 | 50 ex. |
| <i>Sphecodes ranunculi</i> Robertson, 1897 | 1 ex. |
| <i>Sphecodes reticulatus</i> Thomson, 1870 | 65 ex. |
| <i>Sphecodes rubicundus</i> Hagens, 1875 | 12 ex. |
| <i>Sphecodes rufescens</i> Hagens, 1875 | 8 ex. |
| <i>Sphecodes rufiventris</i> (Panzer, 1798) | 49 ex. |
| <i>Sphecodes samarensis</i> Blüthgen, 1927 | 1 ex. |
| <i>Sphecodes scabricollis</i> Wesmael, 1835 | 5 ex. |
| <i>Sphecodes schenckii</i> Hagens, 1882 | 3 ex. |
| <i>Sphecodes spinulosus</i> Hagens, 1875 | 26 ex. |
| <i>Sphecodes strandi</i> Meyer, 1920 | 1 ex. |
| <i>Sphecodes stygius</i> Robertson, 1893 | 2 ex. |
| <i>Sphecodes transversus</i> Cockerell | 1 ex. |
| <i>Spinoliella herbsti</i> Friese, 1916 | 5 ex. |
| <i>Spinoliella maculata</i> Spinola, 1851 | 12 ex. |
| <i>Spinoliella nomadoides</i> Spinola, 1851 | 2 ex. |
| <i>Steganomus nodicornis</i> Smith | 3 ex. |
| <i>Stelis aegyptiaca</i> (Radoszkowsky, 1876) | 1 ex. |
| <i>Stelis breviscula</i> (Nylander, 1848) | 21 ex. |
| <i>Stelis carnifex</i> Cockerell, 1911 | 1 ex. |
| <i>Stelis franconica</i> Blüthgen, 1930 | 2 ex. |

| | |
|--|--------|
| <i>Stelis minuta</i> Lepeletier & Serville, 1825 | 9 ex. |
| <i>Stelis nasuta</i> (Latreille, 1809) | 11 ex. |
| <i>Stelis odontopyga</i> Noskiewicz, 1926 | 6 ex. |
| <i>Stelis ornatula</i> (Klug, 1807) | 10 ex. |
| <i>Stelis phaeoptera</i> (Kirby, 1802) | 49 ex. |
| <i>Stelis punctulatissima</i> (Kirby, 1802) | 64 ex. |
| <i>Stelis rubi</i> Cockerell, 1898 | 1 ex. |
| <i>Stelis signata</i> (Latreille, 1809) | 14 ex. |
| <i>Stelis tridentata</i> Schummel | 1 ex. |
| <i>Stenotritus pubescens splendida</i> Ray. | 1 ex. |
| <i>Stilpnosoma laevigatum</i> Smith | 1 ex. |
| <i>Svastra dania</i> Vachal | 1 ex. |
| <i>Svastra obliqua</i> Say | 2 ex. |
| <i>Svastra sabinensis</i> Cockerell | 2 ex. |
| <i>Synhalonia actiosa</i> (Cresson, 1878) | 2 ex. |
| <i>Synhalonia frater albopilosa</i> Fowler, 1899 | 5 ex. |
| <i>Systropha curvicornis</i> (Scopoli, 1770) | 79 ex. |
| <i>Systropha planidens</i> Giraud, 1861 | 60 ex. |
| <i>Systropha rhodesiensis</i> Friese | 1 ex. |
| <i>Tarsalia ancyloformis mediterranea</i> Pittioni, 1950 | 4 ex. |
| <i>Temnosoma aeruginosum</i> Smith | 2 ex. |
| <i>Temnosoma fulvipes</i> Friese | 2 ex. |
| <i>Temnosoma laevigatum</i> Smith | 1 ex. |
| <i>Temnosoma malachisis</i> Friese | 2 ex. |
| <i>Temnosoma metallicum</i> Smith, 1853 | 2 ex. |
| <i>Temnosoma smaragdinum</i> Smith, 1879 | 4 ex. |
| <i>Tetragona dorsalis</i> (Smith, 1863) | 6 ex. |
| <i>Tetragona lurida</i> (Smith, 1854) | 4 ex. |
| <i>Tetragonisca angustula</i> (Latreille, 1811) | 37 ex. |
| <i>Tetraloniella minuta</i> (Friese, 1905) | 2 ex. |
| <i>Tetralonioidella hoozana</i> Strand, 1914 | 1 ex. |
| <i>Tetrapedia albipes</i> Friese | 2 ex. |
| <i>Tetrapedia albitarsis</i> Friese | 1 ex. |
| <i>Tetrapedia antennata</i> Friese | 2 ex. |
| <i>Tetrapedia calcarata</i> Cresson | 1 ex. |
| <i>Tetrapedia dentiventris</i> Friese | 3 ex. |
| <i>Tetrapedia diversipes</i> Klug | 4 ex. |
| <i>Tetrapedia elongata</i> Friese | 1 ex. |
| <i>Thalestria smaragdina</i> Smith, 1854 | 5 ex. |
| <i>Thrinchostoma fulvipes</i> Blüthgen, 1933 | 1 ex. |
| <i>Thrinchostoma sjoestedti</i> Friese | 2 ex. |
| <i>Thygater bifasciata</i> Smith | 1 ex. |
| <i>Thygater pyropyga</i> Friese | 1 ex. |
| <i>Thygater pyropyga obscurata</i> Friese | 1 ex. |
| <i>Townsendiella rufiventris</i> Linsley, 1942 | 2 ex. |
| <i>Trachusa formosana</i> Friese, 1917 | 1 ex. |
| <i>Trachusa interrupta</i> Fabricius, 1781 | 2 ex. |

| | |
|---|--------|
| <i>Trachusa larreae</i> Cockerell | 2 ex. |
| <i>Trachusa mitchelli</i> Michener | 2 ex. |
| <i>Trachusa serratulae</i> Panzer | 6 ex. |
| <i>Trichocolletes daviesiae</i> Rayment, 1931 | 2 ex. |
| <i>Trichocolletes plumosus</i> Smith | 5 ex. |
| <i>Trichocolletes venustus</i> Smith | 2 ex. |
| <i>Trigona alfkeni</i> Friese | 2 ex. |
| <i>Trigona amalthea</i> (Olivier, 1789) | 29 ex. |
| <i>Trigona argentata</i> Lepeletier | 1 ex. |
| <i>Trigona argentata minor</i> Friese | 2 ex. |
| <i>Trigona atricornis</i> Smith | 2 ex. |
| <i>Trigona basalis</i> Smith | 2 ex. |
| <i>Trigona beccarii</i> Gribodo, 1879 | 2 ex. |
| <i>Trigona bipunctata</i> (Lepeletier, 1836) | 24 ex. |
| <i>Trigona bipunctata iheringi</i> Friese | 2 ex. |
| <i>Trigona biroi</i> Friese, 1898 | 1 ex. |
| <i>Trigona borneensis</i> Friese | 4 ex. |
| <i>Trigona braunsi</i> Kohl, 1894 | 4 ex. |
| <i>Trigona brevis</i> Friese | 2 ex. |
| <i>Trigona buchwaldi</i> Friese | 2 ex. |
| <i>Trigona cameroonensis</i> Friese | 1 ex. |
| <i>Trigona capitata virgili</i> Friese | 5 ex. |
| <i>Trigona carbonaria angophora</i> Cockerell | 1 ex. |
| <i>Trigona cassiae</i> Cockerell | 4 ex. |
| <i>Trigona cincta</i> Mocsáry in Friese, 1898 | 5 ex. |
| <i>Trigona clavipes</i> Fabricius | 15 ex. |
| <i>Trigona clypeata</i> Friese | 4 ex. |
| <i>Trigona clypeata zebra</i> Friese, 1912 | 1 ex. |
| <i>Trigona cressoni</i> Dalla Torre | 3 ex. |
| <i>Trigona cubiceps</i> Smith | 2 ex. |
| <i>Trigona cyanescens</i> Friese | 2 ex. |
| <i>Trigona dallatorreana</i> Friese, 1900 | 4 ex. |
| <i>Trigona dimidiata</i> Smith, 1854 | 2 ex. |
| <i>Trigona dolichogaster</i> Kohl | 1 ex. |
| <i>Trigona droryana</i> Friese | 3 ex. |
| <i>Trigona emerina</i> Friese | 4 ex. |
| <i>Trigona fimbriata</i> Smith | 1 ex. |
| <i>Trigona flavicola</i> Friese | 2 ex. |
| <i>Trigona frontalis</i> Friese | 1 ex. |
| <i>Trigona fulviventris</i> Guérin, 1835 | 12 ex. |
| <i>Trigona fulviventris nigricans</i> Friese | 4 ex. |
| <i>Trigona fulvohirta</i> Friese | 2 ex. |
| <i>Trigona fuscipennis</i> Friese, 1908 | 35 ex. |
| <i>Trigona geissleri</i> Friese | 1 ex. |
| <i>Trigona goeldiana</i> Friese | 2 ex. |
| <i>Trigona goettei</i> Friese | 1 ex. |
| <i>Trigona haeckeli</i> Friese | 1 ex. |

| | |
|---|--------|
| <i>Trigona helleri</i> Friese | 2 ex. |
| <i>Trigona hellweberi</i> Friese | 3 ex. |
| <i>Trigona humeralis</i> Friese | 2 ex. |
| <i>Trigona hyalinata</i> (Lepeletier, 1836) | 3 ex. |
| <i>Trigona javanica</i> Gribodo, 1891 | 1 ex. |
| <i>Trigona keyensis</i> Friese, 1901 | 2 ex. |
| <i>Trigona kohli</i> Friese | 4 ex. |
| <i>Trigona lactipennis</i> Friese | 5 ex. |
| <i>Trigona limao rufipes</i> Friese | 1 ex. |
| <i>Trigona lineata</i> Lepeletier | 9 ex. |
| <i>Trigona madecassa</i> Saussure | 2 ex. |
| <i>Trigona mellaria</i> Smith | 4 ex. |
| <i>Trigona mocsaryi</i> Friese | 1 ex. |
| <i>Trigona mocsaryi lutea</i> Friese | 1 ex. |
| <i>Trigona molesta</i> Pues. | 4 ex. |
| <i>Trigona nebulata delimbata</i> Strand, 1914 | 5 ex. |
| <i>Trigona nigerrima</i> Cresson, 1878 | 20 ex. |
| <i>Trigona nigriceps</i> Friese | 2 ex. |
| <i>Trigona orizabaensis</i> Strand, 1919 | 6 ex. |
| <i>Trigona pallida</i> | 8 ex. |
| <i>Trigona pallida rhumbleri</i> Friese | 24 ex. |
| <i>Trigona pectoralis</i> | 3 ex. |
| <i>Trigona pfeifferi</i> Friese | 3 ex. |
| <i>Trigona portoi</i> Friese | 1 ex. |
| <i>Trigona praeterita</i> Walker | 4 ex. |
| <i>Trigona pygmaea</i> Friese | 1 ex. |
| <i>Trigona quadripunctata</i> Lepeletier | 3 ex. |
| <i>Trigona reepeni</i> Friese, 1918 | 2 ex. |
| <i>Trigona ruficrus</i> (Latreille, 1804) | 48 ex. |
| <i>Trigona schrottkyi</i> Friese | 2 ex. |
| <i>Trigona sericea</i> Friese | 4 ex. |
| <i>Trigona silvestriana</i> Vachal, 1908 | 13 ex. |
| <i>Trigona staudingeri</i> Gribodo | 7 ex. |
| <i>Trigona stigma</i> Smith | 1 ex. |
| <i>Trigona subterranea acapulconis</i> Strand, 1919 | 8 ex. |
| <i>Trigona tarataensis</i> Friese | 2 ex. |
| <i>Trigona tataira obscura</i> Friese | 5 ex. |
| <i>Trigona tomentosa</i> Friese | 5 ex. |
| <i>Trigona varia</i> Lepeletier | 2 ex. |
| <i>Trigona williana</i> Friese, 1900 | 3 ex. |
| <i>Trigona zieglerei</i> Friese | 2 ex. |
| <i>Trigonisca buyssoni</i> (Friese, 1905) | 3 ex. |
| <i>Trigonisca duckei</i> (Friese, 1900) | 3 ex. |
| <i>Trinomia digitata</i> (Friese, 1909) | 2 ex. |
| <i>Trinomia tridentata</i> (Smith, 1875) | 3 ex. |
| <i>Xenoglossa angustior</i> Cockerell, 1899 | 4 ex. |
| <i>Xeralictus bicuspidariae</i> Snelling & Stage | 2 ex. |

| | |
|--|--------|
| <i>Xeralictus timberlakei</i> Cockerell, 1927 | 2 ex. |
| <i>Xeromelecta californica</i> (Cresson, 1878) | 17 ex. |
| <i>Xylocopa aeneipennis</i> (Degeer, 1773) | 3 ex. |
| <i>Xylocopa aestuans</i> (Linné, 1758) | 32 ex. |
| <i>Xylocopa africana</i> (Fabricius, 1781) | 1 ex. |
| <i>Xylocopa albiceps</i> Fabricius, 1804 | 8 ex. |
| <i>Xylocopa albifrons</i> Lepeletier | 1 ex. |
| <i>Xylocopa albofimbriata</i> Vachal | 1 ex. |
| <i>Xylocopa amethystina</i> (Fabricius, 1793) | 1 ex. |
| <i>Xylocopa apicalis</i> Smith, 1854 | 1 ex. |
| <i>Xylocopa appendiculata</i> Smith, 1852 | 15 ex. |
| <i>Xylocopa appendiculata circumvolans</i> Smith, 1873 | 2 ex. |
| <i>Xylocopa attenuata</i> Pérez | 13 ex. |
| <i>Xylocopa atypica</i> | 1 ex. |
| <i>Xylocopa augusti</i> Lepeletier, 1841 | 9 ex. |
| <i>Xylocopa auripennis</i> Lepeletier, 1841 | 5 ex. |
| <i>Xylocopa aurulenta</i> (Fabricius, 1804) | 3 ex. |
| <i>Xylocopa basalis</i> Smith, 1854 | 2 ex. |
| <i>Xylocopa bimaculata</i> Friese, 1903 | 2 ex. |
| <i>Xylocopa bombiformis</i> Smith | 4 ex. |
| <i>Xylocopa bombimorpha</i> Strand, 1913 | 1 ex. |
| <i>Xylocopa bouyssonii</i> Vachal, 1898 | 13 ex. |
| <i>Xylocopa brasilianorum</i> (Linné, 1767) | 30 ex. |
| <i>Xylocopa bryorum</i> (Fabricius, 1775) | 14 ex. |
| <i>Xylocopa caffra</i> (Linné, 1767) | 20 ex. |
| <i>Xylocopa calens</i> Lepeletier, 1841 | 7 ex. |
| <i>Xylocopa californica arizonensis</i> Cresson, 1879 | 9 ex. |
| <i>Xylocopa carbonaria</i> Smith, 1854 | 9 ex. |
| <i>Xylocopa carinata</i> Smith, 1874 | 10 ex. |
| <i>Xylocopa chinensis</i> Friese, 1911 | 1 ex. |
| <i>Xylocopa chlorima</i> Cockerell | 1 ex. |
| <i>Xylocopa clavierus</i> Maidl | 2 ex. |
| <i>Xylocopa collaris</i> Lepeletier, 1841 | 15 ex. |
| <i>Xylocopa collaris nigrescens</i> Friese | 14 ex. |
| <i>Xylocopa colona</i> Lepeletier, 1841 | 1 ex. |
| <i>Xylocopa combinata</i> Ritsema | 3 ex. |
| <i>Xylocopa combusta</i> Smith, 1854 | 1 ex. |
| <i>Xylocopa confusa</i> Pérez | 14 ex. |
| <i>Xylocopa coronata</i> Smith, 1860 | 2 ex. |
| <i>Xylocopa cubaecola</i> Lucas, 1857 | 18 ex. |
| <i>Xylocopa destuans</i> | 1 ex. |
| <i>Xylocopa dissimilis</i> Lepeletier, 1841 | 3 ex. |
| <i>Xylocopa divisa</i> Klug, 1807 | 10 ex. |
| <i>Xylocopa duala</i> Strand, 1921 | 1 ex. |
| <i>Xylocopa fabriciana</i> Moure, 1960 | 10 ex. |
| <i>Xylocopa fenestrata</i> (Fabricius, 1798) | 20 ex. |
| <i>Xylocopa fimbriata</i> Fabricius, 1804 | 25 ex. |

| | |
|--|--------|
| <i>Xylocopa flavorufa</i> (Degeer, 1778) | 21 ex. |
| <i>Xylocopa frontalis</i> (Olivier, 1789) | 27 ex. |
| <i>Xylocopa gabonica</i> (Gribodo, 1894) | 1 ex. |
| <i>Xylocopa ghilianii</i> Gribodo, 1891 | 3 ex. |
| <i>Xylocopa grisescens</i> Lepeletier, 1841 | 9 ex. |
| <i>Xylocopa hottentotta</i> Smith, 1854 | 13 ex. |
| <i>Xylocopa imitator</i> Smith, 1854 | 4 ex. |
| <i>Xylocopa inconstans</i> Smith, 1874 | 14 ex. |
| <i>Xylocopa iridipennis</i> Lepeletier | 3 ex. |
| <i>Xylocopa iris</i> (Christ, 1791) | 31 ex. |
| <i>Xylocopa lateritia</i> Smith, 1854 | 1 ex. |
| <i>Xylocopa latipes</i> (Drury, 1773) | 18 ex. |
| <i>Xylocopa lepeletieri</i> Enderlein, 1903 | 6 ex. |
| <i>Xylocopa leucocephala</i> | 2 ex. |
| <i>Xylocopa leucothoracoides</i> Maidl, 1912 | 5 ex. |
| <i>Xylocopa loripes</i> Smith, 1874 | 4 ex. |
| <i>Xylocopa madida</i> Friese, 1925 | 3 ex. |
| <i>Xylocopa madurensis</i> Friese | 4 ex. |
| <i>Xylocopa metallica</i> Smith, 1874 | 1 ex. |
| <i>Xylocopa micans</i> Lepeletier, 1841 | 9 ex. |
| <i>Xylocopa mixta</i> Radoszkowsky, 1881 | 3 ex. |
| <i>Xylocopa modesta</i> Smith, 1854 | 3 ex. |
| <i>Xylocopa mordax</i> Smith, 1874 | 2 ex. |
| <i>Xylocopa mossambica</i> Gribodo, 1894 | 11 ex. |
| <i>Xylocopa muscaria</i> (Fabricius, 1775) | 5 ex. |
| <i>Xylocopa nasalis</i> Westwood | 1 ex. |
| <i>Xylocopa nigrita</i> (Fabricius, 1775) | 25 ex. |
| <i>Xylocopa nigrocincta</i> Smith, 1854 | 5 ex. |
| <i>Xylocopa nobilis</i> Smith | 2 ex. |
| <i>Xylocopa obscura</i> Lepeletier | 2 ex. |
| <i>Xylocopa obscurata</i> Smith, 1854 | 1 ex. |
| <i>Xylocopa olivacea</i> (Fabricius, 1778) | 4 ex. |
| <i>Xylocopa ordinaria</i> Smith, 1874 | 1 ex. |
| <i>Xylocopa orichalceus</i> Lepeletier | 1 ex. |
| <i>Xylocopa ornata</i> Smith, 1874 | 3 ex. |
| <i>Xylocopa oudemansi</i> (LeVeque, 1933) | 6 ex. |
| <i>Xylocopa parviceps</i> Morawitz, 1895 | 1 ex. |
| <i>Xylocopa phalothorax</i> Lepeletier, 1841 | 2 ex. |
| <i>Xylocopa philippinensis</i> Smith | 3 ex. |
| <i>Xylocopa pictifrons</i> Smith, 1852 | 51 ex. |
| <i>Xylocopa praeusta</i> Smith, 1854 | 2 ex. |
| <i>Xylocopa provida</i> Smith, 1863 | 2 ex. |
| <i>Xylocopa pseudomixta</i> | 1 ex. |
| <i>Xylocopa pubescens</i> Spinola | 1 ex. |
| <i>Xylocopa pulchella</i> Smith | 1 ex. |
| <i>Xylocopa ruficeps</i> Friese | 1 ex. |
| <i>Xylocopa ruficornis</i> Fabricius, 1804 | 2 ex. |

| | |
|--|---------|
| <i>Xylocopa rufipes</i> Smith, 1852 | 13 ex. |
| <i>Xylocopa rufitarsis</i> Lepeletier, 1841 | 1 ex. |
| <i>Xylocopa sauteri</i> Friese, 1910 | 7 ex. |
| <i>Xylocopa scioensis</i> Gribodo, 1884 | 11 ex. |
| <i>Xylocopa senior</i> Vachal, 1899 | 11 ex. |
| <i>Xylocopa sicheli</i> Vachal, 1898 | 9 ex. |
| <i>Xylocopa similis</i> Smith, 1874 | 2 ex. |
| <i>Xylocopa sinensis</i> Smith, 1854 | 10 ex. |
| <i>Xylocopa sinensis chloroptera</i> Smith | 1 ex. |
| <i>Xylocopa smaragdina</i> Friese | 1 ex. |
| <i>Xylocopa smithi</i> Ritsema | 1 ex. |
| <i>Xylocopa splendidipennis</i> Ritsema | 2 ex. |
| <i>Xylocopa splendidula</i> Lepeletier, 1841 | 3 ex. |
| <i>Xylocopa stuhlmanni</i> Kohl, 1893 | 10 ex. |
| <i>Xylocopa subcyanea</i> Pérez, 1901 | 18 ex. |
| <i>Xylocopa tabaniformis</i> Smith, 1854 | 3 ex. |
| <i>Xylocopa tabaniformis orpifex</i> Smith, 1874 | 2 ex. |
| <i>Xylocopa tegulata</i> Friese, 1911 | 1 ex. |
| <i>Xylocopa tenuiscapa</i> Westwood | 16 ex. |
| <i>Xylocopa teredo</i> Guilding, 1825 | 2 ex. |
| <i>Xylocopa torrida</i> (Westwood, 1838) | 20 ex. |
| <i>Xylocopa tranquabarica</i> (Fabricius, 1804) | 2 ex. |
| <i>Xylocopa turanica</i> Morawitz, 1875 | 1 ex. |
| <i>Xylocopa turanica armeniaca</i> Warncke, 1982 | 2 ex. |
| <i>Xylocopa unicolor</i> Smith | 1 ex. |
| <i>Xylocopa valga</i> Gerstaecker, 1872 | 55 ex. |
| <i>Xylocopa varipes</i> Smith, 1854 | 4 ex. |
| <i>Xylocopa varipuncta</i> Patton, 1879 | 1 ex. |
| <i>Xylocopa violacea</i> (Linné, 1758) | 131 ex. |
| <i>Xylocopa virginica</i> (Linné, 1771) | 8 ex. |
| <i>Xylocopa virginica krombeini</i> Hurd, 1961 | 2 ex. |
| <i>Xylocopa viridigastra</i> Lepeletier, 1841 | 1 ex. |
| <i>Xylocopa viridis</i> Smith, 1854 | 6 ex. |
| <i>Xylocopa viridis ecuadoria</i> Friese | 2 ex. |
| <i>Zacosmia maculata</i> (Cresson, 1879) | 56 ex. |