
<i>Acampsis alternipes</i> Nees, 1816	4 ex.
<i>Acanthodoryctes morleyi</i> Froggatt, 1916	1 ex.
<i>Acanthorhogas</i> sp.	1 ex.
<i>Aclitus obscuripennis</i> Förster, 1862	1 ex.
<i>Adelius clandestinus</i> Förster, 1851	2 ex.
<i>Adelius dubius</i> Förster, 1851	4 ex.
<i>Adelius germanus</i> Haliday, 1834	6 ex.
<i>Adelius parvulus</i> Förster, 1851	1 ex.
<i>Adelius</i> sp.	2 ex.
<i>Adelius subfasciatus</i> Haliday, 1833	2 ex.
<i>Adelurola florimela</i> Haliday, 1838	18 ex.
<i>Ademon decrescens</i> Nees, 1811	2 ex.
<i>Adialytus ambiguus</i> Haliday, 1834	13 ex.
<i>Agathis anglica</i> Marshall, 1885	2 ex.
<i>Agathis assimilis</i> Kokujev, 1895	2 ex.
<i>Agathis binominata</i> Muesebeck, 1958	1 ex.
<i>Agathis breviseta</i> Nees, 1812	11 ex.
<i>Agathis glaucoptera</i> Nees, 1834	3 ex.
<i>Agathis griseifrons</i> Thomson, 1895	2 ex.
<i>Agathis lugubris</i> Förster, 1862	3 ex.
<i>Agathis malvacearum</i> Latreille, 1805	13 ex.
<i>Agathis montana</i> Shestakov, 1932	2 ex.
<i>Agathis nigra</i> Nees, 1812	67 ex.
<i>Agathis nigripes</i> Cresson, 1865	7 ex.
<i>Agathis rudimentaria</i> Enderlein, 1920	2 ex.
<i>Agathis rufipalpis</i> Nees, 1812	7 ex.
<i>Agathis semiaciculata</i> Ivanov, 1899	1 ex.
<i>Agathis</i> sp.	53 ex.
<i>Agathis spiracularis</i> Muesebeck, 1927	1 ex.
<i>Agathis stigmatera</i> Cresson, 1865	2 ex.
<i>Agathis syngenesiae</i> Nees, 1812	4 ex.
<i>Agathis tibialis</i> Nees, 1812	17 ex.
<i>Agathis umbellatarum</i> Nees, 1812	2 ex.
<i>Agathis varipes</i> Thomson, 1895	5 ex.
<i>Alabagrus</i> sp.	5 ex.
<i>Alabagrus texanus</i> Cresson	1 ex.
<i>Aleiodes albitibia</i> Herrich-Schäffer, 1838	2 ex.
<i>Aleiodes alternator</i> Nees, 1834	1 ex.
<i>Aleiodes arcticus</i> Thomson, 1892	2 ex.
<i>Aleiodes armatus</i> Wesmael, 1838	21 ex.
<i>Aleiodes ater</i> Curtis, 1834	2 ex.
<i>Aleiodes aterrimus</i> Ratzeburg, 1852	8 ex.
<i>Aleiodes bicolor</i> Spinola, 1808	8 ex.
<i>Aleiodes borealis</i> Thomson, 1892	3 ex.
<i>Aleiodes cantherius</i> Lyle, 1919	4 ex.
<i>Aleiodes caudalis</i> Hellén, 1927	4 ex.
<i>Aleiodes circumscriptus</i> Nees, 1834	30 ex.

<i>Aleiodes coxalis</i> Spinola, 1808	15 ex.
<i>Aleiodes cruentus</i> Nees, 1834	4 ex.
<i>Aleiodes dimidiatus</i> Spinola, 1808	32 ex.
<i>Aleiodes dispar</i> Haliday, 1833	4 ex.
<i>Aleiodes dissector</i> Nees, 1834	7 ex.
<i>Aleiodes ductor</i> Thunberg, 1822	9 ex.
<i>Aleiodes esenbeckii</i> Hartig, 1838	1 ex.
<i>Aleiodes eurinus</i> Telenga, 1941	3 ex.
<i>Aleiodes gasterator</i> Jurine, 1807	9 ex.
<i>Aleiodes gastritor</i> Thunberg, 1822	2 ex.
<i>Aleiodes miniatus</i> Herrich-Schäffer, 1838	2 ex.
<i>Aleiodes modestus</i> Reinhard, 1863	4 ex.
<i>Aleiodes nigricornis</i> Wesmael, 1838	33 ex.
<i>Aleiodes nobilis</i> Haliday, 1834	2 ex.
<i>Aleiodes pallidator</i> Thunberg, 1822	19 ex.
<i>Aleiodes periscelis</i> Reinhard, 1863	4 ex.
<i>Aleiodes praetor</i> Reinhard, 1863	1 ex.
<i>Aleiodes rugulosus</i> Nees, 1811	4 ex.
<i>Aleiodes seriatus</i> Herrich-Schäffer, 1838	3 ex.
<i>Aleiodes signatus</i> Nees, 1811	8 ex.
<i>Aleiodes similis</i> Curtis, 1834	3 ex.
<i>Aleiodes</i> sp.	295 ex.
<i>Aleiodes unipunctator</i> Thunberg, 1822	22 ex.
<i>Aliolus</i> sp.	1 ex.
<i>Allobracon</i> sp.	20 ex.
<i>Alloea contracta</i> Haliday, 1833	4 ex.
<i>Alloea lonchopterae</i> Fischer, 1966	1 ex.
<i>Alloea</i> sp.	1 ex.
<i>Allurus muricatus</i> Haliday, 1833	18 ex.
<i>Alysia atra</i> Haliday, 1838	2 ex.
<i>Alysia camerunensis</i> Enderlein, 1912	1 ex.
<i>Alysia frigida</i> Haliday, 1838	2 ex.
<i>Alysia fuscipennis</i> Haliday, 1838	8 ex.
<i>Alysia incongrua</i> Nees, 1834	2 ex.
<i>Alysia lucia</i> Haliday, 1838	1 ex.
<i>Alysia lucicola</i> Haliday, 1838	2 ex.
<i>Alysia manducator</i> Panzer, 1799	79 ex.
<i>Alysia rubriceps</i> Ratzeburg, 1844	1 ex.
<i>Alysia rufidens</i> Nees, 1834	4 ex.
<i>Alysia similis</i> Nees, 1812	3 ex.
<i>Alysia sophia</i> Haliday, 1838	1 ex.
<i>Alysia</i> sp.	64 ex.
<i>Alysia tipulae</i> Scopoli, 1763	7 ex.
<i>Alysia truncator</i> Nees, 1812	3 ex.
<i>Apanteles arene</i> Nixon, 1973	1 ex.
<i>Apanteles artonae</i> Rohwer, 1926	1 ex.
<i>Apanteles biezankoi</i> Blanchard	2 ex.

<i>Apanteles breviventris</i> (Ratzeburg, 1848)	3 ex.
<i>Apanteles capucinae</i> Fischer, 1961	1 ex.
<i>Apanteles carpatus</i> Say, 1836	43 ex.
<i>Apanteles corvinus</i> Reinhard, 1880	1 ex.
<i>Apanteles diatraeae</i> Muesebeck, 1921	6 ex.
<i>Apanteles dorsalis</i> Spinola, 1808	1 ex.
<i>Apanteles euryale</i> Nixon, 1974	1 ex.
<i>Apanteles flavipes</i> Cameron, 1891	2 ex.
<i>Apanteles lenea</i> Nixon, 1976	18 ex.
<i>Apanteles meruloides</i> Nixon, 1965	1 ex.
<i>Apanteles obscurus</i> Nees, 1834	26 ex.
<i>Apanteles ornigis</i> Weed, 1887	1 ex.
<i>Apanteles parasitellae</i> Bouché, 1834	30 ex.
<i>Apanteles sodalis</i> (Haliday, 1834)	300 ex.
<i>Apanteles</i> sp.	142 ex.
<i>Apanteles spurius</i> (Wesmael, 1837)	6 ex.
<i>Apanteles tedellae</i> Nixon, 1961	1 ex.
<i>Apanteles thompsoni</i> Lyle, 1927	0 ex.
<i>Apanteles xanthostigma</i> Haliday, 1834	3 ex.
<i>Aphaereta cephalotes</i> Haliday, 1833	1 ex.
<i>Aphaereta difficilis</i> Nixon, 1939	1 ex.
<i>Aphaereta major</i> Thomson, 1895	4 ex.
<i>Aphaereta minuta</i> Nees, 1811	203 ex.
<i>Aphaereta scaptomyzae</i> Fischer, 1966	4 ex.
<i>Aphaereta</i> sp.	3 ex.
<i>Aphaereta tenuicornis</i> Nixon, 1939	3 ex.
<i>Aphidius aquilus</i> Mackauer, 1961	12 ex.
<i>Aphidius asteris</i> Haliday, 1834	3 ex.
<i>Aphidius avenae</i> Haliday, 1834	20 ex.
<i>Aphidius cingulatus</i> Ruthe, 1859	9 ex.
<i>Aphidius colemani</i> Viereck, 1912	1 ex.
<i>Aphidius eadyi</i> Starý, Gonzalez & Hall, 1980	8 ex.
<i>Aphidius eglanteriae</i> Haliday, 1834	5 ex.
<i>Aphidius ervi</i> Haliday, 1834	15 ex.
<i>Aphidius funebris</i> Mackauer, 1961	23 ex.
<i>Aphidius hortensis</i> Marshall, 1896	2 ex.
<i>Aphidius letifer</i> Haliday, 1833	3 ex.
<i>Aphidius matricariae</i> Haliday, 1834	12 ex.
<i>Aphidius ribis</i> Haliday, 1834	5 ex.
<i>Aphidius rosarum</i> Nees, 1834	6 ex.
<i>Aphidius salicis</i> Haliday, 1834	7 ex.
<i>Aphidius sonchi</i> Marshall, 1896	3 ex.
<i>Aphidius</i> sp.	16 ex.
<i>Aphidius urticae</i> Haliday, 1834	4 ex.
<i>Aphrastobracon fasciatipennis</i> Ashmead, 1900	1 ex.
<i>Aphrastobracon nigriventris</i> Szépligeti, 1913	1 ex.
<i>Archibracon schubotzi</i> Szépligeti, 1913	3 ex.

<i>Archibracon servillei</i> Brulle, 1846	2 ex.
<i>Archibracon xanthocephalus</i> Szépligeti, 1913	1 ex.
<i>Ascogaster abdominator</i> Dahlbom, 1833	9 ex.
<i>Ascogaster albitarsis</i> Reinhard, 1867	2 ex.
<i>Ascogaster annularis</i> Nees, 1816	5 ex.
<i>Ascogaster armata</i> Wesmael, 1835	4 ex.
<i>Ascogaster bicarinata</i> Herrich-Schäffer, 1838	12 ex.
<i>Ascogaster bidentula</i> Wesmael, 1835	1 ex.
<i>Ascogaster brevicornis</i> Wesmael, 1835	2 ex.
<i>Ascogaster canifrons</i> Wesmael, 1835	4 ex.
<i>Ascogaster caucasica</i> Kokujev, 1895	2 ex.
<i>Ascogaster dentifer</i> Tobias, 1976	2 ex.
<i>Ascogaster dispar</i> Fahringer, 1934	1 ex.
<i>Ascogaster excisa</i> Herrich-Schäffer, 1838	2 ex.
<i>Ascogaster exigua</i> Huddleston, 1984	2 ex.
<i>Ascogaster formosensis</i> Sonan, 1932	1 ex.
<i>Ascogaster grahami</i> Huddleston, 1984	7 ex.
<i>Ascogaster klugii</i> Nees, 1816	7 ex.
<i>Ascogaster quadridentata</i> Wesmael, 1835	163 ex.
<i>Ascogaster rufidens</i> Wesmael, 1835	17 ex.
<i>Ascogaster rufipes</i> (Latreille, 1809)	17 ex.
<i>Ascogaster scabricula</i> Dahlbom, 1833	7 ex.
<i>Ascogaster</i> sp.	24 ex.
<i>Ascogaster varipes</i> Wesmael, 1835	33 ex.
<i>Asobara fungicola</i> Ashmead, 1894	1 ex.
<i>Asobara rufescens</i> Förster, 1862	1 ex.
<i>Asobara</i> sp.	1 ex.
<i>Asobara tabida</i> Nees, 1834	10 ex.
<i>Aspicolpus borealis</i> Thomson, 1892	1 ex.
<i>Aspicolpus carinator</i> Nees, 1812	3 ex.
<i>Aspicolpus maximus</i> Szépligeti, 1900	2 ex.
<i>Aspigonus flavicornis</i> Nees, 1834	5 ex.
<i>Aspilota fuscicornis</i> Haliday, 1838	8 ex.
<i>Aspilota ruficornis</i> Nees, 1834	15 ex.
<i>Aspilota</i> sp.	54 ex.
<i>Atanycolus denigrator</i> Linné, 1758	11 ex.
<i>Atanycolus fulviceps</i> Kriechbaumer, 1898	1 ex.
<i>Atanycolus genalis</i> Thomson, 1892	9 ex.
<i>Atanycolus neesii</i> Marshall, 1897	4 ex.
<i>Atanycolus sculpturatus</i> Thomson, 1892	4 ex.
<i>Atanycolus</i> sp.	8 ex.
<i>Baeacis abietis</i> Ratzeburg, 1844	48 ex.
<i>Baeacis intermedia</i> Förster, 1878	12 ex.
<i>Baryproctus barypus</i> Marshall, 1885	1 ex.
<i>Bassus calculator</i> Fabricius, 1798	6 ex.
<i>Bassus cingulipes</i> Nees, 1812	5 ex.
<i>Bassus claushtalianus</i> Ratzeburg, 1844	18 ex.

Bassus dimidiator Nees, 1834	4 ex.
Bassus fortipes Reinhard, 1867	2 ex.
Bassus linguarius Nees, 1812	6 ex.
Bassus mediator Nees, 1812	1 ex.
Bassus nugax Reinhard, 1867	3 ex.
Bassus pumilus Ratzeburg, 1844	8 ex.
Bassus rufipes Nees, 1814	10 ex.
Bassus rugulosus Nees, 1834	17 ex.
Bassus sp.	12 ex.
Bassus tumidulus Nees, 1812	21 ex.
Bathyaulax cyanogaster Szépliget, 1901	1 ex.
Bathyaulax horni Fahringer, i.l.	1 ex.
Bathyaulax sp.	2 ex.
Biosteres bicolor Wesmael, 1835	1 ex.
Biosteres blandus Haliday, 1836	5 ex.
Biosteres bremeri Bengtsson, 1926	2 ex.
Biosteres carbonarius Nees, 1834	19 ex.
Biosteres caudatulus Thomson, 1895	3 ex.
Biosteres haemorrhoeus Haliday, 1837	6 ex.
Biosteres melleus Gahan, 1915	21 ex.
Biosteres micans Stelfox, 1957	1 ex.
Biosteres punctiscuta Thomson, 1895	5 ex.
Biosteres rusticus Haliday, 1837	3 ex.
Biosteres sp.	216 ex.
Biosteres spinaciae Thomson, 1895	189 ex.
Biosteres wesmaelii Haliday, 1837	35 ex.
Blacus armatulus Ruthe, 1861	2 ex.
Blacus conformis Wesmael, 1835	2 ex.
Blacus diversicornis Nees, 1834	14 ex.
Blacus errans Nees, 1812	6 ex.
Blacus exilis Nees, 1812	10 ex.
Blacus hastatus Haliday, 1835	3 ex.
Blacus instabilis Ruthe, 1861	3 ex.
Blacus interstitialis Ruthe, 1861	5 ex.
Blacus longipennis Gravenhorst, 1809	2 ex.
Blacus macropterus Haeselbarth, 1973	1 ex.
Blacus maculipes Wesmael, 1835	18 ex.
Blacus mamillanus Ruthe, 1861	1 ex.
Blacus modestus Haeselbarth, 1973	1 ex.
Blacus nigricornis Haeselbarth, 1973	17 ex.
Blacus paganus Haliday, 1835	7 ex.
Blacus pallipes Haliday, 1835	10 ex.
Blacus ruficornis Nees, 1812	77 ex.
Blacus sp.	64 ex.
Blacus wesmaeli Ruthe, 1861	4 ex.
Bracon abbreviator Nees, 1834	8 ex.
Bracon atrator Nees, 1834	19 ex.

Bracon balteatus Marshall, 1897	1 ex.
Bracon bipartitus Wesmael, 1838	7 ex.
Bracon brevicornis Wesmael, 1838	32 ex.
Bracon capitator Fabricius, 1775	6 ex.
Bracon caudiger Nees, 1834	1 ex.
Bracon chinensis Szépligeti, 1902	6 ex.
Bracon cingulator Szépligeti, 1901	1 ex.
Bracon conjugellae Bengtsson, 1924	3 ex.
Bracon delibator Haliday, 1833	18 ex.
Bracon delusor Spinola, 1808	4 ex.
Bracon dichromus Wesmael, 1838	8 ex.
Bracon discoideus Wesmael, 1838	1 ex.
Bracon epitriptus Marshall, 1885	7 ex.
Bracon erraticus Wesmael, 1838	28 ex.
Bracon exhilarator Nees, 1834	3 ex.
Bracon fulvipes Nees, 1834	12 ex.
Bracon glaphyrus Marshall, 1897	1 ex.
Bracon grandiceps Thomson, 1892	1 ex.
Bracon guttiger Wesmael, 1838	3 ex.
Bracon hebetor Say, 1836	277 ex.
Bracon histeromeroides Sarhan & Quicke, 1991	6 ex.
Bracon hylobii Ratzeburg, 1848	7 ex.
Bracon immutator Nees, 1834	9 ex.
Bracon instabilis Marshall, 1897	3 ex.
Bracon intercessor Nees, 1834	22 ex.
Bracon juncicola Ashmead, 1889	1 ex.
Bracon koshunensis Watanabe, 1934	4 ex.
Bracon kuro Watanabe, 1934	3 ex.
Bracon labrator Ratzeburg, 1844	1 ex.
Bracon laevigatissimus Dalla Torre, 1898	2 ex.
Bracon lefroyi Dudgeon & Gough, 1914	2 ex.
Bracon leichhardti Fahringer, 1942	1 ex.
Bracon leptus Marshall, 1897	5 ex.
Bracon longicollis Wesmael, 1838	17 ex.
Bracon luteator Spinola, 1808	5 ex.
Bracon mediator Nees, 1834	1 ex.
Bracon mellitor Say, 1836	1 ex.
Bracon minutator Fabricius, 1798	10 ex.
Bracon nigratus Wesmael, 1838	3 ex.
Bracon nigricans Szépligeti, 1901	34 ex.
Bracon nigriventris Wesmael, 1838	2 ex.
Bracon obscurator Nees, 1811	30 ex.
Bracon ochropus Nees, 1834	1 ex.
Bracon osculator Nees, 1811	9 ex.
Bracon pallidator Nees, 1811	5 ex.
Bracon parvicornis Thomson, 1892	2 ex.
Bracon pauloensis Brèthes, 1927	1 ex.

<i>Bracon pectoralis</i> Wesmael, 1838	4 ex.
<i>Bracon persimiloides</i> Papp, 1984	2 ex.
<i>Bracon pineti</i> Thomson, 1892	1 ex.
<i>Bracon punctulator</i> Nees, 1834	3 ex.
<i>Bracon rimulator</i> Nees, 1834	3 ex.
<i>Bracon sabulosus</i> Szépligeti, 1896	2 ex.
<i>Bracon santaecrucis</i> Schmiedeknecht, 1896	1 ex.
<i>Bracon similis</i> Szépligeti, 1901	1 ex.
<i>Bracon</i> sp.	549 ex.
<i>Bracon stabilis</i> Wesmael, 1838	22 ex.
<i>Bracon subglaber</i> Szépligeti, 1901	23 ex.
<i>Bracon terebella</i> Wesmael, 1838	1 ex.
<i>Bracon thuringiacus</i> Schmiedeknecht, 1896	1 ex.
<i>Bracon titubans</i> Wesmael, 1838	1 ex.
<i>Bracon triangularis</i> Nees, 1834	2 ex.
<i>Bracon trucidator</i> Marshall, 1898	15 ex.
<i>Bracon unimaculatus</i> Szépligeti, 1913	2 ex.
<i>Bracon urinator</i> Fabricius, 1798	62 ex.
<i>Bracon uromelas</i> Costa, 1882	2 ex.
<i>Bracon variabilis</i> Provancher, 1888	1 ex.
<i>Bracon variator</i> Nees, 1811	96 ex.
<i>Bracon variegator</i> Spinola, 1808	13 ex.
<i>Bracon xanthogaster</i> Nees, 1834	4 ex.
<i>Bucculatriplex</i> sp.	11 ex.
<i>Caenophanes incompletus</i> (Ratzeburg, 1844)	1 ex.
<i>Callibracon</i> sp.	3 ex.
<i>Campyloneura cingulicauda</i> Enderlein, 1920	3 ex.
<i>Campyloneurus ater</i> Szépligeti, 1900	1 ex.
<i>Campyloneurus rotundatus ceylonicus</i> Fahringer, 1942	2 ex.
<i>Campyloneurus similis</i> Szépligeti, 1913	1 ex.
<i>Campyloneurus</i> sp.	4 ex.
<i>Campyloneurus undicuneus horni</i> Fahringer, 1942	1 ex.
<i>Cardiochiles albopilosus</i> Szépligeti, 1902	2 ex.
<i>Cardiochiles laevifossa</i> Enderlein, 1906	4 ex.
<i>Cardiochiles obscuriceps</i> Fischer, 1958	6 ex.
<i>Cardiochiles saltator</i> Fabricius, 1781	6 ex.
<i>Cardiochiles</i> sp.	2 ex.
<i>Cardiochiles szepligetii</i> Enderlein, 1906	8 ex.
<i>Cenocoelius analis</i> Nees, 1834	2 ex.
<i>Cenocoelius anuphrievi</i> Belokobylskij	1 ex.
<i>Cenocoelius eous</i> Wilkinson, 1932	6 ex.
<i>Cenocoelius koshunensis</i> Watanabe, 1934	10 ex.
<i>Cenocoelius necator</i> Borgmeier, 1931	1 ex.
<i>Cenocoelius secalis</i> Linné, 1758	3 ex.
<i>Cenocoelius</i> sp.	6 ex.
<i>Centistes ater</i> Nees, 1834	7 ex.
<i>Centistes cuspidatus</i> Haliday, 1833	5 ex.

<i>Centistes edentatus</i> Haliday, 1835	4 ex.
<i>Centistes fuscipes</i> Nees, 1834	2 ex.
<i>Centistes nasutus</i> Wesmael, 1838	4 ex.
<i>Centistes paupella</i> Shenefelt, 1969	1 ex.
<i>Centistes</i> sp.	1 ex.
<i>Ceratobracon stshegolevi</i> Telenga, 1933	1 ex.
<i>Cervellus</i> sp.	1 ex.
<i>Chaenusa conjungens</i> Nees, 1811	3 ex.
<i>Chaenusa najadum</i> Haliday	1 ex.
<i>Chaoilta carinicornis</i> Enderlein, 1920	7 ex.
<i>Chaoilta inquietus</i> Smith, 1858	2 ex.
<i>Chaoilta intrudens</i> Smith, 1858	4 ex.
<i>Chaoilta mimax</i> Kohl, 1906	1 ex.
<i>Charmon cruentatus</i> Haliday, 1833	67 ex.
<i>Charmon extensor</i> Linné, 1758	10 ex.
<i>Charmon</i> sp.	5 ex.
<i>Chasmodon apterus</i> Nees, 1812	4 ex.
<i>Chelanorhogas rufithorax</i> Enderlein, 1912	2 ex.
<i>Chelonogastra koebelei</i> Ashmead, 1900	1 ex.
<i>Chelonus annulatus</i> Nees, 1816	11 ex.
<i>Chelonus annulipes</i> Wesmael, 1835	3 ex.
<i>Chelonus audeoudiae</i> Muesebeck, 1933	1 ex.
<i>Chelonus bidentulus</i> Thomson, 1874	2 ex.
<i>Chelonus bonellii</i> Nees, 1816	5 ex.
<i>Chelonus brachyurus</i> Thomson, 1874	2 ex.
<i>Chelonus canescens</i> Wesmael, 1835	2 ex.
<i>Chelonus caradrinae</i> Kokujev, 1914	1 ex.
<i>Chelonus carbonator</i> Marshall, 1885	3 ex.
<i>Chelonus corvulus</i> Marshall, 1885	19 ex.
<i>Chelonus cylindrus</i> Nees, 1816	1 ex.
<i>Chelonus formosanus</i> Sonan, 1932	3 ex.
<i>Chelonus inanitus</i> Linné, 1767	24 ex.
<i>Chelonus macrocerus</i> Thomson, 1874	2 ex.
<i>Chelonus nigrinus</i> Ratzeburg, 1844	4 ex.
<i>Chelonus obscuratus</i> Herrich-Schäffer, 1838	12 ex.
<i>Chelonus oculator</i> Fabricius, 1775	42 ex.
<i>Chelonus salebrosus</i> Enderlein, 1912	3 ex.
<i>Chelonus scabrator</i> Fabricius, 1793	21 ex.
<i>Chelonus sculpturatus</i> Szépligeti, 1898	3 ex.
<i>Chelonus sericeus</i> Say, 1824	2 ex.
<i>Chelonus</i> sp.	110 ex.
<i>Chelonus striatiscuta</i> Fahringer, 1934	1 ex.
<i>Chelonus submuticus</i> Wesmael, 1835	14 ex.
<i>Chelonus tabonus</i> Sonan, 1932	29 ex.
<i>Chelonus wesmaeli</i> Curtis, 1837	1 ex.
<i>Choeras</i> sp.	13 ex.
<i>Chorebus ampliator</i> Nees, 1834	5 ex.

Chorebus anita Nixon, 1943	4 ex.
Chorebus bathyzonus Marshall, 1895	3 ex.
Chorebus cubocephalus Telenga, 1934	2 ex.
Chorebus cytherea Nixon, 1937	4 ex.
Chorebus diremtus Nees, 1834	3 ex.
Chorebus fuscipennis Nixon, 1937	2 ex.
Chorebus lateralis Haliday, 1839	5 ex.
Chorebus leptogaster Haliday, 1839	5 ex.
Chorebus longicornis Nees, 1811	3 ex.
Chorebus mucronatus Telenga, 1934	3 ex.
Chorebus navicularis Nees, 1812	4 ex.
Chorebus petiolatus Nees, 1834	15 ex.
Chorebus pospelovi Kurdjumov, 1912	2 ex.
Chorebus posticus Haliday, 1839	32 ex.
Chorebus rufipes Nees, 1812	3 ex.
Chorebus senilis Nees, 1812	14 ex.
Chorebus sp.	132 ex.
Chorebus uliginosus Haliday, 1839	1 ex.
Chremylus elaphus Haliday, 1833	5 ex.
Clinocentrus excubitor Haliday, 1836	2 ex.
Clinocentrus exsertor Nees, 1812	28 ex.
Clinocentrus sp.	9 ex.
Clinocentrus umbratilis Haliday, 1833	1 ex.
Coccydium sp.	1 ex.
Coelinidea elegans Curtis, 1829	11 ex.
Coelinidea gracilis Curtis, 1829	17 ex.
Coelinidea nigra Nees, 1811	20 ex.
Coelinidea sp.	5 ex.
Coelinidea vidua Curtis, 1829	6 ex.
Coelinus parvulus Nees, 1811	25 ex.
Coelinus sp.	64 ex.
Coeloides abdominalis Zetterstedt, 1838	14 ex.
Coeloides abdominalis orientalis Haeselbarth, 1967	5 ex.
Coeloides bostrichorum Giraud, 1872	56 ex.
Coeloides filiformis Ratzeburg, 1852	4 ex.
Coeloides forsteri Haeselbarth, 1967	2 ex.
Coeloides melanostigma Strand, 1918	2 ex.
Coeloides melanotus Wesmael, 1838	11 ex.
Coeloides pissodis Ashmead, 1889	1 ex.
Coeloides rossicus Kokujev, 1902	2 ex.
Coeloides scolyticida Wesmael, 1838	50 ex.
Coeloides sordidator (Ratzeburg, 1844)	17 ex.
Coeloides sp.	7 ex.
Coeloides unguularis Thomson, 1892	6 ex.
Colastes abnormis Wesmael, 1838	1 ex.
Colastes braconius Haliday, 1833	19 ex.
Colastes effectus (Papp, 1972)	9 ex.

<i>Colastes fragilis</i> Haliday, 1836	1 ex.
<i>Colastes lustrator</i> Haliday, 1836	5 ex.
<i>Colastes pubescens</i> Belokobylskij, 1986	1 ex.
<i>Colastes pubicornis</i> Thomson, 1892	1 ex.
<i>Colastes</i> sp.	9 ex.
<i>Colastes taegeri</i> Belokobylskij, 1995	2 ex.
<i>Compsobracon</i> sp.	1 ex.
<i>Conspinaria flavum</i> Enderlein, 1918	1 ex.
<i>Cosmophorus cembrae</i> Ruschka, 1925	2 ex.
<i>Cosmophorus klugii</i> Ratzeburg, 1848	7 ex.
<i>Cotesia acuminata</i> Reinhard, 1880	4 ex.
<i>Cotesia affinis</i> Nees, 1834	27 ex.
<i>Cotesia ancilla</i> Nixon, 1974	1 ex.
<i>Cotesia brevicornis</i> Wesmael, 1837	1 ex.
<i>Cotesia cajae</i> Bouché, 1834	20 ex.
<i>Cotesia cuprea</i> Lyle, 1925	5 ex.
<i>Cotesia ferruginea</i> Marshall, 1885	3 ex.
<i>Cotesia gades</i> Nixon, 1974	2 ex.
<i>Cotesia gastropachae</i> Bouché, 1834	11 ex.
<i>Cotesia glabrata</i> Telenga, 1955	2 ex.
<i>Cotesia glomerata</i> Linné, 1758	72 ex.
<i>Cotesia hyphantriae</i> Riley, 1887	2 ex.
<i>Cotesia melanoscela</i> Ratzeburg, 1844	4 ex.
<i>Cotesia ofella</i> Nixon, 1974	14 ex.
<i>Cotesia ordinaria</i> Ratzeburg, 1844	13 ex.
<i>Cotesia orestes</i> Nixon, 1974	1 ex.
<i>Cotesia pieridis</i> Bouché, 1834	3 ex.
<i>Cotesia plutellae</i> Kurdjumov, 1912	5 ex.
<i>Cotesia praepotens</i> Haliday, 1834	11 ex.
<i>Cotesia ruficrus</i> Haliday, 1834	31 ex.
<i>Cotesia</i> sp.	391 ex.
<i>Cotesia spuria</i> Wesmael, 1837	1 ex.
<i>Cotesia tibialis</i> Curtis, 1830	170 ex.
<i>Cotesia vestalis</i> Haliday, 1834	4 ex.
<i>Cotesia villana</i> Reinhard, 1880	26 ex.
<i>Crassomicrodus pumilus</i> Szépligeti, 1913	1 ex.
<i>Cratobracon</i> sp.	1 ex.
<i>Cratospila circe</i> Haliday, 1838	1 ex.
<i>Cremnops atricornis</i> (Smith, 1874)	75 ex.
<i>Cremnops desertor</i> Linné, 1758	40 ex.
<i>Cremnops pulchripennis</i> Szépligeti, 1905	1 ex.
<i>Cremnops</i> sp.	3 ex.
<i>Cyanopterus biroi</i> Szépligeti, 1896	1 ex.
<i>Cyanopterus flavator</i> Fabricius, 1793	2 ex.
<i>Cyanopterus mimelus</i> Marshall, 1897	1 ex.
<i>Cyanopterus nigrator</i> Zetterstedt, 1838	5 ex.
<i>Cyanopterus torkai</i> (Papp, 1971)	1 ex.

<i>Cyclaulax</i> sp.	1 ex.
<i>Dacnusa areolaris</i> Nees, 1811	34 ex.
<i>Dacnusa cingulator</i> Nees, 1834	3 ex.
<i>Dacnusa laevipectus</i> Thomson, 1895	4 ex.
<i>Dacnusa lugens</i> Haliday, 1839	4 ex.
<i>Dacnusa macropila</i> Haliday, 1839	1 ex.
<i>Dacnusa maculipes</i> Thomson, 1895	4 ex.
<i>Dacnusa monticola</i> Förster, 1862	1 ex.
<i>Dacnusa scaptomyzae</i> Gahan, 1913	1 ex.
<i>Dacnusa sibirica</i> Telenga, 1934	18 ex.
<i>Dacnusa</i> sp.	21 ex.
<i>Dacnusa stramineipes</i> Haliday, 1839	7 ex.
<i>Dacnusa temula</i> Haliday, 1839	8 ex.
<i>Dapsilarthra balteata</i> Thomson, 1895	6 ex.
<i>Dapsilarthra gahani</i> Baume-Pluvinel	9 ex.
<i>Dapsilarthra isabella</i> Haliday, 1838	1 ex.
<i>Dapsilarthra rufiventris</i> Nees, 1812	22 ex.
<i>Dapsilarthra</i> sp.	1 ex.
<i>Dapsilarthra subtilis</i> Förster, 1862	2 ex.
<i>Dapsilarthra sylvia</i> Haliday, 1839	1 ex.
<i>Deanima formosana</i> (Watanabe, 1932)	4 ex.
<i>Dendrosoter camerunus</i> Enderlein, 1912	1 ex.
<i>Dendrosoter curtisii</i> Ratzeburg, 1848	11 ex.
<i>Dendrosoter hartigii</i> Ratzeburg, 1848	1 ex.
<i>Dendrosoter middendorffi</i> Ratzeburg, 1848	27 ex.
<i>Dendrosoter protuberans</i> Nees, 1834	11 ex.
<i>Desmiostoma parvulum</i> Wesmael, 1835	10 ex.
<i>Deuterixys carbonaria</i> Wesmael, 1837	1 ex.
<i>Deuterixys rimulosa</i> Niezabitowski, 1910	1 ex.
<i>Diachasma fulgidum</i> Haliday, 1837	1 ex.
<i>Diaeretellus ephippium</i> Haliday, 1834	4 ex.
<i>Diaeretiella rapae</i> M'Intosh, 1855	25 ex.
<i>Diaeretus leucopterus</i> Haliday, 1834	3 ex.
<i>Digonogastra</i> sp.	51 ex.
<i>Dimeris mira</i> Ruthe, 1854	1 ex.
<i>Dinocampus coccinellae</i> Schrank, 1802	17 ex.
<i>Dinotrema brevicorne</i> Nees, 1812	2 ex.
<i>Dinotrema dilatatum</i> Thomson, 1895	1 ex.
<i>Dinotrema erythropha</i> Förster, 1862	3 ex.
<i>Dinotrema insidiatrix</i> Marshall, 1895	8 ex.
<i>Dinotrema macrocera</i> Thomson, 1895	2 ex.
<i>Dinotrema nervosum</i> Haliday, 1833	36 ex.
<i>Dinotrema praecipuum</i> Marshall, 1895	3 ex.
<i>Dinotrema pusillum</i> Nees, 1812	2 ex.
<i>Dinotrema</i> sp.	36 ex.
<i>Dinotrema speculum</i> Haliday, 1838	6 ex.
<i>Diolcogaster abdominalis</i> Nees, 1834	7 ex.

<i>Diolcogaster alvearia</i> Fabricius, 1798	3 ex.
<i>Diolcogaster claritibia</i> Papp, 1959	1 ex.
<i>Diolcogaster connexa</i> Nees, 1834	16 ex.
<i>Diolcogaster hinzi</i> Nixon, 1965	5 ex.
<i>Diolcogaster scotica</i> Marshall, 1885	18 ex.
<i>Diospilus capito</i> Nees, 1834	36 ex.
<i>Diospilus dispar</i> Nees, 1811	1 ex.
<i>Diospilus fusciventris</i> Hellén, 1958	1 ex.
<i>Diospilus inflexus</i> Reinhard, 1862	2 ex.
<i>Diospilus morosus</i> Reinhard, 1862	2 ex.
<i>Diospilus nigricernus</i> Wesmael	6 ex.
<i>Diospilus nigricornis</i> Wesmael, 1835	11 ex.
<i>Diospilus oleraceus</i> Haliday, 1833	9 ex.
<i>Diospilus</i> sp.	10 ex.
<i>Disophrys caesa</i> Klug, 1835	11 ex.
<i>Disophrys</i> sp.	5 ex.
<i>Dolichogenidea albipennis</i> Nees, 1834	2 ex.
<i>Dolichogenidea breviventris</i> Ratzeburg, 1848	2 ex.
<i>Dolichogenidea candidata</i> Haliday, 1834	8 ex.
<i>Dolichogenidea dilecta</i> Haliday, 1834	1 ex.
<i>Dolichogenidea gagates</i> Nees, 1834	1 ex.
<i>Dolichogenidea gracilariae</i> Wilkinson, 1940	2 ex.
<i>Dolichogenidea impura</i> Nees, 1834	3 ex.
<i>Dolichogenidea infima</i> Haliday, 1834	4 ex.
<i>Dolichogenidea lactea</i> Nees, 1834	1 ex.
<i>Dolichogenidea lacticolor</i> Viereck, 1911	1 ex.
<i>Dolichogenidea laevigata</i> Ratzeburg, 1848	8 ex.
<i>Dolichogenidea laevissimus</i> (Ratzeburg, 1848)	1 ex.
<i>Dolichogenidea oehlkei</i> Papp, 1982	1 ex.
<i>Dolichogenidea praetor</i> Marshall, 1885	1 ex.
<i>Dolichogenidea sicaria</i> Marshall, 1885	1 ex.
<i>Dolichogenidea</i> sp.	123 ex.
<i>Dolichogenidea ultor</i> Reinhard, 1880	3 ex.
<i>Doryctes denticoxa</i> Belokobylskij, 1996	2 ex.
<i>Doryctes germanicus</i> Belokobylskij	7 ex.
<i>Doryctes leucogaster</i> Nees, 1834	48 ex.
<i>Doryctes pomarius</i> Reinhard, 1865	1 ex.
<i>Doryctes</i> sp.	8 ex.
<i>Doryctes striatellus</i> Nees, 1834	23 ex.
<i>Doryctes undulatus</i> Ratzeburg, 1852	1 ex.
<i>Dyscoletes lancifer</i> Haliday, 1836	1 ex.
<i>Earinus elator</i> Fabricius, 1804	23 ex.
<i>Earinus gloriatorius</i> Panzer, 1809	9 ex.
<i>Ecclitura primoris</i> Kokujev, 1902	1 ex.
<i>Ecphylus sileseacus</i> (Ratzeburg,)	12 ex.
<i>Ecphylus</i> sp.	15 ex.
<i>Ectemnoplax peruliventris</i> Enderlein, 1918	5 ex.

<i>Ephedrus lacertosus</i> Haliday, 1833	2 ex.
<i>Ephedrus laevicollis</i> Thomson, 1895	2 ex.
<i>Ephedrus persicae</i> Froggatt, 1904	7 ex.
<i>Ephedrus plagiator</i> Nees, 1811	19 ex.
<i>Ephedrus</i> sp.	1 ex.
<i>Ephedrus validus</i> Haliday, 1833	1 ex.
<i>Epimicta marginalis</i> Haliday, 1839	1 ex.
<i>Euagathis formosana</i> Enderlein	5 ex.
<i>Euagathis horniana</i> Enderlein, 1920	1 ex.
<i>Euagathis indica</i> Enderlein, 1920	1 ex.
<i>Euagathis quadrifossulata</i> Enderlein, 1920	5 ex.
<i>Euagathis variabilis dissimilis</i> Enderlein, 1920	1 ex.
<i>Eubazus aequator</i> Herrich-Schäffer, 1838	2 ex.
<i>Eubazus augustinus</i> Ruthe, 1867	1 ex.
<i>Eubazus carinatus</i> Nees, 1816	1 ex.
<i>Eubazus claviventris</i> Ruthe, 1867	2 ex.
<i>Eubazus fasciatus</i> Nees, 1816	11 ex.
<i>Eubazus flavipes</i> Haliday, 1835	2 ex.
<i>Eubazus glypturus</i> Thomson, 1874	3 ex.
<i>Eubazus macrocephalus</i> Nees, 1812	2 ex.
<i>Eubazus minutus</i> Ratzeburg, 1848	1 ex.
<i>Eubazus nigricoxis</i> Wesmael, 1835	5 ex.
<i>Eubazus pallipes</i> Nees, 1812	8 ex.
<i>Eubazus parvulus</i> Ruthe, 1867	2 ex.
<i>Eubazus planifascialis</i> Achterberg, 2003	1 ex.
<i>Eubazus robustus</i> Ratzeburg, 1844	1 ex.
<i>Eubazus ruficoxis</i> Wesmael, 1835	1 ex.
<i>Eubazus semirugosus</i> Nees, 1816	12 ex.
<i>Eubazus sochiensis</i> Tobias, 1976	1 ex.
<i>Eubazus</i> sp.	80 ex.
<i>Eubazus talitzkii</i> Tobias, 1976	1 ex.
<i>Eubazus tibialis</i> Haliday, 1835	13 ex.
<i>Eurytenes abnormis</i> Wesmael, 1835	1 ex.
<i>Euurobracon apicalis impossibilis</i> Roman, 1913	1 ex.
<i>Exotela gilvipes</i> Haliday, 1839	6 ex.
<i>Exotela</i> sp.	1 ex.
<i>Foersteria laeviuscula</i> Szépligeti, 1896	1 ex.
<i>Foersteria puber</i> Haliday, 1835	3 ex.
<i>Fornicia ceylonica</i> Wilkinson, 1928	4 ex.
<i>Fornicia clathrata</i> Brullé, 1846	1 ex.
<i>Fraterarchibracon fuscipennis</i> Szépligeti, 1915	2 ex.
<i>Gammabracon strandiellus</i> Cameron, 1910	1 ex.
<i>Glyptapanteles acasta</i> Nixon, 1973	57 ex.
<i>Glyptapanteles aliphera</i> Nixon, 1973	3 ex.
<i>Glyptapanteles antinoe</i> Nixon, 1973	2 ex.
<i>Glyptapanteles compressiventris</i> Muesebeck, 1921	1 ex.
<i>Glyptapanteles fraternus</i> Reinhard, 1880	7 ex.

<i>Glyptapanteles fulvipes</i> Haliday, 1834	49 ex.
<i>Glyptapanteles lateralis</i> Haliday, 1834	1 ex.
<i>Glyptapanteles liparidis</i> (Bouché, 1834)	11 ex.
<i>Glyptapanteles mygdonia</i> Nixon, 1973	1 ex.
<i>Glyptapanteles pallipes</i> Reinhard, 1880	6 ex.
<i>Glyptapanteles porthetriae</i> Muesebeck, 1928	2 ex.
<i>Glyptapanteles ripus</i> Papp, 1983	6 ex.
<i>Glyptapanteles sibiricus</i> Papp, 1983	8 ex.
<i>Glyptapanteles</i> sp.	6 ex.
<i>Glyptocolastes</i> sp.	1 ex.
<i>Glyptomorpha discolor</i> Thunberg, 1822	7 ex.
<i>Glyptomorpha pectoralis</i> Brullé, 1832	11 ex.
<i>Glyptomorpha</i> sp.	18 ex.
<i>Gnamptodon pumilio</i> Nees, 1834	4 ex.
<i>Gyroneuron mirum</i> Kokujev, 1901	1 ex.
<i>Gyroneuron testaceator</i> Watanabe, 1934	1 ex.
<i>Halycaea erythrocephala</i> Cameron, 1903	1 ex.
<i>Hecabalodes xylophagi</i> Fischer, 1962	2 ex.
<i>Hecabolus</i> sp.	1 ex.
<i>Hecabolus sulcatus</i> Curtis, 1834	2 ex.
<i>Helcon angustator</i> Nees, 1812	29 ex.
<i>Helcon claviventris</i> Wesmael, 1835	2 ex.
<i>Helcon nunciator</i> Fabricius, 1793	1 ex.
<i>Helcon</i> sp.	21 ex.
<i>Helcon tardator</i> Nees, 1812	45 ex.
<i>Helconidea dentator</i> Fabricius, 1804	25 ex.
<i>Helconidea ruspator</i> Linné, 1758	23 ex.
<i>Hemibracon elegantulus</i> Enderlein, 1920	78 ex.
<i>Hemibracon</i> sp.	1 ex.
<i>Heterospilus</i> sp.	123 ex.
<i>Histeromerus mystacinus</i> Wesmael, 1838	3 ex.
<i>Homolobus annulicornis</i> Nees, 1834	25 ex.
<i>Homolobus discolor</i> Wesmael, 1835	3 ex.
<i>Homolobus infumator</i> Lyle, 1914	1 ex.
<i>Homolobus</i> sp.	2 ex.
<i>Homolobus truncator</i> Say, 1828	13 ex.
<i>Hormius antefurcalis</i> (Belokobylskij, 1995)	1 ex.
<i>Hormius moniliatus</i> Nees, 1812	13 ex.
<i>Hormius similis</i> Szépligeti, 1896	4 ex.
<i>Hormius</i> sp.	7 ex.
<i>Hybogaster insularis breviterebra</i> Fahringer, 1942	1 ex.
<i>Hygroplitis russatus</i> Haliday, 1834	2 ex.
<i>Hygroplitis</i> sp.	3 ex.
<i>Hymenochaonia krebelei</i> (Viereck,)	6 ex.
<i>Hypomicrogaster zonaria</i> Say, 1836	1 ex.
<i>Ichneutes brevis</i> Wesmael, 1835	4 ex.
<i>Ichneutes hyperboreus</i> Holmgren, 1869	1 ex.

<i>Ichneutes reunitor</i> Nees, 1816	25 ex.
<i>Ichneutidea pteroptoides</i> Viereck, 1905	1 ex.
<i>Iconella merula</i> Reinhard, 1880	1 ex.
<i>Iconella</i> sp.	6 ex.
<i>Idiasta paramaritima</i> Königsmann, 1960	2 ex.
<i>Idiasta</i> sp.	1 ex.
<i>Illidops naso</i> Marshall, 1885	6 ex.
<i>Illidops</i> sp.	17 ex.
<i>Illidops suevus</i> Reinhard, 1880	3 ex.
<i>Iphiaulax fastidiator</i> Fabricius, 1781	8 ex.
<i>Iphiaulax impostor</i> Scopoli, 1763	14 ex.
<i>Iphiaulax mactator</i> Klug, 1817	6 ex.
<i>Iphiaulax pandora</i> Brues, 1924	1 ex.
<i>Iphiaulax</i> sp.	18 ex.
<i>Iphiaulax umbraculator</i> Nees, 1834	3 ex.
<i>Ipobracon emeraldensis</i> Fahringer, 1942	1 ex.
<i>Ipobracon grenadensis</i> Ashmead, 1900	2 ex.
<i>Ipobracon guaruja</i> Brèthes, 1927	1 ex.
<i>Ipobracon horni</i> Brèthes, 1927	1 ex.
<i>Ipobracon scaber</i> Brullé, 1846	1 ex.
<i>Ipobracon togoensis brunneus</i> Fahringer, 1929	2 ex.
<i>Laccagathis mindanaensis</i> Watanabe, 1934	1 ex.
<i>Lasiophorus trifasciatus</i> Szépligeti, 1917	1 ex.
<i>Leiophron brevicornis</i> Herrich-Schäffer, 1838	2 ex.
<i>Leiophron deficiens</i> Ruthe, 1856	2 ex.
<i>Leiophron fascipennis</i> Ruthe, 1856	4 ex.
<i>Leiophron grandiceps</i> Thomson, 1892	7 ex.
<i>Leiophron nitida</i> Curtis, 1833	4 ex.
<i>Leiophron oblita</i> Ruthe, 1856	4 ex.
<i>Leiophron pallidistigma</i> Curtis, 1833	7 ex.
<i>Leiophron pallipes</i> Curtis, 1833	69 ex.
<i>Leiophron picipes</i> Curtis, 1833	4 ex.
<i>Leiophron reclinator</i> Ruthe, 1856	2 ex.
<i>Leiophron rubricollis</i> Thomson, 1892	1 ex.
<i>Leiophron</i> sp.	19 ex.
<i>Leiophron truncator</i> Ruthe, 1856	3 ex.
<i>Leluthia</i> sp.	1 ex.
<i>Leptospathius triangulifera</i> Enderlein, 1914	2 ex.
<i>Lysiphlebus dissolutus</i> Nees, 1811	1 ex.
<i>Lysiphlebus fabarum</i> Marshall, 1896	62 ex.
<i>Lysiphlebus fritzmulleri</i> Mackauer, 1960	4 ex.
<i>Lysiphlebus hirticornis</i> Mackauer, 1960	2 ex.
<i>Lysitermus pallidus</i> Förster, 1862	10 ex.
<i>Macrocentrus bicolor</i> (Curtis, 1833)	16 ex.
<i>Macrocentrus buolianae</i> Eady & Clark, 1964	2 ex.
<i>Macrocentrus ceylonicus</i> Enderlein, 1912	6 ex.
<i>Macrocentrus collaris</i> Spinola, 1808	36 ex.

Macrocentrus delicatus Cresson, 1872	1 ex.
Macrocentrus equalis Lyle, 1914	2 ex.
Macrocentrus flavus Snellen van Vollenhoven, 1880	1 ex.
Macrocentrus gibber Eady & Clark, 1964	5 ex.
Macrocentrus infirmus Nees, 1834	12 ex.
Macrocentrus kurnakovi Tobias, 1976	3 ex.
Macrocentrus latisulcatus Cameron, 1911	1 ex.
Macrocentrus linearis Nees, 1811	153 ex.
Macrocentrus marginator Nees, 1811	42 ex.
Macrocentrus nidulator Nees, 1834	48 ex.
Macrocentrus pallipes Nees, 1812	3 ex.
Macrocentrus philippinensis Ashmead, 1904	2 ex.
Macrocentrus resinellae Linné, 1758	6 ex.
Macrocentrus sp.	68 ex.
Macrocentrus thoracicus (Nees, 1812)	20 ex.
Macrocentrus townesi van Achterberg & Haeselbarth, 1983	2 ex.
Marshiella plumicornis Ruthe, 1856	3 ex.
Megabracon sp.	1 ex.
Megagathis costata Brullé, 1846	1 ex.
Megaloproctus platyantennus Marsh	1 ex.
Mesobracon elegans Szépligeti, 1913	1 ex.
Mesobracon sp.	1 ex.
Mesobracon zonatus Fahringer, 1928	1 ex.
Mesocrina indagatrix Förster, 1862	5 ex.
Meteorus abdominator Nees, 1811	24 ex.
Meteorus acronyctae Muesebeck, 1923	5 ex.
Meteorus affinis Wesmael, 1835	4 ex.
Meteorus brevicauda Thomson, 1895	3 ex.
Meteorus campestris Viereck, 1905	1 ex.
Meteorus cespitator Thunberg, 1822	112 ex.
Meteorus cinctellus Spinola, 1808	20 ex.
Meteorus colon Haliday, 1835	21 ex.
Meteorus consimilis Nees, 1834	8 ex.
Meteorus corax Marshall, 1898	6 ex.
Meteorus filator Haliday, 1835	5 ex.
Meteorus heliophilus Fischer, 1970	1 ex.
Meteorus ictericus Nees, 1812	41 ex.
Meteorus jaculator Haliday, 1835	3 ex.
Meteorus lionotus Thomson, 1895	1 ex.
Meteorus longicaudis Ratzeburg, 1848	3 ex.
Meteorus micropterus Haliday, 1835	1 ex.
Meteorus obfuscatus Nees, 1812	8 ex.
Meteorus obsoletus Wesmael, 1835	2 ex.
Meteorus pallipes Wesmael, 1835	10 ex.
Meteorus pendulator Latreille, 1799	16 ex.
Meteorus pulchricornis Wesmael, 1835	31 ex.
Meteorus rubens Nees, 1812	39 ex.

Meteorus rufus Degeer, 1773	13 ex.
Meteorus sp.	106 ex.
Meteorus tabidus Wesmael, 1835	8 ex.
Meteorus takenoi Maeto	1 ex.
Meteorus versicolor (Wesmael, 1835)	54 ex.
Microchelonus contractus Nees, 1816	4 ex.
Microchelonus fenestratus Nees, 1816	11 ex.
Microchelonus gravenhorstii Nees, 1816	6 ex.
Microchelonus latrunculus Marshall, 1885	1 ex.
Microchelonus nigripennis Ashmead, 1889	1 ex.
Microchelonus parvicornis Herrich-Schäffer, 1838	1 ex.
Microchelonus pellucens Nees, 1816	6 ex.
Microchelonus retusus Nees, 1816	5 ex.
Microchelonus rufosignata Sonan, 1932	1 ex.
Microchelonus sp.	4 ex.
Microchelonus sulcatus Jurine, 1807	15 ex.
Microctonus sp.	10 ex.
Microodus albifasciatus Watanabe, 1934	2 ex.
Microodus cancellatus Enderlein, 1920	5 ex.
Microodus formosanus Watanabe, 1934	2 ex.
Microodus sacchari Myers	1 ex.
Microodus stigmaterus Cresson	1 ex.
Microgaster alebion Nixon, 1968	11 ex.
Microgaster areolaris Thomson, 1895	1 ex.
Microgaster auriculata Fabricius, 1804	2 ex.
Microgaster australis Thomson, 1895	1 ex.
Microgaster dudichi Papp, 1961	1 ex.
Microgaster erro Nixon, 1968	14 ex.
Microgaster eupolis Nixon, 1968	1 ex.
Microgaster fulvicrus Thomson, 1895	1 ex.
Microgaster globata Linné, 1758	61 ex.
Microgaster hospes Marshall, 1885	20 ex.
Microgaster hungaricus Szépligeti, 1896	1 ex.
Microgaster kuchingensis Wilkinson, 1927	5 ex.
Microgaster luctuosa Haliday, 1834	15 ex.
Microgaster meridiana Haliday, 1834	3 ex.
Microgaster messoria Haliday, 1834	33 ex.
Microgaster nobilis Reinhard, 1880	2 ex.
Microgaster novicia Marshall, 1885	2 ex.
Microgaster parvistriga Thomson, 1895	4 ex.
Microgaster polita Marshall, 1885	4 ex.
Microgaster procera Ruthe, 1860	6 ex.
Microgaster sp.	13 ex.
Microgaster stictica Ruthe, 1858	5 ex.
Microgaster subcompleta Nees, 1834	72 ex.
Microplitis aduncus Ruthe, 1860	1 ex.
Microplitis cebes Nixon, 1970	1 ex.

<i>Microplitis deprimator</i> Fabricius, 1798	33 ex.
<i>Microplitis docilis</i> Nixon, 1970	1 ex.
<i>Microplitis eremita</i> Reinhard, 1880	9 ex.
<i>Microplitis flavipalpis</i> Brullé, 1832	27 ex.
<i>Microplitis fordii</i> Nixon, 1970	14 ex.
<i>Microplitis fulvicornis</i> Wesmael, 1837	5 ex.
<i>Microplitis heterocerus</i> Ruthe, 1860	1 ex.
<i>Microplitis impressus</i> Wesmael, 1837	2 ex.
<i>Microplitis lugubris</i> Ruthe, 1860	2 ex.
<i>Microplitis mediator</i> Haliday, 1834	27 ex.
<i>Microplitis ocellatae</i> Bouché, 1834	23 ex.
<i>Microplitis similis</i> Lyle, 1921	2 ex.
<i>Microplitis</i> sp.	36 ex.
<i>Microplitis spectabilis</i> Haliday, 1834	11 ex.
<i>Microplitis spinolae</i> Nees, 1834	26 ex.
<i>Microplitis strenuus</i> Reinhard, 1880	26 ex.
<i>Microplitis tristis</i> Nees, 1834	23 ex.
<i>Microplitis tuberculifer</i> Wesmael, 1837	127 ex.
<i>Microplitis varipes</i> Ruthe, 1860	4 ex.
<i>Microplitis viduus</i> Ruthe, 1860	1 ex.
<i>Microplitis xanthopus</i> Ruthe, 1860	2 ex.
<i>Microtypus wesmaelii</i> Ratzeburg, 1848	2 ex.
<i>Mirax rufilabris</i> Haliday, 1833	6 ex.
<i>Misaphidus angelicae</i> Haliday, 1833	7 ex.
<i>Misaphidus centaureae</i> Haliday, 1833	5 ex.
<i>Misaphidus heraclei</i> Haliday, 1833	2 ex.
<i>Monarea</i> sp.	1 ex.
<i>Monoctonus cerasi</i> Marshall, 1896	1 ex.
<i>Monoctonus crepidis</i> Haliday, 1834	6 ex.
<i>Monoctonus nervosus</i> Haliday, 1833	1 ex.
<i>Myiocephalus boops</i> Wesmael, 1835	5 ex.
<i>Napamus vipio</i> Reinhard, 1880	1 ex.
<i>Nedinoschiza taiwanus</i> (Watanabe, 1934)	8 ex.
<i>Neoneurus auctus</i> Thomson, 1895	3 ex.
<i>Nesaulax</i> sp.	1 ex.
<i>Odontofornica arata</i> Enderlein, 1912	5 ex.
<i>Oncephanes</i> sp.	1 ex.
<i>Oncophanes minutus</i> Wesmael, 1838	24 ex.
<i>Ontsira antica</i> Wollaston, 1858	3 ex.
<i>Ontsira imperator</i> (Haliday, 1836)	10 ex.
<i>Ontsira longicaudis</i> Giraud, 1857	3 ex.
<i>Ontsira palliatus</i> Cameron, 1881	4 ex.
<i>Ontsira spathiiformis</i> Ratzeburg, 1848	1 ex.
<i>Opius aethiops</i> Haliday, 1837	1 ex.
<i>Opius aino</i> Watanabe, 1938	4 ex.
<i>Opius apiculator</i> Nees	6 ex.
<i>Opius basalis</i> Fischer, 1958	1 ex.

<i>Opius bouceki</i> Fischer, 1958	1 ex.
<i>Opius caelatus</i> Haliday, 1837	7 ex.
<i>Opius caesus</i> Haliday, 1837	1 ex.
<i>Opius cingulatus</i> Wesmael, 1835	7 ex.
<i>Opius depeculator</i> Förster, 1862	2 ex.
<i>Opius exiguus</i> Wesmael, 1835	4 ex.
<i>Opius formosanus</i> (Watanabe, 1934)	2 ex.
<i>Opius fulvicollis</i> Thomson, 1895	10 ex.
<i>Opius geniculatus</i> Thomson, 1895	5 ex.
<i>Opius gracilis</i> Fischer, 1957	4 ex.
<i>Opius instabilis</i> Wesmael, 1835	3 ex.
<i>Opius irregularis</i> Wesmael, 1835	5 ex.
<i>Opius laevigatus</i> Förster, 1862	2 ex.
<i>Opius leptostigma</i> Wesmael, 1835	2 ex.
<i>Opius levis</i> Wesmael, 1835	22 ex.
<i>Opius lugens</i> Haliday, 1837	1 ex.
<i>Opius maculipennis</i> Enderlein, 1912	3 ex.
<i>Opius maculipes</i> Wesmael, 1835	2 ex.
<i>Opius mundus</i> Förster, 1862	1 ex.
<i>Opius mutus</i> Fischer, 1964	6 ex.
<i>Opius nitidulator</i> Nees, 1834	154 ex.
<i>Opius ocellatus</i> Wesmael, 1835	2 ex.
<i>Opius ochrogaster</i> Wesmael, 1835	7 ex.
<i>Opius orbiculator</i> Nees, 1811	4 ex.
<i>Opius pallipes</i> Wesmael, 1835	25 ex.
<i>Opius pseudonitidus</i> Fahringer, 1943	1 ex.
<i>Opius pulchriceps</i> Szépligeti, 1898	1 ex.
<i>Opius pygmaeator</i> Nees, 1811	2 ex.
<i>Opius radialis</i> Fischer, 1957	1 ex.
<i>Opius rhagoleticolus</i> Sachtleben, 1934	367 ex.
<i>Opius rufipes</i> Wesmael, 1835	1 ex.
<i>Opius similis</i> Szépligeti, 1898	3 ex.
<i>Opius</i> sp.	45 ex.
<i>Opius variegatus</i> Szépligeti, 1896	1 ex.
<i>Orgilus achterbergi</i> Taeger, 1989	6 ex.
<i>Orgilus anurus</i> Thomson, 1895	8 ex.
<i>Orgilus balcanicus</i> Taeger, 1989	2 ex.
<i>Orgilus brevicaudis</i> Taeger, 1989	1 ex.
<i>Orgilus capeki</i> Taeger, 1989	4 ex.
<i>Orgilus claripennis</i> Ivanov, 1899	1 ex.
<i>Orgilus coxalis</i> Taeger, 1989	1 ex.
<i>Orgilus discretus</i> Taeger, 1989	1 ex.
<i>Orgilus distinguendus</i> Taeger, 1991	1 ex.
<i>Orgilus dorni</i> Taeger, 1989	1 ex.
<i>Orgilus dovnari</i> Tobias, 1986	12 ex.
<i>Orgilus elongatus</i> Papp, 1971	2 ex.
<i>Orgilus festivus</i> Papp, 1975	1 ex.

<i>Orgilus fischerianus</i> Taeger, 1989	1 ex.
<i>Orgilus grunini</i> Tobias, 1986	8 ex.
<i>Orgilus haeselbarthi</i> Taeger, 1989	1 ex.
<i>Orgilus hofferi</i> Capek, 1989	1 ex.
<i>Orgilus hungaricus</i> Szépligeti, 1896	1 ex.
<i>Orgilus hybridus</i> Taeger, 1989	1 ex.
<i>Orgilus ibericus</i> Taeger, 1989	1 ex.
<i>Orgilus interjectus</i> Taeger, 1989	9 ex.
<i>Orgilus ischnus</i> Marshall, 1898	7 ex.
<i>Orgilus leptcephalus</i> Hartig, 1838	339 ex.
<i>Orgilus luctuosus</i> Taeger, 1987	1 ex.
<i>Orgilus meyeri</i> Telenga, 1933	2 ex.
<i>Orgilus minor</i> Taeger, 1989	3 ex.
<i>Orgilus minutus</i> Szépligeti, 1898	2 ex.
<i>Orgilus moldavicus</i> Tobias, 1986	5 ex.
<i>Orgilus mongolicus</i> Taeger, 1989	2 ex.
<i>Orgilus nanellae</i> Tobias, 1986	2 ex.
<i>Orgilus nitidiceps</i> Taeger, 1989	4 ex.
<i>Orgilus obesus</i> Taeger, 1989	9 ex.
<i>Orgilus obscurator</i> Nees, 1812	5 ex.
<i>Orgilus oehlkei</i> Taeger, 1989	5 ex.
<i>Orgilus ortrudae</i> Taeger, 1989	3 ex.
<i>Orgilus parvipennis</i> Thomson, 1895	7 ex.
<i>Orgilus patzaki</i> Taeger, 1989	15 ex.
<i>Orgilus perplexus</i> Taeger, 1989	1 ex.
<i>Orgilus pimpinellae</i> Niezabitowski, 1910	43 ex.
<i>Orgilus ponticus</i> Tobias, 1986	3 ex.
<i>Orgilus priesneri</i> Fischer, 1958	2 ex.
<i>Orgilus punctulator</i> Nees, 1812	3 ex.
<i>Orgilus respondens</i> Taeger, 1989	2 ex.
<i>Orgilus rubrator</i> Ratzeburg, 1852	4 ex.
<i>Orgilus rudolphae</i> Tobias, 1976	4 ex.
<i>Orgilus ruficornis</i> Szépligeti, 1896	2 ex.
<i>Orgilus rugosus</i> Nees, 1834	8 ex.
<i>Orgilus saponariellae</i> Taeger, 1989	1 ex.
<i>Orgilus similis</i> Szépligeti, 1896	2 ex.
<i>Orgilus simillimus</i> Taeger, 1989	1 ex.
<i>Orgilus</i> sp.	7 ex.
<i>Orgilus sticticus</i> Taeger, 1989	3 ex.
<i>Orgilus temporalis</i> Tobias, 1976	7 ex.
<i>Orgilus thomsoni</i> Taeger, 1989	2 ex.
<i>Orgilus tobiasi</i> Taeger, 1989	12 ex.
<i>Orgilus tristis</i> Taeger, 1989	6 ex.
<i>Orgilus turkmenus</i> Telenga, 1933	2 ex.
<i>Orthostigma laticeps</i> Thomson, 1895	1 ex.
<i>Orthostigma maculipes</i> Haliday, 1838	4 ex.
<i>Orthostigma pumila</i> Nees, 1834	20 ex.

<i>Orthostigma</i> sp.	18 ex.
<i>Pambolus biglumis</i> Haliday, 1836	2 ex.
<i>Parahormius</i> sp.	4 ex.
<i>Parallorhogas pallidiceps</i> Perkins	2 ex.
<i>Parallorhogas</i> sp.	3 ex.
<i>Paroplitis wesmaeli</i> Ruthe, 1860	2 ex.
<i>Pauesia infulata</i> Haliday, 1834	8 ex.
<i>Pauesia jezoensis</i> Watanabe, 1941	5 ex.
<i>Pauesia laricis</i> Haliday, 1834	2 ex.
<i>Pauesia picta</i> Haliday, 1834	3 ex.
<i>Pauesia pini</i> Haliday, 1834	8 ex.
<i>Pauesia</i> sp.	1 ex.
<i>Pauesia unilachni</i> Gahan, 1927	7 ex.
<i>Pentapleura angustula</i> Haliday, 1838	6 ex.
<i>Pentapleura fuliginosa</i> Haliday, 1838	4 ex.
<i>Pentapleura pumilio</i> Nees, 1812	3 ex.
<i>Pentapleura</i> sp.	10 ex.
<i>Perilitus aethiops</i> Nees, 1834	6 ex.
<i>Perilitus andreae</i> Haeselbarth	9 ex.
<i>Perilitus aphthonae</i> Haeselbarth	2 ex.
<i>Perilitus areolaris</i> Gerdin & Hedqvist, 1985	9 ex.
<i>Perilitus bicolor</i> Wesmael, 1835	16 ex.
<i>Perilitus cerealium</i> Haliday, 1835	5 ex.
<i>Perilitus debilis</i> Wollaston, 1858	1 ex.
<i>Perilitus deceptor</i> Wesmael, 1835	3 ex.
<i>Perilitus dubius</i> Wesmael, 1838	1 ex.
<i>Perilitus erythrogaster</i> Herrich-Schäffer, 1838	4 ex.
<i>Perilitus fagi</i>	1 ex.
<i>Perilitus falciger</i> Ruthe, 1856	1 ex.
<i>Perilitus fulviceps</i> Ruthe, 1856	2 ex.
<i>Perilitus lancearius</i> Ruthe, 1856	4 ex.
<i>Perilitus melanopus</i> Ruthe, 1856	3 ex.
<i>Perilitus mongolicus</i> Haeselbarth, 1999	12 ex.
<i>Perilitus parvus</i> Haeselbarth	2 ex.
<i>Perilitus petiolatus</i> Thomson	2 ex.
<i>Perilitus regius</i> Haeselbarth, 1999	1 ex.
<i>Perilitus retusus</i> Ruthe, 1856	1 ex.
<i>Perilitus rutilus</i> Nees, 1812	14 ex.
<i>Perilitus shavchivai</i> Haeselbarth	11 ex.
<i>Perilitus sommerae</i> Haeselbarth	1 ex.
<i>Perilitus</i> sp.	3 ex.
<i>Perilitus stelleri</i> Loan, 1972	1 ex.
<i>Perilitus strophosomi</i> Haeselbarth	3 ex.
<i>Perilitus thyellae</i> Haeselbarth	3 ex.
<i>Petalodes compressor</i> Herrich-Schäffer, 1838	4 ex.
<i>Phaedrotoma tacita</i> Haliday, 1837	2 ex.
<i>Phaenocarpa bicolor</i> Förster, 1862	2 ex.

<i>Phaenocarpa conspurcator</i> Haliday, 1838	5 ex.
<i>Phaenocarpa eugenia</i> Haliday, 1838	7 ex.
<i>Phaenocarpa flavipes</i> Haliday, 1838	4 ex.
<i>Phaenocarpa livida</i> Haliday, 1838	1 ex.
<i>Phaenocarpa picinervis</i> Haliday, 1838	5 ex.
<i>Phaenocarpa psalliotae</i> Telenga, 1935	22 ex.
<i>Phaenocarpa pullata</i> Haliday, 1838	3 ex.
<i>Phaenocarpa ruficeps</i> (Nees, 1812)	28 ex.
<i>Phaenocarpa</i> sp.	34 ex.
<i>Phaenocarpa theodori</i> Snellen van Vollenhoven, 1878	7 ex.
<i>Phaenodus pallipes</i> Förster, 1862	1 ex.
<i>Phaenodus</i> sp.	3 ex.
<i>Phanerotoma bilinea</i> Lyle, 1924	1 ex.
<i>Phanerotoma dentata</i> Panzer, 1805	12 ex.
<i>Phanerotoma flava</i> Ashmead, 1906	1 ex.
<i>Phanerotoma flavida</i> Enderlein, 1912	9 ex.
<i>Phanerotoma leucobasis</i> Kriechbaumer, 1894	4 ex.
<i>Phanerotoma longicauda</i> Walley, 1951	7 ex.
<i>Phanerotoma planifrons</i> Nees, 1816	2 ex.
<i>Phanerotoma rufescens</i> Latreille, 1809	3 ex.
<i>Phanerotoma</i> sp.	6 ex.
<i>Phanerotoma tritoma</i> Marshall, 1898	16 ex.
<i>Philomacroploea pleuralis</i> Ashmead, 1906	2 ex.
<i>Pholetesor bicolor</i> Nees, 1834	3 ex.
<i>Pholetesor circumscriptus</i> Nees, 1834	21 ex.
<i>Pholetesor nanus</i> Reinhard, 1880	1 ex.
<i>Pholetesor</i> sp.	3 ex.
<i>Pholetesor viminetorum</i> Wesmael, 1837	19 ex.
<i>Physaraia</i> sp.	1 ex.
<i>Pigeria piger</i> Wesmael, 1838	4 ex.
<i>Pioscelus</i> sp.	2 ex.
<i>Platyspathius bisignatus</i> Walker, 1860	1 ex.
<i>Platyspathius dinoderi</i> Gahan, 1925	1 ex.
<i>Plaxopsis pulchricaudis</i> Szépligeti, 1913	1 ex.
<i>Polemochartus liparae</i> Giraud, 1863	31 ex.
<i>Polemochartus melas</i> Giraud, 1863	1 ex.
<i>Polydegmon sinuatus</i> Förster, 1862	6 ex.
<i>Polydegmon</i> sp.	1 ex.
<i>Polystenus rugosus</i> Förster, 1862	2 ex.
<i>Praon abjectum</i> Haliday, 1833	8 ex.
<i>Praon absinthii</i> Bignell, 1894	2 ex.
<i>Praon dorsale</i> Haliday, 1833	1 ex.
<i>Praon exsoletum</i> Nees, 1811	3 ex.
<i>Praon flavinode</i> Haliday, 1833	4 ex.
<i>Praon lematinum</i> Gautier, 1922	5 ex.
<i>Praon necans</i> Mackauer, 1959	10 ex.
<i>Praon</i> sp.	8 ex.

<i>Praon spinosum</i> Mackauer, 1959	1 ex.
<i>Praon volucre</i> Haliday, 1833	25 ex.
<i>Praon volucre myzophagum</i> Mackauer, 1959	19 ex.
<i>Proacrisis acutus</i> Tobias, 1983	2 ex.
<i>Protapanteles anchisiades</i> Nixon, 1973	5 ex.
<i>Protapanteles immunis</i> Haliday, 1834	3 ex.
<i>Protapanteles</i> sp.	11 ex.
<i>Protapanteles triangulator</i> Wesmael, 1837	11 ex.
<i>Proterops nigripennis</i> Wesmael, 1835	9 ex.
<i>Proterops rufithorax</i> Fahringer, i.l.	1 ex.
<i>Protodacnusa tristis</i> Nees, 1834	2 ex.
<i>Protomicroplitis scotica</i> Marshall, 1885	3 ex.
<i>Pseudichneutes levis</i> Wesmael, 1835	5 ex.
<i>Pseudobathystomus funestus</i> Haliday, 1836	9 ex.
<i>Pseudodoryctes camerunus</i> Szépligeti, 1913	1 ex.
<i>Pseudodoryctes</i> sp.	1 ex.
<i>Pseudophanerotoma costaricana</i> Zettel	5 ex.
<i>Pseudovipio castrator</i> Fabricius, 1798	27 ex.
<i>Pseudovipio guttiventris</i> Thomson, 1892	6 ex.
<i>Pseudovipio inceptor</i> Nees, 1834	22 ex.
<i>Pseudovipio</i> sp.	20 ex.
<i>Pseudovipio tabida</i> Fahringer, 1928	1 ex.
<i>Pygostolus falcatus</i> Nees, 1834	40 ex.
<i>Pygostolus multiarticulatus</i> Ratzeburg, 1852	17 ex.
<i>Pygostolus</i> sp.	4 ex.
<i>Pygostolus sticticus</i> Fabricius, 1798	16 ex.
<i>Rasivalva marginata</i> Nees, 1834	5 ex.
<i>Rhaconotus formosanus</i> Watanabe, 1934	1 ex.
<i>Rhaconotus jacobsoni</i> (Szépligeti,)	1 ex.
<i>Rhaconotus sauteri</i> (Watanabe, 1934)	3 ex.
<i>Rhaconotus</i> sp.	6 ex.
<i>Rhadinobracon</i> sp.	3 ex.
<i>Rhammura capillicauda</i> Enderlein, 1905	2 ex.
<i>Rhammura longiseta</i> Szépligeti, 1905	1 ex.
<i>Rhoptrocentrus piceus</i> Marshall, 1897	13 ex.
<i>Rhysipolis decorator</i> Haliday, 1836	8 ex.
<i>Rhysipolis hariolator</i> Haliday, 1836	5 ex.
<i>Rhysipolis mediator</i> Haliday, 1836	10 ex.
<i>Rhysipolis</i> sp.	1 ex.
<i>Rhyssalus clavator</i> Haliday, 1833	4 ex.
<i>Rhyssalus gagates</i> Nees, 1834	1 ex.
<i>Rhytimorpha</i> sp.	1 ex.
<i>Rilipertus facialis</i> Thomson, 1892	1 ex.
<i>Rogas breviventris</i> (Enderlein, 1912)	1 ex.
<i>Rogas cariniventris</i> (Enderlein, 1912)	9 ex.
<i>Rogas ceylonicus</i> (Enderlein, 1912)	1 ex.
<i>Rogas crassipalpus</i> (Enderlein, 1912)	1 ex.

<i>Rogas lateralis</i> Baker, 1917	1 ex.
<i>Rogas luteus</i> Nees, 1834	17 ex.
<i>Rogas</i> sp.	32 ex.
<i>Rogas tricolor</i> Enderlein, 1912	1 ex.
<i>Ropalophorus clavicornis</i> Wesmael, 1835	7 ex.
<i>Rostraulax cinereicauda</i> (Fahringer, 1942)	2 ex.
<i>Rostraulax flagriseta</i> Enderlein, 1920	2 ex.
<i>Rostraulax ruficeps</i> Cameron, 1901	2 ex.
<i>Rostraulax</i> sp.	9 ex.
<i>Rugonia americana</i> Fahringer, i.l.	1 ex.
<i>Sathon falcatus</i> Nees, 1834	32 ex.
<i>Schizoprymnus ambiguus</i> Nees, 1816	6 ex.
<i>Schizoprymnus hilaris</i> Herrich-Schäffer, 1838	4 ex.
<i>Schizoprymnus obscurus</i> Nees, 1816	17 ex.
<i>Schizoprymnus opacus</i> Thomson, 1892	1 ex.
<i>Schizoprymnus</i> sp.	6 ex.
<i>Schlettereriella flaviceps</i> Enderlein, 1912	1 ex.
<i>Semirhytus</i> sp.	5 ex.
<i>Serraulax conradti</i> (Szépligeti, 1913)	1 ex.
<i>Serraulax</i> sp.	1 ex.
<i>Shelfordia</i> sp.	1 ex.
<i>Sigalphus irrorator</i> Fabricius, 1775	4 ex.
<i>Sigalphus</i> sp.	1 ex.
<i>Spathiostenus formosanus</i> (Watanabe, 1934)	1 ex.
<i>Spathius annuliventris</i> Enderlein, 1912	2 ex.
<i>Spathius apicalis</i> (Westwood, 1882)	4 ex.
<i>Spathius brevicaudis</i> Ratzeburg, 1844	1 ex.
<i>Spathius canariensis</i> Hedqvist, 1976	2 ex.
<i>Spathius curvicaudis</i> Ratzeburg, 1844	10 ex.
<i>Spathius eunyce</i> Nixon, 1943	1 ex.
<i>Spathius exarator</i> Linné, 1758	134 ex.
<i>Spathius generosus</i> Wilkinson	6 ex.
<i>Spathius medon</i> Nixon, 1943	1 ex.
<i>Spathius pedestris</i> Wesmael, 1838	5 ex.
<i>Spathius radzayanus</i> Ratzeburg, 1848	8 ex.
<i>Spathius rubidus</i> Rossi, 1794	7 ex.
<i>Spathius</i> sp.	18 ex.
<i>Spinaria armator</i> Fabricius, 1804	2 ex.
<i>Spinaria spinator</i> Guérin-Méneville, 1830	3 ex.
<i>Stantonia sauteri</i> Watanabe, 1932	1 ex.
<i>Stenobracon nicevillei</i> Bingham, 1901	2 ex.
<i>Stenocorse</i> sp.	2 ex.
<i>Stenophasmus ornatipes</i> Kieffer, 1911	1 ex.
<i>Streblocera fulviceps</i> Westwood, 1833	1 ex.
<i>Streblocera macroscapus</i> Ruthe, 1856	2 ex.
<i>Symphya</i> sp.	2 ex.
<i>Synaldis concolor</i> Nees, 1812	10 ex.

<i>Synaldis distracta</i> Nees, 1834	12 ex.
<i>Synelix semirugosa</i> Haliday, 1839	8 ex.
<i>Syngaster lepidus</i> Brullé, 1846	1 ex.
<i>Syngaster variegatus</i> Szépligeti, 1902	1 ex.
<i>Syntretus conterminus</i> Nees, 1834	3 ex.
<i>Syntretus elegans</i> Ruthe, 1856	5 ex.
<i>Syntretus idalius</i> Haliday, 1833	1 ex.
<i>Syntretus klugii</i> Ruthe, 1856	3 ex.
<i>Syntretus ocularis</i> Achterberg & Haeselbarth, 2003	1 ex.
<i>Syntretus parvicornis</i> Ruthe, 1862	1 ex.
<i>Syntretus pusio</i> Marshall, 1898	1 ex.
<i>Syntretus</i> sp.	1 ex.
<i>Syntretus taegeri</i> Achterberg & Haeselbarth, 2003	2 ex.
<i>Syrrhizus delusorius</i> Förster, 1862	7 ex.
<i>Tanycarpa amplipennis</i> Förster, 1862	1 ex.
<i>Tanycarpa bicolor</i> Nees, 1812	7 ex.
<i>Tanycarpa gracilicornis</i> Nees, 1812	2 ex.
<i>Tanycarpa mitis</i> Stelfox, 1941	1 ex.
<i>Tanycarpa rufinotata</i> Haliday, 1838	5 ex.
<i>Tanycarpa</i> sp.	8 ex.
<i>Taphaeus hiator</i> Thunberg, 1822	2 ex.
<i>Taphaeus</i> sp.	2 ex.
<i>Tates heterocera</i> Thomson, 1895	5 ex.
<i>Toxares deltiger</i> Haliday, 1833	2 ex.
<i>Trachionus hians</i> Nees, 1816	7 ex.
<i>Trachionus ringens</i> Haliday, 1839	1 ex.
<i>Trachypetus clavatus</i> Guérin, 1830	1 ex.
<i>Trachyusa aurora</i> Haliday, 1838	12 ex.
<i>Trachyusa bucephala</i> Papp, 1967	2 ex.
<i>Trachyusa</i> sp.	1 ex.
<i>Triaspis caudata</i> Nees, 1816	11 ex.
<i>Triaspis facialis</i> Ratzeburg, 1852	2 ex.
<i>Triaspis floricola</i> Wesmael, 1835	2 ex.
<i>Triaspis luteipes</i> Thomson, 1874	12 ex.
<i>Triaspis obscurella</i> Nees, 1816	30 ex.
<i>Triaspis pallipes</i> Nees, 1816	3 ex.
<i>Triaspis</i> sp.	40 ex.
<i>Triaspis striatula</i> Nees, 1816	3 ex.
<i>Triaspis striola</i> Thomson, 1874	2 ex.
<i>Triaspis thomsoni</i> Fahringer, 1934	3 ex.
<i>Triaspis thoracica</i> Curtis, 1860	3 ex.
<i>Trichochoirebus</i> sp.	1 ex.
<i>Trioxys falcatus</i> Mackauer, 1959	2 ex.
<i>Trioxys humuli</i> Mackauer, 1960	1 ex.
<i>Trioxys pallidus</i> Haliday, 1833	4 ex.
<i>Trioxys pannonicus</i> Starý, 1960	1 ex.
<i>Trioxys</i> sp.	1 ex.

Triraphis tricolor Wesmael, 1838	18 ex.
Tropobracon schoenobii Viereck, 1913	2 ex.
Tropobracon sp.	1 ex.
Tropobracon yokohamensis Cameron, 1910	1 ex.
Udamolx neger Szépligeti, 1901	2 ex.
Utetes aemulus Haliday, 1837	2 ex.
Utetes caudatus Wesmael, 1835	4 ex.
Utetes posticatae Fischer, 1957	4 ex.
Utetes rotundiventris Thomson, 1895	9 ex.
Utetes ruficeps Wesmael, 1835	29 ex.
Utetes testaceus Wesmael, 1838	1 ex.
Utetes truncatus Wesmael, 1835	7 ex.
Utetes zelotes Marshall, 1891	2 ex.
Verae peculiae Marsh	3 ex.
Vipio abdelkader Schmiedeknecht, 1896	2 ex.
Vipio appellator Nees, 1834	16 ex.
Vipio deplanator Nees, 1834	1 ex.
Vipio humerator Costa, 1884	4 ex.
Vipio insectator Kokujev, 1898	1 ex.
Vipio intermedius Szépligeti, 1896	6 ex.
Vipio longicauda Boheman, 1853	19 ex.
Vipio mlokoszewiczi Kokujev, 1898	2 ex.
Vipio sareptanus Kawall, 1865	1 ex.
Vipio sp.	33 ex.
Vipio tentator Rossi, 1790	7 ex.
Vipio terrefactor Villers, 1789	21 ex.
Xyeloblacus leucobasis van Achterberg & Altenhofer, 1997	3 ex.
Yelicones belokobylskii Quicke, Chishti & Chen	1 ex.
Zaglyptogastra sp.	2 ex.
Zaglyptogastra spathulatus Szépligeti, 1914	1 ex.
Zaglyptogastra stanleyi Cameron, 1912	2 ex.
Zele albiditarsus Curtis, 1832	67 ex.
Zele caligatus Haliday, 1835	1 ex.
Zele chlorophthalmus Spinola, 1808	45 ex.
Zele deceptor Wesmael, 1835	31 ex.
Zele sp.	11 ex.
Zombrus baculiger Enderlein, 1912	4 ex.
Zombrus fuscipennis brulle, 1846	1 ex.
Zombrus rufus Cameron, 1904	1 ex.
Zombrus sp.	2 ex.