

<i>Allocoelia capensis</i> (Smith, 1874)	5 ex.
<i>Allocoelia minor</i> Mocsary, 1908	1 ex.
<i>Brugmoia moricei</i> (Buysson, 1896)	1 ex.
<i>Brugmoia rugulae</i> Kimsey, 1990	1 ex.
<i>Caenochrysis brasiliana</i> (Guérin, 1842)	1 ex.
<i>Caenochrysis doriae</i> (Gribodo, 1874)	15 ex.
<i>Caenochrysis mucronata</i> (Brullé, 1846)	37 ex.
<i>Cephaloparnops vareillesi</i> (Buysson, 1900)	2 ex.
<i>Ceratochrysis perpulchra</i> Cresson, 1865	1 ex.
<i>Chrysidea persica</i> Radoszkowsky, 1881	1 ex.
<i>Chrysidea pumila</i> (Klug, 1845)	11 ex.
<i>Chrysis abbreviaticornis blanchardi</i> Buysson, 1895	1 ex.
<i>Chrysis aestiva</i> Dahlbom, 1854	6 ex.
<i>Chrysis albanica</i> Trautmann, 1927	16 ex.
<i>Chrysis analis</i> Spinola, 1808	22 ex.
<i>Chrysis angolensis</i> Radoszkowsky, 1881	20 ex.
<i>Chrysis angustifrons</i> Abeille, 1878	5 ex.
<i>Chrysis angustula</i> Schenck, 1856	46 ex.
<i>Chrysis areata</i> Mocsáry, 1889	1 ex.
<i>Chrysis atechka</i> Buysson, 1898	1 ex.
<i>Chrysis auriceps</i> Mader, 1936	2 ex.
<i>Chrysis aurifascia</i> Brullé, 1846	1 ex.
<i>Chrysis bicolor</i> Lepeletier, 1806	57 ex.
<i>Chrysis bidentata</i> Linné, 1767	3 ex.
<i>Chrysis blanchardi</i> Lucas, 1849	5 ex.
<i>Chrysis brevitarsis</i> Thomson, 1870	4 ex.
<i>Chrysis cerastes</i> Abeille, 1877	33 ex.
<i>Chrysis chrysoprasina</i> Förster, 1853	4 ex.
<i>Chrysis chrysostigma</i> Mocsáry, 1889	2 ex.
<i>Chrysis cingulicornis</i> Förster, 1853	14 ex.
<i>Chrysis comottii</i> Gribodo, 1884	2 ex.
<i>Chrysis comparata</i> Lepeletier, 1806	6 ex.
<i>Chrysis comta</i> Förster, 1853	4 ex.
<i>Chrysis consanguinea</i> Mocsáry, 1889	4 ex.
<i>Chrysis corsica</i> Buysson, 1891	1 ex.
<i>Chrysis cortii</i> Linsenmaier, 1951	1 ex.
<i>Chrysis corusca</i> Valkeila, 1971	21 ex.
<i>Chrysis cristovallensis</i> Montrouzier, 1864	2 ex.
<i>Chrysis cuprata</i> Dahlbom, 1854	6 ex.
<i>Chrysis daphnis</i> Mocsáry, 1889	1 ex.
<i>Chrysis derivata</i> Buysson, 1891	1 ex.
<i>Chrysis dira</i> Mocsáry, 1883	2 ex.
<i>Chrysis distinctissima</i> Dahlbom, 1854	2 ex.
<i>Chrysis distinguenda</i> Spinola, 1838	2 ex.
<i>Chrysis donnanina</i> Buysson,	1 ex.
<i>Chrysis ehrenbergi</i> (Dahlbom, 1854)	5 ex.
<i>Chrysis electa</i> Walker, 1871	ex.

<i>Chrysis elegans</i> Lepeletier, 1806	8 ex.
<i>Chrysis emarginatula</i> Spinola, 1808	1 ex.
<i>Chrysis equestris</i> Dahlbom, 1854	1 ex.
<i>Chrysis exsulans</i> Dahlbom, 1854	2 ex.
<i>Chrysis fasciata</i> Olivier, 1790	5 ex.
<i>Chrysis fax</i> Semenov, 1903	1 ex.
<i>Chrysis fouqueti</i> (Buysson, 1908)	2 ex.
<i>Chrysis friesei</i> Buysson, 1900	1 ex.
<i>Chrysis frivaldskii</i> Mocsáry, 1882	1 ex.
<i>Chrysis fulgida</i> Linné, 1761	131 ex.
<i>Chrysis germari</i> Wesmael, 1839	17 ex.
<i>Chrysis gibba</i> Brullé, 1846	29 ex.
<i>Chrysis gracillima</i> Förster, 1853	46 ex.
<i>Chrysis graelsii</i> Guérin, 1842	12 ex.
<i>Chrysis grandis</i> Brullé, 1846	19 ex.
<i>Chrysis gribodoi</i> Abeille, 1879	5 ex.
<i>Chrysis grohmanni</i> Dahlbom, 1854	25 ex.
<i>Chrysis grohmanni subaequalis</i> Linsenmaier, 1968	1 ex.
<i>Chrysis ignicollis</i> Trautmann, 1926	2 ex.
<i>Chrysis ignita</i> Linné, 1758	843 ex.
<i>Chrysis illigeri</i> Wesmael, 1839	9 ex.
<i>Chrysis impressa</i> Schenck, 1856	36 ex.
<i>Chrysis inaequalis</i> Dahlbom, 1845	52 ex.
<i>Chrysis indica</i> Schrank, 1804	6 ex.
<i>Chrysis indigotea</i> Dufour & Perris, 1840	6 ex.
<i>Chrysis insularis</i> Guérin, 1842	1 ex.
<i>Chrysis interjecta</i> Buysson, 1891	2 ex.
<i>Chrysis intricata</i> Brullé, 1846	3 ex.
<i>Chrysis ionophris</i> Mocsáry, 1893	1 ex.
<i>Chrysis jaxartis</i> Semenov, 1909	1 ex.
<i>Chrysis jousseaumei</i> Buysson, 1897	1 ex.
<i>Chrysis jucunda</i> Mocsáry, 1889	3 ex.
<i>Chrysis krkiana grohmanni</i> Linsenmaier, 1959	2 ex.
<i>Chrysis laetabilis</i> Buysson, 1887	3 ex.
<i>Chrysis lanceolata</i> Linsenmaier, 1959	1 ex.
<i>Chrysis leachii</i> Shuckard, 1836	19 ex.
<i>Chrysis leptomandibularis</i> Niehus, 2000	3 ex.
<i>Chrysis lincea</i> Fabricius, 1775	76 ex.
<i>Chrysis longicollis</i> Mocsáry, 1914	2 ex.
<i>Chrysis longula</i> Abeille, 1879	23 ex.
<i>Chrysis longula subcoriacea</i> Linsenmaier, 1959	4 ex.
<i>Chrysis lucida</i> Linsenmaier, 1951	1 ex.
<i>Chrysis lusitanica</i> Bischoff, 1910	1 ex.
<i>Chrysis macrodon</i> Mocsáry, 1893	2 ex.
<i>Chrysis maculicornis</i> Klug, 1845	1 ex.
<i>Chrysis maderi</i> Linsenmaier, 1959	2 ex.
<i>Chrysis maindroni</i> Buysson, 1898	2 ex.

<i>Chrysis manicata</i> Dahlbom, 1854	6 ex.
<i>Chrysis marginata</i> Mocsáry, 1889	2 ex.
<i>Chrysis marginata aliunda</i> Linsenmaier, 1959	1 ex.
<i>Chrysis mediata</i> Linsenmaier, 1951	69 ex.
<i>Chrysis mediata fenniensis</i> Linsenmaier, 1959	1 ex.
<i>Chrysis mediocris</i> Dahlbom, 1854	3 ex.
<i>Chrysis millenaris</i> Mocsáry, 1897	1 ex.
<i>Chrysis mirabilis</i> Radoszkowski, 1876	3 ex.
<i>Chrysis montana</i> Aaron, 1885	1 ex.
<i>Chrysis nisseri</i> Dahlbom, 1845	12 ex.
<i>Chrysis nitidula</i> Fabricius, 1775	28 ex.
<i>Chrysis norsemanae</i> Bohart, 1985	1 ex.
<i>Chrysis numerata</i> Mocsáry, 1902	1 ex.
<i>Chrysis obtusidens</i> Dufour & Perris, 1840	2 ex.
<i>Chrysis pallidicornis</i> Spinola, 1838	1 ex.
<i>Chrysis phryne</i> Abeille, 1878	4 ex.
<i>Chrysis principalis</i> Smith, 1874	11 ex.
<i>Chrysis prominula</i> Dahlbom, 1845	1 ex.
<i>Chrysis pseudobrevitarsis</i> Linsenmaier, 1951	11 ex.
<i>Chrysis pseudogribodoi</i> Linsenmaier, 1959	1 ex.
<i>Chrysis pulchella</i> Spinola, 1808	5 ex.
<i>Chrysis pulcherrima</i> Lepeletier, 1806	2 ex.
<i>Chrysis purpurata</i> Fabricius, 1787	27 ex.
<i>Chrysis pyrrhina</i> Dahlbom, 1845	2 ex.
<i>Chrysis ragusae</i> Destefani, 1888	2 ex.
<i>Chrysis ramburi</i> Dahlbom, 1854	1 ex.
<i>Chrysis ruddii</i> Shuckard, 1837	31 ex.
<i>Chrysis rufitarsis</i> Brullé, 1832	5 ex.
<i>Chrysis rutilans</i> Olivier, 1790	9 ex.
<i>Chrysis rutiliventris</i> Abeille, 1879	3 ex.
<i>Chrysis schencki</i> Linsenmaier, 1968	5 ex.
<i>Chrysis schiodtei</i> Dahlbohm, 1854	1 ex.
<i>Chrysis scutellaris</i> Fabricius, 1794	47 ex.
<i>Chrysis semicincta</i> Lepeletier, 1806	4 ex.
<i>Chrysis semistriata</i> Linsenmaier, 1997	2 ex.
<i>Chrysis semistriata succincta</i> Linsenmaier, 1997	1 ex.
<i>Chrysis sexdentata</i> Fabricius, 1798	1 ex.
<i>Chrysis simulans</i> Mocsáry, 1889	1 ex.
<i>Chrysis smaragdula</i> Fabricius, 1775	1 ex.
<i>Chrysis solida</i> Haupt, 1956	41 ex.
<i>Chrysis somalina</i> Mocsáry, 1889	1 ex.
<i>Chrysis soror</i> Dahlbohm, 1854	2 ex.
<i>Chrysis splendens</i> Dahlbom, 1854	7 ex.
<i>Chrysis splendidula</i> Rossi, 1790	57 ex.
<i>Chrysis stilboides</i> Spinola, 1838	12 ex.
<i>Chrysis subfoveolata</i> Brullé, 1846	1 ex.
<i>Chrysis subsinuata</i> Marquet, 1879	5 ex.

<i>Chrysis succincta</i> Linné, 1767	33 ex.
<i>Chrysis succincta succincta</i> Linné, 1767	2 ex.
<i>Chrysis syriaca</i> Guérin, 1842	1 ex.
<i>Chrysis tingitana</i> Bischoff, 1935	1 ex.
<i>Chrysis valesiana</i> Frey-Gessner, 1887	3 ex.
<i>Chrysis varidens</i> Abeille, 1878	1 ex.
<i>Chrysis variegata</i> Olivier, 1790	11 ex.
<i>Chrysis verna</i> Dahlbom, 1854	1 ex.
<i>Chrysis vicaria</i> Mocsáry, 1913	3 ex.
<i>Chrysis viridissima</i> Klug, 1845	2 ex.
<i>Chrysis viridula</i> Linné, 1761	82 ex.
<i>Chrysura auropicta</i> (Mocsáry, 1889)	2 ex.
<i>Chrysura austriaca</i> (Fabricius, 1804)	53 ex.
<i>Chrysura candens</i> (Germar, 1817)	4 ex.
<i>Chrysura candens</i> Germar, 1817	1 ex.
<i>Chrysura cirtana</i> (Lucas, 1849)	1 ex.
<i>Chrysura cuprea</i> (Rossi, 1790)	39 ex.
<i>Chrysura dichroa</i> (Dahlbom, 1854)	34 ex.
<i>Chrysura filiformis</i> (Mocsáry, 1889)	3 ex.
<i>Chrysura genalis</i> (Mocsáry, 1887)	1 ex.
<i>Chrysura hirsuta</i> (Gerstaecker, 1869)	3 ex.
<i>Chrysura hybrida</i> (Lepelletier, 1806)	4 ex.
<i>Chrysura ignifrons</i> (Brullé, 1832)	1 ex.
<i>Chrysura laevigata</i> Abeille, 1879	1 ex.
<i>Chrysura lydiae</i> (Mocsáry, 1889)	4 ex.
<i>Chrysura oraniensis</i> (Lucas, 1849)	2 ex.
<i>Chrysura pacifica</i> (Say, 1828)	2 ex.
<i>Chrysura pseudodichroa</i> Linsenmaier, 1959	1 ex.
<i>Chrysura purpureifrons</i> (Abeille, 1878)	4 ex.
<i>Chrysura pyrogaster</i> (Brullé, 1832)	2 ex.
<i>Chrysura radians</i> Harris, 1776	20 ex.
<i>Chrysura refulgens</i> (Spinola, 1806)	18 ex.
<i>Chrysura rufiventris</i> (Dahlbom, 1854)	10 ex.
<i>Chrysura simplex</i> (Dahlbom, 1854)	8 ex.
<i>Chrysura sulcata</i> (Dahlbom, 1845)	1 ex.
<i>Chrysura trimaculata</i> (Förster, 1853)	5 ex.
<i>Chrysura varicornis</i> (Spinola, 1838)	6 ex.
<i>Cleptes afer</i> Lucas, 1846	1 ex.
<i>Crysis perezi valesiana</i> Mocsary, 1889	1 ex.
<i>Elampus bidens</i> (Förster, 1853)	6 ex.
<i>Elampus caeruleus</i> Dahlbom, 1854	5 ex.
<i>Elampus pyrosomus</i> (Förster, 1853)	10 ex.
<i>Elampus sanzii</i> Gogorza, 1887	5 ex.
<i>Elampus scutellaris</i> Panzer, 1798	93 ex.
<i>Elampus spina</i> Lepelletier, 1806	6 ex.
<i>Exallopyla difficilis</i> (Spinola, 1851)	9 ex.
<i>Exochrysis panamensis</i> (Cameron, 1888)	4 ex.

<i>Hedychridium aereolum</i> Buysson, 1893	4 ex.
<i>Hedychridium aheneum</i> (Dahlbom, 1854)	5 ex.
<i>Hedychridium ardens</i> (Coquebert, 1801)	167 ex.
<i>Hedychridium chloropygum</i> Buysson, 1888	1 ex.
<i>Hedychridium coriaceum</i> (Dahlbom, 1854)	11 ex.
<i>Hedychridium cupratum</i> Dahlbom, 1854	4 ex.
<i>Hedychridium cupreum</i> (Dahlbom, 1845)	4 ex.
<i>Hedychridium dimidiatum</i> (Say, 1824)	3 ex.
<i>Hedychridium femoratum</i> (Dahlbom, 1854)	4 ex.
<i>Hedychridium flavipes</i> (Eversmann, 1857)	1 ex.
<i>Hedychridium gratiosum</i> Abeille, 1878	1 ex.
<i>Hedychridium incrassatum</i> (Dahlbom, 1854)	1 ex.
<i>Hedychridium integrum</i> (Dahlbom, 1854)	2 ex.
<i>Hedychridium jucundum</i> (Mocsáry, 1889)	3 ex.
<i>Hedychridium krajniki</i> Balthasar, 1946	4 ex.
<i>Hedychridium lampadum</i> Linsenmaier, 1959	1 ex.
<i>Hedychridium mediocrum</i> Linsenmaier, 1987	2 ex.
<i>Hedychridium monochroum</i> Buysson, 1888	4 ex.
<i>Hedychridium moricei</i> Buysson, 1904	1 ex.
<i>Hedychridium purpurascens</i> (Dahlbom, 1854)	4 ex.
<i>Hedychridium roseum</i> (Rossi, 1790)	80 ex.
<i>Hedychridium sculpturatum</i> (Abeille, 1877)	6 ex.
<i>Hedychridium valesiense</i> Linsenmaier, 1959	5 ex.
<i>Hedychridium zelleri</i> (Dahlbom, 1845)	6 ex.
<i>Hedychrum bouyssonii</i> Buysson, 1900	1 ex.
<i>Hedychrum chalybaeum</i> Dahlbom, 1854	69 ex.
<i>Hedychrum coelestinum</i> Spinola, 1838	7 ex.
<i>Hedychrum gerstaeckeri</i> Chevrier, 1869	81 ex.
<i>Hedychrum longicollis</i> Abeille, 1877	10 ex.
<i>Hedychrum niemelai</i> Linsenmaier, 1959	57 ex.
<i>Hedychrum nobile</i> (Scopoli, 1763)	448 ex.
<i>Hedychrum rutilans</i> Dahlbom, 1854	136 ex.
<i>Hedychrum semicyaneum</i> Mocsáry, 1889	1 ex.
<i>Hedychrum virens</i> Dahlbom, 1854	1 ex.
<i>Holopyga amoenula</i> Dahlbom, 1845	84 ex.
<i>Holopyga australis</i> Linsenmaier, 1959	4 ex.
<i>Holopyga chrysonota</i> (Förster, 1853)	46 ex.
<i>Holopyga fervida</i> (Fabricius, 1781)	88 ex.
<i>Holopyga generosa</i> Förster, 1853	29 ex.
<i>Holopyga ignicollis</i> Dahlbom, 1854	3 ex.
<i>Holopyga inflammata</i> Förster, 1853	3 ex.
<i>Holopyga intermedia</i> (Dahlbom, 1845)	5 ex.
<i>Holopyga jurinei</i> Chevrier, 1862	3 ex.
<i>Holopyga luzulina</i> Dahlbom, 1854	1 ex.
<i>Holopyga mauritanica</i> (Lucas, 1846)	1 ex.
<i>Holopyga ovata</i> Dahlbom, 1854	9 ex.
<i>Holopyga punctatissima</i> (Dahlbom, 1854)	3 ex.

<i>Holopyga ventralis</i> (Say, 1824)	2 ex.
<i>Holopyga viridis</i> (Guérin, 1842)	1 ex.
<i>Ipisura tropicalis</i> Bohart, 1985	3 ex.
<i>Ipsiura lata</i> Bohart, 1985	1 ex.
<i>Ipsiura leucocheila</i> (Mocsáry, 1889)	7 ex.
<i>Neochrysis carina</i> (Brullé, 1846)	20 ex.
<i>Omalus aeneus</i> (Fabricius, 1787)	109 ex.
<i>Omalus biaccinctus</i> (Buysson, 1893)	9 ex.
<i>Omalus iridescens</i> (Norton, 1879)	31 ex.
<i>Omalus magrettii</i> (Buysson, 1890)	2 ex.
<i>Omalus puncticollis</i> Mocsáry, 1887	3 ex.
<i>Parnopes edwardsii</i> (Cresson, 1879)	2 ex.
<i>Parnopes edwardsii</i> Cresson, 1879	1 ex.
<i>Parnopes fischeri</i> Dahlbom,	1 ex.
<i>Parnopes grandior</i> (Pallas, 1771)	26 ex.
<i>Philoctetes bidentulus</i> Lepeletier, (1806)	13 ex.
<i>Philoctetes cicatrix</i> (Abeille, 1878)	1 ex.
<i>Philoctetes deflexus</i> Abeille, 1878	4 ex.
<i>Philoctetes horvathi</i> Mocsáry, 1889	4 ex.
<i>Philoctetes sculpticollis</i> Abeille, 1878	1 ex.
<i>Philoctetes truncatus</i> (Dahlbom, 1831)	7 ex.
<i>Pleurochrysis ancilla</i> (Buysson, 1898)	1 ex.
<i>Pleurochrysis bruchi</i> (Bréthes, 1903)	3 ex.
<i>Pleurochrysis chilicola</i> Mocsáry, 1914	2 ex.
<i>Praestochrysis inops</i> (Gribodo, 1884)	1 ex.
<i>Praestochrysis lusca</i> (Fabricius, 1804)	27 ex.
<i>Praestochrysis shanghaiensis</i> (Smith, 1874)	15 ex.
<i>Primeuchroeus biroi</i> (Mocsáry, 1899)	3 ex.
<i>Pseudomalus auratus</i> (Linné, 1758)	159 ex.
<i>Pseudomalus bogdanovi</i> (Radoszkowsky, 1877)	9 ex.
<i>Pseudomalus punctulatus</i> (Dahlbom, 1854)	3 ex.
<i>Pseudomalus pusillus</i> (Fabricius, 1804)	109 ex.
<i>Pseudomalus triangulifer</i> (Abeille, 1877)	6 ex.
<i>Pseudomalus violaceus</i> (Scopoli, 1763)	11 ex.
<i>Pseudospinolia aureicollis</i> (Abeille, 1879)	2 ex.
<i>Pseudospinolia humboldti</i> Dahlbom, 1845	1 ex.
<i>Pseudospinolia neglecta</i> (Shuckard, 1836)	76 ex.
<i>Pseudospinolia tertrini</i> Buysson, 1898	1 ex.
<i>Pseudospinolia uniformis</i> (Dahlbom, 1854)	4 ex.
<i>Spinolia dournovi</i> (Radoszkowsky, 1866)	2 ex.
<i>Spinolia insignis</i> (Lucas, 1849)	17 ex.
<i>Spinolia unicolor</i> (Dahlbom, 1831)	5 ex.
<i>Spintharina vagans</i> Radoszkowsky, 1887	1 ex.
<i>Spintharina versicolor</i> (Spinola, 1808)	44 ex.
<i>Stilbum cyanurum</i> (Förster, 1771)	139 ex.
<i>Stilbum cyanurum zimmermanni</i> Linsenmaier, 1959	1 ex.
<i>Stilbum viride</i> Guerin, 1842	7 ex.

Stilbum zimmermanni calens Linsenmaier, 1959	1 ex.
Trichrysis cyanea (Linné, 1758)	574 ex.
Trichrysis pumilionis (Linsenmaier, 1987)	2 ex.
Trichrysis scioensis (Gribodo, 1879)	1 ex.
Trichrysis triacantha (Mocsáry, 1889)	3 ex.