
<i>Alysson pertheesi</i> Gorski, 1852	2 ex.
<i>Alysson ratzeburgi</i> Dahlbom, 1843	5 ex.
<i>Alysson spinosus</i> Panzer, 1801	87 ex.
<i>Alysson tricolor</i> Lepeletier & Serville, 1825	1 ex.
<i>Ammatomus coarctatus</i> Spinola, 1808	3 ex.
<i>Ammatomus rogenhoferi</i> Handlirsch, 1888	8 ex.
<i>Ammatomus stevensoni</i> Arnold, 1929	1 ex.
<i>Ammoplanus marathroicus</i> Destefani, 1887	2 ex.
<i>Ammoplanus perrisi</i> Giraud, 1869	27 ex.
<i>Ammopsen masoni</i> Krombein, 1959	2 ex.
<i>Anacrabro ocellatus ocellatus</i> Packard, 1866	1 ex.
<i>Aphilanthops frigidus</i> Smith, 1856	1 ex.
<i>Aphilanthops subfrigidus</i> Dunning, 1898	6 ex.
<i>Argogorytes fargeii</i> Shuckard, 1837	44 ex.
<i>Argogorytes hispanicus</i> Mercet, 1906	8 ex.
<i>Argogorytes mystaceus</i> Linné, 1761	168 ex.
<i>Argogorytes mystaceus grandis</i> Gussakovskij, 1932	2 ex.
<i>Astata affinis</i> Van der Linden, 1829	2 ex.
<i>Astata australasiae</i> Shuckard, 1838	19 ex.
<i>Astata boops</i> Schrank, 1781	85 ex.
<i>Astata costae</i> A. Costa, 1867	2 ex.
<i>Astata kashmirensis</i> Nurse, 1909	43 ex.
<i>Astata miegii</i> Dufour, 1861	3 ex.
<i>Astata minor</i> Kohl, 1885	58 ex.
<i>Astata nubecula</i> Cresson, 1865	2 ex.
<i>Astata pontica</i> Pulawski, 1958	1 ex.
<i>Astata quettae</i> Nurse, 1903	1 ex.
<i>Astata ruficaudata</i> Turner, 1917	1 ex.
<i>Belomicrus cladothricis</i> Cockerell, 1895	2 ex.
<i>Belomicrus eriogoni</i> Pate, 1940	2 ex.
<i>Belomicrus italicus</i> A. Costa, 1871	3 ex.
<i>Bembecinus buyssoni</i> Arnold, 1929	1 ex.
<i>Bembecinus cinguliger</i> Smith, 1856	1 ex.
<i>Bembecinus haemorrhoidalis</i> Handlirsch, 1900	1 ex.
<i>Bembecinus haplocerus</i> Handlirsch, 1895	1 ex.
<i>Bembecinus hungaricus</i> Frivaldszky, 1876	12 ex.
<i>Bembecinus insularis</i> Handlirsch, 1892	1 ex.
<i>Bembecinus laterimacula euteles</i> Handlirsch, 1895	1 ex.
<i>Bembecinus meridionalis</i> Costa, 1859	1 ex.
<i>Bembecinus oxydorcus</i> Handlirsch, 1900	22 ex.
<i>Bembecinus peregrinus</i> Smith, 1856	61 ex.
<i>Bembecinus polychromus</i> Handlirsch, 1895	1 ex.
<i>Bembecinus rhopaloceroides</i> Arnold, 1929	4 ex.
<i>Bembecinus simillimus</i> Smith, 1859	1 ex.
<i>Bembecinus tridens</i> Fabricius, 1781	61 ex.
<i>Bembix americana comata</i> Parker, 1917	9 ex.
<i>Bembix americana spinolae</i> Lepeletier, 1845	8 ex.

<i>Bembix amoena</i> Handlirsch, 1893	6 ex.
<i>Bembix bidentata</i> Van der Linden, 1829	4 ex.
<i>Bembix brullei</i> Guérin, 1831	22 ex.
<i>Bembix capensis</i> Lepeletier, 1845	6 ex.
<i>Bembix capicola</i> Handlirsch, 1893	9 ex.
<i>Bembix chlorotica</i> Spinola, 1838	2 ex.
<i>Bembix cinctella</i> Handlirsch, 1893	1 ex.
<i>Bembix citripes</i> Taschenberg, 1870	1 ex.
<i>Bembix dilatata</i> Radoszkowski, 1877	7 ex.
<i>Bembix diversipennis</i> Smith, 1873	2 ex.
<i>Bembix eburnea</i> Radoszkowsky, 1877	1 ex.
<i>Bembix formosana</i> Bischoff, 1913	15 ex.
<i>Bembix freygessneri</i> Morice, 1897	2 ex.
<i>Bembix fuscipennis</i> Lepeletier, 1845	3 ex.
<i>Bembix geneana</i> Costa, 1867	1 ex.
<i>Bembix glauca</i> Fabricius, 1787	8 ex.
<i>Bembix kriechnbaumeri</i> scitula Arnold, 1929	2 ex.
<i>Bembix maidli</i> Schulthess, 1927	1 ex.
<i>Bembix megerlei</i> Dahlbom, 1845	10 ex.
<i>Bembix melancholica</i> Smith, 1856	1 ex.
<i>Bembix multipicta</i> Smith, 1873	2 ex.
<i>Bembix oculata</i> Panzer, 1801	46 ex.
<i>Bembix olivacea</i> Fabricius, 1787	32 ex.
<i>Bembix olivata</i> Dahlbom, 1845	1 ex.
<i>Bembix pallida</i> Radoszkowski, 1877	1 ex.
<i>Bembix persa</i> Schulthess, 1927	2 ex.
<i>Bembix rostrata</i> Linné, 1758	88 ex.
<i>Bembix sinuata</i> Panzer, 1804	7 ex.
<i>Bembix</i> sp.	10 ex.
<i>Bembix taiwana</i> Bischoff, 1913	1 ex.
<i>Bembix tarsata</i> Latreille, 1809	31 ex.
<i>Bembix tranquebarica</i> Gmelin, 1790	2 ex.
<i>Bembix transcaspica</i> Radoszkowsky, 1893	7 ex.
<i>Bembix triangulifera</i> Arnold, 1944	1 ex.
<i>Bembix turca</i> Dahlbom, 1845	4 ex.
<i>Bembix ulula</i> Arnold, 1929	3 ex.
<i>Bembix zonata</i> Klug, 1835	1 ex.
<i>Bicyrtes discisus</i> Taschenberg, 1870	7 ex.
<i>Bicyrtes quadrifasciatus</i> Say, 1824	4 ex.
<i>Bicyrtes variegatus</i> Olivier, 1789	4 ex.
<i>Bicyrtes ventralis</i> Say, 1824	6 ex.
<i>Bicyrtes viduatus</i> Handlirsch, 1889	1 ex.
<i>Brachystegus scalaris</i> Illiger, 1807	13 ex.
<i>Cerceris acanthophila</i> Cockerell, 1897	2 ex.
<i>Cerceris albifrons</i> Smith, 1856	1 ex.
<i>Cerceris albofasciata</i> Rossi, 1790	10 ex.
<i>Cerceris albofasciata navigatrix</i> Strand, 1913	2 ex.

<i>Cerceris amakosa</i> Brauns, 1926	7 ex.
<i>Cerceris arenaria</i> Linné, 1758	261 ex.
<i>Cerceris australis</i> Saussure, 1854	2 ex.
<i>Cerceris bicincta</i> Klug, 1835	1 ex.
<i>Cerceris bicincta leucozonica</i> Schletterer, 1887	1 ex.
<i>Cerceris bicornuta</i> Guérin, 1844	2 ex.
<i>Cerceris bracteata</i> Eversmann, 1849	2 ex.
<i>Cerceris bupresticida</i> Dufour, 1841	1 ex.
<i>Cerceris californica</i> Cresson, 1865	2 ex.
<i>Cerceris capito</i> Lepeletier, 1845	1 ex.
<i>Cerceris chilensis</i> Spinola, 1851	37 ex.
<i>Cerceris circularis dacica</i> Schletterer, 1887	7 ex.
<i>Cerceris clypeata</i> Dahlbom, 1844	6 ex.
<i>Cerceris compacta</i> Cresson, 1865	2 ex.
<i>Cerceris convergens</i> Viereck & Cockerell, 1904	2 ex.
<i>Cerceris dentifrons</i> Cresson, 1865	1 ex.
<i>Cerceris deserta</i> Say, 1824	3 ex.
<i>Cerceris diodonta</i> Schletterer, 1887	4 ex.
<i>Cerceris emeryana</i> Gribodo, 1894	1 ex.
<i>Cerceris eryngii</i> Marquet, 1875	2 ex.
<i>Cerceris erythrosoma</i> Schletterer, 1887	3 ex.
<i>Cerceris femurrubrum</i> Viereck & Cockerell, 1904	1 ex.
<i>Cerceris fingo</i> Brauns, 1926	1 ex.
<i>Cerceris fischeri nobilitata</i> Cameron, 1905	1 ex.
<i>Cerceris flavicornis</i> Brullé, 1833	22 ex.
<i>Cerceris flavilabris</i> Fabricius, 1793	6 ex.
<i>Cerceris formosa hoefeldensis</i> Empey, 1971	1 ex.
<i>Cerceris formosana</i> Strand, 1913	3 ex.
<i>Cerceris frontata frontata</i> Say, 1823	2 ex.
<i>Cerceris fukaii superflua</i> Strand, 1913	6 ex.
<i>Cerceris fumipennis</i> Say, 1837	4 ex.
<i>Cerceris gayi</i> Spinola, 1851	5 ex.
<i>Cerceris grahami</i> Giner Mari,	1 ex.
<i>Cerceris guillarmodi</i> Empey,	2 ex.
<i>Cerceris heterospila</i> Cameron,	3 ex.
<i>Cerceris hexadonta</i> Strand, 1913	1 ex.
<i>Cerceris histerisnica</i> Spinola, 1838	3 ex.
<i>Cerceris holconota</i> Cameron, 1905	2 ex.
<i>Cerceris holconota labiosa</i> Empey, 1971	1 ex.
<i>Cerceris hortivaga</i> Kohl, 1880	3 ex.
<i>Cerceris horus</i> Arnold, 1931	1 ex.
<i>Cerceris iniqua cratocephala</i> Cameron, 1908	1 ex.
<i>Cerceris interrupta</i> Panzer, 1799	72 ex.
<i>Cerceris kobrowi</i> Brauns, 1926	5 ex.
<i>Cerceris languida</i> Cameron, 1905	2 ex.
<i>Cerceris latifrons</i> Bingham, 1902	1 ex.
<i>Cerceris lunata funerea</i> Costa, 1869	6 ex.

<i>Cerceris luzonensis fukaii</i> Rohwer, 1911	7 ex.
<i>Cerceris media</i> Klug, 1835	2 ex.
<i>Cerceris natalensis</i> Saussure, 1867	1 ex.
<i>Cerceris nigrescens</i> Smith, 1856	21 ex.
<i>Cerceris odontophora</i> Schletterer, 1887	3 ex.
<i>Cerceris oraniensis</i> Brauns, 1926	1 ex.
<i>Cerceris palmerstonensis</i> Giner Mari,	2 ex.
<i>Cerceris pearstonensis</i> Cameron, 1905	8 ex.
<i>Cerceris pearstonensis vadosafurcilla</i> Empey,	1 ex.
<i>Cerceris pharaonum</i> Kohl, 1898	1 ex.
<i>Cerceris pictifacies</i> Brauns, 1926	6 ex.
<i>Cerceris pictiventris formosicola</i> Strand, 1913	26 ex.
<i>Cerceris quadricincta</i> Panzer, 1799	40 ex.
<i>Cerceris quadrifasciata</i> Panzer, 1799	64 ex.
<i>Cerceris quinquefasciata</i> Rossi, 1792	142 ex.
<i>Cerceris rigida</i> Smith, 1856	2 ex.
<i>Cerceris rubida</i> Jurine, 1807	16 ex.
<i>Cerceris ruficauda lichtenburgensis</i> Brauns, 1926	5 ex.
<i>Cerceris ruficornis</i> Fabricius, 1793	127 ex.
<i>Cerceris rufocincta</i> Gerstaecker, 1857	1 ex.
<i>Cerceris rufocincta polychroma</i> Gribodo, 1895	1 ex.
<i>Cerceris rybyensis</i> Linné, 1771	263 ex.
<i>Cerceris sabulosa</i> Panzer, 1799	101 ex.
<i>Cerceris sinensis</i> Smith, 1856	5 ex.
<i>Cerceris</i> sp.	1 ex.
<i>Cerceris specularis</i> Costa, 1869	2 ex.
<i>Cerceris spinicaudata</i> Cameron, 1905	7 ex.
<i>Cerceris spinipectus</i> Smith, 1856	1 ex.
<i>Cerceris strandi</i> Giner Mari, 1943	1 ex.
<i>Cerceris stratiotes</i> Schletterer, 1887	1 ex.
<i>Cerceris tenuivittata</i> Dufour, 1849	1 ex.
<i>Cerceris trichionota</i> Cameron, 1908	1 ex.
<i>Cerceris trichionota kalaharica</i> Bischoff, 1913	2 ex.
<i>Cerceris trichobunda</i> Strand, 1913	1 ex.
<i>Cerceris tricolorata nigrifrons</i> Smith, 1856	15 ex.
<i>Cerceris tuberculata</i> Villers, 1789	9 ex.
<i>Cerceris varicincta</i> Cameron, 1905	10 ex.
<i>Cerceris vulpinides</i> Strand, 1910	1 ex.
<i>Cerceris xosa</i> Brauns, 1926	2 ex.
<i>Clitemnestra chilensis</i> Saussure, 1867	1 ex.
<i>Clypeadon laticinctus</i> Cresson, 1865	2 ex.
<i>Crabro alpinus</i> Imhoff, 1863	14 ex.
<i>Crabro altaicus</i> Morawitz, 1892	1 ex.
<i>Crabro cribrarius</i> Linné, 1758	318 ex.
<i>Crabro florissantensis</i> Rohwer, 1909	3 ex.
<i>Crabro ingricus</i> Morawitz, 1888	3 ex.
<i>Crabro lapponicus</i> Zetterstedt, 1838	4 ex.

<i>Crabro largior</i> Fox, 1895	1 ex.
<i>Crabro latipes</i> Smith, 1856	16 ex.
<i>Crabro loewi</i> Dahlbom, 1845	2 ex.
<i>Crabro maeklini</i> Morawitz, 1866	1 ex.
<i>Crabro peltarius</i> Schreber, 1784	296 ex.
<i>Crabro pugillator</i> Costa, 1871	1 ex.
<i>Crabro scutellatus</i> Scheven, 1781	204 ex.
<i>Crabro sibiricus</i> Morawitz, 1866	2 ex.
<i>Crabro signaticrus</i> Morawitz, 1893	1 ex.
<i>Crabro tumidus</i> Packard, 1867	1 ex.
<i>Cresson parvispinosus</i> Reed, 1894	2 ex.
<i>Crossocerus acanthophorus</i> Kohl, 1892	0 ex.
<i>Crossocerus annulipes</i> Lepeletier & Brullé, 1835	125 ex.
<i>Crossocerus assimilis</i> Smith, 1856	61 ex.
<i>Crossocerus barbipes</i> Dahlbom, 1845	11 ex.
<i>Crossocerus binotatus</i> Lepeletier & Brullé, 1835	51 ex.
<i>Crossocerus capitosus</i> Shuckard, 1837	35 ex.
<i>Crossocerus cetratus</i> Shuckard, 1837	139 ex.
<i>Crossocerus cinxius</i> Dahlbom, 1838	33 ex.
<i>Crossocerus congener</i> Dahlbom, 1844	25 ex.
<i>Crossocerus denticoxa</i> Bischoff, 1932	1 ex.
<i>Crossocerus denticrus</i> Herrich-Schäffer, 1841	0 ex.
<i>Crossocerus dimidiatus</i> Fabricius, 1781	40 ex.
<i>Crossocerus distinguendus</i> Morawitz, 1866	65 ex.
<i>Crossocerus elongatulus</i> Van der Linden, 1829	146 ex.
<i>Crossocerus exiguus</i> Van der Linden, 1829	34 ex.
<i>Crossocerus heydeni</i> Kohl, 1880	9 ex.
<i>Crossocerus leucostoma</i> Linné, 1758	43 ex.
<i>Crossocerus megacephalus</i> Rossi, 1790	93 ex.
<i>Crossocerus nigrinus</i> Lepeletier & Brullé, 1835	33 ex.
<i>Crossocerus ovalis</i> Lepeletier & Brullé, 1835	55 ex.
<i>Crossocerus palmipes</i> Linné, 1767	91 ex.
<i>Crossocerus podagricus</i> Van der Linden, 1829	224 ex.
<i>Crossocerus pullulus</i> Morawitz, 1866	36 ex.
<i>Crossocerus pusillus</i> Lepeletier & Brullé, 1834	50 ex.
<i>Crossocerus quadrimaculatus</i> Fabricius, 1793	153 ex.
<i>Crossocerus styrius</i> Kohl, 1892	6 ex.
<i>Crossocerus tarsatus</i> Shuckard, 1837	16 ex.
<i>Crossocerus vagabundus</i> Panzer, 1798	47 ex.
<i>Crossocerus varus</i> Lepeletier & Brullé, 1835	185 ex.
<i>Crossocerus walkeri</i> Shuckard, 1837	12 ex.
<i>Crossocerus wesmaeli</i> Van der Linden, 1829	154 ex.
<i>Dasyproctus bipunctatus</i> Lepeletier & Brullé, 1835	1 ex.
<i>Dasyproctus bipunctatus lichtenburgensis</i> Arnold, 1926	1 ex.
<i>Dasyproctus braunsii</i> Kohl, 1894	1 ex.
<i>Didineis lunicornis</i> Fabricius, 1798	17 ex.
<i>Dinetus pictus</i> Fabricius, 1793	71 ex.

<i>Diodontus handlirschi</i> Kohl, 1888	3 ex.
<i>Diodontus hyalinipennis</i> Kohl, 1892	7 ex.
<i>Diodontus insidiosus</i> Spooner, 1938	1 ex.
<i>Diodontus luperus</i> Shuckard, 1837	51 ex.
<i>Diodontus medius</i> Dahlbom, 1844	1 ex.
<i>Diodontus minutus</i> Fabricius, 1793	250 ex.
<i>Diodontus</i> sp.	1 ex.
<i>Diodontus tristis</i> Van der Linden, 1829	164 ex.
<i>Diploplectron palearcticum</i> Palawski, 1958	1 ex.
<i>Dryudella femoralis</i> Mocsáry, 1877	2 ex.
<i>Dryudella immigrans</i> Williams, 1946	1 ex.
<i>Dryudella lineata</i> Mocsáry, 1879	3 ex.
<i>Dryudella pinguis</i> Dahlbom, 1832	17 ex.
<i>Dryudella stigma</i> Panzer, 1809	4 ex.
<i>Dryudella tricolor</i> Van der Linden, 1829	10 ex.
<i>Ectemnius borealis</i> Zetterstedt, 1838	42 ex.
<i>Ectemnius cavifrons</i> Thomson, 1870	84 ex.
<i>Ectemnius cephalotes</i> Olivier, 1792	78 ex.
<i>Ectemnius confinis</i> Walker, 1871	21 ex.
<i>Ectemnius continuus</i> Fabricius, 1804	300 ex.
<i>Ectemnius crassicornis</i> Spinola, 1808	1 ex.
<i>Ectemnius decemmaculatus</i> Say, 1823	2 ex.
<i>Ectemnius dives</i> Lepeletier & Brullé, 1835	105 ex.
<i>Ectemnius fossorius</i> Linné, 1758	30 ex.
<i>Ectemnius guttatus</i> Van der Linden, 1829	68 ex.
<i>Ectemnius kriebbaumeri</i> Kohl, 1879	3 ex.
<i>Ectemnius lapidarius</i> Panzer, 1804	200 ex.
<i>Ectemnius lituratus</i> Panzer, 1805	69 ex.
<i>Ectemnius maculosus</i> Gmelin, 1790	5 ex.
<i>Ectemnius massiliensis</i> Kohl, 1883	1 ex.
<i>Ectemnius nigratarsus</i> Herrich-Schäffer, 1841	2 ex.
<i>Ectemnius rubicola</i> Dufour & Perris, 1840	41 ex.
<i>Ectemnius ruficornis</i> Zetterstedt, 1838	77 ex.
<i>Ectemnius rugifer</i> Dahlbom, 1845	9 ex.
<i>Ectemnius schlettereri</i> Kohl, 1888	2 ex.
<i>Ectemnius sexcinctus</i> Fabricius, 1775	120 ex.
<i>Ectemnius spinipes</i> A. Morawitz, 1866	5 ex.
<i>Ectemnius zonsteini</i> Zonstein,	2 ex.
<i>Editha adonis</i> Handlirsch, 1890	3 ex.
<i>Editha magnifica</i> Perty, 1833	1 ex.
<i>Entomognathus brevis</i> Van der Linden, 1829	92 ex.
<i>Entomognathus dentifer</i> Noskiewicz, 1929	4 ex.
<i>Entomosericus concinnus</i> Dahlbom, 1845	3 ex.
<i>Eucerceris bitruncata</i> Scullen, 1939	1 ex.
<i>Eucerceris canaliculata</i> Say, 1823	2 ex.
<i>Eucerceris conata</i> Scullen, 1939	1 ex.
<i>Eucerceris flavocincta</i> Cresson, 1865	10 ex.

<i>Eucerceris montana</i> Cresson, 1882	2 ex.
<i>Eucerceris provancheri</i> Dalla Torre, 1890	1 ex.
<i>Eucerceris rubripes</i> Cresson, 1879	2 ex.
<i>Eucerceris similis</i> Cresson, 1879	1 ex.
<i>Eucerceris tricolor</i> Cockerell, 1897	2 ex.
<i>Exeirius lateritius</i> Shuckard, 1838	2 ex.
<i>Gastrosericus capensis</i> Brauns, 1906	2 ex.
<i>Gastrosericus karoensis</i> Brauns, 1906	1 ex.
<i>Gastrosericus waltlii</i> Spinola, 1838	2 ex.
<i>Glenostictia pulla</i> Handlirsch, 1890	2 ex.
<i>Gorytes albidulus</i> Lepeletier, 1832	12 ex.
<i>Gorytes atricornis</i> Packard, 1867	1 ex.
<i>Gorytes fallax</i> Handlirsch, 1888	6 ex.
<i>Gorytes foveolatus</i> Handlirsch, 1888	1 ex.
<i>Gorytes laticinctus</i> Lepeletier, 1832	39 ex.
<i>Gorytes nigrifacies</i> Mocsáry, 1879	1 ex.
<i>Gorytes planifrons</i> Wesmael, 1852	1 ex.
<i>Gorytes pleuripunctatus</i> A. Costa, 1859	9 ex.
<i>Gorytes procrustes</i> Handlirsch, 1888	2 ex.
<i>Gorytes quadrifasciatus</i> Fabricius, 1804	85 ex.
<i>Gorytes quinquecinctus</i> Fabricius, 1793	80 ex.
<i>Gorytes quinquefasciatus</i> Panzer, 1798	24 ex.
<i>Gorytes schmiedeknechti</i> Handlirsch, 1888	1 ex.
<i>Gorytes simillimus</i> Smith, 1856	1 ex.
<i>Gorytes</i> sp.	1 ex.
<i>Gorytes sulcifrons</i> Costa, 1869	6 ex.
<i>Harpactus affinis</i> Spinola, 1808	4 ex.
<i>Harpactus elegans</i> Lepeletier, 1832	22 ex.
<i>Harpactus exiguus</i> Handlirsch, 1888	2 ex.
<i>Harpactus formosus</i> Jurine, 1807	17 ex.
<i>Harpactus laevis</i> Latreille, 1792	5 ex.
<i>Harpactus lunatus</i> Dahlbom, 1832	36 ex.
<i>Harpactus mendicus</i> Handlirsch, 1893	1 ex.
<i>Harpactus moravicus</i> Snoflak, 1943	ex.
<i>Harpactus pulchellus</i> A. Costa, 1859	2 ex.
<i>Harpactus transiens</i> A. Costa, 1887	4 ex.
<i>Harpactus tumidus</i> Panzer, 1801	24 ex.
<i>Hoplisoides latifrons</i> Spinola, 1808	3 ex.
<i>Hoplisoides punctuosus</i> Eversmann, 1849	4 ex.
<i>Hoplisoides thalia</i> Handlirsch, 1895	3 ex.
<i>Kohlia coxalis</i> Morice, 1897	5 ex.
<i>Larra alecto</i> Smith, 1858	2 ex.
<i>Larra amplipennis</i> Smith, 1873	1 ex.
<i>Larra anathema</i> Rossi, 1790	48 ex.
<i>Larra bicolor</i> Fabricius, 1804	4 ex.
<i>Larra carbonaria</i> Smith, 1858	5 ex.
<i>Larra</i> sp.	1 ex.

<i>Larropsis distincta</i> Smith, 1856	2 ex.
<i>Lestica alata</i> Panzer, 1797	146 ex.
<i>Lestica camelus</i> Eversmann, 1849	1 ex.
<i>Lestica clypeata</i> Schreber, 1759	146 ex.
<i>Lestica confluenta</i> Say, 1837	2 ex.
<i>Lestica producticollis</i> Packard, 1866	3 ex.
<i>Lestica subterranea</i> Fabricius, 1775	83 ex.
<i>Lestiphorus bicinctus</i> Rossi, 1794	17 ex.
<i>Lindenius albilabris</i> Fabricius, 1793	350 ex.
<i>Lindenius anatolicus</i> Beaumont, 1967	1 ex.
<i>Lindenius laevis</i> Costa, 1871	5 ex.
<i>Lindenius panzeri</i> Van der Linden, 1829	51 ex.
<i>Lindenius pygmaeus</i> Rossi, 1794	5 ex.
<i>Lindenius pygmaeus armatus</i> Van der Linden, 1829	22 ex.
<i>Lindenius subaeneus</i> Lepeletier & Brullé, 1835	3 ex.
<i>Liris antaka transvaalensis</i> Cameron, 1910	1 ex.
<i>Liris atratus</i> Spinola, 1805	7 ex.
<i>Liris atropos</i> Gribodo, 1894	1 ex.
<i>Liris aurulentus</i> Fabricius, 1787	15 ex.
<i>Liris ciliatus</i> Smith, 1856	1 ex.
<i>Liris deplanata binghami</i> Tsuneki, 1967	1 ex.
<i>Liris diabolica</i> Smith, 1873	2 ex.
<i>Liris ferrugineipes</i> Lepeletier, 1845	2 ex.
<i>Liris festinans japonica</i> Kohl, 1884	10 ex.
<i>Liris fuscinervus</i> Cameron, 1905	2 ex.
<i>Liris haemorrhoidalis</i> Fabricius, 1804	10 ex.
<i>Liris niger</i> Fabricius, 1775	12 ex.
<i>Liris nigricans</i> Walker, 1871	2 ex.
<i>Liris radialis</i> Saussure, 1887	2 ex.
<i>Liris rohweri</i> Williams, 1928	45 ex.
<i>Liris sepulchralis</i> Gerstaecker, 1858	8 ex.
<i>Liris</i> sp.	16 ex.
<i>Liris subfasciata</i> Walker, 1871	1 ex.
<i>Liris subtessellatus</i> Smith, 1856	136 ex.
<i>Liris surusumi</i> Tsuneki, 1966	3 ex.
<i>Liris thysanomera usambaraensis</i> Cameron, 1908	2 ex.
<i>Lithium jacobsi</i> Schmid-Egger, 2006	4 ex.
<i>Lyroda formosa</i> Smith, 1858	1 ex.
<i>Mellinus arvensis</i> Linné, 1758	400 ex.
<i>Mellinus bimaculatus</i> Packard, 1867	1 ex.
<i>Mellinus crabroneus</i> Thunberg, 1791	86 ex.
<i>Microbembex monodonta</i> Say, 1824	4 ex.
<i>Microbembex sulphurea</i> Spinola, 1851	8 ex.
<i>Mimesa bicolor</i> Jurine, 1807	58 ex.
<i>Mimesa bruxellensis</i> Bondroit, 1934	17 ex.
<i>Mimesa crassipes</i> A. Costa, 1871	3 ex.
<i>Mimesa edentata</i> Malloch, 1933	1 ex.

<i>Mimesa equestris</i> Fabricius, 1804	82 ex.
<i>Mimesa grandii</i> Maidl, 1933	2 ex.
<i>Mimesa gregaria</i> Fox, 1898	3 ex.
<i>Mimesa lutaria</i> Fabricius, 1787	31 ex.
<i>Mimesa pauper</i> Packard, 1867	3 ex.
<i>Mimesa uncinata</i> Cresson, 1865	1 ex.
<i>Mimumesa atratina</i> Morawitz, 1891	76 ex.
<i>Mimumesa beaumonti</i> Lith, 1949	1 ex.
<i>Mimumesa clypeata</i> Fox, 1898	1 ex.
<i>Mimumesa dahlbomi</i> Wesmael, 1852	27 ex.
<i>Mimumesa littoralis</i> Bondroit, 1934	4 ex.
<i>Mimumesa spooneri</i> Richards, 1948	2 ex.
<i>Mimumesa unicolor</i> Van der Linden, 1829	57 ex.
<i>Miscophus ater</i> Lepeletier, 1845	61 ex.
<i>Miscophus bicolor</i> Jurine, 1807	17 ex.
<i>Miscophus concolor</i> Dahlbom, 1844	25 ex.
<i>Miscophus eatoni</i> Saunders, 1903	1 ex.
<i>Miscophus niger</i> Dahlbom, 1844	15 ex.
<i>Miscophus nigripes</i> Honore, 1944	4 ex.
<i>Miscophus postumus</i> Bischoff, 1921	3 ex.
<i>Miscophus spurius</i> Dahlbom, 1832	4 ex.
<i>Nitela borealis</i> Valkeila, 1974	19 ex.
<i>Nitela fallax</i> Kohl, 1884	1 ex.
<i>Nitela spinolae</i> Latreille, 1809	38 ex.
<i>Nysson argenticus</i> Bohart, 1968	2 ex.
<i>Nysson decemmaculatus</i> Spinola, 1808	1 ex.
<i>Nysson dimidiatus</i> Jurine, 1807	42 ex.
<i>Nysson hrubanti</i> Balthasar, 1972	3 ex.
<i>Nysson interruptus</i> Fabricius, 1798	16 ex.
<i>Nysson konowi</i> Mercet, 1909	1 ex.
<i>Nysson maculosus</i> Gmelin, 1790	85 ex.
<i>Nysson niger</i> Chevrier, 1868	10 ex.
<i>Nysson rugosus</i> Cameron, 1890	2 ex.
<i>Nysson spinosus</i> Forster, 1771	89 ex.
<i>Nysson tridens</i> Gerstaecker, 1867	22 ex.
<i>Nysson trimaculatus</i> Rossi, 1799	30 ex.
<i>Olgia bensoni</i> Beaumont, 1950	1 ex.
<i>Oryttus concinnus</i> Rossi, 1790	1 ex.
<i>Oxybelus acutissimus propinquus</i> Arnold, 1927	2 ex.
<i>Oxybelus aethiopicus</i> Cameron, 1906	7 ex.
<i>Oxybelus angustus</i> Saussure, 1892	1 ex.
<i>Oxybelus argentatus</i> Curtis, 1833	64 ex.
<i>Oxybelus argentatus treforti</i> Sajò, 1884	3 ex.
<i>Oxybelus argenteopilosus</i> Cameron, 1891	2 ex.
<i>Oxybelus aurantiacus</i> Mocsáry, 1883	1 ex.
<i>Oxybelus bipunctatus</i> Olivier, 1812	130 ex.
<i>Oxybelus cornutus</i> Robertson, 1889	1 ex.

<i>Oxybelus curviscutis</i> Arnold, 1927	5 ex.
<i>Oxybelus dissectus elegans</i> Mocsáry, 1879	1 ex.
<i>Oxybelus fischeri</i> Spinola, 1839	2 ex.
<i>Oxybelus haemorrhoidalis</i> Olivier, 1812	19 ex.
<i>Oxybelus lamellatus bicolorisquama</i> Strand, 1923	4 ex.
<i>Oxybelus latidens</i> Gerstaecker, 1867	5 ex.
<i>Oxybelus latro</i> Olivier, 1812	16 ex.
<i>Oxybelus lineatus</i> Fabricius, 1787	30 ex.
<i>Oxybelus lingula</i> Gerstaecker, 1867	7 ex.
<i>Oxybelus maculipes</i> Smith, 1856	2 ex.
<i>Oxybelus mandibularis</i> Dahlbom, 1845	26 ex.
<i>Oxybelus mucronatus</i> Fabricius, 1793	11 ex.
<i>Oxybelus peringueyi</i> Saussure, 1892	1 ex.
<i>Oxybelus quatuordecimnotatus</i> Jurine, 1807	93 ex.
<i>Oxybelus ruficaudis</i> Cameron, 1905	2 ex.
<i>Oxybelus sericeus</i> Robertson, 1889	2 ex.
<i>Oxybelus subspinosus</i> Klug, 1835	2 ex.
<i>Oxybelus trispinosus</i> Fabricius, 1787	16 ex.
<i>Oxybelus uniglumis</i> Linné, 1758	220 ex.
<i>Oxybelus variegatus</i> Wesmael, 1852	14 ex.
<i>Palarus handlirschi</i> Brauns, 1912	1 ex.
<i>Palarus laetus</i> Klug, 1845	3 ex.
<i>Palarus latifrons</i> Kohl, 1884	5 ex.
<i>Palarus oneili</i> Brauns, 1899	3 ex.
<i>Palarus rufipes</i> Latreille, 1812	20 ex.
<i>Palarus variegatus</i> Fabricius, 1781	3 ex.
<i>Paranysson quadridentatus</i> Cameron, 1910	2 ex.
<i>Parapiagetia erythropoda</i> Cameron, 1889	1 ex.
<i>Passaloecus borealis</i> Dahlbom, 1844	4 ex.
<i>Passaloecus brevilabris</i> Wolf, 1958	12 ex.
<i>Passaloecus clypealis</i> Faester, 1947	7 ex.
<i>Passaloecus corniger</i> Shuckard, 1837	104 ex.
<i>Passaloecus eremita</i> Kohl, 1893	30 ex.
<i>Passaloecus gracilis</i> Curtis, 1834	53 ex.
<i>Passaloecus insignis</i> Van der Linden, 1829	89 ex.
<i>Passaloecus monilicornis</i> Dahlbom, 1842	36 ex.
<i>Passaloecus pictus</i> Ribaut, 1952	2 ex.
<i>Passaloecus singularis</i> Dahlbom, 1844	210 ex.
<i>Passaloecus turionum</i> Dahlbom, 1844	32 ex.
<i>Pemphredon austriacus</i> Kohl, 1888	3 ex.
<i>Pemphredon enslini</i> Wagner, 1932	10 ex.
<i>Pemphredon fabricii</i> Müller, 1911	201 ex.
<i>Pemphredon grinnelli</i> Rohwer, 1910	2 ex.
<i>Pemphredon inornata</i> Say, 1824	155 ex.
<i>Pemphredon lethifer</i> Shuckard, 1837	136 ex.
<i>Pemphredon lugens</i> Dahlbom, 1842	59 ex.
<i>Pemphredon lugubris</i> Fabricius, 1793	118 ex.

<i>Pemphredon montana</i> Dahlbom, 1845	39 ex.
<i>Pemphredon morio</i> Van der Linden, 1829	26 ex.
<i>Pemphredon podagrica</i> Chevrier, 1870	2 ex.
<i>Pemphredon rugifer</i> Dahlbom, 1844	105 ex.
<i>Pemphredon</i> sp.	6 ex.
<i>Pemphredon wesmaeli</i> Morawitz, 1864	18 ex.
<i>Philanthus bilunatus</i> Cresson, 1865	2 ex.
<i>Philanthus coarctatus</i> Spinola, 1838	1 ex.
<i>Philanthus coronatus</i> Thunberg, 1784	9 ex.
<i>Philanthus crabroniformis</i> Smith, 1856	1 ex.
<i>Philanthus dichrous</i> Kohl, 1894	2 ex.
<i>Philanthus dichrous dolosus</i> Kohl, 1894	2 ex.
<i>Philanthus fuscipennis</i> Guérin, 1844	6 ex.
<i>Philanthus gibbosus</i> Fabricius, 1775	5 ex.
<i>Philanthus histrio</i> Fabricius, 1804	13 ex.
<i>Philanthus loeflingi</i> Dahlbom, 1845	6 ex.
<i>Philanthus multimaculatus</i> Cameron, 1891	6 ex.
<i>Philanthus politus politus</i> Say, 1824	1 ex.
<i>Philanthus pulchellus</i> Spinola, 1842	5 ex.
<i>Philanthus pulcher</i> Dalla Torre, 1897	3 ex.
<i>Philanthus sanbornii</i> Cresson, 1865	2 ex.
<i>Philanthus solivagus</i> Say, 1837	1 ex.
<i>Philanthus stygius</i> Gerstaecker, 1857	18 ex.
<i>Philanthus stygius atronitens</i> Arnold, 1925	2 ex.
<i>Philanthus triangulum</i> Fabricius, 1775	231 ex.
<i>Philanthus triangulum abdelcader</i> Lepeletier, 1845	5 ex.
<i>Philanthus triangulum diadema</i> Fabricius, 1781	19 ex.
<i>Philanthus variegatus</i> Spinola, 1838	1 ex.
<i>Philanthus venustus</i> Rossi, 1790	25 ex.
<i>Philanthus zebratus</i> Cresson, 1879	2 ex.
<i>Pison argentatum</i> Shuckard, 1838	3 ex.
<i>Pison atrum</i> Spinola, 1808	1 ex.
<i>Pison chilense</i> Spinola, 1851	5 ex.
<i>Pison montanum</i> Cameron, 1908	1 ex.
<i>Pison morosum</i> Smith, 1856	3 ex.
<i>Pison punctifrons</i> Shuckard, 1838	41 ex.
<i>Pison sericeum</i> Kohl, 1888	2 ex.
<i>Pison transvaalense</i> Cameron, 1910	1 ex.
<i>Plenoculus mexicanus</i> Williams, 1960	1 ex.
<i>Plenoculus sinuatus</i> Williams, 1960	2 ex.
<i>Prosopigastra creon</i> Nurse, 1903	1 ex.
<i>Prosopigastra handlirschi</i> Morice, 1897	1 ex.
<i>Prosopigastra menelaus</i> Nurse, 1903	2 ex.
<i>Prosopigastra moricei</i> Mercet, 1907	1 ex.
<i>Prosopigastra orientalis</i> de Beaumont, 1947	1 ex.
<i>Psammaecius punctulatus</i> Van der Linden, 1829	2 ex.
<i>Psen ater</i> Olivier, 1792	64 ex.

<i>Psen rufiventris</i> Cameron, 1890	1 ex.
<i>Psen</i> sp.	6 ex.
<i>Psen tenuis</i> Oehlke, 1965	4 ex.
<i>Psenulus anomoneurae</i> Yasumatsu, 1938	2 ex.
<i>Psenulus concolor</i> Dahlbom, 1843	57 ex.
<i>Psenulus formosicola</i> Strand, 1916	27 ex.
<i>Psenulus fuscipennis</i> Dahlbom, 1843	102 ex.
<i>Psenulus laevigatus</i> Schenck, 1857	15 ex.
<i>Psenulus meridionalis</i> Beaumont, 1937	6 ex.
<i>Psenulus ornatus kankauensis</i> Strand, 1916	1 ex.
<i>Psenulus pallipes</i> Panzer, 1798	117 ex.
<i>Psenulus schencki</i> Tournier, 1889	43 ex.
<i>Psenulus taihorinis</i> Strand, 1916	1 ex.
<i>Psenulus xanthognathus</i> Rohwer, 1910	1 ex.
<i>Pseudoplisus phaleratus</i> Say, 1837	1 ex.
<i>Pseudoscolia dewitzi</i> Kohl, 1889	1 ex.
<i>Pseudoscolia theryi</i> Vachal, 1893	2 ex.
<i>Pulverro columbianus</i> Kohl, 1890	2 ex.
<i>Rhopalum austriacum</i> Kohl, 1899	1 ex.
<i>Rhopalum clavipes</i> Linné, 1758	113 ex.
<i>Rhopalum coarctatum</i> Scopoli, 1763	82 ex.
<i>Rhopalum gracile</i> Wesmael, 1852	6 ex.
<i>Rhopalum laticorne</i> Tsuneki, 1947	1 ex.
<i>Rubrica gravida</i> Handlirsch, 1890	5 ex.
<i>Rubrica nasuta</i> Christ, 1791	16 ex.
<i>Sericophorus relucens</i> Smith, 1856	2 ex.
<i>Solierella blaisdelli</i> Bridwell, 1920	2 ex.
<i>Solierella chilensis</i> Kohl, 1892	3 ex.
<i>Solierella compedita</i> Piccioli, 1869	3 ex.
<i>Solierella jaffueli</i> Herbst, 1920	1 ex.
<i>Solierella pisonoides</i> Saunders, 1873	1 ex.
<i>Sphecius antennatus</i> Klug, 1845	3 ex.
<i>Sphecius claripennis</i> Morice, 1911	1 ex.
<i>Sphecius conicus</i> Germar, 1817	7 ex.
<i>Sphecius convallis</i> Patton, 1879	2 ex.
<i>Sphecius grandidieri</i> Saussure, 1887	1 ex.
<i>Sphecius hemixanthopterus</i> Morice, 1911	1 ex.
<i>Sphecius speciosus</i> Drury, 1773	2 ex.
<i>Sphecius spectabilis</i> Taschenberg, 1875	2 ex.
<i>Spilomena beata</i> Blüthgen, 1953	11 ex.
<i>Spilomena curruca</i> Dahlbom, 1843	2 ex.
<i>Spilomena differens</i> Blüthgen, 1953	3 ex.
<i>Spilomena enslini</i> Blüthgen, 1953	2 ex.
<i>Spilomena troglodytes</i> Van der Linden, 1829	58 ex.
<i>Steniolia californiensis</i> Gillaspay, 1964	2 ex.
<i>Steniolia scolopacea</i> Handlirsch, 1889	2 ex.
<i>Stictia lineata</i> Fabricius, 1793	2 ex.

<i>Stictia maculata</i> Fabricius, 1804	4 ex.
<i>Stictia signata</i> Linné, 1758	11 ex.
<i>Stigmus pendulus</i> Panzer, 1804	120 ex.
<i>Stigmus solskyi</i> A. Morawitz, 1864	39 ex.
<i>Stizoides assimilis</i> Fabricius, 1787	1 ex.
<i>Stizoides crassicornis</i> Fabricius, 1787	2 ex.
<i>Stizoides melanopterus</i> Dahlbom, 1845	1 ex.
<i>Stizoides tridentatus</i> Fabricius, 1775	11 ex.
<i>Stizus bipunctatus</i> Smith, 1856	1 ex.
<i>Stizus ellenbergi</i> Arnold, 1929	6 ex.
<i>Stizus fasciatus</i> Fabricius, 1781	10 ex.
<i>Stizus imperialis</i> Handlirsch, 1892	1 ex.
<i>Stizus marthae cheops</i> Handlirsch, 1897	1 ex.
<i>Stizus perrisi</i> Dufour, 1838	1 ex.
<i>Stizus ruficornis</i> Förster, 1771	12 ex.
<i>Stizus tricolor</i> Handlirsch, 1892	2 ex.
<i>Tachysphex aequalis</i> Fox, 1894	1 ex.
<i>Tachysphex aethiopicus</i> Arnold, 1923	4 ex.
<i>Tachysphex alayoi</i> Pulawski, 1974	2 ex.
<i>Tachysphex albocinctus</i> Lucas, 1849	4 ex.
<i>Tachysphex argentifrons</i> Arnold, 1924	1 ex.
<i>Tachysphex ashmeadi</i> Fox, 1894	2 ex.
<i>Tachysphex asinus</i> Arnold, 1923	1 ex.
<i>Tachysphex bengalensis</i> Cameron, 1889	9 ex.
<i>Tachysphex brullii</i> Smith, 1856	6 ex.
<i>Tachysphex changi</i> Tsuneki, 1967	2 ex.
<i>Tachysphex consocius</i> Kohl, 1892	2 ex.
<i>Tachysphex costae</i> Destefani, 1882	1 ex.
<i>Tachysphex denisi</i> Beaumont, 1936	1 ex.
<i>Tachysphex discrepans</i> Turner, 1915	1 ex.
<i>Tachysphex fugax</i> Radoszkowsky, 1877	2 ex.
<i>Tachysphex fulvitaris</i> Costa, 1867	37 ex.
<i>Tachysphex helveticus</i> Kohl, 1885	31 ex.
<i>Tachysphex incertus</i> Radoszkowsky, 1877	4 ex.
<i>Tachysphex laticeps</i> Arnold, 1924	1 ex.
<i>Tachysphex mediterraneus</i> Kohl, 1883	1 ex.
<i>Tachysphex nitidior</i> Beaumont, 1940	7 ex.
<i>Tachysphex nitidus</i> Spinola, 1805	39 ex.
<i>Tachysphex obscuripennis</i> Schenck, 1857	48 ex.
<i>Tachysphex panzeri</i> Van der Linden, 1829	32 ex.
<i>Tachysphex pisonoides</i> Reed, 1894	25 ex.
<i>Tachysphex pompiliformis</i> Panzer, 1805	161 ex.
<i>Tachysphex psammobius</i> Kohl, 1880	20 ex.
<i>Tachysphex rufitaris</i> Spinola, 1851	28 ex.
<i>Tachysphex schmiedeknechti</i> Kohl, 1883	1 ex.
<i>Tachysphex sericeus</i> Smith, 1856	3 ex.
<i>Tachysphex</i> sp.	9 ex.

<i>Tachysphex tarsinus</i> Lepeletier, 1845	5 ex.
<i>Tachysphex unguiculatus</i> Arnold, 1924	1 ex.
<i>Tachysphex unicolor</i> Panzer, 1809	29 ex.
<i>Tachytes argyropis</i> Saussure, 1887	3 ex.
<i>Tachytes aurulentus</i> Fabricius, 1804	3 ex.
<i>Tachytes cataractae</i> Arnold, 1923	1 ex.
<i>Tachytes chrysopyga</i> Spinola, 1841	1 ex.
<i>Tachytes crassus</i> Patton, 1880	4 ex.
<i>Tachytes dilaticornis</i> Turner, 1916	1 ex.
<i>Tachytes disputabilis</i> Turner, 1917	2 ex.
<i>Tachytes distinctus</i> Smith, 1856	2 ex.
<i>Tachytes erynnis</i> Turner, 1917	3 ex.
<i>Tachytes etruscus</i> Rossi, 1790	6 ex.
<i>Tachytes fraternus</i> Taschenberg, 1870	2 ex.
<i>Tachytes freygessneri</i> Kohl, 1881	4 ex.
<i>Tachytes fruticis</i> Tsuneki, 1964	3 ex.
<i>Tachytes harpax</i> Patton, 1880	3 ex.
<i>Tachytes lingnau</i> Arnold, 1933	1 ex.
<i>Tachytes matronalis</i> Dahlbom, 1845	1 ex.
<i>Tachytes modestus</i> Smith, 1856	10 ex.
<i>Tachytes modestus banoensis</i> Rohwer, 1919	2 ex.
<i>Tachytes nigropilosellus</i> Cameron, 1910	2 ex.
<i>Tachytes obsoletus</i> Rossi, 1792	15 ex.
<i>Tachytes panzeri</i> Dufour, 1841	27 ex.
<i>Tachytes pulchricornis</i> Turner, 1917	4 ex.
<i>Tachytes punctuosus</i> Arnold, 1923	1 ex.
<i>Tachytes saundersii</i> Bingham, 1897	16 ex.
<i>Tachytes separabilis</i> Turner, 1917	1 ex.
<i>Tachytes silverlocki</i> Turner, 1917	1 ex.
<i>Tachytes</i> sp.	1 ex.
<i>Tachytes testaceinervus</i> Cameron, 1908	1 ex.
<i>Tachytes transvaalensis</i> Cameron, 1905	3 ex.
<i>Tachytes versatilis</i> Turner, 1917	1 ex.
<i>Timberlakena nolcha</i> Pate, 1939	2 ex.
<i>Tracheliodes curvitaris</i> Herrich-Schäffer, 1841	1 ex.
<i>Tracheliodes quinquenotatus</i> Jurine, 1807	7 ex.
<i>Trachypus denticollis</i> Spinola, 1851	5 ex.
<i>Trachypus elongatus</i> Fabricius, 1804	1 ex.
<i>Trachypus miles</i> Schrottky, 1909	2 ex.
<i>Trachypus patagonensis</i> Saussure, 1854	1 ex.
<i>Trichostictia guttata</i> Taschenberg, 1870	1 ex.
<i>Trypoxylon albipes</i> Smith, 1856	1 ex.
<i>Trypoxylon albitarse</i> Fabricius, 1804	25 ex.
<i>Trypoxylon ashmeadi</i> Balthasar, 1966	1 ex.
<i>Trypoxylon attenuatum</i> Smith, 1851	190 ex.
<i>Trypoxylon aurifrons</i> Shuckard, 1837	2 ex.
<i>Trypoxylon beaumonti</i> Antropov, 1991	5 ex.

<i>Trypoxylon californicum</i> Saussure, 1867	2 ex.
<i>Trypoxylon clavicerum</i> Lepeletier & Serville, 1828	557 ex.
<i>Trypoxylon deceptorium</i> Antropov, 1991	6 ex.
<i>Trypoxylon figulus</i> Linné, 1758	150 ex.
<i>Trypoxylon formosicola</i> Strand, 1922	37 ex.
<i>Trypoxylon fronticorne</i> Gussakovskij, 1936	1 ex.
<i>Trypoxylon fuscipenne</i> Fabricius, 1804	1 ex.
<i>Trypoxylon hyperorientale</i> Strand, 1922	14 ex.
<i>Trypoxylon kohli</i> Arnold, 1924	6 ex.
<i>Trypoxylon kolazyi</i> Kohl, 1893	2 ex.
<i>Trypoxylon koshunicum</i> Strand, 1922	1 ex.
<i>Trypoxylon lactitarse</i> Saussure, 1867	1 ex.
<i>Trypoxylon medium</i> Beaumont, 1945	55 ex.
<i>Trypoxylon melanocorne</i> Strand, 1922	7 ex.
<i>Trypoxylon minus</i> Beaumont, 1945	191 ex.
<i>Trypoxylon mutatum confluens</i> Richards, 1934	1 ex.
<i>Trypoxylon petioloides</i> Strand, 1922	16 ex.
<i>Trypoxylon politum</i> Say, 1837	1 ex.
<i>Trypoxylon puttalamum</i> Strand, 1922	2 ex.
<i>Trypoxylon schmiedeknechtii</i> Kohl, 1906	15 ex.
<i>Trypoxylon scutatatum</i> Chevrier, 1867	1 ex.
<i>Trypoxylon</i> sp.	13 ex.
<i>Trypoxylon stroudi</i> Gribodo, 1884	2 ex.
<i>Trypoxylon tainanense</i> Strand, 1923	3 ex.
<i>Trypoxylon takasago</i> Tsuneki, 1966	1 ex.
<i>Tzustigmus rhinocerus</i> Budrys, 1987	1 ex.
<i>Zyzyx chilensis</i> Eschscholtz, 1822	10 ex.