

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Abeleses coeruleus Rohwer, 1916	Abeleses coeruleus Rohwer, 1916	H	[Symphyta]
Abeleses formosanus var. notatus Rohwer, 1916	Abeleses formosanus notatus Rohwer, 1916	H	[Symphyta]
Abia candens Konow, 1887	Abia candens Konow, 1887	S	[Symphyta]
Abia gribodoi Konow, 1895	Abia gribodoi Konow, 1895	H	[Symphyta]
Abia pilosa Konow, 1896	Orientabia japonica (Cameron, 1887)	S	[Symphyta]
Abia spissicornis Konow, 1902	Abia spissicornis Konow, 1902	H	[Symphyta]
Abusarbia shanibia Malaise, 1944	Abusarbia shanibia Malaise, 1944	P	[Symphyta]
Acanthocryptus braunsi Lange, 1911	Endasys plagiator Gravenhorst, 1829	H	[Ichneumonidae]
Acanthocryptus hokutensis Uchida, 1932	Rhembobius hokutensis Uchida, 1932	H	[Ichneumonidae]
Acanthojoppa sauteri Uchida, 1932	Allonotus politus sauteri Uchida, 1932	L	[Ichneumonidae]
Acerataspis formosana Cushman, 1937	Acerataspis formosana Cushman, 1937	H	[Ichneumonidae]
Acherdocerus annulicornis Benson & Conde, 1938	Decameria annulicornis (Benson & Conde, 1938)	S	[Symphyta]
Acherdocerus horni Benson & Conde, 1938	Decameria horni (Benson & Conde, 1938)	H	[Symphyta]
Acidiophora decora Konow, 1899	Acidiophora decora Konow, 1899	H	[Symphyta]
Acidiophora konowi Smith, 1972	Acidiophora konowi D. R. Smith, 1972	H	[Symphyta]
Acordulecera lituratus Konow, 1906	Acordulecera liturata (Konow, 1906)	H	[Symphyta]
Acorduleceros arcticornis Konow, 1903	Acordulecera arcticornis (Konow, 1903)	L	[Symphyta]
Acorduleceros biclinius Konow, 1898	Acordulecera dorsalis Say, 1836	L	[Symphyta]
Acorduleceros bigrammatus Konow, 1906	Acordulecera bigrammata (Konow, 1906)	L	[Symphyta]
Acorduleceros calceolatus Konow, 1906	Acordulecera calceolata (Konow, 1906)	H	[Symphyta]
Acorduleceros cervicatus Konow, 1906	Acordulecera cervicata (Konow, 1906)	L	[Symphyta]
Acorduleceros cestatus Konow, 1906	Acordulecera cestata (Konow, 1906)	L	[Symphyta]
Acorduleceros globulicornis Konow, 1903	Acordulecera globulicornis (Konow, 1903)	L	[Symphyta]
Acorduleceros gregalis Konow, 1906	Acordulecera gregalis (Konow, 1906)	H	[Symphyta]
Acorduleceros illotus Konow, 1906	Acordulecera illota (Konow, 1906)	H	[Symphyta]
Acorduleceros inglorius Konow, 1906	Acordulecera ingloria (Konow, 1906)	H	[Symphyta]
Acorduleceros inquinatus Konow, 1903	Acordulecera inquinata (Konow, 1903)	L	[Symphyta]
Acorduleceros insignis Konow, 1903	Acordulecera insignis (Konow, 1903)	L	[Symphyta]
Acorduleceros longimanus Konow, 1899	Acordulecera longimanus (Konow, 1899)	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Acorduleceros nigricomus</i> Konow, 1903	<i>Acordulecera nigricoma</i> (Konow, 1903)	H	[Symphyta]
<i>Acorduleceros pallidus</i> Konow, 1906	<i>Acordulecera pallida</i> (Konow, 1906)	H	[Symphyta]
<i>Acorduleceros pellucidus</i> Konow, 1898	<i>Acordulecera pellucida</i> (Konow, 1898)	H	[Symphyta]
<i>Acorduleceros pupulus</i> Konow, 1903	<i>Acordulecera pupula</i> (Konow, 1903)	H	[Symphyta]
<i>Acorduleceros ricatus</i> Konow, 1906	<i>Acordulecera ricata</i> (Konow, 1906)	H	[Symphyta]
<i>Acorduleceros rudis</i> Konow, 1906	<i>Acordulecera rudis</i> (Konow, 1906)	H	[Symphyta]
<i>Acorduleceros ruficeps</i> Konow, 1899	<i>Tequus ruficeps</i> (Konow, 1899)	L	[Symphyta]
<i>Acorduleceros russatus</i> Konow, 1906	<i>Acordulecera russata</i> (Konow, 1906)	L	[Symphyta]
<i>Acorduleceros schrottkyi</i> Konow, 1906	<i>Tequus schrottkyi</i> (Konow, 1906)	L	[Symphyta]
<i>Acorduleceros spathulatus</i> Konow, 1906	<i>Acordulecera spathulata</i> (Konow, 1906)	H	[Symphyta]
<i>Acorduleceros stigmaticus</i> Konow, 1906	<i>Acordulecera stigmatica</i> (Konow, 1906)	H	[Symphyta]
<i>Acorduleceros tegularis</i> Konow, 1906	<i>Acordulecera tegularis</i> (Konow, 1906)	H	[Symphyta]
<i>Acorduleceros thoracalis</i> Konow, 1906	<i>Acordulecera thoracalis</i> (Konow, 1906)	L	[Symphyta]
<i>Acorduleceros trux</i> Konow, 1899	<i>Acordulecera trux</i> (Konow, 1899)	H	[Symphyta]
<i>Acorduleceros ventralis</i> Konow, 1898	<i>Acordulecera ventralis</i> (Konow, 1898)	H	[Symphyta]
<i>Acorduleceros vericulatus</i> Konow, 1899	<i>Acordulecera vericulata</i> (Konow, 1899)	L	[Symphyta]
<i>Acorduleceros viridipes</i> Konow, 1899	<i>Quetutus viridipes</i> (Konow, 1899)	H	[Symphyta]
<i>Acrogymnia scutimacula</i> Malaise, 1942	<i>Acrogymnia scutimacula</i> Malaise, 1942	P	[Symphyta]
<i>Acropyga sauteri</i> Forel, 1912	<i>Acropyga sauteri</i> Forel, 1912	S	[Formicidae]
<i>Aegilips petiolata</i> Hedicke, i.l.	<i>Aegilips petiolata</i> Hedicke, i.l.	I	[Figitidae]
<i>Aelurus ater</i> Duran-Moya, 1941	<i>Aelurus ater</i> Duran-Moya, 1941	H	[Thynnidae]
<i>Aenictus deuqueti</i> Crawley, 1923	<i>Aenictus deuqueti</i> Crawley, 1923	P	[Formicidae]
<i>Aenictus ceylonicus</i> var. <i>formosensis</i> Forel, 1913	<i>Aenictus ceylonicus formosensis</i> Forel, 1913	S	[Formicidae]
<i>Aenictus laticapus sauteri</i> Forel, 1913	<i>Aenictus laticapus sauteri</i> Forel, 1913	S	[Formicidae]
<i>Aenictus longi taivanae</i> Forel, 1913	<i>Aenictus longi taivanae</i> Forel, 1913	H	[Formicidae]
<i>Aenictus togoensis</i> Santschi, 1915	<i>Aenictus togoensis</i> Santschi, 1915	H	[Formicidae]
<i>Afrephialtes cicatricosus</i> Ratzeburg, 1852	<i>Afrephialtes cicatricosus</i> Ratzeburg, 1852	O	[Ichneumonidae]
<i>Aglaostigma tertium</i> Zinovjev, 1994	<i>Aglaostigma tertium</i> Zinovjev, 1994	P	[Symphyta]
<i>Agrypon flexorioides</i> Schnee, 1989	<i>Agrypon flexorioides</i> Schnee, 1989	P	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Agrypon trochanteralis Cushman, 1937	Agrypon trochanterale Cushman, 1937	H	[Ichneumonidae]
Alaptus foersteri Soyka, 1939	Alaptus foersteri Soyka, 1939	S	[Chalcididae]
Alaptus stammeri Soyka, 1939	Alaptus stammeri Soyka, 1939	S	[Mymaridae]
Allantus albipectus Konow, 1907	Tenthredo felderi Radoszkowsky, 1872	S	[Symphyta]
Allantus andrei Konow, 1898	Tenthredo adaequata (Enslin, 1912)	L	[Symphyta]
Allantus annuliger Konow, 1899	Elinora pallidipes (Dalla Torre, 1894)	H	[Symphyta]
Allantus fasciatus var. antigae Konow, 1903	Tenthredo bizonula (Enslin, 1910)	L	[Symphyta]
Allantus antigae Konow, 1895	Tenthredo varicarpus (Ed. André, 1881)	L	[Symphyta]
Allantus appendicularis Malaise, 1934	Tenthredo minuta (Jakovlev, 1891)	R	[Symphyta]
Allantus asperatus Konow, 1906	Tenthredo asperata (Konow, 1906)	L	[Symphyta]
Allantus bonensis Konow, 1890	Tenthredo lucasii (W. F. Kirby, 1882)	S	[Symphyta]
Allantus brevicornis Konow, 1886	Tenthredo brevicornis (Konow, 1886)	L	[Symphyta]
Allantus brevivertex Konow, 1905	Tenthredo brevivertex brevivertex (Konow, 1905)	S	[Symphyta]
Allantus capucinus Jakovlev, 1891	Tenthredo haberhaueri W. F. Kirby, 1889	S	[Symphyta]
Allantus cingulifer Konow, 1899	Tenthredo cingulifera (Konow, 1899)	L	[Symphyta]
Allantus clypealis Konow, 1888	Tenthredo arcuata Forster, 1771	H	[Symphyta]
Allantus confinis Konow, 1886	Tenthredo radoszkowskii (Ed. André, 1881)	L	[Symphyta]
Allantus contiguus Konow, 1894	Tenthredo contigua (Konow, 1894)	L	[Symphyta]
Allantus devius Konow, 1900	Tenthredo devia (Konow, 1900)	L	[Symphyta]
Allantus dialeucus Konow, 1898	Paratenthredo monozonus (Kriechbaumer, 1869)	L	[Symphyta]
Allantus discolor Konow, 1890	Elinora ornata (Ed. André, 1881)	S	[Symphyta]
Allantus dissiduus Konow, 1899	Tenthredo dissidua (Konow, 1899)	L	[Symphyta]
Allantus dominiquei Konow, 1894	Tenthredo baetica dominiquei (Konow, 1894)	S	[Symphyta]
Allantus dusmeti Konow, 1894	Tenthredo baetica (Spinola, 1843)	L	[Symphyta]
Allantus fuscipennis Konow, 1886	Tenthredo marginella fuscipennis (Konow, 1886)	L	[Symphyta]
Allantus glesicornis Konow, 1899	Tenthredo uralensis (Ed. André, 1881)	L	[Symphyta]
Allantus graecus Konow, 1888	Tenthredo costata Klug, 1817	L	[Symphyta]
Allantus gribodoi Konow, 1895	Tenthredo lucasii (W. F. Kirby, 1882)	S	[Symphyta]
Allantus grombczewskii Jakovlev, 1891	Tenthredo grombczewskii (Jakovlev, 1891)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Allantus helveticus Konow, 1898	Tenthredo frauenfeldii (Giraud, 1857)	L	[Symphyta]
Allantus heros Jakovlev, 1891	Tenthredo heros (Jakovlev, 1891)	S	[Symphyta]
Allantus inguinalis Konow, 1908	Tenthredo inguinalis (Konow, 1908)	S	[Symphyta]
Allantus jacutensis Konow, 1897	Tenthredo jacutensis (Konow, 1897)	H	[Symphyta]
Allantus jakowlewi Jakovlev, 1891	Tenthredo jakowlewi (Jakovlev, 1891)	S	[Symphyta]
Allantus jakowlewi Konow, 1892	Tenthredo jakowlewi (Jakovlev, 1891)	H	[Symphyta]
Allantus jugalis Konow, 1898	Paratenthredo monozonus (Kriechbaumer, 1869)	L	[Symphyta]
Allantus kervillei Konow, 1907	Tenthredo kervillei (Konow, 1907)	L	[Symphyta]
Allantus kiefferi Konow, 1899	Tenthredo costata Klug, 1817	H	[Symphyta]
Allantus kohli Konow, 1895	Tenthredo finschi W. F. Kirby, 1882	H	[Symphyta]
Allantus kussariensis Konow, 1888	Tenthredo albiventris albiventris (Mocsáry, 1880)	L	[Symphyta]
Allantus largifasciatus Konow, 1900	Tenthredo largifasciata (Konow, 1900)	R	[Symphyta]
Allantus lautus Konow, 1891	Tenthredo flavipennis Brullé, 1832	L	[Symphyta]
Allantus lederi Konow, 1890	Tenthredo albiventris albiventris (Mocsáry, 1880)	H	[Symphyta]
Allantus longipes Konow, 1886	Tenthredo longipes (Konow, 1886)	L	[Symphyta]
Allantus luminosus Konow, 1899	Tenthredo flavipennis Brullé, 1832	L	[Symphyta]
Allantus merceti Konow, 1905	Paratenthredo merceti (Konow, 1905)	L	[Symphyta]
Allantus nigritarsis Konow, 1886	Tenthredo aulica (Enslin, 1912)	L	[Symphyta]
Allantus arcuatus var. nitidior Konow, 1888	Tenthredo brevicornis (Konow, 1886)	L	[Symphyta]
Allantus obscuratus Konow, 1895	Tenthredo aversata (Enslin, 1912)	L	[Symphyta]
Allantus parnasius Konow, 1888	Tenthredo costata Klug, 1817	L	[Symphyta]
Allantus parviceps Konow, 1898	Tenthredo radoszkowskii (Ed. André, 1881)	L	[Symphyta]
Allantus persa Konow, 1888	Tenthredo excellens (Konow, 1886)	L	[Symphyta]
Allantus potanini Jakovlev, 1891	Tenthredo potanini (Jakovlev, 1891)	S	[Symphyta]
Allantus primoris Konow, 1899	Tenthredo marginiceps Cameron, 1899	H	[Symphyta]
Allantus reitteri Konow, 1886	Tenthredo liturata (Mocsáry, 1886)	L	[Symphyta]
Allantus rupico Konow, 1908	Tenthredo maculiger dioctrioides (Jakovlev, 1891)	L	[Symphyta]
Allantus scrobiculatus Konow, 1898	Tenthredo scrobiculata (Konow, 1898)	L	[Symphyta]
Allantus scutellaris Konow, 1898	Tenthredo zonula Klug, 1817	L	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Allantus serenus Konow, 1899	Tenthredo nazarensis (Ed. André, 1881)	L	[Symphyta]
Allantus steckii Konow, 1888	Tenthredo segmentaria Fabricius, 1798	L	[Symphyta]
Allantus striatipes Konow, 1894	Tenthredo corynetes (W. F. Kirby, 1882)	L	[Symphyta]
Allantus trifasciatus Konow, 1894	Tenthredo tuberculata (Ed. André, 1882)	H	[Symphyta]
Allantus truncatoides Koch, 1988	Allantus truncatoides Koch, 1988	P	[Symphyta]
Allantus violascens Konow, 1886	Tenthredo violascens Konow, 1886	H	[Symphyta]
Allodape dichroa Strand, 1915	Allodape dichroa Strand, 1915	P	[Apidae]
Allodape heveae Strand, 1914	Braunsapis foveata (Smith,)	L	[Apidae]
Allodape transvaalensis Strand, 1915	Braunsapis facialis (Gerstaecker,)	S	[Apidae]
Alysia camerunensis Enderlein, 1912	Alysia camerunensis Enderlein, 1912	H	[Braconidae]
Alysia rubriceps Ratzeburg, 1844	Alysia rubriceps Ratzeburg, 1844	L	[Braconidae]
Amasis andrei Konow, 1898	Corynis andrei (Konow, 1898)	H	[Symphyta]
Amasis caspica Konow, 1886	Corynis caucasica (Mocsáry, 1886)	S	[Symphyta]
Amasis dusmeti Konow, 1905	Corynis dusmeti (Konow, 1905)	S	[Symphyta]
Amasis frontina Konow, 1905	Corynis frontina (Konow, 1905)	H	[Symphyta]
Amasis meridionalis Konow, 1886	Corynis italica (Lepeletier, 1823)	S	[Symphyta]
Amasis orientalis Konow, 1898	Corynis orientalis (Konow, 1898)	S	[Symphyta]
Amauronematus aeger Konow, 1895	Amauronematus aeger Konow, 1895	H	[Symphyta]
Amauronematus aemulus Konow, 1895	Amauronematus toeniatus (Serville, 1823)	S	[Symphyta]
Amauronematus alpicola Konow, 1895	Amauronematus alpicola Konow, 1895	S	[Symphyta]
Amauronematus amplus Konow, 1895	Amauronematus amplus Konow, 1895	L	[Symphyta]
Amauronematus analis Konow, 1897	Amauronematus stenogaster (Förster, 1854)	L	[Symphyta]
Amauronematus bicolor Jakovlev, 1891	Nematus bicolor Jakovlev, 1891	O	[Symphyta]
Amauronematus fasciatus Konow, 1897	Amauronematus fasciatus Konow, 1897	L	[Symphyta]
Amauronematus hebes Konow, 1907	Amauronematus hebes Konow, 1907	H	[Symphyta]
Amauronematus krausi Taeger & Blank, 1998	Amauronematus krausi Taeger & Blank, 1998	H	[Symphyta]
Amauronematus longicornis Konow, 1897	Nematus bergmanni Dahlbom, 1835	L	[Symphyta]
Amauronematus mundus Konow, 1895	Amauronematus mundus Konow, 1895	S	[Symphyta]
Amauronematus opacipleuris Konow, 1895	Amauronematus opacipleuris Konow, 1895	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Amauronematus poppii</i> Konow, 1904	<i>Amauronematus poppii</i> Konow, 1904	S	[Symphyta]
<i>Amauronematus pravus</i> Konow, 1895	<i>Nematus pravus</i> (Konow, 1895)	L	[Symphyta]
<i>Amauronematus rufus</i> Konow, 1896	<i>Amauronematus rufus</i> Konow, 1896	L	[Symphyta]
<i>Amauronematus sagmarius</i> Konow, 1895	<i>Amauronematus sagmarius</i> Konow, 1895	L	[Symphyta]
<i>Amauronematus spaethi</i> Liston, 2005	<i>Amauronematus spaethi</i> Liston, 2005	H	[Symphyta]
<i>Amauronematus spurcus</i> Konow, 1904	<i>Nematus brevis</i> Thomson, 1871	S	[Symphyta]
<i>Amauronematus tolli</i> Konow, 1907	<i>Amauronematus abnormis</i> (Holmgren, 1883)	S	[Symphyta]
<i>Amblynotus norvegicus</i> Hedicke, i.l.	<i>Amblynotus norvegicus</i> Hedicke, i.l.	I	[Figitidae]
<i>Amblyteles kankoensis</i> Uchida, 1932	<i>Anisobas kankoensis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Amblyteles sauteri</i> Uchida, 1932	<i>Eutanyacra stramineomaculata sauteri</i> Uchida, 1932	H	[Ichneumonidae]
<i>Amblyteles fossorius</i> var. <i>smolandicus</i> Strand, 1920	<i>Ctenichneumon edictorius smolandicus</i> Strand, 1920	H	[Ichneumonidae]
<i>Amegilla insignita</i> Brooks, 1988	<i>Anthophora insignita</i> (Brooks, 1988)	H	[Apidae]
<i>Amilasta tibialis</i> Hedwig, 1938	<i>Hyposoter tibialis</i> Hedwig, 1938	L	[Ichneumonidae]
<i>Ammophila laevigata</i> abb. <i>bicellulalis</i> Strand, 1915	<i>Ammophila laevigata</i> Smith, 1856	H	[Sphecidae]
<i>Ammophila horni</i> Schulthess, 1927	<i>Ammophila horni</i> Schulthess, 1927	H	[Sphecidae]
<i>Ammophila rhinoceros</i> Strand, 1913	<i>Hoplammophila aemulans</i> Kohl, 1901	H	[Sphecidae]
<i>Ammophila subassimilis</i> Strand, 1913	<i>Ammophila subassimilis</i> Strand, 1913	S	[Sphecidae]
<i>Ampulex difficilis</i> Strand, 1913	<i>Ampulex difficilis</i> Strand, 1913	S	[Ampulicidae]
<i>Anacryptus anpingius</i> Masi, 1933	<i>Anacryptus anpingius</i> Masi, 1933	H	[Chalcididae]
<i>Anacryptus kankauensis</i> Masi, 1933	<i>Anacryptus kankauensis</i> Masi, 1933	L	[Chalcididae]
<i>Anacryptus rufinus</i> Masi, 1933	<i>Anacryptus rufinus</i> Masi, 1933	L	[Chalcididae]
<i>Anapeptamena albipes</i> Konow, 1898	<i>Anapeptamena albipes</i> Konow, 1898	H	[Symphyta]
<i>Anapeptamena formosana</i> Rohwer, 1916	<i>Busarbia formosana</i> (Rohwer, 1916)	H	[Symphyta]
<i>Anapeptamena horni</i> Forsius, 1932	<i>Nesoselandria horni</i> (Forsius, 1932)	H	[Symphyta]
<i>Ancistrocerus horni</i> Sonan, 1938	<i>Ancistrocerus horni</i> Sonan, 1938	H	[Vespidae]
<i>Ancistrocerus monsticornis</i> Soika, 1941	<i>Ancistrocerus monsticornis</i> Soika, 1941	S	[Vespidae]
<i>Andrena rutila</i> var. <i>albifacies</i> Alfken, 1927	<i>Andrena albifacies</i> Alfken, 1927	S	[Apidae]
<i>Andrena alutacea</i> Stoeckert, 1942	<i>Andrena proxima</i> (Kirby, 1802)	P	[Apidae]
<i>Andrena cretica</i> var. <i>antennalis</i> Strand, 1915	<i>Andrena vachali cretica</i> Strand, 1915	H	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Andrena asterabadiae</i> Strand, 1921	<i>Andrena morio</i> Brullé, 1832	S	[Apidae]
<i>Andrena asunica</i> Strand, 1921	<i>Andrena hesperia</i> Smith, 1853	H	[Apidae]
<i>Andrena asuniensis</i> Strand, 1921	<i>Andrena nana</i> (Kirby, 1802)	S	[Apidae]
<i>Andrena ephippium</i> var. <i>atrotegaris</i> Hedicke, 1923	<i>Andrena atrotegaris</i> Hedicke, 1923	S	[Apidae]
<i>Andrena biguttata</i> Friese, 1922	<i>Andrena biguttata</i> Friese, 1922	S	[Apidae]
<i>Andrena bonnefoiensis</i> Strand, 1921	<i>Nomia bonnefoiensis</i> (Strand, 1921)	H	[Apidae]
<i>Andrena candiae</i> Strand, 1915	<i>Andrena nigroaenea candiae</i> Strand, 1915	S	[Apidae]
<i>Andrena canaeae</i> Strand, 1915	<i>Andrena canaeae</i> Strand, 1915	H	[Apidae]
<i>Andrena caneibia</i> Strand, 1915	<i>Andrena caneibia</i> Strand, 1915	H	[Apidae]
<i>Andrena caskana</i> Strand, 1919	<i>Colletes caskanus</i> (Strand, 1919)	H	[Apidae]
<i>Andrena catania</i> Strand, 1921	<i>Andrena verticalis</i> Pérez, 1895	H	[Apidae]
<i>Andrena clypella</i> Strand, 1921	<i>Andrena clypella</i> Strand, 1921	H	[Apidae]
<i>Andrena wilhelmalschulzi</i> abb. <i>clypeopicta</i> Strand, 1921	<i>Andrena wilhelmalschulzi</i> Strand,	H	[Apidae]
<i>Andrena corssubalpina</i> Theunert,	<i>Andrena corssubalpina</i> Theunert,	H	[Apidae]
<i>Andrena cretica</i> Strand, 1915	<i>Andrena vachali cretica</i> Strand, 1915	S	[Apidae]
<i>Andrena forsteri</i> Warncke, 1965	<i>Andrena fimbriata</i> Brullé, 1832	H	[Apidae]
<i>Andrena freya</i> Strand, 1915	<i>Andrena hesperia</i> Smith, 1853	H	[Apidae]
<i>Andrena cineraria germanica</i> Stoeckert, i.l.	<i>Andrena cineraria germanica</i> Stoeckert, i.l.	I	[Apidae]
<i>Andrena florea haslauica</i> Strand, 1921	<i>Andrena florea</i> Fabricius, 1793	S	[Apidae]
<i>Andrena helenica</i> Warncke, 1965	<i>Andrena helenica</i> Warncke, 1965	P	[Apidae]
<i>Andrena cineraria helvetica</i> Stoeckert, i.l.	<i>Andrena cineraria helvetica</i> Stoeckert, i.l.	P	[Apidae]
<i>Andrena hoffmanni</i> Strand, 1915	<i>Andrena hoffmanni</i> Strand, 1915	H	[Apidae]
<i>Andrena hova</i> Warncke, 1975	<i>Andrena hova</i> Warncke, 1975	P	[Apidae]
<i>Andrena hyacinthina</i> Mavromoustakis, 1958	<i>Andrena hyacinthina</i> Mavromoustakis, 1958	P	[Apidae]
<i>Andrena insula</i> Strand, 1921	<i>Andrena cinerea</i> Brullé, 1832	H	[Apidae]
<i>Andrena kornosica</i> Mavromoustakis, 1954	<i>Andrena kornosica</i> Mavromoustakis, 1954	P	[Apidae]
<i>Andrena kraussei</i> Strand, 1921	<i>Andrena flavipes</i> Panzer, 1799	H	[Apidae]
<i>Andrena larnacensis</i> Mavromoustakis, 1954	<i>Andrena aegypticola larnacensis</i> Mavromoustakis, 1954	P	[Apidae]
<i>Andrena locularoides</i> Strand, 1915	<i>Andrena aeneiventris</i> Morawitz, 1872	H	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Andrena luridiloma</i> Strand, 1915	<i>Andrena luridiloma</i> Strand, 1915	H	[Apidae]
<i>Andrena ephippium</i> var. <i>macedonica</i> Friese, 1922	<i>Andrena atrotregularis</i> Hedicke, 1923	S	[Apidae]
<i>Andrena macedonica</i> Strand, 1919	<i>Andrena variabilis</i> Smith, 1853	H	[Apidae]
<i>Andrena melaleuca</i> Friese, 1922	<i>Andrena melacana</i> Warncke, 1968	S	[Apidae]
<i>Andrena agilissima melanopyga</i> Alfken, 1938	<i>Andrena agilissima</i> (Scopoli, 1770)	P	[Apidae]
<i>Andrena nanana</i> Strand, 1915	<i>Andrena colletiformis</i> Morawitz, 1874	S	[Apidae]
<i>Andrena nasipolita</i> Strand, 1913	<i>Andrena nasipolita</i> Strand, 1913	H	[Apidae]
<i>Andrena neocyprica</i> Mavromoustakis, 1956	<i>Andrena neocyprica</i> Mavromoustakis, 1956	P	[Apidae]
<i>Andrena strigifrontalis</i> var. <i>nettialis</i> Strand, 1921	<i>Andrena cinerea</i> Brullé, 1832	S	[Apidae]
<i>Andrena scita</i> var. <i>nigra</i> Friese, 1914	<i>Andrena scita</i> Eversmann, 1852	S	[Apidae]
<i>Andrena scita</i> var. <i>nigrofasciata</i> Friese, 1914	<i>Andrena scita</i> Eversmann, 1852	S	[Apidae]
<i>Andrena humilis orienticola</i> Strand, 1915	<i>Andrena taraxaci chikuzensis</i> Hirashima,	S	[Apidae]
<i>Andrena orizabibia</i> Strand, 1919	<i>Andrena orizabibia</i> Strand,	H	[Apidae]
<i>Andrena paganettii</i> Alfken, 1904	<i>Andrena decipiens</i> Schenck, 1861	H	[Apidae]
<i>Andrena ephippium pallipes</i> Friese, 1914	<i>Andrena fuscata</i> Erichson, 1835	S	[Apidae]
<i>Andrena panurgimorpha</i> Mavromoustakis, 1957	<i>Andrena panurgimorpha</i> Mavromoustakis, 1957	P	[Apidae]
<i>Andrena pareklisiae</i> Mavromoustakis, 1957	<i>Andrena pareklisiae</i> Mavromoustakis, 1957	P	[Apidae]
<i>Andrena perapedica</i> Mavromoustakis, 1958	<i>Andrena pyrozonata</i> Friese, 1921	P	[Apidae]
<i>Andrena phytophila</i> Strand, 1915	<i>Andrena nawai</i> Cockerell, 1913	S	[Apidae]
<i>Andrena polemediana</i> Mavromoustakis, 1956	<i>Andrena polemediana</i> Mavromoustakis, 1956	P	[Apidae]
<i>Andrena pseudasuniensis</i> Strand, 1921	<i>Andrena pusilla</i> Pérez, 1903	H	[Apidae]
<i>Andrena ephippium rubriventris</i> Friese, i.l.	<i>Andrena fuscata</i> Erichson, 1835	I	[Apidae]
<i>Andrena salina</i> Stoeckhert, i.l.	<i>Andrena salina</i> Stoeckhert, i.l.	I	[Apidae]
<i>Andrena erberi</i> var. <i>sanguiniventris</i> Friese, 1921	<i>Andrena erberi</i> Morawitz, 1872	S	[Apidae]
<i>Andrena strigifrontalis</i> Strand, 1921	<i>Andrena strigifrontalis</i> Strand, 1921	H	[Apidae]
<i>Andrena subproximana</i> Strand, 1913	<i>Andrena subproximana</i> Strand, 1913	H	[Apidae]
<i>Andrena subshawella</i> Strand, 1915	<i>Andrena subshawella</i> Strand, 1915	L	[Apidae]
<i>Andrena propinqua</i> var. <i>syracusae</i> Strand, 1921	<i>Andrena numida syracusa</i> Strand, 1921	H	[Apidae]
<i>Andrena nana taorminae</i> Strand, 1921	<i>Andrena nana</i> (Kirby, 1802)	S	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Andrena toelgiana</i> Friese, 1921	<i>Andrena toelgiana</i> Friese, 1921	S	[Apidae]
<i>Andrena tsingtauica</i> Strand, 1915	<i>Andrena tsingtauica</i> Strand, 1915	H	[Apidae]
<i>Andrena tyrrhena</i> Alfken, 1938	<i>Andrena vetula tyrrhena</i> Alfken, 1938	P	[Apidae]
<i>Andrena wilhelmalbertschulzi</i> Strand, 1921	<i>Andrena wilhelmalbertschulzi</i> Strand,	H	[Apidae]
<i>Andricus operator</i> var. <i>consobrinus</i> Kinsey, 1922	<i>Andricus operator consobrinus</i> Kinsey, 1922	P	[Cynipidae]
<i>Andricus operator</i> var. <i>illustrans</i> Kinsey, 1922	<i>Andricus operator illustrans</i> Kinsey, 1922	P	[Cynipidae]
<i>Anilasta maculata</i> Hedwig, 1938	<i>Hyposoter maculatus</i> Hedwig, 1938	L	[Ichneumonidae]
<i>Anilastus formosanus</i> Uchida, 1932	<i>Hyposoter formosanus</i> Uchida, 1932	H	[Ichneumonidae]
<i>Anilastus taihorinensis</i> Uchida, 1932	<i>Hyposoter taihorinensis</i> Uchida, 1932	H	[Ichneumonidae]
<i>Anochetus africanus</i> var. <i>friederichsi</i> Forel, 1918	<i>Anochetus africanus friederichsi</i> Forel, 1918	S	[Formicidae]
<i>Anochetus subcoecus</i> Forel, 1912	<i>Anochetus subcoecus</i> Forel, 1912	H	[Formicidae]
<i>Anochetus taiwaniensis</i> Terayama, 1989	<i>Anochetus taiwaniensis</i> Terayama, 1989	P	[Formicidae]
<i>Anodontura interrupta</i> Duran-Moya, 1941	<i>Anodontura interrupta</i> Duran-Moya, 1941	L	[Thynnidae]
<i>Anomalon arquatatum</i> Gravenhorst, 1829	<i>Agrypon flaveolatum</i> Gravenhorst, 1807	N	[Ichneumonidae]
<i>Anomalon frontalis</i> Cushman, 1937	<i>Anomalon frontale</i> Cushman, 1937	H	[Ichneumonidae]
<i>Anomalon nigribasis</i> Cushman, 1937	<i>Anomalon nigribase</i> Cushman, 1937	H	[Ichneumonidae]
<i>Anospilus ichnusus</i> Wolf, 1962	<i>Anospilus ichnusus</i> Wolf, 1962	H	[Pompilidae]
<i>Anthidium cinctum</i> var. <i>bennigseni</i> Strand, 1914	<i>Anthidium cinctum bennigseni</i> Strand,	H	[Apidae]
<i>Anthocopa yermasoyiae corcyraea</i> Tkalcu, 1979	<i>Osmia yermasoyiae corcyraea</i> (Tkalcu, 1979)	P	[Apidae]
<i>Anthophora agamoides</i> Strand, 1915	<i>Anthophora dalmatica</i> Pérez, 1902	H	[Apidae]
<i>Anthophora korotonensis</i> var. <i>anpingensis</i> Strand, 1913	<i>Anthophora korotonensis</i> (Cockerell, 1911)	H	[Apidae]
<i>Anthophora torrida</i> var. <i>cala</i> Strand, 1914	<i>Anthophora calens</i> Lepeletier, 1841	H	[Apidae]
<i>Anthophora coerulea</i> var. <i>ella</i> Strand, 1914	<i>Anthophora caerulea</i> Friese, 1905	H	[Apidae]
<i>Anthophora insignita</i> Strand, 1913	<i>Anthophora insignita</i> (Brooks, 1988)	H	[Apidae]
<i>Anthophora murrayensis</i> Rayment, 1939	<i>Anthophora murrayensis</i> (Rayment, 1939)	P	[Apidae]
<i>Anthophora dufouri</i> var. <i>nigropyga</i> Strand, 1921	<i>Anthophora dufourii</i> Lepeletier, 1841	H	[Apidae]
<i>Anthophora pingshiangensis</i> Strand, 1913	<i>Anthophora plumipes</i> (Pallas, 1772)	S	[Apidae]
<i>Anthophora zonata</i> var. <i>puttalama</i> Strand, 1913	<i>Anthophora zonata</i> (Linné, 1758)	S	[Apidae]
<i>Anthophora pygmaea</i> Meade-Waldo, 1914	<i>Anthophora pygmaea</i> Meade-Waldo, 1914	P	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Anthophora rhodesiae</i> Meade-Waldo, 1914	<i>Anthophora rhodesiae</i> Meade-Waldo, 1914	P	[Apidae]
<i>Anthophora calceifera</i> var. <i>tainana</i> Strand, 1913	<i>Anthophora calceifera</i> Cockerell, 1911	H	[Apidae]
<i>Anthophora tainanicola</i> Strand, 1913	<i>Habropoda tainanicola</i> (Strand, 1913)	S	[Apidae]
<i>Antrocephalus atratus</i> Masi, 1932	<i>Antrocephalus atratus</i> Masi, 1932	L	[Chalcididae]
<i>Antrocephalus brevigaster</i> Masi, 1932	<i>Antrocephalus brevigaster</i> Masi, 1932	H	[Chalcididae]
<i>Antrocephalus momius</i> Masi, 1932	<i>Antrocephalus momius</i> Masi, 1932	L	[Chalcididae]
<i>Antrocephalus sinicorum</i> Masi, 1932	<i>Antrocephalus sinicorum</i> Masi, 1932	L	[Chalcididae]
<i>Apanteles capucinae</i> Fischer, 1961	<i>Apanteles capucinae</i> Fischer, 1961	P	[Braconidae]
<i>Apanteles oehlkei</i> Papp, 1982	<i>Dolichogenidea oehlkei</i> Papp, 1982	H	[Braconidae]
<i>Apanteles ultor</i> Reinhard, 1880	<i>Dolichogenidea ultor</i> Reinhard, 1880	L	[Braconidae]
<i>Aphaenogaster schmitzi</i> Forel, 1910	<i>Aphaenogaster schmitzi</i> Forel, 1910	S	[Formicidae]
<i>Aphaenogaster rothneyi</i> tipuna Forel, 1913	<i>Aphaenogaster rothneyi</i> tipuna Forel, 1913	S	[Formicidae]
<i>Aphelinoidea anatolica</i> Nowicki, 1936	<i>Aphelinoidea anatolica</i> Nowicki, 1936	S	[Trichogrammatidae]
<i>Aphidius aquilus</i> Mackauer, 1961	<i>Aphidius aquilus</i> Mackauer, 1961	P	[Braconidae]
<i>Aphidius letifer</i> Haliday, 1833	<i>Aphidius letifer</i> Haliday, 1833	N	[Braconidae]
<i>Apocryptus issikii</i> Uchida, 1932	<i>Apocryptus issikii</i> Uchida, 1932	P	[Ichneumonidae]
<i>Apophua formosana</i> Cushman, 1933	<i>Apophua formosana</i> Cushman, 1933	H	[Ichneumonidae]
<i>Apophua gracilis</i> Cushman, 1933	<i>Apophua kikuchii</i> Uchida, 1932	H	[Ichneumonidae]
<i>Apophysius rufus</i> Cushman, 1937	<i>Apophysius rufus</i> Cushman, 1937	H	[Ichneumonidae]
<i>Aprosthemata carpentieri</i> Konow, 1902	<i>Aprosthemata tardum</i> (Klug, 1814)	L	[Symphyta]
<i>Aprosthemata hyalinoptera</i> Conde, 1934	<i>Aprosthemata hyalinopterum</i> Conde, 1934	S	[Symphyta]
<i>Aprosthemata peletieri</i> melanoptera Mucbe, 1972	<i>Aprosthemata peletieri</i> melanopterum Mucbe, 1972	P	[Symphyta]
<i>Arge accliviceps</i> Konow, 1906	<i>Arge accliviceps</i> Konow, 1906	H	[Symphyta]
<i>Arge aetolica</i> Konow, 1887	<i>Arge thoracica</i> (Spinola, 1808)	H	[Symphyta]
<i>Arge annulata</i> Konow, 1891	<i>Arge annulata</i> Konow, 1891	H	[Symphyta]
<i>Arge auripennis</i> Konow, 1891	<i>Arge auripennis</i> Konow, 1891	S	[Symphyta]
<i>Arge bisignata</i> Konow, 1907	<i>Arge bisignata</i> Konow, 1907	H	[Symphyta]
<i>Arge braunsi</i> Konow, 1904	<i>Arge braunsi</i> Konow, 1904	S	[Symphyta]
<i>Arge carinicornis</i> Konow, 1902	<i>Arge similis</i> (Snellen van Vollenhoven, 1860)	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Arge cingulata</i> Jakovlev, 1891	<i>Arge cingulata</i> Jakovlev, 1891	S	[Symphyta]
<i>Arge compar</i> Konow, 1900	<i>Arge compar</i> Konow, 1900	S	[Symphyta]
<i>Arge debilis</i> Konow, 1887	<i>Arge scita</i> (Mocsáry, 1880)	S	[Symphyta]
<i>Arge fuliginata</i> Konow, 1907	<i>Arge melanochra</i> (Gmelin, 1790)	S	[Symphyta]
<i>Arge impressifrons</i> Konow, 1898	<i>Arge impressifrons</i> Konow, 1898	H	[Symphyta]
<i>Arge inops</i> Konow, 1906	<i>Arge scapularis</i> (Klug, 1814)	H	[Symphyta]
<i>Arge pyrenaica luteola</i> Muche, 1977	<i>Arge ochropus</i> (Gmelin, 1790)	H	[Symphyta]
<i>Arge magnicornis</i> Konow, 1898	<i>Arge magnicornis</i> Konow, 1898	S	[Symphyta]
<i>Arge pyrenaica</i> var. <i>nigripes</i> Konow, 1895	<i>Arge ochropus</i> (Gmelin, 1790)	H	[Symphyta]
<i>Arge petacacia</i> Konow, 1904	<i>Arge petacacia</i> Konow, 1904	S	[Symphyta]
<i>Arge poecilotricha</i> Konow, 1898	<i>Cibdela poecilotricha</i> (Konow, 1898)	H	[Symphyta]
<i>Arge schulthessi</i> Konow, 1899	<i>Arge schulthessi</i> Konow, 1899	H	[Symphyta]
<i>Arge siluncula</i> Konow, 1906	<i>Arge siluncula</i> Konow, 1906	H	[Symphyta]
<i>Arge simulatrix</i> Konow, 1887	<i>Arge simulatrix</i> Konow, 1887	S	[Symphyta]
<i>Arge sjoestedti</i> Konow, 1907	<i>Arge sjoestedti</i> Konow, 1907	H	[Symphyta]
<i>Arge soror</i> Konow, 1890	<i>Arge ochropus</i> (Gmelin, 1790)	S	[Symphyta]
<i>Arge suspicax</i> Konow, 1908	<i>Arge suspicax</i> Konow, 1908	H	[Symphyta]
<i>Arge uncinata</i> Konow, 1904	<i>Arge uncinata</i> Konow, 1904	H	[Symphyta]
<i>Arge verticosa</i> Konow, 1907	<i>Arge verticosa</i> Konow, 1907	S	[Symphyta]
<i>Asparagobius braunsi</i> Mayr, 1905	<i>Asparagobius braunsi</i> Mayr, 1905	S	[Perilampidae]
<i>Astatus tenuicornis</i> Konow, 1902	<i>Trachelus troglodyta</i> (Fabricius, 1787)	S	[Symphyta]
<i>Astiphromma albitarse</i> Brèthes, 1927	<i>Nonnus brethesi</i> Townes, 1966	H	[Ichneumonidae]
<i>Astiphromma constrictum</i> Schwenke, i.l.	<i>Astiphromma constrictum</i> Schwenke, i.l.	I	[Ichneumonidae]
<i>Ateuchopus armenius</i> Konow, 1896	<i>Trachelus libanensis</i> (Ed. André, 1881)	S	[Symphyta]
<i>Athalia clavata</i> Konow, 1907	<i>Athalia clavata</i> Konow, 1907	S	[Symphyta]
<i>Athalia concors</i> Konow, 1908	<i>Athalia concors</i> Konow, 1908	H	[Symphyta]
<i>Athalia decorata</i> Konow, 1900	<i>Athalia decorata</i> Konow, 1900	S	[Symphyta]
<i>Athalia dimidiata</i> Konow, 1891	<i>Athalia dimidiata</i> Konow, 1891	S	[Symphyta]
<i>Athalia dissona</i> Konow, 1908	<i>Athalia dissona</i> Konow, 1908	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Athalia flacca</i> Konow, 1907	<i>Athalia furvipennis</i> Konow, 1907	S	[Symphyta]
<i>Athalia furvipennis</i> Konow, 1907	<i>Athalia furvipennis</i> Konow, 1907	H	[Symphyta]
<i>Athalia incomta</i> Konow, 1908	<i>Athalia incomta</i> Konow, 1908	H	[Symphyta]
<i>Athalia rufoscutellata</i> var. <i>mocsaryi</i> Konow, 1892	<i>Athalia rufoscutellata</i> Mocsáry, 1879	S	[Symphyta]
<i>Athalia nigriceps</i> Konow, 1908	<i>Athalia nigriceps</i> Konow, 1908	H	[Symphyta]
<i>Athalia rufoscutellata</i> var. <i>nigroscutellata</i> Konow, 1892	<i>Athalia rufoscutellata</i> Mocsáry, 1879	S	[Symphyta]
<i>Athalia rufoscutellata</i> <i>obscurata</i> Konow, 1904	<i>Athalia rufoscutellata</i> Mocsáry, 1879	S	[Symphyta]
<i>Athalia paradoxa</i> Konow, 1886	<i>Athalia paradoxa</i> Konow, 1886	H	[Symphyta]
<i>Athalia rufoscutellata</i> var. <i>pleuralis</i> Konow, 1898	<i>Athalia rufoscutellata</i> Mocsáry, 1879	H	[Symphyta]
<i>Athalia pullicoma</i> Konow, 1908	<i>Athalia pullicoma</i> Konow, 1908	S	[Symphyta]
<i>Athalia schweinfurthi</i> Konow, 1891	<i>Athalia vollenhovi</i> Gribodo, 1879	H	[Symphyta]
<i>Athalia segregis</i> Konow, 1907	<i>Athalia segregis</i> Konow, 1907	S	[Symphyta]
<i>Athalia sjoestedti</i> Konow, 1907	<i>Athalia sjoestedti</i> Konow, 1907	S	[Symphyta]
<i>Athalia truncata</i> Enslin, 1914	<i>Athalia himantopus truncata</i> Enslin, 1914	S	[Symphyta]
<i>Athlophorus leucocoxa</i> Rohwer, 1916	<i>Allantus nigrocaeruleus</i> (F. Smith, 1874)	H	[Symphyta]
<i>Athlophorus melanocoxa</i> Rohwer, 1916	<i>Allantus luctifer melanocoxa</i> (Rohwer, 1916)	H	[Symphyta]
<i>Athlophorus orbitalis</i> Konow, 1906	<i>Athlophorus gracilis orbitalis</i> Konow, 1906	H	[Symphyta]
<i>Athlophorus sauteri</i> Enslin, 1911	<i>Athlophorus perplexus sauteri</i> Enslin, 1911	H	[Symphyta]
<i>Athlophorus terminatus</i> Rohwer, 1916	<i>Athlophorus terminatus</i> Rohwer, 1916	H	[Symphyta]
<i>Atillum magisterium</i> Mickel, 1943	<i>Atillum magisterium</i> Mickel, 1943	P	[Mutillidae]
<i>Atillum stygium</i> Mickel, 1943	<i>Atillum stygium</i> Mickel, 1943	P	[Mutillidae]
<i>Atomostethus insularis</i> Rohwer, 1916	<i>Onychostethomostus insularis</i> (Rohwer, 1916)	H	[Symphyta]
<i>Atopomyrmex ceylonicus</i> Emery, 1901	<i>Atopomyrmex ceylonicus</i> Emery, 1901	S	[Formicidae]
<i>Atrometus puerilis</i> Cushman, 1937	<i>Parania puerilis</i> Cushman, 1937	H	[Ichneumonidae]
<i>Aulacidea annulata</i> Kinsey, 1920	<i>Aulacidea annulata</i> Kinsey, 1920	S	[Cynipidae]
<i>Auplopus formosana</i> Suster, i.l.	<i>Auplopus formosana</i> Suster, i.l.	T	[Pompilidae]
<i>Auplopus kankau</i> Babiy, i.l.	<i>Auplopus kankau</i> Babiy, i.l.	T	[Pompilidae]
<i>Auplopus pseudocallisto</i> Babiy, i.l.	<i>Auplopus pseudocallisto</i> Babiy, i.l.	T	[Pompilidae]
<i>Auplopus pseudotincta</i> Suster, i.l.	<i>Auplopus pseudotincta</i> Suster, i.l.	T	[Pompilidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Auplopus rubronigra</i> Susterer, i.l.	<i>Auplopus rubronigra</i> Susterer, i.l.	T	[Pompilidae]
<i>Auplopus sauteri</i> Susterer, i.l.	<i>Auplopus sauteri</i> Susterer, i.l.	T	[Pompilidae]
<i>Auplopus susterer</i> Babiy, i.l.	<i>Auplopus susterer</i> Babiy, i.l.	T	[Pompilidae]
<i>Auplopus taihorinensis</i> Babiy, i.l.	<i>Auplopus taihorinensis</i> Babiy, i.l.	T	[Pompilidae]
<i>Austrogerrhus gloriosus</i> Bouček, 1958	<i>Proshizonotus pulchripes</i> Girault,	H	[Cleonymidae]
<i>Azteca chartifex multinida</i> Forel, 1899	<i>Azteca chartifex multinida</i> Forel, 1899	S	[Formicidae]
<i>Azteca tonduzi</i> Forel, 1899	<i>Azteca tonduzi</i> Forel, 1899	S	[Formicidae]
<i>Bactrochalcis reticulata</i> Kieffer, 1912	<i>Bactrochalcis reticulata</i> Kieffer, 1912	S	[Chalcididae]
<i>Barichneumon hozanensis</i> Uchida, 1932	<i>Barichneumon hozanensis</i> Uchida, 1932	H	[Ichneumonidae]
<i>Barichneumon suisharioensis</i> Uchida, 1932	<i>Barichneumon suisharioensis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Barichneumon tainanensis</i> Uchida, 1932	<i>Barichneumon tainanensis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Barycnemis pfankuchi</i> Lange, 1911	<i>Barycnemis bellator</i> Müller, 1776	H	[Ichneumonidae]
<i>Baryscapus berhidanus</i> Erdős, 1954	<i>Baryscapus berhidanus</i> Erdős, 1954	S	[Eulophidae]
<i>Basalys loxotropicalis</i> Strand, 1918	<i>Basalys loxotropicalis</i> Strand, 1918	H	[Diapriidae]
<i>Bathyaulax horni</i> Fahringer, i.l.	<i>Bathyaulax horni</i> Fahringer, i.l.	T	[Braconidae]
<i>Bathyblepta procer</i> Konow, 1906	<i>Arge albocincta</i> (Cameron, 1876)	H	[Symphyta]
<i>Bathythrix illustris</i> Sawoniewicz, 1980	<i>Bathythrix illustris</i> Sawoniewicz, 1980	P	[Ichneumonidae]
<i>Belesidea multipicta</i> Rohwer, 1916	<i>Beleses multipictus</i> (Rohwer, 1916)	H	[Symphyta]
<i>Belonogaster rothkirchi</i> Schulthess, 1914	<i>Belonogaster rothkirchi</i> Schulthess, 1914	S	[Vespidae]
<i>Bembex taiwana</i> var. <i>kosemponis</i> Strand, 1923	<i>Bembex taiwana</i> Bischoff, 1913	H	[Crabronidae]
<i>Bembex maidli</i> Schulthess, 1927	<i>Bembex maidli</i> Schulthess, 1927	H	[Crabronidae]
<i>Bembex formosana</i> abb. <i>metamelanica</i> Strand, 1923	<i>Bembex formosana</i> Bischoff, 1913	L	[Crabronidae]
<i>Bembex persa</i> Schulthess, 1927	<i>Bembex persa</i> Schulthess, 1927	H	[Crabronidae]
<i>Blennocampa finitima</i> Konow, 1900	<i>Claremontia alternipes</i> (Klug, 1816)	H	[Symphyta]
<i>Blennocampa munda</i> Konow, 1899	<i>Blennocampa munda</i> Konow, 1899	T	[Symphyta]
<i>Blennocampa puncticeps</i> Konow, 1886	<i>Claremontia brevicornis</i> (Brischke, 1883)	L	[Symphyta]
<i>Blennocampa torva</i> Konow, 1899	<i>Metapedias torva</i> Konow, 1899	T	[Symphyta]
<i>Bombus beaticola</i> Tkalcu, 1968	<i>Bombus beaticola</i> Tkalcu, 1968	P	[Apidae]
<i>Bombus terrestris</i> var. <i>bifasciculatus</i> Friese, i.l.	<i>Bombus terrestris</i> (Linné, 1758)	T	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Bombus argillaceus</i> abb. creticola Strand, 1915	<i>Bombus argillaceus</i> (Scopoli, 1763)	H	[Apidae]
<i>Bombus kirbyellus</i> var. gmelini Skorikov, 1914	<i>Bombus balteatus</i> Dahlbom, 1832	S	[Apidae]
<i>Bombus jonellus</i> var. orientalis Skorikov, i.l.	<i>Bombus jonellus</i> (Kirby, 1802)	I	[Apidae]
<i>Bombus pagdeni</i> Tkalcu oder Kruseman, i. l.	<i>Bombus pagdeni</i> Tkalcu oder Kruseman, i. l.	P	[Apidae]
<i>Bombus soroeensis</i> var. quadricolor Friese, i.l.	<i>Bombus soroeensis</i> (Fabricius, 1776)	I	[Apidae]
<i>Bombus mastrucatus</i> var. trichromnus Friese, i.l.	<i>Bombus wurfleni</i> Radoszkowsky, 1859	I	[Apidae]
<i>Bothriomyrmex flavus</i> Crawley, 1922	<i>Bothriomyrmex flavus</i> Crawley, 1922	S	[Formicidae]
<i>Bothriomyrmex wroughtoni formosensis</i> Forel, 1913	<i>Bothriomyrmex wroughtoni formosensis</i> Forel, 1913	S	[Formicidae]
<i>Bothroponera helleri</i> Viehmeyer, i.l.	<i>Bothroponera helleri</i> Viehmeyer, i.l.	I	[Formicidae]
<i>Brachycryptus tristis</i> Lange, 1911	<i>Hidryta fusiventris</i> Thomson, 1873	H	[Ichneumonidae]
<i>Brachymeria lepida sinensis</i> Masi, i.l.	<i>Brachymeria lepida sinensis</i> Masi, i.l.	I	[Chalcididae]
<i>Brachymyrmex santschii</i> Menozzi, 1927	<i>Brachymyrmex santschii</i> Menozzi, 1927	H	[Formicidae]
<i>Brachyphatnus debilicornis</i> Konow, 1906	<i>Brachyphatnus debilicornis</i> Konow, 1906	L	[Symphyta]
<i>Brachyphatnus jenseni</i> Konow, 1906	<i>Schizocerella jenseni</i> (Konow, 1906)	L	[Symphyta]
<i>Brachyphatnus nigriceps</i> Konow, 1906	<i>Sphacophilus nigriceps</i> (Konow, 1906)	H	[Symphyta]
<i>Bracomorpha torkai</i> Papp, 1971	<i>Cyanopterus torkai</i> (Papp, 1971)	H	[Braconidae]
<i>Bracon histeromeroides</i> Sarhan & Quicke, 1991	<i>Bracon histeromeroides</i> Sarhan & Quicke, 1991	P	[Braconidae]
<i>Bracon hylesini</i> Ratzeburg, 1848	<i>Ecphylus sileseacus</i> (Ratzeburg,)	S	[Braconidae]
<i>Bracon incompletus</i> Ratzeburg, 1844	<i>Caenophanes incompletus</i> (Ratzeburg, 1844)	L	[Braconidae]
<i>Bracon initiatellus</i> Ratzeburg, 1848	<i>Coeloides scolyticida</i> Wesmael, 1838	S	[Braconidae]
<i>Bracon koshunensis</i> Watanabe, 1934	<i>Bracon koshunensis</i> Watanabe, 1934	H	[Braconidae]
<i>Bracon kuro</i> Watanabe, 1934	<i>Bracon kuro</i> Watanabe, 1934	H	[Braconidae]
<i>Bracon labrator</i> Ratzeburg, 1844	<i>Bracon labrator</i> Ratzeburg, 1844	S	[Braconidae]
<i>Bracon laevigatissimus</i> Dalla Torre, 1898	<i>Bracon laevigatissimus</i> Dalla Torre, 1898	L	[Braconidae]
<i>Bracon laevigatus</i> Ratzeburg, 1852	<i>Bracon laevigatissimus</i> Dalla Torre, 1898	L	[Braconidae]
<i>Bracon leichhardti</i> Fahringer, 1942	<i>Bracon leichhardti</i> Fahringer, 1942	H	[Braconidae]
<i>Bracon multiarticulatus</i> Ratzeburg, 1852	<i>Iphiaulax fastidiator</i> Fabricius, 1781	H	[Braconidae]
<i>Bracon palpebrator</i> Ratzeburg, 1844	<i>Bracon nigriventris</i> Wesmael, 1838	L	[Braconidae]
<i>Bracon pauloensis</i> Brèthes, 1927	<i>Bracon pauloensis</i> Brèthes, 1927	H	[Braconidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Bracon persimilis</i> Papp, 1971	<i>Bracon persimiloides</i> Papp, 1984	P	[Braconidae]
<i>Bracon praecisus</i> Ratzeburg, 1852	<i>Ontsira imperator</i> (Haliday, 1836)	S	[Braconidae]
<i>Bracon sordidator</i> Ratzeburg, 1844	<i>Coeloides sordidator</i> (Ratzeburg, 1844)	S	[Braconidae]
<i>Bracon thuringiacus</i> Schmiedeknecht, 1896	<i>Bracon thuringiacus</i> Schmiedeknecht, 1896	L	[Braconidae]
<i>Bracon velbingeri</i> Fahringer, 1951	<i>Bracon dichromus</i> Wesmael, 1838	L	[Braconidae]
<i>Bradynobaenus wagenknechti</i> Reed, 1937	<i>Bradynobaenus wagenknechti</i> Reed, 1937	P	[Bradynobaenidae]
<i>Braunsiola duckei</i> Konow, 1906	<i>Atomacera pubicornis</i> (Fabricius, 1804)	L	[Symphyta]
<i>Braunsiola hallex</i> Konow, 1908	<i>Atomacera hallex</i> (Konow, 1908)	H	[Symphyta]
<i>Braunsiola lepidula</i> Konow, 1908	<i>Atomacera lepidula</i> (Konow, 1908)	H	[Symphyta]
<i>Braunsiola truculenta</i> Konow, 1899	<i>Atomacera truculenta</i> (Konow, 1899)	H	[Symphyta]
<i>Bruchobius brasiliensis</i> Brèthes, 1927	<i>Bruchobius brasiliensis</i> Brèthes, 1927	S	[Pteromalidae]
<i>Busarbidea formosana</i> Rohwer, 1916	<i>Busarbidea formosana</i> Rohwer, 1916	H	[Symphyta]
<i>Caenocephus jakowleffi</i> Konow, 1896	<i>Caenocephus lunulatus</i> (Strobl, 1895)	H	[Symphyta]
<i>Caenocryptus taihorinus</i> Uchida, 1932	<i>Xoridesopus taihorinus</i> Uchida, 1932	L	[Ichneumonidae]
<i>Callaspidia formosana</i> Hedicke, 1913	<i>Callaspidia formosana</i> Hedicke, 1913	P	[Figitidae]
<i>Calliclisis collaris</i> Haupt, 1917	<i>Poemenia collaris</i> Haupt, 1917	L	[Ichneumonidae]
<i>Calosota stenogastra</i> Masi, 1927	<i>Calosota stenogastra</i> Masi, 1927	H	[Eupelmidae]
<i>Calyozella sauteri</i> Enderlein, 1920	<i>Calyozella sauteri</i> Enderlein, 1920	H	[Bethylidae]
<i>Calyozina ramicornis</i> Enderlein, 1912	<i>Calyozina ramicornis</i> Enderlein, 1912	H	[Bethylidae]
<i>Campodorus longicaudatus</i> Hinz, 1969	<i>Campodorus longicaudatus</i> Hinz, 1969	P	[Ichneumonidae]
<i>Camponiscus luridus</i> Konow, 1884	<i>Anoplonyx lariciphagus</i> (Zaddach, 1883)	O	[Symphyta]
<i>Camponiscus obscuripes</i> Konow, 1896	<i>Platycampus obscuripes</i> (Konow, 1896)	S	[Symphyta]
<i>Camponotus friedae</i> var. <i>amia</i> Forel, 1912	<i>Camponotus friedae amia</i> Forel, 1912	S	[Formicidae]
<i>Camponotus truebi</i> var. <i>arnoldi</i> Forel, 1912	<i>Camponotus truebi arnoldi</i> Forel, 1912	S	[Formicidae]
<i>Camponotus cruentatus</i> var. <i>aspera</i> Menozzi, 1925	<i>Camponotus cruentatus aspera</i> Menozzi, 1925	S	[Formicidae]
<i>Camponotus dolabratus</i> Menozzi, 1927	<i>Camponotus dolabratus</i> Menozzi, 1927	S	[Formicidae]
<i>Camponotus ferreri</i> Forel, 1913	<i>Camponotus ferreri</i> Forel, 1913	H	[Formicidae]
<i>Camponotus friedae</i> Forel, 1912	<i>Camponotus friedae</i> Forel, 1912	S	[Formicidae]
<i>Camponotus compressus irakensis</i> Menozzi, 1927	<i>Camponotus compressus irakensis</i> Menozzi, 1927	S	[Formicidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Camponotus leptocephalus Emery, 1923	Camponotus leptocephalus Emery, 1923	S	[Formicidae]
Camponotus maculatus minusculus Viehmeyer, 1914	Camponotus maculatus minusculus Viehmeyer, 1914	S	[Formicidae]
Camponotus ogasawarensis Terayama & Satoh, 1990	Camponotus ogasawarensis Terayama & Satoh, 1990	P	[Formicidae]
Camponotus rothneyi taivanae Forel, 1913	Camponotus rothneyi taivanae Forel, 1913	S	[Formicidae]
Camponotus dorycus var. tipuna Forel, 1913	Camponotus dorycus tipuna Forel, 1913	S	[Formicidae]
Camponotus vicinus Mayr, 1870	Camponotus vicinus Mayr, 1870	S	[Formicidae]
Camponotus yamaokai Terayama & Satoh, 1990	Camponotus yamaokai Terayama & Satoh, 1990	P	[Formicidae]
Campoplegidea erythra Uchida, 1932	Dusona erythra Uchida, 1932	L	[Ichneumonidae]
Campoplegidea melanocerus Uchida, 1932	Dusona melanocera Uchida, 1932	H	[Ichneumonidae]
Campoplegidea sauteri Uchida, 1932	Dusona sauteri Uchida, 1932	L	[Ichneumonidae]
Campoplex indicus Gupta & Maheshwary, 1977	Campoplex indicus Gupta & Maheshwary, 1977	P	[Ichneumonidae]
Campoplex kalatopensis Gupta & Maheshwary, 1977	Campoplex kalatopensis Gupta & Maheshwary, 1977	P	[Ichneumonidae]
Campoplex libauensis Strand, 1918	Dusona libauensis Strand, 1918	H	[Ichneumonidae]
Campoplex maximalus Gupta & Maheshwary, 1977	Campoplex maximalus Gupta & Maheshwary, 1977	P	[Ichneumonidae]
Campoplex oriens Gupta & Maheshwary, 1977	Campoplex oriens Gupta & Maheshwary, 1977	P	[Ichneumonidae]
Campsomeris binghami Betrem, 1928	Campsomeris binghami Betrem, 1928	H	[Scoliidae]
Campsomeris marginella formosana Betrem, 1928	Campsomeris marginella formosana Betrem, 1928	H	[Scoliidae]
Campsomeris formosensis Betrem, 1928	Campsomeris formosensis Betrem, 1928	H	[Scoliidae]
Campsomeris prismatica var. fulvoanalis Betrem, 1928	Campsomeris prismatica fulvoanalis Betrem, 1928	H	[Scoliidae]
Campsomeris pseudopropodealis Betrem, 1928	Campsomeris pseudopropodealis Betrem, 1928	H	[Scoliidae]
Campsomeris sauteri Betrem, 1928	Campsomeris sauteri Betrem, 1928	H	[Scoliidae]
Camptoprium atriceps Konow, 1905	Camptoprium atriceps Konow, 1905	H	[Symphyta]
Camptoprium languidum Konow, 1903	Camptoprium languidum (Konow, 1903)	H	[Symphyta]
Campyloneurus rotundatus var. ceylonicus Fahringer, 1942	Campyloneurus rotundatus ceylonicus Fahringer, 1942	H	[Braconidae]
Campyloneurus undicuneus var. horni Fahringer, 1942	Campyloneurus undicuneus horni Fahringer, 1942	H	[Braconidae]
Campyloneurus similis Szépligeti, 1913	Campyloneurus similis Szépligeti, 1913	S	[Braconidae]
Canonias inopinus Konow, 1900	Canonias inopinus Konow, 1900	S	[Symphyta]
Cardiocondyla stambuloffi Forel, 1892	Cardiocondyla stambuloffi Forel, 1892	S	[Formicidae]
Carria dreisbachi montana Townes, 1959	Carria dreisbachi montana Townes, 1959	P	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Casitaria brasiliensis Brèthes, 1927	Casitaria brasiliensis Brèthes, 1927	S	[Ichneumonidae]
Casitaria formosana Momoi, 1970	Casitaria formosana Momoi, 1970	L	[Ichneumonidae]
Casitaria insularis Uchida, 1932	Casitaria formosana Momoi, 1970	L	[Ichneumonidae]
Casitaria longiabdominalis Uchida, 1932	Dusona longiabdominalis Uchida, 1932	H	[Ichneumonidae]
Casitaria simillima Maheshwary & Gupta, 1977	Casitaria simillima Maheshwary & Gupta, 1977	P	[Ichneumonidae]
Caupolicana fulvicollis var. egregia Friese, 1906	Caupolicana fulvicollis Spinola, 1851	S	[Apidae]
Caupolicana luteipes Friese, 1916	Caupolicana luteipes Friese, 1916	H	[Apidae]
Cenocoelius koshunensis Watanabe, 1934	Cenocoelius koshunensis Watanabe, 1934	H	[Braconidae]
Cenocoelius necator Borgmeier, 1931	Cenocoelius necator Borgmeier, 1931	S	[Braconidae]
Centrodora dorsati Mercet, 1930	Centrodora dorsati Mercet, 1930	S	[Aphelinidae]
Cephus antigae Konow, 1894	Calameuta filiformis (Eversmann, 1847)	L	[Symphyta]
Cephus frugi Konow, 1896	Cephus lateralis Konow, 1894	L	[Symphyta]
Cephus gaullei Konow, 1896	Cephus gaullei Konow, 1898	L	[Symphyta]
Cephus gracilicornis Konow, 1896	Calameuta haemorrhoidalis (Fabricius, 1781)	L	[Symphyta]
Cephus grombczewskii Jakovlev, 1891	Calameuta filiformis (Eversmann, 1847)	S	[Symphyta]
Cephus hyalinatus Konow, 1897	Cephus hyalinatus Konow, 1897	H	[Symphyta]
Cephus lateralis Konow, 1894	Cephus lateralis Konow, 1894	L	[Symphyta]
Cephus nigriventris Konow, 1896	Cephus lateralis Konow, 1894	S	[Symphyta]
Cephus punctulatus Konow, 1896	Cephus brachycercus C. G. Thomson, 1871	L	[Symphyta]
Cephus runcator Konow, 1896	Cephus runcator Konow, 1896	L	[Symphyta]
Cephus haemorrhoidalis var. signifer Konow, 1896	Calameuta haemorrhoidalis (Fabricius, 1781)	H	[Symphyta]
Ceramiellus braunsi Schulthess, 1922	Ceramiellus braunsi Schulthess, 1922	S	[Vespidae]
Cerapachys reticulatus Emery, 1923	Cerapachys reticulatus Emery, 1923	H	[Formicidae]
Cerapachys sauteri Forel, 1913	Cerapachys sauteri Forel, 1913	S	[Formicidae]
Ceraphron fuscipes Ratzeburg, 1852	Ceraphron fuscipes Ratzeburg, 1852	H	[Ceraphronidae]
Ceraphron laevis Ratzeburg, 1852	Ceraphron laevis Ratzeburg, 1852	H	[Ceraphronidae]
Ceratina fumipennigera Strand, 1914	Ceratina fumipennigera Strand, 1914	S	[Apidae]
Ceratina kankauensis Strand, 1913	Ceratina kankauensis Strand, 1913	H	[Apidae]
Ceratina kosemponis Strand, 1913	Ceratina kosemponis Strand, 1913	S	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Ceratina liliputana</i> Brauns, i.l.	<i>Ceratina liliputana</i> Brauns, i.l.	I	[Apidae]
<i>Ceratina ludwigi</i> Strand, 1914	<i>Ceratina ludwigi</i> Strand, 1914	L	[Apidae]
<i>Ceratina paradoxa</i> Brauns, i.l.	<i>Ceratina paradoxa</i> Brauns, i.l.	I	[Apidae]
<i>Ceratina hieroglyphica</i> ab. <i>rufipicta</i> Strand, 1913	<i>Ceratina okinawana taiwanensis</i> Shiokawa,	S	[Apidae]
<i>Ceratina sauteri</i> Strand, 1913	<i>Ceratina sauteri</i> Strand, 1913	H	[Apidae]
<i>Ceratina subulata</i> Brauns, i.l.	<i>Ceratina subulata</i> Brauns, i.l.	I	[Apidae]
<i>Ceratina tehuacana</i> Strand, 1919	<i>Ceratina tehuacana</i> Strand, 1919	S	[Apidae]
<i>Cerceris formosana</i> Strand, 1913	<i>Cerceris formosana</i> Strand, 1913	H	[Crabronidae]
<i>Cerceris novarae</i> var. <i>formosicola</i> Strand, 1913	<i>Cerceris pictiventris formosicola</i> Strand, 1913	L	[Crabronidae]
<i>Cerceris grahami</i> Giner Mari,	<i>Cerceris grahami</i> Giner Mari,	T	[Crabronidae]
<i>Cerceris guillarmodi</i> Empey,	<i>Cerceris guillarmodi</i> Empey,	P	[Crabronidae]
<i>Cerceris hexadonta</i> Strand, 1913	<i>Cerceris hexadonta</i> Strand, 1913	H	[Crabronidae]
<i>Cerceris holconota labiosa</i> Empey, 1971	<i>Cerceris holconota labiosa</i> Empey, 1971	P	[Crabronidae]
<i>Cerceris lingnau</i> Arnold, 1933	<i>Cerceris oraniensis</i> Brauns, 1926	H	[Crabronidae]
<i>Cerceris navitatis navigatrix</i> Strand, 1913	<i>Cerceris albofasciata navigatrix</i> Strand, 1913	H	[Crabronidae]
<i>Cerceris palmerstonensis</i> Giner Mari,	<i>Cerceris palmerstonensis</i> Giner Mari,	T	[Crabronidae]
<i>Cerceris strandi</i> Giner Mari, 1943	<i>Cerceris strandi</i> Giner Mari, 1943	L	[Crabronidae]
<i>Cerceris fukaii</i> forma <i>superflua</i> Strand, 1913	<i>Cerceris fukaii superflua</i> Strand, 1913	L	[Crabronidae]
<i>Cerceris trichobunda</i> Strand, 1913	<i>Cerceris trichobunda</i> Strand, 1913	H	[Crabronidae]
<i>Cerceris pearstonensis vadosafurcilla</i> Empey,	<i>Cerceris pearstonensis vadosafurcilla</i> Empey,	P	[Crabronidae]
<i>Cerchysius gigas</i> Erdős, 1955	<i>Cerchysius gigas</i> Erdős, 1955	S	[Encyrtidae]
<i>Cerospastus volupis</i> Konow, 1899	<i>Cerospastus volupis</i> Konow, 1899	H	[Symphyta]
<i>Chalcidiopsis odontomera</i> Masi, 1933	<i>Chalcidiopsis odontomera</i> Masi, 1933	L	[Chalcididae]
<i>Characopygus moricei</i> Konow, 1899	<i>Characopygus moricei</i> Konow, 1899	S	[Symphyta]
<i>Charitopimpla nigrescens</i> Cushman, 1933	<i>Acropimpla nigrescens</i> Cushman, 1933	H	[Ichneumonidae]
<i>Charitopimpla uchidai</i> Cushman, 1933	<i>Acropimpla uchidai</i> Cushman, 1933	H	[Ichneumonidae]
<i>Charops taiwanus</i> Uchida, 1932	<i>Charops taiwanus</i> Uchida, 1932	L	[Ichneumonidae]
<i>Charterginus nevermanni</i> Bequaert, 1938	<i>Charterginus nevermanni</i> Bequaert, 1938	H	[Vespidae]
<i>Chelanorhogas rufithorax</i> Enderlein, 1912	<i>Chelanorhogas rufithorax</i> Enderlein, 1912	R	[Braconidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Chelonus atriceps</i> Ratzeburg, 1844	<i>Ascogaster rufipes</i> (Latreille, 1809)	S	[Braconidae]
<i>Chelonus audeoudiae</i> Muesebeck, 1933	<i>Chelonus audeoudiae</i> Muesebeck, 1933	P	[Braconidae]
<i>Chelonus salebrosus</i> Enderlein, 1912	<i>Chelonus salebrosus</i> Enderlein, 1912	S	[Braconidae]
<i>Chelonus striatiscuta</i> Fahringer, 1934	<i>Chelonus striatiscuta</i> Fahringer, 1934	S	[Braconidae]
<i>Chevinia mediterranea</i> Lacourt, 2003	<i>Chevinia mediterranea</i> Lacourt, 2003	P	[Symphyta]
<i>Chilicola longiventris</i> Friese, i.l.	<i>Chilicola longiventris</i> Friese, i.l.	I	[Apidae]
<i>Chrestosema laeviusculum</i> Hedicke, 1913	<i>Chrestosema laeviusculum</i> Hedicke, 1913	H	[Figitidae]
<i>Chrysis schenklingi</i> Mocsáry, 1913	<i>Chrysis ionophris</i> Mocsáry, 1893	R	[Chrysididae]
<i>Chrysocharis kraussei</i> Wolff, 1916	<i>Chrysocharis kraussei</i> Wolff, 1916	S	[Eulophidae]
<i>Cibdela scita</i> Konow, 1900	<i>Cibdela scita</i> Konow, 1900	S	[Symphyta]
<i>Cimbex capreae</i> Konow, 1897	<i>Cimbex luteus</i> (Linné, 1758)	S	[Symphyta]
<i>Cimbex carinulata</i> Konow, 1897	<i>Cimbex carinulatus</i> Konow, 1897	S	[Symphyta]
<i>Cladardis carthago</i> Blank & Taeger,	<i>Periclista carthago</i> Blank & Taeger, i. l.	P	[Symphyta]
<i>Cladiucha insolita</i> Konow, 1902	<i>Cladiucha insolita</i> Konow, 1902	H	[Symphyta]
<i>Cladius comari</i> Stein, 1886	<i>Cladius pectinicornis</i> (Geoffroy, 1785)	S	[Symphyta]
<i>Cladius crassicornis</i> Konow, 1884	<i>Cladius pectinicornis</i> (Geoffroy, 1785)	S	[Symphyta]
<i>Cladius gracilicornis</i> Konow, 1884	<i>Cladius pectinicornis</i> (Geoffroy, 1785)	O	[Symphyta]
<i>Cladius hyalinopterus</i> Konow, 1886	<i>Cladius pectinicornis</i> (Geoffroy, 1785)	S	[Symphyta]
<i>Cladius ordubadensis</i> Konow, 1892	<i>Cladius pectinicornis</i> (Geoffroy, 1785)	S	[Symphyta]
<i>Cladius palmicornis</i> Konow, 1892	<i>Cladius pectinicornis</i> (Geoffroy, 1785)	H	[Symphyta]
<i>Cladius tibialatus</i> Konow, 1906	<i>Cladius pectinicornis</i> (Geoffroy, 1785)	S	[Symphyta]
<i>Claremontia springatei</i> Koch, 1988	<i>Claremontia springatei</i> Koch, 1988	H	[Symphyta]
<i>Clarissa variabilis</i> Forsius, 1927	<i>Neoeurys variabilis</i> (Forsius, 1927)	S	[Symphyta]
<i>Clavellaria tonkinensis</i> Konow, 1902	<i>Leptocimbex tonkinensis</i> (Konow, 1902)	S	[Symphyta]
<i>Clavellarius konowi</i> Kapuscinski, i.l.	<i>Pseudoclavellaria amerinae</i> (Linné, 1758)	H	[Symphyta]
<i>Clydostomus cestatus</i> Konow, 1908	<i>Tenthredo cestata</i> (Konow, 1908)	S	[Symphyta]
<i>Coccobius luteus</i> Ratzeburg, 1852	<i>Coccobius luteus</i> Ratzeburg, 1852	H	[Aphelinidae]
<i>Coelichneumon ampingensis</i> Uchida, 1932	<i>Neamaria ampingensis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Coelichneumon decemguttatus</i> Uchida, 1932	<i>Coelichneumon decemguttatus</i> Uchida, 1932	H	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Coelichneumon fulvibasalis</i> Uchida, 1932	<i>Coelichneumon fulvibasalis</i> Uchida, 1932	H	[Ichneumonidae]
<i>Coelichneumon hormaleoscelus</i> Uchida, 1932	<i>Coelichneumon hormaleoscelus</i> Uchida, 1932	L	[Ichneumonidae]
<i>Coelichneumon kosempensis</i> Uchida, 1932	<i>Coelichneumon kosempensis</i> Uchida, 1932	H	[Ichneumonidae]
<i>Coelichneumon sauteri</i> Uchida, 1932	<i>Aglaojoppa caeruleodorsata sauteri</i> Uchida, 1932	H	[Ichneumonidae]
<i>Coelichneumon taihorinus</i> Uchida, 1932	<i>Coelichneumon taihorinus</i> Uchida, 1932	L	[Ichneumonidae]
<i>Coelioxys formosicola</i> Strand, 1913	<i>Coelioxys formosicola</i> Strand, 1913	H	[Apidae]
<i>Coelioxys kosemponis</i> Strand, 1913	<i>Coelioxys kosemponis</i> Strand, 1913	S	[Apidae]
<i>Coelioxys taihorinica</i> var. <i>latipyga</i> Strand, 1913	<i>Coelioxys taihorinica latipyga</i> Strand, 1913	H	[Apidae]
<i>Coelioxys lativentrioides</i> Brauns, 1930	<i>Liothyrapis lativentrioides</i> (Brauns, 1930)	S	[Apidae]
<i>Coelioxys suisharyonis</i> Strand, 1913	<i>Coelioxys suisharyonis</i> Strand, 1913	H	[Apidae]
<i>Coelioxys sumatrana</i> Enderlein, 1906	<i>Coelioxys sumatrana</i> Enderlein, 1906	S	[Apidae]
<i>Coelioxys taihorinica</i> Strand, 1913	<i>Coelioxys taihorinica</i> Strand, 1913	H	[Apidae]
<i>Coeloides forsteri</i> Haeselbarth, 1967	<i>Coeloides forsteri</i> Haeselbarth, 1967	P	[Braconidae]
<i>Coeloides scolyticida</i> var. <i>melanostigma</i> Strand, 1918	<i>Coeloides melanostigma</i> Strand, 1918	H	[Braconidae]
<i>Coeloides abdominalis orientalis</i> Haeselbarth, 1967	<i>Coeloides abdominalis orientalis</i> Haeselbarth, 1967	P	[Braconidae]
<i>Coeloreuteus formosanus</i> Watanabe, 1934	<i>Opius formosanus</i> (Watanabe, 1934)	H	[Braconidae]
<i>Colastes pubescens</i> Belokobylskij, 1986	<i>Colastes pubescens</i> Belokobylskij, 1986	P	[Braconidae]
<i>Colastes taegeri</i> Belokobylskij, 1995	<i>Colastes taegeri</i> Belokobylskij, 1995	H	[Braconidae]
<i>Colletes balticus</i> Alfken, 1912	<i>Colletes caspicus balticus</i> Alfken, 1912	S	[Apidae]
<i>Colletes hakkeri</i> Kuhlmann, 2002	<i>Colletes hakkeri</i> Kuhlmann, 2002	P	[Apidae]
<i>Colletes mexicanicola</i> Strand, 1919	<i>Colletes mexicanicola</i> Strand, 1919	H	[Apidae]
<i>Colletes mexiconis</i> Strand, 1919	<i>Colletes mexiconis</i> Strand, 1919	H	[Apidae]
<i>Colletes nitidilabris</i> Strand, 1919	<i>Colletes nitidilabris</i> Strand, 1919	S	[Apidae]
<i>Colletes porosicus</i> Strand, 1921	<i>Colletes eous</i> Morice, 1904	L	[Apidae]
<i>Colletes sanctus</i> Cockerell, 1910	<i>Colletes sanctus</i> Cockerell, 1910	S	[Apidae]
<i>Colletes shonae</i> Kuhlmann,	<i>Colletes shonae</i> Kuhlmann,	P	[Apidae]
<i>Colletes tehuacanus</i> Strand, 1919	<i>Colletes tehuacanus</i> Strand, 1919	H	[Apidae]
<i>Colochelyna magrettii</i> Konow, 1898	<i>Colochelyna magrettii</i> Konow, 1898	S	[Symphyta]
<i>Colochelyna montana</i> Konow, 1898	<i>Neocolochelyna montana</i> (Konow, 1898)	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Compsodryoxenus pattersoni</i> Kinsey, 1922	<i>Compsodryoxenus pattersoni</i> Kinsey, 1922	P	[Cynipidae]
<i>Conaspidia sikkimensis</i> Konow, 1898	<i>Conaspidia sikkimensis</i> Konow, 1898	H	[Symphyta]
<i>Conoblasta berolinae</i> Strand, 1918	<i>Glypta consimilis</i> Holmgren, 1860	H	[Ichneumonidae]
<i>Copidosoma boucheanum</i> Ratzeburg, 1844	<i>Copidosoma boucheanum</i> Ratzeburg, 1844	S	[Encyrtidae]
<i>Corynura oiospermi</i> Schrottky, 1909	<i>Halictus oiospermi</i> (Schrottky, 1909)	S	[Apidae]
<i>Cosmoconus hinzi</i> Kasparyan, 1971	<i>Cosmoconus hinzi</i> Kasparyan, 1971	H	[Ichneumonidae]
<i>Cosmophorus klugii</i> Ratzeburg, 1848	<i>Cosmophorus klugii</i> Ratzeburg, 1848	L	[Braconidae]
<i>Courtella hamifera</i> Kieffer, 1912	<i>Courtella hamifera</i> Kieffer, 1912	S	[Agaonidae]
<i>Cratobracon insularis</i> var. <i>breviterebra</i> Fahringer, 1942	<i>Hybogaster insularis breviterebra</i> Fahringer, 1942	H	[Braconidae]
<i>Cratobracon cinereicauda</i> Fahringer, 1942	<i>Rostraulax cinereicauda</i> (Fahringer, 1942)	H	[Braconidae]
<i>Cremastogaster popohana amia</i> Forel, 1913	<i>Crematogaster popohana amia</i> Forel, 1913	S	[Formicidae]
<i>Cremastogaster auberti</i> var. <i>antarcticus</i> Forel, 1894	<i>Crematogaster auberti antarcticus</i> Forel, 1894	S	[Formicidae]
<i>Cremastogaster treubi apilis</i> Forel, 1913	<i>Crematogaster treubi apilis</i> Forel, 1913	H	[Formicidae]
<i>Cremastogaster bison</i> Forel, 1913	<i>Crematogaster bison</i> Forel, 1913	H	[Formicidae]
<i>Cremastogaster decamera</i> Forel, 1910	<i>Crematogaster decamera</i> Forel, 1910	S	[Formicidae]
<i>Cremastogaster borneensis</i> var. <i>harpyia</i> Forel, 1911	<i>Crematogaster borneensis harpyia</i> Forel, 1911	S	[Formicidae]
<i>Cremastogaster homeri</i> Forel, 1913	<i>Crematogaster homeri</i> Forel, 1913	H	[Formicidae]
<i>Cremastogaster overbecki</i> Viehmeyer, 1916	<i>Crematogaster overbecki</i> Viehmeyer, 1916	S	[Formicidae]
<i>Cremastogaster popohana</i> Forel, 1912	<i>Crematogaster popohana</i> Forel, 1912	S	[Formicidae]
<i>Cremastogaster schimmeri</i> Forel, 1912	<i>Crematogaster schimmeri</i> Forel, 1912	S	[Formicidae]
<i>Cremastogaster tumidula</i> var. <i>taivanae</i> Forel, 1913	<i>Crematogaster tumidula taivanae</i> Forel, 1913	S	[Formicidae]
<i>Cremastus areolaris</i> Strand, 1918	<i>Cremastus geminus</i> Gravenhorst, 1829	H	[Ichneumonidae]
<i>Cremastus boops</i> Cushman, 1934	<i>Temelucha boops</i> Cushman, 1934	P	[Ichneumonidae]
<i>Cremastus coreanus</i> forma <i>kigaonis</i> Uchida, 1932	<i>Trathala flavoorbitalis</i> Cameron, 1907	S	[Ichneumonidae]
<i>Cremastus minimus</i> Uchida, 1932	<i>Temelucha minima</i> Uchida, 1932	H	[Ichneumonidae]
<i>Crematogaster peristericus</i> Menozzi, 1925	<i>Crematogaster peristericus</i> Menozzi, 1925	S	[Formicidae]
<i>Cremnops alternans</i> Enderlein, 1920	<i>Cremnops atricornis</i> (Smith, 1874)	S	[Braconidae]
<i>Cressonianus rufithorax</i> Brèthes, 1927	<i>Matara cincta</i> Brulle, 1846	H	[Ichneumonidae]
<i>Crocisa alfkeni</i> (Brauns, 1909)	<i>Melecta alfkeni</i> (Brauns, 1909)	S	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Crocisa rectangula</i> Meyer, 1921	<i>Melecta rectangula</i> (Meyer, 1921)	S	[Apidae]
<i>Crocisa valvata</i> Brauns, 1909	<i>Melecta valvata</i> (Brauns, 1909)	S	[Apidae]
<i>Cryptoserphus cumaeus fungorum</i> Szelényi, 1940	<i>Cryptoserphus cumaeus fungorum</i> Szelényi, 1940	L	[Proctotrupidae]
<i>Cryptus albicinctus</i> Lange, 1911	<i>Latibulus argiolus</i> Rossi, 1790	L	[Ichneumonidae]
<i>Cryptus suisharionis</i> Uchida, 1932	<i>Apocryptus suisharionis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Cryptus tuberculatus</i> Uchida, 1932	<i>Etha tuberculata</i> Uchida, 1932	L	[Ichneumonidae]
<i>Ctenopelma pilosum</i> Lange, 1911	<i>Ctenopelma nigripenne</i> Gravenhorst, 1829	H	[Ichneumonidae]
<i>Curriea nigriventris</i> Szépligeti, 1913	<i>Aphrastobracon nigriventris</i> Szépligeti, 1913	S	[Braconidae]
<i>Cycloscapus arenarius</i> Erdős, 1951	<i>Cycloscapus arenarius</i> Erdős, 1951	S	[Eulophidae]
<i>Cylindromyrmex schmidti</i> Menozzi, 1931	<i>Cylindromyrmex schmidti</i> Menozzi, 1931	H	[Formicidae]
<i>Cynips pezomachoides</i> var. <i>advena</i> Kinsey, 1930	<i>Cynips pezomachoides advena</i> Kinsey, 1930	P	[Cynipidae]
<i>Cynips villosa</i> var. <i>consocians</i> Kinsey, 1930	<i>Cynips villosa consocians</i> Kinsey, 1930	P	[Cynipidae]
<i>Cynips noxiosa</i> Bassett, 1881	<i>Cynips noxiosa</i> Bassett, 1881	S	[Cynipidae]
<i>Cynips pezomachoides</i> var. <i>ozark</i> Kinsey, 1930	<i>Cynips pezomachoides ozark</i> Kinsey, 1930	P	[Cynipidae]
<i>Cynips fulvicollis</i> var. <i>vorisi</i> Kinsey, 1930	<i>Cynips fulvicollis vorisi</i> Kinsey, 1930	P	[Cynipidae]
<i>Cyphona albipennis</i> Konow, 1891	<i>Aprosthemata maculatum albipenne</i> (Konow, 1891)	H	[Symphyta]
<i>Cystomastax formosana</i> Watanabe, 1932	<i>Dedanima formosana</i> (Watanabe, 1932)	H	[Braconidae]
<i>Dapsilarthra nowakowskii</i> Königsmann, 1959	<i>Dapsilarthra gahani</i> Baume-Pluvinel,	H	[Braconidae]
<i>Dasymutilla deyrollesi</i> Mickel, 1937	<i>Dasymutilla deyrollesi</i> Mickel, 1937	P	[Mutillidae]
<i>Dasymutilla insulana</i> Mickel, 1926	<i>Dasymutilla insulana</i> Mickel, 1926	H	[Mutillidae]
<i>Decameria altilis</i> Konow, 1906	<i>Decameria altilis</i> Konow, 1906	H	[Symphyta]
<i>Decameria florida</i> Konow, 1906	<i>Decameria florida</i> Konow, 1906	H	[Symphyta]
<i>Decameria leucophaea</i> Konow, 1906	<i>Decameria leucophaea</i> Konow, 1906	H	[Symphyta]
<i>Decameria sandaracata</i> Konow, 1906	<i>Decameria sandaracata</i> Konow, 1906	L	[Symphyta]
<i>Dendrosoter camerunus</i> Enderlein, 1912	<i>Dendrosoter camerunus</i> Enderlein, 1912	H	[Braconidae]
<i>Dentagenia formosana</i> Wahis,	<i>Dentagenia formosana</i> Wahis,	H	[Pompilidae]
<i>Derecyrtia andrei</i> Konow, 1897	<i>Derecyrtia andrei</i> Konow, 1897	H	[Symphyta]
<i>Derecyrtia araucariae</i> Mecke, 2000	<i>Derecyrtia araucariae</i> Mecke, 2000	P	[Symphyta]
<i>Derecyrtia patagiata</i> Konow, 1899	<i>Derecyrtia patagiata</i> Konow, 1899	L	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Derostenus sulcatus</i> Erdős, 1954	<i>Derostenus sulcatus</i> Erdős, 1954	S	[Eulophidae]
<i>Desantisca palanichamyi</i> Narendran, 1984	<i>Eurytoma palanichamyi</i> Narendran, 1984	P	[Eulophidae]
<i>Deuteragenia formosana</i> Suster, i.l.	<i>Deuteragenia formosana</i> Suster, i.l.	T	[Pompilidae]
<i>Deuteragenia orientalis</i> Suster, i.l.	<i>Deuteragenia orientalis</i> Suster, i.l.	T	[Pompilidae]
<i>Diapetus taiwanensis</i> Cushman, 1932	<i>Nematopodius taiwanensis</i> Cushman, 1932	H	[Ichneumonidae]
<i>Diastephanus flavidentatus</i> Enderlein, 1913	<i>Diastephanus flavidentatus</i> Enderlein, 1913	L	[Stephanidae]
<i>Diastephanus fuscidens</i> Kieffer, 1911	<i>Diastephanus fuscidens</i> Kieffer, 1911	S	[Stephanidae]
<i>Diastephanus leucodon</i> Kieffer, 1911	<i>Diastephanus leucodon</i> Kieffer, 1911	S	[Stephanidae]
<i>Diastephanus ruficollis</i> Enderlein, 1913	<i>Diastephanus ruficollis</i> Enderlein, 1913	L	[Stephanidae]
<i>Dibrachella gracilenta</i> Boucek, 1955	<i>Dibrachella gracilenta</i> Boucek, 1955	P	[Pteromalidae]
<i>Dicaelotus janeirensis</i> Brèthes, 1927	<i>Dicaelotus janeirensis</i> Brèthes, 1927	H	[Ichneumonidae]
<i>Dichelobosmina tuberculata</i> Uchida, 1932	<i>Melalophacharops papilionis</i> Ashmead, 1905	L	[Ichneumonidae]
<i>Didocha braunsi</i> Konow, 1907	<i>Arge hansii</i> Forsius, 1930	S	[Symphyta]
<i>Diglyphus sabulosus</i> Erdős, 1951	<i>Diglyphus sabulosus</i> Erdős, 1951	S	[Eulophidae]
<i>Dimeromicrus affinis</i> Masi, 1926	<i>Dimeromicrus affinis</i> Masi, 1926	S	[Torymidae]
<i>Dinarmus sauteri</i> var. <i>pyrrhomerus</i> Masi, 1922	<i>Dinarmus sauteri pyrrhomerus</i> Masi, 1922	S	[Pteromalidae]
<i>Dinarmus sauteri</i> Masi, 1922	<i>Dinarmus sauteri</i> Masi, 1922	S	[Pteromalidae]
<i>Dinax jakowleffi</i> Konow, 1897	<i>Adamas jakowleffi</i> (Konow, 1897)	S	[Symphyta]
<i>Dineura pullior</i> Schmidt & Walter, 1995	<i>Dineura pullior</i> Schmidt & Walter, 1995	P	[Symphyta]
<i>Dinotomus coelopyga</i> Morley, 1915	<i>Holcojoppa coelopyga</i> Morley, 1915	R	[Ichneumonidae]
<i>Diocetes nigriabdominalis</i> Uchida, 1932	<i>Eriborus nigriabdominalis</i> Uchida, 1932	S	[Ichneumonidae]
<i>Diomorus orientalis</i> Masi, 1926	<i>Diomorus orientalis</i> Masi, 1926	L	[Torymidae]
<i>Diplolepis radicum</i> var. <i>angustior</i> Hubter [recte: Hunter], 1923	<i>Diplolepis radicum angustior</i> Hunter, 1923	P	[Cynipidae]
<i>Diplolepis tuberculatrix</i> var. <i>coloradensis</i> Kinsey & Ayres, 1922	<i>Diplolepis tuberculatrix coloradensis</i> Kinsey & Ayres, 1922	P	[Cynipidae]
<i>Diplolepis bassetti</i> var. <i>lucida</i> Kinsey, 1922	<i>Diplolepis bassetti lucida</i> Kinsey, 1922	P	[Cynipidae]
<i>Diplolepis variabilis lutescens</i> Kinsey, 1922	<i>Diplolepis variabilis lutescens</i> Kinsey, 1922	P	[Cynipidae]
<i>Diplolepis tuberculatrix</i> var. <i>rubriderma</i> Kinsey & Ayres, 1922	<i>Diplolepis tuberculatrix rubriderma</i> Kinsey & Ayres, 1922	P	[Cynipidae]
<i>Diplolepis variabilis</i> var. <i>sculpta</i> Kinsey, 1922	<i>Diplolepis variabilis sculpta</i> Kinsey, 1922	P	[Cynipidae]
<i>Dirhicnus conopidarum</i> Boucek, 1961	<i>Dirhicnus conopidarum</i> Boucek, 1961	P	[Pteromalidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Dirhinus frequens</i> Masi, 1933	<i>Dirhinus frequens</i> Masi, 1933	L	[Chalcididae]
<i>Dirhinus secundarius</i> Masi, 1933	<i>Dirhinus secundarius</i> Masi, 1933	S	[Chalcididae]
<i>Discothyrea horni</i> Menozzi, 1927	<i>Discothyrea horni</i> Menozzi, 1927	H	[Formicidae]
<i>Discothyrea globus</i> var. <i>sauteri</i> Forel, 1912	<i>Discothyrea globus sauteri</i> Forel, 1912	S	[Formicidae]
<i>Distantella fischeri</i> Brèthes, 1927	<i>Photocryptus photomorphus</i> Viereck, 1913	S	[Ichneumonidae]
<i>Distega montium</i> Konow, 1907	<i>Distega montium</i> Konow, 1907	S	[Symphyta]
<i>Distega sjöstedti</i> Konow, 1904	<i>Distega sjostedti</i> Konow, 1904	S	[Symphyta]
<i>Dolerus tremulus</i> var. <i>aemula</i> Konow, 1902	<i>Dolerus triplicatus</i> (Klug, 1818)	H	[Symphyta]
<i>Dolerus albolineolatus</i> Haris & Blank, 1996	<i>Dolerus albolineolatus</i> Haris & Blank, 1996	H	[Symphyta]
<i>Dolerus altivolus</i> Lacourt, 1988	<i>Dolerus altivolus</i> Lacourt, 1988	P	[Symphyta]
<i>Dolerus analis</i> Konow, 1890	<i>Dolerus nigratus nigratus</i> (O. F. Müller, 1776)	S	[Symphyta]
<i>Dolerus anatolii</i> Heidemaa & Zinovjev, 2004	<i>Dolerus anatolii</i> Heidemaa & Zinovjev, 2004	P	[Symphyta]
<i>Dolerus armillatus</i> Konow, 1896	<i>Dolerus armillatus</i> Konow, 1896	S	[Symphyta]
<i>Dolerus asper</i> Zaddach, 1859	<i>Dolerus asper</i> Zaddach, 1859	N	[Symphyta]
<i>Dolerus brevicornis</i> Zaddach, 1859	<i>Dolerus brevicornis</i> Zaddach, 1859	N	[Symphyta]
<i>Dolerus carinatus</i> Konow, 1884	<i>Dolerus stygius</i> Förster, 1860	L	[Symphyta]
<i>Dolerus ciliatus</i> Konow, 1891	<i>Dolerus ciliatus</i> Konow, 1891	H	[Symphyta]
<i>Dolerus coruscans</i> Konow, 1890	<i>Dolerus nitens</i> Zaddach, 1859	S	[Symphyta]
<i>Dolerus croaticus</i> Konow, 1890	<i>Dolerus puncticollis</i> C. G. Thomson, 1871	H	[Symphyta]
<i>Dolerus collaris</i> var. <i>erebus</i> Ross, 1931	<i>Dolerus rossi</i> Goulet, 1986	P	[Symphyta]
<i>Dolerus eurybis</i> Ross, 1931	<i>Dolerus eurybis</i> Ross, 1931	P	[Symphyta]
<i>Dolerus germanicus</i> forma <i>femininus</i> Conde, i.l.	<i>Dolerus germanicus germanicus</i> (Fabricius, 1775)	T	[Symphyta]
<i>Dolerus grombczewskii</i> Jakovlev, 1891	<i>Dolerus grombczewskii</i> Jakovlev, 1891	S	[Symphyta]
<i>Dolerus hibernicus</i> Lacourt, 1988	<i>Dolerus hibernicus</i> Lacourt, 1988	P	[Symphyta]
<i>Dolerus illini</i> Ross, 1931	<i>Dolerus illini</i> Ross, 1931	P	[Symphyta]
<i>Dolerus kokujewi</i> Konow, 1902	<i>Dolerus kokujewi</i> Konow, 1902	S	[Symphyta]
<i>Dolerus labiosus</i> Konow, 1897	<i>Dolerus gessneri</i> Ed. André, 1880	L	[Symphyta]
<i>Dolerus lateralis</i> Konow, 1895	<i>Dolerus yukonensis</i> Norton, 1872	H	[Symphyta]
<i>Dolerus lepidus</i> Konow, 1903	<i>Dolerus lepidus</i> Konow, 1903	L	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Dolerus manticatus</i> Konow, 1907	<i>Dolerus manticatus</i> Konow, 1907	S	[Symphyta]
<i>Dolerus melanopterus</i> Konow, 1888	<i>Dolerus melanopterus</i> Konow, 1888	S	[Symphyta]
<i>Dolerus mimus</i> Goulet, 1986	<i>Dolerus mimus</i> Goulet, 1986	P	[Symphyta]
<i>Dolerus thomsoni</i> var. <i>miricolor</i> Konow, 1887	<i>Dolerus ferrugatus</i> Serville, 1823	H	[Symphyta]
<i>Dolerus mocsaryi</i> Konow, 1895	<i>Dolerus pachycerus</i> Hartig, 1837	S	[Symphyta]
<i>Dolerus murcius</i> Konow, 1895	<i>Dolerus murcius</i> Konow, 1895	S	[Symphyta]
<i>Dolerus mustus</i> Konow, 1905	<i>Dolerus lepidus</i> Konow, 1903	S	[Symphyta]
<i>Dolerus nigriceps</i> Konow, 1891	<i>Dolerus nigriceps</i> Konow, 1891	S	[Symphyta]
<i>Dolerus pratensis</i> var. <i>nigripes</i> Konow, 1884	<i>Dolerus germanicus germanicus</i> (Fabricius, 1775)	H	[Symphyta]
<i>Dolerus oertzeni</i> Konow, 1887	<i>Dolerus oertzeni</i> Konow, 1887	S	[Symphyta]
<i>Dolerus orthomastius</i> Konow, 1903	<i>Dolerus germanicus rugosus</i> Freymuth, 1870	H	[Symphyta]
<i>Dolerus porcatus</i> Konow, 1905	<i>Dolerus germanicus rugosus</i> Freymuth, 1870	S	[Symphyta]
<i>Dolerus pseudojaponicus</i> Haris & Blank, 1996	<i>Dolerus pseudojaponicus</i> Haris & Blank, 1996	H	[Symphyta]
<i>Dolerus purus</i> Jakowlew, 1892	<i>Dolerus purus</i> Jakovlev, 1891	S	[Symphyta]
<i>Dolerus raddatzi</i> Konow, 1884	<i>Dolerus picipes</i> (Klug, 1818)	O	[Symphyta]
<i>Dolerus sanguinicollis</i> var. <i>reicherti</i> Konow, 1894	<i>Dolerus sanguinicollis</i> (Klug, 1818)	H	[Symphyta]
<i>Dolerus rosti</i> Konow, 1890	<i>Dolerus rosti</i> Konow, 1890	H	[Symphyta]
<i>Dolerus rugosus</i> Konow, 1884	<i>Dolerus varispinus</i> Hartig, 1837	L	[Symphyta]
<i>Dolerus schmidti</i> Konow, 1884	<i>Dolerus schmidti</i> Konow, 1884	H	[Symphyta]
<i>Dolerus schulthessi</i> Konow, 1887	<i>Dolerus schulthessi</i> Konow, 1887	S	[Symphyta]
<i>Dolerus steini</i> Konow, 1885	<i>Dolerus triplicatus</i> (Klug, 1818)	S	[Symphyta]
<i>Dolerus leucopterus</i> var. <i>sulcatus</i> Konow, 1884	<i>Dolerus picipes</i> (Klug, 1818)	S	[Symphyta]
<i>Dolerus tadshikistanicus</i> Muche, 1976	<i>Dolerus lepidus</i> Konow, 1903	P	[Symphyta]
<i>Dolerus aeneus</i> var. <i>zaddachi</i> Konow, 1886	<i>Dolerus aeneus</i> Hartig, 1837	S	[Symphyta]
<i>Dolerus zhelochovtsevi</i> Heidemaa & Viitasaari, 2005	<i>Dolerus zhelochovtsevi</i> Heidemaa & Viitasaari, 2005	P	[Symphyta]
<i>Dolichomutilla rotundipyga</i> Strand, 1917	<i>Dolichomutilla rotundipyga</i> Strand, 1917	H	[Mutillidae]
<i>Dolichomutilla triangulipyga</i> Strand, 1917	<i>Dolichomutilla triangulipyga</i> Strand, 1917	H	[Mutillidae]
<i>Dolichurus abbreviatus</i> Strand, 1913	<i>Dolichurus abbreviatus</i> Strand, 1913	L	[Ampulicidae]
<i>Dolichurus leioceps</i> Strand, 1913	<i>Dolichurus leioceps</i> Strand, 1913	H	[Ampulicidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Doryctes denticoxa Belokobylskij, 1996	Doryctes denticoxa Belokobylskij, 1996	H	[Braconidae]
Doryctes germanicus Belokobylskij,	Doryctes germanicus Belokobylskij,	H	[Braconidae]
Doryctes reinhardi Fahringer, 1951	Rhoptrocentrus piceus Marshall, 1897	L	[Braconidae]
Doryctes striatelloides Strand, 1918	Doryctes striatellus Nees, 1834	H	[Braconidae]
Dorylus spininodis longiceps Viehmeyer, 1914	Dorylus spininodis longiceps Viehmeyer, 1914	S	[Formicidae]
Dusona dubitor Hinz, 1977	Dusona dubitor Hinz, 1977	P	[Ichneumonidae]
Ecdamua mirabilis Masi, 1926	Ecdamua mirabilis Masi, 1926	S	[Torymidae]
Echthromorpha scutellaris Perkins, i.l.	Echthromorpha scutellaris Perkins, i.l.	I	[Ichneumonidae]
Eciton californicum Mayr, 1870	Eciton californicum Mayr, 1870	S	[Formicidae]
Eciton diversinode Borgmeier, 1934	Eciton diversinode Borgmeier, 1934	P	[Formicidae]
Eciton modestum Borgmeier, 1934	Eciton modestum Borgmeier, 1934	P	[Formicidae]
Eciton orthonotum Borgmeier, 1934	Eciton orthonotum Borgmeier, 1934	P	[Formicidae]
Ectemnius zonsteini sp. n. Zonstein S.,	Ectemnius zonsteini Zonstein,	P	[Crabronidae]
Egurichneumon agitatus forma formosanus Uchida, 1932	Ulesta agitata Uchida, 1932	H	[Ichneumonidae]
Elachestus heyeri Ratzeburg, 1848	Elachestus heyeri Ratzeburg, 1848	L	[Eulophidae]
Elachestus leucobates Ratzeburg, 1848	Elachestus leucobates Ratzeburg, 1848	L	[Eulophidae]
Elaphroptera testaceicauda Duran-Moya, 1941	Elaphroptera testaceicauda Duran-Moya, 1941	L	[Thynnidae]
Elinora arida Lacourt, 1995	Tenthredo arida Lacourt, 1995	P	[Symphyta]
Elinora maroccana Lacourt, 1991	Elinora rufonigra maroccana Lacourt, 1991	P	[Symphyta]
Emphytina formosana Rohwer, 1916	Ametastegia formosana (Rohwer, 1916)	H	[Symphyta]
Emphytina sauteri Rohwer, 1916	Ametastegia sauteri (Rohwer, 1916)	H	[Symphyta]
Emphytoides gracilis Konow, 1898	Athlophorus gracilis gracilis (Konow, 1898)	H	[Symphyta]
Emphytoides perplexus Konow, 1898	Athlophorus perplexus perplexus (Konow, 1898)	S	[Symphyta]
Emphytoides placidus Konow, 1898	Athlophorus placidus (Konow, 1898)	H	[Symphyta]
Emphytus analis Konow, 1894	Allantus barbarus (Ed. André, 1881)	H	[Symphyta]
Emphytus armillatus Konow, 1905	Ametastegia armillata (Konow, 1905)	H	[Symphyta]
Emphytus calliblepharus Konow, 1900	Allantus calliblepharus (Konow, 1900)	S	[Symphyta]
Emphytus geminus Konow, 1891	Allantus geminus (Konow, 1891)	S	[Symphyta]
Emphytus koschevnikovi Konow, 1905	Allantus koschevnikovi (Konow, 1905)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Emphytus didymus var. niger Konow, 1904	Allantus didymus (Klug, 1818)	S	[Symphyta]
Emphytus balteatus var. nigripes Konow, 1897	Allantus laticinctus (Serville, 1823)	H	[Symphyta]
Emphytus ruficeps Konow, 1899	Allantus ruficeps (Konow, 1899)	H	[Symphyta]
Encarsia pachycerandra Nowicki, i.l.	Encarsia pachycerandra Nowicki, i.l.	I	[Aphelinidae]
Encyrtus citripes Ratzeburg, 1852	Encyrtus citripes Ratzeburg, 1852	S	[Encyrtidae]
Encyrtus dendripennis Ratzeburg, 1852	Encyrtus dendripennis Ratzeburg, 1852	O	[Encyrtidae]
Encyrtus eytelweinii Ratzeburg, 1844	Encyrtus eytelweinii Ratzeburg, 1844	H	[Encyrtidae]
Encyrtus mucronatus Ratzeburg, 1848	Encyrtus mucronatus Ratzeburg, 1848	O	[Encyrtidae]
Encyrtus parasema Ratzeburg, 1848	Encyrtus parasema Ratzeburg, 1848	O	[Encyrtidae]
Endasys lissorulus Sawoniewicz & Luhman, 1992	Endasys lissorulus Sawoniewicz & Luhman, 1992	P	[Ichneumonidae]
Endasys petiolus Sawoniewicz & Luhman, 1992	Endasys petiolus Sawoniewicz & Luhman, 1992	P	[Ichneumonidae]
Endasys stictogastris Sawoniewicz & Luhman, 1992	Endasys stictogastris Sawoniewicz & Luhman, 1992	P	[Ichneumonidae]
Endasys triannulatus Sawoniewicz & Luhman, 1992	Endasys triannulatus Sawoniewicz & Luhman, 1992	P	[Ichneumonidae]
Endelomyia filipendulae Lacourt, 1998	Endelomyia filipendulae Lacourt, 1998	P	[Symphyta]
Enicospilus bonaberiensis Strand, 1917	Enicospilus bonaberiensis Strand, 1917	H	[Ichneumonidae]
Enicospilus centralis Cushman, 1937	Enicospilus centralis Cushman, 1937	H	[Ichneumonidae]
Enicospilus cushmani Chiu, 1954	Enicospilus kanshirensis Uchida, 1928	H	[Ichneumonidae]
Enicospilus frater Cushman, 1937	Enicospilus signativentris Tosquinet, 1903	H	[Ichneumonidae]
Enicospilus nigrimarginalis Cushman, 1937	Enicospilus dasychirae Cameron, 1905	H	[Ichneumonidae]
Enicospilus nigristigma Cushman, 1937	Enicospilus nigristigma Cushman, 1937	H	[Ichneumonidae]
Enicospilus nigrivenalis Cushman, 1937	Enicospilus melanocarpus Cameron, 1905	H	[Ichneumonidae]
Enicospilus pallidistigma Cushman, 1937	Enicospilus pallidistigma Cushman, 1937	H	[Ichneumonidae]
Enicospilus sauteri Cushman, 1937	Enicospilus kanshirensis Uchida, 1928	H	[Ichneumonidae]
Enicospilus stenophleps Cushman, 1937	Enicospilus stenophleps Cushman, 1937	H	[Ichneumonidae]
Entedon apionis Erdös, 1951	Entedon apionis Erdös, 1951	S	[Eulophidae]
Entedon lixi Erdös, 1951	Entedon lixi Erdös, 1951	S	[Eulophidae]
Entodecta beckeri Konow, 1904	Metallus beckeri (Konow, 1904)	H	[Symphyta]
Entodecta decolor Konow, 1886	Metallus lanceolatus (C. G. Thomson, 1870)	H	[Symphyta]
Entodecta humilis Konow, 1908	Metallus capitalis (Norton, 1867)	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Ephialtes leucogonia</i> Cushman, 1933	<i>Pimpla flavipalpis</i> Cameron, 1899	H	[Ichneumonidae]
<i>Ephutomorpha emeraldiana</i> Rayment, 1937	<i>Ephutomorpha emeraldiana</i> Rayment, 1937	S	[Mutillidae]
<i>Ephutomorpha peremeraldiana</i> Rayment, 1937	<i>Ephutomorpha peremeraldiana</i> Rayment, 1937	S	[Mutillidae]
<i>Ephutomorpha picta</i> Rayment, 1935	<i>Ephutomorpha picta</i> Rayment, 1935	S	[Mutillidae]
<i>Epimicrodus pumilus</i> Szépligeti, 1913	<i>Crassomicrodus pumilus</i> Szépligeti, 1913	S	[Braconidae]
<i>Epimyрма goesswaldi</i> Menozzi, 1931	<i>Epimyрма goesswaldi</i> Menozzi, 1931	P	[Formicidae]
<i>Epirhyssa carinata</i> Cushman, 1933	<i>Triancyra minuta</i> Cushman, 1933	H	[Ichneumonidae]
<i>Epirhyssa diversa</i> Cushman, 1933	<i>Triancyra diversa</i> Cushman, 1933	H	[Ichneumonidae]
<i>Epirhyssa longibasis</i> Cushman, 1933	<i>Epirhyssa flavobalteata</i> Cameron, 1899	H	[Ichneumonidae]
<i>Epirhyssa minuta</i> Cushman, 1933	<i>Triancyra minuta</i> Cushman, 1933	H	[Ichneumonidae]
<i>Epirhyssa rufescens</i> Cushman, 1933	<i>Epirhyssa flavipes</i> Sonan, 1933	H	[Ichneumonidae]
<i>Epirhyssa transversa</i> Cushman, 1933	<i>Triancyra maculicornis</i> Cameron, 1899	K	[Ichneumonidae]
<i>Episyron quadrispinosum</i> Wahis,	<i>Episyron quadrispinosum</i> Wahis,	H	[Pompilidae]
<i>Erebomyrma eidmanni</i> Eidmann, 1936	<i>Erebomyrma eidmanni</i> Eidmann, 1936	P	[Formicidae]
<i>Eriglenum crudum</i> Konow, 1900	<i>Eriglenum crudum</i> Konow, 1900	S	[Symphyta]
<i>Eriglenum humeratum</i> Konow, 1903	<i>Eriglenum humeratum</i> Konow, 1903	H	[Symphyta]
<i>Eriocampa bilanx</i> Konow, 1896	<i>Probleta bilanx</i> (Konow, 1896)	H	[Symphyta]
<i>Eriocampa disiunctiva</i> Konow, 1902	<i>Probleta disiunctiva</i> Konow, 1902	H	[Symphyta]
<i>Eriocampa dorpatica</i> Konow, 1887	<i>Eriocampa dorpatica</i> Konow, 1887	H	[Symphyta]
<i>Eriocampa rufiventris</i> Konow, 1896	<i>Netroceros rufiventris rufiventris</i> (Konow, 1896)	S	[Symphyta]
<i>Eterochalcis adela</i> Burks, 1939	<i>Eterochalcis adela</i> Burks, 1939	H	[Chalcididae]
<i>Ethelurgus varsoviensis</i> Sawoniewicz, 1978	<i>Ethelurgus varsoviensis</i> Sawoniewicz, 1978	P	[Ichneumonidae]
<i>Euagathis variabilis</i> var. <i>dissimilis</i> Enderlein, 1920	<i>Euagathis variabilis dissimilis</i> Enderlein, 1920	S	[Braconidae]
<i>Euagathis quadrifossulata</i> var. <i>divisa</i> Enderlein, 1920	<i>Euagathis quadrifossulata</i> Enderlein, 1920	S	[Braconidae]
<i>Euagathis horniana</i> Enderlein, 1920	<i>Euagathis horniana</i> Enderlein, 1920	H	[Braconidae]
<i>Euagathis indica</i> Enderlein, 1920	<i>Euagathis indica</i> Enderlein, 1920	S	[Braconidae]
<i>Euagathis quadrifossulata</i> Enderlein, 1920	<i>Euagathis quadrifossulata</i> Enderlein, 1920	S	[Braconidae]
<i>Eucera grozdanici</i> Tkalcu, i. l.	<i>Eucera grozdanici</i> Tkalcu, i. l.	P	[Apidae]
<i>Eucera paganettii</i> Strand, 1915	<i>Eucera paganettii</i> Strand, 1915	L	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Eucera albofasciata</i> var. <i>piceitricha</i> Strand, 1915	<i>Eucera albofasciata piceitricha</i> Strand, 1915	L	[Apidae]
<i>Eucera punctulata</i> Alfken, 1942	<i>Eucera punctulata</i> Alfken, 1942	P	[Apidae]
<i>Eucerceris hespera</i> Scullen, 1948	<i>Eucerceris conata</i> Scullen, 1939	P	[Crabronidae]
<i>Eucerceris triciliata</i> Scullen, 1948	<i>Eucerceris bitruncata</i> Scullen, 1939	P	[Crabronidae]
<i>Eucharomorpha brasiliensis</i> Brèthes, 1927	<i>Eucharomorpha brasiliensis</i> Brèthes, 1927	S	[Eucharitidae]
<i>Eucorystes formosanus</i> Watanabe, 1934	<i>Spathiostenus formosanus</i> (Watanabe, 1934)	H	[Braconidae]
<i>Euderus agrili</i> Boucek, 1963	<i>Euderus agrili</i> Boucek, 1963	P	[Eulophidae]
<i>Euderus brevicornis</i> Boucek, 1963	<i>Euderus brevicornis</i> Boucek, 1963	P	[Eulophidae]
<i>Eugalta cameroni</i> Cushman, 1933	<i>Eugalta cameroni</i> Cushman, 1933	H	[Ichneumonidae]
<i>Eugalta flavorbitalis</i> Gupta, 1980	<i>Eugalta flavorbitalis</i> Gupta, 1980	P	[Ichneumonidae]
<i>Eugalta formosana</i> Cushman, 1933	<i>Achorocephalus pilosus</i> Szépligeti, 1914	H	[Ichneumonidae]
<i>Eulophus flavipes</i> Erdős, 1954	<i>Eulophus flavipes</i> Erdős, 1954	S	[Eulophidae]
<i>Eulophus smerinthicida</i> forma <i>hibernans</i> Boucek, 1959	<i>Eulophus smerinthicida hibernans</i> Boucek, 1959	P	[Eulophidae]
<i>Eulophus upupaenellae</i> Bouché, 1834	<i>Eulophus upupaenellae</i> Bouché, 1834	S	[Eulophidae]
<i>Euodynerus unifasciatus</i> Gusenleitner, 1998	<i>Euodynerus unifasciatus</i> Gusenleitner, 1998	H	[Vespidae]
<i>Eupelmus anpingensis</i> Masi, 1927	<i>Eupelmus anpingensis</i> Masi, 1927	H	[Eupelmidae]
<i>Eupelmus fuscus</i> Masi, 1927	<i>Eupelmus fuscus</i> Masi, 1927	H	[Eupelmidae]
<i>Eupelmus phragmitis</i> Erdős, 1955	<i>Eupelmus phragmitis</i> Erdős, 1955	S	[Eupelmidae]
<i>Eupelmus velenceensis</i> Erdős, 1955	<i>Eupelmus velenceensis</i> Erdős, 1955	S	[Eupelmidae]
<i>Euperilampoides concinnus</i> Masi, 1927	<i>Euperilampoides concinnus</i> Masi, 1927	H	[Perilampidae]
<i>Eupetersia sakalava</i> Blüthgen, 1936	<i>Eupetersia sakalava</i> Blüthgen, 1936	P	[Apidae]
<i>Euplacopria mutilata</i> Ferriere, 1929	<i>Euplacopria mutilata</i> Ferriere, 1929	S	[Diapriidae]
<i>Euponera obsoleta</i> Menozzi, 1931	<i>Euponera obsoleta</i> Menozzi, 1931	H	[Formicidae]
<i>Euponera taivanae</i> Forel, 1913	<i>Euponera taivanae</i> Forel, 1913	S	[Formicidae]
<i>Eurhadinoceraea krausi</i> Liston, 2008	<i>Eurhadinoceraea krausi</i> Liston, 2008	P	[Symphyta]
<i>Eurydinotomorpha sinica</i> Masi, 1927	<i>Eurydinotomorpha sinica</i> Masi, 1927	H	[Pteromalidae]
<i>Euryglossa endeavouricola</i> Strand, 1921	<i>Euryglossa endeavouricola</i> Strand, 1921	H	[Apidae]
<i>Eurytoma coluteae</i> Boucek, 1955	<i>Eurytoma coluteae</i> Boucek, 1955	P	[Eurytomidae]
<i>Eurytoma monemae</i> Ruschka, 1918	<i>Eurytoma monemae</i> Ruschka, 1918	S	[Eurytomidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Eusphinctus fulvidus</i> Clark, 1923	<i>Eusphinctus fulvidus</i> Clark, 1923	S	[Formicidae]
<i>Eusphinctus occidentalis</i> Clark, 1923	<i>Eusphinctus occidentalis</i> Clark, 1923	S	[Formicidae]
<i>Eusphinctus silaceus</i> Clark, 1923	<i>Eusphinctus silaceus</i> Clark, 1923	S	[Formicidae]
<i>Euspinolia albicoma</i> Mickel, 1938	<i>Euspinolia albicoma</i> Mickel, 1938	P	[Mutillidae]
<i>Euspinolia militaris</i> Mickel, 1938	<i>Euspinolia militaris</i> Mickel, 1938	P	[Mutillidae]
<i>Eusunoxa buchi</i> Togashi, 1981	<i>Eusunoxa buchi</i> Togashi, 1981	P	[Symphyta]
<i>Eutomostethus nigrans</i> Blank & Taeger, 1998	<i>Eutomostethus nigrans</i> Konow, 1887	H	[Symphyta]
<i>Euura subgemma</i> Liston, 2005	<i>Euura subgemma</i> Liston, 2005	H	[Symphyta]
<i>Euura subgemma</i> Liston, 2006	<i>Euura subgemma</i> Liston, 2006	H	[Symphyta]
<i>Evania formosana</i> Enderlein, 1909	<i>Evania formosana</i> Enderlein, 1909	S	[Evaniidae]
<i>Evania laeviceps</i> Enderlein, 1913	<i>Parevania laeviceps</i> Enderlein, 1913	H	[Evaniidae]
<i>Evania rimiscutellata</i> Enderlein, 1912	<i>Prosevania rimiscutellata</i> Enderlein, 1912	H	[Evaniidae]
<i>Evania rufoniger</i> Enderlein, 1913	<i>Evania rufoniger</i> Enderlein, 1913	S	[Evaniidae]
<i>Evania sauteri</i> Enderlein, 1909	<i>Evania sauteri</i> Enderlein, 1909	S	[Evaniidae]
<i>Exeristes gracilis</i> Cushman, 1933	<i>Afrephialtes laetiventris</i> Cameron, 1899	H	[Ichneumonidae]
<i>Exeristes sauteri</i> Cushman, 1933	<i>Afrephialtes latisulcatus</i> Cameron, 1908	H	[Ichneumonidae]
<i>Exochus enodis</i> Townes, 1959	<i>Exochus enodis</i> Townes, 1959	P	[Ichneumonidae]
<i>Exochus litus</i> Townes, 1959	<i>Exochus litus</i> Townes, 1959	P	[Ichneumonidae]
<i>Exochus postfurcalis</i> Townes, 1959	<i>Exochus postfurcalis</i> Townes, 1959	P	[Ichneumonidae]
<i>Exochus radialis</i> Uchida, 1932	<i>Exochus radialis</i> Uchida, 1932	H	[Ichneumonidae]
<i>Exochus suishanus</i> Uchida, 1932	<i>Exochus suishanus</i> Uchida, 1932	H	[Ichneumonidae]
<i>Exothecus effectus</i> Papp, 1972	<i>Colastes effectus</i> (Papp, 1972)	H	[Braconidae]
<i>Fahringeria synergorum</i> Kieffer, 1921	<i>Fahringeria synergorum</i> Kieffer, 1921	S	[Platygasteridae]
<i>Fenusa excisa</i> Konow, 1885	<i>Hinatara excisa</i> (Konow, 1885)	H	[Symphyta]
<i>Fenusa glaucopis</i> Konow, 1907	<i>Fenusella glaucopis</i> (Konow, 1907)	S	[Symphyta]
<i>Fenusa nigripes</i> Konow, 1907	<i>Hinatara nigripes</i> (Konow, 1907)	L	[Symphyta]
<i>Fenusa steusloffii</i> Konow, 1892	<i>Neomessa steusloffii</i> (Konow, 1892)	S	[Symphyta]
<i>Fenusa wüstneii</i> Konow, 1894	<i>Fenusella wuestneii</i> (Konow, 1894)	S	[Symphyta]
<i>Fidiobia offeri</i> Masner,	<i>Fidiobia offeri</i> Masner, i.l.	P	[Scelionidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Foenatopus annulitarsus Enderlein, 1913	Foenatopus annulitarsus Enderlein, 1913	L	[Stephanidae]
Foenatopus aratifrons Enderlein, 1913	Foenatopus aratifrons Enderlein, 1913	H	[Stephanidae]
Foenatopus arcuatus Kieffer, 1911	Foenatopus arcuatus Kieffer, 1911	S	[Stephanidae]
Foenatopus formosanus Enderlein, 1913	Foenatopus formosanus Enderlein, 1913	L	[Stephanidae]
Formica fusca picea var. formosae Forel, 1913	Formica fusca picea formosae Forel, 1913	S	[Formicidae]
Formica lusatica Seifert, 1997	Formica lusatica Seifert, 1997	P	[Formicidae]
Formica obsidiana Emery, 1923	Formica obsidiana Emery, 1923	S	[Formicidae]
Gasteruption apicale Pasteels, 1957	Gasteruption apicale Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption apicomaculatum Pasteels, 1957	Gasteruption apicomaculatum Pasteels, 1957	P	[Gasteruptionidae]
Gasteruption capitale Pasteels, 1957	Gasteruption capitale Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption cinerescens Pasteels, 1957	Gasteruption cinerescens Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption compressiceps Pasteels, 1957	Gasteruption compressiceps Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption corniculigerum Enderlein, 1913	Gasteruption corniculigerum Enderlein, 1913	S	[Gasteruptionidae]
Gasteruption curticauda Pasteels, 1957	Gasteruption curticauda Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption differens Pasteels, 1957	Gasteruption differens Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption fibula Pasteels, 1957	Gasteruption fibula Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption fibuliforme Pasteels, 1957	Gasteruption fibuliforme Pasteels, 1957	P	[Gasteruptionidae]
Gasteruption fibuloides Pasteels, 1957	Gasteruption fibuloides Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption filiforme Pasteels, 1957	Gasteruption filiforme Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption formosanum Enderlein, 1913	Gasteruption formosanum Enderlein, 1913	H	[Gasteruptionidae]
Gasteruption fuscipes Pasteels, 1957	Gasteruption fuscipes Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption globiceps Pasteels, 1957	Gasteruption globiceps Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption horni Brèthes, 1927	Gasteruption horni Brèthes, 1927	S	[Gasteruptionidae]
Gasteruption inferius Pasteels, 1957	Gasteruption inferius Pasteels, 1957	P	[Gasteruptionidae]
Gasteruption longipes Pasteels, 1957	Gasteruption longipes Pasteels, 1957	H	[Gasteruptionidae]
Gasteruption parvicollarium Enderlein, 1913	Gasteruption parvicollarium Enderlein, 1913	H	[Gasteruptionidae]
Gasteruption platycephala Pasteels, 1957	Gasteruption platycephala Pasteels, 1957	P	[Gasteruptionidae]
Gasteruption primotarsale Pasteels, 1957	Gasteruption primotarsale Pasteels, 1957	P	[Gasteruptionidae]
Gasteruption quadrilineatum Pasteels, 1957	Gasteruption quadrilineatum Pasteels, 1957	P	[Gasteruptionidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Gasteruption quinquemaculatum</i> Pasteels, 1957	<i>Gasteruption quinquemaculatum</i> Pasteels, 1957	H	[Gasteruptionidae]
<i>Gasteruption rufescenticorne</i> Enderlein, 1913	<i>Gasteruption rufescenticorne</i> Enderlein, 1913	S	[Gasteruptionidae]
<i>Gasteruption terebrelligerum</i> Enderlein, 1913	<i>Gasteruption terebrelligerum</i> Enderlein, 1913	H	[Gasteruptionidae]
<i>Gasteruption zebra</i> Pasteels, 1957	<i>Gasteruption zebra</i> Pasteels, 1957	P	[Gasteruptionidae]
<i>Gasteruption zebroides</i> Pasteels, 1957	<i>Gasteruption zebroides</i> Pasteels, 1957	P	[Gasteruptionidae]
<i>Gelis albopilosus</i> Schwarz, 2002	<i>Gelis albopilosus</i> Schwarz, 2002	P	[Ichneumonidae]
<i>Gelis recens</i> Schwarz, 2002	<i>Gelis recens</i> Schwarz, 2002	P	[Ichneumonidae]
<i>Gelis solus</i> Schwarz, 2002	<i>Gelis solus</i> Schwarz, 2002	H	[Ichneumonidae]
<i>Gelis terribilis</i> Schwarz, 2002	<i>Gelis terribilis</i> Schwarz, 2002	P	[Ichneumonidae]
<i>Gelis turbator</i> Schwarz, 2002	<i>Gelis turbator</i> Schwarz, 2002	H	[Ichneumonidae]
<i>Geniocerus artemisiae</i> Erdös, 1954	<i>Geniocerus artemisiae</i> Erdös, 1954	S	[Eulophidae]
<i>Geniocerus bruchidii</i> Erdös, 1951	<i>Geniocerus bruchidii</i> Erdös, 1951	S	[Eulophidae]
<i>Geniocerus conii</i> Erdös, 1954	<i>Geniocerus conii</i> Erdös, 1954	P	[Eulophidae]
<i>Geniocerus grylli</i> Erdös, 1954	<i>Geniocerus grylli</i> Erdös, 1954	S	[Eulophidae]
<i>Geniocerus phragmitinus</i> Erdös, 1954	<i>Geniocerus phragmitinus</i> Erdös, 1954	S	[Eulophidae]
<i>Giraudia ranrunensis</i> Uchida, 1932	<i>Platymystax ranrunensis</i> Uchida, 1932	P	[Ichneumonidae]
<i>Glypta clypeodentata</i> Bauer, 1958	<i>Glypta nigrina</i> Desvignes, 1856	P	[Ichneumonidae]
<i>Glypta orientalis</i> Cushman, 1933	<i>Glypta orientalis</i> Cushman, 1933	H	[Ichneumonidae]
<i>Glyptomorpha tabida</i> Fahringer, 1928	<i>Pseudovipio tabida</i> Fahringer, 1928	H	[Braconidae]
<i>Glyptosticha flavipes</i> Masi, 1927	<i>Glyptosticha flavipes</i> Masi, 1927	S	[Pteromalidae]
<i>Glyptosticha nigricans</i> Masi, 1927	<i>Glyptosticha nigricans</i> Masi, 1927	S	[Pteromalidae]
<i>Gnathochorisis terebrata</i> Strand, 1918	<i>Gnathochorisis flavipes</i> Förster, 1871	H	[Ichneumonidae]
<i>Gnathoprosopis marianella</i> Rayment, 1931	<i>Gnathoprosopis marianella</i> Raym.,	P	[Apidae]
<i>Gonatopus raptoripes</i> Strand, 1919	<i>Gonatopus lunatus</i> Klug,	S	[Dryinidae]
<i>Gonatopus sauteri</i> Strand, 1913	<i>Pseudogonatopus hospes</i> Perkins,	H	[Dryinidae]
<i>Gonatopus schenklingi</i> Strand, 1913	<i>Gonatopus schenklingi</i> Strand, 1913	H	[Dryinidae]
<i>Gonatopus wagneri</i> Strand, 1919	<i>Gonatopus sepsoides</i> Westwood,	S	[Dryinidae]
<i>Goryphus horeiensis</i> Uchida, 1932	<i>Goryphus horeiensis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Goryphus inornatus</i> Uchida, 1932	<i>Goryphus detritus</i> Holmgren, 1868	L	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Goryphus kuranensis Uchida, 1932	Goryphus hyalinoides Uchida, 1931	P	[Ichneumonidae]
Goryphus robustus Uchida, 1932	Buysmania oxymora robusta Uchida, 1932	L	[Ichneumonidae]
Goryphus taiwanellus forma rufithorax Uchida, 1932	Isotima rufithorax Szépliget, 1910	L	[Ichneumonidae]
Goryphus sauteri Uchida, 1932	Goryphus sauteri Uchida, 1932	H	[Ichneumonidae]
Goryphus suishanus Uchida, 1932	Skeatia fuscinervis Cameron, 1902	L	[Ichneumonidae]
Goryphus taihorinensis Uchida, 1932	Goryphus taihorinensis Uchida, 1932	H	[Ichneumonidae]
Goryphus taiwanellus Uchida, 1932	Isotima taiwanellus Uchida, 1932	L	[Ichneumonidae]
Goryphus tuberculatus Uchida, 1932	Goryphus tuberculatus Uchida, 1932	L	[Ichneumonidae]
Gymnia alterna Konow, 1906	Tanymeles alternus (Konow, 1906)	H	[Symphyta]
Gymnia amictoriana Konow, 1906	Tanymeles amictorianus (Konow, 1906)	H	[Symphyta]
Gymnia blanda Konow, 1906	Sphacophilus blandus (Konow, 1906)	H	[Symphyta]
Gymnia cultricornis Konow, 1906	Sphacophilus cultricornis (Konow, 1906)	H	[Symphyta]
Gymnia galumnata Konow, 1906	Tanymeles galumnatus (Konow, 1906)	H	[Symphyta]
Gymnia perata Konow, 1906	Sphacophilus peratus (Konow, 1906)	H	[Symphyta]
Gymnia transtillata Konow, 1906	Acrogymnia transtillata (Konow, 1906)	H	[Symphyta]
Gyroneuron testaceator Watanabe, 1934	Gyroneuron testaceator Watanabe, 1934	H	[Braconidae]
Hadrodactylus schmiedeknechti Lange, 1911	Phobetres leptocerus Gravenhorst, 1820	H	[Ichneumonidae]
Halictus aeginus Strand, 1921	Lasioglossum lineare (Schenck, 1870)	H	[Apidae]
Halictus amblypygus Strand, 1913	Halictus amblypygus Strand, 1913	H	[Apidae]
Halictus taihorinis var. anpingensis Strand, 1914	Halictus taihorinis anpingensis Strand, 1914	H	[Apidae]
Halictus anterufus Strand, 1914	Lipotriches ceratina Smith, 1857	L	[Apidae]
Halictus apatellatus Strand, 1921	Halictus apatellatus Strand,	H	[Apidae]
Halictus asiaeminoris Strand, 1921	Halictus resurgens Nurse, 1903	H	[Apidae]
Halictus asunicus Strand, 1921	Halictus fulvipes (Klug, 1817)	H	[Apidae]
Halictus atroglaucus Strand, 1914	Halictus atroglaucus Strand, 1914	H	[Apidae]
Halictus atropis Strand, 1915	Halictus atropis Strand, 1915	S	[Apidae]
Halictus aulacophorus Strand, 1913	Halictus aulacophorus Strand, 1913	H	[Apidae]
Halictus blepharophorus Strand, 1913	Halictus blepharophorus Strand, 1913	H	[Apidae]
Halictus centrophorus Strand, 1913	Lasioglossum vagans (Smith, 1857)	H	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Halictus conjungens</i> Blüthgen, 1921	<i>Halictus cephalicus</i> Morawitz, 1874	H	[Apidae]
<i>Halictus cariniventris creticola</i> Strand, 1921	<i>Halictus pollinosus</i> Sichel, 1860	H	[Apidae]
<i>Halictus dorni</i> Ebmer, 1982	<i>Halictus dorni</i> Ebmer, 1982	P	[Apidae]
<i>Halictus emeraldensis</i> Rayment, 1936	<i>Halictus emeraldensis</i> Rayment, 1936	P	[Apidae]
<i>Halictus epicinctus</i> Strand, 1914	<i>Halictus epicinctus</i> Strand, 1914	H	[Apidae]
<i>Halictus erraticus</i> Blüthgen, 1931	<i>Lasioglossum erraticum</i> (Blüthgen, 1931)	H	[Apidae]
<i>Halictus fuscidactylus</i> Strand, 1914	<i>Halictus fuscidactylus</i> Strand, 1914	H	[Apidae]
<i>Halictus glycybromifer</i> Strand, 1915	<i>Lasioglossum denticolle</i> (Morawitz, 1891)	H	[Apidae]
<i>Halictus hoffmanni</i> Strand, 1915	<i>Lasioglossum hoffmanni</i> (Strand, 1915)	L	[Apidae]
<i>Halictus horni</i> Strand, 1913	<i>Nomioides horni</i> (Strand, 1913)	H	[Apidae]
<i>Halictus hornianus</i> Strand, 1913	<i>Halictus hornianus</i> Strand, 1913	S	[Apidae]
<i>Halictus jumbo</i> Strand, 1921	<i>Halictus jumbo</i> Strand, 1921	H	[Apidae]
<i>Halictus nomioides</i> var. <i>kamerunensis</i> Friese, 1914	<i>Halictus nomioides kamerunensis</i> Friese, 1914	S	[Apidae]
<i>Halictus kandycola</i> Strand, 1913	<i>Halictus cire</i> Cameron,	H	[Apidae]
<i>Halictus kankaucharis</i> Strand, 1914	<i>Lasioglossum kankauchare</i> (Strand, 1914)	H	[Apidae]
<i>Halictus kirschbaumi</i> Blüthgen, 1919	<i>Lasioglossum euboense</i> (Strand, 1909)	S	[Apidae]
<i>Halictus koshunocharis</i> Strand, 1914	<i>Halictus koshunocharis</i> Strand, 1914	H	[Apidae]
<i>Halictus leiosoma</i> Strand, 1914	<i>Lasioglossum leiosoma</i> (Strand, 1914)	S	[Apidae]
<i>Halictus lentinicus</i> Strand, 1921	<i>Halictus lentinicus</i> Strand, 1921	H	[Apidae]
<i>Halictus leucopogon</i> Strand, 1914	<i>Halictus aerarius</i> Smith, 1873	S	[Apidae]
<i>Halictus melanomitratus</i> Strand, 1914	<i>Lasioglossum villosulum trichopse</i> (Strand, 1914)	H	[Apidae]
<i>Halictus melanomitratus</i> var. <i>mitratolus</i> Strand, 1914	<i>Halictus melanomitratus mitratolus</i> Strand, 1914	H	[Apidae]
<i>Halictus nalandicus</i> Strand, 1913	<i>Lasioglossum vagans</i> (Smith, 1857)	H	[Apidae]
<i>Halictus nomiformis</i> Strand, 1914	<i>Austronomia nomiformis</i> (Strand, 1914)	H	[Apidae]
<i>Halictus notopsilus</i> Strand, 1914	<i>Halictus notopsilus</i> Strand, 1914	H	[Apidae]
<i>Halictus oblongatulus</i> Blüthgen, 1919	<i>Lasioglossum setulosum</i> (Strand, 1909)	S	[Apidae]
<i>Halictus pallilomus</i> Strand, 1914	<i>Lasioglossum pallilomum</i> (Strand, 1914)	L	[Apidae]
<i>Halictus paradnanus</i> Strand, 1913	<i>Halictus paradnanus</i> Strand, 1913	H	[Apidae]
<i>Halictus confusus pelagius</i> Ebmer, 1996	<i>Halictus confusus pelagius</i> Ebmer, 1996	P	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Halictus pityocola</i> Strand, 1914	<i>Halictus pityocola</i> Strand, 1914	H	[Apidae]
<i>Halictus polybioides</i> Ducke, 1906	<i>Halictus polybioides</i> Ducke, 1906	S	[Apidae]
<i>Halictus pseudocombinatus</i> Blüthgen, 1921	<i>Lasioglossum nitidiusculum pseudocombinatum</i> (Blüthgen, 1921)	S	[Apidae]
<i>Halictus pseudotetrazonius</i> Strand, 1921	<i>Halictus pseudotetrazonius</i> Strand, 1921	S	[Apidae]
<i>Halictus rachifer</i> Strand, 1915	<i>Halictus rachifer</i> Strand, 1915	H	[Apidae]
<i>Halictus sanfranciscois</i> Strand, 1919	<i>Lasioglossum sanfranciscois</i> (Strand, 1919)	H	[Apidae]
<i>Halictus scaphonotus</i> Strand, 1914	<i>Halictus scaphonotus</i> Strand, 1914	H	[Apidae]
<i>Halictus semitomentosus</i> Blüthgen, 1923	<i>Lasioglossum damascenum</i> (Pérez, 1911)	S	[Apidae]
<i>Halictus sertus</i> Rayment, i.l.	<i>Halictus sertus</i> Rayment, i.l.	I	[Apidae]
<i>Halictus signicostatuloides</i> Strand, 1914	<i>Halictus signicostatuloides</i> Strand, 1914	S	[Apidae]
<i>Halictus suisharyonensis</i> Strand, 1914	<i>Halictus suisharyonensis</i> Strand, 1914	S	[Apidae]
<i>Halictus suisharyonis</i> Strand, 1914	<i>Lipotriches suisharyonis</i> (Strand, 1914)	L	[Apidae]
<i>Halictus surrubresensis</i> Strand, 1921	<i>Halictus surrubresensis</i> Strand, 1921	H	[Apidae]
<i>Halictus taihorinis</i> Strand, 1914	<i>Halictus taihorinis</i> Strand, 1914	H	[Apidae]
<i>Halictus taorminicus</i> Strand, 1921	<i>Halictus patellatus taorminicus</i> Strand, 1921	S	[Apidae]
<i>Halictus tinicus</i> Strand, 1921	<i>Halictus fulvipes</i> (Klug, 1817)	H	[Apidae]
<i>Halictus trichiosulus</i> Strand, 1914	<i>Halictus trichiosulus</i> Strand, 1914	S	[Apidae]
<i>Halictus trichopsis</i> Strand, 1914	<i>Lasioglossum villosulum trichopse</i> (Strand, 1914)	H	[Apidae]
<i>Haplostegus cataphractus</i> Konow, 1900	<i>Haplostegus cataphractus</i> Konow, 1900	S	[Symphyta]
<i>Haplostegus clitellarius</i> Konow, 1900	<i>Haplostegus clitellarius</i> Konow, 1900	H	[Symphyta]
<i>Haplostegus discalis</i> Konow, 1902	<i>Haplostegus discalis</i> Konow, 1902	H	[Symphyta]
<i>Haplostegus epimelas</i> Konow, 1900	<i>Haplostegus epimelas</i> Konow, 1900	R	[Symphyta]
<i>Haplostegus scutater</i> Conde, 1936	<i>Haplostegus scutater</i> Conde, 1936	S	[Symphyta]
<i>Hecabalodes xylophagi</i> Fischer, 1962	<i>Hecabalodes xylophagi</i> Fischer, 1962	P	[Braconidae]
<i>Hemibracon elegantulus</i> Enderlein, 1920	<i>Hemibracon elegantulus</i> Enderlein, 1920	S	[Braconidae]
<i>Hemidianeura coeliaca</i> Konow, 1903	<i>Hemidianeura coeliaca</i> Konow, 1903	H	[Symphyta]
<i>Hemidianeura fucata</i> Konow, 1906	<i>Hemidianeura fucata</i> Konow, 1906	L	[Symphyta]
<i>Hemidianeura illisa</i> Konow, 1906	<i>Hemidianeura nigricornis</i> W. F. Kirby, 1882	L	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Hemidianeura tenebrica Konow, 1906	Hemidianeura ephippiata (Klug, 1834)	H	[Symphyta]
Hemipepsis dimidiata Wahis,	Hemipepsis dimidiata Wahis,	H	[Pompilidae]
Hemipepsis insulana Wahis,	Hemipepsis insulana Wahis,	P	[Pompilidae]
Hemipepsis sauteri Wahis,	Hemipepsis sauteri Wahis,	P	[Pompilidae]
Hemiptarsenus zilahisebessi Erdős, 1951	Hemiptarsenus zilahisebessi Erdős, 1951	S	[Eulophidae]
Hemiteles brasiliensis Brèthes, 1927	Lyneon brasiliensis Brèthes, 1927	H	[Ichneumonidae]
Hemiteles koshunensis Uchida, 1932	Chriodes koshunensis Uchida, 1932	S	[Ichneumonidae]
Hemiteles meuseli Lange, 1911	Gelis meuseli Lange, 1911	L	[Ichneumonidae]
Hemiteles quadrimaculatus Lange, 1911	Acrolyta rufocinctus Gravenhorst, 1829	H	[Ichneumonidae]
Hemiteles scutellator Lange, 1911	Gnotus chionops Gravenhorst, 1829	H	[Ichneumonidae]
Hemiteles taiwanellus Uchida, 1932	Bentyra taiwanellus Uchida, 1932	H	[Ichneumonidae]
Heptacola buyssoni Konow, 1905	Xyloperga lalage (W. F. Kirby, 1893)	S	[Symphyta]
Heptacola mocsaryi Konow, 1905	Xyloperga mocsaryi (Konow, 1905)	H	[Symphyta]
Heteropelma perlongum Cushman, 1937	Heteropelma fulvitarse Cameron, 1899	H	[Ichneumonidae]
Heteropelma tarsale Cushman, 1937	Heteropelma flaviscutellum Uchida, 1928	H	[Ichneumonidae]
Heteroperreyia costata Rohwer, 1922	Heteroperreyia costata Rohwer, 1921	P	[Symphyta]
Heteroperreyia nigerrima Benson & Conde, 1938	Heteroperreyia nigerrima Benson & Conde, 1938	S	[Symphyta]
Heteroperreyia pseudoleprieuri Benson & Conde, 1938	Heteroperreyia pseudoleprieuri Benson & Conde, 1938	H	[Symphyta]
Hippota karoensis Brauns, i.l.	Hippota karoensis Brauns, i.l.	I	[Chalcididae]
Hippota natalica Brauns, i.l.	Hippota natalica Brauns, i.l.	I	[Chalcididae]
Hippota rufifemora Brauns, i.l.	Hippota rufifemora Brauns, i.l.	I	[Chalcididae]
Hippota sulcata Brauns, i.l.	Hippota sulcata Brauns, i.l.	I	[Chalcididae]
Hockeria pulchella Masi, 1932	Hockeria pulchella Masi, 1932	H	[Chalcididae]
Holcocneme jakowleffi Konow, 1902	Nematus jakowleffi (Konow, 1902)	H	[Symphyta]
Holcocneme yokohamensis Konow, 1895	Nematus yokohamensis (Konow, 1895)	H	[Symphyta]
Holochariessa germanica Erdős, 1956	Holochariessa germanica Erdős, 1956	H	[Eulophidae]
Holocremmus geniculatus Uchida, 1932	Olesicampe geniculata Uchida, 1932	L	[Ichneumonidae]
Holocremna monticola Hedwig, 1938	Olesicampe monticola Hedwig, 1938	L	[Ichneumonidae]
Homaspis mediocris Seyrig, i.l.	Homaspis mediocris Seyrig, i.l.	I	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Homocidus annulitarsis Hedwig, 1938	Campocraspedon annulitarsis Hedwig, 1938	L	[Ichneumonidae]
Homocidus brevis Hedwig, 1938	Syrphoctonus brevis Hedwig, 1938	L	[Ichneumonidae]
Homocidus obscuripennis Hedwig, 1938	Phthorima obscuripennis Hedwig, 1938	L	[Ichneumonidae]
Homotropus albopictus Lange, 1911	Enizemum scutellare Lange, 1911	H	[Ichneumonidae]
Homotropus albopictus var. scutellaris Lange, 1911	Enizemum scutellare Lange, 1911	H	[Ichneumonidae]
Homotropus similis Lange, 1911	Syrphoctonus fissorius Gravenhorst, 1829	L	[Ichneumonidae]
Hoozania maculipennis Masi, 1932	Hoozania maculipennis Masi, 1932	H	[Chalcididae]
Hoplocampa ephippiata Konow, 1897	Hoplocampa ephippiata Konow, 1897	S	[Symphyta]
Hoplocampa oertzeni Konow, 1888	Hoplocampa pectoralis C. G. Thomson, 1871	S	[Symphyta]
Hoplocrates admiranda Mickel, 1941	Hoplocrates admiranda Mickel, 1941	P	[Mutillidae]
Hoplocrates pompalis Mickel, 1941	Hoplocrates pompalis Mickel, 1941	P	[Mutillidae]
Hoplocrates specularis var. subtilis Mickel, 1941	Hoplocrates specularis subtilis Mickel, 1941	P	[Mutillidae]
Hoplocryptus ignalinoensis Strand, 1918	Hoplocryptus fugitivus Gravenhorst, 1829	H	[Ichneumonidae]
Hoplomutilla aurigena Mickel, 1939	Hoplomutilla aurigena Mickel, 1939	H	[Mutillidae]
Hoplomutilla planissima Mickel, 1939	Hoplomutilla planissima Mickel, 1939	H	[Mutillidae]
Hormius antefurcalis Belokobylskij, 1995	Hormius antefurcalis (Belokobylskij, 1995)	H	[Braconidae]
Hylaeus aborigensis Dathe, 1994	Hylaeus aborigensis Dathe, 1994	H	[Apidae]
Hylaeus transversicostatus abb. chippensis Strand, 1914	Hylaeus transversicostatus chippensis Strand, 1914	T	[Apidae]
Hylaeus convergens Dathe, 2000	Hylaeus convergens Dathe, 2000	H	[Apidae]
Hylaeus donbakeri Dathe, 1995	Hylaeus donbakeri Dathe, 1995	H	[Apidae]
Hylaeus emir Dathe, 2000	Hylaeus emir Dathe, 2000	H	[Apidae]
Hylaeus fossifer Dathe, 1995	Hylaeus fossifer Dathe, 1995	H	[Apidae]
Hylaeus hameri Dathe, 1995	Hylaeus hameri Dathe, 1995	H	[Apidae]
Hylaeus hellenicus Dathe, 2000	Hylaeus hellenicus Dathe, 2000	H	[Apidae]
Hylaeus ibericus Dathe, 2000	Hylaeus ibericus Dathe, 2000	H	[Apidae]
Hylaeus maximilianus sp.n Dathe, 2005	Hylaeus maximilianus sp.n Dathe, 2005	H	[Apidae]
Hylaeus omanicus Dathe, 1995	Hylaeus omanicus Dathe, 1995	H	[Apidae]
Hylaeus pyrenaicus Dathe, 2000	Hylaeus pyrenaicus Dathe, 2000	H	[Apidae]
Hylaeus tetris Dathe, 2000	Hylaeus tetris Dathe, 2000	H	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Hylotoma alpina</i> Konow, 1884	<i>Arge nigripes alpina</i> (Konow, 1884)	S	[Symphyta]
<i>Hylotoma crassa</i> Konow, 1884	<i>Arge gracilicornis</i> (Klug, 1814)	S	[Symphyta]
<i>Hylotoma hartigi</i> Konow, 1885	<i>Arge fuscipes fuscipes</i> (Fallén, 1808)	S	[Symphyta]
<i>Hylotoma sauteri</i> Enslin, 1911	<i>Arge sauteri</i> (Enslin, 1911)	H	[Symphyta]
<i>Hyperoceros peruanus</i> Konow, 1906	<i>Hyperoceros peruanus</i> Konow, 1906	H	[Symphyta]
<i>Hypolaepus viereckii</i> Bradley, 1903	<i>Nematus ventralis</i> Say, 1824	P	[Symphyta]
<i>Ichneumon audens</i> Brèthes, 1927	<i>Notacma audens</i> Brèthes, 1927	H	[Ichneumonidae]
<i>Ichneumon celerator</i> Gravenhorst, 1807	<i>Colpognathus celerator</i> Gravenhorst, 1807	S	[Ichneumonidae]
<i>Ichneumon hinzi</i> Heinrich, 1972	<i>Ichneumon hinzi</i> Heinrich, 1972	H	[Ichneumonidae]
<i>Ichneumon leucocheir</i> Ratzeburg, 1844	<i>Cryptus leucocheir</i> Ratzeburg, 1844	N	[Ichneumonidae]
<i>Ichneumon minasensis</i> Brèthes, 1927	<i>Carinodes minasensis</i> Brèthes, 1927	H	[Ichneumonidae]
<i>Ichneumon nebulosae</i> Hinz, 1975	<i>Ichneumon nebulosae</i> Hinz, 1975	P	[Ichneumonidae]
<i>Ichneumon xanthopus</i> Schrank, 1781	<i>Heteropelma amictum</i> Fabricius, 1775	N	[Ichneumonidae]
<i>Idiasta paramaritima</i> Königsmann, 1960	<i>Idiasta paramaritima</i> Königsmann, 1960	H	[Braconidae]
<i>Idiobia schmidti</i> Brèthes, 1927	<i>Idiobia schmidti</i> Brèthes, 1927	H	[Cleonymidae]
<i>Iphiaulax conradti</i> Szépligeti, 1913	<i>Serraulax conradti</i> (Szépligeti, 1913)	S	[Braconidae]
<i>Ipideurytoma spessivtsevi</i> Nowicki & Boucek, 1954	<i>Ipideurytoma spessivtsevi</i> Nowicki & Boucek, 1954	P	[Eurytomidae]
<i>Ipobracon emeraldensis</i> Fahringer, 1942	<i>Ipobracon emeraldensis</i> Fahringer, 1942	H	[Braconidae]
<i>Ipobracon guaruja</i> Brèthes, 1927	<i>Ipobracon guaruja</i> Brèthes, 1927	H	[Braconidae]
<i>Ipobracon horni</i> Brèthes, 1927	<i>Ipobracon horni</i> Brèthes, 1927	H	[Braconidae]
<i>Iridomyrmex bicknelli</i> var. <i>azureus</i> Viehmeyer, 1914	<i>Iridomyrmex bicknelli</i> <i>azureus</i> Viehmeyer, 1914	S	[Formicidae]
<i>Iridomyrmex dimorphus</i> Viehmeyer, 1912	<i>Iridomyrmex dimorphus</i> Viehmeyer, 1912	S	[Formicidae]
<i>Iridomyrmex bicknelli</i> <i>formosae</i> Forel, 1912	<i>Iridomyrmex bicknelli</i> <i>formosae</i> Forel, 1912	S	[Formicidae]
<i>Iridomyrmex froggatti</i> Forel, 1902	<i>Iridomyrmex froggatti</i> Forel, 1902	O	[Formicidae]
<i>Iridomyrmex detectus</i> var. <i>viridiaeneus</i> Viehmeyer, 1914	<i>Iridomyrmex detectus</i> <i>viridiaeneus</i> Viehmeyer, 1914	S	[Formicidae]
<i>Isocryptus azureus</i> Brèthes, 1927	<i>Joppideum moerens</i> Perty, 1833	L	[Ichneumonidae]
<i>Janssoniella caudata</i> Kerrich, 1957	<i>Janssoniella caudata</i> Kerrich, 1957	P	[Cleonymidae]
<i>Janus cynosbati</i> Linné, 1758	<i>Cephus cynosbati</i> (Linné,)	N	[Symphyta]
<i>Janus giganteus</i> Enderlein, 1913	<i>Sinicephus giganteus</i> (Enderlein, 1913)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Kiefferopria horni Brèthes, 1927	Kiefferopria horni Brèthes, 1927	H	[Diapriidae]
Kokujewia ectrapela Konow, 1902	Kokujewia ectrapela Konow, 1902	L	[Symphyta]
Konowia megapolitana Brauns, 1884	Xiphydria megapolitana (Brauns, 1884)	H	[Symphyta]
Labidarge bolivari Konow, 1899	Scobina bolivari (Konow, 1899)	L	[Symphyta]
Labidarge braunsi Konow, 1899	Scobina braunsi (Konow, 1899)	H	[Symphyta]
Labidarge dibapha Konow, 1899	Scobina dibapha (Konow, 1899)	H	[Symphyta]
Labidarge forficulata Konow, 1906	Scobina forficulata (Konow, 1906)	H	[Symphyta]
Labidarge fucosa Konow, 1904	Scobina lepida (Klug, 1834)	L	[Symphyta]
Labidarge galumnata Konow, 1906	Scobina notaticollis (Konow, 1899)	H	[Symphyta]
Labidarge immunda Konow, 1904	Scobina lepida (Klug, 1834)	L	[Symphyta]
Labidarge inculta Konow, 1906	Scobina inculta (Konow, 1906)	L	[Symphyta]
Labidarge nigricollis Konow, 1906	Scobina nigricollis (Konow, 1906)	H	[Symphyta]
Labidarge nigripes Konow, 1906	Scobina nigripes (Konow, 1906)	H	[Symphyta]
Labidarge notaticollis Konow, 1899	Scobina notaticollis (Konow, 1899)	L	[Symphyta]
Labidarge nubeculosa Konow, 1904	Scobina terminalis (Klug, 1814)	L	[Symphyta]
Labidarge parca Konow, 1904	Scobina lepida (Klug, 1834)	H	[Symphyta]
Labidarge pictipes Konow, 1906	Scobina semifusca (Norton, 1867)	H	[Symphyta]
Labidarge pullipennis Konow, 1907	Scobina poecila (Klug, 1834)	H	[Symphyta]
Labidarge torquata var. schrottkyi Konow, 1906	Scobina torquata (Konow, 1903)	L	[Symphyta]
Labidarge scitula Konow, 1904	Scobina scitula (Konow, 1904)	H	[Symphyta]
Labidarge strophosa Konow, 1906	Scobina strophosa (Konow, 1906)	L	[Symphyta]
Labidarge suda Konow, 1906	Scobina suda (Konow, 1906)	H	[Symphyta]
Labidarge tegularis Konow, 1907	Scobina terminalis (Klug, 1814)	S	[Symphyta]
Labidarge torquata Konow, 1903	Scobina torquata (Konow, 1903)	H	[Symphyta]
Labidarge valga Konow, 1904	Scobina lurida (Klug, 1834)	H	[Symphyta]
Labidarge vitreata Konow, 1904	Scobina terminalis (Klug, 1814)	H	[Symphyta]
Labium raymenti Cushman, 1934	Labium raymenti Cushman, 1934	P	[Ichneumonidae]
Labium rufiscutum Cushman, 1934	Labium rufiscutum Cushman, 1934	P	[Ichneumonidae]
Labus sollicitus Soika, 1941	Labus sollicitus Soika, 1941	S	[Vespidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Laccagathis mindanaensis Watanabe, 1934	Laccagathis mindanaensis Watanabe, 1934	H	[Braconidae]
Lagideus crinitus Konow, 1905	Lagideus crinitus Konow, 1905	H	[Symphyta]
Lampronota langei Brauns, 1905	Cylloceria occupator Gravenhorst, 1829	L	[Ichneumonidae]
Lampronota langei Lange, 1898	Cylloceria occupator Gravenhorst, 1829	L	[Ichneumonidae]
Lasioglossum circe Ebmer, 1982	Lasioglossum circe Ebmer, 1982	P	[Apidae]
Lasioglossum eriphyle Ebmer, 1996	Lasioglossum eriphyle Ebmer, 1996	P	[Apidae]
Lasioglossum micante Michener, 1993	Lasioglossum micante Michener, 1993	H	[Apidae]
Lasius jensi Seifert, 1982	Lasius jensi Seifert, 1982	P	[Formicidae]
Lathromeris ogloblini Nowicki, i.l.	Lathromeris ogloblini Nowicki, i.l.	I	[Trichogrammatidae]
Latibulus tuberculatus Cushman, 1937	Latibulus nigrinotum Uchida, 1936	H	[Ichneumonidae]
Leptobatopsis bicolor Cushman, 1933	Leptobatopsis bicolor Cushman, 1933	H	[Ichneumonidae]
Leptobatopsis niger Cushman, 1933	Leptobatopsis nigra Cushman, 1933	H	[Ichneumonidae]
Leptochilus admimulus Gusenleitner, 1993	Leptochilus admimulus Gusenleitner, 1993	H	[Vespidae]
Leptochilus mimulus Gusenleitner, 1970	Leptochilus mimulus Gusenleitner, 1970	P	[Vespidae]
Leptocryptus pilosus Uchida, 1932	Bathythrix pilosa Uchida, 1932	L	[Ichneumonidae]
Leptocryptus suishariensis Uchida, 1932	Uchidella suishariensis Uchida, 1932	H	[Ichneumonidae]
Leptogenys confucii Forel, 1912	Leptogenys confucii Forel, 1912	H	[Formicidae]
Leptogenys conradti Forel, 1913	Leptogenys conradti Forel, 1913	S	[Formicidae]
Leptomastidea zilligi Bollow, i.l.	Leptomastidea zilligi Bollow, i.l.	I	[Encyrtidae]
Leptospathius triangulifera Enderlein, 1914	Leptospathius triangulifera Enderlein, 1914	S	[Braconidae]
Leptothorax bugnioni Forel, 1894	Leptothorax bugnioni Forel, 1894	S	[Formicidae]
Leptothorax obscurior var. nitidulus Forel, 1894	Leptothorax obscurior nitidulus Forel, 1894	S	[Formicidae]
Leptothorax oraniensis Forel, 1894	Leptothorax oraniensis Forel, 1894	S	[Formicidae]
Leptothorax echinatinodis schmidti Menozzi, 1927	Leptothorax echinatinodis schmidti Menozzi, 1927	S	[Formicidae]
Leucospis gonogastra Masi, 1932	Leucospis gonogastra Masi, 1932	L	[Leucospidae]
Leucospis viridissima Enderlein, 1912	Leucospis viridissima Enderlein, 1912	H	[Leucospidae]
Leurus caeruliventris borealis Townes, 1959	Leurus caeruliventris borealis Townes, 1959	P	[Ichneumonidae]
Limnerium alkae Ellinger & Sachtleben, 1928	Sinophorus turionus Ratzeburg, 1844	L	[Ichneumonidae]
Limnerium sauteri Uchida, 1932	Campoplex sauteri Uchida, 1932	H	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Listrognathus sauteri Uchida, 1932	Listrognathus sauteri Uchida, 1932	L	[Ichneumonidae]
Lithium jacobsi Schmid-Egger, 2006	Lithium jacobsi Schmid-Egger, 2006	T	[Crabronidae]
Loboceros binotatus Konow, 1906	Aulacomerus retusicornis (Konow, 1900)	H	[Symphyta]
Loboceros frater Konow, 1903	Aulacomerus lucidus (W. F. Kirby, 1882)	L	[Symphyta]
Loboceros gibbifrons Konow, 1900	Aulacomerus gibbifrons (Konow, 1900)	H	[Symphyta]
Loboceros trinotatus Konow, 1906	Aulacomerus retusicornis (Konow, 1900)	H	[Symphyta]
Loderus formosanus Rohwer, 1916	Dolerus formosanus (Rohwer, 1916)	H	[Symphyta]
Loderus ornatulus Konow, 1897	Dolerus gilvipes (Klug, 1818)	S	[Symphyta]
Loderus ornatulus var. plagiatus Konow, 1897	Dolerus gilvipes (Klug, 1818)	S	[Symphyta]
Lophojoppa flavovariegata Brèthes, 1927	Tricholabus flavovariegata Brèthes, 1927	H	[Ichneumonidae]
Lophojoppa tonantina Brèthes, 1927	Lophojoppa tonantina Brèthes, 1927	H	[Ichneumonidae]
Lophomyrmex quadrispinosus taivanae Forel, 1912	Lophomyrmex quadrispinosus taivanae Forel, 1912	S	[Formicidae]
Lophyroides modesta Rohwer, 1922	Perreyia tropica (Norton, 1869)	H	[Symphyta]
Lophyroides paraguayensis Brèthes, 1927	Camptoprium leprieurii Spinola, 1840	H	[Symphyta]
Lophyrus biremis Konow, 1899	Nesodiprion biremis (Konow, 1899)	H	[Symphyta]
Lophyrus gaullei Konow, 1906	Prionomeion gaullei (Konow, 1906)	H	[Symphyta]
Lorio austerus schlechteri Cheesman, 1936	Lorio austerus schlechteri Cheesman, 1936	H	[Ichneumonidae]
Lycosceles herbsti Konow, 1905	Lycosceles herbsti Konow, 1905	H	[Symphyta]
Lyda lethierryi Konow, 1887	Pamphilius lethierryi (Konow, 1887)	L	[Symphyta]
Lygaeonematus boreus Konow, 1904	Pristiphora borea (Konow, 1904)	S	[Symphyta]
Lygaeonematus corpulentus Konow, 1904	Pristiphora breadalbanensis (Cameron, 1882)	S	[Symphyta]
Lygaeonematus doebelii Konow, 1904	Paranematus doebelii (Konow, 1904)	H	[Symphyta]
Lygaeonematus friesei Konow, 1904	Pristiphora funerula (A. Costa, 1859)	S	[Symphyta]
Lygaeonematus gerulus Konow, 1904	Pristiphora gerula Konow, 1904	S	[Symphyta]
Lygaeonematus pachyvalvis Konow, 1904	Pristiphora coactula (Ruthe, 1859)	S	[Symphyta]
Lygaeonematus paedidus Konow, 1904	Nematus laricis (Hartig, 1837)	H	[Symphyta]
Lygaeonematus pallidus Konow, 1904	Pristiphora pallida (Konow, 1904)	S	[Symphyta]
Lygaeonematus robustus Konow, 1895	Pristiphora robusta (Konow, 1895)	H	[Symphyta]
Lygaeonematus strandi Konow, 1901	Pachynematus excisus (C. G. Thomson, 1862)	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Lysiphlebus fritzmuelleri</i> Mackauer, 1960	<i>Lysiphlebus fritzmuelleri</i> Mackauer, 1960	H	[Braconidae]
<i>Macrocentrus ceylonicus</i> Enderlein, 1912	<i>Macrocentrus ceylonicus</i> Enderlein, 1912	R	[Braconidae]
<i>Macrocentrus gracilipes</i> Telenga, 1935	<i>Macrocentrus thoracicus</i> (Nees, 1812)	H	[Braconidae]
<i>Macrophya aguadoi</i> Lacourt, 2005	<i>Macrophya aguadoi</i> Lacourt, 2005	P	[Symphyta]
<i>Macrophya annulicornis</i> Konow, 1904	<i>Macrophya annulicornis</i> Konow, 1904	H	[Symphyta]
<i>Macrophya aphrodite</i> Benson, 1954	<i>Macrophya aphrodite</i> Benson, 1954	P	[Symphyta]
<i>Macrophya militaris</i> var. <i>cabrerae</i> Konow, 1896	<i>Macrophya militaris</i> <i>cabrerae</i> Konow, 1896	H	[Symphyta]
<i>Macrophya hamata caucasicola</i> Muche, 1969	<i>Macrophya hamata caucasicola</i> Muche, 1969	P	[Symphyta]
<i>Macrophya formosana</i> Rohwer, 1916	<i>Macrophya formosana</i> Rohwer, 1916	H	[Symphyta]
<i>Macrophya friesei</i> Konow, 1884	<i>Macrophya tenella</i> Mocsáry, 1881	L	[Symphyta]
<i>Macrophya hastulata</i> Konow, 1898	<i>Macrophya hastulata</i> Konow, 1898	S	[Symphyta]
<i>Macrophya hispana</i> Konow, 1904	<i>Macrophya hispana</i> Konow, 1904	H	[Symphyta]
<i>Macrophya longitarsis</i> Konow, 1898	<i>Macrophya longitarsis</i> Konow, 1898	S	[Symphyta]
<i>Macrophya lubens</i> Konow, 1898	<i>Beldonea lubens</i> (Konow, 1898)	H	[Symphyta]
<i>Macrophya macgillivrayi</i> Gibson, 1980	<i>Macrophya macgillivrayi</i> Gibson, 1980	P	[Symphyta]
<i>Macrophya maculilabris</i> Konow, 1899	<i>Macrophya maculilabris</i> Konow, 1899	L	[Symphyta]
<i>Macrophya mensa</i> Gibson, 1980	<i>Macrophya mensa</i> Gibson, 1980	P	[Symphyta]
<i>Macrophya duodecimpunctata</i> var. <i>nigrina</i> Konow, 1898	<i>Macrophya duodecimpunctata</i> <i>duodecimpunctata</i> (Linné, 1758)	S	[Symphyta]
<i>Macrophya oedipus</i> Benson, 1968	<i>Macrophya oedipus</i> Benson, 1968	P	[Symphyta]
<i>Macrophya parvula</i> Konow, 1884	<i>Macrophya parvula</i> Konow, 1884	H	[Symphyta]
<i>Macrophya pompilina</i> Malaise, 1945	<i>Macrophya pompilina</i> Malaise, 1945	P	[Symphyta]
<i>Macrophya prasinipes</i> Konow, 1891	<i>Macrophya prasinipes</i> Konow, 1891	L	[Symphyta]
<i>Macrophya rühli</i> Konow, 1887	<i>Macrophya formosa</i> (Klug, 1817)	O	[Symphyta]
<i>Macrophya ruficincta</i> Konow, 1894	<i>Macrophya ruficincta</i> Konow, 1894	S	[Symphyta]
<i>Macrophya rufopicta</i> Enslin, 1910	<i>Macrophya rufopicta</i> Enslin, 1910	H	[Symphyta]
<i>Macrophya rustica</i> var. <i>tegularis</i> Konow, 1894	<i>Macrophya montana</i> <i>tegularis</i> Konow, 1894	S	[Symphyta]
<i>Macrophya verticalis</i> Konow, 1898	<i>Macrophya verticalis</i> Konow, 1898	S	[Symphyta]
<i>Macrophya zonata</i> Konow, 1899	<i>Macrophya alba</i> MacGillivray, 1895	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Macrophyta aquadoi Lacourt, 2005	Macrophyta aguadoi Lacourt, 2005	P	[Symphyta]
Mansa formosana Cushman, 1937	Mansa minor Szépligeti, 1916	H	[Ichneumonidae]
Mayrella formosana Hedicke, 1922	Mayrella formosana Hedicke, 1922	H	[Liopteridae]
Megachile afra Pasteels, 1965	Megachile afra Pasteels, 1965	H	[Apidae]
Megachile anthophila Strand, 1913	Megachile anthophila Strand, 1913	S	[Apidae]
Megachile aspernata var. auropubescens Strand, 1913	Megachile aspernata auropubescens Strand, 1913	H	[Apidae]
Megachile duala Strand, 1914	Megachile duala Strand, 1914	H	[Apidae]
Megachile habilis Mitchell, 1930	Megachile habilis Mitchell, 1930	P	[Apidae]
Megachile habropodoides Meade-Waldo, 1912	Megachile habropodoides Meade-Waldo, 1912	S	[Apidae]
Megachile remota var. kagoshimae Strand, 1913	Megachile humilis Smith, 1879	H	[Apidae]
Megachile koshunensis Strand, 1913	Megachile monticola Smith, 1853	H	[Apidae]
Megachile leachella maadiensis van der Zanden, 1986	Megachile leachella Curtis, 1828	S	[Apidae]
Megachile meadewaldoi (Brauns, 1912)	Megachile meadewaldoi (Brauns, 1912)	S	[Apidae]
Megachile spissula abb. parvula Strand, 1913	Megachile spissula parvula Strand, 1913	H	[Apidae]
Megachile pilidens Alfken, 1924	Megachile pilidens Alfken, 1924	S	[Apidae]
Megachile pseudolatimanus Strand, 1919	Megachile pseudolatimanus Strand, 1919	H	[Apidae]
Megachile pseudomonticola Hedicke, 1926	Megachile pseudomonticola Hedicke, 1926	S	[Apidae]
Megachile rufiventris var. rehothensis Strand, 1914	Megachile rufiventris Guérin, 1834	S	[Apidae]
Megachile sjoestedti var. rubripedana Strand, 1914	Megachile sjoestedti rubripedana Strand,	H	[Apidae]
Megachile saba Strand, 1914	Megachile saba Strand, 1914	H	[Apidae]
Megachile submucida Alfken, 1926	Megachile submucida Alfken, 1926	R	[Apidae]
Megachile tsingtauensis Strand, 1915	Megachile ericetorum Lepeletier, 1841	S	[Apidae]
Megachile tuala Strand, 1919	Megachile melanophaea rohweri Cockerell, 1906	H	[Apidae]
Megalodontes aquilus Konow, 1902	Megalodontes plagioccephalus (Fabricius, 1804)	T	[Symphyta]
Megalodontes capitalatus Konow, 1904	Megalodontes capitalatus Konow, 1904	T	[Symphyta]
Megalodontes decussatus Konow, 1906	Megalodontes nitens (Freymuth, 1870)	T	[Symphyta]
Megalodontes escaleraei Konow, 1899	Megalodontes escaleraei Konow, 1899	T	[Symphyta]
Megalodontes laticeps Konow, 1897	Megalodontes laticeps Konow, 1897	O	[Symphyta]
Megalodontes medius Konow, 1897	Megalodontes medius Konow, 1897	T	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Megalodontes merceti Konow, 1904	Megalodontes merceti Konow, 1904	T	[Symphyta]
Megalodontes mundus Konow, 1904	Megalodontes mundus Konow, 1904	T	[Symphyta]
Megalodontes nigritegulis Konow, 1904	Megalodontes plagiocephalus (Fabricius, 1804)	T	[Symphyta]
Megalodontes taurus Taeger, 2002	Megalodontes taurus Taeger, 2002	P	[Symphyta]
Megalodontes thor Taeger, 2002	Megalodontes thor Taeger, 2002	P	[Symphyta]
Megaplectes lucens Torka, 1935	Megaplectes monticola Gravenhorst, 1829	H	[Ichneumonidae]
Melanichneumon futasujii Uchida, 1932	Coelichneumon futasujii Uchida, 1932	S	[Ichneumonidae]
Melanichneumon parvidentatus Uchida, 1932	Stirexephanes parvidentatus Uchida, 1932	H	[Ichneumonidae]
Melanichneumon ramellaris Uchida, 1932	Monontos ramellaris Uchida, 1932	H	[Ichneumonidae]
Melanichneumon semicircularis Uchida, 1932	Stenaoplus semicircularis Uchida, 1932	S	[Ichneumonidae]
Melanichneumon tricolor Uchida, 1932	Stirexephanes tricolor Uchida, 1932	S	[Ichneumonidae]
Melecta candiae Strand, 1915	Melecta candiae Strand, 1915	H	[Apidae]
Melecta luctuosa taormina Strand, 1919	Melecta leucorhyncha taormina Strand, 1919	L	[Apidae]
Merinotus taiwanus Watanabe, 1934	Nedinoschiza taiwanus (Watanabe, 1934)	H	[Braconidae]
Mesobracon elegans Szépligeti, 1913	Mesobracon elegans Szépligeti, 1913	S	[Braconidae]
Mesobracon zonatus Fahringer, 1928	Mesobracon zonatus Fahringer, 1928	H	[Braconidae]
Mesochorus chrysorrhoeae Schwenke, i.l.	Mesochorus chrysorrhoeae Schwenke, i.l.	I	[Ichneumonidae]
Mesochorus ribesii Schwenke, i.l.	Mesochorus ribesii Schwenke, i.l.	I	[Ichneumonidae]
Mesochorus scandinavicus Schwenke, i.l.	Mesochorus scandinavicus Schwenke, i.l.	I	[Ichneumonidae]
Mesochorus stenoptiliae Schwenke, i.l.	Mesochorus stenoptiliae Schwenke, i.l.	I	[Ichneumonidae]
Mesochorus unicolor Schwenke, i.l.	Mesochorus unicolor Schwenke, i.l.	I	[Ichneumonidae]
Mesoleius multicolor nigristigma Strand, 1920	Alexeter multicolor nigristigma Strand, 1920	H	[Ichneumonidae]
Mesoleptus sauteri Uchida, 1932	Phobetres sauteri Uchida, 1932	L	[Ichneumonidae]
Mesoleptus taihorinensis Uchida, 1932	Phobetres taihorinensis Uchida, 1932	L	[Ichneumonidae]
Mesostenus suisharionis Uchida, 1932	Melcha albomaculata Cameron, 1905	H	[Ichneumonidae]
Mesostenus taiwanus Uchida, 1932	Goryphus detritus Holmgren, 1868	L	[Ichneumonidae]
Mesostenus tricolor Haupt, 1954	Nematopodius formosus Gravenhorst, 1829	H	[Ichneumonidae]
Mesotrichia oudemansi Leveque, 1933	Xylocopa oudemansi (LeVeque, 1933)	S	[Apidae]
Messor oertzeni var. amphigea Forel, 1911	Messor oertzeni amphigea Forel, 1911	S	[Formicidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Messor denticornis Forel, 1910	Messor denticornis Forel, 1910	S	[Formicidae]
Metapelma albisquamulata Enderlein, 1912	Metapelma albisquamulata Enderlein, 1912	H	[Eupelmidae]
Metaplopoda grallaria Masi, 1926	Metaplopoda grallaria Masi, 1926	H	[Eupelmidae]
Metapone sauteri Forel, 1912	Metapone sauteri Forel, 1912	S	[Formicidae]
Methoca tricha Strand, 1913	Methoca tricha Strand, 1913	H	[Tiphidae]
Metopius krombeini krombeini Townes, 1959	Metopius krombeini krombeini Townes, 1959	P	[Ichneumonidae]
Metopius mimicus Townes, 1959	Metopius mimicus Townes, 1959	P	[Ichneumonidae]
Microcryptus magnispiracularis Uchida, 1932	Giraudia magnispiracularis Uchida, 1932	L	[Ichneumonidae]
Microcryptus minimus Lange, 1911	Rhembobius bifrons Gmelin, 1790	H	[Ichneumonidae]
Microdus albifasciatus Watanabe, 1934	Microdus albifasciatus Watanabe, 1934	H	[Braconidae]
Microdus formosanus Watanabe, 1934	Microdus formosanus Watanabe, 1934	H	[Braconidae]
Microdus sauteri Watanabe, 1934	Microdus cancellatus Enderlein, 1920	H	[Braconidae]
Microdynerus interruptus Gusenleitner, 1970	Microdynerus interruptus Gusenleitner, 1970	P	[Vespidae]
Microeupelmus acridiphagus Otten, 1941	Microeupelmus acridiphagus Otten, 1941	S	[Aphelinidae]
Microgaster ater Ratzeburg, 1852	Apanteles sodalis (Haliday, 1834)	L	[Braconidae]
Microgaster breviventris Ratzeburg, 1848	Apanteles breviventris (Ratzeburg, 1848)	N	[Braconidae]
Microgaster carbonarius Ratzeburg, 1848	Apanteles sodalis (Haliday, 1834)	L	[Braconidae]
Microgaster dudichi Papp, 1961	Microgaster dudichi Papp, 1961	H	[Braconidae]
Microgaster flavilabris Ratzeburg, 1844	Apanteles parasitellae Bouché, 1834	L	[Braconidae]
Microgaster flavolimbatus Ratzeburg, 1848	Pholetesor circumscriptus Nees, 1834	H	[Braconidae]
Microgaster hoplites Ratzeburg, 1848	Dolichogenidea laevigata Ratzeburg, 1848	R	[Braconidae]
Microgaster insidens Ratzeburg, 1844	Apanteles spurius (Wesmael, 1837)	L	[Braconidae]
Microgaster lactipennis Ratzeburg, 1852	Dolichogenidea ultor Reinhard, 1880	L	[Braconidae]
Microgaster laevissimus Ratzeburg, 1848	Dolichogenidea laevissimus (Ratzeburg, 1848)	H	[Braconidae]
Microgaster liparidis Ratzeburg, 1844	Glyptapanteles liparidis (Bouché, 1834)	S	[Braconidae]
Microgaster rufilabris Ratzeburg, 1844	Apanteles parasitellae Bouché, 1834	H	[Braconidae]
Microjoppa apicipennis Brèthes, 1927	Joppa apicipennis Brèthes, 1927	S	[Ichneumonidae]
Microphanurus anitus Nixon, 1939	Microphanurus anitus Nixon, 1939	H	[Scelionidae]
Microphanurus choaspes Nixon, 1939	Microphanurus choaspes Nixon, 1939	H	[Scelionidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Microphanurus fulmeki</i> Soyka, 1942	<i>Microphanurus fulmeki</i> Soyka, 1942	S	[Scelionidae]
<i>Microphanurus schimitscheki</i> Szelényi, 1942	<i>Microphanurus schimitscheki</i> Szelényi, 1942	P	[Scelionidae]
<i>Microterys mercetii</i> Masi, 1926	<i>Microterys mercetii</i> Masi, 1926	H	[Encyrtidae]
<i>Miocephala chalybea</i> Konow, 1907	<i>Arge chalybea</i> (Konow, 1907)	S	[Symphyta]
<i>Mischocyttarus alfenii</i> var. <i>bahiae</i> Richards, 1945	<i>Mischocyttarus alfenii bahiae</i> Richards, 1945	P	[Vespidae]
<i>Mischocyttarus flavitarsis</i> var. <i>centralis</i> Bequaert, 1933	<i>Mischocyttarus flavitarsis centralis</i> Bequaert, 1933	P	[Vespidae]
<i>Mischocyttarus collarellus</i> Richards, 1940	<i>Mischocyttarus collarellus</i> Richards, 1940	P	[Vespidae]
<i>Mischocyttarus angulatus</i> var. <i>columbianus</i> Richards, 1945	<i>Mischocyttarus angulatus columbianus</i> Richards, 1945	P	[Vespidae]
<i>Mischocyttarus flavicans</i> var. <i>coroico</i> Richards, 1945	<i>Mischocyttarus flavicans coroico</i> Richards, 1945	P	[Vespidae]
<i>Mischocyttarus flavitarsis</i> var. <i>idahoensis</i> Bequaert, 1933	<i>Mischocyttarus flavitarsis idahoensis</i> Bequaert, 1933	P	[Vespidae]
<i>Mischocyttarus immarginatus</i> Richards, 1940	<i>Mischocyttarus immarginatus</i> Richards, 1940	P	[Vespidae]
<i>Mischocyttarus metoecus</i> Richards, 1940	<i>Mischocyttarus metoecus</i> Richards, 1940	P	[Vespidae]
<i>Mischocyttarus flavitarsis</i> var. <i>navajo</i> Bequaert, 1933	<i>Mischocyttarus flavitarsis navajo</i> Bequaert, 1933	P	[Vespidae]
<i>Mischocyttarus superus</i> Richards, 1940	<i>Mischocyttarus superus</i> Richards, 1940	P	[Vespidae]
<i>Monoblastus nigrifacies</i> Uchida, 1932	<i>Lathrolestes nigrifacies</i> Uchida, 1932	H	[Ichneumonidae]
<i>Monodontomerus obscurus</i> var. <i>steffani</i> Boucek, 1955	<i>Monodontomerus obscurus steffani</i> Boucek, 1955	P	[Torymidae]
<i>Monomachus cubiceps</i> Schrottky, 1911	<i>Monomachus cubiceps</i> Schrottky, 1911	L	[Monomachidae]
<i>Monomorium foreli</i> Viehmeyer, 1914	<i>Monomorium foreli</i> Viehmeyer, 1914	S	[Formicidae]
<i>Monomorium andrei</i> var. <i>fur</i> Forel, 1894	<i>Monomorium andrei fur</i> Forel, 1894	S	[Formicidae]
<i>Monophadnus aeger</i> Konow, 1898	<i>Senoclidea aegra</i> Konow, 1898	H	[Symphyta]
<i>Monophadnus alveatus</i> Konow, 1899	<i>Waldheimia apicalis</i> (Cameron, 1878)	L	[Symphyta]
<i>Monophadnus atrocoeruleus</i> Konow, 1898	<i>Monophadnus atrocoeruleus</i> Konow, 1898	H	[Symphyta]
<i>Monophadnus comis</i> Konow, 1898	<i>Senoclidea comis</i> Konow, 1898	S	[Symphyta]
<i>Monophadnus cruentus</i> Konow, 1899	<i>Waldheimia cruenta</i> (Konow, 1899)	R	[Symphyta]
<i>Monophadnus decorus</i> Konow, 1898	<i>Senoclidea decora</i> (Konow, 1898)	S	[Symphyta]
<i>Monophadnus depressus</i> Konow, 1899	<i>Waldheimia laeta</i> (Cameron, 1883)	L	[Symphyta]
<i>Monophadnus diagonicus</i> Konow, 1899	<i>Waldheimia diagonica</i> (Konow, 1899)	L	[Symphyta]
<i>Monophadnus foriolus</i> Konow, 1899	<i>Waldheimia foriola</i> (Konow, 1899)	H	[Symphyta]
<i>Monophadnus fronto</i> Konow, 1899	<i>Waldheimia fronto</i> (Konow, 1899)	L	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Monophadnus funebris Konow, 1898	Monophadnus funebris (Konow, 1898)	H	[Symphyta]
Monophadnus furvus Konow, 1898	Senoclidea furva Konow, 1898	H	[Symphyta]
Monophadnus koreanus Konow, 1898	Senoclidea koreana (Konow, 1898)	H	[Symphyta]
Monophadnus offensus Konow, 1899	Waldheimia offensa (Konow, 1899)	L	[Symphyta]
Monophadnus pilosus Konow, 1898	Atelozia pilosa (Konow, 1898)	H	[Symphyta]
Monophadnus rivalis Konow, 1906	Monophadnus rivalis Konow, 1906	H	[Symphyta]
Monophadnus scytha Konow, 1898	Monophadnus scytha Konow, 1898	H	[Symphyta]
Monophadnus sugillatus Konow, 1899	Waldheimia amazonica (W. F. Kirby, 1882)	H	[Symphyta]
Monophadnus thoracatus Konow, 1899	Waldheimia thoracata (Konow, 1899)	H	[Symphyta]
Monophadnus valginervis Konow, 1899	Waldheimia erebus (W. F. Kirby, 1882)	L	[Symphyta]
Monophadnus veles Konow, 1899	Waldheimia veles (Konow, 1899)	H	[Symphyta]
Monoplopus iudaicus Konow, 1907	Trachelus iudaicus (Konow, 1907)	L	[Symphyta]
Moricella rufonota Rohwer, 1916	Moricella rufonota Rohwer, 1916	H	[Symphyta]
Murciana sebastiani Lacourt, 1988	Elinora sebastiani (Lacourt, 1988)	P	[Symphyta]
Mutilla alberici Zavattari, 1913	Mutilla alberici Zavattari, 1913	L	[Mutillidae]
Mutilla albopunctata André, 1907	Mutilla albopunctata André, 1907	S	[Mutillidae]
Mutilla amartana Zavattari, 1913	Mutilla amartana Zavattari, 1913	R	[Mutillidae]
Mutilla aurofasciata Ed. André, 1907	Mutilla aurofasciata Ed. André, 1907	H	[Mutillidae]
Mutilla detritespilosa Strand, 1917	Mutilla detritespilosa Strand, 1917	H	[Mutillidae]
Mutilla drola Zavattari, 1913	Mutilla drola Zavattari, 1913	R	[Mutillidae]
Mutilla drupa Zavattari, 1913	Mutilla drupa Zavattari, 1913	L	[Mutillidae]
Mutilla guentheri Zavattari, 1913	Mutilla guentheri Zavattari, 1913	L	[Mutillidae]
Mutilla gutrunae Zavattari, 1913	Mutilla gutrunae Zavattari, 1913	L	[Mutillidae]
Mutilla hageni Zavattari, 1913	Mutilla hageni Zavattari, 1913	L	[Mutillidae]
Mutilla horni Ed. André, 1907	Mutilla horni Ed. André, 1907	S	[Mutillidae]
Mutilla logei Zavattari, 1913	Mutilla logei Zavattari, 1913	L	[Mutillidae]
Mutilla minae Zavattari, 1913	Mutilla minae Zavattari, 1913	L	[Mutillidae]
Mutilla naja Zavattari, 1913	Mutilla naja Zavattari, 1913	L	[Mutillidae]
Mutilla norna Zavattari, 1913	Mutilla norna Zavattari, 1913	R	[Mutillidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Mutilla sauteri</i> Zavattari, 1913	<i>Mutilla sauteri</i> Zavattari, 1913	L	[Mutillidae]
<i>Mutilla serpa</i> Zavattari, 1913	<i>Mutilla serpa</i> Zavattari, 1913	R	[Mutillidae]
<i>Mutilla strandi</i> Zavattari, 1913	<i>Mutilla strandi</i> Zavattari, 1913	R	[Mutillidae]
<i>Mutilla wotani</i> Zavattari, 1913	<i>Mutilla wotani</i> Zavattari, 1913	L	[Mutillidae]
<i>Myrmecina sauteri</i> Forel, 1912	<i>Myrmecina sauteri</i> Forel, 1912	S	[Formicidae]
<i>Myrmelachista plebecula</i> Menozzi, 1927	<i>Myrmelachista plebecula</i> Menozzi, 1927	S	[Formicidae]
<i>Myrmelachista reticulata</i> Borgmeier, 1928	<i>Myrmelachista reticulata</i> Borgmeier, 1928	S	[Formicidae]
<i>Myrmica rugosa</i> Mayr, 1868	<i>Myrmica rugosa</i> Mayr, 1868	O	[Formicidae]
<i>Myrmilla formosana</i> Zavattari, 1913	<i>Myrmilla formosana</i> Zavattari, 1913	L	[Mutillidae]
<i>Mystrocnemis embiidarum</i> Kieffer, 1925	<i>Mystrocnemis embiidarum</i> Kieffer, 1925	H	[Sclerogibbidae]
<i>Nagamasaiia leucopoda</i> Togashi, 1988	<i>Nagamasaiia leucopoda</i> Togashi, 1988	P	[Symphyta]
<i>Nannotrigona dutrae</i> Friese,	<i>Nannotrigona dutrae</i> Friese,	S	[Apidae]
<i>Neagenia asiatica</i> Sustera, i.l.	<i>Neagenia asiatica</i> Sustera, i.l.	T	[Pompilidae]
<i>Neateuchopus tigris</i> Benson, 1935	<i>Trachelus tigris</i> (Benson, 1935)	H	[Symphyta]
<i>Nematinus maroccanus</i> Lacourt, 1975	<i>Nematinus maroccanus</i> Lacourt, 1975	P	[Symphyta]
<i>Nematinus luteus maroccanus</i> Lacourt, 1975	<i>Nematinus maroccanus</i> Lacourt, 1975	P	[Symphyta]
<i>Nematinus steini</i> Blank, 1998	<i>Nematinus steini</i> Blank, 1998	H	[Symphyta]
<i>Nematoneura mitellata</i> Konow, 1906	<i>Didymia carbonaria</i> (Cameron, 1878)	H	[Symphyta]
<i>Nematus capito</i> Konow, 1903	<i>Nematus capito</i> (Konow, 1903)	L	[Symphyta]
<i>Nematus tataricus</i> Zinovjev, 1978	<i>Paranematus tataricus</i> (Zinovjev, 1978)	P	[Symphyta]
<i>Nematus variator</i> Ruthe, 1859	<i>Amauronematus variator</i> (Ruthe, 1859)	S	[Symphyta]
<i>Neochrysocharis cuprifrons</i> Erdös, 1954	<i>Neochrysocharis cuprifrons</i> Erdös, 1954	S	[Eulophidae]
<i>Neocladia howardi</i> var. <i>violascens</i> Masi, 1926	<i>Neocladia howardi violascens</i> Masi, 1926	H	[Encyrtidae]
<i>Neogabunia paulistana</i> Brèthes, 1927	<i>Pimpla tomyris</i> Schrottky, 1902	H	[Ichneumonidae]
<i>Neomesostenus sumariensis</i> Brèthes, 1928	<i>Acerastes sumariensis</i> Brèthes, 1928	H	[Ichneumonidae]
<i>Neostromboceros albofemoratus</i> Rohwer, 1916	<i>Neostromboceros albofemoratus</i> Rohwer, 1916	H	[Symphyta]
<i>Neostromboceros leucopoda</i> Rohwer, 1916	<i>Pseudostromboceros atratus</i> (Enslin, 1911)	H	[Symphyta]
<i>Neostromboceros perroti</i> Malaise, 1944	<i>Neostromboceros perroti</i> Malaise, 1944	P	[Symphyta]
<i>Neotelenomus perniciosi</i> Soyka, 1942	<i>Neotelenomus perniciosi</i> Soyka, 1942	H	[Scelionidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Neothrinax formosana</i> Rohwer, 1916	<i>Neothrinax formosana</i> Rohwer, 1916	H	[Symphyta]
<i>Neothrinax sauteri</i> Rohwer, 1916	<i>Neostromboceros rohweri</i> Malaise, 1944	H	[Symphyta]
<i>Neotrimorus baculiger</i> Enderlein, 1912	<i>Zombrus baculiger</i> Enderlein, 1912	H	[Braconidae]
<i>Neotypus flavipes</i> Uchida, 1932	<i>Listrodromus crassipes</i> Cameron, 1907	L	[Ichneumonidae]
<i>Neoxorides montanus</i> Oehlke, 1966	<i>Neoxorides montanus</i> Oehlke, 1966	H	[Ichneumonidae]
<i>Nepionema helveticum</i> Benson, 1960	<i>Nepionema helveticum</i> Benson, 1960	P	[Symphyta]
<i>Nesoselandria formosana</i> Rohwer, 1916	<i>Corrugia formosana</i> (Rohwer, 1916)	H	[Symphyta]
<i>Nesoselandria leucopoda</i> Rohwer, 1916	<i>Nesoselandria leucopoda</i> Rohwer, 1916	H	[Symphyta]
<i>Nesostenodontus formosanus</i> Cushman, 1937	<i>Nesostenodontus formosanus</i> Cushman, 1937	H	[Ichneumonidae]
<i>Nesotomostethus secundus</i> Rohwer, 1916	<i>Nesotomostethus secundus</i> Rohwer, 1916	H	[Symphyta]
<i>Netmocera setifera</i> Boucek, 1955	<i>Netmocera setifera</i> Boucek, 1955	P	[Pteromalidae]
<i>Netroceros athalioides</i> Konow, 1907	<i>Neacidiophora athalioides</i> (Konow, 1907)	H	[Symphyta]
<i>Netroceros bellicornis</i> Konow, 1907	<i>Neacidiophora bellicornis</i> (Konow, 1907)	H	[Symphyta]
<i>Netroceros ietunus</i> Konow, 1907	<i>Neacidiophora calo</i> (Konow, 1907)	H	[Symphyta]
<i>Neuroterus favosus</i> Bassett, 1890	<i>Neuroterus favosus</i> Bassett, 1890	S	[Cynipidae]
<i>Neuroterus verrucarum</i> var. <i>opacus</i> Kinsey, 1923	<i>Neuroterus verrucarum opacus</i> Kinsey, 1923	P	[Cynipidae]
<i>Neuroterus pallidus</i> Bassett, 1890	<i>Neuroterus pallidus</i> Bassett, 1890	S	[Cynipidae]
<i>Neuroterus verrucarum</i> var. <i>pulvinus</i> Kinsey, 1923	<i>Neuroterus verrucarum pulvinus</i> Kinsey, 1923	P	[Cynipidae]
<i>Neuroterus varians</i> Kinsey, 1922	<i>Neuroterus varians</i> Kinsey, 1922	P	[Cynipidae]
<i>Nipporicnus rufus</i> Uchida, 1932	<i>Picardiella rufa</i> Uchida, 1932	L	[Ichneumonidae]
<i>Nomada anpingensis</i> Strand, 1913	<i>Nomada anpingensis</i> Strand, 1913	H	[Apidae]
<i>Nomada furva</i> var. <i>atroscutellaris</i> Strand, 1921	<i>Nomada atroscutellaris</i> Strand, 1921	H	[Apidae]
<i>Nomada cherkesiana</i> Mavromoustakis, 1955	<i>Nomada cherkesiana</i> Mavromoustakis, 1955	P	[Apidae]
<i>Nomada diacantha</i> Schwarz, 1981	<i>Nomada diacantha</i> Schwarz, 1981	P	[Apidae]
<i>Nomada gyangensis</i> Cockerell, 1911	<i>Nomada gyangensis</i> Cockerell, 1911	S	[Apidae]
<i>Nomada kornosica</i> Mavromoustakis, 1958	<i>Nomada kornosica</i> Mavromoustakis, 1958	P	[Apidae]
<i>Nomada leucotricha</i> Strand, 1914	<i>Nomada leucotricha</i> Strand, 1914	H	[Apidae]
<i>Nomada linsenmaieri</i> Schwarz, 1974	<i>Nomada linsenmaieri</i> Schwarz, 1974	P	[Apidae]
<i>Nomada lucidula</i> Schwarz, 1967	<i>Nomada lucidula</i> Schwarz, 1967	P	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Nomada mongolica</i> Schwarz,	<i>Nomada mongolica</i> Schwarz,	T	[Apidae]
<i>Nomada polemediana</i> Mavromoustakis, 1957	<i>Nomada polemediana</i> Mavromoustakis, 1957	P	[Apidae]
<i>Nomada rhinula</i> Strand, 1914	<i>Nomada rhinula</i> Strand, 1914	S	[Apidae]
<i>Nomada rufosoma</i> Strand, 1921	<i>Nomada rufosoma</i> Strand, 1921	L	[Apidae]
<i>Nomada anpingensis</i> var. <i>suisharyonis</i> Strand, 1914	<i>Nomada anpingensis</i> <i>suisharyonis</i> Strand, 1914	H	[Apidae]
<i>Nomia dalyana</i> var. <i>bonnefoiensis</i> Strand, 1921	<i>Nomia dalgana</i> <i>bonnefoiensis</i> Strand, 1921	H	[Apidae]
<i>Nomia horni</i> Strand, 1913	<i>Nomia horni</i> Strand, 1913	H	[Apidae]
<i>Nomia kankauana</i> Strand, 1913	<i>Austronomia takauensis</i> Friese, 1910	S	[Apidae]
<i>Nomia kankauibia</i> Strand, 1913	<i>Nomia kankauibia</i> Strand, 1913	H	[Apidae]
<i>Nomia matalea</i> Strand, 1913	<i>Steganomus nodicornis</i> Smith,	L	[Apidae]
<i>Nomia megasomoides</i> Strand, 1913	<i>Nomia crassipes</i> Fabricius, 1798	S	[Apidae]
<i>Nomia megasoma</i> var. <i>nitidata</i> Strand, 1913	<i>Maculonomia apicalis</i> Smith, 1875	H	[Apidae]
<i>Nomia parcana</i> Strand, 1913	<i>Nomia parcana</i> Strand, 1913	H	[Apidae]
<i>Nomia pilamica</i> Strand, 1913	<i>Nomia pilamica</i> Strand, 1913	H	[Apidae]
<i>Nomia puttalama</i> Strand, 1913	<i>Lipotriches exagens</i> Walker, 1860	H	[Apidae]
<i>Nomia equestris</i> var. <i>smymensis</i> Strand, 1921	<i>Pseudapis equestris</i> (Gerstaecker, 1872)	H	[Apidae]
<i>Nomioides formosicola</i> Strand, 1913	<i>Nomioides formosicola</i> Strand, 1913	S	[Apidae]
<i>Nonnus brethesi</i> Townes, 1966	<i>Nonnus brethesi</i> Townes, 1966	H	[Ichneumonidae]
<i>Nysson horni</i> Strand, 1913	<i>Nysson rugosus</i> Cameron, 1890	H	[Crabronidae]
<i>Odontocryptus brilliantus</i> Uchida, 1932	<i>Neodontocryptus brilliantus</i> Uchida, 1932	H	[Ichneumonidae]
<i>Odontofornica arata</i> Enderlein, 1912	<i>Odontofornica arata</i> Enderlein, 1912	S	[Braconidae]
<i>Odontomachus monticola</i> var. <i>formosae</i> Forel, 1912	<i>Odontomachus monticola</i> <i>formosae</i> Forel, 1912	S	[Formicidae]
<i>Odontomachus monticola</i> var. <i>major</i> Forel, 1913	<i>Odontomachus monticola</i> <i>major</i> Forel, 1913	S	[Formicidae]
<i>Odontomachus imperator</i> <i>opaculus</i> Viehmeyer, 1912	<i>Odontomachus imperator</i> <i>opaculus</i> Viehmeyer, 1912	S	[Formicidae]
<i>Odontomutilla luculediana</i> Strand, 1917	<i>Odontomutilla luculediana</i> Strand, 1917	S	[Mutillidae]
<i>Odontomutilla taiwaniana</i> Zavattari, 1913	<i>Odontomutilla taiwaniana</i> Zavattari, 1913	S	[Mutillidae]
<i>Odynerus anceps</i> <i>albofasciatus</i> Schulthess, 1928	<i>Odynerus anceps</i> <i>albofasciatus</i> Schulthess, 1928	S	[Vespidae]
<i>Odynerus desperatus</i> Bequaert, 1918	<i>Odynerus desperatus</i> Bequaert, 1918	P	[Vespidae]
<i>Odynerus dictatorius</i> Soika, 1935	<i>Odynerus dictatorius</i> Soika, 1935	S	[Vespidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Odynerus formosensis</i> Schulthess, 1934	<i>Odynerus formosensis</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus flavopunctatus</i> var. <i>formosicola</i> Schulthess, 1934	<i>Odynerus flavopunctatus formosicola</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus goanus</i> Sonan, 1938	<i>Odynerus goanus</i> Sonan, 1938	H	[Vespidae]
<i>Odynerus histrionimimus</i> Bequaert, 1918	<i>Odynerus histrionimimus</i> Bequaert, 1918	P	[Vespidae]
<i>Odynerus hoozanensis</i> Schulthess, 1934	<i>Odynerus hoozanensis</i> Schulthess, 1934	H	[Vespidae]
<i>Odynerus horni</i> Soika, 1935	<i>Odynerus horni</i> Soika, 1935	H	[Vespidae]
<i>Odynerus infucatus</i> Soika, 1935	<i>Odynerus infucatus</i> Soika, 1935	S	[Vespidae]
<i>Odynerus ingens</i> Schulthess, 1934	<i>Odynerus ingens</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus kankauensis</i> Schulthess, 1934	<i>Odynerus kankauensis</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus kanthaleyensis</i> Soika, 1935	<i>Odynerus kanthaleyensis</i> Soika, 1935	S	[Vespidae]
<i>Odynerus kosempoensis</i> Schulthess, 1934	<i>Odynerus kosempoensis</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus gestroi</i> var. <i>pretoriensis</i> Soika, 1935	<i>Odynerus gestroi pretoriensis</i> Soika, 1935	H	[Vespidae]
<i>Odynerus samarensis</i> Schulthess, 1934	<i>Odynerus samarensis</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus sauteri</i> Schulthess, 1934	<i>Odynerus sauteri</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus seyrigi</i> Soika, 1941	<i>Odynerus seyrigi</i> Soika, 1941	S	[Vespidae]
<i>Odynerus taihorinensis</i> Schulthess, 1934	<i>Odynerus taihorinensis</i> Schulthess, 1934	S	[Vespidae]
<i>Odynerus taihorinshoensis</i> Schulthess, 1934	<i>Odynerus taihorinshoensis</i> Schulthess, 1934	L	[Vespidae]
<i>Odynerus unifasciatus</i> Schulthess, 1934	<i>Odynerus unifasciatus</i> Schulthess, 1934	H	[Vespidae]
<i>Ogmophasmus flaviceps</i> Enderlein, 1912	<i>Schlettereriella flaviceps</i> Enderlein, 1912	H	[Braconidae]
<i>Olesicampe benefactor</i> Hinz, 1969	<i>Olesicampe melanogaster</i> Thomson, 1887	H	[Ichneumonidae]
<i>Oligomyrmex overbecki</i> Viehmeyer, 1916	<i>Oligomyrmex overbecki</i> Viehmeyer, 1916	S	[Formicidae]
<i>Oligomyrmex sauteri</i> Forel, 1912	<i>Oligomyrmex sauteri</i> Forel, 1912	H	[Formicidae]
<i>Omalaspoides letzneri</i> Hedicke, 1913	<i>Omalaspoides letzneri</i> Hedicke, 1913	S	[Figitidae]
<i>Omalaspoides silesiacus</i> Hedicke, 1913	<i>Omalaspoides silesiacus</i> Hedicke, 1913	H	[Figitidae]
<i>Omphale montana</i> Erdös, 1951	<i>Omphale montana</i> Erdös, 1951	S	[Eulophidae]
<i>Onycholyda decorata</i> Shinohara, 1985	<i>Onycholyda decorata</i> Shinohara, 1985	P	[Symphyta]
<i>Onycholyda similis</i> Shinohara, 1987	<i>Onycholyda similis</i> Shinohara, 1987	P	[Symphyta]
<i>Ophrynopus andrei</i> Konow, 1897	<i>Ophrynopus andrei</i> Konow, 1897	H	[Symphyta]
<i>Opius aino</i> Watanabe, 1938	<i>Opius aino</i> Watanabe, 1938	P	[Braconidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Opius maculipennis</i> Enderlein, 1912	<i>Opius maculipennis</i> Enderlein, 1912	H	[Braconidae]
<i>Opius pseudonitidus</i> Fahringer, 1943	<i>Opius pseudonitidus</i> Fahringer, 1943	H	[Braconidae]
<i>Opius rhagoleticolus</i> Sachtleben, 1934	<i>Opius rhagoleticolus</i> Sachtleben, 1934	S	[Braconidae]
<i>Orgilus achterbergi</i> Taeger, 1989	<i>Orgilus achterbergi</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus balcanicus</i> Taeger, 1989	<i>Orgilus balcanicus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus brevicaudis</i> Taeger, 1989	<i>Orgilus brevicaudis</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus capeki</i> Taeger, 1989	<i>Orgilus capeki</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus coxalis</i> Taeger, 1989	<i>Orgilus coxalis</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus discretus</i> Taeger, 1989	<i>Orgilus discretus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus distinguendus</i> Taeger, 1991	<i>Orgilus distinguendus</i> Taeger, 1991	P	[Braconidae]
<i>Orgilus dorni</i> Taeger, 1989	<i>Orgilus dorni</i> Taeger, 1989	H	[Braconidae]
<i>Orgilus fischerianus</i> Taeger, 1989	<i>Orgilus fischerianus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus haeselbarthi</i> Taeger, 1989	<i>Orgilus haeselbarthi</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus hybridus</i> Taeger, 1989	<i>Orgilus hybridus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus ibericus</i> Taeger, 1989	<i>Orgilus ibericus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus interjectus</i> Taeger, 1989	<i>Orgilus interjectus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus luctuosus</i> Taeger, 1987	<i>Orgilus luctuosus</i> Taeger, 1987	P	[Braconidae]
<i>Orgilus minor</i> Taeger, 1989	<i>Orgilus minor</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus mongolicus</i> Taeger, 1989	<i>Orgilus mongolicus</i> Taeger, 1989	H	[Braconidae]
<i>Orgilus nanellae</i> Tobias, 1986	<i>Orgilus nanellae</i> Tobias, 1986	P	[Braconidae]
<i>Orgilus nitidiceps</i> Taeger, 1989	<i>Orgilus nitidiceps</i> Taeger, 1989	H	[Braconidae]
<i>Orgilus obesus</i> Taeger, 1989	<i>Orgilus obesus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus oehlkei</i> Taeger, 1989	<i>Orgilus oehlkei</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus ortrudae</i> Taeger, 1989	<i>Orgilus ortrudae</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus patzaki</i> Taeger, 1989	<i>Orgilus patzaki</i> Taeger, 1989	H	[Braconidae]
<i>Orgilus perplexus</i> Taeger, 1989	<i>Orgilus perplexus</i> Taeger, 1989	H	[Braconidae]
<i>Orgilus respendens</i> Taeger, 1989	<i>Orgilus respendens</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus saponariellae</i> Taeger, 1989	<i>Orgilus saponariellae</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus simillimus</i> Taeger, 1989	<i>Orgilus simillimus</i> Taeger, 1989	P	[Braconidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Orgilus sticticus</i> Taeger, 1989	<i>Orgilus sticticus</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus thomsoni</i> Taeger, 1989	<i>Orgilus thomsoni</i> Taeger, 1989	P	[Braconidae]
<i>Orgilus tobiasi</i> Taeger, 1989	<i>Orgilus tobiasi</i> Taeger, 1989	H	[Braconidae]
<i>Orgilus tristis</i> Taeger, 1989	<i>Orgilus tristis</i> Taeger, 1989	P	[Braconidae]
<i>Orientohemiteles ovatus</i> Uchida, 1932	<i>Orientohemiteles ovatus</i> Uchida, 1932	H	[Ichneumonidae]
<i>Ormyrus fredricki</i> Narendran & Sumodan, 1990	<i>Ormyrus orientalis</i> Walker, 1871	P	[Ormyridae]
<i>Ornepetes clypearis</i> Duran-Moya, 1941	<i>Ornepetes clypearis</i> Duran-Moya, 1941	L	[Thynnidae]
<i>Orthocentrus carinatus</i> Uchida, 1932	<i>Orthocentrus fulvipes</i> Gravenhorst, 1829	L	[Ichneumonidae]
<i>Orussus smithi</i> Blank, Kraus & Taeger, 2006	<i>Orussus smithi</i> Blank, Kraus & Taeger, 2004	H	[Symphyta]
<i>Osiris angustipes</i> Friese, 1930	<i>Osiris angustipes</i> Friese, 1930	S	[Apidae]
<i>Osmia absurdicornis</i> Brauns, i.l.	<i>Osmia absurdicornis</i> Brauns, i.l.	I	[Apidae]
<i>Osmia cataniae</i> Strand, 1921	<i>Osmia minutula</i> Pérez, 1896	H	[Apidae]
<i>Osmia elizabethae</i> Brauns, 1926	<i>Osmia elizabethae</i> Brauns, 1926	S	[Apidae]
<i>Osmia glacialis</i> Timberlake, i.l.	<i>Osmia glacialis</i> Timberlake, i.l.	T	[Apidae]
<i>Osmia mea</i> Strand, 1921	<i>Osmia mea</i> Strand, 1921	H	[Apidae]
<i>Osmia cornuta quasirufa</i> Peters, 1978	<i>Osmia cornuta quasirufa</i> Peters, 1978	P	[Apidae]
<i>Osmia taorminaensis</i> Strand, 1919	<i>Osmia mucida</i> (Dours, 1873)	H	[Apidae]
<i>Osmia zulu</i> Strand, 1919	<i>Osmia zulu</i> Strand, 1919	H	[Apidae]
<i>Overbeckia subclavata</i> Viehmeyer, 1916	<i>Overbeckia subclavata</i> Viehmeyer, 1916	S	[Formicidae]
<i>Oxybelus bicolorisquama</i> Strand, 1923	<i>Oxybelus lamellatus bicolorisquama</i> Strand, 1923	L	[Crabronidae]
<i>Oxybelus bicolorisquama kankauensis</i> Strand, 1923	<i>Oxybelus lamellatus bicolorisquama</i> Strand, 1923	H	[Crabronidae]
<i>Pachycondyla horni</i> Forel, 1913	<i>Pachycondyla horni</i> Forel, 1913	S	[Formicidae]
<i>Pachycondyla sauteri</i> Forel, 1912	<i>Pachycondyla sauteri</i> Forel, 1912	S	[Formicidae]
<i>Pachynematus alpestris</i> Konow, 1903	<i>Pristiphora alpestris</i> (Konow, 1903)	S	[Symphyta]
<i>Pachynematus berolinensis</i> Muche, 1971	<i>Amauronematus berolinensis</i> (Muche, 1971)	H	[Symphyta]
<i>Pachynematus foveolatus</i> Konow, 1903	<i>Pachynematus clitellatus</i> (Serville, 1823)	S	[Symphyta]
<i>Pachynematus gehrsi</i> Konow, 1903	<i>Pachynematus gehrsi</i> Konow, 1903	L	[Symphyta]
<i>Pachynematus glesipennis</i> Konow, 1903	<i>Pachynematus clitellatus</i> (Serville, 1823)	L	[Symphyta]
<i>Pachynematus kubesi</i> Konow, 1905	<i>Pachynematus lichtwardti</i> Konow, 1903	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Pachynematus legirupus Konow, 1903	Pachynematus albipennis (Hartig, 1837)	S	[Symphyta]
Pachynematus lentus Konow, 1903	Pachynematus clitellatus (Serville, 1823)	H	[Symphyta]
Pachynematus lichtwardti Konow, 1903	Pachynematus lichtwardti Konow, 1903	S	[Symphyta]
Pachynematus nigerrimus Konow, 1903	Pachynematus nigerrimus Konow, 1903	L	[Symphyta]
Pachynematus pullus Konow, 1903	Pachynematus moerens (Förster, 1854)	S	[Symphyta]
Pachynematus pumilio Konow, 1903	Bacconematus pumilio (Konow, 1903)	S	[Symphyta]
Pachynematus ravidus Konow, 1903	Nematus laricis (Hartig, 1837)	L	[Symphyta]
Pachynematus sagulatus Konow, 1903	Pristiphora leucopodia (Hartig, 1837)	H	[Symphyta]
Pachynematus sahlbergi Konow, 1908	Melastola resinicolor (Marlatt, 1896)	S	[Symphyta]
Pachynematus sannio Konow, 1903	Pachynematus albipennis (Hartig, 1837)	S	[Symphyta]
Pachynematus vaginosus Konow, 1903	Pachynematus vaginosus Konow, 1903	S	[Symphyta]
Pachynematus zaddachi Konow, 1903	Pachynematus clitellatus (Serville, 1823)	L	[Symphyta]
Pachyprotasis formosana Rohwer, 1916	Pachyprotasis formosana Rohwer, 1916	H	[Symphyta]
Pachyprotasis longicornis Jakovlev, 1891	Pachyprotasis longicornis Jakovlev, 1891	O	[Symphyta]
Pachytomoidella helictoscela Masi, 1926	Pachytomoidella helictoscela Masi, 1926	H	[Podagrionidae]
Pachytomoides hornianus Masi, 1926	Pachytomoides hornianus Masi, 1926	H	[Podagrionidae]
Pachytomoides megarhopalus Masi, 1926	Pachytomoides megarhopalus Masi, 1926	H	[Podagrionidae]
Pachytomoides orchesticus Masi, 1926	Pachytomoides orchesticus Masi, 1926	S	[Podagrionidae]
Pamphilius cilix Konow, 1897	Pamphilius cilix Konow, 1897	L	[Symphyta]
Pamphilius facetus Konow, 1898	Pamphilius stramineipes (Hartig, 1837)	L	[Symphyta]
Pamphilius ignymontiensis Lacourt, 1973	Pamphilius ignymontiensis Lacourt, 1973	P	[Symphyta]
Pamphilius ishikawai Shinohara, 1979	Pamphilius ishikawai Shinohara, 1979	P	[Symphyta]
Pamphilius itoi Shinohara, 1985	Pamphilius itoi Shinohara, 1985	P	[Symphyta]
Pamphilius kervillei Konow, 1903	Onycholyda kervillei (Konow, 1903)	L	[Symphyta]
Pamphilius kontuniemii Shinohara, 2003	Pamphilius kontuniemii Shinohara, 2003	P	[Symphyta]
Pamphilius pugnax Konow, 1897	Pamphilius pugnax Konow, 1897	L	[Symphyta]
Pamphilius rhoae Shinohara, 1988	Pamphilius rhoae Shinohara, 1988	P	[Symphyta]
Pamphilius sertatus Konow, 1903	Onycholyda sertata (Konow, 1903)	L	[Symphyta]
Pampsilota afer Konow, 1899	Pampsilota afer Konow, 1899	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Panurginus melanderi</i> Timberlake, i.l.	<i>Panurgus melanderi</i> Timberlake,	T	[Apidae]
<i>Panurgus dentatus</i> var. <i>taorminensis</i> Strand, 1921	<i>Panurgus dentatus taorminensis</i> Strand, 1921	S	[Apidae]
<i>Panurgus villosiclypeus</i> Strand, 1921	<i>Panurgus villosiclypeus</i> Strand, 1921	H	[Apidae]
<i>Parabatus neotropicus</i> Brèthes, 1927	<i>Netelia neotropica</i> Brèthes, 1927	S	[Ichneumonidae]
<i>Paracleonymus angustatus</i> Masi, 1927	<i>Paracleonymus angustatus</i> Masi, 1927	H	[Cleonymidae]
<i>Paracryptus formosanus</i> Uchida, 1932	<i>Brussinocryptus formosanus</i> Uchida, 1932	L	[Ichneumonidae]
<i>Paraferreola formosanus</i> Babiy, i.l.	<i>Paraferreola formosanus</i> Babiy, i.l.	T	[Pompilidae]
<i>Paralypia lacertosa</i> Konow, 1906	<i>Paralypia lacertosa</i> Konow, 1906	H	[Symphyta]
<i>Parapolybia tabida</i> var. <i>isabellina</i> Schulthess, 1913	<i>Parapolybia tabida isabellina</i> Schulthess, 1913	S	[Vespidae]
<i>Pararrhynchium unifasciatum</i> Gusenleitner, 1998	<i>Pararrhynchium unifasciatum</i> Gusenleitner, 1998	H	[Vespidae]
<i>Parasiobla formosana</i> Rohwer, 1916	<i>Darjilingia formosana</i> (Rohwer, 1916)	H	[Symphyta]
<i>Parasiobla formosana</i> (Rohwer, 1916)	<i>Darjilingia formosana</i> (Rohwer, 1916)	T	[Symphyta]
<i>Parastephanellus brevistigma</i> Enderlein, 1913	<i>Parastephanellus brevistigma</i> Enderlein, 1913	H	[Stephanidae]
<i>Parasympiesis cecidicola</i> Brèthes, 1927	<i>Parasympiesis cecidicola</i> Brèthes, 1927	S	[Eulophidae]
<i>Paratenthredo dilleri</i> Taeger, 1991	<i>Tenthredo frauenfeldii</i> (Giraud, 1857)	P	[Symphyta]
<i>Paratenthredo giraudi</i> Taeger, 1991	<i>Tenthredo giraudi</i> Taeger, 1991	H	[Symphyta]
<i>Pareophora pumilio</i> Konow, 1898	<i>Pareophora pumilio</i> Konow, 1898	H	[Symphyta]
<i>Pareumenes taiwanus</i> Sonan, 1938	<i>Pareumenes taiwanus</i> Sonan, 1938	P	[Vespidae]
<i>Pelmatopus enslini</i> Hering, 1923	<i>Pseudodineura enslini</i> (Hering, 1923)	P	[Symphyta]
<i>Pelmatopus mentiens</i> var. <i>konowi</i> Enslin, 1921	<i>Pseudodineura mentiens</i> (C. G. Thomson, 1871)	S	[Symphyta]
<i>Pentastruma sauteri</i> Forel, 1912	<i>Pentastruma sauteri</i> Forel, 1912	H	[Formicidae]
<i>Perdita desereta</i> Timberlake, i.l.	<i>Perdita desereta</i> Timberlake, i.l.	T	[Apidae]
<i>Perdita claypolei levior</i> Timberlake, i.l.	<i>Perdita claypolei</i> Cockerell, 1901	T	[Apidae]
<i>Perga kohli</i> Konow, 1905	<i>Perga kohli</i> Konow, 1905	S	[Symphyta]
<i>Periclista andrei</i> Konow, 1906	<i>Periclista andrei</i> Konow, 1906	H	[Symphyta]
<i>Periclista dusmeti</i> Konow, 1907	<i>Periclista dusmeti</i> Konow, 1907	S	[Symphyta]
<i>Periclista lenta</i> Konow, 1903	<i>Periclista lenta</i> Konow, 1903	H	[Symphyta]
<i>Periclista lorata</i> Konow, 1899	<i>Periclista lorata</i> Konow, 1899	L	[Symphyta]
<i>Periclista mutabilis</i> Konow, 1904	<i>Periclista albicollis</i> (Norton, 1872)	L	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Perilampus obsoletus</i> Masi, 1927	<i>Perilampus obsoletus</i> Masi, 1927	S	[Perilampidae]
<i>Perilampus rostratus</i> Kerrich, 1956	<i>Perilampus rostratus</i> Kerrich, 1956	P	[Perilampidae]
<i>Perilissoides cubitalis</i> Uchida, 1932	<i>Neurogenia cubitalis</i> Uchida, 1932	H	[Ichneumonidae]
<i>Perilissus formosensis</i> Uchida, 1932	<i>Perilissus cingulator</i> Morley, 1913	L	[Ichneumonidae]
<i>Perilissus thuringiacus</i> Schmiedeknecht, 1912	<i>Perilissus spilonotus</i> Stephens, 1835	R	[Ichneumonidae]
<i>Perilitus andreae</i> Haeselbarth,	<i>Perilitus andreae</i> Haeselbarth,	X	[Braconidae]
<i>Perilitus brevicornis</i> Ratzeburg, 1844	<i>Meteorus versicolor</i> (Wesmael, 1835)	L	[Braconidae]
<i>Perilitus mongolicus</i> Haeselbarth, 1999	<i>Perilitus mongolicus</i> Haeselbarth, 1999	H	[Braconidae]
<i>Perilitus regius</i> Haeselbarth, 1999	<i>Perilitus regius</i> Haeselbarth, 1999	P	[Braconidae]
<i>Perilitus shavchivai</i> Haeselbarth,	<i>Perilitus shavchivai</i> Haeselbarth,	X	[Braconidae]
<i>Perisphincter gracilicornis</i> Schnee, 1978	<i>Perisphincter gracilicornis</i> Schnee, 1978	P	[Ichneumonidae]
<i>Perniphora robusta</i> Ruschka, 1923	<i>Perniphora robusta</i> Ruschka, 1923	H	[Pteromalidae]
<i>Perosis serraticornis</i> Haupt, 1954	<i>Helcostizus restaurator</i> Fabricius, 1775	H	[Ichneumonidae]
<i>Perreyia alvina</i> Konow, 1899	<i>Perreyia lepida</i> Brullé, 1846	H	[Symphyta]
<i>Perreyia dorsuaria</i> Konow, 1899	<i>Perreyia lepida</i> Brullé, 1846	R	[Symphyta]
<i>Perreyia extensoria</i> Konow, 1899	<i>Perreyia lepida</i> Brullé, 1846	L	[Symphyta]
<i>Perreyia flavipes</i> Konow, 1899	<i>Perreyia flavipes</i> Konow, 1899	L	[Symphyta]
<i>Perreyia insignita</i> Konow, 1899	<i>Perreyia tropica</i> (Norton, 1869)	R	[Symphyta]
<i>Perreyia</i> (part.) <i>melanopyga</i> Konow, 1899	<i>Perreyia fumipennis</i> (Westwood, 1874)	R	[Symphyta]
<i>Perreyia nigra</i> Konow, 1903	<i>Perreyiella nigra</i> (Konow, 1903)	H	[Symphyta]
<i>Perreyia persimilis</i> Konow, 1899	<i>Perreyia lepida</i> Brullé, 1846	L	[Symphyta]
<i>Perreyia unicolor</i> Rohwer, 1922	<i>Decameria unicolor</i> (Rohwer, 1921)	H	[Symphyta]
<i>Perreyiella pseudonigra</i> Benson & Conde, 1938	<i>Perreyiella pseudonigra</i> Benson & Conde, 1938	H	[Symphyta]
<i>Peus pannulosus</i> Konow, 1907	<i>Tenthredo pannulosa</i> Konow, 1907	S	[Symphyta]
<i>Peus privus</i> Konow, 1903	<i>Tenthredo priva priva</i> Konow, 1903	H	[Symphyta]
<i>Peus splendidus</i> Konow, 1907	<i>Metallopeus splendidus</i> (Konow, 1907)	S	[Symphyta]
<i>Phaenocarpa ferga</i> Papp, 1982	<i>Phaenocarpa ruficeps</i> (Nees, 1812)	H	[Braconidae]
<i>Phaenocarpa psalliotae</i> Telenga, 1935	<i>Phaenocarpa psalliotae</i> Telenga, 1935	S	[Braconidae]
<i>Phaeogenes fur</i> Strand, 1918	<i>Phaeogenes fur</i> Strand, 1918	H	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Phanerotoma flavida</i> abb. <i>brevisecta</i> Enderlein, 1912	<i>Phanerotoma flavida</i> Enderlein, 1912	S	[Braconidae]
<i>Phanerotoma flavida</i> Enderlein, 1912	<i>Phanerotoma flavida</i> Enderlein, 1912	L	[Braconidae]
<i>Pheidole amia</i> Forel, 1912	<i>Pheidole amia</i> Forel, 1912	S	[Formicidae]
<i>Pheidole susannae atricolor</i> Forel, 1901	<i>Pheidole susannae atricolor</i> Forel, 1901	S	[Formicidae]
<i>Pheidole bakeri</i> Forel, 1912	<i>Pheidole bakeri</i> Forel, 1912	S	[Formicidae]
<i>Pheidole bambusarum</i> Forel, 1908	<i>Pheidole bambusarum</i> Forel, 1908	S	[Formicidae]
<i>Pheidole cocciphaga</i> Borgmeier, 1934	<i>Pheidole cocciphaga</i> Borgmeier, 1934	P	[Formicidae]
<i>Pheidole coffeicola</i> Borgmeier, 1934	<i>Pheidole coffeicola</i> Borgmeier, 1934	P	[Formicidae]
<i>Pheidole javana</i> var. <i>dolenda</i> Forel, 1912	<i>Pheidole javana dolenda</i> Forel, 1912	S	[Formicidae]
<i>Pheidole ernsti</i> Forel, 1912	<i>Pheidole ernsti</i> Forel, 1912	S	[Formicidae]
<i>Pheidole javana jubilans</i> var. <i>formosae</i> Forel, 1912	<i>Pheidole javana jubilans formosae</i> Forel, 1912	S	[Formicidae]
<i>Pheidole rhombinoda</i> var. <i>formosensis</i> Forel, 1913	<i>Pheidole rhombinoda formosensis</i> Forel, 1913	S	[Formicidae]
<i>Pheidole innupta</i> Menozzi, 1931	<i>Pheidole innupta</i> Menozzi, 1931	H	[Formicidae]
<i>Pheidole njassae</i> Viehmeyer, 1914	<i>Pheidole njassae</i> Viehmeyer, 1914	S	[Formicidae]
<i>Pheidole taivanensis</i> Forel, 1912	<i>Pheidole taivanensis</i> Forel, 1912	H	[Formicidae]
<i>Pheidole rinae tipuna</i> Forel, 1912	<i>Pheidole rinae tipuna</i> Forel, 1912	S	[Formicidae]
<i>Pheidole morrissii</i> var. <i>vanceae</i> Forel, 1901	<i>Pheidole morrissii vanceae</i> Forel, 1901	S	[Formicidae]
<i>Pheidologeton obscurus</i> Viehmeyer, 1914	<i>Pheidologeton obscurus</i> Viehmeyer, 1914	S	[Formicidae]
<i>Pheidologeton yanoi</i> Forel, 1912	<i>Pheidologeton yanoi</i> Forel, 1912	S	[Formicidae]
<i>Philolestoides wasmanni</i> Ferrière, 1929	<i>Philolestoides wasmanni</i> Ferrière, 1929	H	[Diapriidae]
<i>Philomides frater</i> Masi, 1927	<i>Philomides frater</i> Masi, 1927	H	[Eucharitidae]
<i>Philopsyche sauteri</i> Cushman, 1933	<i>Sericopimpla sagrae sauteri</i> Cushman, 1933	H	[Ichneumonidae]
<i>Phygadeuon differens</i> Hedwig, 1938	<i>Phygadeuon rotundipennis</i> Thomson, 1884	L	[Ichneumonidae]
<i>Phygadeuon hornianus</i> Strand, 1918	<i>Phygadeuon longigena</i> Thomson, 1884	H	[Ichneumonidae]
<i>Phygadeuon wiesmanni</i> Sachtleben, 1934	<i>Phygadeuon wiesmanni</i> Sachtleben, 1934	L	[Ichneumonidae]
<i>Phyllotoma wüstneii</i> Konow, 1905	<i>Heterarthrus wuestneii</i> (Konow, 1905)	L	[Symphyta]
<i>Phymatoceridea formosana</i> Rohwer, 1916	<i>Phymatoceridea formosana</i> Rohwer, 1916	H	[Symphyta]
<i>Phymatoceroopsis fulvocincta</i> Rohwer, 1916	<i>Phymatoceroopsis fulvocincta</i> Rohwer, 1916	H	[Symphyta]
<i>Phyracaces bicolor</i> Clark, 1924	<i>Phyracaces bicolor</i> Clark, 1924	S	[Formicidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Phyracaces brevis</i> Clark, 1924	<i>Phyracaces brevis</i> Clark, 1924	S	[Formicidae]
<i>Phyracaces gilesi</i> Clark, 1923	<i>Phyracaces gilesi</i> Clark, 1923	S	[Formicidae]
<i>Phyracaces nigriventris</i> Clark, 1924	<i>Phyracaces nigriventris</i> Clark, 1924	S	[Formicidae]
<i>Phyracaces punctatissima</i> Clark, 1923	<i>Phyracaces punctatissima</i> Clark, 1923	S	[Formicidae]
<i>Phyracaces singaporensis</i> Viehmeyer, 1916	<i>Phyracaces singaporensis</i> Viehmeyer, 1916	S	[Formicidae]
<i>Phytodietus pallidus</i> Cushman, 1933	<i>Phytodietus longicauda</i> Uchida, 1931	H	[Ichneumonidae]
<i>Picroscyctus ruschkae</i> Masi, 1927	<i>Picroscyctus ruschkae</i> Masi, 1927	H	[Pteromalidae]
<i>Pimpla ignalinoensis</i> Strand, 1918	<i>Itoplectis enslini</i> Ulbricht, 1911	H	[Ichneumonidae]
<i>Pimpla nilotica</i> Schmiedeknecht, 1914	<i>Pimpla spuria</i> Gravenhorst, 1829	R	[Ichneumonidae]
<i>Pimpla processioneae</i> Ratzeburg, 1849	<i>Pimpla processioneae</i> Ratzeburg, 1849	L	[Ichneumonidae]
<i>Pimpla reissigii</i> Ratzeburg, 1848	<i>Dolichomitus messor messor</i> Gravenhorst, 1829	L	[Ichneumonidae]
<i>Pimpla signata</i> Pfeffer, 1913	<i>Scambus signatus</i> Pfeffer, 1913	N	[Ichneumonidae]
<i>Pion stammeri</i> Bauer, 1958	<i>Pion stammeri</i> Bauer, 1958	P	[Ichneumonidae]
<i>Plagiolepis fallax</i> Mayr, 1868	<i>Plagiolepis fallax</i> Mayr, 1868	O	[Formicidae]
<i>Plagiolepis rothneyi taivanae</i> Forel, 1913	<i>Plagiolepis rothneyi taivanae</i> Forel, 1913	S	[Formicidae]
<i>Plagiotrichus frequens</i> var. <i>piceoderma</i> Kinsey, 1922	<i>Plagiotrochus frequens piceoderma</i> Kinsey, 1922	P	[Cynipidae]
<i>Platychalcis areta</i> Burks, 1939	<i>Platychalcis areta</i> Burks, 1939	H	[Chalcididae]
<i>Platychalcis phalara</i> Burks, 1939	<i>Platychalcis phalara</i> Burks, 1939	H	[Chalcididae]
<i>Platygaster oleae</i> Szélnyi, 1940	<i>Platygaster oleae</i> Szélnyi, 1940	H	[Platygasteridae]
<i>Platylabus formosanus</i> Uchida, 1932	<i>Cratolabus formosanus</i> Uchida, 1932	L	[Ichneumonidae]
<i>Platylabus meuseli</i> Lange, 1911	<i>Phygadeuon meuseli</i> Lange, 1911	H	[Ichneumonidae]
<i>Platylabus picturatus</i> Lange, 1911	<i>Ectopius picturatus</i> Lange, 1911	H	[Ichneumonidae]
<i>Platylabus taihorinus</i> Uchida, 1932	<i>Cratolabus taihorinus</i> Uchida, 1932	P	[Ichneumonidae]
<i>Platyterma ecksteini</i> Wolff, 1916	<i>Platyterma ecksteini</i> Wolff, 1916	S	[Pteromalidae]
<i>Plaxopsis pulchricaudis</i> Szépliget, 1913	<i>Plaxopsis pulchricaudis</i> Szépliget, 1913	H	[Braconidae]
<i>Plectobracon minor</i> Brèthes, 1927	<i>Macrocentrus delicatus</i> Cresson, 1872	H	[Braconidae]
<i>Plectobracon testaceus</i> Brèthes, 1927	<i>Hymenochaonia krebelei</i> (Viereck,)	L	[Braconidae]
<i>Plutarchia keralensis</i> Narendran & Padmasenan, 1990	<i>Plutarchia keralensis</i> Narendran & Padmasenan, 1990	P	[Eurytomidae]
<i>Plutarchia malabarica</i> Narendran & Padmasenan,	<i>Plutarchia malabarica</i> Narendran & Padmasenan,	P	[Eurytomidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Podagrion dispar Masi, 1926	Podagrion dispar Masi, 1926	H	[Podagrionidae]
Podagrion epibulum Masi, 1926	Podagrion epibulum Masi, 1926	S	[Podagrionidae]
Podagrion epichiron Masi, 1926	Podagrion epichiron Masi, 1926	H	[Podagrionidae]
Podagrion opisthacanthum Masi, 1926	Podagrion opisthacanthum Masi, 1926	S	[Podagrionidae]
Podagrion prionomerum Masi, 1926	Podagrion prionomerum Masi, 1926	H	[Podagrionidae]
Podagrion tainanicum Masi, 1926	Podagrion tainanicum Masi, 1926	S	[Podagrionidae]
Podagrion viduum Masi, 1926	Podagrion viduum Masi, 1926	H	[Podagrionidae]
Poecilagenia bicolorata Susterka, i.l.	Poecilagenia bicolorata Susterka, i.l.	T	[Pompilidae]
Poecilagenia formosana Susterka, i.l.	Poecilagenia formosana Susterka, i.l.	T	[Pompilidae]
Poecilagenia minor Susterka, i.l.	Poecilagenia minor Susterka, i.l.	T	[Pompilidae]
Poecilagenia nigra Susterka, i.l.	Poecilagenia nigra Susterka, i.l.	T	[Pompilidae]
Poecilogonals fasciata Strand, 1913	Poecilogonals fasciata Strand, 1913	H	[Trigonalyidae]
Poecilosoma alboscutellata Konow, 1894	Empria alboscutellata (Konow, 1894)	H	[Symphyta]
Poecilosoma luteola var. analis Konow, 1887	Monostegia analis (Konow, 1887)	L	[Symphyta]
Poecilosoma luteola var. cingulata Konow, 1891	Monostegia cingulata (Konow, 1891)	H	[Symphyta]
Poecilosoma hungarica Konow, 1895	Empria hungarica (Konow, 1895)	O	[Symphyta]
Poecilosoma mongolica Konow, 1895	Empria mongolica (Konow, 1895)	H	[Symphyta]
Poecilosoma luteola var. nigra Konow, 1896	Monostegia nigra (Konow, 1896)	L	[Symphyta]
Poecilosoma parvula Konow, 1892	Empria parvula (Konow, 1892)	S	[Symphyta]
Poecilosoma pumila Konow, 1896	Empria pumila (Konow, 1896)	L	[Symphyta]
Poecilosoma testaceipes Konow, 1896	Empria testaceipes (Konow, 1896)	H	[Symphyta]
Poecilosoma tridens Konow, 1896	Empria tridens (Konow, 1896)	S	[Symphyta]
Poecilosoma undulata Konow, 1885	Empria liturata (Gmelin, 1790)	S	[Symphyta]
Polemophthorus orientalis Cushman, 1933	Acrodactyla orientalis Cushman, 1933	H	[Ichneumonidae]
Polistes bequaerti Schulthess, 1921	Polistes bequaerti Schulthess, 1921	S	[Vespidae]
Polistes fuscatus hunteri Bequaert, 1940	Polistes fuscatus hunteri Bequaert, 1940	P	[Vespidae]
Polistes madiburensis Schulthess, 1921	Polistes madiburensis Schulthess, 1921	S	[Vespidae]
Polistes gallicus muchei Gusenleitner, 1976	Polistes gallicus muchei Gusenleitner, 1976	P	[Vespidae]
Polycyrtus guaruja Brèthes, 1928	Dismodix guaruja Brèthes, 1928	H	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Polynema fulmeki</i> Soyka, 1941	<i>Polynema fulmeki</i> Soyka, 1941	S	[Mymaridae]
<i>Polynematus taegeri</i> Lacourt, 1996	<i>Pachynematus taegeri</i> (Lacourt, 1996)	P	[Symphyta]
<i>Polyrhachis latona</i> var. <i>dorsorugosa</i> Forel, 1913	<i>Polyrhachis latona dorsorugosa</i> Forel, 1913	S	[Formicidae]
<i>Polyrhachis dives</i> var. <i>euclides</i> Forel, 1913	<i>Polyrhachis dives euclides</i> Forel, 1913	S	[Formicidae]
<i>Polyrhachis horni</i> Emery, 1901	<i>Polyrhachis horni</i> Emery, 1901	S	[Formicidae]
<i>Polyrhachis ypsilon</i> var. <i>mindanaensis</i> Emery, 1923	<i>Polyrhachis ypsilon mindanaensis</i> Emery, 1923	S	[Formicidae]
<i>Polyrhachis mitrata</i> Menozzi, 1932	<i>Polyrhachis mitrata</i> Menozzi, 1932	S	[Formicidae]
<i>Polyrhachis pressus</i> Mayr, 1862	<i>Polyrhachis pressus</i> Mayr, 1862	O	[Formicidae]
<i>Polyrhachis pyrgops</i> Viehmeyer, 1912	<i>Polyrhachis pyrgops</i> Viehmeyer, 1912	H	[Formicidae]
<i>Polyrhachis wolfi</i> Forel, 1912	<i>Polyrhachis wolfi</i> Forel, 1912	S	[Formicidae]
<i>Polysphincta taiwanensis</i> Cushman, 1933	<i>Acrodactyla taiwanensis</i> Cushman, 1933	H	[Ichneumonidae]
<i>Ponera confinis</i> <i>epinotalis</i> Viehmeyer, 1916	<i>Ponera confinis epinotalis</i> Viehmeyer, 1916	S	[Formicidae]
<i>Ponera japonica</i> <i>formosae</i> Forel, 1913	<i>Ponera japonica formosae</i> Forel, 1913	S	[Formicidae]
<i>Ponera gracilicornis</i> Menozzi, 1931	<i>Ponera gracilicornis</i> Menozzi, 1931	H	[Formicidae]
<i>Ponera ignigera</i> Menozzi, 1927	<i>Ponera ignigera</i> Menozzi, 1927	P	[Formicidae]
<i>Ponera punctatissima</i> Roger, 1859	<i>Ponera punctatissima</i> Roger, 1859	R	[Formicidae]
<i>Ponera gleadowi</i> <i>decipiens</i> var. <i>sauteri</i> Forel, 1912	<i>Ponera gleadowi decipiens sauteri</i> Forel, 1912	S	[Formicidae]
<i>Ponera confinis</i> var. <i>singaporensis</i> Viehmeyer, 1916	<i>Ponera confinis singaporensis</i> Viehmeyer, 1916	S	[Formicidae]
<i>Pontania ancilla</i> Konow, 1901	<i>Dineura stilata</i> (Klug, 1816)	S	[Symphyta]
<i>Pontania birulae</i> Konow, 1907	<i>Nematus polaris</i> Holmgren, 1883	S	[Symphyta]
<i>Pontania ciccum</i> Konow, 1901	<i>Pontania viminalis</i> (Linné, 1758)	H	[Symphyta]
<i>Pontania crassivalvis</i> Konow, 1901	<i>Pontania krieckbaumeri</i> (Konow, 1901)	L	[Symphyta]
<i>Pontania cyrnea</i> Liston, 2005	<i>Pontania cyrnea</i> Liston, 2005	P	[Symphyta]
<i>Pontania fibulata</i> Konow, 1901	<i>Phyllocolpa fibulata</i> Konow, 1901	L	[Symphyta]
<i>Pontania foetidae</i> Kopelke, 1989	<i>Pontania foetidae</i> (Kopelke, 1989)	P	[Symphyta]
<i>Pontania helveticae</i> Kopelke, 1986	<i>Pontania helveticae</i> Kopelke, 1986	P	[Symphyta]
<i>Pontania joergenseni</i> Enslin, 1916	<i>Pontania joergenseni</i> Enslin, 1916	L	[Symphyta]
<i>Pontania krieckbaumeri</i> Konow, 1901	<i>Pontania krieckbaumeri</i> (Konow, 1901)	L	[Symphyta]
<i>Pontania maculosa</i> Kopelke, 1989	<i>Pontania maculosa</i> (Kopelke, 1989)	P	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Pontania mandshurica</i> Zinovjev, 1981	<i>Pontania mandshurica</i> Zinovjev, 1981	P	[Symphyta]
<i>Pontania montivaga</i> Kopelke, 1991	<i>Pontania montivaga</i> (Kopelke, 1991)	P	[Symphyta]
<i>Pontania myrsiniticola</i> Kopelke, 1991	<i>Pontania myrsiniticola</i> (Kopelke, 1991)	P	[Symphyta]
<i>Pontania nigricantis</i> Kopelke, 1986	<i>Pontania nigricantis</i> Kopelke, 1986	P	[Symphyta]
<i>Pontania ischnoceros</i> var. <i>nigrifrons</i> Konow, 1897	<i>Phyllocolpa leucapsis</i> (Tischbein, 1846)	S	[Symphyta]
<i>Pontania parcivalvis</i> Konow, 1901	<i>Dineura parcivalvis</i> (Konow, 1901)	H	[Symphyta]
<i>Pontania poppii</i> Konow, 1904	<i>Nematus parvulus</i> Holmgren, 1883	L	[Symphyta]
<i>Pontania tenuitarsis</i> Konow, 1901	<i>Nematus tenuitarsis</i> (Konow, 1901)	H	[Symphyta]
<i>Pontania varia</i> Kopelke, 1991	<i>Pontania varia</i> Kopelke, 1991	P	[Symphyta]
<i>Poppia athalioides</i> Konow, 1904	<i>Poppia athalioides</i> Konow, 1904	S	[Symphyta]
<i>Praon volucre myzophagum</i> Mackauer, 1959	<i>Praon volucre myzophagum</i> Mackauer, 1959	H	[Braconidae]
<i>Praon spinosum</i> Mackauer, 1959	<i>Praon spinosum</i> Mackauer, 1959	H	[Braconidae]
<i>Prenolepis bourbonica</i> var. <i>amia</i> Forel, 1913	<i>Prenolepis bourbonica amia</i> Forel, 1913	S	[Formicidae]
<i>Prenolepis formosae</i> Forel, 1912	<i>Prenolepis formosae</i> Forel, 1912	S	[Formicidae]
<i>Prenolepis helleri</i> Viehmeyer, 1914	<i>Prenolepis helleri</i> Viehmeyer, 1914	S	[Formicidae]
<i>Prenolepis minutula sauteri</i> Forel, 1913	<i>Prenolepis minutula sauteri</i> Forel, 1913	S	[Formicidae]
<i>Priocnemis variabilis</i> var. <i>caskana</i> Strand, 1919	<i>Cryptocheilus ichneumonoides</i> Costa, 1874	S	[Pompilidae]
<i>Priocnessus obscurus</i> Wahis,	<i>Priocnessus obscurus</i> Wahis,	P	[Pompilidae]
<i>Priophorus discors</i> Konow, 1894	<i>Priophorus pallipes</i> (Serville, 1823)	S	[Symphyta]
<i>Priophorus triangulifer</i> Konow, 1902	<i>Cladius hyalopterus</i> Jakovlev, 1891	S	[Symphyta]
<i>Pristaulacus comptipennis</i> Enderlein, 1912	<i>Pristaulacus comptipennis</i> Enderlein, 1912	L	[Aulacidae]
<i>Pristaulacus rufipes</i> Enderlein, 1912	<i>Pristaulacus rufipes</i> Enderlein, 1912	H	[Aulacidae]
<i>Pristaulacus kiefferi</i> Enderlein, 1912	<i>Pristaulacus kiefferi</i> Enderlein, 1912	L	[Aulacidae]
<i>Pristiphora adelungi</i> Konow, 1902	<i>Pristiphora frigida</i> (Boheman, 1865)	S	[Symphyta]
<i>Pristiphora carpentieri</i> Konow, 1902	<i>Pristiphora carpentieri</i> Konow, 1902	H	[Symphyta]
<i>Pristiphora condei</i> Lindqvist, 1955	<i>Pristiphora condei</i> Lindqvist, 1955	P	[Symphyta]
<i>Pristiphora pallidiventris</i> var. <i>denudata</i> Konow, 1902	<i>Pristiphora pallidiventris</i> (Fallén, 1808)	S	[Symphyta]
<i>Pristiphora formosana</i> Rohwer, 1916	<i>Pristiphora formosana</i> Rohwer, 1916	H	[Symphyta]
<i>Pristiphora henschi</i> Konow, 1902	<i>Pristiphora thalictri</i> (Kriechbaumer, 1884)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Pristiphora inocreata</i> Konow, 1902	<i>Pristiphora anderschi</i> (Zaddach, 1876)	H	[Symphyta]
<i>Pristiphora jakutica</i> Benes, i.l.	<i>Pristiphora jakutica</i> Benes,	P	[Symphyta]
<i>Pristiphora testacea</i> forma <i>pallastunturica</i> Conde, i.l.	<i>Pristiphora testacea</i> (Jurine, 1807)	T	[Symphyta]
<i>Pristiphora pallidula</i> Konow, 1902	<i>Pristiphora bufo</i> Brischke, 1883	L	[Symphyta]
<i>Pristiphora parnasia</i> Konow, 1902	<i>Pristiphora parnasia</i> Konow, 1902	H	[Symphyta]
<i>Pristiphora sauteri</i> Rohwer, 1916	<i>Pristiphora sauteri</i> Rohwer, 1916	H	[Symphyta]
<i>Pristiphora schedli</i> Liston & Späth, 2008	<i>Pristiphora schedli</i> Liston & Späth, 2008	H	[Symphyta]
<i>Pristiphora seorsa</i> Konow, 1897	<i>Pristiphora cincta</i> Newman, 1837	S	[Symphyta]
<i>Pristiphora viridana</i> Konow, 1902	<i>Pristiphora viridana</i> Konow, 1902	S	[Symphyta]
<i>Pristocera silvatica</i> Benoit, 1963	<i>Pristocera silvatica</i> Benoit, 1963	P	[Bethyridae]
<i>Pristomerus punctatus</i> Uchida, 1932	<i>Pristomerus punctatus</i> Uchida, 1932	S	[Ichneumonidae]
<i>Pristomerus scutellaris</i> Uchida, 1932	<i>Pristomerus scutellaris</i> Uchida, 1932	L	[Ichneumonidae]
<i>Pristomyrmex brevispinosus sulcatus</i> var. <i>formosae</i> Forel, 1912	<i>Pristomyrmex brevispinosus sulcatus formosae</i> Forel, 1912	S	[Formicidae]
<i>Probethylus callani</i> Richards, 1939	<i>Probethylus callani</i> Richards, 1939	P	[Sclerogibbidae]
<i>Probles montanus</i> Horstmann, 1971	<i>Probles montanus</i> Horstmann, 1971	P	[Ichneumonidae]
<i>Probleta collariatus</i> Konow, 1908	<i>Probleta collariatus</i> Konow, 1908	L	[Symphyta]
<i>Probleta frenatus</i> Konow, 1908	<i>Probleta frenatus</i> Konow, 1908	H	[Symphyta]
<i>Probleta gracilicornis</i> Konow, 1908	<i>Probleta gracilicornis</i> Konow, 1908	H	[Symphyta]
<i>Probleta langei</i> Konow, 1908	<i>Probleta langei</i> Konow, 1908	H	[Symphyta]
<i>Promecilla praestabilis</i> Ed. André, 1907	<i>Promecilla praestabilis</i> Ed. André, 1907	H	[Mutillidae]
<i>Prosopalictus micans</i> Strand, 1913	<i>Lasioglossum micante</i> Michener, 1993	H	[Apidae]
<i>Prosopis asiaeminoris</i> Strand, 1921	<i>Hylaeus scutellatus</i> (Spinola, 1838)	H	[Apidae]
<i>Prosopis braunsi</i> Alfken, 1905	<i>Hylaeus braunsi</i> (Alfken, 1905)	S	[Apidae]
<i>Prosopis cretica</i> Strand, 1915	<i>Hylaeus lineolatus</i> (Schenck, 1861)	H	[Apidae]
<i>Prosopis friesei</i> Alfken, 1904	<i>Hylaeus friesei</i> (Alfken, 1904)	S	[Apidae]
<i>Prosopis transversicostata</i> var. <i>ligula</i> Strand, 1913	<i>Hylaeus transversicostatus ligulus</i> (Strand, 1913)	H	[Apidae]
<i>Prosopis odontophora</i> Strand, 1914	<i>Hylaeus odontophorus</i> (Strand, 1914)	H	[Apidae]
<i>Prosopis rectanguliceps</i> Alfken, 1928	<i>Hylaeus rubicola</i> Saunders, 1850	S	[Apidae]
<i>Prosopis transversicostata</i> var. <i>rugatula</i> Strand, 1913	<i>Hylaeus transversicostatus rugatulus</i> (Strand, 1913)	H	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Prosopis taihorinica</i> Strand, 1914	<i>Hylaeus taihorinicus</i> (Strand, 1914)	H	[Apidae]
<i>Prosopis transversicostata</i> Strand, 1913	<i>Hylaeus transversicostatus</i> (Strand, 1913)	H	[Apidae]
<i>Prosopis tsingtauensis</i> Strand, 1915	<i>Hylaeus tsingtauensis</i> (Strand, 1915)	H	[Apidae]
<i>Proterops rufithorax</i> Fahringer, i.l.	<i>Proterops rufithorax</i> Fahringer, i.l.	T	[Braconidae]
<i>Protichneumon yayeyamensis</i> forma <i>kankauensis</i> Uchida, 1932	<i>Amblyjoppa yayeyamensis kankauensis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Psen tenuis</i> Oehlke, 1965	<i>Psen tenuis</i> Oehlke, 1965	P	[Crabronidae]
<i>Psenulus formosicola</i> Strand, 1916	<i>Psenulus formosicola</i> Strand, 1916	L	[Crabronidae]
<i>Psenulus ornatus</i> var. <i>kankauensis</i> Strand, 1916	<i>Psenulus ornatus kankauensis</i> Strand, 1916	H	[Crabronidae]
<i>Psenulus taihorinis</i> Strand, 1916	<i>Psenulus taihorinis</i> Strand, 1916	H	[Crabronidae]
<i>Pseudagenia cinnamomea</i> Arnold, 1936	<i>Auplopus cinnamomea</i> Arnold, 1936	S	[Pompilidae]
<i>Pseudelaphroptera brevidentata</i> Duran Moya, 1941	<i>Pseudelaphroptera brevidentata</i> Duran Moya, 1941	P	[Thynnidae]
<i>Pseudelaphroptera intermedia</i> Duran - Moya, 1941	<i>Pseudelaphroptera intermedia</i> Duran - Moya, 1941	H	[Thynnidae]
<i>Pseudelaphroptera jungenda</i> Duran - Moya, 1941	<i>Pseudelaphroptera jungenda</i> Duran - Moya, 1941	P	[Thynnidae]
<i>Pseudelaphroptera schoenemanni</i> Duran - Moya, 1941	<i>Pseudelaphroptera schoenemanni</i> Duran - Moya, 1941	S	[Thynnidae]
<i>Pseudelaphroptera transandina</i> Turner, 1929	<i>Pseudelaphroptera transandina</i> Turner, 1929	S	[Thynnidae]
<i>Pseudofoenus ceylonensis</i> Enderlein, 1912	<i>Pseudofoenus ceylonensis</i> Enderlein, 1912	H	[Gasteruptionidae]
<i>Pseudolasius sauteri</i> Forel, 1913	<i>Pseudolasius sauteri</i> Forel, 1913	S	[Formicidae]
<i>Pseudolasius binghami taivanae</i> Forel, 1912	<i>Pseudolasius binghami taivanae</i> Forel, 1912	S	[Formicidae]
<i>Pseudomaraces birmanicus</i> Heinrich, 1975	<i>Pseudomaraces birmanicus</i> Heinrich, 1975	P	[Ichneumonidae]
<i>Pseudomethoca melanocephala</i> var. <i>brevipunctata</i> Mickel, 1937	<i>Sphinctopsis melanocephala brevipunctata</i> (Mickel, 1937)	P	[Mutillidae]
<i>Pseudomyrma belti</i> var. <i>obnubila</i> Menozzi, 1927	<i>Pseudomyrma belti obnubila</i> Menozzi, 1927	S	[Formicidae]
<i>Pseudomyrma peltata</i> Menozzi, 1927	<i>Pseudomyrma peltata</i> Menozzi, 1927	H	[Formicidae]
<i>Pseudomyrma arborissanctae symbiotica</i> Forel, 1904	<i>Pseudomyrma arborissanctae symbiotica</i> Forel, 1904	S	[Formicidae]
<i>Pseudophanerotoma costaricana</i> Zettel,	<i>Pseudophanerotoma costaricana</i> Zettel,	H	[Braconidae]
<i>Pseudopodomyrma clarki</i> Crawley, 1925	<i>Pseudopodomyrma clarki</i> Crawley, 1925	P	[Formicidae]
<i>Pseudoryssus niehuisorum</i> Kraus, 1998	<i>Pseudoryssus niehuisorum</i> Kraus, 1998	P	[Symphyta]
<i>Pseudotorbda geniculata</i> Uchida, 1932	<i>Schreineria geniculata</i> Uchida, 1932	P	[Ichneumonidae]
<i>Psithyrus vestalis sorgonis</i> Strand, 1919	<i>Bombus vestalis</i> (Geoffroy, 1785)	S	[Apidae]
<i>Psygmatoxera ceylonica</i> Enderlein, 1912	<i>Psygmatoxera ceylonica</i> Enderlein, 1912	S	[Eucharitidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Ptenus gaullei</i> Konow, 1906	<i>Sericoceros albicollis</i> (Klug, 1834)	L	[Symphyta]
<i>Ptenus humeratus</i> Konow, 1906	<i>Triptenus humeratus</i> (Konow, 1906)	L	[Symphyta]
<i>Ptenus prodigus</i> Konow, 1906	<i>Duckeana prodiga</i> (Konow, 1906)	H	[Symphyta]
<i>Ptenus segrex</i> Konow, 1906	<i>Tanymeles segrex</i> (Konow, 1906)	H	[Symphyta]
<i>Pteromalus sieboldi</i> Ratzeburg, 1852	<i>Pteromalus sieboldi</i> Ratzeburg, 1852	O	[Pteromalidae]
<i>Pteromalus trochilus</i> Ratzeburg, 1844	<i>Pteromalus trochilus</i> Ratzeburg, 1844	L	[Pteromalidae]
<i>Pteronidea macroserrata</i> Lindqvist, 1943	<i>Nematus cadderensis</i> Cameron, 1875	S	[Symphyta]
<i>Pteronus capito</i> Konow, 1903	<i>Nematus capito</i> (Konow, 1903)	S	[Symphyta]
<i>Pteronus dossuarius</i> Konow, 1904	<i>Nematus fuscomaculatus</i> Förster, 1854	S	[Symphyta]
<i>Pteronus myosotidis</i> var. <i>fallaciosus</i> Konow, 1903	<i>Nematus myosotidis</i> (Fabricius, 1804)	S	[Symphyta]
<i>Pteronus fastosus</i> Konow, 1904	<i>Nematus frenalis</i> C. G. Thomson, 1888	S	[Symphyta]
<i>Pteronus kriegeri</i> Konow, 1903	<i>Nematus brevisalvis</i> C. G. Thomson, 1871	S	[Symphyta]
<i>Pteronus mimus</i> Konow, 1903	<i>Nematus fagi</i> Zaddach, 1876	S	[Symphyta]
<i>Pteronus notabilis</i> Konow, 1903	<i>Nematus notabilis</i> (Konow, 1903)	S	[Symphyta]
<i>Pteronus pallens</i> Konow, 1903	<i>Nematus pallens</i> (Konow, 1903)	L	[Symphyta]
<i>Pteronus putoni</i> Konow, 1903	<i>Nematus putoni</i> (Konow, 1903)	H	[Symphyta]
<i>Pterygophorus gaudialis</i> Konow, 1907	<i>Lophyrotoma analis</i> (A. Costa, 1864)	S	[Symphyta]
<i>Pterygophorus opimus</i> Konow, 1908	<i>Lophyrotoma opima</i> (Konow, 1908)	H	[Symphyta]
<i>Ptilia albipes</i> Konow, 1900	<i>Didymia albipes</i> (Konow, 1900)	R	[Symphyta]
<i>Ptilia lauta</i> Konow, 1904	<i>Ptilia peletieri</i> (Gray, 1832)	L	[Symphyta]
<i>Ptilia uberaba</i> Brèthes, 1927	<i>Didymia uberaba</i> (Brèthes, 1927)	H	[Symphyta]
<i>Pyracmon rufipes</i> Lange, 1911	<i>Rhimphoctona megacephalus</i> Gravenhorst, 1829	H	[Ichneumonidae]
<i>Pyrobombus biroi</i> kaszabi Tkalcu, i. l.	<i>Bombus biroi</i> (Vogt,)	P	[Apidae]
<i>Pyrobombus ardens</i> ssp. <i>sakagami</i> Tkalcu, 1962	<i>Bombus ardens</i> Smith,	P	[Apidae]
<i>Rhaconotus formosanus</i> Watanabe, 1934	<i>Rhaconotus formosanus</i> Watanabe, 1934	H	[Braconidae]
<i>Rhadinoceraea heydeni</i> Konow, 1887	<i>Rhadinoceraea nodicornis</i> Konow, 1886	H	[Symphyta]
<i>Rhadinoceraea hyalina</i> Konow, 1886	<i>Paracharactus hyalinus</i> (Konow, 1886)	S	[Symphyta]
<i>Rhadinoceraea insignis</i> Konow, 1896	<i>Eurhadinoceraea sanguinicollis</i> (Mocsáry, 1880)	H	[Symphyta]
<i>Rhadinoceraea nodicornis</i> Konow, 1886	<i>Rhadinoceraea nodicornis</i> Konow, 1886	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Rhadinoceraea reitteri Konow, 1890	Rhadinoceraea reitteri Konow, 1890	S	[Symphyta]
Rhadinoceraea singularis Konow, 1897	Rhadinoceraea singularis Konow, 1897	H	[Symphyta]
Rhagonyx lituratus Konow, 1903	Neoptilia liturata (Konow, 1903)	L	[Symphyta]
Rhogas breviventris Enderlein, 1912	Rogas breviventris (Enderlein, 1912)	H	[Braconidae]
Rhogas cariniventris Enderlein, 1912	Rogas cariniventris (Enderlein, 1912)	S	[Braconidae]
Rhogas ceylonicus Enderlein, 1912	Rogas ceylonicus (Enderlein, 1912)	H	[Braconidae]
Rhogas crassipalpus Enderlein, 1912	Rogas crassipalpus (Enderlein, 1912)	H	[Braconidae]
Rhogas tricolor Enderlein, 1912	Rogas tricolor Enderlein, 1912	H	[Braconidae]
Rhogogaster chambersi ssp. chambersi Benson, 1947	Cytisogaster chambersi (Benson, 1947)	P	[Symphyta]
Rhogogaster coryli Muche, 1973	Cytisogaster coryli (Muche, 1973)	P	[Symphyta]
Rhogogaster chambersi genistae Benson, 1947	Cytisogaster chambersi (Benson, 1947)	P	[Symphyta]
Rhogogaster naias Benson, 1965	Rhogogaster naias Benson, 1965	P	[Symphyta]
Rhogogastera langei Konow, 1894	Aglaostigma langei (Konow, 1894)	H	[Symphyta]
Rhogogastera lichtwardti Konow, 1892	Aglaostigma lichtwardti (Konow, 1892)	S	[Symphyta]
Rhopalomastix overbecki Viehmeyer, i.l.	Rhopalomastix overbecki Viehmeyer, i.l.	I	[Formicidae]
Rhopalothrix schmidti Menozzi, 1936	Rhopalothrix schmidti Menozzi, 1936	H	[Formicidae]
Rhophites alfkeni Brauns, 1926	Rhophites alfkeni Brauns, 1926	S	[Apidae]
Rhoproceros procinctus Konow, 1898	Rhoproceros procinctus (Konow, 1898)	S	[Symphyta]
Rhynchium marginellum var. luteum Schulthess, i.l.	Rhynchium marginellum luteum Schulthess, i.l.	H	[Vespidae]
Rhynchium pelturae Soika, i.l.	Rhynchium pelturae Soika, i.l.	P	[Vespidae]
Rhytidoponera laciniosa Viehmeyer, 1912	Rhytidoponera laciniosa Viehmeyer, 1912	S	[Formicidae]
Rivalisia metallica Strand, 1921	Augochloropsis argentina Friese, 1908	L	[Apidae]
Rogas limbator Ratzeburg, 1848	Macrocentrus bicolor (Curtis, 1833)	L	[Braconidae]
Ropalidia horni Sonan, 1938	Ropalidia horni Sonan, 1938	H	[Vespidae]
Rophites dubiosus Warncke, 1979	Rophites dubiosus Warncke, 1979	P	[Apidae]
Rugonia americana Fahringer, i.l.	Rugonia americana Fahringer, i.l.	T	[Braconidae]
Sabatiella bicolor Masi, 1929	Sabatiella bicolor Masi, 1929	H	[Chalcididae]
Salius balianus Strand, 1914	Leptodialepis bipartita Lepeletier,	H	[Pompilidae]
Salius odin Strand, 1914	Salius odin Strand, 1914	H	[Pompilidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Sauteria elegans</i> Masi, 1927	<i>Sauteria elegans</i> Masi, 1927	H	[Eupelmidae]
<i>Sauteria eximia</i> Masi, 1927	<i>Sauteria eximia</i> Masi, 1927	S	[Eupelmidae]
<i>Scambus gallicerator</i> Kasparyan, 1974	<i>Scambus gallicerator</i> Kasparyan, 1974	P	[Ichneumonidae]
<i>Sceliphron javanum benignum</i> Smith, 1859	<i>Sceliphron javanum benignum</i> Smith, 1859	S	[Sphecidae]
<i>Sceliphron horni</i> Strand, 1915	<i>Chalybion malignum</i> Kohl, 1906	H	[Sphecidae]
<i>Sceliphron sintangense</i> Strand, 1915	<i>Sceliphron javanum benignum</i> Smith, 1859	S	[Sphecidae]
<i>Sceliphron taprobanense</i> Strand, 1915	<i>Chalybion fuscum</i> Lepeletier, 1845	H	[Sphecidae]
<i>Scenocharops longipetiolaris</i> Uchida, 1932	<i>Scenocharops flavipetiolaris</i> Sonan, 1929	L	[Ichneumonidae]
<i>Schizaspidia scutellaris</i> Masi, 1927	<i>Schizaspidia scutellaris</i> Masi, 1927	S	[Eucharitidae]
<i>Schizaspidia vicina</i> Masi, 1927	<i>Schizaspidia vicina</i> Masi, 1927	S	[Eucharitidae]
<i>Schizocera alfkeni</i> Konow, 1895	<i>Aprosthemella melanurum</i> (Klug, 1814)	H	[Symphyta]
<i>Schizocera austriaca</i> Konow, 1892	<i>Aprosthemella austriacum</i> (Konow, 1892)	S	[Symphyta]
<i>Schizocera ballioni</i> Konow, 1892	<i>Aprosthemella ballioni</i> (Konow, 1892)	H	[Symphyta]
<i>Schizocera scutellaris</i> var. <i>dorsalis</i> Konow, 1892	<i>Aprosthemella maculatum maculatum</i> (Jurine, 1807)	S	[Symphyta]
<i>Schizocera friesei</i> Konow, 1895	<i>Aprosthemella melanurum</i> (Klug, 1814)	L	[Symphyta]
<i>Schizocera humerata</i> Konow, 1892	<i>Aprosthemella humeratum</i> (Konow, 1892)	S	[Symphyta]
<i>Schizocera obscuripes</i> Konow, 1896	<i>Aprosthemella instratum obscuripes</i> Konow, 1896	L	[Symphyta]
<i>Schizocera parvula</i> Konow, 1895	<i>Aprosthemella parvulum</i> (Konow, 1895)	H	[Symphyta]
<i>Schizocera similis</i> Konow, 1892	<i>Aprosthemella simile</i> (Konow, 1892)	H	[Symphyta]
<i>Schizocera staudingeri</i> Konow, 1895	<i>Aprosthemella staudingeri staudingeri</i> (Konow, 1895)	L	[Symphyta]
<i>Schizoceros albiceratus</i> Konow, 1903	<i>Hemidianeura albicerata</i> (Konow, 1903)	S	[Symphyta]
<i>Schizoceros henschi</i> Konow, 1907	<i>Sterictiphora angelicae</i> (Panzer, 1799)	L	[Symphyta]
<i>Schizoceros lateralis</i> Konow, 1899	<i>Schizocercella pilicornis</i> (Holmgren, 1868)	L	[Symphyta]
<i>Schizoceros moniliatus</i> Konow, 1899	<i>Sphacophilus moniliatus</i> (Konow, 1899)	H	[Symphyta]
<i>Schizoceros nigripes</i> Konow, 1899	<i>Sterictiphora nigripes</i> (Konow, 1899)	H	[Symphyta]
<i>Schizoceros tegularis</i> Konow, 1899	<i>Brachyphatnus tegularis</i> (Konow, 1899)	L	[Symphyta]
<i>Sciapteryx soror</i> Konow, 1890	<i>Sciapteryx costalis soror</i> Konow, 1890	S	[Symphyta]
<i>Sciapteryx gilva</i> Konow, 1908	<i>Rhogogaster gilva</i> (Konow, 1908)	S	[Symphyta]
<i>Sciapteryx kozlovi</i> Konow, 1908	<i>Tenthredo kozlovi</i> (Konow, 1908)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Sciopteryx lactipennis</i> Konow, 1903	<i>Sciapteryx lactipennis</i> Konow, 1903	S	[Symphyta]
<i>Sciopteryx laeta</i> Konow, 1891	<i>Sciapteryx laeta</i> Konow, 1891	H	[Symphyta]
<i>Scobina angusticeps</i> D. R. Smith, 1992	<i>Scobina angusticeps</i> D. R. Smith, 1992	H	[Symphyta]
<i>Scolia erythrocephala</i> var. <i>flavoscapulata</i> Betrem, 1927	<i>Scolia erythrocephala</i> <i>flavoscapulata</i> Betrem, 1927	H	[Scoliidae]
<i>Scolia quadripustulata</i> <i>formosensis</i> Betrem, 1928	<i>Scolia quadripustulata</i> <i>formosensis</i> Betrem, 1928	S	[Scoliidae]
<i>Scolia formosicola</i> Betrem, 1928	<i>Scolia formosicola</i> Betrem, 1928	H	[Scoliidae]
<i>Scolia verticalis</i> var. <i>fulvifrons</i> Betrem, 1928	<i>Scolia verticalis</i> <i>fulvifrons</i> Betrem, 1928	P	[Scoliidae]
<i>Scolia vittifrons</i> <i>hoozanensis</i> Betrem, 1928	<i>Scolia vittifrons</i> <i>hoozanensis</i> Betrem, 1928	H	[Scoliidae]
<i>Scolia horni</i> Betrem, 1928	<i>Scolia horni</i> Betrem, 1928	H	[Scoliidae]
<i>Scolia sauteri</i> <i>kreyenbergi</i> Betrem, i.l.	<i>Scolia sauteri</i> <i>kreyenbergi</i> Betrem, i.l.	I	[Scoliidae]
<i>Scolia moreana</i> Muche, 1962	<i>Scolia moreana</i> Muche, 1962	S	[Scoliidae]
<i>Scolia persica</i> Betrem, 1935	<i>Scolia persica</i> Betrem, 1935	H	[Scoliidae]
<i>Scolia pseudounifasciata</i> Betrem, 1928	<i>Scolia pseudounifasciata</i> Betrem, 1928	H	[Scoliidae]
<i>Scolia sauteri</i> Betrem, 1928	<i>Scolia sauteri</i> Betrem, 1928	H	[Scoliidae]
<i>Scolia schlechteri</i> Betrem, 1928	<i>Scolia schlechteri</i> Betrem, 1928	H	[Scoliidae]
<i>Scolia erythrocephala</i> <i>schmidti</i> Betrem, 1927	<i>Scolia erythrocephala</i> <i>schmidti</i> Betrem, 1927	H	[Scoliidae]
<i>Scolioneura surosa</i> Konow, 1905	<i>Notofenusa surosa</i> (Konow, 1905)	H	[Symphyta]
<i>Scolioneura vicina</i> Konow, 1894	<i>Scolioneura vicina</i> Konow, 1894	L	[Symphyta]
<i>Scrapter simpliciceps</i> Strand, 1913	<i>Ctenoplectra davidi</i> Vachal, 1903	H	[Apidae]
<i>Scrapter tuberculiceps</i> Strand, 1913	<i>Ctenoplectra cornuta</i> Gribodo, 1891	H	[Apidae]
<i>Selandria catellata</i> Konow, 1900	<i>Birka catellata</i> (Konow, 1900)	H	[Symphyta]
<i>Selandria excisa</i> Konow, 1885	<i>Selandria serva</i> (Fabricius, 1793)	H	[Symphyta]
<i>Selandria fürstenbergensis</i> Konow, 1885	<i>Aneugmenus fuerstenbergensis</i> (Konow, 1885)	S	[Symphyta]
<i>Selandria impressa</i> Konow, 1894	<i>Aneugmenus impressus</i> (Konow, 1894)	L	[Symphyta]
<i>Selandria serva</i> var. <i>interstitialis</i> Konow, 1885	<i>Selandria serva</i> (Fabricius, 1793)	S	[Symphyta]
<i>Selandria mica</i> Konow, 1900	<i>Selandria mica</i> Konow, 1900	S	[Symphyta]
<i>Selandria oertzeni</i> Konow, 1887	<i>Aneugmenus oertzeni</i> (Konow, 1887)	L	[Symphyta]
<i>Selandria urbis</i> Ross, 1930	<i>Aneugmenus padi</i> (Linné, 1761)	P	[Symphyta]
<i>Selandria wüstneii</i> Konow, 1885	<i>Brachythops wuestneii</i> (Konow, 1885)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Sericoceros bigrammatus Konow, 1906	Manaos bigrammatus (Konow, 1906)	H	[Symphyta]
Sericoceros calanticatus Konow, 1906	Sericoceros calanticatus Konow, 1906	H	[Symphyta]
Sericoceros coxalis Konow, 1906	Acrogymnia coxalis (Konow, 1906)	L	[Symphyta]
Sericoceros declivis Konow, 1906	Manaos declivis (Konow, 1906)	L	[Symphyta]
Sericoceros dimidiatus Konow, 1908	Sericoceros dimidiatus Konow, 1908	H	[Symphyta]
Sericoceros mammeatus Konow, 1906	Manaos mammeatus (Konow, 1906)	L	[Symphyta]
Sericoceros mulsus Konow, 1906	Manaos mulsus (Konow, 1906)	L	[Symphyta]
Sericoceros pauxillus Konow, 1906	Acrogymnia pauxilla (Konow, 1906)	H	[Symphyta]
Sericoceros procus Konow, 1906	Hemidianeura ephippiata (Klug, 1834)	H	[Symphyta]
Sericoceros ricatus Konow, 1906	Manaos ricatus (Konow, 1906)	T	[Symphyta]
Sericoceros ruminatus Konow, 1906	Hemidianeura ruminata (Konow, 1906)	H	[Symphyta]
Sericoceros socius Konow, 1906	Tanymeles socius (Konow, 1906)	L	[Symphyta]
Sima nigra var. insularis Emery, 1901	Sima nigra insularis Emery, 1901	S	[Formicidae]
Siobla offrenata Konow, 1907	Xenapates offrenatus (Konow, 1907)	S	[Symphyta]
Siphimedia nigra Cushman, 1933	Yezoceryx nigricans Cameron, 1899	H	[Ichneumonidae]
Siphimedia rufa Cushman, 1933	Metachorischizus rufus Cushman, 1933	H	[Ichneumonidae]
Siphimedia varicolor Cushman, 1933	Yezoceryx varicolor Cushman, 1933	H	[Ichneumonidae]
Sirex carinthiacus Konow, 1890	Sirex carinthiacus Konow, 1892	H	[Symphyta]
Sirex carinthiacus forma konowi Kapuscinski,	Sirex carinthiacus Konow, 1892	T	[Symphyta]
Sjoestedtia hilaris Konow, 1907	Sjoestedtia hilaris Konow, 1907	H	[Symphyta]
Smicromyrme thalia Mickel, 1933	Smicromyrme thalia Mickel, 1933	H	[Mutillidae]
Smicromyrme thia Mickel, 1933	Smicromyrme thia Mickel, 1933	P	[Mutillidae]
Smicromyrme viriata Mickel, 1934	Smicromyrme viriata Mickel, 1934	P	[Mutillidae]
Smithistruma elegantula Terayama & Kubota, 1989	Smithistruma elegantula Terayama & Kubota, 1989	P	[Formicidae]
Solenopsis amia Forel, 1913	Solenopsis amia Forel, 1913	S	[Formicidae]
Solenopsis picea reducta Menozzi, 1927	Solenopsis picea reducta Menozzi, 1927	S	[Formicidae]
Solenopsis seychellensis Forel, 1909	Solenopsis seychellensis Forel, 1909	S	[Formicidae]
Solenopsis tipuna Forel, 1912	Solenopsis tipuna Forel, 1912	H	[Formicidae]
Sparasion cellulare Strand, 1913	Sparasion cellulare Strand, 1913	S	[Scelionidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Spathiohormius filicornis</i> Enderlein, 1912	<i>Rhaconotus jacobsoni</i> (Szépligeti,)	H	[Braconidae]
<i>Spathiohormius sauteri</i> Watanabe, 1934	<i>Rhaconotus sauteri</i> (Watanabe, 1934)	H	[Braconidae]
<i>Spathius radzayanus</i> Ratzeburg, 1848	<i>Spathius radzayanus</i> Ratzeburg, 1848	S	[Braconidae]
<i>Sphecius claripennis</i> Morice, 1911	<i>Sphecius claripennis</i> Morice, 1911	S	[Crabronidae]
<i>Sphecius hemixanthopterus</i> Morice, 1911	<i>Sphecius hemixanthopterus</i> Morice, 1911	S	[Crabronidae]
<i>Sphecodes puncticeps</i> var. <i>cretanus</i> Strand, 1921	<i>Sphecodes puncticeps</i> Thomson, 1870	S	[Apidae]
<i>Sphecodes lactipennis</i> Meyer, 1925	<i>Sphecodes intermedius</i> Blüthgen, 1923	H	[Apidae]
<i>Sphecodes laticeps</i> Meyer, 1920	<i>Sphecodes laticeps</i> Meyer, 1920	S	[Apidae]
<i>Sphecodes gibbus rufispinosus</i> Meyer, 1920	<i>Sphecodes gibbus</i> (Linné, 1758)	S	[Apidae]
<i>Sphecodes samarensis</i> Blüthgen, 1927	<i>Sphecodes samarensis</i> Blüthgen, 1927	P	[Apidae]
<i>Sphecodes strandi</i> Meyer, 1920	<i>Sphecodes strandi</i> Meyer, 1920	H	[Apidae]
<i>Sphex auripygatus</i> Strand, 1913	<i>Isodontia auripygata</i> Strand, 1913	H	[Sphecidae]
<i>Sphex bohemani</i> var. <i>camerunicus</i> Strand, 1916	<i>Sphex nigrohirtus</i> Kohl, 1895	H	[Sphecidae]
<i>Sphex flammitrichus</i> Strand, 1913	<i>Sphex diabolicus</i> Smith, 1858	L	[Sphecidae]
<i>Sphex formosicola</i> Strand, 1913	<i>Isodontia formosicola</i> Strand, 1913	S	[Sphecidae]
<i>Sphex ichneumoneus</i> var. <i>ignota</i> Strand, 1916	<i>Sphex ichneumoneus</i> Linné, 1758	H	[Sphecidae]
<i>Sphex xanthoceros</i> var. <i>kigonseranus</i> Strand, 1916	<i>Chlorion maxillosum ciliatum</i> Fabricius, 1787	L	[Sphecidae]
<i>Sphex umbrosus</i> forma <i>nanulus</i> Strand, 1913	<i>Sphex argentatus</i> Fabricius, 1787	H	[Sphecidae]
<i>Sphex nigelloides</i> Strand, 1915	<i>Isodontia nigelloides</i> Strand, 1915	H	[Sphecidae]
<i>Sphex nigripes</i> var. <i>pachyderma</i> Strand, 1916	<i>Sphex haemorrhoidalis</i> Fabricius, 1781	L	[Sphecidae]
<i>Sphex pensylvanicus</i> var. <i>robustisoma</i> Strand, 1916	<i>Sphex pensylvanicus</i> Linné, 1763	H	[Sphecidae]
<i>Sphex nigripes</i> var. <i>tsingtauensis</i> Strand, 1916	<i>Sphex subtruncatus</i> Dahlbom, 1843	H	[Sphecidae]
<i>Sphex umtalicus</i> Strand, 1916	<i>Sphex haemorrhoidalis umtalicus</i> Strand, 1916	H	[Sphecidae]
<i>Spilochalcis fischeri</i> Brèthes, 1927	<i>Spilochalcis fischeri</i> Brèthes, 1927	L	[Chalcididae]
<i>Spilochalcis T-nigrum</i> Brèthes, 1927	<i>Spilochalcis T-nigrum</i> Brèthes, 1927	L	[Chalcididae]
<i>Spilocryptus leucopygoides</i> Strand, 1920	<i>Aritranis director</i> Thunberg, 1822	H	[Ichneumonidae]
<i>Spilothyynnus horni</i> Turner, 1927	<i>Spilothyynnus horni</i> Turner, 1927	H	[Thynnidae]
<i>Spiloxorides propodeum</i> Cushman, 1933	<i>Xorides propodeum</i> Cushman, 1933	H	[Ichneumonidae]
<i>Spiloxorides rufipleuralis</i> Cushman, 1933	<i>Xorides rufipleuralis</i> Cushman, 1933	H	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Stantonia sauteri</i> Watanabe, 1932	<i>Stantonia sauteri</i> Watanabe, 1932	H	[Braconidae]
<i>Stelidarge diptycha</i> Konow, 1900	<i>Scobina melanopyga</i> (Klug, 1834)	S	[Symphyta]
<i>Stelidarge duckei</i> Konow, 1906	<i>Scobina rubricollis</i> (Klug, 1834)	H	[Symphyta]
<i>Stelis moravica</i> Tkalcu, 1970	<i>Stelis punctulatissima</i> (Kirby, 1802)	P	[Apidae]
<i>Stenamma schmidti</i> Menozzi, 1931	<i>Stenamma schmidti</i> Menozzi, 1931	H	[Formicidae]
<i>Stenaraeoides ampingensis</i> Uchida, 1932	<i>Fitatsia ampingensis</i> Uchida, 1932	S	[Ichneumonidae]
<i>Stenomutilla chinensis</i> Zavattari, 1922	<i>Stenomutilla chinensis</i> Zavattari, 1922	S	[Mutillidae]
<i>Stenophasmus enderleini</i> Strand, 1913	<i>Spathius apicalis</i> (Westwood, 1882)	H	[Braconidae]
<i>Stenophasmus ornatipes</i> Kieffer, 1911	<i>Stenophasmus ornatipes</i> Kieffer, 1911	S	[Braconidae]
<i>Stenosmicra tenuis</i> Boucek, 1992	<i>Stenosmicra tenuis</i> Boucek, 1992	H	[Chalcididae]
<i>Stephanus hornianus</i> Enderlein, 1912	<i>Stephanus hornianus</i> Enderlein, 1912	S	[Stephanidae]
<i>Stereomyrmex horni</i> Emery, 1901	<i>Stereomyrmex horni</i> Emery, 1901	S	[Formicidae]
<i>Sterictiphora apios</i> Ross, 1933	<i>Sphacophilus apios</i> (Ross, 1933)	P	[Symphyta]
<i>Stictomischus discedens</i> Otten, 1942	<i>Stictomischus discedens</i> Otten, 1942	H	[Pteromalidae]
<i>Stictopisthus cuniculus</i> Schwenke,	<i>Stictopisthus cuniculus</i> Schwenke,	H	[Ichneumonidae]
<i>Stigmatomma bruni</i> Forel, 1912	<i>Stigmatomma bruni</i> Forel, 1912	S	[Formicidae]
<i>Stilpnoderes apicipennis</i> Brèthes, 1927	<i>Photocryptus apicipennis</i> Brèthes, 1927	H	[Ichneumonidae]
<i>Stilpnus brevicornis</i> Lange, 1911	<i>Stibeutes brevicornis</i> Lange, 1911	L	[Ichneumonidae]
<i>Stizus cheops</i> Morice, 1897	<i>Stizus marthae cheops</i> Handlirsch, 1897	S	[Crabronidae]
<i>Strandiola horni</i> Nowicki, i.l.	<i>Strandiola horni</i> Nowicki, i.l.	I	[Chalcidoidea]
<i>Stromboceros absonus</i> Konow, 1899	<i>Bolivius absonus</i> (Konow, 1899)	L	[Symphyta]
<i>Stromboceros adustus</i> Konow, 1899	<i>Adiaclema adustum</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros aemulus</i> Konow, 1899	<i>Plaumanniana aemula</i> (Konow, 1899)	L	[Symphyta]
<i>Stromboceros albicomus</i> Konow, 1900	<i>Neostromboceros albicomus</i> (Konow, 1900)	S	[Symphyta]
<i>Stromboceros albilabris</i> Konow, 1885	<i>Stromboceridea albilabris</i> (Konow, 1885)	L	[Symphyta]
<i>Stromboceros alvinus</i> Konow, 1899	<i>Stromboceros alvinus</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros anilis</i> Konow, 1908	<i>Stromboceros anilis</i> Konow, 1908	L	[Symphyta]
<i>Stromboceros ater</i> Konow, 1899	<i>Stromboceros ater</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros atratus</i> Enslin, 1911	<i>Pseudostromboceros atratus</i> (Enslin, 1911)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Stromboceros biclinius</i> Konow, 1899	<i>Stromboceros biclinius</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros bifer</i> Konow, 1908	<i>Stromboceridea bifer</i> (Konow, 1908)	L	[Symphyta]
<i>Stromboceros bitinctus</i> Konow, 1903	<i>Stromboceros bitinctus</i> Konow, 1903	L	[Symphyta]
<i>Stromboceros brevicornis</i> Konow, 1899	<i>Stromboceros brevicornis</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros brevispinis</i> Konow, 1908	<i>Stromboceros brevispinis</i> Konow, 1908	L	[Symphyta]
<i>Stromboceros caligatus</i> Konow, 1903	<i>Stromboceros caligatus</i> Konow, 1903	L	[Symphyta]
<i>Stromboceros cenchralsis</i> Konow, 1908	<i>Neostromboceros albicomus</i> (Konow, 1900)	H	[Symphyta]
<i>Stromboceros cervicalis</i> Konow, 1908	<i>Stromboceros cervicalis</i> Konow, 1908	L	[Symphyta]
<i>Stromboceros chalybeus</i> Konow, 1908	<i>Neostromboceros chalybeus</i> (Konow, 1908)	H	[Symphyta]
<i>Stromboceros congener</i> Konow, 1900	<i>Neostromboceros congener</i> (Konow, 1900)	S	[Symphyta]
<i>Stromboceros cruralis</i> Konow, 1899	<i>Stromboceros cruralis</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros discrepans</i> Konow, 1899	<i>Adiaclema discrepans</i> (Konow, 1899)	H	[Symphyta]
<i>Stromboceros farctus</i> Konow, 1900	<i>Andeana farcta</i> (Konow, 1900)	R	[Symphyta]
<i>Stromboceros fenestratus</i> Konow, 1899	<i>Stromboceros fenestratus</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros fraternus</i> Konow, 1899	<i>Stromboceros fraternus</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros gracilicornis</i> Konow, 1885	<i>Stromboceros gracilicornis</i> Konow, 1885	S	[Symphyta]
<i>Stromboceros graciosus</i> Konow, 1907	<i>Stromboceridea graciosus</i> Konow, 1907	R	[Symphyta]
<i>Stromboceros habenulatus</i> Konow, 1899	<i>Stromboceros habenulatus</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros laevis</i> Konow, 1898	<i>Neostromboceros laevis</i> (Konow, 1898)	H	[Symphyta]
<i>Stromboceros lemniscatus</i> Konow, 1908	<i>Liliacina lemniscata</i> (Konow, 1908)	H	[Symphyta]
<i>Stromboceros limbolarius</i> Konow, 1908	<i>Stromboceros limbolarius</i> Konow, 1908	H	[Symphyta]
<i>Stromboceros liscivus</i> Konow, 1908	<i>Stromboceros liscivus</i> Konow, 1908	H	[Symphyta]
<i>Stromboceros marcidus</i> Konow, 1899	<i>Adiaclema marcida</i> (Konow, 1899)	H	[Symphyta]
<i>Stromboceros mocsáryi</i> Konow, 1900	<i>Stromboceros mocsáryi</i> Konow, 1900	S	[Symphyta]
<i>Stromboceros nigerrimus</i> Konow, 1899	<i>Stromboceros nigerrimus</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros nigripennis</i> Konow, 1908	<i>Belea nigripennis</i> (Konow, 1908)	S	[Symphyta]
<i>Stromboceros nobilis</i> Konow, 1900	<i>Adiaclema nobile</i> Konow, 1900	R	[Symphyta]
<i>Stromboceros normatus</i> Konow, 1900	<i>Stromboceros normatus</i> Konow, 1900	S	[Symphyta]
<i>Stromboceros notabilis</i> Konow, 1899	<i>Stromboceros notabilis</i> Konow, 1899	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Stromboceros notophorus</i> Konow, 1899	<i>Stromboceros notophorus</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros obscurus</i> Konow, 1899	<i>Stromboceros obscurus</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros ocreatus</i> Konow, 1899	<i>Stromboceros ocreatus</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros opiparus</i> Konow, 1908	<i>Arcoclypea opipara</i> (Konow, 1908)	H	[Symphyta]
<i>Stromboceros pallipes</i> Konow, 1908	<i>Stromboceros pallipes</i> Konow, 1908	H	[Symphyta]
<i>Stromboceros parmatius</i> Konow, 1903	<i>Stromboceros parmatius</i> Konow, 1903	L	[Symphyta]
<i>Stromboceros peronatus</i> Konow, 1908	<i>Stromboceros peronatus</i> Konow, 1908	H	[Symphyta]
<i>Stromboceros phaleratus</i> Konow, 1898	<i>Bocerus phaleratus</i> (Konow, 1898)	H	[Symphyta]
<i>Stromboceros phaleratus</i> Konow, 1903	<i>Liliacina albaria</i> (Konow, 1906)	H	[Symphyta]
<i>Stromboceros pictipennis</i> Konow, 1908	<i>Bornea pictipennis</i> (Konow, 1908)	H	[Symphyta]
<i>Stromboceros punctatus</i> Konow, 1908	<i>Neostromboceros punctatus</i> (Konow, 1908)	H	[Symphyta]
<i>Stromboceros sagmarius</i> Konow, 1899	<i>Adiaclema sagmaria</i> (Konow, 1899)	L	[Symphyta]
<i>Stromboceros sauteri</i> Rohwer, 1916	<i>Neostromboceros sauteri</i> (Rohwer, 1916)	H	[Symphyta]
<i>Stromboceros soleatus</i> Konow, 1899	<i>Stromboceros soleatus</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros spadix</i> Konow, 1899	<i>Stromboceros spadix</i> Konow, 1899	H	[Symphyta]
<i>Stromboceros spurcus</i> Konow, 1899	<i>Stromboceros spurcus</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros subuculatus</i> Konow, 1908	<i>Stromboceros subuculatus</i> Konow, 1908	L	[Symphyta]
<i>Stromboceros sudus</i> Konow, 1903	<i>Stromboceros sudus</i> Konow, 1903	H	[Symphyta]
<i>Stromboceros suppar</i> Konow, 1903	<i>Stromboceros suppar</i> Konow, 1903	L	[Symphyta]
<i>Stromboceros sutilis</i> Konow, 1903	<i>Stromboceros sutilis</i> Konow, 1903	S	[Symphyta]
<i>Stromboceros tarsalis</i> Konow, 1899	<i>Adiaclema tarsalis</i> (Konow, 1899)	L	[Symphyta]
<i>Stromboceros tetricus</i> Konow, 1908	<i>Adiaclema tetrica</i> (Konow, 1908)	H	[Symphyta]
<i>Stromboceros tibialis</i> Konow, 1885	<i>Stromboceros torquatus</i> Konow, 1903	L	[Symphyta]
<i>Stromboceros torquatus</i> Konow, 1903	<i>Stromboceros torquatus</i> Konow, 1903	L	[Symphyta]
<i>Stromboceros tribrachys</i> Konow, 1899	<i>Stromboceros tribrachys</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros trigemmis</i> Konow, 1900	<i>Plaumanniana trigemmis</i> Konow, 1900	R	[Symphyta]
<i>Stromboceros unguicularis</i> Konow, 1899	<i>Stromboceros unguicularis</i> Konow, 1899	L	[Symphyta]
<i>Stromboceros ustipennis</i> Konow, 1899	<i>Stromboceros ustipennis</i> Konow, 1899	H	[Symphyta]
<i>Strongylogaster cretensis</i> Konow, 1887	<i>Strongylogaster multifasciata</i> (Geoffroy, 1785)	L	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Strongylogaster desbrochersi Konow, 1892	Strongylogaster xanthocera (Stephens, 1835)	L	[Symphyta]
Strongylogaster desbrochersi var. lepticus Konow, 1902	Strongylogaster xanthocera (Stephens, 1835)	L	[Symphyta]
Strongylogastroidea formosacola Rohwer, 1916	Taxonus formosacola (Rohwer, 1916)	H	[Symphyta]
Strongylognathus huberi Forel, 1874	Strongylognathus huberi Forel, 1874	S	[Formicidae]
Strongylopsis rufiventris Victorov, 1958	Strongylopsis rufiventris Victorov, 1958	P	[Ichneumonidae]
Strumigenys feae var. formosensis Forel, 1912	Strumigenys feae formosensis Forel, 1912	S	[Formicidae]
Strumigenys luctuosa Menozzi, 1936	Strumigenys luctuosa Menozzi, 1936	H	[Formicidae]
Stylocryptus montanus Lange, 1911	Phygadeuon ovatus Gravenhorst, 1829	H	[Ichneumonidae]
Subterraneobombus fedtschenkoi var. oshaninellus Skorikov, 1914	Bombus fedtschenkoi Morawitz, 1875	S	[Apidae]
Sussaba coriacea neopulchella Diller, 1980	Sussaba flavipes Lucas, 1846	P	[Ichneumonidae]
Symboethus sudeticus Kupka, i.l.	Symboethus sudeticus Kupka, i.l.	I	[Ichneumonidae]
Synagris cornuta var. similis Bequaert, 1918	Synagris cornuta similis Bequaert, 1918	P	[Vespidae]
Synagris versicolor Schulthess, 1914	Synagris versicolor Schulthess, 1914	S	[Vespidae]
Synaptoneura boliviensis Konow, 1908	Synaptoneura boliviensis Konow, 1908	H	[Symphyta]
Synopeas salicis Szelényi, 1940	Synopeas salicis Szelényi, 1940	H	[Platygastridae]
Syntomaspis alegrensis Brethes, 1927	Syntomaspis alegrensis Brethes, 1927	S	[Torymidae]
Syntretus ocularis Achterberg & Haeselbarth, 2003	Syntretus ocularis Achterberg & Haeselbarth, 2003	X	[Braconidae]
Syrites persimilis Cushman, 1937	Astomaspis persimilis Cushman, 1937	P	[Ichneumonidae]
Systasis clavicornis Boucek, 1956	Systasis clavicornis Boucek, 1956	P	[Pteromalidae]
Systole foeniculi Otten, 1941	Systole foeniculi Otten, 1941	S	[Eurytomidae]
Syzeuctus conformis Chandra, 1976	Syzeuctus conformis Chandra, 1976	H	[Ichneumonidae]
Syzeuctus tanycorpis Chandra, 1976	Syzeuctus tanycorpis Chandra, 1976	P	[Ichneumonidae]
Tachysphex ibericus borealis Pulawski, 1971	Tachysphex nitidus Spinola, 1805	P	[Crabronidae]
Tachytes lingnau Arnold, 1933	Tachytes lingnau Arnold, 1933	H	[Crabronidae]
Taeniogonals pictipennis Strand, 1914	Taeniogonals pictipennis Strand, 1914	H	[Trigonalyidae]
Tainania dispar Masi, 1933	Tainania dispar Masi, 1933	S	[Chalcididae]
Tainania lugubris Masi, 1932	Tainania lugubris Masi, 1932	S	[Chalcididae]
Taiwanoscytus stylophorus Masi, i.l.	Taiwanoscytus stylophorus Masi, i.l.	I	[Chalcidoidea]
Takanona alboannulata Uchida, 1932	Oronotus alboannulatus Uchida, 1932	L	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Tanymeles hilarulus Konow, 1906	Tanymeles hilarulus Konow, 1906	H	[Symphyta]
Tanyphatna catinifera Konow, 1906	Didymia martini (Lepeletier, 1823)	H	[Symphyta]
Tanyphatna discophora Konow, 1908	Didymia crassicornis (Cameron, 1878)	H	[Symphyta]
Tanyphatna exilipalpis Konow, 1906	Durgoa exilipalpis (Konow, 1906)	H	[Symphyta]
Tanyphatna mamillata Konow, 1906	Adurgoa mamillata (Konow, 1906)	L	[Symphyta]
Tanyphatna pellos Konow, 1906	Didymia pellos (Konow, 1906)	H	[Symphyta]
Tapinoma atriceps var. breviscapa Forel, 1908	Tapinoma atriceps breviscapa Forel, 1908	S	[Formicidae]
Tarpa luteiventris Konow, 1894	Megalodontes luteiventris (Konow, 1894)	T	[Symphyta]
Tarpa reitteri Konow, 1894	Megalodontes reitteri (Konow, 1894)	T	[Symphyta]
Taxonus alabastris Konow, 1898	Ametastegia alabastria (Konow, 1898)	S	[Symphyta]
Taxonus ballioni Konow, 1891	Taxonus latus Jakovlev, 1888	H	[Symphyta]
Taxonus braunsi Konow, 1896	Xenapates braunsi (Konow, 1896)	H	[Symphyta]
Taxonus creperus Konow, 1900	Taxonus agrorum (Fallén, 1808)	H	[Symphyta]
Taxonus delumbis Konow, 1900	Taxonus delumbis Konow, 1900	H	[Symphyta]
Taxonus gabunensis Konow, 1896	Xenapates gabunensis (Konow, 1896)	S	[Symphyta]
Taxonus gaullei Konow, 1896	Xenapates gaullei (Konow, 1896)	H	[Symphyta]
Taxonus gribodoi Konow, 1896	Darjilingia gribodoi (Konow, 1896)	H	[Symphyta]
Taxonus procinctus Konow, 1903	Xenapatidea procincta (Konow, 1903)	L	[Symphyta]
Taxonus tricoloricornis Konow, 1898	Indotaxonus tricoloricornis (Konow, 1898)	S	[Symphyta]
Technomyrmex modiglianii var. angustior Forel, 1912	Technomyrmex modiglianii angustior Forel, 1912	S	[Formicidae]
Technomyrmex horni Forel, 1912	Technomyrmex horni Forel, 1912	S	[Formicidae]
Technomyrmex albipes wedda Forel, 1913	Technomyrmex albipes wedda Forel, 1913	S	[Formicidae]
Telenomus tischleri Nixon, 1939	Telenomus tischleri Nixon, 1939	H	[Scelionidae]
Telephoromyia laeta serena Duran-Moya, 1941	Telephoromyia laeta serena Duran-Moya, 1941	L	[Thynnidae]
Teleutaea gracilis Cushman, 1933	Teleutaea gracilis Cushman, 1933	H	[Ichneumonidae]
Tenthredella margaretaella Rohwer, 1916	Tenthredo margaretaella (Rohwer, 1916)	H	[Symphyta]
Tenthredella sauteri Rohwer, 1916	Tenthredo sauteri (Rohwer, 1916)	H	[Symphyta]
Tenthredo acupunctata Singh & Saini, 1988	Tenthredo acupunctata Singh & Saini, 1988	P	[Symphyta]
Tenthredo acutiscutis Konow, 1908	Tenthredo acutiscutis Konow, 1908	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Tenthredo amurensis</i> Konow, 1891	<i>Tenthredo amurica</i> Dalla Torre, 1894	H	[Symphyta]
<i>Tenthredo angustiannulata</i> Malaise, 1945	<i>Tenthredo angustiannulata</i> Malaise, 1945	R	[Symphyta]
<i>Tenthredo assamensis</i> Konow, 1898	<i>Tenthredo assamensis</i> Konow, 1898	S	[Symphyta]
<i>Tenthredo auraria</i> Konow, 1899	<i>Tenthredo auraria</i> Konow, 1899	L	[Symphyta]
<i>Tenthredo bernardi</i> Konow, 1888	<i>Tenthredo bernardi</i> Konow, 1888	H	[Symphyta]
<i>Tenthredo bigemmis</i> Konow, 1903	<i>Tenthredo oryssoides</i> Jakovlev, 1888	O	[Symphyta]
<i>Tenthredo bimaculata</i> Konow, 1886	<i>Tenthredo duplicata</i> Enslin, 1920	L	[Symphyta]
<i>Tenthredo velox</i> var. <i>bisignata</i> Konow, 1908	<i>Tenthredo velox</i> Fabricius, 1798	H	[Symphyta]
<i>Tenthredo capistrata</i> Konow, 1907	<i>Tenthredo capistrata</i> Konow, 1907	S	[Symphyta]
<i>Tenthredo cascadenis</i> Goulet, 1996	<i>Tenthredo cascadenis</i> Goulet, 1996	P	[Symphyta]
<i>Tenthredo casta</i> Konow, 1908	<i>Tenthredo casta</i> Konow, 1908	S	[Symphyta]
<i>Tenthredo celtica</i> Benson, 1953	<i>Tenthredo temula</i> Scopoli, 1763	P	[Symphyta]
<i>Tenthredo chlorosoma</i> Benson, 1943	<i>Rhogogaster chlorosoma</i> (Benson, 1943)	P	[Symphyta]
<i>Tenthredo choptai</i> Singh & Saini, 1988	<i>Tenthredo choptai</i> Singh & Saini, 1988	P	[Symphyta]
<i>Tenthredo clavicornis</i> Konow, 1898	<i>Tenthredo clavicornuta</i> Taeger & Blank, 1996	H	[Symphyta]
<i>Tenthredo commata</i> Konow, 1908	<i>Tenthredo perplexa</i> MacGillivray, 1897	L	[Symphyta]
<i>Tenthredo concinnoides</i> Malaise, 1945	<i>Tenthredo concinnoides</i> Malaise, 1945	R	[Symphyta]
<i>Tenthredo cordillera</i> Goulet, 1996	<i>Tenthredo cordillera</i> Goulet, 1996	P	[Symphyta]
<i>Tenthredo corrugatocephala</i> Singh & Saini, 1987	<i>Tenthredo okutanii</i> B. Singh, 1985	P	[Symphyta]
<i>Tenthredo cretata</i> Konow, 1898	<i>Tenthredo cretata</i> Konow, 1898	H	[Symphyta]
<i>Tenthredo cyanata</i> Konow, 1898	<i>Tenthredo cyanata</i> Konow, 1898	S	[Symphyta]
<i>Tenthredo davidi</i> Blank & Taeger, 2006	<i>Tenthredo davidi</i> Blank & Taeger, 2006	H	[Symphyta]
<i>Tenthredo discophora</i> Konow, 1896	<i>Tenthredo oryssoides</i> Jakovlev, 1888	L	[Symphyta]
<i>Tenthredo dryas</i> Benson, 1943	<i>Rhogogaster dryas</i> (Benson, 1943)	P	[Symphyta]
<i>Tenthredo duplicata</i> Enslin, 1920	<i>Tenthredo duplicata</i> Enslin, 1920	L	[Symphyta]
<i>Tenthredo eburata</i> Konow, 1900	<i>Tenthredo eburata</i> Konow, 1900	H	[Symphyta]
<i>Tenthredo euphorbiae</i> Benson, 1968	<i>Tenthredo euphorbiae</i> Benson, 1968	P	[Symphyta]
<i>Tenthredo facigera</i> Konow, 1899	<i>Tenthredo fagi</i> Panzer, 1798	H	[Symphyta]
<i>Tenthredo ferruginosa</i> Konow, 1898	<i>Tenthredo violaceipennis</i> Cameron, 1899	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Tenthredo filamentosa</i> Enslin, 1920	<i>Tenthredo gifui</i> Marlatt, 1898	P	[Symphyta]
<i>Tenthredo flavitarsis</i> Konow, 1908	<i>Tenthredo flavitarsis</i> Konow, 1908	H	[Symphyta]
<i>Tenthredo flavobrunneus</i> Malaise, 1945	<i>Tenthredo flavobrunneus</i> Malaise, 1945	P	[Symphyta]
<i>Tenthredo forsii</i> Konow, 1908	<i>Tenthredo moniliata</i> Klug, 1817	S	[Symphyta]
<i>Tenthredo genitalis</i> Malaise, 1945	<i>Tenthredo genitalis</i> Malaise, 1945	R	[Symphyta]
<i>Tenthredo gopeshwari</i> Singh & Saini, 1988	<i>Tenthredo gopeshwari</i> Singh & Saini, 1988	P	[Symphyta]
<i>Tenthredo gribodoi</i> Konow, 1898	<i>Tenthredo megacephala elegans</i> (Mocsáry, 1909)	S	[Symphyta]
<i>Tenthredo gulmargi</i> Singh & Saini, 1987	<i>Tenthredo gulmargi</i> Singh & Saini, 1987	P	[Symphyta]
<i>Tenthredo habenata</i> Konow, 1907	<i>Tenthredo habenata</i> Konow, 1907	H	[Symphyta]
<i>Tenthredo marginella hakkariensis</i> Blank, 1990	<i>Tenthredo marginella hakkariensis</i> Blank, 1990	P	[Symphyta]
<i>Tenthredo idaho</i> Goulet, 1996	<i>Tenthredo idaho</i> Goulet, 1996	P	[Symphyta]
<i>Tenthredo juga</i> Konow, 1908	<i>Tenthredo juga</i> Konow, 1908	L	[Symphyta]
<i>Tenthredo katchinica</i> Malaise, 1945	<i>Tenthredo katchinica</i> Malaise, 1945	P	[Symphyta]
<i>Tenthredo koenigi</i> Konow, 1896	<i>Tenthredo purpurea</i> Puls, 1870	H	[Symphyta]
<i>Tenthredo arcuata korabica</i> Taeger, 1985	<i>Tenthredo korabica</i> Taeger, 1985	L	[Symphyta]
<i>Tenthredo krausi</i> Blank & Taeger, 2006	<i>Tenthredo krausi</i> Blank & Taeger, 2006	H	[Symphyta]
<i>Tenthredo lacourti</i> Taeger, 1991	<i>Tenthredo lacourti</i> Taeger, 1991	P	[Symphyta]
<i>Tenthredo lacourtiana</i> Blank & Taeger, 2006	<i>Tenthredo lacourtiana</i> Blank & Taeger, 2006	H	[Symphyta]
<i>Tenthredo lichtwardti</i> Konow, 1899	<i>Tenthredo eburneifrons</i> W. F. Kirby, 1882	L	[Symphyta]
<i>Tenthredo lissuana</i> Malaise, 1945	<i>Tenthredo lissuana</i> Malaise, 1945	R	[Symphyta]
<i>Tenthredo malimilova</i> Wei, 2005	<i>Tenthredo malimilova</i> Wei, 2005	P	[Symphyta]
<i>Tenthredo naraensis</i> Kumamoto, 1987	<i>Tenthredo naraensis</i> Kumamoto, 1987	P	[Symphyta]
<i>Tenthredo narkandai</i> Singh & Saini, 1988	<i>Tenthredo narkandai</i> Singh & Saini, 1988	P	[Symphyta]
<i>Tenthredo nevada</i> Goulet, 1996	<i>Tenthredo nevada</i> Goulet, 1996	P	[Symphyta]
<i>Tenthredo nimbata</i> Konow, 1906	<i>Tenthredo nimbata</i> Konow, 1906	S	[Symphyta]
<i>Tenthredo nivalis</i> Lacourt, 1985	<i>Tenthredo nigripleuris</i> (Enslin, 1910)	P	[Symphyta]
<i>Tenthredo occupata</i> Kumamoto, 1987	<i>Tenthredo occupata</i> Kumamoto, 1987	P	[Symphyta]
<i>Tenthredo oculissima</i> Konow, 1907	<i>Tenthredo oculissima</i> Konow, 1907	S	[Symphyta]
<i>Tenthredo oregon</i> Goulet, 1996	<i>Tenthredo oregon</i> Goulet, 1996	P	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Tenthredo parapeniata</i> Singh & Saini, 1987	<i>Tenthredo parapeniata</i> Singh & Saini, 1987	P	[Symphyta]
<i>Tenthredo trivittata picena</i> Pesarini, 1989	<i>Tenthredo albiventris picena</i> Pesarini, 1989	P	[Symphyta]
<i>Tenthredo poeciloptera</i> Enslin, 1911	<i>Tenthredo poeciloptera</i> Enslin, 1911	H	[Symphyta]
<i>Tenthredo prasina</i> Konow, 1903	<i>Tenthredo prasina</i> Konow, 1903	S	[Symphyta]
<i>Tenthredo pseudofrontatus</i> Singh & Saini, 1988	<i>Tenthredo pseudofrontatus</i> Singh & Saini, 1988	P	[Symphyta]
<i>Tenthredo pseudomelaena</i> Malaise, 1945	<i>Tenthredo pseudomelaena</i> Malaise, 1945	R	[Symphyta]
<i>Tenthredo pseudorossii</i> Taeger, 1985	<i>Tenthredo neobesa</i> Zombori, 1980	H	[Symphyta]
<i>Tenthredo discophora</i> var. <i>pullata</i> Konow, 1898	<i>Tenthredo oryssoides</i> Jakovlev, 1888	H	[Symphyta]
<i>Tenthredo punctulata</i> Konow, 1887	<i>Tenthredo semicolon</i> Mol, i.l.	S	[Symphyta]
<i>Tenthredo pyramidata</i> Konow, 1898	<i>Tenthredo pyramidata</i> Konow, 1898	H	[Symphyta]
<i>Tenthredo pyrenaea</i> Taeger & Schmidt, 1992	<i>Tenthredo pyrenaea</i> Taeger & Schmidt, 1992	H	[Symphyta]
<i>Tenthredo rugiceps</i> Konow, 1908	<i>Tenthredo rugiceps</i> Konow, 1908	S	[Symphyta]
<i>Tenthredo rustica</i> Linné, 1758	<i>Arge rustica</i> (Linné, 1758)	N	[Symphyta]
<i>Tenthredo sahlbergi</i> Konow, 1908	<i>Tenthredo subcoerulea</i> Eschscholtz, 1822	L	[Symphyta]
<i>Tenthredo solitaria</i> var. <i>seeboldi</i> Konow, 1897	<i>Tenthredo solitaria solitaria</i> Scopoli, 1763	S	[Symphyta]
<i>Tenthredo serraticornis</i> Konow, 1899	<i>Tenthredo serraticornis</i> Konow, 1899	H	[Symphyta]
<i>Tenthredo sierra</i> Goulet, 1996	<i>Tenthredo sierra</i> Goulet, 1996	P	[Symphyta]
<i>Tenthredo spinigera</i> Konow, 1903	<i>Tenthredo spinigera spinigera</i> Konow, 1903	H	[Symphyta]
<i>Tenthredo sublimis</i> Konow, 1908	<i>Tenthredo sublimis</i> Konow, 1908	S	[Symphyta]
<i>Tenthredo subtilis</i> Enslin, 1920	<i>Tenthredo filiola</i> (Jakovlev, 1891)	P	[Symphyta]
<i>Tenthredo suta</i> Konow, 1906	<i>Tenthredo suta</i> Konow, 1906	S	[Symphyta]
<i>Tenthredo taegeri</i> Goulet, 1996	<i>Tenthredo taegeri</i> Goulet, 1996	P	[Symphyta]
<i>Tenthredo tuberculifera</i> Konow, 1898	<i>Tenthredo tuberculifera</i> Konow, 1898	S	[Symphyta]
<i>Tenthredo umbonigera</i> Konow, 1906	<i>Tenthredo umbonigera</i> Konow, 1906	H	[Symphyta]
<i>Tenthredo ungava</i> Goulet, 1996	<i>Tenthredo ungava</i> Goulet, 1996	P	[Symphyta]
<i>Tenthredo variolata</i> Saini & Singh, 1988	<i>Tenthredo dilaticornis</i> Muehe, 1986	P	[Symphyta]
<i>Tenthredo violettiae</i> Lacourt, 1973	<i>Tenthredo violettiae</i> Lacourt, 1973	P	[Symphyta]
<i>Tenthredo vittipleuris</i> Malaise, 1945	<i>Tenthredo vittipleuris</i> Malaise, 1945	R	[Symphyta]
<i>Tenthredo yuasai</i> Singh & Saini, 1988	<i>Tenthredo yuasai</i> Singh & Saini, 1988	P	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Tenthredo zebra Konow, 1898	Tenthredo zebra Konow, 1898	S	[Symphyta]
Tenthredopsis albata Konow, 1904	Tenthredopsis albata Konow, 1904	S	[Symphyta]
Tenthredopsis tessellata alboplagiata Konow, 1890	Tenthredopsis tessellata (Klug, 1817)	S	[Symphyta]
Tenthredopsis andrei Konow, 1898	Tenthredopsis andrei Konow, 1898	L	[Symphyta]
Tenthredopsis arrogans Konow, 1890	Tenthredopsis friesei (Konow, 1884)	L	[Symphyta]
Tenthredopsis austriaca Konow, 1890	Tenthredopsis scutellaris (Fabricius, 1804)	L	[Symphyta]
Tenthredopsis dorsalis var. biguttata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis cabreræ Konow, 1898	Tenthredopsis cabreræ Konow, 1898	S	[Symphyta]
Tenthredopsis casia Konow, 1898	Tenthredopsis annuligera (Eversmann, 1847)	S	[Symphyta]
Tenthredopsis churchvillei Konow, 1897	Tenthredopsis stigma (Fabricius, 1798)	L	[Symphyta]
Tenthredopsis thomsoni var. concolor Konow, 1887	Tenthredopsis litterata (Geoffroy, 1785)	H	[Symphyta]
Tenthredopsis dorsalis var. diluta Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis discrepans Konow, 1890	Tenthredopsis discrepans Konow, 1890	H	[Symphyta]
Tenthredopsis raddatzi var. dorsata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis dubia Konow, 1890	Tenthredopsis scutellaris (Fabricius, 1804)	L	[Symphyta]
Tenthredopsis fenestrata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis festiva Konow, 1890	Tenthredopsis festiva Konow, 1890	L	[Symphyta]
Tenthredopsis franki Konow, 1890	Tenthredopsis scutellaris (Fabricius, 1804)	S	[Symphyta]
Tenthredopsis stigma var. genualis Konow, 1890	Tenthredopsis stigma (Fabricius, 1798)	S	[Symphyta]
Tenthredopsis gibberosa Konow, 1887	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis humerosa Konow, 1898	Tenthredopsis humerosa Konow, 1898	H	[Symphyta]
Tenthredopsis raddatzi var. indocilis Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis raddatzi var. inornata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	H	[Symphyta]
Tenthredopsis jakowleffi Konow, 1896	Tenthredopsis jakowleffi Konow, 1896	S	[Symphyta]
Tenthredopsis korlevici Konow, 1887	Tenthredopsis friesei (Konow, 1884)	L	[Symphyta]
Tenthredopsis ligata Konow, 1903	Tenthredopsis ligata Konow, 1903	S	[Symphyta]
Tenthredopsis raddatzi var. maura Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis nigella Konow, 1891	Tenthredopsis nigella Konow, 1891	H	[Symphyta]
Tenthredopsis nigrescens Konow, 1897	Tenthredopsis nigrescens Konow, 1897	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Tenthredopsis thomsoni var. nigripes Konow, 1890	Tenthredopsis litterata (Geoffroy, 1785)	S	[Symphyta]
Tenthredopsis elegans var. nigronotata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	H	[Symphyta]
Tenthredopsis nigroscutellata Konow, 1904	Tenthredopsis friesei (Konow, 1884)	S	[Symphyta]
Tenthredopsis austriaca var. obscurata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	H	[Symphyta]
Tenthredopsis opacipleuris Stein, 1884	Tenthredopsis tarsata (Fabricius, 1804)	S	[Symphyta]
Tenthredopsis opulenta Konow, 1887	Tenthredopsis coquebertii (Klug, 1817)	L	[Symphyta]
Tenthredopsis ornatrix Konow, 1890	Tenthredopsis ornatrix Konow, 1890	H	[Symphyta]
Tenthredopsis pallida Konow, 1896	Tenthredopsis litterata (Geoffroy, 1785)	L	[Symphyta]
Tenthredopsis parvula Konow, 1890	Tenthredopsis scutellaris (Fabricius, 1804)	L	[Symphyta]
Tenthredopsis pisinna Konow, 1903	Tenthredopsis tischbeinii (Frivaldszky, 1876)	S	[Symphyta]
Tenthredopsis puncticollis Konow, 1890	Tenthredopsis scutellaris (Fabricius, 1804)	L	[Symphyta]
Tenthredopsis putoni Konow, 1886	Tenthredopsis putoni Konow, 1886	H	[Symphyta]
Tenthredopsis quadrannulata Konow, 1898	Tenthredopsis annuligera (Eversmann, 1847)	H	[Symphyta]
Tenthredopsis quadriforis Konow, 1898	Tenthredopsis quadriforis Konow, 1898	H	[Symphyta]
Tenthredopsis romana Konow, 1894	Tenthredopsis floricola (A. Costa, 1859)	H	[Symphyta]
Tenthredopsis rufa Konow, 1890	Tenthredopsis rufa Konow, 1890	S	[Symphyta]
Tenthredopsis nassata var. rufata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	H	[Symphyta]
Tenthredopsis raddatzi var. sagmaria Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Tenthredopsis sareptana Konow, 1894	Tenthredopsis hungarica (Klug, 1817)	S	[Symphyta]
Tenthredopsis schmiedeknechti Konow, 1892	Aglaostigma nebulosum (Ed. André, 1881)	S	[Symphyta]
Tenthredopsis sororia Konow, 1898	Tenthredopsis sororia Konow, 1898	S	[Symphyta]
Tenthredopsis stramineata Konow, 1898	Tenthredopsis stramineata Konow, 1898	L	[Symphyta]
Tenthredopsis thornleyi Konow, 1899	Tenthredopsis scutellaris (Fabricius, 1804)	L	[Symphyta]
Tenthredopsis dorsalis var. tirolensis Konow, 1892	Tenthredopsis nassata (Linné, 1767)	H	[Symphyta]
Tenthredopsis triforis Konow, 1898	Tenthredopsis annuligera (Eversmann, 1847)	S	[Symphyta]
Tenthredopsis ventriflua Konow, 1898	Tenthredopsis ventriflua Konow, 1898	S	[Symphyta]
Tenthredopsis raddatzi var. vittata Konow, 1890	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Termolampa pinicola Boucek, 1961	Termolampa pinicola Boucek, 1961	P	[Pteromalidae]
Tersilochus longicaudatus Horstmann, 1971	Tersilochus longicaudatus Horstmann, 1971	P	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Tersilochus nitidipleuris Horstmann, 1971	Tersilochus nitidipleuris Horstmann, 1971	P	[Ichneumonidae]
Tetralonia albiceps Friese, 1925	Eucera albiceps Friese,	S	[Apidae]
Tetralonia basistrigatula Strand, 1913	Eucera basistrigatula Strand, 1913	H	[Apidae]
Tetralonia commixtana Strand, 1913	Eucera commixtana Strand, 1913	H	[Apidae]
Tetralonia hoozana Strand, 1914	Tetralonioidella hoozana Strand, 1914	H	[Apidae]
Tetralonia melonis Friese, 1925	Peponapis melonis (Friese, 1925)	R	[Apidae]
Tetralonia peponis Friese, 1925	Peponapis citrullina (Cockerell, 1912)	R	[Apidae]
Tetralonia scutellaris Friese, i.l.	Eucera scutellaris Friese,	I	[Apidae]
Tetralonia taihokuensis Strand, 1913	Eucera taihokuensis (Strand, 1913)	S	[Apidae]
Tetralonia taihorensis Strand, 1913	Eucera taihorensis (Strand, 1913)	H	[Apidae]
Tetralonia taprobanicola Strand, 1913	Eucera taprobanicola (Strand, 1913)	S	[Apidae]
Tetramorium mixtum amia Forel, 1912	Tetramorium mixtum amia Forel, 1912	S	[Formicidae]
Tetramorium confucii Forel, 1912	Tetramorium confucii Forel, 1912	S	[Formicidae]
Tetramorium caespitum himalayanum Viehmeyer, 1914	Tetramorium caespitum himalayanum Viehmeyer, 1914	S	[Formicidae]
Tetrastichus oophagus Otten, 1942	Tetrastichus oophagus Otten, 1942	S	[Eulophidae]
Tetrastichus sempronius Erdős, 1954	Tetrastichus sempronius Erdős, 1954	S	[Eulophidae]
Thaumatogelis nuani Schwarz, 2001	Thaumatogelis nuani Schwarz, 2001	H	[Ichneumonidae]
Theronia brevicauda Cushman, 1933	Nomosphacia brevicauda Cushman, 1933	H	[Ichneumonidae]
Theronia formosana Cushman, 1933	Parema nigrobalteata Cameron, 1899	H	[Ichneumonidae]
Thomsonia elegans Konow, 1884	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Thomsonia hilleckeii Konow, 1884	Tenthredopsis tarsata (Fabricius, 1804)	S	[Symphyta]
Thomsonia laticeps Konow, 1884	Tenthredopsis friesei (Konow, 1884)	L	[Symphyta]
Thomsonia obscura Konow, 1884	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Thomsonia raddatzi Konow, 1884	Tenthredopsis nassata (Linné, 1767)	S	[Symphyta]
Thomsonia thomsoni Konow, 1884	Tenthredopsis litterata (Geoffroy, 1785)	S	[Symphyta]
Thrinax formosana Rohwer, 1916	Strongylogaster formosana Rohwer, 1916	H	[Symphyta]
Thrinax intermedia Konow, 1885	Strongylogaster macula (Klug, 1817)	L	[Symphyta]
Thripoctenoides carbonarius Erdős, 1954	Thripoctenoides carbonarius Erdős, 1954	S	[Eulophidae]
Thulea nigriceps Konow, 1900	Anathulea nigriceps (Konow, 1900)	S	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Thymaris taiwanensis</i> Uchida, 1932	<i>Thymaris taiwanensis</i> Uchida, 1932	S	[Ichneumonidae]
<i>Timulla bakeri</i> Mickel, 1934	<i>Timulla bakeri</i> Mickel, 1934	P	[Mutillidae]
<i>Timulla baucis</i> Mickel, 1938	<i>Timulla baucis</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla bituberculata</i> Mickel, 1938	<i>Timulla bituberculata</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla denotata</i> Mickel, 1933	<i>Timulla denotata</i> Mickel, 1933	P	[Mutillidae]
<i>Timulla friekae discrepans</i> Mickel, 1933	<i>Timulla friekae discrepans</i> Mickel, 1933	P	[Mutillidae]
<i>Timulla factiosa</i> Mickel, 1938	<i>Timulla factiosa</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla fortuita</i> Mickel, 1934	<i>Timulla fortuita</i> Mickel, 1934	P	[Mutillidae]
<i>Timulla intermissa</i> Mickel, 1938	<i>Timulla intermissa</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla interstincta</i> Mickel, 1938	<i>Timulla interstincta</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla minor islandica</i> Mickel, 1934	<i>Timulla minor islandica</i> Mickel, 1934	P	[Mutillidae]
<i>Timulla lineoloides</i> Mickel, 1938	<i>Timulla lineoloides</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla obtusata</i> Mickel, 1937	<i>Timulla obtusata</i> Mickel, 1937	P	[Mutillidae]
<i>Timulla repraesentoides</i> Mickel, 1933	<i>Timulla repraesentoides</i> Mickel, 1933	H	[Mutillidae]
<i>Timulla rhea</i> Mickel, 1933	<i>Timulla rhea</i> Mickel, 1933	P	[Mutillidae]
<i>Timulla rubripes</i> Mickel, 1938	<i>Timulla rubripes</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla spinicypeata</i> Mickel, 1938	<i>Timulla spinicypeata</i> Mickel, 1938	P	[Mutillidae]
<i>Timulla repraesentans taihorina</i> Mickel, 1933	<i>Timulla repraesentans taihorina</i> Mickel, 1933	H	[Mutillidae]
<i>Timulla tegularia</i> Mickel, 1934	<i>Timulla tegularia</i> Mickel, 1934	P	[Mutillidae]
<i>Timulla temeraria</i> Mickel, 1934	<i>Timulla temeraria</i> Mickel, 1934	P	[Mutillidae]
<i>Tomostethus geminus</i> Konow, 1895	<i>Eutomostethus geminus</i> (Konow, 1895)	H	[Symphyta]
<i>Tomostethus maurus</i> Rohwer, 1916	<i>Megatomostethus maurus</i> (Rohwer, 1916)	H	[Symphyta]
<i>Tomostethus punctatus</i> Konow, 1887	<i>Eutomostethus punctatus</i> (Konow, 1887)	H	[Symphyta]
<i>Tomostethus sauteri</i> Enslin, 1911	<i>Emegatomostethus sauteri</i> Enslin, 1911	S	[Symphyta]
<i>Tomostethus vegetus</i> Konow, 1898	<i>Eutomostethus vegetus</i> (Konow, 1898)	S	[Symphyta]
<i>Tomostethus veles</i> Konow, 1900	<i>Tomostethus veles</i> Konow, 1900	S	[Symphyta]
<i>Tomostethus vopiscus</i> Konow, 1899	<i>Eutomostethus ephippium vopiscus</i> (Konow, 1899)	H	[Symphyta]
<i>Torbda taihokensis forma kosemponis</i> Uchida, 1932	<i>Xoridesopus kosemponis</i> Uchida, 1932	L	[Ichneumonidae]
<i>Torbda sauteri</i> Uchida, 1932	<i>Torbda sauteri</i> Uchida, 1932	L	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Torbda taihokensis Uchida, 1932	Xoridesopus taihokensis Uchida, 1932	P	[Ichneumonidae]
Torbda unicolor Uchida, 1932	Eurycryptus unicolor Uchida, 1932	P	[Ichneumonidae]
Torymus aceris Boucek, 1994	Torymus aceris Boucek, 1994	P	[Torymidae]
Torymus anephelus Ratzeburg, 1844	Torymus anephelus Ratzeburg, 1844	O	[Torymidae]
Torymus apiomyiae Boucek & Mihajlovic, 1986	Torymus apiomyiae Boucek & Mihajlovic, 1986	P	[Torymidae]
Torymus appropinquans Ratzeburg, 1844	Torymus appropinquans Ratzeburg, 1844	H	[Torymidae]
Torymus chalybaeus Ratzeburg, 1844	Torymus chalybaeus Ratzeburg, 1844	L	[Torymidae]
Torymus contractus Ratzeburg., 1848	Torymus contractus Ratzeburg., 1848	O	[Chalcididae]
Torymus cyniphidum Ratzeburg, 1844	Torymus cyniphidum Ratzeburg, 1844	O	[Torymidae]
Torymus hylasini Graham, 1994	Torymus hylasini Graham, 1994	P	[Torymidae]
Torymus longicaudis Ratzeburg, 1844	Torymus longicaudis Ratzeburg, 1844	O	[Torymidae]
Torymus macrocentrus Ratzeburg, 1852	Torymus macrocentrus Ratzeburg, 1852	O	[Torymidae]
Torymus minor Ratzeburg, 1848	Torymus minor Ratzeburg, 1848	O	[Torymidae]
Torymus pascuorum Boucek, 1994	Torymus pascuorum Boucek, 1994	P	[Torymidae]
Torymus pumilus Ratzeburg, 1844	Torymus pumilus Ratzeburg, 1844	O	[Torymidae]
Torymus robustus Ratzeburg, 1852	Torymus robustus Ratzeburg, 1852	O	[Torymidae]
Torymus tripudians Graham, 1993	Torymus tripudians Graham, 1993	P	[Torymidae]
Trachymyrmex relictus Borgmeier, 1934	Trachymyrmex relictus Borgmeier, 1934	P	[Formicidae]
Trematopygus spiniger Hinz, 1976	Trematopygus spiniger Hinz, 1976	P	[Ichneumonidae]
Tremex konowi Lange, 1909	Tremex insignis F. Smith, 1859	H	[Symphyta]
Tremex longicollis Konow, 1896	Tremex longicollis Konow, 1896	H	[Symphyta]
Trichaporus margaritiventris Mercet, 1931	Trichaporus margaritiventris Mercet, 1931	P	[Aphelinidae]
Trichiocampus nubilus Konow, 1897	Priophorus nubilus Konow, 1897	S	[Symphyta]
Trichiosoma arctica Konow, 1903	Trichiosoma crassum W. F. Kirby, 1882	H	[Symphyta]
Trichiosoma nigricoma Konow, 1906	Trichiosoma nigricoma Konow, 1906	S	[Symphyta]
Trichiosoma opaca Konow, 1906	Trichiosoma opacum Konow, 1906	S	[Symphyta]
Trichiosoma sericea Konow, 1903	Trichiosoma sericeum Konow, 1903	S	[Symphyta]
Trichiosoma sikkimensis Konow, 1897	Trichiosoma sikkimense Konow, 1897	S	[Symphyta]
Trichocolletes daviesiae Rayment, 1931	Trichocolletes daviesiae Rayment, 1931	P	[Apidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Trichogonatopus hispidus Olmi, 1984	Trichogonatopus hispidus Olmi, 1984	P	[Dryinidae]
Triclistus parallelus Uchida, 1932	Triclistus parallelus Uchida, 1932	H	[Ichneumonidae]
Triclistus taiwanensis Uchida, 1932	Triclistus pygmaeus Cresson, 1864	H	[Ichneumonidae]
Triecees integer Townes, 1959	Triecees integer Townes, 1959	P	[Ichneumonidae]
Triglyphothrix parvispina var. formosae Forel, 1912	Triglyphothrix parvispina formosae Forel, 1912	S	[Formicidae]
Trigona acapulconis Strand, 1919	Trigona subterranea acapulconis Strand, 1919	H	[Apidae]
Trigona borneensis Friese,	Trigona borneensis Friese,	R	[Apidae]
Trigona buyssoni Friese, 1905	Trigonisca buyssoni (Friese, 1905)	S	[Apidae]
Trigona nebulata var. delimbata Strand, 1914	Trigona nebulata delimbata Strand, 1914	H	[Apidae]
Trigona ventralis hoozana Strand, 1913	Lepidotrigona hoozana Strand, 1913	S	[Apidae]
Trigona orizabaensis Strand, 1919	Trigona orizabaensis Strand, 1919	L	[Apidae]
Trigona pfeifferi Friese,	Trigona pfeifferi Friese,	R	[Apidae]
Trigona portoi Friese,	Trigona portoi Friese,	S	[Apidae]
Trigona pygmaea Friese,	Trigona pygmaea Friese,	R	[Apidae]
Trigona reepeni Friese, 1918	Trigona reepeni Friese, 1918	P	[Apidae]
Trigona sericea Friese,	Trigona sericea Friese,	R	[Apidae]
Trigona silvestrii Friese, 1902	Frieseomelitta silvestrii (Friese, 1902)	R	[Apidae]
Trigona clypeata var. zebra Friese, 1912	Trigona clypeata zebra Friese, 1912	S	[Apidae]
Trigonalys hahni var. enslini Torka, 1936	Trigonalys hahni enslini Torka, 1936	H	[Trigonalysiidae]
Trigonalys prudnicensis Torka, 1936	Trigonalys prudnicensis Torka, 1936	H	[Trigonalysiidae]
Trigonophasmus schenklingi Enderlein, 1912	Trigonophasmus schenklingi Enderlein, 1912	H	[Stephanidae]
Trioxys falcatus Mackauer, 1959	Trioxys falcatus Mackauer, 1959	H	[Braconidae]
Trioxys humuli Mackauer, 1960	Trioxys humuli Mackauer, 1960	H	[Braconidae]
Trioxys angelicae mediterraneus Mackauer, 1960	Misaphidus angelicae Haliday, 1833	P	[Braconidae]
Triptognathus beckeri Costa Lima & Guitton, 1961	Limonethe beckeri Costa Lima & Guitton, 1961	P	[Ichneumonidae]
Triptognathus brasiliensis Brèthes, 1927	Thymebatis neotropica Schrottky, 1910	H	[Ichneumonidae]
Triptognathus fischeri Brèthes, 1927	Thymebatis neotropica Schrottky, 1910	L	[Ichneumonidae]
Tristactus punctatus Konow, 1898	Megalodontes judaicus (Lepeletier, 1823)	T	[Symphyta]
Tristegus mimarius Konow, 1906	Decameria mimaria (Konow, 1906)	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Trochophora duccei</i> Konow, 1905	<i>Trochophora lobata</i> (Erichson, 1848)	L	[Symphyta]
<i>Tropidobria brasiliانا</i> Brèthes, 1927	<i>Tropidobria brasiliانا</i> Brèthes, 1927	H	[Diapriidae]
<i>Tropimius willei</i> Brèthes, 1927	<i>Tropimius willei</i> Brèthes, 1927	S	[Eulophidae]
<i>Trypoxylon formosicola</i> abb. <i>calcaralis</i> Strand, 1922	<i>Trypoxylon formosicola</i> Strand, 1922	L	[Crabronidae]
<i>Trypoxylon formosicola</i> Strand, 1922	<i>Trypoxylon formosicola</i> Strand, 1922	L	[Crabronidae]
<i>Trypoxylon hyperorientale</i> Strand, 1922	<i>Trypoxylon hyperorientale</i> Strand, 1922	H	[Crabronidae]
<i>Trypoxylon formosicola kankauensis</i> Strand, 1922	<i>Trypoxylon takasago</i> Tsuneki, 1966	H	[Crabronidae]
<i>Trypoxylon koshunicon</i> Strand, 1922	<i>Trypoxylon koshunicon</i> Strand, 1922	H	[Crabronidae]
<i>Trypoxylon melanocorne</i> Strand, 1922	<i>Trypoxylon melanocorne</i> Strand, 1922	S	[Crabronidae]
<i>Trypoxylon gracilescens</i> var. <i>petioloides</i> Strand, 1922	<i>Trypoxylon petioloides</i> Strand, 1922	L	[Crabronidae]
<i>Trypoxylon puttalamum</i> Strand, 1922	<i>Trypoxylon puttalamum</i> Strand, 1922	L	[Crabronidae]
<i>Trypoxylon pileatum</i> var. <i>subpileatum</i> Strand, 1922	<i>Trypoxylon schmiedeknechtii</i> Kohl, 1906	L	[Crabronidae]
<i>Trypoxylon tainanense</i> Strand, 1923	<i>Trypoxylon tainanense</i> Strand, 1923	L	[Crabronidae]
<i>Tumidiclava minuscula</i> Nowicki, 1940	<i>Tumidiclava minuscula</i> Nowicki, 1940	S	[Trichogrammatidae]
<i>Typhlomymex schmidti</i> Menozzi, 1927	<i>Typhlomymex schmidti</i> Menozzi, 1927	H	[Formicidae]
<i>Typhlopone clausii</i> Joseph, 1882	<i>Typhlopone clausii</i> Joseph, 1882	S	[Formicidae]
<i>Vespa affinis</i> var. <i>continentalis</i> Bequaert, 1936	<i>Vespa affinis continentalis</i> Bequaert, 1936	P	[Vespidae]
<i>Vespa tropica</i> var. <i>haematodes</i> Bequaert, 1936	<i>Vespa tropica haematodes</i> Bequaert, 1936	P	[Vespidae]
<i>Vollenhovia overbecki</i> Viehmeyer, 1916	<i>Vollenhovia overbecki</i> Viehmeyer, 1916	S	[Formicidae]
<i>Vrestovia clypealis</i> Boucek, 1961	<i>Vrestovia clypealis</i> Boucek, 1961	P	[Pteromalidae]
<i>Waldheimia atra</i> Konow, 1904	<i>Waldheimia erebus atra</i> Konow, 1904	L	[Symphyta]
<i>Waldheimia duccei</i> Konow, 1908	<i>Waldheimia duccei</i> Konow, 1908	L	[Symphyta]
<i>Waldheimia fusicornis</i> Konow, 1908	<i>Waldheimia fusicornis</i> Konow, 1908	L	[Symphyta]
<i>Waldheimia galerita</i> Konow, 1904	<i>Waldheimia galerita</i> Konow, 1904	H	[Symphyta]
<i>Waldheimia pellucida</i> Konow, 1904	<i>Waldheimia pellucida</i> Konow, 1904	H	[Symphyta]
<i>Waldheimia separ</i> Konow, 1908	<i>Waldheimia separ</i> Konow, 1908	H	[Symphyta]
<i>Waldheimia wagneri</i> Konow, 1908	<i>Waldheimia wagneri</i> Konow, 1908	L	[Symphyta]
<i>Xanthopimpla annulata</i> Cushman, 1925	<i>Xanthopimpla annulata</i> Cushman, 1925	H	[Ichneumonidae]
<i>Xanthopimpla brevicauda</i> Cushman, 1925	<i>Xanthopimpla brevicauda</i> Cushman, 1925	H	[Ichneumonidae]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
<i>Xanthopimpla calva</i> Townes & Chiu, 1970	<i>Xanthopimpla calva</i> Townes & Chiu, 1970	P	[Ichneumonidae]
<i>Xanthopimpla conica</i> Cushman, 1925	<i>Xanthopimpla conica</i> Cushman, 1925	H	[Ichneumonidae]
<i>Xanthopimpla edentangula fuscicornis</i> Townes & Chiu, 1970	<i>Xanthopimpla edentangula fuscicornis</i> Townes & Chiu, 1970	P	[Ichneumonidae]
<i>Xanthopimpla grandis</i> Cushman, 1925	<i>Xanthopimpla konowi</i> Krieger, 1899	H	[Ichneumonidae]
<i>Xanthopimpla pleuralis</i> Cushman, 1925	<i>Xanthopimpla pleuralis</i> Cushman, 1925	H	[Ichneumonidae]
<i>Xanthopimpla scamba</i> Townes & Chiu, 1970	<i>Xanthopimpla scamba</i> Townes & Chiu, 1970	P	[Ichneumonidae]
<i>Xanthopimpla verticalis</i> Townes & Chiu, 1970	<i>Xanthopimpla verticalis</i> Townes & Chiu, 1970	P	[Ichneumonidae]
<i>Xenocynips subsquamata</i> Kieffer, 1910	<i>Xenocynips subsquamata</i> Kieffer, 1910	H	[Cynipidae]
<i>Xenoschesis mordax forma lydivora</i> Strand, 1915	<i>Xenoschesis mordax lydivora</i> Strand, 1915	H	[Ichneumonidae]
<i>Xiphydria eborata</i> Konow, 1899	<i>Xiphydria camelus</i> (Linné, 1758)	H	[Symphyta]
<i>Xiphydria formosana</i> Enslin, 1911	<i>Palpixiphia formosana</i> (Enslin, 1911)	H	[Symphyta]
<i>Xiphydria funicornis</i> Konow, 1897	<i>Palpixiphia funicornis</i> (Konow, 1897)	H	[Symphyta]
<i>Xiphydria insularis</i> Rohwer, 1916	<i>Paraxiphia insularia</i> (Rohwer, 1916)	H	[Symphyta]
<i>Xiphydria paragaudis</i> Konow, 1899	<i>Eoxiphia paragaudis</i> (Konow, 1899)	H	[Symphyta]
<i>Xiphydria picta</i> Konow, 1897	<i>Xiphydria picta</i> Konow, 1897	S	[Symphyta]
<i>Xiphydria scutellata</i> Konow, 1897	<i>Xiphydria scutellata</i> Konow, 1897	H	[Symphyta]
<i>Xorides centromaculatus</i> Cushman, 1933	<i>Xorides centromaculatus</i> Cushman, 1933	H	[Ichneumonidae]
<i>Xorides immaculatus</i> Cushman, 1933	<i>Xorides immaculatus</i> Cushman, 1933	H	[Ichneumonidae]
<i>Xyela bakeri</i> Konow, 1898	<i>Xyela bakeri</i> Konow, 1898	T	[Symphyta]
<i>Xylocopa turanica armeniaca</i> Warncke, 1982	<i>Xylocopa turanica armeniaca</i> Warncke, 1982	P	[Apidae]
<i>Xylocopa bombimorpha</i> Strand, 1913	<i>Xylocopa bombimorpha</i> Strand, 1913	H	[Apidae]
<i>Xylocopa chinensis</i> Friese, 1911	<i>Xylocopa chinensis</i> Friese, 1911	R	[Apidae]
<i>Xylocopa duala</i> Strand, 1921	<i>Xylocopa duala</i> Strand, 1921	H	[Apidae]
<i>Xylocopa varipes melanotrichia</i> Strand, 1914	<i>Xylocopa varipes</i> Smith, 1854	H	[Apidae]
<i>Xylocopa pavlovskyi</i> Popov, 1935	<i>Proxylocopa pavlovskyi</i> (Popov, 1935)	P	[Apidae]
<i>Zacharops striatus</i> Uchida, 1932	<i>Charops striatus</i> Uchida, 1932	P	[Ichneumonidae]
<i>Zaglyptus formosus</i> Cushman, 1933	<i>Zaglyptus formosus</i> Cushman, 1933	H	[Ichneumonidae]
<i>Zarca pictipes</i> Konow, 1903	<i>Waldheimia pictipes</i> (Konow, 1903)	H	[Symphyta]

Nomial taxon	Current placement in SDEI collection	Type	Family group name
Zarca thoracica Konow, 1903	Waldheimia thoracica (Konow, 1903)	H	[Symphyta]
Zethus rhodesianus Soika, 1940	Zethus rhodesianus Soika, 1940	P	[Vespidae]