
<i>Ammophila aberti</i> Haldeman, 1852	2 ex.
<i>Ammophila apicalis</i> Guérin, 1835	4 ex.
<i>Ammophila armata</i> Rossi	ex.
<i>Ammophila barbara</i> Lepeletier, 1845	1 ex.
<i>Ammophila barbara judaeorum</i> Kohl, 1901	1 ex.
<i>Ammophila beniniensis</i> Palisot de Beauvois, 1806	3 ex.
<i>Ammophila beniniensis beniniensis</i> Palisot de Beauvois, 1806	6 ex.
<i>Ammophila bonaespei</i> Lepeletier, 1845	6 ex.
<i>Ammophila breviceps</i> Smith, 1856	1 ex.
<i>Ammophila campestris</i> Latreille, 1809	76 ex.
<i>Ammophila clavus atripes</i> Smith, 1852	94 ex.
<i>Ammophila conifera</i> Arnold, 1920	1 ex.
<i>Ammophila dolichocephala</i> Cameron, 1910	3 ex.
<i>Ammophila ferrugineipes</i> Lepeletier, 1845	6 ex.
<i>Ammophila gracilis</i> Lepeletier, 1845	3 ex.
<i>Ammophila gracillima</i> Taschenberg, 1869	2 ex.
<i>Ammophila heydeni</i> Dahlbom, 1845	84 ex.
<i>Ammophila horni</i> Schulthess, 1927	1 ex.
<i>Ammophila hungarica</i> Mocsáry, 1883	8 ex.
<i>Ammophila infesta</i> Smith, 1873	1 ex.
<i>Ammophila insignis</i> Smith, 1856	4 ex.
<i>Ammophila insignis litoralis</i> Arnold, 1920	2 ex.
<i>Ammophila kennedyi</i> Murray, 1938	1 ex.
<i>Ammophila laevigata</i> Smith, 1856	2 ex.
<i>Ammophila macra</i> Cresson, 1865	2 ex.
<i>Ammophila nasuta</i> Lepeletier, 1845	3 ex.
<i>Ammophila nigricans</i> Dahlbom, 1843	6 ex.
<i>Ammophila peringueyi</i> Arnold, 1928	1 ex.
<i>Ammophila placida</i> Smith, 1856	3 ex.
<i>Ammophila procera</i> Dahlbom, 1843	2 ex.
<i>Ammophila pubescens</i> Curtis, 1829	68 ex.
<i>Ammophila punctaticeps</i> Arnold, 1920	3 ex.
<i>Ammophila rubripes</i> Spinola, 1838	1 ex.
<i>Ammophila rufipes</i> Guérin, 1831	2 ex.
<i>Ammophila sabulosa</i> Linné, 1758	290 ex.
<i>Ammophila saussurei</i> Buysson, 1897	5 ex.
<i>Ammophila</i> sp.	1 ex.
<i>Ammophila subassimilis</i> Strand, 1913	10 ex.
<i>Ammophila terminata</i> Smith, 1856	1 ex.
<i>Ammophila terminata mocsaryi</i> Frivaldszky, 1876	22 ex.
<i>Ammophila urnaria</i> Dahlbom, 1843	10 ex.
<i>Ammophila vulcania</i> Buysson, 1897	5 ex.
<i>Ammophila wahlbergi</i> Dahlbom, 1845	1 ex.
<i>Ammophila wrightii</i> Cresson, 1868	2 ex.
<i>Bembecinus cyprius</i> Beaumont, 1954	1 ex.
<i>Chalybion bengalense</i> Dahlbom, 1845	39 ex.
<i>Chalybion bocandei</i> Spinola, 1851	4 ex.

<i>Chalybion californicum</i> Saussure, 1867	4 ex.
<i>Chalybion clypeatum</i> Fairmaire, 1858	1 ex.
<i>Chalybion fuscum</i> Lepeletier, 1845	1 ex.
<i>Chalybion japonicum</i> Gribodo, 1883	38 ex.
<i>Chalybion laevigatum</i> Kohl, 1888	10 ex.
<i>Chalybion madecassum</i> Gribodo, 1883	1 ex.
<i>Chalybion malignum</i> Kohl, 1906	1 ex.
<i>Chalybion omissum</i> Kohl, 1889	3 ex.
<i>Chalybion spinolae</i> Lepeletier, 1845	9 ex.
<i>Chalybion tibiale</i> Fabricius, 1781	1 ex.
<i>Chilosphex argyrius</i> Brullé, 1833	1 ex.
<i>Chlorion aerarium</i> Patton, 1879	1 ex.
<i>Chlorion cyaneum</i> Dahlbom, 1843	5 ex.
<i>Chlorion hemiprasinum</i> Sichel, 1863	2 ex.
<i>Chlorion lobatum</i> Fabricius, 1775	7 ex.
<i>Chlorion maxillosum ciliatum</i> Fabricius, 1787	15 ex.
<i>Chlorion regale</i> Smith, 1873	1 ex.
<i>Chlorion viridocoeruleum</i> Lepeletier & Serville, 1828	7 ex.
<i>Dynatus nigripes</i> Westwood, 1832	2 ex.
<i>Dynatus nigripes spinolae</i> Lepeletier, 1845	3 ex.
<i>Eremnophila aureonotata</i> Cameron, 1888	10 ex.
<i>Eremnophila melanaria</i> Dahlbom, 1843	5 ex.
<i>Eremochares dives</i> Brullé, 1833	5 ex.
<i>Eremochares luteus</i> Taschenberg, 1869	2 ex.
<i>Hoplammophila aemulans</i> Kohl, 1901	1 ex.
<i>Hoplammophila clypeata</i> Mocsáry, 1883	2 ex.
<i>Isodontia apicalis</i> Smith, 1856	2 ex.
<i>Isodontia auripes</i> Fernald, 1906	3 ex.
<i>Isodontia auripygata</i> Strand, 1913	2 ex.
<i>Isodontia cyanipennis</i> Fabricius, 1793	1 ex.
<i>Isodontia formosicola</i> Strand, 1913	3 ex.
<i>Isodontia longiventris</i> Saussure, 1867	1 ex.
<i>Isodontia nigelloides</i> Strand, 1915	1 ex.
<i>Isodontia obscurella</i> Smith, 1856	3 ex.
<i>Isodontia paludosa</i> Rossi, 1790	4 ex.
<i>Isodontia pelopoeiformis</i> Dahlbom, 1845	5 ex.
<i>Isodontia simoni</i> Buysson, 1898	2 ex.
<i>Isodontia splendidula</i> Costa, 1858	2 ex.
<i>Isodontia stanleyi</i> Kohl, 1890	4 ex.
<i>Palmodes dimidiatus</i> Degeer, 1773	1 ex.
<i>Palmodes occitanicus</i> Lepeletier & Serville, 1828	4 ex.
<i>Palmodes occitanicus syriacus</i> Mocsáry, 1881	1 ex.
<i>Palmodes strigulosus</i> Costa, 1858	1 ex.
<i>Parapsammophila ludovicus</i> Smith, 1856	3 ex.
<i>Penepodium albavillosum</i> Cameron, 1888	1 ex.
<i>Penepodium egregium</i> Saussure, 1867	1 ex.
<i>Penepodium haematogastrum</i> Spinola, 1851	1 ex.

<i>Penepodium luteipenne</i> Fabricius, 1804	1 ex.
<i>Penepodium taschenbergi</i> Kohl, 1902	1 ex.
<i>Penepodium triste</i> Kohl, 1902	1 ex.
<i>Podalonia affinis</i> Kirby, 1798	139 ex.
<i>Podalonia alpina</i> Kohl, 1888	7 ex.
<i>Podalonia canescens</i> Dahlbom, 1843	20 ex.
<i>Podalonia dispar</i> Taschenberg, 1869	1 ex.
<i>Podalonia ebenina</i> Spinola, 1839	1 ex.
<i>Podalonia fera</i> Lepeletier, 1845	9 ex.
<i>Podalonia hirsuta</i> Scopoli, 1763	211 ex.
<i>Podalonia hirsuta mervensis</i> Radoszkowsky, 1887	2 ex.
<i>Podalonia luffi</i> Saunders, 1903	23 ex.
<i>Podalonia mauritanica</i> Mercet, 1906	4 ex.
<i>Podalonia minax</i> Kohl, 1901	7 ex.
<i>Podalonia</i> sp.	3 ex.
<i>Podalonia tydei</i> Le Guillou, 1841	22 ex.
<i>Podalonia tydei suspiciosa</i> Smith, 1856	2 ex.
<i>Podalonia violaceipennis</i> Lepeletier, 1845	2 ex.
<i>Podium agile</i> Kohl, 1902	1 ex.
<i>Prionyx atratus</i> Lepeletier, 1845	9 ex.
<i>Prionyx bifoveolatus</i> Taschenberg, 1869	7 ex.
<i>Prionyx chilensis</i> Spinola, 1851	3 ex.
<i>Prionyx crudelis</i> Smith, 1856	2 ex.
<i>Prionyx fervens</i> Linné, 1758	1 ex.
<i>Prionyx globosus</i> Smith, 1856	2 ex.
<i>Prionyx indus</i> Linné, 1758	1 ex.
<i>Prionyx kirbii</i> Van der Linden, 1827	14 ex.
<i>Prionyx kirbii marginatus</i> Smith, 1856	7 ex.
<i>Prionyx neoxenus</i> Kohl, 1890	8 ex.
<i>Prionyx nudatus</i> Kohl, 1885	3 ex.
<i>Prionyx pumilio</i> Taschenberg, 1869	4 ex.
<i>Prionyx sirdariensis</i> Radoszkowsky, 1877	1 ex.
<i>Prionyx stschurowskii</i> Radoszkowsky, 1877	1 ex.
<i>Prionyx subfuscatus</i> Dahlbom, 1845	13 ex.
<i>Prionyx thomae</i> Fabricius, 1771	4 ex.
<i>Prionyx viduatus</i> Christ, 1791	8 ex.
<i>Sceliphron asiaticum</i> Linné, 1758	34 ex.
<i>Sceliphron asiaticum chilensis</i> Spinola, 1851	5 ex.
<i>Sceliphron assimile</i> Dahlbom, 1843	3 ex.
<i>Sceliphron caementarium</i> Drury, 1773	32 ex.
<i>Sceliphron coromandelicum</i> Lepeletier, 1845	3 ex.
<i>Sceliphron curvatum</i> Smith, 1870	2 ex.
<i>Sceliphron deforme</i> Smith, 1856	16 ex.
<i>Sceliphron destillatorium</i> Illiger, 1807	46 ex.
<i>Sceliphron fistularium</i> Dahlbom, 1843	23 ex.
<i>Sceliphron jamaicense</i> Fabricius, 1775	2 ex.
<i>Sceliphron javanum</i> Lepeletier, 1845	3 ex.

Sceliphron javanum benignum Smith, 1859	7 ex.
Sceliphron javanum nalandicum Strand, 1915	2 ex.
Sceliphron laetum Smith, 1856	5 ex.
Sceliphron madraspatanum Fabricius, 1781	39 ex.
Sceliphron madraspatanum tubifex Latreille, 1809	15 ex.
Sceliphron quartinae Gribodo, 1884	1 ex.
Sceliphron spirifex Linné, 1758	76 ex.
Sphex argentatus Fabricius, 1787	25 ex.
Sphex argentatus fumosus Kohl, 1890	1 ex.
Sphex argentinus Taschenberg, 1869	1 ex.
Sphex bohemanni Dahlbom, 1845	2 ex.
Sphex brasiliensis Saussure, 1867	1 ex.
Sphex caliginosus Erichson, 1848	8 ex.
Sphex castaneipes Dahlbom, 1843	1 ex.
Sphex cinerascens Dahlbom, 1843	1 ex.
Sphex cognatus Smith, 1856	3 ex.
Sphex cubensis Fernald, 1906	1 ex.
Sphex diabolicus Smith, 1858	6 ex.
Sphex ermineus Kohl, 1890	1 ex.
Sphex erythraeus Pallas, 1773	1 ex.
Sphex finschii Kohl, 1890	4 ex.
Sphex flavipennis Fabricius, 1793	20 ex.
Sphex fumicatus Christ, 1791	1 ex.
Sphex fumipennis Smith, 1856	1 ex.
Sphex funerarius Gussakovskij, 1934	76 ex.
Sphex haemorrhoidalis Fabricius, 1781	12 ex.
Sphex haemorrhoidalis umtalicus Strand, 1916	1 ex.
Sphex ichneumoneus Linné, 1758	49 ex.
Sphex ingens Smith, 1856	1 ex.
Sphex lanatus Mocsáry, 1883	5 ex.
Sphex latreillei Lepeletier, 1831	16 ex.
Sphex latro Erichson, 1848	4 ex.
Sphex leuconotus Brullé, 1833	6 ex.
Sphex luctuosus Smith, 1856	4 ex.
Sphex madasummae Vecht, 1973	10 ex.
Sphex melanopus Dahlbom, 1843	2 ex.
Sphex nigrohirtus Kohl, 1895	3 ex.
Sphex nitidiventris Spinola, 1851	2 ex.
Sphex opacus Dahlbom, 1845	4 ex.
Sphex pennsylvanicus Linné, 1763	6 ex.
Sphex praedator Smith, 1859	1 ex.
Sphex praedator luteipennis Mocsáry, 1883	3 ex.
Sphex pruinosus Germar, 1817	3 ex.
Sphex rufiscutis Turner, 1918	2 ex.
Sphex satanas Kohl, 1898	1 ex.
Sphex sericeus lineolus Lepeletier, 1845	2 ex.
Sphex sericeus sericeus Fabricius, 1804	51 ex.

<i>Sphex servillei</i> Lepeletier, 1845	5 ex.
<i>Sphex</i> sp.	3 ex.
<i>Sphex subtruncatus</i> Dahlbom, 1843	21 ex.
<i>Sphex texanus</i> Cresson, 1872	2 ex.
<i>Sphex tomentosus</i> Fabricius, 1787	6 ex.
<i>Sphex torridus</i> Smith, 1873	1 ex.
<i>Stangeella cyaniventris</i> Guérin, 1831	5 ex.