

<i>Abeleses coeruleus</i> Rohwer, 1916	1 ex.
<i>Abeleses formosanus</i> Enslin, 1911	1 ex.
<i>Abeleses formosanus notatus</i> Rohwer, 1916	2 ex.
<i>Abia aenea</i> (Klug, 1829)	18 ex.
<i>Abia americana</i> (Cresson, 1880)	1 ex.
<i>Abia aurulenta</i> Sichel, 1856	19 ex.
<i>Abia candens</i> Konow, 1887	18 ex.
<i>Abia fasciata</i> (Linné, 1758)	57 ex.
<i>Abia fulgens</i> Zaddach, 1863	21 ex.
<i>Abia gribodoi</i> Konow, 1895	1 ex.
<i>Abia gussakovskii</i> (Semenov, 1935)	1 ex.
<i>Abia hungarica</i> Mocsáry, 1883	2 ex.
<i>Abia imperialis</i> W. F. Kirby, 1882	1 ex.
<i>Abia inflata</i> Norton, 1861	1 ex.
<i>Abia kozhevnikovi</i> Zhelochovtsev, 1924	1 ex.
<i>Abia metallica</i> Mocsáry, 1909	2 ex.
<i>Abia mutica</i> C. G. Thomson, 1871	4 ex.
<i>Abia nitens</i> (Linné, 1758)	32 ex.
<i>Abia sericea</i> (Linné, 1767)	79 ex.
<i>Abia spec.</i>	2 ex.
<i>Abia spissicornis</i> Konow, 1902	2 ex.
<i>Abia zhelochovtzevi</i> (Gussakovskij, 1947)	1 ex.
<i>Abusarbia shanibia</i> Malaise, 1944	2 ex.
<i>Abusarbidea infuscata</i> Wei & Nie, 1999	1 ex.
<i>Acantholyda abdominalis</i> (Norton, 1862)	1 ex.
<i>Acantholyda brunnicans</i> (Norton, 1864)	3 ex.
<i>Acantholyda erythrocephala</i> (Linné, 1758)	25 ex.
<i>Acantholyda flaviceps</i> (Retzius, 1783)	3 ex.
<i>Acantholyda hieroglyphica</i> (Christ, 1791)	5 ex.
<i>Acantholyda intermedia</i> Maa, 1949	5 ex.
<i>Acantholyda laricis</i> (Giraud, 1861)	3 ex.
<i>Acantholyda posticalis</i> Matsumura, 1912	55 ex.
<i>Acantholyda posticalis pinivora</i> Enslin, 1918	6 ex.
<i>Acantholyda pumilionis</i> (Giraud, 1861)	6 ex.
<i>Acantholyda sasakii</i> (Yano, 1916)	1 ex.
<i>Acantholyda serbica</i> Vasic, 1962	1 ex.
<i>Acantholyda tessellata</i> Klug, 1808	1 ex.
<i>Acantholyda xiaoi</i> Shinohara, 2000	4 ex.
<i>Acidiophora decora</i> Konow, 1899	2 ex.
<i>Acidiophora konowi</i> D. R. Smith, 1972	1 ex.
<i>Acordulecera arcticornis</i> (Konow, 1903)	2 ex.
<i>Acordulecera bigrammata</i> (Konow, 1906)	2 ex.
<i>Acordulecera calceolata</i> (Konow, 1906)	1 ex.
<i>Acordulecera cervicata</i> (Konow, 1906)	2 ex.
<i>Acordulecera cestata</i> (Konow, 1906)	1 ex.
<i>Acordulecera dorsalis</i> Say, 1836	11 ex.
<i>Acordulecera globulicornis</i> (Konow, 1903)	2 ex.

<i>Acordulecera gregalis</i> (Konow, 1906)	1 ex.
<i>Acordulecera illota</i> (Konow, 1906)	1 ex.
<i>Acordulecera ingloria</i> (Konow, 1906)	1 ex.
<i>Acordulecera inquinata</i> (Konow, 1903)	2 ex.
<i>Acordulecera insignis</i> (Konow, 1903)	2 ex.
<i>Acordulecera liturata</i> (Konow, 1906)	1 ex.
<i>Acordulecera longimanus</i> (Konow, 1899)	1 ex.
<i>Acordulecera mellina</i> MacGillivray, 1908	26 ex.
<i>Acordulecera nigricoma</i> (Konow, 1903)	2 ex.
<i>Acordulecera pallida</i> (Konow, 1906)	1 ex.
<i>Acordulecera pellucida</i> (Konow, 1898)	1 ex.
<i>Acordulecera pupula</i> (Konow, 1903)	1 ex.
<i>Acordulecera ricata</i> (Konow, 1906)	1 ex.
<i>Acordulecera rudis</i> (Konow, 1906)	1 ex.
<i>Acordulecera russata</i> (Konow, 1906)	2 ex.
<i>Acordulecera spathulata</i> (Konow, 1906)	1 ex.
<i>Acordulecera stigmatica</i> (Konow, 1906)	1 ex.
<i>Acordulecera tegularis</i> (Konow, 1906)	1 ex.
<i>Acordulecera thoracalis</i> (Konow, 1906)	2 ex.
<i>Acordulecera trux</i> (Konow, 1899)	1 ex.
<i>Acordulecera ventralis</i> (Konow, 1898)	1 ex.
<i>Acordulecera vericulata</i> (Konow, 1899)	3 ex.
<i>Acrogymnia coxalis</i> (Konow, 1906)	2 ex.
<i>Acrogymnia pauxilla</i> (Konow, 1906)	1 ex.
<i>Acrogymnia scutimacula</i> Malaise, 1942	1 ex.
<i>Acrogymnia transtillata</i> (Konow, 1906)	1 ex.
<i>Adamas jakowleffi</i> (Konow, 1897)	4 ex.
<i>Adiaclema adustum</i> Konow, 1899	1 ex.
<i>Adiaclema batesi</i> (W. F. Kirby, 1882)	2 ex.
<i>Adiaclema discrepans</i> (Konow, 1899)	1 ex.
<i>Adiaclema marcida</i> (Konow, 1899)	2 ex.
<i>Adiaclema nobile</i> Konow, 1900	2 ex.
<i>Adiaclema sagmaria</i> (Konow, 1899)	9 ex.
<i>Adiaclema</i> sp.	1 ex.
<i>Adiaclema tarsalis</i> (Konow, 1899)	2 ex.
<i>Adiaclema tetrica</i> (Konow, 1908)	1 ex.
<i>Adurgoa gonagra</i> (Klug, 1834)	3 ex.
<i>Adurgoa mamillata</i> (Konow, 1906)	2 ex.
<i>Agenocimbex maculatus</i> (Marlatt, 1898)	1 ex.
<i>Aglaostigma albicinctum</i> (Takeuchi, 1949)	3 ex.
<i>Aglaostigma alboplagiatum</i> Lacourt, 1998	2 ex.
<i>Aglaostigma alpinum</i> C. G. Thomson, 1871	1 ex.
<i>Aglaostigma amoorense</i> (Cameron, 1876)	4 ex.
<i>Aglaostigma aucupariae</i> (Klug, 1817)	260 ex.
<i>Aglaostigma bicolor</i> Wei, 2002	1 ex.
<i>Aglaostigma brevinervis</i> Wei, 2002	1 ex.
<i>Aglaostigma discolor</i> (Klug, 1817)	43 ex.

<i>Aglaostigma elegans</i> Wei	2 ex.
<i>Aglaostigma fulvipes</i> (Scopoli, 1763)	306 ex.
<i>Aglaostigma helvicinctum</i> Togashi, 1970	1 ex.
<i>Aglaostigma karenkonis</i> Takeuchi, 1929	2 ex.
<i>Aglaostigma langei</i> (Konow, 1894)	17 ex.
<i>Aglaostigma lichtwardti</i> (Konow, 1892)	73 ex.
<i>Aglaostigma melanogaster</i> Wei, 2002	2 ex.
<i>Aglaostigma nebulosum</i> (Ed. André, 1881)	14 ex.
<i>Aglaostigma nigrocorne</i> Wei, 1998	1 ex.
<i>Aglaostigma occipitosum</i> (Malaise, 1931)	4 ex.
<i>Aglaostigma pieli</i> Takeuchi, 1938	2 ex.
<i>Aglaostigma pingue</i> (Klug, 1817)	4 ex.
<i>Aglaostigma qinlingium</i> Wei, 1998	2 ex.
<i>Aglaostigma quattuordecimpunctatum</i> (Norton, 1862)	3 ex.
<i>Aglaostigma rubens</i> (Cresson, 1880)	5 ex.
<i>Aglaostigma ruficorne</i> (Malaise, 1937)	3 ex.
<i>Aglaostigma scutellare</i> Wei & Nie, 1999	2 ex.
<i>Aglaostigma semiluteum</i> (Norton, 1862)	49 ex.
<i>Aglaostigma sessilium</i> Wei, 1998	1 ex.
<i>Aglaostigma sinense</i> Malaise, 1945	2 ex.
<i>Aglaostigma tertium</i> Zinovjev, 1994	19 ex.
<i>Aglaostigma veedee</i> Ross, 1943	ex.
<i>Allantus barbarus</i> (Ed. André, 1881)	2 ex.
<i>Allantus basalis</i> (Klug, 1818)	18 ex.
<i>Allantus calceatus</i> (Klug, 1818)	106 ex.
<i>Allantus calliblepharus</i> (Konow, 1900)	4 ex.
<i>Allantus cinctus</i> (Linné, 1758)	374 ex.
<i>Allantus cingillum</i> (Klug, 1818)	9 ex.
<i>Allantus cingulatus</i> (Scopoli, 1763)	116 ex.
<i>Allantus coryli</i> (Stritt, 1937)	7 ex.
<i>Allantus coxalis</i> (Klug, 1818)	6 ex.
<i>Allantus didymus</i> (Klug, 1818)	151 ex.
<i>Allantus geminus</i> (Konow, 1891)	3 ex.
<i>Allantus koschevnikovi</i> (Konow, 1905)	1 ex.
<i>Allantus laticinctus</i> (Serville, 1823)	120 ex.
<i>Allantus luctifer</i> F. Smith, 1874	1 ex.
<i>Allantus luctifer melanocoxa</i> (Rohwer, 1916)	21 ex.
<i>Allantus melanarius</i> (Klug, 1818)	15 ex.
<i>Allantus mellipes</i> (Norton, 1867)	16 ex.
<i>Allantus nigriritibialis</i> Rohwer, 1911	1 ex.
<i>Allantus nigrocaeruleus</i> (F. Smith, 1874)	8 ex.
<i>Allantus ruficeps</i> (Konow, 1899)	3 ex.
<i>Allantus rufocinctus</i> (Retzius, 1783)	112 ex.
<i>Allantus</i> sp.	1 ex.
<i>Allantus togatus</i> (Panzer, 1801)	17 ex.
<i>Allantus truncatoides</i> Koch, 1988	1 ex.
<i>Allantus truncatus</i> (Klug, 1818)	57 ex.

<i>Allantus viennensis</i> (Schrank, 1781)	11 ex.
<i>Allantus xanthopygus</i> (Klug, 1818)	1 ex.
<i>Allomorpha incisa</i> Cameron, 1876	1 ex.
<i>Allomorpha nigriceps</i> Wei, 1997	2 ex.
<i>Allomorpha tibialis</i> Wei, 1997	2 ex.
<i>Alloelandria indobirmana</i> Malaise, 1944	20 ex.
<i>Alphastromboceros konowi</i> (Jakovlev, 1891)	114 ex.
<i>Amauronematus abnormis</i> (Holmgren, 1883)	2 ex.
<i>Amauronematus aeger</i> Konow, 1895	1 ex.
<i>Amauronematus alpicola</i> Konow, 1895	2 ex.
<i>Amauronematus amentorum</i> (Förster, 1854)	9 ex.
<i>Amauronematus amplus</i> Konow, 1895	29 ex.
<i>Amauronematus anthracinus</i> Lindqvist, 1959	1 ex.
<i>Amauronematus berolinensis</i> (Muche, 1971)	8 ex.
<i>Amauronematus boreoalpinus</i> (Lindqvist, 1961)	1 ex.
<i>Amauronematus fasciatus</i> Konow, 1897	1 ex.
<i>Amauronematus hebes</i> Konow, 1907	1 ex.
<i>Amauronematus helleni</i> Lindqvist, 1941	1 ex.
<i>Amauronematus histrio</i> (Serville, 1823)	17 ex.
<i>Amauronematus humeralis</i> (Serville, 1823)	11 ex.
<i>Amauronematus intermedius</i> Malaise, 1931	6 ex.
<i>Amauronematus krausi</i> Taeger & Blank, 1998	16 ex.
<i>Amauronematus lateralis</i> Konow, 1896	10 ex.
<i>Amauronematus latiserra</i> (Malaise, 1921)	2 ex.
<i>Amauronematus leucolenus</i> Brischke, 1883	1 ex.
<i>Amauronematus lindqvisti</i> Hellén, 1951	2 ex.
<i>Amauronematus longiserra</i> (C. G. Thomson, 1862)	4 ex.
<i>Amauronematus miltonotus</i> (Zaddach, 1883)	4 ex.
<i>Amauronematus mimus</i> Schmidt, 1997	4 ex.
<i>Amauronematus mundus</i> Konow, 1895	5 ex.
<i>Amauronematus opacipleuris</i> Konow, 1895	2 ex.
<i>Amauronematus pallicercus</i> (Hartig, 1837)	11 ex.
<i>Amauronematus poppii</i> Konow, 1904	2 ex.
<i>Amauronematus puniceus</i> (Christ, 1791)	2 ex.
<i>Amauronematus rufus</i> Konow, 1896	3 ex.
<i>Amauronematus sagmarius</i> Konow, 1895	2 ex.
<i>Amauronematus saliciphagus</i> Wei	1 ex.
<i>Amauronematus semilacteus</i> (Zaddach, 1883)	5 ex.
<i>Amauronematus sempersolis</i> Kiaer, 1898	1 ex.
<i>Amauronematus spaethi</i> Liston, 2005	6 ex.
<i>Amauronematus spec.</i>	4 ex.
<i>Amauronematus stenogaster</i> (Förster, 1854)	30 ex.
<i>Amauronematus striatus</i> Hartig, 1837	0 ex.
<i>Amauronematus subfuscus</i> Schmidt, 1997	1 ex.
<i>Amauronematus toeniatus</i> (Serville, 1823)	3 ex.
<i>Amauronematus tunicatus</i> (Zaddach, 1883)	3 ex.
<i>Amauronematus varians</i> Lindqvist, 1962	1 ex.

<i>Amauronematus variator</i> (Ruthe, 1859)	1 ex.
<i>Amauronematus viduatinus</i> Malaise, 1931	1 ex.
<i>Amauronematus viduatus</i> (Zetterstedt, 1838)	23 ex.
<i>Amauronematus vittatus</i> (Serville, 1823)	15 ex.
<i>Ametastegia alabastria</i> (Konow, 1898)	3 ex.
<i>Ametastegia albipes</i> (C. G. Thomson, 1871)	16 ex.
<i>Ametastegia aperta</i> (Norton, 1861)	2 ex.
<i>Ametastegia armillata</i> (Konow, 1905)	1 ex.
<i>Ametastegia articulata</i> (Klug, 1818)	8 ex.
<i>Ametastegia carpini</i> (Hartig, 1837)	83 ex.
<i>Ametastegia coreana</i> Takeuchi, 1927	2 ex.
<i>Ametastegia equiseti</i> (Fallén, 1808)	247 ex.
<i>Ametastegia formosana</i> (Rohwer, 1916)	19 ex.
<i>Ametastegia genata</i> Wei, 1997	2 ex.
<i>Ametastegia glabrata</i> (Fallén, 1808)	166 ex.
<i>Ametastegia lacteilabris</i> (A. Costa, 1894)	1 ex.
<i>Ametastegia leucotarsis</i> Wei, 1999	1 ex.
<i>Ametastegia pallipes</i> (Spinola, 1808)	156 ex.
<i>Ametastegia perla</i> (Klug, 1818)	6 ex.
<i>Ametastegia pulchella</i> Rohwer, 1911	41 ex.
<i>Ametastegia recens</i> (Say, 1836)	8 ex.
<i>Ametastegia sauteri</i> (Rohwer, 1916)	4 ex.
<i>Ametastegia sinica</i> Wei, 1998	2 ex.
<i>Ametastegia tenera</i> (Fallén, 1808)	135 ex.
<i>Anapeptamena albipes</i> Konow, 1898	1 ex.
<i>Anathulea fatima</i> (W. F. Kirby, 1882)	0 ex.
<i>Anathulea nigriceps</i> (Konow, 1900)	1 ex.
<i>Andeana farcta</i> (Konow, 1900)	7 ex.
<i>Aneugmenus carinifrons</i> (Malaise, 1931)	2 ex.
<i>Aneugmenus cenchrus</i> Wei, 1997	6 ex.
<i>Aneugmenus coronatus</i> (Klug, 1818)	61 ex.
<i>Aneugmenus flavipes</i> (Norton, 1862)	38 ex.
<i>Aneugmenus fuerstenbergensis</i> (Konow, 1885)	4 ex.
<i>Aneugmenus impressus</i> (Konow, 1894)	3 ex.
<i>Aneugmenus japonicus</i> Rohwer, 1910	2 ex.
<i>Aneugmenus kiotonis</i> Takeuchi, 1910	2 ex.
<i>Aneugmenus nigrofemoratus</i> Wei	2 ex.
<i>Aneugmenus oertzeni</i> (Konow, 1887)	3 ex.
<i>Aneugmenus padi</i> (Linné, 1761)	91 ex.
<i>Aneugmenus pteridii</i> Malaise, 1944	1 ex.
<i>Aneugmenus temporalis</i> (C. G. Thomson, 1871)	9 ex.
<i>Anisoarthra major</i> Wei, 1997	1 ex.
<i>Anoplonyx apicalis</i> (Brischke, 1883)	8 ex.
<i>Anoplonyx destructor</i> Benson, 1952	4 ex.
<i>Anoplonyx lariciphagus</i> (Zaddach, 1883)	4 ex.
<i>Anoplonyx ovatus</i> (Zaddach, 1883)	8 ex.
<i>Anoplonyx spec.</i>	2 ex.

<i>Anoplonyx versicolor</i> Vikberg, 1975	2 ex.
<i>Antholcus varinervius</i> (Spinola, 1851)	3 ex.
<i>Apareophora stenotheca</i> Wei, 1997	2 ex.
<i>Apethymus apicalis</i> (Klug, 1818)	7 ex.
<i>Apethymus cereus</i> (Klug, 1818)	33 ex.
<i>Apethymus filiformis</i> (Klug, 1818)	35 ex.
<i>Apethymus kolthoffi</i> Forsius, 1927	2 ex.
<i>Apethymus pleuritanus</i> Wei, 1999	2 ex.
<i>Apethymus serotinus</i> (O. F. Müller, 1776)	23 ex.
<i>Apethymus xanthotibialis</i> Wei, 2007	1 ex.
<i>Aphilodyctium fidum</i> (Cresson, 1880)	10 ex.
<i>Aprosthemata austriacum</i> (Konow, 1892)	4 ex.
<i>Aprosthemata axillare</i> (Zaddach, 1863)	1 ex.
<i>Aprosthemata ballioni</i> (Konow, 1892)	1 ex.
<i>Aprosthemata bifidum</i> (Klug, 1834)	1 ex.
<i>Aprosthemata bifurca</i> (Klug, 1834)	1 ex.
<i>Aprosthemata brevicorne</i> (Fallén, 1808)	1 ex.
<i>Aprosthemata brunniventre</i> Cresson, 1880	3 ex.
<i>Aprosthemata fuscicornis</i> C. G. Thomson, 1871	4 ex.
<i>Aprosthemata humeratum</i> (Konow, 1892)	1 ex.
<i>Aprosthemata hyalinopterum</i> Conde, 1934	3 ex.
<i>Aprosthemata instratum</i> (Zaddach, 1859)	4 ex.
<i>Aprosthemata instratum obscuripes</i> Konow, 1896	2 ex.
<i>Aprosthemata maculatum albipenne</i> (Konow, 1891)	2 ex.
<i>Aprosthemata maculatum maculatum</i> (Jurine, 1807)	14 ex.
<i>Aprosthemata melanurum</i> (Klug, 1814)	10 ex.
<i>Aprosthemata parvulum</i> (Konow, 1895)	1 ex.
<i>Aprosthemata peletieri</i> (Villaret, 1832)	3 ex.
<i>Aprosthemata peletieri melanopterum</i> Muche, 1972	2 ex.
<i>Aprosthemata simile</i> (Konow, 1892)	1 ex.
<i>Aprosthemata spec.</i>	3 ex.
<i>Aprosthemata staudingeri staudingeri</i> (Konow, 1895)	4 ex.
<i>Aprosthemata tardum</i> (Klug, 1814)	14 ex.
<i>Arcoclypea pipara</i> (Konow, 1908)	1 ex.
<i>Ardis pallipes</i> (Serville, 1823)	33 ex.
<i>Ardis sulcata</i> Cameron, 1882	5 ex.
<i>Arge abdominalis</i> (Leach, 1817)	2 ex.
<i>Arge accliviceps</i> Konow, 1906	1 ex.
<i>Arge albocincta</i> (Cameron, 1876)	1 ex.
<i>Arge annulata</i> Konow, 1891	2 ex.
<i>Arge annulipes</i> (Klug, 1834)	1 ex.
<i>Arge aurata</i> (Zaddach, 1864)	3 ex.
<i>Arge auripennis</i> Konow, 1891	1 ex.
<i>Arge baishanzua</i> Wei, 1995	1 ex.
<i>Arge beckeri</i> (Tournier, 1889)	4 ex.
<i>Arge berberidis</i> Schrank, 1802	137 ex.
<i>Arge bicolorata</i> (Klug, 1814)	3 ex.

<i>Arge bisignata</i> Konow, 1907	1 ex.
<i>Arge braunsi</i> Konow, 1904	3 ex.
<i>Arge bucharica</i> Gussakovskij, 1947	7 ex.
<i>Arge captiva</i> (F. Smith, 1874)	2 ex.
<i>Arge caucasica</i> Tournier, 1889	8 ex.
<i>Arge chalybea</i> (Konow, 1907)	1 ex.
<i>Arge cheni</i> Wei, 1999	1 ex.
<i>Arge ciliaris</i> (Linné, 1767)	38 ex.
<i>Arge cingulata</i> Jakovlev, 1891	15 ex.
<i>Arge clavantennata</i> Wei	2 ex.
<i>Arge clavicornis</i> (Fabricius, 1781)	47 ex.
<i>Arge coccinea</i> (Fabricius, 1804)	1 ex.
<i>Arge compar</i> Konow, 1900	5 ex.
<i>Arge cyanocrocea</i> (Forster, 1771)	203 ex.
<i>Arge dentipennis</i> Wei, 1998	2 ex.
<i>Arge dimidiata</i> (Fallén, 1808)	12 ex.
<i>Arge dirce</i> (W. F. Kirby, 1882)	1 ex.
<i>Arge dolichogenata</i> Wei & Nie, 2008	1 ex.
<i>Arge enodis</i> (Linné, 1767)	75 ex.
<i>Arge flavomixta</i> (Ed. André, 1881)	1 ex.
<i>Arge frivaldszkyi</i> (Tischbein, 1852)	13 ex.
<i>Arge fuscipennis</i> (Herrich-Schäffer, 1833)	13 ex.
<i>Arge fuscipes expansa</i> (Klug, 1834)	5 ex.
<i>Arge fuscipes fuscipes</i> (Fallén, 1808)	41 ex.
<i>Arge geei</i> Rohwer, 1912	1 ex.
<i>Arge gracilicornis</i> (Klug, 1814)	159 ex.
<i>Arge hansii</i> Forsius, 1930	3 ex.
<i>Arge hei</i> Wei, 1999	1 ex.
<i>Arge heterocarina</i> Wei	1 ex.
<i>Arge hongweii</i> Wei, 1999	1 ex.
<i>Arge huangae</i> Wei	1 ex.
<i>Arge huazhongia</i> Wei, 1998	1 ex.
<i>Arge humeralis</i> (Beauvois, 1809)	6 ex.
<i>Arge impressifrons</i> Konow, 1898	1 ex.
<i>Arge lingulopygia</i> Wei & Nie, 1998	1 ex.
<i>Arge luteiventris</i> (Cameron, 1899)	3 ex.
<i>Arge magnicornis</i> Konow, 1898	4 ex.
<i>Arge marginellia</i> Wei, 2002	1 ex.
<i>Arge megalutea</i> Wei	1 ex.
<i>Arge melanochra</i> (Gmelin, 1790)	137 ex.
<i>Arge nigrescens</i> Pasteels, 1953	1 ex.
<i>Arge nigripes</i> (Retzius, 1783)	83 ex.
<i>Arge nigripes alpina</i> (Konow, 1884)	1 ex.
<i>Arge nigrocollinia</i> Wei, 1997	1 ex.
<i>Arge nigropilosus</i> Wei	1 ex.
<i>Arge nipponensis</i> Rohwer, 1910	6 ex.
<i>Arge obtusitheca</i> Wei, 1999	1 ex.

<i>Arge ochropus</i> (Gmelin, 1790)	98 ex.
<i>Arge pagana</i> (Panzer, 1798)	182 ex.
<i>Arge petacacia</i> Konow, 1904	2 ex.
<i>Arge pilopenis</i> Wei, 2002	1 ex.
<i>Arge pleuritica</i> (Klug, 1834)	12 ex.
<i>Arge pseudosiluncula</i> Wei & Nie, 1998	1 ex.
<i>Arge pullata</i> (Zaddach, 1859)	13 ex.
<i>Arge qinlingia</i> Wei, 1998	2 ex.
<i>Arge rejecta</i> (W. F. Kirby, 1882)	1 ex.
<i>Arge rustica</i> (Linné, 1758)	147 ex.
<i>Arge sauteri</i> (Enslin, 1911)	5 ex.
<i>Arge scapularis</i> (Klug, 1814)	2 ex.
<i>Arge schulthessi</i> Konow, 1899	1 ex.
<i>Arge scita</i> (Mocsáry, 1880)	9 ex.
<i>Arge siluncula</i> Konow, 1906	2 ex.
<i>Arge similis</i> (Snellen van Vollenhoven, 1860)	5 ex.
<i>Arge simulatrix</i> Konow, 1887	4 ex.
<i>Arge sinensis</i> Wei, 2003	1 ex.
<i>Arge sjoestedti</i> Konow, 1907	1 ex.
<i>Arge sogdiana</i> Zhelochovtsev, 1976	1 ex.
<i>Arge sorbi</i> Schedl & Pschorn-Walcher, 1984	6 ex.
<i>Arge</i> sp.	2 ex.
<i>Arge stuhlmanni</i> (Kohl, 1893)	2 ex.
<i>Arge sugillata</i> (Klug, 1834)	3 ex.
<i>Arge suspicax</i> Konow, 1908	1 ex.
<i>Arge thoracica</i> (Spinola, 1808)	9 ex.
<i>Arge transvaalensis</i> Cameron, 1911	1 ex.
<i>Arge tuberculotheca</i> Wei, 1998	2 ex.
<i>Arge turanica</i> Kuznetzov-Ugamskij, 1927	1 ex.
<i>Arge uncina</i> Konow, 1904	1 ex.
<i>Arge ustulata</i> (Linné, 1758)	257 ex.
<i>Arge verticosa</i> Konow, 1907	1 ex.
<i>Arge vulnerata</i> Mocsáry, 1909	19 ex.
<i>Arge xanthogaster</i> (Cameron, 1876)	79 ex.
<i>Arge xanthomela</i> (Klug, 1834)	1 ex.
<i>Arla rufithorax</i> Togashi, 1995	1 ex.
<i>Asiemphytus esakii</i> Takeuchi, 1933	2 ex.
<i>Asiemphytus maculoclypeatus</i> Wei, 2002	4 ex.
<i>Asiemphytus nigritarsis</i> Wei	2 ex.
<i>Astethomostus acutitheca</i> Wei	2 ex.
<i>Astethomostus tegularis</i> Wei & S. B. Zhang, 2005	1 ex.
<i>Astrombocerina fulva</i> Wei & Nie, 1998	1 ex.
<i>Atelozia pilosa</i> (Konow, 1898)	1 ex.
<i>Atelozia solocicornis</i> Enderlein, 1920	1 ex.
<i>Athalia ancilla ancilla</i> Serville, 1823	88 ex.
<i>Athalia armenica</i> Zombori, 1978	1 ex.
<i>Athalia arunachalensis</i> M.S. Saini & Vasu, 1997	2 ex.

<i>Athalia bicolor</i> Serville, 1823	130 ex.
<i>Athalia circularis</i> (Klug, 1815)	450 ex.
<i>Athalia clavata</i> Konow, 1907	2 ex.
<i>Athalia concors</i> Konow, 1908	1 ex.
<i>Athalia cordata</i> Serville, 1823	405 ex.
<i>Athalia cornubiae</i> Benson, 1931	4 ex.
<i>Athalia decorata</i> Konow, 1900	2 ex.
<i>Athalia dimidiata</i> Konow, 1891	2 ex.
<i>Athalia dissona</i> Konow, 1908	1 ex.
<i>Athalia furvipennis</i> Konow, 1907	4 ex.
<i>Athalia himantopus</i> Klug, 1834	5 ex.
<i>Athalia himantopus truncata</i> Enslin, 1914	1 ex.
<i>Athalia incomta</i> Konow, 1908	3 ex.
<i>Athalia infumata</i> Marlatt, 1898	1 ex.
<i>Athalia japonica</i> (Klug, 1815)	9 ex.
<i>Athalia kashmirensis</i> Benson, 1932	2 ex.
<i>Athalia liberta</i> (Klug, 1815)	233 ex.
<i>Athalia longifoliae</i> Kontuniemi, 1951	8 ex.
<i>Athalia lugens</i> (Klug, 1815)	267 ex.
<i>Athalia malagassa</i> Saussure, 1890	5 ex.
<i>Athalia minor</i> Wei, 2007	1 ex.
<i>Athalia neocordata</i> Benson, i.l.	1 ex.
<i>Athalia nigriceps</i> Konow, 1908	1 ex.
<i>Athalia nigromaculata</i> Cameron, 1902	2 ex.
<i>Athalia paradoxa</i> Konow, 1886	3 ex.
<i>Athalia proxima</i> (Klug, 1815)	14 ex.
<i>Athalia pullicoma</i> Konow, 1908	2 ex.
<i>Athalia rosae</i> (Linné, 1758)	286 ex.
<i>Athalia rufoscutellata</i> Mocsáry, 1879	33 ex.
<i>Athalia scapulata</i> Konow, 1903	2 ex.
<i>Athalia schweinfurthi atripennis</i> Benson, 1962	1 ex.
<i>Athalia scioensis</i> Gribodo, 1879	2 ex.
<i>Athalia scutellariae</i> Cameron, 1880	54 ex.
<i>Athalia segregis</i> Konow, 1907	1 ex.
<i>Athalia sichuanica</i> Wei, 1997	2 ex.
<i>Athalia sjoestedti</i> Konow, 1907	3 ex.
<i>Athalia tanaoserrula</i> Chu & Wang, 1962	1 ex.
<i>Athalia ustipennis</i> Mocsáry, 1909	3 ex.
<i>Athalia vollenhoveni</i> Gribodo, 1879	3 ex.
<i>Athlophorus albocinctus</i> Wei, 2002	2 ex.
<i>Athlophorus assamensis</i> Malaise, 1947	2 ex.
<i>Athlophorus birmanicus</i> Malaise, 1947	1 ex.
<i>Athlophorus gracilis gracilis</i> (Konow, 1898)	1 ex.
<i>Athlophorus gracilis orbitalis</i> Konow, 1906	1 ex.
<i>Athlophorus graciloides</i> Malaise, 1947	2 ex.
<i>Athlophorus huangae</i> Wei & Nie, 2004	1 ex.
<i>Athlophorus klugii</i> Burmeister, 1847	1 ex.

<i>Athlophorus mimicarius</i> Malaise, 1947	2 ex.
<i>Athlophorus perplexus formosacola</i> Rohwer, 1911	6 ex.
<i>Athlophorus perplexus perplexus</i> (Konow, 1898)	4 ex.
<i>Athlophorus perplexus sauteri</i> Enslin, 1911	1 ex.
<i>Athlophorus pilifrons</i> Cameron, 1899	2 ex.
<i>Athlophorus placidus</i> (Konow, 1898)	4 ex.
<i>Athlophorus terminatus</i> Rohwer, 1916	1 ex.
<i>Atomacera decepta</i> Rohwer, 1911	4 ex.
<i>Atomacera hallex</i> (Konow, 1908)	1 ex.
<i>Atomacera lepidula</i> (Konow, 1908)	1 ex.
<i>Atomacera pubicornis</i> (Fabricius, 1804)	2 ex.
<i>Atomacera romani</i> Malaise, 1942	1 ex.
<i>Atomacera spec.</i>	2 ex.
<i>Atomacera truculenta</i> (Konow, 1899)	1 ex.
<i>Aulacomerus gibbifrons</i> (Konow, 1900)	1 ex.
<i>Aulacomerus hippolyte</i> (W. F. Kirby, 1882)	1 ex.
<i>Aulacomerus lucidus</i> (W. F. Kirby, 1882)	2 ex.
<i>Aulacomerus mexicanus</i> (W. F. Kirby, 1882)	1 ex.
<i>Aulacomerus retusicornis</i> (Konow, 1900)	2 ex.
<i>Baconematus pumilio</i> (Konow, 1903)	4 ex.
<i>Beldonea lubens</i> (Konow, 1898)	1 ex.
<i>Belea nigripennis</i> (Konow, 1908)	1 ex.
<i>Beleses atrofemoratus</i> Turner, 1920	2 ex.
<i>Beleses multipictus</i> (Rohwer, 1916)	3 ex.
<i>Beleses nigroapicalis</i> Wei	2 ex.
<i>Beleses stigmatalis</i> Cameron, 1876	2 ex.
<i>Birka annulitarsis</i> (C. G. Thomson, 1870)	7 ex.
<i>Birka catellata</i> (Konow, 1900)	1 ex.
<i>Birka cinereipes</i> (Klug, 1816)	167 ex.
<i>Birmindia gracilis</i> Forsius, 1931	2 ex.
<i>Birmindia turneri</i> Malaise, 1947	1 ex.
<i>Blasticotoma filiceti</i> Klug, 1834	10 ex.
<i>Blasticotoma filiceti pacifica</i> Malaise, 1931	4 ex.
<i>Blasticotoma flavipes</i> Takeuchi, 1939	4 ex.
<i>Blasticotoma nipponica</i> Takeuchi, 1939	1 ex.
<i>Blennocampa munda</i> Konow, 1899	0 ex.
<i>Blennocampa phyllocolpa</i> Viitasaari & Vikberg, 1985	243 ex.
<i>Blennogeneris spissipes</i> (Cresson, 1880)	1 ex.
<i>Bocerus phaleratus</i> (Konow, 1898)	1 ex.
<i>Bolivius absonus</i> (Konow, 1899)	2 ex.
<i>Bornea pictipennis</i> (Konow, 1908)	1 ex.
<i>Brachyphatnus debilicornis</i> Konow, 1906	4 ex.
<i>Brachyphatnus tegularis</i> (Konow, 1899)	1 ex.
<i>Brachythops flavens</i> (Klug, 1816)	25 ex.
<i>Brachythops wuestneii</i> (Konow, 1885)	10 ex.
<i>Brachyxiphus grandis</i> Philippi, 1871	1 ex.
<i>Bua metallica</i> Wei & Nie, 1998	1 ex.

<i>Busarbia formosana</i> (Rohwer, 1916)	3 ex.
<i>Busarbidea formosana</i> Rohwer, 1916	1 ex.
<i>Cacosyndya dimorpha</i> (Freytmuth, 1870)	1 ex.
<i>Caenocephus lunulatus</i> (Strobl, 1895)	2 ex.
<i>Caenolyda reticulata</i> (Linné, 1758)	11 ex.
<i>Calameuta clavata</i> Norton, 1869	4 ex.
<i>Calameuta festiva</i> Benson, 1954	2 ex.
<i>Calameuta filiformis</i> (Eversmann, 1847)	120 ex.
<i>Calameuta haemorrhoidalis</i> (Fabricius, 1781)	11 ex.
<i>Calameuta idolon</i> (Rossi, 1794)	10 ex.
<i>Calameuta pallipes</i> (Klug, 1803)	65 ex.
<i>Calameuta pygmaea</i> (Poda, 1761)	4 ex.
<i>Calexiphyda caledonia</i> D. R. Smith, 2008	2 ex.
<i>Calexiphyda crocea</i> D. R. Smith, 2008	1 ex.
<i>Caliroa annulipes</i> (Klug, 1816)	21 ex.
<i>Caliroa cerasi</i> (Linné, 1758)	37 ex.
<i>Caliroa cinxia</i> (Klug, 1816)	20 ex.
<i>Caliroa cothurnata</i> Serville, 1823	1 ex.
<i>Caliroa lorata</i> MacGillivray, 1909	0 ex.
<i>Caliroa obsoleta</i> (Norton, 1867)	1 ex.
<i>Caliroa spec.</i>	7 ex.
<i>Caliroa tremulae</i> Chevin, 1974	6 ex.
<i>Caliroa varipes</i> (Klug, 1816)	42 ex.
<i>Caloperga sp.</i>	1 ex.
<i>Camptoprium atriceps</i> Konow, 1905	1 ex.
<i>Camptoprium languidum</i> (Konow, 1903)	1 ex.
<i>Camptoprium leprieurii</i> Spinola, 1840	2 ex.
<i>Canonias inopinus</i> Konow, 1900	1 ex.
<i>Canonias inopinus rufiventris</i> Malaise, 1947	2 ex.
<i>Cephalcia abietis</i> (Linné, 1758)	63 ex.
<i>Cephalcia alashanica</i> Gussakovskij, 1935	9 ex.
<i>Cephalcia alboflagellaria</i> Wei, 1998	1 ex.
<i>Cephalcia alpina</i> (Klug, 1808)	62 ex.
<i>Cephalcia annulicornis</i> Hartig, 1837	2 ex.
<i>Cephalcia arvensis</i> Panzer, 1805	97 ex.
<i>Cephalcia erythrogaster</i> (Hartig, 1837)	18 ex.
<i>Cephalcia fulva</i> Battisti & Zanocco, 1994	8 ex.
<i>Cephalcia hartigi</i> Bremsi-Wolf, 1849	2 ex.
<i>Cephalcia ishikii</i> (Takeuchi, 1930)	4 ex.
<i>Cephalcia kunyushanica</i> Xiao, 1987	2 ex.
<i>Cephalcia lariciphila</i> (Wachtl, 1898)	10 ex.
<i>Cephalcia tienmua</i> Maa, 1949	4 ex.
<i>Cephus brachycercus</i> C. G. Thomson, 1871	18 ex.
<i>Cephus cinctus</i> Norton, 1872	6 ex.
<i>Cephus clavatus</i> (Norton, 1869)	1 ex.
<i>Cephus cynosbati</i> (Linné,)	6 ex.
<i>Cephus fumipennis</i> Eversmann, 1847	1 ex.

<i>Cephus gaullei</i> Konow, 1898	3 ex.
<i>Cephus gracilis</i> A. Costa, 1860	2 ex.
<i>Cephus hyalinatus</i> Konow, 1897	ex.
<i>Cephus infuscatus</i> C. G. Thomson, 1871	14 ex.
<i>Cephus lateralis</i> Konow, 1894	7 ex.
<i>Cephus nigrinus</i> C. G. Thomson, 1871	167 ex.
<i>Cephus nigripennis</i> (Takeuchi, 1927)	2 ex.
<i>Cephus pulcher</i> Tischbein, 1852	9 ex.
<i>Cephus pygmeus</i> (Linné, 1767)	239 ex.
<i>Cephus runcator</i> Konow, 1896	9 ex.
<i>Cephus spinipes</i> (Panzer, 1800)	83 ex.
<i>Cerospastus volupis</i> Konow, 1899	1 ex.
<i>Chalinus braunsi</i> Enslin, 1911	2 ex.
<i>Characopygus moricei</i> Konow, 1899	1 ex.
<i>Chevinia mediterranea</i> Lacourt, 2003	2 ex.
<i>Chinolyda flagellicornis</i> (F. Smith, 1860)	1 ex.
<i>Cibdela janthina</i> (Klug, 1834)	13 ex.
<i>Cibdela melanomala</i> Wei, 1999	1 ex.
<i>Cibdela poecilotricha</i> (Konow, 1898)	2 ex.
<i>Cibdela scita</i> Konow, 1900	1 ex.
<i>Cibdela zhejiangia</i> Wei & Nie, 1998	1 ex.
<i>Cimbex americana</i> Leach, 1817	14 ex.
<i>Cimbex carinulatus</i> Konow, 1897	2 ex.
<i>Cimbex connatus</i> (Schrank, 1776)	37 ex.
<i>Cimbex connatus japonicus</i> W. F. Kirby, 1882	1 ex.
<i>Cimbex connatus taukushi</i> Marlatt, 1898	1 ex.
<i>Cimbex fagi</i> Zaddach, 1863	10 ex.
<i>Cimbex femoratus</i> (Linné, 1758)	72 ex.
<i>Cimbex luteus</i> (Linné, 1758)	40 ex.
<i>Cimbex quadrimaculatus</i> (O. F. Müller, 1766)	5 ex.
<i>Cimbex rubidus</i> Cresson, 1880	1 ex.
<i>Cimbex spec.</i>	1 ex.
<i>Cladardis elongatula</i> (Klug, 1817)	49 ex.
<i>Cladardis hartigi</i> Liston, 1995	3 ex.
<i>Cladiucha insolita</i> Konow, 1902	1 ex.
<i>Cladiucha magnoliae</i> Xiao, 1993	2 ex.
<i>Cladius cannabis</i> G. R. Xiao & X. Huang, 1986	1 ex.
<i>Cladius hyalopterus</i> Jakovlev, 1891	2 ex.
<i>Cladius melanopterus</i> Wei	1 ex.
<i>Cladius nigrotarsalis</i> Wei, 1998	1 ex.
<i>Cladius paranigricans</i> Wei, 2002	2 ex.
<i>Cladius pectinicornis</i> (Geoffroy, 1785)	298 ex.
<i>Cladius rufipes</i> Serville, 1823	3 ex.
<i>Cladius similis</i> Wei, 2001	1 ex.
<i>Claremontia alchemillae</i> Cameron, 1876	90 ex.
<i>Claremontia alternipes</i> (Klug, 1816)	223 ex.
<i>Claremontia brevicornis</i> (Brischke, 1883)	53 ex.

<i>Claremontia sinobirmana</i> Malaise, 1964	2 ex.
<i>Claremontia spec.</i>	1 ex.
<i>Claremontia springatei</i> Koch, 1988	4 ex.
<i>Claremontia tenuicornis</i> (Klug, 1816)	42 ex.
<i>Claremontia uncta</i> (Klug, 1816)	13 ex.
<i>Claremontia waldheimii</i> (Gimmerthal, 1847)	87 ex.
<i>Clarissa atrata</i> Turner, 1900	1 ex.
<i>Clarissa divergens</i> W. F. Kirby, 1894	1 ex.
<i>Clypea nigrita</i> Wei, 2005	2 ex.
<i>Clypea nigroventris</i> Wei, 1998	2 ex.
<i>Clypea shanica</i> Malaise, 1961	2 ex.
<i>Clypea sinica</i> Wei, 1997	2 ex.
<i>Colochelyna magrettii</i> Konow, 1898	2 ex.
<i>Conaspidia guttata</i> (Matsumura, 1912)	1 ex.
<i>Conaspidia hyalina</i> Sato, 1933	2 ex.
<i>Conaspidia sikkimensis</i> Konow, 1898	1 ex.
<i>Conaspidia singularis</i> (Malaise, 1931)	1 ex.
<i>Corpilus davidi</i> Malaise, 1937	2 ex.
<i>Corrugia formosana</i> (Rohwer, 1916)	8 ex.
<i>Corymbas nipponica</i> Takeuchi, 1936	3 ex.
<i>Corymbas spec.</i>	9 ex.
<i>Corynis amoena</i> (Klug, 1834)	3 ex.
<i>Corynis andrei</i> (Konow, 1898)	1 ex.
<i>Corynis atricapilla</i> (Mocsáry, 1886)	17 ex.
<i>Corynis caucasica</i> (Mocsáry, 1886)	13 ex.
<i>Corynis citrina</i> (Pérez, 1895)	2 ex.
<i>Corynis crassicornis</i> (Rossi, 1790)	53 ex.
<i>Corynis dusmeti</i> (Konow, 1905)	4 ex.
<i>Corynis frontina</i> (Konow, 1905)	4 ex.
<i>Corynis italica</i> (Lepelletier, 1823)	30 ex.
<i>Corynis jucunda</i> (Klug, 1834)	2 ex.
<i>Corynis krueperi</i> (J. P. E. F. Stein, 1876)	4 ex.
<i>Corynis lateralis</i> (Brullé, 1832)	8 ex.
<i>Corynis mutabilis</i> (Tischbein, 1852)	8 ex.
<i>Corynis obscura</i> (Fabricius, 1775)	46 ex.
<i>Corynis orientalis</i> (Konow, 1898)	2 ex.
<i>Corynis sanguinea</i> (Snellen van Vollenhoven, 1878)	2 ex.
<i>Corynis semisanguinea</i> (Pic, 1916)	1 ex.
<i>Corynis similis</i> (Mocsáry, 1880)	7 ex.
<i>Craesus alniastri</i> (Scharfenberg, 1805)	22 ex.
<i>Craesus brischkei</i> (Zaddach, 1876)	1 ex.
<i>Craesus eglabratus</i> Wei, 1999	1 ex.
<i>Craesus latipes</i> (Villaret, 1832)	32 ex.
<i>Craesus latitarsus</i> Norton, 1862	3 ex.
<i>Craesus septentrionalis</i> (Linné, 1758)	67 ex.
<i>Craterocercus obtusus</i> (Klug, 1816)	2 ex.
<i>Cytisogaster chambersi</i> (Benson, 1947)	16 ex.

<i>Cytisogaster coryli</i> (Muche, 1973)	1 ex.
<i>Cytisogaster genistae genistae</i> (Benson, 1947)	22 ex.
<i>Cytisogaster picta</i> (Klug, 1817)	27 ex.
<i>Cytisogaster sarta</i> Zhelochovtsev, 1927	1 ex.
<i>Cytisogaster</i> sp.	8 ex.
<i>Darjilingia formosana</i> (Rohwer, 1916)	6 ex.
<i>Darjilingia gribodoi</i> (Konow, 1896)	1 ex.
<i>Darjilingia jiangi</i> Wei	1 ex.
<i>Dasmithius camellia</i> Zhou & X. Huang, 1980	2 ex.
<i>Decameria altilis</i> Konow, 1906	1 ex.
<i>Decameria annulicornis</i> (Benson & Conde, 1938)	1 ex.
<i>Decameria florida</i> Konow, 1906	1 ex.
<i>Decameria horni</i> (Benson & Conde, 1938)	1 ex.
<i>Decameria interrupta</i> (Fabricius, 1804)	1 ex.
<i>Decameria leucophaea</i> Konow, 1906	1 ex.
<i>Decameria mimaria</i> (Konow, 1906)	1 ex.
<i>Decameria sandaracata</i> Konow, 1906	2 ex.
<i>Decameria unicolor</i> (Rohwer, 1921)	2 ex.
<i>Deda annulipes</i> (Cresson, 1880)	1 ex.
<i>Denticornia bruneiventris</i> Wei, 2002	1 ex.
<i>Derecyrtia andrei</i> Konow, 1897	1 ex.
<i>Derecyrtia araucariae</i> Mecke, 2000	4 ex.
<i>Derecyrtia lugubris</i> Westwood, 1874	3 ex.
<i>Derecyrtia patagiata</i> Konow, 1899	2 ex.
<i>Didymia albipes</i> (Konow, 1900)	2 ex.
<i>Didymia carbonaria</i> (Cameron, 1878)	1 ex.
<i>Didymia crassicornis</i> (Cameron, 1878)	1 ex.
<i>Didymia martini</i> (Lepeletier, 1823)	1 ex.
<i>Didymia pellos</i> (Konow, 1906)	1 ex.
<i>Didymia trigemina</i> (Klug, 1834)	4 ex.
<i>Didymia uberaba</i> (Brèthes, 1927)	1 ex.
<i>Dielocerus formosus</i> (Klug, 1834)	7 ex.
<i>Dimorphopteryx abnormis</i> Rohwer, 1911	1 ex.
<i>Dimorphopteryx melanognathus</i> Rohwer, 1910	2 ex.
<i>Dineura parcivalvis</i> (Konow, 1901)	3 ex.
<i>Dineura pullior</i> Schmidt & Walter, 1995	2 ex.
<i>Dineura stilata</i> (Klug, 1816)	27 ex.
<i>Dineura testaceipes</i> Klug, 1816	14 ex.
<i>Dineura virididorsata</i> (Retzius, 1783)	43 ex.
<i>Diprion jingyuanensis</i> G. R. Xiao & Y. Zhang, 1994	1 ex.
<i>Diprion liuwanensis</i> X. Huang & G. R. Xiao, 1983	2 ex.
<i>Diprion pini</i> (Linné, 1758)	122 ex.
<i>Diprion similis</i> Hartig, 1836	12 ex.
<i>Diprion</i> spec.	5 ex.
<i>Distega montium</i> Konow, 1907	1 ex.
<i>Distega sjostedti</i> Konow, 1904	2 ex.
<i>Dolerus acidus</i> (MacGillivray, 1923)	2 ex.

<i>Dolerus aeneus</i> Hartig, 1837	502 ex.
<i>Dolerus aericeps</i> C. G. Thomson, 1871	107 ex.
<i>Dolerus affinis</i> Cameron, 1876	0 ex.
<i>Dolerus albolineolatus</i> Haris & Blank, 1996	1 ex.
<i>Dolerus alpinus</i> Benson, 1947	3 ex.
<i>Dolerus altivolus</i> Lacourt, 1988	1 ex.
<i>Dolerus anatolii</i> Heidemaa & Zinovjev, 2004	1 ex.
<i>Dolerus anthracinus</i> (Klug, 1818)	28 ex.
<i>Dolerus anticus</i> (Klug, 1818)	11 ex.
<i>Dolerus apicalis</i> Wei, 2002	2 ex.
<i>Dolerus apricus</i> (Norton, 1861)	4 ex.
<i>Dolerus aprilis</i> (Norton, 1861)	6 ex.
<i>Dolerus armillatus</i> Konow, 1896	5 ex.
<i>Dolerus asper</i> Zaddach, 1859	17 ex.
<i>Dolerus bensoni</i> P. R. Müller, 1985	5 ex.
<i>Dolerus bicolor</i> (Beauvois, 1809)	4 ex.
<i>Dolerus bimaculatus</i> (Geoffroy, 1785)	59 ex.
<i>Dolerus blanki</i> Liston, 1995	17 ex.
<i>Dolerus brevicornis</i> Zaddach, 1859	12 ex.
<i>Dolerus cameroni</i> W. F. Kirby, 1882	5 ex.
<i>Dolerus ciliatus</i> Konow, 1891	1 ex.
<i>Dolerus coracinus</i> (Klug, 1818)	17 ex.
<i>Dolerus coreanus</i> Takeuchi, 1927	2 ex.
<i>Dolerus cothurnatus</i> Serville, 1823	35 ex.
<i>Dolerus dathei</i> Mücke, 1973	3 ex.
<i>Dolerus docilus</i> Benson, 1956	2 ex.
<i>Dolerus elderi</i> Kincaid, 1900	30 ex.
<i>Dolerus ephippiatus</i> F. Smith, 1874	3 ex.
<i>Dolerus etruscus</i> (Klug, 1818)	9 ex.
<i>Dolerus eurybis</i> Ross, 1931	2 ex.
<i>Dolerus eversmanni</i> W. F. Kirby, 1882	117 ex.
<i>Dolerus eversmanni obscurus</i> Marlatt, 1898	3 ex.
<i>Dolerus ferrugatus</i> Serville, 1823	14 ex.
<i>Dolerus formosanus</i> (Rohwer, 1916)	3 ex.
<i>Dolerus fumosus</i> Stephens, 1835	17 ex.
<i>Dolerus genucinctus</i> Zaddach, 1859	6 ex.
<i>Dolerus germanicus fuscipennis</i> (Stephens, 1835)	1 ex.
<i>Dolerus germanicus germanicus</i> (Fabricius, 1775)	254 ex.
<i>Dolerus germanicus hispanicus</i> Mocsáry, 1881	0 ex.
<i>Dolerus germanicus rugosus</i> Freymuth, 1870	7 ex.
<i>Dolerus germanicus subsolanus</i> Zhelochovtsev, 1928	1 ex.
<i>Dolerus gessneri</i> Ed. André, 1880	68 ex.
<i>Dolerus gilvipes</i> (Klug, 1818)	25 ex.
<i>Dolerus gilvipes albifrons</i> (Norton, 1861)	4 ex.
<i>Dolerus gonager</i> (Fabricius, 1771)	215 ex.
<i>Dolerus grombczewskii</i> Jakovlev, 1891	1 ex.
<i>Dolerus guisanicollis</i> Wei, 1999	2 ex.

<i>Dolerus haematodes</i> (Schrank, 1781)	75 ex.
<i>Dolerus harwoodi</i> Benson, 1947	4 ex.
<i>Dolerus hibernicus</i> Lacourt, 1988	2 ex.
<i>Dolerus idahoensis</i> Ross, 1931	2 ex.
<i>Dolerus illini</i> Ross, 1931	4 ex.
<i>Dolerus kokujewi</i> Konow, 1902	2 ex.
<i>Dolerus lepidus</i> Konow, 1903	4 ex.
<i>Dolerus lewisii</i> Cameron, 1887	3 ex.
<i>Dolerus liogaster liogaster</i> C. G. Thomson, 1871	56 ex.
<i>Dolerus liogaster schneideri</i> Kiaer, 1898	2 ex.
<i>Dolerus maculicollis</i> (Norton, 1861)	2 ex.
<i>Dolerus maculogaster</i> Wei, 2005	2 ex.
<i>Dolerus madidus</i> (Klug, 1818)	50 ex.
<i>Dolerus manticatus</i> Konow, 1907	1 ex.
<i>Dolerus melanopterus</i> Konow, 1888	2 ex.
<i>Dolerus melanopterus tauricus</i> Zhelochovtsev, 1928	2 ex.
<i>Dolerus mimus</i> Goulet, 1986	2 ex.
<i>Dolerus murcius</i> Konow, 1895	4 ex.
<i>Dolerus nasutus</i> MacGillivray, 1923	1 ex.
<i>Dolerus nativus clypealis</i> Ross, 1931	5 ex.
<i>Dolerus nauticus</i> MacGillivray, 1923	4 ex.
<i>Dolerus neoagcistus</i> MacGillivray, 1923	4 ex.
<i>Dolerus neocollaris</i> MacGillivray, 1908	2 ex.
<i>Dolerus niger</i> (Linné, 1767)	166 ex.
<i>Dolerus nigratus nigratus</i> (O. F. Müller, 1776)	309 ex.
<i>Dolerus nigratus rufotorquatus</i> A. Costa, 1864	5 ex.
<i>Dolerus nigriceps</i> Konow, 1891	3 ex.
<i>Dolerus nitens</i> Zaddach, 1859	114 ex.
<i>Dolerus nortoni</i> Ross, 1931	1 ex.
<i>Dolerus oertzeni</i> Konow, 1887	2 ex.
<i>Dolerus pachycerus</i> Hartig, 1837	3 ex.
<i>Dolerus phalipi</i> Chevin, 1988	4 ex.
<i>Dolerus picipes</i> (Klug, 1818)	212 ex.
<i>Dolerus planatus</i> Hartig, 1837	59 ex.
<i>Dolerus poecilomallosis</i> Wei, 1997	2 ex.
<i>Dolerus possilensis</i> Cameron, 1882	1 ex.
<i>Dolerus pratensis</i> (Linné, 1758)	51 ex.
<i>Dolerus pratorum</i> (Fallén, 1808)	77 ex.
<i>Dolerus pseudojaponicus</i> Haris & Blank, 1996	1 ex.
<i>Dolerus puncticollis</i> C. G. Thomson, 1871	83 ex.
<i>Dolerus purus</i> Jakovlev, 1891	1 ex.
<i>Dolerus quadrinotatus</i> Biro, 1884	3 ex.
<i>Dolerus rossi</i> Goulet, 1986	3 ex.
<i>Dolerus rosti</i> Konow, 1890	1 ex.
<i>Dolerus sanguinicollis</i> (Klug, 1818)	139 ex.
<i>Dolerus sayi</i> Goulet, 1986	4 ex.
<i>Dolerus schmidti</i> Konow, 1884	9 ex.

<i>Dolerus schulthessi</i> Konow, 1887	1 ex.
<i>Dolerus sericeus</i> Say, 1824	3 ex.
<i>Dolerus shanghaiicus</i> Wei, Nie & Taeger, 2006	2 ex.
<i>Dolerus shanghaiensis</i> Haris, 1996	2 ex.
<i>Dolerus similis</i> (Norton, 1861)	22 ex.
<i>Dolerus similis japonicus</i> W. F. Kirby, 1882	5 ex.
<i>Dolerus sinensis</i> Wei, 1997	1 ex.
<i>Dolerus spec.</i>	66 ex.
<i>Dolerus stygius</i> Förster, 1860	21 ex.
<i>Dolerus subarcticus</i> Hellén, 1956	34 ex.
<i>Dolerus subfasciatus</i> F. Smith, 1874	7 ex.
<i>Dolerus tejonensis</i> (Norton, 1861)	4 ex.
<i>Dolerus tibialis</i> Cresson, 1880	7 ex.
<i>Dolerus triplicatus</i> (Klug, 1818)	25 ex.
<i>Dolerus tritici</i> Chu, 1949	1 ex.
<i>Dolerus uliginosus</i> (Klug, 1818)	12 ex.
<i>Dolerus unicolor</i> (Beauvois, 1809)	4 ex.
<i>Dolerus varispinus</i> Hartig, 1837	56 ex.
<i>Dolerus vestigialis</i> (Klug, 1818)	182 ex.
<i>Dolerus vestigialis insulicola</i> Rohwer, 1910	ex.
<i>Dolerus vulneratus</i> Mocsáry, 1878	3 ex.
<i>Dolerus yokohamensis</i> Rohwer, 1925	1 ex.
<i>Dolerus yukonensis</i> Norton, 1872	154 ex.
<i>Dolerus zhelochovtsevi</i> Heidemaa & Viitasaari, 2005	14 ex.
<i>Duckeana prodiga</i> (Konow, 1906)	1 ex.
<i>Duplunguis leucotrochantera</i> Wei, 2006	2 ex.
<i>Durgoa exilipalpis</i> (Konow, 1906)	1 ex.
<i>Edenticornia zhejiangensis</i> Wei & Nie, 1998	2 ex.
<i>Eitelius dentatus</i> (Lindqvist, 1937)	9 ex.
<i>Elinopsis vittata</i> (Kriechbaumer, 1869)	1 ex.
<i>Elinora ornata</i> (Ed. André, 1881)	7 ex.
<i>Elinora pallidipes</i> (Dalla Torre, 1894)	1 ex.
<i>Elinora parvula</i> (Kriechbaumer, 1869)	2 ex.
<i>Elinora rufonigra</i> (Ed. André, 1881)	7 ex.
<i>Elinora rufonigra maroccana</i> Lacourt, 1991	2 ex.
<i>Elinora sebastiani</i> (Lacourt, 1988)	4 ex.
<i>Elinora vilarrubiai</i> (Conde, 1935)	1 ex.
<i>Elinora xanthopus</i> (Spinola, 1843)	4 ex.
<i>Emegatomostethus sauteri</i> Enslin, 1911	2 ex.
<i>Empyrestegia breviserra</i> Wei, 1997	3 ex.
<i>Empyrestegia nigrotibia</i> Wei & Nie, 1998	2 ex.
<i>Empria alboscutellata</i> (Konow, 1894)	1 ex.
<i>Empria alector</i> Benson, 1938	89 ex.
<i>Empria archangelskii</i> Dovnar-Zapolskij, 1929	1 ex.
<i>Empria basalis</i> Lindqvist, 1968	12 ex.
<i>Empria candidata</i> (Fallén, 1808)	20 ex.
<i>Empria excisa</i> (C. G. Thomson, 1871)	17 ex.

<i>Empria fletcheri</i> Cameron, 1878	8 ex.
<i>Empria gussakovskii alpina</i> Benson, 1938	3 ex.
<i>Empria hungarica</i> (Konow, 1895)	16 ex.
<i>Empria ignota</i> (Norton, 1867)	8 ex.
<i>Empria immersa</i> (Klug, 1818)	29 ex.
<i>Empria improba</i> (Cresson, 1880)	2 ex.
<i>Empria liturata</i> (Gmelin, 1790)	494 ex.
<i>Empria longicornis</i> (C. G. Thomson, 1871)	58 ex.
<i>Empria maculata</i> (Norton, 1861)	27 ex.
<i>Empria mongolica</i> (Konow, 1895)	2 ex.
<i>Empria multicolor</i> (Norton, 1862)	8 ex.
<i>Empria obscurata</i> (Cresson, 1880)	12 ex.
<i>Empria pallimacula</i> (Serville, 1823)	792 ex.
<i>Empria parvula</i> (Konow, 1892)	45 ex.
<i>Empria plana</i> (Jakovlev, 1891)	6 ex.
<i>Empria pumila</i> (Konow, 1896)	151 ex.
<i>Empria pumiloides</i> Lindqvist, 1968	208 ex.
<i>Empria sexpunctata</i> (Serville, 1823)	90 ex.
<i>Empria spec.</i>	234 ex.
<i>Empria testaceipes</i> (Konow, 1896)	6 ex.
<i>Empria tridens</i> (Konow, 1896)	66 ex.
<i>Empria ushinskii</i> Dovernar-Zapolskij, 1929	2 ex.
<i>Endelomyia aethiops</i> (Gmelin, 1790)	24 ex.
<i>Endelomyia filipendulae</i> Lacourt, 1998	5 ex.
<i>Endemyolia flavipes</i> Wei, 1998	2 ex.
<i>Endemyolia genata</i> Wei, 1998	6 ex.
<i>Endemyolia tibialis</i> Wei, 1998	8 ex.
<i>Endophytus anemones</i> (Hering, 1925)	3 ex.
<i>Eopsis beaumonti</i> Benson, 1959	34 ex.
<i>Eoxiphia paragaudis</i> (Konow, 1899)	1 ex.
<i>Epicenematus montanus</i> (Zaddach, 1883)	32 ex.
<i>Epicenematus pallescens</i> (Hartig, 1837)	21 ex.
<i>Eriglenum crudum</i> Konow, 1900	1 ex.
<i>Eriglenum humeratum</i> Konow, 1903	1 ex.
<i>Eriocampa dorpatica</i> Konow, 1887	3 ex.
<i>Eriocampa juglandis</i> (Fitch, 1857)	1 ex.
<i>Eriocampa melanopoda</i> Nie & Wei, 2001	1 ex.
<i>Eriocampa ovata</i> (Linné, 1761)	144 ex.
<i>Eriocampa peineae</i> Zirngiebl, 1956	1 ex.
<i>Eriocampa umbratica</i> (Klug, 1816)	35 ex.
<i>Erythraspides sinica</i> Wei	2 ex.
<i>Esehabachia luteiventris</i> Wei, 2006	2 ex.
<i>Euforsius punctatus</i> Wei, 1997	2 ex.
<i>Eupareophora exarmata</i> (C. G. Thomson, 1871)	5 ex.
<i>Eurhadinoceraea amauros</i> Zombori, 1977	2 ex.
<i>Eurhadinoceraea athalioides</i> (Jakovlev, 1891)	4 ex.
<i>Eurhadinoceraea fulviventris</i> (Scopoli, 1763)	7 ex.

Eurhadinoceraea krausi Liston, 2008	1 ex.
Eurhadinoceraea lui Wei, 1999	2 ex.
Eurhadinoceraea melanocoxa Wei & Nie, 1997	2 ex.
Eurhadinoceraea sanguinicollis (Mocsáry, 1880)	1 ex.
Eurhadinoceraea spec.	1 ex.
Eurhadinoceraea ventralis (Panzer, 1799)	18 ex.
Eurys aeratus Newman, 1841	1 ex.
Eurys nitidus W. F. Kirby, 1882	1 ex.
Eusunoxa buchi Togashi, 1981	2 ex.
Eusunoxa formosana Enslin, 1911	6 ex.
Eutomostethus assamensis (Rohwer, 1913)	1 ex.
Eutomostethus ephippium (Panzer, 1798)	234 ex.
Eutomostethus ephippium vopiscus (Konow, 1899)	15 ex.
Eutomostethus formosanus (Enslin, 1911)	8 ex.
Eutomostethus gagathinus (Klug, 1816)	54 ex.
Eutomostethus geminus (Konow, 1895)	2 ex.
Eutomostethus glabrogaster Wei	1 ex.
Eutomostethus hunanicus Wei & Ma, 1997	1 ex.
Eutomostethus katonis Takeuchi, 1929	2 ex.
Eutomostethus longidentus Wei, 2003	2 ex.
Eutomostethus luteiventris (Klug, 1816)	265 ex.
Eutomostethus mufushanicus Wei	1 ex.
Eutomostethus nigrans Konow, 1887	18 ex.
Eutomostethus nigripes Wei, 2003	2 ex.
Eutomostethus occipitalis Wei & Nie, 1998	1 ex.
Eutomostethus pseudometallus Wei	2 ex.
Eutomostethus punctatus (Konow, 1887)	7 ex.
Eutomostethus spec.	1 ex.
Eutomostethus tianmunicus Wei	1 ex.
Eutomostethus tricolor Malaise, 1934	2 ex.
Eutomostethus vegetus (Konow, 1898)	2 ex.
Euura acuminata Enslin, 1915	7 ex.
Euura amerinae (Linné, 1758)	37 ex.
Euura angusta (Hartig, 1837)	5 ex.
Euura atra (Jurine, 1807)	44 ex.
Euura cinerea Kopelke, 1996	2 ex.
Euura daphnoidica Kopelke, 2001	0 ex.
Euura elaeagnos Kopelke, 1996	6 ex.
Euura gemmacinerea Kopelke, 2001	1 ex.
Euura mucronata (Hartig, 1837)	41 ex.
Euura nigratarsis Cameron, 1885	0 ex.
Euura purpureae Kopelke, 1996	4 ex.
Euura salicisnodus Walsh, 1866	5 ex.
Euura spec.	15 ex.
Euura subgemma Liston, 2005	1 ex.
Euura subgemma Liston, 2006	1 ex.
Euura testaceipes (Brischke, 1883)	8 ex.

<i>Euura venusta</i> (Brischke, 1883)	13 ex.
<i>Euura weiffenbachii</i> Ermolenko, 1988	0 ex.
<i>Fenella minuta</i> (Dahlbom, 1835)	4 ex.
<i>Fenella monilicornis</i> Dahlbom, 1835	5 ex.
<i>Fenella nigrita</i> Westwood, 1839	15 ex.
<i>Fenusa altenhoferi</i> Liston, 1993	5 ex.
<i>Fenusa dohrnii</i> (Tischbein, 1846)	30 ex.
<i>Fenusa pumila</i> Leach, 1817	19 ex.
<i>Fenusa spec.</i>	3 ex.
<i>Fenusa ulmi</i> Sundevall, 1844	14 ex.
<i>Fenusa zinovjevi</i> Liston, 1994	1 ex.
<i>Fenusella glaucopis</i> (Konow, 1907)	2 ex.
<i>Fenusella hortulana</i> (Klug, 1818)	7 ex.
<i>Fenusella nana</i> (Klug, 1816)	17 ex.
<i>Fenusella nigricans</i> (Klug, 1818)	1 ex.
<i>Fenusella wuestneii</i> (Konow, 1894)	8 ex.
<i>Ferna parallela</i> Wei, 2006	2 ex.
<i>Filacus doanei</i> Rohwer, 1909	3 ex.
<i>Filacus pluricinctellus</i> Rohwer, 1909	5 ex.
<i>Filacus pluricinctus</i> Norton, 1862	5 ex.
<i>Filacus provancheri</i> (Rohwer, 1909)	0 ex.
<i>Filacus provancheri</i> Rohwer, 1909	2 ex.
<i>Filixungulia alboclypea</i> Wei, 1997	3 ex.
<i>Filixungulia cylindrica</i> Wei, 2003	2 ex.
<i>Formosempria metallica</i> Wei, 2003	1 ex.
<i>Genatomostethus posticus</i> Wei, 2005	2 ex.
<i>Genatomostethus sculpturalis</i> Wei, 2002	2 ex.
<i>Gilpinia abieticola</i> (Dalla Torre, 1894)	17 ex.
<i>Gilpinia frutetorum</i> (Fabricius, 1793)	212 ex.
<i>Gilpinia hercyniae</i> (Hartig, 1837)	25 ex.
<i>Gilpinia laricis</i> (Jurine, 1807)	54 ex.
<i>Gilpinia pallida</i> (Klug, 1812)	79 ex.
<i>Gilpinia polytoma</i> (Hartig, 1834)	26 ex.
<i>Gilpinia socia</i> (Klug, 1812)	18 ex.
<i>Gilpinia spec.</i>	1 ex.
<i>Gilpinia tabulaeformis</i> G. R. Xiao, 1992	2 ex.
<i>Gilpinia variegata</i> Hartig, 1834	1 ex.
<i>Gilpinia virens</i> (Klug, 1812)	21 ex.
<i>Gryponeura orientalis</i> (Westwood, 1874)	1 ex.
<i>Guiglia chiliensis</i> Benson, 1955	3 ex.
<i>Guiglia sericata</i> (Mocsáry, 1900)	1 ex.
<i>Halidamia affinis</i> (Fallén, 1807)	217 ex.
<i>Haplostegus cataphractus</i> Konow, 1900	1 ex.
<i>Haplostegus clitellarius</i> Konow, 1900	1 ex.
<i>Haplostegus discalis</i> Konow, 1902	1 ex.
<i>Haplostegus epimelas</i> Konow, 1900	3 ex.
<i>Haplostegus scutater</i> Conde, 1936	2 ex.

<i>Harpiphorus lepidus</i> (Klug, 1818)	14 ex.
<i>Hartigia cressonii</i> W. F. Kirby, 1882	1 ex.
<i>Hartigia helleri</i> (Taschenberg, 1871)	4 ex.
<i>Hartigia linearis</i> (Schrank, 1781)	17 ex.
<i>Hartigia nigra</i> (M. Harris, 1779)	41 ex.
<i>Hartigia pyrrrha</i> Zhelochovtsev, 1968	2 ex.
<i>Hartigia sibiricola</i> (Jakovlev, 1891)	0 ex.
<i>Hartigia trimaculata</i> (Say, 1824)	2 ex.
<i>Hartigia xanthostoma</i> (Eversmann, 1847)	5 ex.
<i>Hemathlophorus brevigenuatus</i> Wei, 2005	1 ex.
<i>Hemathlophorus formosanus</i> (Enslin, 1911)	1 ex.
<i>Hemibeleses bistriatus</i> Wei	1 ex.
<i>Hemibeleses nigroterga</i> Wei	1 ex.
<i>Hemichroa australis</i> (Serville, 1823)	23 ex.
<i>Hemichroa crocea</i> (Geoffroy, 1785)	25 ex.
<i>Hemichroa major</i> Rohwer, 1915	2 ex.
<i>Hemichroa militaris</i> Cresson, 1880	1 ex.
<i>Hemidianeura albicerata</i> (Konow, 1903)	1 ex.
<i>Hemidianeura coeliaca</i> Konow, 1903	1 ex.
<i>Hemidianeura ephippiata</i> (Klug, 1834)	2 ex.
<i>Hemidianeura fucata</i> Konow, 1906	2 ex.
<i>Hemidianeura nigricornis</i> W. F. Kirby, 1882	3 ex.
<i>Hemidianeura plumicornis</i> (Klug, 1834)	3 ex.
<i>Hemidianeura ruminata</i> (Konow, 1906)	1 ex.
<i>Hemidianeura texana</i> (Norton, 1869)	3 ex.
<i>Hemocla brevinervis</i> Wei, 1997	2 ex.
<i>Heptamelus dahlbomi</i> C. G. Thomson, 1870	1 ex.
<i>Heptamelus javanus</i> Enslin, 1912	3 ex.
<i>Heptamelus ochroleucus</i> (Stephens, 1835)	8 ex.
<i>Heptamelus spec.</i>	2 ex.
<i>Heterarthrus aceris</i> (Kaltenbach, 1856)	6 ex.
<i>Heterarthrus alnivorus</i> Togashi, 1992	1 ex.
<i>Heterarthrus cuneifrons</i> Altenhofer & Zombori, 1987	2 ex.
<i>Heterarthrus cypricus</i> W. Schedl, 2005	17 ex.
<i>Heterarthrus flavicollis</i> (Gussakovskij, 1947)	1 ex.
<i>Heterarthrus leucomela</i> (Klug, 1818)	13 ex.
<i>Heterarthrus microcephalus</i> (Klug, 1818)	5 ex.
<i>Heterarthrus nemoratus</i> (Fallén, 1808)	26 ex.
<i>Heterarthrus ochropoda</i> (Klug, 1818)	23 ex.
<i>Heterarthrus spec.</i>	2 ex.
<i>Heterarthrus vagans</i> (Fallén, 1808)	45 ex.
<i>Heterarthrus wuestneii</i> (Konow, 1905)	15 ex.
<i>Heteroperreyia costata</i> Rohwer, 1921	1 ex.
<i>Heteroperreyia jorgenseni</i> (Jørgensen, 1913)	2 ex.
<i>Heteroperreyia nigerrima</i> Benson & Conde, 1938	1 ex.
<i>Heteroperreyia pseudoleprieuri</i> Benson & Conde, 1938	1 ex.
<i>Hinatara excisa</i> (Konow, 1885)	3 ex.

<i>Hinatara nigripes</i> (Konow, 1907)	5 ex.
<i>Hinatara recta</i> (C. G. Thomson, 1871)	5 ex.
<i>Hinatara spec.</i>	1 ex.
<i>Hoplocampa alpina</i> (Zetterstedt, 1838)	10 ex.
<i>Hoplocampa ariae</i> Benson, 1933	6 ex.
<i>Hoplocampa bicolorinervis</i> Wei	2 ex.
<i>Hoplocampa bioculata</i> Rohwer, 1908	12 ex.
<i>Hoplocampa brevis</i> (Klug, 1816)	14 ex.
<i>Hoplocampa chamaespili</i> Masutti & Covassi, 1980	1 ex.
<i>Hoplocampa chrysorrhoea</i> (Klug, 1816)	17 ex.
<i>Hoplocampa crataegi</i> (Klug, 1816)	48 ex.
<i>Hoplocampa ephippiata</i> Konow, 1897	1 ex.
<i>Hoplocampa flava</i> (Linné, 1761)	20 ex.
<i>Hoplocampa fulvicornis</i> (Panzer, 1801)	27 ex.
<i>Hoplocampa halcyon</i> (Norton, 1861)	4 ex.
<i>Hoplocampa minuta</i> (Christ, 1791)	37 ex.
<i>Hoplocampa pectoralis</i> C. G. Thomson, 1871	16 ex.
<i>Hoplocampa plagiata</i> (Klug, 1816)	7 ex.
<i>Hoplocampa spec.</i>	1 ex.
<i>Hoplocampa testudinea</i> (Klug, 1816)	3 ex.
<i>Hoplocampa xanthoclypea</i> Wei	1 ex.
<i>Hoplocampoides xylostei</i> (Vallot, 1836)	2 ex.
<i>Hyperoceros peruanus</i> Konow, 1906	1 ex.
<i>Hypsathalia przewalskyi</i> (Jakovlev, 1887)	1 ex.
<i>Incalia americana</i> (Linné, 1758)	3 ex.
<i>Indostegia nigrofemorata</i> Nie & Wei, 2004	2 ex.
<i>Indotaxonus major</i> Malaise, 1957	2 ex.
<i>Indotaxonus tricoloricornis</i> (Konow, 1898)	3 ex.
<i>Janus abbreviatus</i> (Say, 1824)	1 ex.
<i>Janus compressus</i> (Fabricius, 1793)	5 ex.
<i>Janus gussakovskii</i> Maa, 1949	2 ex.
<i>Janus japonicus</i> Sato, 1926	2 ex.
<i>Janus luteipes</i> (Lepeletier, 1823)	8 ex.
<i>Janus piri</i> Okamoto & Muramatsu, 1925	2 ex.
<i>Jinia fulvana</i> Wei & Nie, 1999	1 ex.
<i>Jinia nigromacula</i> Wei & Nie, 2004	2 ex.
<i>Kelidoptera maculipennis</i> (J. P. E. F. Stein, 1876)	2 ex.
<i>Kokujewia clementi</i> Zirngiebl, 1949	1 ex.
<i>Kokujewia ectrapela</i> Konow, 1902	7 ex.
<i>Kulcania mexicana</i> (Cresson, 1879)	7 ex.
<i>Labricimbex sinica</i> Wei	1 ex.
<i>Lagideus crinitus</i> Konow, 1905	1 ex.
<i>Lagidina irritans</i> (F. Smith, 1874)	4 ex.
<i>Lagidina nigripes</i> Wei & Nie, 2002	1 ex.
<i>Lagidina nigrocollis</i> Wei	2 ex.
<i>Lagidina nigrotibialis</i> Wei	2 ex.
<i>Lagidina pieli</i> Takeuchi, 1940	2 ex.

<i>Lagidina platycerus</i> (Marlatt, 1898)	6 ex.
<i>Lagium apicalis</i> Wei & Nie, 2003	2 ex.
<i>Lagium atroviolaceum</i> (Norton, 1860)	13 ex.
<i>Lagonis nevadensis</i> Cresson, 1880	1 ex.
<i>Leptocimbex allantiformis</i> (Mocsáry, 1909)	1 ex.
<i>Leptocimbex divergens</i> Wei & Deng, 2002	1 ex.
<i>Leptocimbex gracilentus</i> Mocsáry, 1904	2 ex.
<i>Leptocimbex grahami</i> Malaise, 1939	1 ex.
<i>Leptocimbex konowi</i> (Mocsáry, 1904)	2 ex.
<i>Leptocimbex mocsaryi</i> Malaise, 1939	1 ex.
<i>Leptocimbex rufoniger</i> Malaise, 1939	2 ex.
<i>Leptocimbex tonkinensis</i> (Konow, 1902)	2 ex.
<i>Leucopelmonus annulicornis</i> (Harrington, 1893)	2 ex.
<i>Liliacina albaria</i> (Konow, 1906)	1 ex.
<i>Liliacina lemniscata</i> (Konow, 1908)	1 ex.
<i>Linomorpha flava</i> Takeuchi, 1938	2 ex.
<i>Linorbita wuae</i> Wei & Nie, 1998	2 ex.
<i>Liuacampa femorata</i> Wei & W. Xiao, 1997	2 ex.
<i>Lophytotoma analis</i> (A. Costa, 1864)	8 ex.
<i>Lophytotoma interrupta</i> (Klug, 1814)	12 ex.
<i>Lophytotoma leachii</i> (W. F. Kirby, 1882)	2 ex.
<i>Lophytotoma opima</i> (Konow, 1908)	1 ex.
<i>Luea sinica</i> Wei & Nie, 1998	2 ex.
<i>Lycaota sodalis</i> (Cresson, 1880)	1 ex.
<i>Lycosceles herbsti</i> Konow, 1905	1 ex.
<i>Macremphytus crassicornis</i> Wei, 1997	4 ex.
<i>Macremphytus semicornis</i> (Say, 1836)	4 ex.
<i>Macremphytus tarsatus</i> (Say, 1836)	3 ex.
<i>Macremphytus testaceus</i> (Norton, 1861)	6 ex.
<i>Macrodipton nemoralis</i> (Enslin, 1917)	39 ex.
<i>Macrophya abbreviata</i> Takeuchi, 1938	1 ex.
<i>Macrophya africana</i> Forsius, 1918	2 ex.
<i>Macrophya aguadoi</i> Lacourt, 2005	1 ex.
<i>Macrophya alba</i> MacGillivray, 1895	7 ex.
<i>Macrophya albannulata</i> Wei & Nie, 1998	2 ex.
<i>Macrophya albicincta</i> (Schrank, 1776)	122 ex.
<i>Macrophya albipuncta</i> (Fallén, 1808)	43 ex.
<i>Macrophya alboannulata</i> A. Costa, 1859	406 ex.
<i>Macrophya albomaculata</i> (Norton, 1860)	1 ex.
<i>Macrophya albotrochantera</i> Wei	1 ex.
<i>Macrophya annulata</i> (Geoffroy, 1785)	267 ex.
<i>Macrophya annulicornis</i> Konow, 1904	2 ex.
<i>Macrophya annulitibia</i> Takeuchi, 1933	6 ex.
<i>Macrophya aphrodite</i> Benson, 1954	2 ex.
<i>Macrophya apicalis</i> F. Smith, 1874	7 ex.
<i>Macrophya bifasciata</i> (Say, 1823)	6 ex.
<i>Macrophya blanda</i> (Fabricius, 1775)	55 ex.

<i>Macrophya brancuccii</i> Muche, 1983	1 ex.
<i>Macrophya carbonaria</i> F. Smith, 1874	6 ex.
<i>Macrophya carinthiaca</i> (Klug, 1817)	11 ex.
<i>Macrophya cassandra</i> W. F. Kirby, 1882	4 ex.
<i>Macrophya chrysur</i> a (Klug, 1817)	2 ex.
<i>Macrophya cinctula</i> (Norton, 1869)	2 ex.
<i>Macrophya consobrina</i> Mocsáry, 1881	2 ex.
<i>Macrophya coxalis</i> (Motschulsky, 1866)	7 ex.
<i>Macrophya crassula</i> (Klug, 1817)	48 ex.
<i>Macrophya crassuliformis</i> Forsius, 1925	3 ex.
<i>Macrophya cyrus</i> Benson, 1954	6 ex.
<i>Macrophya depressina</i> Wei, 2005	2 ex.
<i>Macrophya diaphenia</i> Benson, 1968	2 ex.
<i>Macrophya diversipes</i> (Schränk, 1782)	81 ex.
<i>Macrophya dolichogaster</i> Wei & Ma, 1997	2 ex.
<i>Macrophya duodecimpunctata</i> duodecimpunctata (Linné, 1758)	353 ex.
<i>Macrophya enslini</i> Forsius, 1925	3 ex.
<i>Macrophya epinota</i> (Say, 1836)	2 ex.
<i>Macrophya erythrocephalica</i> Wei & Nie, 2003	2 ex.
<i>Macrophya erythrocnema</i> A. Costa, 1859	27 ex.
<i>Macrophya erythrogaster</i> (Spinola, 1843)	1 ex.
<i>Macrophya esakii</i> (Takeuchi, 1923)	5 ex.
<i>Macrophya falsifica</i> Mocsáry, 1909	2 ex.
<i>Macrophya farannulata</i> Wei, 1998	1 ex.
<i>Macrophya fascipennis</i> Takeuchi, 1933	1 ex.
<i>Macrophya femorata</i> Marlatt, 1898	2 ex.
<i>Macrophya flavicoxae</i> (Norton, 1860)	22 ex.
<i>Macrophya flavolineata</i> (Norton, 1860)	9 ex.
<i>Macrophya flavomaculata</i> Cameron, 1876	5 ex.
<i>Macrophya flicta</i> MacGillivray, 1920	2 ex.
<i>Macrophya formosa</i> (Klug, 1817)	69 ex.
<i>Macrophya formosana</i> Rohwer, 1916	7 ex.
<i>Macrophya forsiusi</i> Takeuchi, 1937	3 ex.
<i>Macrophya fuliginea</i> Norton, 1867	3 ex.
<i>Macrophya fumator</i> Norton, 1867	16 ex.
<i>Macrophya funiushana</i> Wei, 1998	1 ex.
<i>Macrophya goniphora</i> Say, 1836	53 ex.
<i>Macrophya hamata caucasicola</i> Muche, 1969	5 ex.
<i>Macrophya hastulata</i> Konow, 1898	2 ex.
<i>Macrophya hispana</i> Konow, 1904	1 ex.
<i>Macrophya hyaloptera</i> Wei & Nie, 2003	1 ex.
<i>Macrophya imitatoides</i> Wei, 2007	1 ex.
<i>Macrophya imitator</i> Takeuchi, 1937	2 ex.
<i>Macrophya infumata</i> Rohwer, 1925	10 ex.
<i>Macrophya intermedia</i> (Norton, 1860)	1 ex.
<i>Macrophya kongosana</i> Takeuchi, 1937	2 ex.
<i>Macrophya koreana</i> Takeuchi, 1937	1 ex.

<i>Macrophya ligustri</i> Wei & W. Huang, 1997	6 ex.
<i>Macrophya lineatana</i> Rohwer, 1912	1 ex.
<i>Macrophya longitarsis</i> Konow, 1898	3 ex.
<i>Macrophya macgillivrayi</i> Gibson, 1980	3 ex.
<i>Macrophya maculilabris</i> Konow, 1899	6 ex.
<i>Macrophya maculitibia</i> Takeuchi, 1933	5 ex.
<i>Macrophya maculotarsalina</i> Wei & Liu, 2005	2 ex.
<i>Macrophya malaisei</i> Takeuchi, 1937	6 ex.
<i>Macrophya melanoclypea</i> Wei, 2002	2 ex.
<i>Macrophya melanolabria</i> Wei, 1998	2 ex.
<i>Macrophya mensa</i> Gibson, 1980	8 ex.
<i>Macrophya militaris</i> (Klug, 1817)	28 ex.
<i>Macrophya militaris cabreræ</i> Konow, 1896	15 ex.
<i>Macrophya minutifossa</i> Wei & Nie, 2003	1 ex.
<i>Macrophya montana montana</i> (Scopoli, 1763)	564 ex.
<i>Macrophya montana tegularis</i> Konow, 1894	8 ex.
<i>Macrophya nigra</i> (Norton, 1860)	3 ex.
<i>Macrophya obesa</i> Takeuchi, 1933	3 ex.
<i>Macrophya oedipus</i> Benson, 1968	2 ex.
<i>Macrophya oregona</i> Cresson, 1880	6 ex.
<i>Macrophya ottomana</i> Mocsáry, 1881	2 ex.
<i>Macrophya pannosa</i> (Say, 1836)	5 ex.
<i>Macrophya parapompilina</i> Wei & Nie, 1999	1 ex.
<i>Macrophya parimitator</i> Wei, 1998	1 ex.
<i>Macrophya parvula</i> Konow, 1884	3 ex.
<i>Macrophya pilotheca</i> Wei & Ma, 1997	6 ex.
<i>Macrophya planata</i> Mocsáry, 1909	2 ex.
<i>Macrophya pompilina</i> Malaise, 1945	1 ex.
<i>Macrophya postica</i> (Brullé, 1832)	63 ex.
<i>Macrophya prasinipes</i> Konow, 1891	4 ex.
<i>Macrophya pulchella</i> (Klug, 1817)	2 ex.
<i>Macrophya punctata</i> MacGillivray, 1895	3 ex.
<i>Macrophya punctumalbum</i> (Linné, 1767)	90 ex.
<i>Macrophya recognata</i> Zombori, 1979	25 ex.
<i>Macrophya revertana</i> Wei, 1998	3 ex.
<i>Macrophya ribis</i> (Schrank, 1781)	165 ex.
<i>Macrophya rubitibia</i> Wei & Chen, 2002	1 ex.
<i>Macrophya ruficincta</i> Konow, 1894	3 ex.
<i>Macrophya rufipes</i> (Linné, 1758)	58 ex.
<i>Macrophya rufopicta</i> Enslin, 1910	1 ex.
<i>Macrophya sanguinolenta</i> (Gmelin, 1790)	215 ex.
<i>Macrophya senacca</i> Gibson, 1980	1 ex.
<i>Macrophya sheni</i> Wei, 1998	2 ex.
<i>Macrophya sibirica</i> Forsius, 1918	2 ex.
<i>Macrophya spec.</i>	13 ex.
<i>Macrophya succincta</i> Cresson, 1880	2 ex.
<i>Macrophya superba</i> Tischbein, 1852	46 ex.

<i>Macrophya tattakana</i> Takeuchi, 1927	4 ex.
<i>Macrophya tenella</i> Mocsáry, 1881	37 ex.
<i>Macrophya teutona</i> (Panzer, 1799)	8 ex.
<i>Macrophya tibiator</i> Norton, 1864	1 ex.
<i>Macrophya timida</i> F. Smith, 1874	4 ex.
<i>Macrophya tongi</i> Wei & Ma, 1997	2 ex.
<i>Macrophya trisyllaba</i> (Norton, 1860)	29 ex.
<i>Macrophya vacillans</i> Malaise, 1931	1 ex.
<i>Macrophya varia</i> (Norton, 1860)	2 ex.
<i>Macrophya verticalis</i> Konow, 1898	6 ex.
<i>Macrophya vittata</i> Mallach, 1936	5 ex.
<i>Macrophya weni</i> Wei, 1998	5 ex.
<i>Macrophya xiaoi</i> Wei & Nie, 2003	2 ex.
<i>Macrophya zoe</i> W. F. Kirby, 1882	1 ex.
<i>Macroxyela aenea</i> Norton, 1872	2 ex.
<i>Macroxyela ferruginea</i> Say, 1824	4 ex.
<i>Manaos bigrammatus</i> (Konow, 1906)	1 ex.
<i>Manaos declivis</i> (Konow, 1906)	2 ex.
<i>Manaos mammeatus</i> (Konow, 1906)	2 ex.
<i>Manaos mulsus</i> (Konow, 1906)	8 ex.
<i>Manaos ricatus</i> (Konow, 1906)	1 ex.
<i>Megabeleses liri dendrovorax</i> Xiao, 1993	4 ex.
<i>Megalodontes bucephalus</i> Klug, 1824	5 ex.
<i>Megalodontes capitalatus</i> Konow, 1904	5 ex.
<i>Megalodontes cephalotes</i> Fabricius, 1781	151 ex.
<i>Megalodontes confusus</i> Taeger, 2003	1 ex.
<i>Megalodontes crassicornis</i> Springate & Taeger, 2002	6 ex.
<i>Megalodontes escaleraei</i> Konow, 1899	9 ex.
<i>Megalodontes eversmanni</i> Freymuth, 1870	10 ex.
<i>Megalodontes fabricii</i> Leach, 1817	30 ex.
<i>Megalodontes flabellicornis</i> Germar, 1825	4 ex.
<i>Megalodontes flavicornis</i> Klug, 1824	7 ex.
<i>Megalodontes graciosus</i> Mocsáry, 1881	3 ex.
<i>Megalodontes hakkariensis</i> Taeger, 2002	6 ex.
<i>Megalodontes huddlestoni</i> Springate & Taeger, 2002	1 ex.
<i>Megalodontes interruptus</i> Gussakovskij, 1935	1 ex.
<i>Megalodontes jucundus</i> Mocsáry, 1891	2 ex.
<i>Megalodontes judaicus</i> (Lepelletier, 1823)	9 ex.
<i>Megalodontes krausi</i> Taeger, 1998	0 ex.
<i>Megalodontes kuznetzovi</i> Dovnar-Zapolskij, 1930	2 ex.
<i>Megalodontes lacourti</i> Chevin, 1985	4 ex.
<i>Megalodontes laticeps</i> Konow, 1897	3 ex.
<i>Megalodontes luteiventris</i> (Konow, 1894)	6 ex.
<i>Megalodontes medius</i> Konow, 1897	2 ex.
<i>Megalodontes merceti</i> Konow, 1904	8 ex.
<i>Megalodontes mocsaryi</i> Ed. André, 1881	9 ex.
<i>Megalodontes mundus</i> Konow, 1904	1 ex.

<i>Megalodontes nitens</i> (Freymuth, 1870)	4 ex.
<i>Megalodontes olivieri</i> Brullé, 1846	3 ex.
<i>Megalodontes panzeri</i> Leach, 1817	9 ex.
<i>Megalodontes parvus</i> Dovnar-Zapolskij, 1930	3 ex.
<i>Megalodontes phaenicus</i> Lepeletier, 1823	10 ex.
<i>Megalodontes plagiocephalus</i> (Fabricius, 1804)	53 ex.
<i>Megalodontes quinquecinctus</i> Klug, 1824	2 ex.
<i>Megalodontes reitteri</i> (Konow, 1894)	4 ex.
<i>Megalodontes skorniakowii</i> Freymuth, 1870	20 ex.
<i>Megalodontes spiraeae</i> Klug, 1824	32 ex.
<i>Megalodontes taurus</i> Taeger, 2002	3 ex.
<i>Megalodontes thor</i> Taeger, 2002	27 ex.
<i>Megalodontes turcicus</i> Mocsáry, 1881	3 ex.
<i>Megalodontes weiffenbachi</i> Springate & Taeger, 2002	2 ex.
<i>Megalodontes xanthosomus</i> Zhelochovtsev, 1927	7 ex.
<i>Megatomostethus fulvitergus</i> Wei, 2002	1 ex.
<i>Megatomostethus maurus</i> (Rohwer, 1916)	8 ex.
<i>Melastola ferruginosa</i> Wong, 1968	2 ex.
<i>Melastola resinicolor</i> (Marlatt, 1896)	1 ex.
<i>Mesoneura lanigera</i> Benson, 1954	3 ex.
<i>Mesoneura opaca</i> (Fabricius, 1775)	33 ex.
<i>Metallopeus aphroditus</i> Wei	1 ex.
<i>Metallopeus splendidus</i> (Konow, 1907)	1 ex.
<i>Metallus albipes</i> (Cameron, 1875)	10 ex.
<i>Metallus beckeri</i> (Konow, 1904)	1 ex.
<i>Metallus capitalis</i> (Norton, 1867)	1 ex.
<i>Metallus lanceolatus</i> (C. G. Thomson, 1870)	7 ex.
<i>Metallus pumilus</i> (Klug, 1816)	45 ex.
<i>Metallus rohweri</i> MacGillivray, 1909	1 ex.
<i>Metapedias torva</i> Konow, 1899	3 ex.
<i>Microdiprion pallipes</i> (Fallén, 1808)	8 ex.
<i>Micronematus monogyniae</i> (Hartig, 1840)	69 ex.
<i>Mocsarya syriaca</i> Benson, 1936	1 ex.
<i>Monardis plana</i> (Klug, 1817)	5 ex.
<i>Monardis pulla</i> D. R. Smith, 1969	1 ex.
<i>Monardoides sinica</i> Wei & Wu, 1998	2 ex.
<i>Monocellicampa pruni</i> Wei, 1998	2 ex.
<i>Monoctenus fulvus</i> (Norton, 1872)	1 ex.
<i>Monoctenus juniperi</i> (Linné, 1758)	24 ex.
<i>Monoctenus obscuratus</i> (Hartig, 1837)	10 ex.
<i>Monophadnoides fukaii</i> (Rohwer, 1910)	1 ex.
<i>Monophadnoides rubi</i> (T. W. Harris, 1845)	89 ex.
<i>Monophadnoides ruficuris</i> (Brullé, 1832)	26 ex.
<i>Monophadnoides sinicus</i> Wei, 2003	1 ex.
<i>Monophadnus atrocoeruleus</i> Konow, 1898	1 ex.
<i>Monophadnus bakeri</i> D. R. Smith, 1969	1 ex.
<i>Monophadnus contortus</i> (MacGillivray, 1923)	1 ex.

<i>Monophadnus funebris</i> (Konow, 1898)	1 ex.
<i>Monophadnus lattini</i> D. R. Smith, 1969	1 ex.
<i>Monophadnus latus</i> A. Costa, 1894	12 ex.
<i>Monophadnus monticola</i> (Hartig, 1837)	18 ex.
<i>Monophadnus nigriceps</i> (F. Smith, 1874)	1 ex.
<i>Monophadnus pallescens</i> (Gmelin, 1790)	220 ex.
<i>Monophadnus rivalis</i> Konow, 1906	1 ex.
<i>Monophadnus scytha</i> Konow, 1898	1 ex.
<i>Monophadnus spec.</i>	5 ex.
<i>Monophadnus spinolae</i> (Klug, 1816)	32 ex.
<i>Monostegia abdominalis</i> (Fabricius, 1798)	74 ex.
<i>Monostegia analis</i> (Konow, 1887)	3 ex.
<i>Monostegia cingulata</i> (Konow, 1891)	1 ex.
<i>Monostegia nigra</i> (Konow, 1896)	3 ex.
<i>Monsoma inferentium</i> (Norton, 1868)	2 ex.
<i>Monsoma pulveratum</i> (Retzius, 1783)	31 ex.
<i>Moricella rufonota</i> Rohwer, 1916	4 ex.
<i>Nagamasaiia leucopoda</i> Togashi, 1988	2 ex.
<i>Neacidiophora athalioides</i> (Konow, 1907)	1 ex.
<i>Neacidiophora bellicornis</i> (Konow, 1907)	3 ex.
<i>Neacidiophora calo</i> (Konow, 1907)	1 ex.
<i>Nematinus acuminatus</i> (C. G. Thomson, 1871)	11 ex.
<i>Nematinus bilineatus</i> (Klug, 1819)	23 ex.
<i>Nematinus caledonicus</i> (Cameron, 1882)	7 ex.
<i>Nematinus fuscipennis</i> (Serville, 1823)	90 ex.
<i>Nematinus luteus</i> (Panzer, 1804)	34 ex.
<i>Nematinus maroccanus</i> Lacourt, 1975	1 ex.
<i>Nematinus steini</i> Blank, 1998	52 ex.
<i>Nematus bergmanni</i> Dahlbom, 1835	88 ex.
<i>Nematus betulivorus</i> Conde, i.l.	1 ex.
<i>Nematus bicolor</i> Jakovlev, 1891	1 ex.
<i>Nematus bipartitus</i> Serville, 1823	11 ex.
<i>Nematus bohemani</i> C. G. Thomson, 1871	0 ex.
<i>Nematus boreophilus</i> (Lindqvist, 1971)	1 ex.
<i>Nematus breviseta</i> (Lindqvist, 1949)	1 ex.
<i>Nematus breviseta</i> C. G. Thomson, 1871	35 ex.
<i>Nematus cadderensis</i> Cameron, 1875	0 ex.
<i>Nematus caeruleocarpus</i> Hartig, 1837	9 ex.
<i>Nematus capito</i> (Konow, 1903)	3 ex.
<i>Nematus dengi</i> Wei, 2003	3 ex.
<i>Nematus desantisi</i> D. R. Smith, 1983	7 ex.
<i>Nematus dispar</i> Zaddach, 1876	39 ex.
<i>Nematus dissimilis</i> Förster, 1854	17 ex.
<i>Nematus distinguendus</i> (Enslin, 1915)	3 ex.
<i>Nematus fagi</i> Zaddach, 1876	12 ex.
<i>Nematus fahraei</i> C. G. Thomson, 1862	4 ex.
<i>Nematus ferrugineus</i> Förster, 1854	8 ex.

<i>Nematus flavescens</i> Stephens, 1835	21 ex.
<i>Nematus frenalis</i> C. G. Thomson, 1888	2 ex.
<i>Nematus fuscomaculatus</i> Förster, 1854	18 ex.
<i>Nematus gracilidentatus</i> Viitasaari, 1980	0 ex.
<i>Nematus hypoxanthus</i> Förster, 1854	22 ex.
<i>Nematus incompletus</i> Förster, 1854	18 ex.
<i>Nematus jakowleffi</i> (Konow, 1902)	1 ex.
<i>Nematus kangasi</i> (Lindqvist, 1964)	2 ex.
<i>Nematus laricis</i> (Hartig, 1837)	108 ex.
<i>Nematus leionotus</i> Benson, 1933	0 ex.
<i>Nematus leucopyga</i> Lindqvist, 1949	1 ex.
<i>Nematus leucotrochus</i> Hartig, 1837	28 ex.
<i>Nematus lientericus</i> Holmgren, 1883	1 ex.
<i>Nematus lucens</i> Enslin, 1918	8 ex.
<i>Nematus lucidus</i> (Panzer, 1801)	140 ex.
<i>Nematus melanaspis</i> Hartig, 1840	32 ex.
<i>Nematus melanocephalus</i> Hartig, 1837	17 ex.
<i>Nematus miliaris</i> (Panzer, 1797)	41 ex.
<i>Nematus monticola</i> C. G. Thomson, 1871	3 ex.
<i>Nematus myosotidis</i> (Fabricius, 1804)	186 ex.
<i>Nematus nigricornis</i> Serville, 1823	19 ex.
<i>Nematus nitens</i> C. G. Thomson, 1888	3 ex.
<i>Nematus notabilis</i> (Konow, 1903)	3 ex.
<i>Nematus oligospilus</i> Förster, 1854	30 ex.
<i>Nematus pallens</i> (Konow, 1903)	5 ex.
<i>Nematus parvulus</i> Holmgren, 1883	5 ex.
<i>Nematus pavidus</i> Serville, 1823	68 ex.
<i>Nematus platystigma</i> (Lindqvist, 1949)	1 ex.
<i>Nematus poecilonotus</i> Zaddach, 1876	36 ex.
<i>Nematus polaris</i> Holmgren, 1883	4 ex.
<i>Nematus pravus</i> (Konow, 1895)	1 ex.
<i>Nematus princeps</i> Zaddach, 1876	3 ex.
<i>Nematus pseudodispar</i> (Lindqvist, 1969)	1 ex.
<i>Nematus putoni</i> (Konow, 1903)	2 ex.
<i>Nematus reticulatus</i> Holmgren, 1883	13 ex.
<i>Nematus ribesii</i> (Scopoli, 1763)	54 ex.
<i>Nematus ryanus</i> Wei, 2002	1 ex.
<i>Nematus salicis</i> (Linné, 1758)	46 ex.
<i>Nematus scotonotus</i> Förster, 1854	131 ex.
<i>Nematus seriepunctatus</i> (Malaise, 1921)	1 ex.
<i>Nematus similator</i> Förster, 1854	33 ex.
<i>Nematus spec.</i>	11 ex.
<i>Nematus spiraeae</i> Zaddach, 1883	9 ex.
<i>Nematus stichi</i> (Enslin, 1913)	1 ex.
<i>Nematus sylvestris</i> Cameron, 1884	0 ex.
<i>Nematus tenuitarsis</i> (Konow, 1901)	1 ex.
<i>Nematus tibialis</i> Newman, 1837	79 ex.

Nematus trochanteratus Malaise, 1931	1 ex.
Nematus tulunensis (Vikberg, 1972)	1 ex.
Nematus umbratus C. G. Thomson, 1871	6 ex.
Nematus ventralis Say, 1824	1 ex.
Nematus vertebratus Say, 1836	1 ex.
Nematus vicinus Serville, 1823	24 ex.
Nematus viridis Stephens, 1835	28 ex.
Nematus viridissimus Möller, 1882	3 ex.
Nematus yokohamensis (Konow, 1895)	1 ex.
Neoclia sinensis Malaise, 1937	1 ex.
Neocolochelyna montana (Konow, 1898)	1 ex.
Neodineura arquata (Klug, 1816)	1 ex.
Neodiprion abdominalis (Say, 1824)	1 ex.
Neodiprion abietis T. W. Harris, 1841	4 ex.
Neodiprion edulicolus Ross, 1955	2 ex.
Neodiprion pinusrigida (Norton, 1868)	1 ex.
Neodiprion sertifer (Geoffroy, 1785)	16 ex.
Neodiprion taedae linearis Ross, 1955	2 ex.
Neoeurys inconspicuus (W. F. Kirby, 1894)	4 ex.
Neoeurys niger Benson, 1934	2 ex.
Neoeurys spec.	2 ex.
Neoeurys variabilis (Forsius, 1927)	2 ex.
Neomessa steusloffii (Konow, 1892)	2 ex.
Neopareophora litura (Klug, 1816)	7 ex.
Neopoppia sp. Rohwer, 1912	2 ex.
Neoptilia liturata (Konow, 1903)	2 ex.
Neostroboceros spec.	2 ex.
Neostroboceros albicomus (Konow, 1900)	2 ex.
Neostroboceros albofemoratus Rohwer, 1916	2 ex.
Neostroboceros basilineatus Cameron, 1907	1 ex.
Neostroboceros bicolor Wei, 2003	1 ex.
Neostroboceros brevigenatus Wei & Nie, 2002	1 ex.
Neostroboceros chalybeus (Konow, 1908)	2 ex.
Neostroboceros circulofrons Wei, 2002	1 ex.
Neostroboceros congener (Konow, 1900)	4 ex.
Neostroboceros dentiserra Malaise, 1944	1 ex.
Neostroboceros disjunctus Wei & Nie, 1999	1 ex.
Neostroboceros dolichocellus Wei, 2003	2 ex.
Neostroboceros fuscinervis (Cameron, 1899)	3 ex.
Neostroboceros indobirmanus Malaise, 1944	2 ex.
Neostroboceros jiangnum Wei	1 ex.
Neostroboceros laevis (Konow, 1898)	3 ex.
Neostroboceros liui Wei, 2006	1 ex.
Neostroboceros longicornis Wei	1 ex.
Neostroboceros major Wei, 2003	1 ex.
Neostroboceros mirandus Wei	1 ex.
Neostroboceros nanus Malaise, 1944	1 ex.

<i>Neostromboceros nipponicus</i> Takeuchi, 1941	3 ex.
<i>Neostromboceros perroti</i> Malaise, 1944	2 ex.
<i>Neostromboceros pilicornis</i> (Cameron, 1899)	3 ex.
<i>Neostromboceros pseudodubius</i> Wei, 2003	1 ex.
<i>Neostromboceros pseudosinuatus</i> Wei, 2003	2 ex.
<i>Neostromboceros punctatus</i> (Konow, 1908)	1 ex.
<i>Neostromboceros revetina</i> Wei & Nie, 1999	1 ex.
<i>Neostromboceros rohweri</i> Malaise, 1944	3 ex.
<i>Neostromboceros rufithorax</i> Malaise, 1944	1 ex.
<i>Neostromboceros rugosulus</i> Wei, 2002	1 ex.
<i>Neostromboceros sauteri</i> (Rohwer, 1916)	17 ex.
<i>Neostromboceros tegularis</i> Malaise, 1944	1 ex.
<i>Neostromboceros tenuicornis</i> Wei, 1997	1 ex.
<i>Neostromboceros tongi</i> Wei & Nie, 1999	1 ex.
<i>Neostromboceros tonkinensis</i> Forsius, 1931	2 ex.
<i>Neostromboceros xiaowei</i> Wei	2 ex.
<i>Neostromboceros yangqini</i> Wei	1 ex.
<i>Neostromboceros zengi</i> Wei & Nie, 2002	1 ex.
<i>Neothrinax formosana</i> Rohwer, 1916	1 ex.
<i>Nepala incerta</i> (Cameron, 1876)	4 ex.
<i>Nepionema helveticum</i> Benson, 1960	3 ex.
<i>Nesodiprion biremis</i> (Konow, 1899)	1 ex.
<i>Nesodiprion zhejiangensis</i> Zhou & G. R. Xiao, 1981	2 ex.
<i>Nesoselandria abdominalis</i> (Enslin, 1912)	1 ex.
<i>Nesoselandria albicornis</i> (Forsius, 1929)	1 ex.
<i>Nesoselandria horni</i> (Forsius, 1932)	1 ex.
<i>Nesoselandria javana</i> (Enslin, 1912)	1 ex.
<i>Nesoselandria leucopoda</i> Rohwer, 1916	11 ex.
<i>Nesoselandria morio</i> (Fabricius, 1781)	61 ex.
<i>Nesoselandria nipponica</i> Takeuchi, 1929	2 ex.
<i>Nesotaxonus fulvus</i> (Cameron, 1877)	5 ex.
<i>Nesotomostethus continentalis</i> Malaise, 1934	2 ex.
<i>Nesotomostethus nigrotegularis</i> Wei	2 ex.
<i>Nesotomostethus secundus</i> Rohwer, 1916	2 ex.
<i>Netroceros rufiventris rufiventris</i> (Konow, 1896)	4 ex.
<i>Neurotoma edwardi</i> Liston, 1996	1 ex.
<i>Neurotoma fausta</i> (Klug, 1808)	4 ex.
<i>Neurotoma iridescens</i> (Ed. André, 1882)	2 ex.
<i>Neurotoma mandibularis</i> (Zaddach, 1866)	2 ex.
<i>Neurotoma nemoralis</i> (Linné, 1758)	78 ex.
<i>Neurotoma saltuum</i> (Linné, 1758)	19 ex.
<i>Neurotoma sibirica</i> Gussakovskij, 1935	19 ex.
<i>Neurotoma similis</i> Kuznetzov-Ugamskij, 1927	1 ex.
<i>Notofenusa surosa</i> (Konow, 1905)	1 ex.
<i>Onycholyda amplexa</i> Fabricius, 1804	0 ex.
<i>Onycholyda armata</i> Maa, 1949	1 ex.
<i>Onycholyda decorata</i> Shinohara, 1985	1 ex.

<i>Onycholyda excavata</i> (Norton, 1869)	1 ex.
<i>Onycholyda kervillei</i> (Konow, 1903)	1 ex.
<i>Onycholyda kumamotoensis</i> (Matsumura, 1912)	3 ex.
<i>Onycholyda lucida</i> (Rohwer, 1910)	4 ex.
<i>Onycholyda minomalis</i> (Takeuchi, 1930)	2 ex.
<i>Onycholyda nigroclypeata</i> Shinohara, 1987	1 ex.
<i>Onycholyda odaesana</i> Shinohara & Byun, 1993	2 ex.
<i>Onycholyda sertata</i> (Konow, 1903)	6 ex.
<i>Onycholyda similis</i> Shinohara, 1987	1 ex.
<i>Onycholyda sitkensis</i> Kincaid, 1900	1 ex.
<i>Onycholyda tenuis</i> (Takeuchi, 1938)	4 ex.
<i>Onycholyda viriditibialis</i> (Takeuchi, 1930)	1 ex.
<i>Onychostethomostus insularis</i> (Rohwer, 1916)	2 ex.
<i>Ophrynopus andrei</i> Konow, 1897	1 ex.
<i>Ophrynopus depressatus</i> D. R. Smith, 1988	1 ex.
<i>Orientabia japonica</i> (Cameron, 1887)	2 ex.
<i>Orussus abietinus</i> (Scopoli, 1763)	30 ex.
<i>Orussus moroi</i> Guiglia, 1954	1 ex.
<i>Orussus occidentalis</i> (Cresson, 1879)	12 ex.
<i>Orussus smithi</i> Blank, Kraus & Taeger, 2004	2 ex.
<i>Orussus taorminensis</i> Trautmann, 1922	1 ex.
<i>Orussus thoracicus</i> Ashmead, 1898	8 ex.
<i>Orussus unicolor</i> Latreille, 1812	4 ex.
<i>Pachycephus cruentatus</i> (Eversmann, 1847)	2 ex.
<i>Pachycephus smyrnensis</i> J. P. E. F. Stein, 1876	14 ex.
<i>Pachylosticta albiventris</i> Klug, 1824	3 ex.
<i>Pachylosticta violacea</i> Klug, 1824	2 ex.
<i>Pachylota audouinii</i> Westwood, 1841	2 ex.
<i>Pachynematus albipennis</i> (Hartig, 1837)	20 ex.
<i>Pachynematus clibrichellus</i> (Cameron, 1878)	5 ex.
<i>Pachynematus clitellatus</i> (Serville, 1823)	91 ex.
<i>Pachynematus excisus</i> (C. G. Thomson, 1862)	2 ex.
<i>Pachynematus extensicornis</i> (Norton, 1861)	2 ex.
<i>Pachynematus fallax</i> (Serville, 1823)	16 ex.
<i>Pachynematus gehrsi</i> Konow, 1903	5 ex.
<i>Pachynematus infirmus</i> (Förster, 1854)	64 ex.
<i>Pachynematus lichtwardti</i> Konow, 1903	20 ex.
<i>Pachynematus moerens</i> (Förster, 1854)	4 ex.
<i>Pachynematus nigerrimus</i> Konow, 1903	1 ex.
<i>Pachynematus obductus</i> (Hartig, 1837)	43 ex.
<i>Pachynematus parvilabris</i> (C. G. Thomson, 1862)	1 ex.
<i>Pachynematus sporax</i> Ross, 1945	3 ex.
<i>Pachynematus styx</i> Benson, 1958	3 ex.
<i>Pachynematus taegeri</i> (Lacourt, 1996)	0 ex.
<i>Pachynematus vaginosus</i> Konow, 1903	3 ex.
<i>Pachynematus vagus</i> (Fabricius, 1781)	63 ex.
<i>Pachyprotasis albicincta</i> Cameron, 1881	2 ex.

<i>Pachyprotasis alboannulata</i> Forsius, 1935	1 ex.
<i>Pachyprotasis antennata</i> (Klug, 1817)	98 ex.
<i>Pachyprotasis boyii</i> Wei, 2006	3 ex.
<i>Pachyprotasis brevicornis</i> Wei & Zhong, 2002	3 ex.
<i>Pachyprotasis caerulescens</i> Malaise, 1945	2 ex.
<i>Pachyprotasis caii</i> Wei, 1998	2 ex.
<i>Pachyprotasis eleviscutellis</i> Wei & Nie, 1999	1 ex.
<i>Pachyprotasis erratica</i> F. Smith, 1874	2 ex.
<i>Pachyprotasis eulongicornis</i> Wei & Nie, 1999	1 ex.
<i>Pachyprotasis formosana</i> Rohwer, 1916	1 ex.
<i>Pachyprotasis fulvocoxis</i> Wei & Zhong, 2002	1 ex.
<i>Pachyprotasis gregalis</i> Malaise, 1945	1 ex.
<i>Pachyprotasis lineatella</i> Wei & Nie, 1999	2 ex.
<i>Pachyprotasis lineatifemorata</i> Wei & Nie, 1999	1 ex.
<i>Pachyprotasis lineicoxis</i> Malaise, 1931	4 ex.
<i>Pachyprotasis longicornis</i> Jakovlev, 1891	1 ex.
<i>Pachyprotasis melanogaster</i> Wei, 1998	2 ex.
<i>Pachyprotasis micromaculata</i> Wei, 1998	1 ex.
<i>Pachyprotasis nanlingia</i> Wei, 2006	1 ex.
<i>Pachyprotasis nigrodorsata</i> Wei & Nie, 1999	1 ex.
<i>Pachyprotasis nigronotata</i> Kriechbaumer, 1874	12 ex.
<i>Pachyprotasis opacifrons</i> Malaise, 1945	1 ex.
<i>Pachyprotasis pallidistigma</i> Malaise, 1931	4 ex.
<i>Pachyprotasis pallidiventris</i> Marlatt, 1898	1 ex.
<i>Pachyprotasis parasubtilis</i> Wei, 1998	4 ex.
<i>Pachyprotasis pingi</i> Wei & Zhong, 2002	1 ex.
<i>Pachyprotasis rapae</i> (Linné, 1767)	618 ex.
<i>Pachyprotasis sellata sagittata</i> Malaise, 1945	2 ex.
<i>Pachyprotasis senjensis bandana</i> Wei & Zhong, 2002	2 ex.
<i>Pachyprotasis shengi</i> Wei & Nie, 1999	7 ex.
<i>Pachyprotasis simulans</i> (Klug, 1817)	23 ex.
<i>Pachyprotasis spec.</i>	11 ex.
<i>Pachyprotasis spec.</i> Far East	102 ex.
<i>Pachyprotasis subtilis</i> Malaise, 1945	2 ex.
<i>Pachyprotasis subtilissima</i> Malaise, 1945	2 ex.
<i>Pachyprotasis subulicornis</i> Malaise, 1945	3 ex.
<i>Pachyprotasis sulciscutellis</i> Wei & Zhong, 2002	1 ex.
<i>Pachyprotasis tiani</i> Wei, 1998	1 ex.
<i>Pachyprotasis variegata</i> (Fallén, 1808)	30 ex.
<i>Pachyprotasis volatilis</i> (F. Smith, 1874)	1 ex.
<i>Pachyprotasis wangi</i> Wei & Zhong, 2002	1 ex.
<i>Pachyprotasis wui</i> Wei & Nie, 1998	1 ex.
<i>Pachyprotasis wulingensis</i> Wei, 2006	1 ex.
<i>Pachyprotasis xiaoi</i> Wei, 2006	1 ex.
<i>Pachyprotasis zhoui</i> Wei & Zhong, 2007	1 ex.
<i>Pachyprotasis zuoae</i> Wei, 2005	5 ex.
<i>Palpiphia formosana</i> (Enslin, 1911)	7 ex.

<i>Palpixiphia funicornis</i> (Konow, 1897)	1 ex.
<i>Pamphilius albopictus</i> (C. G. Thomson, 1871)	2 ex.
<i>Pamphilius alnicola</i> Ermolenko, 1973	1 ex.
<i>Pamphilius alternans</i> (A. Costa, 1860)	8 ex.
<i>Pamphilius archiducalis</i> Konow, 1897	1 ex.
<i>Pamphilius aurantiacus</i> (Giraud, 1857)	20 ex.
<i>Pamphilius balteatus</i> (Fallén, 1808)	21 ex.
<i>Pamphilius benesi</i> Shinohara, 1985	1 ex.
<i>Pamphilius betulae</i> (Linné, 1758)	16 ex.
<i>Pamphilius brevicornis</i> Hellén, 1948	3 ex.
<i>Pamphilius cilix</i> Konow, 1897	1 ex.
<i>Pamphilius festivus</i> C. Pesarini & F. Pesarini, 1984	2 ex.
<i>Pamphilius fumipennis</i> (Curtis, 1831)	2 ex.
<i>Pamphilius gyllenhali</i> (Dahlbom, 1835)	7 ex.
<i>Pamphilius hilaris</i> (Eversmann, 1847)	3 ex.
<i>Pamphilius histrio</i> Latreille, 1812	7 ex.
<i>Pamphilius hortorum</i> (Klug, 1808)	84 ex.
<i>Pamphilius ignymontiensis</i> Lacourt, 1973	7 ex.
<i>Pamphilius inanitus</i> (Villers, 1789)	6 ex.
<i>Pamphilius ishikawai</i> Shinohara, 1979	2 ex.
<i>Pamphilius itoi</i> Shinohara, 1985	3 ex.
<i>Pamphilius jucundus</i> (Eversmann, 1847)	5 ex.
<i>Pamphilius kamikochensis</i> Takeuchi, 1930	4 ex.
<i>Pamphilius komonensis</i> (Takeuchi, 1930)	2 ex.
<i>Pamphilius kontuniemii</i> Shinohara, 2003	56 ex.
<i>Pamphilius kyutekparki</i> Shinohara, 1991	1 ex.
<i>Pamphilius latifrons</i> (Fallén, 1808)	2 ex.
<i>Pamphilius leleji</i> Shinohara & Taeger, 2007	0 ex.
<i>Pamphilius lethierryi</i> (Konow, 1887)	9 ex.
<i>Pamphilius marginatus</i> (Serville, 1823)	14 ex.
<i>Pamphilius norimbergensis</i> Enslin, 1917	1 ex.
<i>Pamphilius pacificus</i> Norton, 1869	1 ex.
<i>Pamphilius pallipes</i> (Zetterstedt, 1838)	20 ex.
<i>Pamphilius pugnax</i> Konow, 1897	1 ex.
<i>Pamphilius rhoae</i> Shinohara, 1988	1 ex.
<i>Pamphilius sapporensis</i> (Matsumura, 1912)	2 ex.
<i>Pamphilius semicinctus</i> (Norton, 1862)	1 ex.
<i>Pamphilius stramineipes</i> (Hartig, 1837)	3 ex.
<i>Pamphilius sylvaticus</i> (Stephens, 1835)	2 ex.
<i>Pamphilius sylvaticus</i> (Linné, 1758)	67 ex.
<i>Pamphilius takeuchii</i> Beneš, 1972	3 ex.
<i>Pamphilius thorwaldi</i> Kontuniemi, 1946	2 ex.
<i>Pamphilius tricolor</i> Beneš, 1974	1 ex.
<i>Pamphilius vafer</i> (Linné, 1767)	8 ex.
<i>Pamphilius varius</i> (Serville, 1823)	20 ex.
<i>Pamphilius venustus</i> (F. Smith, 1874)	2 ex.
<i>Pamphilius volatilis</i> (F. Smith, 1874)	3 ex.

<i>Pampsilota afer</i> Konow, 1899	2 ex.
<i>Pampsilota scutellis</i> Wei, 1997	2 ex.
<i>Paracharactus gracilicornis</i> (Zaddach, 1859)	1 ex.
<i>Paracharactus hyalinus</i> (Konow, 1886)	3 ex.
<i>Paracharactus montivaga</i> (Cresson, 1880)	3 ex.
<i>Paracharactus rudis</i> (Norton, 1861)	3 ex.
<i>Paracharactus spec.</i>	1 ex.
<i>Paralyptia lacertosa</i> Konow, 1906	1 ex.
<i>Paranematus doebelii</i> (Konow, 1904)	6 ex.
<i>Paranematus tataricus</i> (Zinovjev, 1978)	1 ex.
<i>Paranematus wahlbergi</i> (C. G. Thomson, 1871)	2 ex.
<i>Paraneugmenus mandibularis</i> Wei, 1997	2 ex.
<i>Parasiobla attenata</i> Rohwer, 1921	4 ex.
<i>Parasiobla rufocinctus</i> (Norton, 1860)	9 ex.
<i>Parasyzygonia cyanoptera</i> (Klug, 1824)	4 ex.
<i>Paratenthredo merceti</i> (Konow, 1905)	2 ex.
<i>Paratenthredo monozonus</i> (Kriechbaumer, 1869)	5 ex.
<i>Paraxiphia insularia</i> (Rohwer, 1916)	1 ex.
<i>Pareophora pruni</i> (Linné, 1758)	62 ex.
<i>Pareophora pumilio</i> Konow, 1898	1 ex.
<i>Parna apicalis</i> Brischke, 1888	8 ex.
<i>Parna kamijoi</i> Togashi, 1980	40 ex.
<i>Parna spec.</i>	1 ex.
<i>Parna tenella</i> (Klug, 1816)	18 ex.
<i>Perga affinis</i> W. F. Kirby, 1882	1 ex.
<i>Perga christii</i> Westwood, 1880	1 ex.
<i>Perga dorsalis</i> Leach, 1817	4 ex.
<i>Perga kirbii</i> Leach, 1817	1 ex.
<i>Perga kohli</i> Konow, 1905	1 ex.
<i>Pergagraptia bella</i> (Newman, 1841)	4 ex.
<i>Pergagraptia gravenhorstii</i> (Westwood, 1880)	1 ex.
<i>Pergagraptia latreillii</i> (Leach, 1817)	2 ex.
<i>Pergagraptia polita</i> (Leach, 1817)	8 ex.
<i>Pergagraptia spinolae</i> Westwood, 1880	1 ex.
<i>Periclista albicollis</i> (Norton, 1872)	5 ex.
<i>Periclista albida</i> (Klug, 1816)	16 ex.
<i>Periclista albipennis</i> (Zaddach, 1859)	6 ex.
<i>Periclista albiventris</i> (Klug, 1816)	5 ex.
<i>Periclista analis</i> Konow, 1886	4 ex.
<i>Periclista andrei</i> Konow, 1906	1 ex.
<i>Periclista carthago</i> Blank & Taeger, i. l.	1 ex.
<i>Periclista diluta</i> (Cresson, 1880)	1 ex.
<i>Periclista dusmeti</i> Konow, 1907	2 ex.
<i>Periclista lenta</i> Konow, 1903	2 ex.
<i>Periclista limbata</i> (Enderlein, 1920)	3 ex.
<i>Periclista linea</i> Stannard, 1949	1 ex.
<i>Periclista lineolata</i> (Klug, 1816)	8 ex.

<i>Periclista lorata</i> Konow, 1899	4 ex.
<i>Periclista pallipes</i> Provancher, 1895	1 ex.
<i>Periclista pilosa</i> Chevin, 1971	4 ex.
<i>Periclista pubescens</i> (Zaddach, 1859)	7 ex.
<i>Perineura okutanii</i> Takeuchi, 1959	2 ex.
<i>Perineura pictipennis</i> Takeuchi, 1959	1 ex.
<i>Perineura rubi</i> (Panzer, 1805)	165 ex.
<i>Perineura sinica</i> Wei	2 ex.
<i>Perineura spec.</i> Hartig	4 ex.
<i>Perineura stigma</i> Takeuchi, 1959	1 ex.
<i>Perreyia flavipes</i> Konow, 1899	1 ex.
<i>Perreyia fumipennis</i> (Westwood, 1874)	1 ex.
<i>Perreyia lepida</i> Brullé, 1846	17 ex.
<i>Perreyia nigriceps</i> (Westwood, 1874)	1 ex.
<i>Perreyia stangei</i> D. R. Smith, 1990	1 ex.
<i>Perreyia tropica</i> (Norton, 1869)	5 ex.
<i>Perreyiella melanoptera</i> (Perty, 1830)	1 ex.
<i>Perreyiella nigra</i> (Konow, 1903)	1 ex.
<i>Perreyiella pseudonigra</i> Benson & Conde, 1938	1 ex.
<i>Philomastix macleaii</i> (Westwood, 1880)	4 ex.
<i>Phrontosoma belfragei</i> (Cresson, 1880)	2 ex.
<i>Phyllocolpa alienata</i> Förster, 1854	0 ex.
<i>Phyllocolpa anglica</i> (Cameron, 1877)	1 ex.
<i>Phyllocolpa anomaloptera</i> Förster, 1854	0 ex.
<i>Phyllocolpa carinifrons</i> (Benson, 1940)	3 ex.
<i>Phyllocolpa fibulata</i> Konow, 1901	3 ex.
<i>Phyllocolpa ischnocera</i> Thomson, 1863	1 ex.
<i>Phyllocolpa leucapsis</i> (Tischbein, 1846)	30 ex.
<i>Phyllocolpa leucosticta</i> (Hartig, 1837)	34 ex.
<i>Phyllocolpa nigrita</i> (Marlatt, 1896)	0 ex.
<i>Phyllocolpa oblita</i> (Serville, 1823)	13 ex.
<i>Phyllocolpa piliserra</i> (C. G. Thomson, 1862)	7 ex.
<i>Phyllocolpa plicadaphnoides</i> Kopelke, 2007	6 ex.
<i>Phyllocolpa polita</i> Zaddach, 1883	1 ex.
<i>Phyllocolpa prussica</i> Zaddach, 1883	1 ex.
<i>Phyllocolpa rolleri</i> Liston, 2005	5 ex.
<i>Phyllocolpa scotaspis</i> (Förster, 1854)	10 ex.
<i>Phymatocera aterrима</i> (Klug, 1816)	75 ex.
<i>Phymatocera foveata</i> Wei, 1998	1 ex.
<i>Phymatocera fumipennis</i> (Norton, 1861)	1 ex.
<i>Phymatocera longithea</i> Wei, 2003	1 ex.
<i>Phymatocera racemosae</i> D. R. Smith, 1969	1 ex.
<i>Phymatocera ruscula</i> (MacGillivray, 1923)	1 ex.
<i>Phymatocera similata</i> (MacGillivray, 1908)	7 ex.
<i>Phymatocera sinica</i> Wei, 2002	2 ex.
<i>Phymatocera spec.</i>	1 ex.
<i>Phymatoceridea birmana</i> Malaise, 1964	1 ex.

<i>Phymatoceridea cheni</i> Wei, 2005	1 ex.
<i>Phymatoceridea formosana</i> Rohwer, 1916	5 ex.
<i>Phymatoceridea glabrifrons</i> Wei, 1999	1 ex.
<i>Phymatoceridea nigroscapa</i> Wei, 2003	2 ex.
<i>Phymatoceropsis fulvocincta</i> Rohwer, 1916	3 ex.
<i>Phymatoceropsis hei</i> Wei	2 ex.
<i>Phymatoceropsis maculata</i> Wei	2 ex.
<i>Phymatoceropsis melanogaster</i> He, Wei & S. B. Zhang, 2005	6 ex.
<i>Phymatoceropsis stigmatalis</i> Wei & Nie, 1997	4 ex.
<i>Pikonema imperfectum</i> (Zaddach, 1876)	66 ex.
<i>Pikonema insigne</i> (Hartig, 1840)	5 ex.
<i>Pikonema itoi</i> (Okutani, 1955)	3 ex.
<i>Pikonema scutellatum</i> (Hartig, 1837)	86 ex.
<i>Platycampus luridiventris</i> (Fallén, 1808)	35 ex.
<i>Platycampus obscuripes</i> (Konow, 1896)	1 ex.
<i>Plaumanniana aemula</i> (Konow, 1899)	2 ex.
<i>Plaumanniana simoni</i> (Buysson & Marshall, 1892)	1 ex.
<i>Plaumanniana trigemmis</i> Konow, 1900	2 ex.
<i>Pleroneura aldrichi</i> Ross, 1932	1 ex.
<i>Pleroneura bruneicornis</i> Rohwer, 1910	2 ex.
<i>Pleroneura californica</i> Ashmead, 1898	3 ex.
<i>Pleroneura coniferarum</i> Hartig, 1837	47 ex.
<i>Pleroneura dahlii</i> Hartig, 1837	4 ex.
<i>Pleroneura lutea</i> Rohwer, 1910	1 ex.
<i>Pleroneura subulata</i> Shinohara, 1995	1 ex.
<i>Polyclonus atratus</i> W. F. Kirby, 1882	2 ex.
<i>Polynematus annulatus</i> (Gimmerthal, 1834)	62 ex.
<i>Pontania acutifoliae</i> (Zinovjev, 1985)	5 ex.
<i>Pontania acutifoliae daphnoides</i> Zinovjev, 1993	0 ex.
<i>Pontania aestiva</i> (C. G. Thomson, 1862)	1 ex.
<i>Pontania arcticornis</i> (Konow, 1904)	7 ex.
<i>Pontania bella</i> (Zaddach, 1876)	2 ex.
<i>Pontania bridgmanii</i> (Cameron, 1883)	7 ex.
<i>Pontania collactanea</i> (Förster, 1854)	15 ex.
<i>Pontania crassipes</i> (C. G. Thomson, 1871)	10 ex.
<i>Pontania cyrnea</i> Liston, 2005	1 ex.
<i>Pontania dolichura</i> (C. G. Thomson, 1871)	1 ex.
<i>Pontania foetidae</i> (Kopelke, 1989)	10 ex.
<i>Pontania gallarum</i> (Hartig, 1837)	4 ex.
<i>Pontania glabrifrons</i> (Benson, 1960)	8 ex.
<i>Pontania hastatae</i> (Vikberg, 1970)	4 ex.
<i>Pontania helveticae</i> Kopelke, 1986	4 ex.
<i>Pontania herbaceae</i> (Cameron, 1876)	15 ex.
<i>Pontania joergenseni</i> Enslin, 1916	4 ex.
<i>Pontania krieckbaumeri</i> (Konow, 1901)	23 ex.
<i>Pontania lapponicola</i> Kopelke, 1994	11 ex.
<i>Pontania maculosa</i> (Kopelke, 1989)	6 ex.

<i>Pontania mandshurica</i> Zinovjev, 1981	1 ex.
<i>Pontania montivaga</i> (Kopelke, 1991)	10 ex.
<i>Pontania myrsiniticola</i> (Kopelke, 1991)	6 ex.
<i>Pontania myrtilloidea</i> Kopelke, 1991	1 ex.
<i>Pontania nigricantis</i> Kopelke, 1986	6 ex.
<i>Pontania nivalis</i> (Vikberg, 1970)	4 ex.
<i>Pontania nostra</i> (Zhelochovtsev, 1968)	1 ex.
<i>Pontania pedunculi</i> (Hartig, 1837)	22 ex.
<i>Pontania proxima</i> (Serville, 1823)	30 ex.
<i>Pontania purpureae</i> (Cameron, 1884)	6 ex.
<i>Pontania pustulator</i> (Forsius, 1923)	5 ex.
<i>Pontania reticulatae</i> (Malaise, 1920)	8 ex.
<i>Pontania retusae</i> (Benson, 1960)	2 ex.
<i>Pontania samolad</i> (Malaise, 1920)	24 ex.
<i>Pontania spec.</i>	1 ex.
<i>Pontania triandrae</i> Benson, 1941	0 ex.
<i>Pontania varia</i> Kopelke, 1991	6 ex.
<i>Pontania vesicator</i> (Bremer-Wolf, 1849)	17 ex.
<i>Pontania viminalis</i> (Linné, 1758)	44 ex.
<i>Pontania virilis</i> Zirngiebl, 1955	2 ex.
<i>Pontoprastia spec.</i>	5 ex.
<i>Poppia athalioides</i> Konow, 1904	2 ex.
<i>Praia taczanowskii</i> Wankowicz, 1880	9 ex.
<i>Prionomeion gaullei</i> (Konow, 1906)	1 ex.
<i>Priophorus brullei</i> Dahlbom, 1835	201 ex.
<i>Priophorus nigricans</i> (Cameron, 1902)	3 ex.
<i>Priophorus nubilus</i> Konow, 1897	2 ex.
<i>Priophorus pallipes</i> (Serville, 1823)	326 ex.
<i>Pristicampus incisus</i> (Lindqvist, 1970)	4 ex.
<i>Pristiphora abbreviata</i> (Hartig, 1837)	17 ex.
<i>Pristiphora abietina</i> (Christ, 1791)	27 ex.
<i>Pristiphora albilabris</i> (C. G. Thomson, 1862)	4 ex.
<i>Pristiphora albitibia</i> (A. Costa, 1859)	13 ex.
<i>Pristiphora alpestris</i> (Konow, 1903)	28 ex.
<i>Pristiphora amphibola</i> Förster, 1854	0 ex.
<i>Pristiphora anderschi</i> (Zaddach, 1876)	4 ex.
<i>Pristiphora angulata</i> Lindqvist, 1974	9 ex.
<i>Pristiphora aphantoneura</i> (Förster, 1854)	27 ex.
<i>Pristiphora appendiculata</i> (Hartig, 1837)	92 ex.
<i>Pristiphora armata</i> (C. G. Thomson, 1862)	99 ex.
<i>Pristiphora astragali</i> Vikberg, 1978	1 ex.
<i>Pristiphora beaumonti</i> Zirngiebl, 1957	1 ex.
<i>Pristiphora bifida</i> Hellén, 1948	1 ex.
<i>Pristiphora biscalis</i> (Förster, 1854)	125 ex.
<i>Pristiphora bivittata</i> (Norton, 1861)	2 ex.
<i>Pristiphora borea</i> (Konow, 1904)	2 ex.
<i>Pristiphora breadalbanensis</i> (Cameron, 1882)	3 ex.

<i>Pristiphora bufo</i> Brischke, 1883	7 ex.
<i>Pristiphora carinata</i> (Hartig, 1837)	28 ex.
<i>Pristiphora carpentieri</i> Konow, 1902	1 ex.
<i>Pristiphora chlorea</i> (Norton, 1867)	3 ex.
<i>Pristiphora cincta</i> Newman, 1837	34 ex.
<i>Pristiphora coactula</i> (Ruthe, 1859)	1 ex.
<i>Pristiphora compressa</i> (Hartig, 1837)	34 ex.
<i>Pristiphora concolor</i> (Lindqvist, 1952)	1 ex.
<i>Pristiphora condei</i> Lindqvist, 1955	1 ex.
<i>Pristiphora confusa</i> Lindqvist, 1955	7 ex.
<i>Pristiphora coniceps</i> Lindqvist, 1955	3 ex.
<i>Pristiphora conjugata</i> (Dahlbom, 1835)	48 ex.
<i>Pristiphora decipiens</i> (Enslin, 1916)	8 ex.
<i>Pristiphora erichsonii</i> (Hartig, 1837)	11 ex.
<i>Pristiphora fausta</i> (Hartig, 1837)	4 ex.
<i>Pristiphora formosana</i> Rohwer, 1916	1 ex.
<i>Pristiphora forsiusi</i> Enslin, 1916	3 ex.
<i>Pristiphora frigida</i> (Boheman, 1865)	1 ex.
<i>Pristiphora funerula</i> (A. Costa, 1859)	7 ex.
<i>Pristiphora geniculata</i> (Hartig, 1840)	79 ex.
<i>Pristiphora gerula</i> Konow, 1904	10 ex.
<i>Pristiphora glauca</i> Benson, 1954	9 ex.
<i>Pristiphora jakutica</i> Benes	1 ex.
<i>Pristiphora kamtchatica</i> Malaise, 1931	23 ex.
<i>Pristiphora karvoneni</i> (Lindqvist, 1952)	1 ex.
<i>Pristiphora lativentris</i> (C. G. Thomson, 1871)	1 ex.
<i>Pristiphora leucopodia</i> (Hartig, 1837)	41 ex.
<i>Pristiphora leucopus</i> Hellén, 1948	9 ex.
<i>Pristiphora luteipes</i> Lindqvist, 1955	2 ex.
<i>Pristiphora maesta</i> (Zaddach, 1876)	82 ex.
<i>Pristiphora melanocarpa</i> (Hartig, 1840)	89 ex.
<i>Pristiphora mollis</i> (Hartig, 1837)	58 ex.
<i>Pristiphora monogyniae</i> Hartig, 1840	50 ex.
<i>Pristiphora nievesi</i> Haris, 2004	1 ex.
<i>Pristiphora nigriceps</i> (Hartig, 1840)	17 ex.
<i>Pristiphora pallida</i> (Konow, 1904)	9 ex.
<i>Pristiphora pallidiventris</i> (Fallén, 1808)	161 ex.
<i>Pristiphora parnasia</i> Konow, 1902	1 ex.
<i>Pristiphora parva</i> Hartig, 1837	2 ex.
<i>Pristiphora platycerus</i> (Hartig, 1840)	32 ex.
<i>Pristiphora pseudodecipiens</i> Beneš & Kristek, 1976	21 ex.
<i>Pristiphora punctifrons</i> (C. G. Thomson, 1871)	24 ex.
<i>Pristiphora retusa</i> (C. G. Thomson, 1871)	3 ex.
<i>Pristiphora reuteri</i> (Lindqvist, 1960)	1 ex.
<i>Pristiphora robusta</i> (Konow, 1895)	3 ex.
<i>Pristiphora ruficornis</i> (Olivier, 1811)	31 ex.
<i>Pristiphora rufipes</i> Serville, 1823	55 ex.

<i>Pristiphora salicophilus</i> Liston, 2007	5 ex.
<i>Pristiphora sareptana</i> Kuznetzov-Ugamskij, 1929	6 ex.
<i>Pristiphora sauteri</i> Rohwer, 1916	1 ex.
<i>Pristiphora saxesenii</i> (Hartig, 1837)	58 ex.
<i>Pristiphora schedli</i> Liston & Späth, 2008	3 ex.
<i>Pristiphora sermola</i> (Liston, 1993)	2 ex.
<i>Pristiphora sinensis</i> Wong, 1977	2 ex.
<i>Pristiphora</i> spec.	1 ex.
<i>Pristiphora staudingeri</i> (Ruthe, 1859)	15 ex.
<i>Pristiphora subbifida</i> (C. G. Thomson, 1871)	7 ex.
<i>Pristiphora sycophanta</i> Walsh, 1866	1 ex.
<i>Pristiphora tenuiserra</i> Lindqvist, 1959	1 ex.
<i>Pristiphora testacea</i> (Jurine, 1807)	121 ex.
<i>Pristiphora tetrica</i> (Zaddach, 1883)	10 ex.
<i>Pristiphora thalictri</i> (Kriechbaumer, 1884)	18 ex.
<i>Pristiphora trochanterica</i> (Lindqvist, 1952)	1 ex.
<i>Pristiphora viridana</i> Konow, 1902	1 ex.
<i>Pristiphora wesmaeli</i> (Tischbein, 1853)	9 ex.
<i>Pristiphora zhejiangensis</i> Wei, 1995	2 ex.
<i>Probleta bilanx</i> (Konow, 1896)	1 ex.
<i>Probleta collariatus</i> Konow, 1908	2 ex.
<i>Probleta disiunctiva</i> Konow, 1902	1 ex.
<i>Probleta frenatus</i> Konow, 1908	1 ex.
<i>Probleta gracilicornis</i> Konow, 1908	1 ex.
<i>Probleta langei</i> Konow, 1908	1 ex.
<i>Profenusa lutea</i> D.R. Smith, 1982	2 ex.
<i>Profenusa pygmaea</i> (Klug, 1816)	25 ex.
<i>Profenusa thomsoni</i> (Konow, 1886)	5 ex.
<i>Proselandria carminea</i> Jörgensen, 1913	1 ex.
<i>Pseudoclavellaria amerinae</i> (Linné, 1758)	43 ex.
<i>Pseudodineura clematidisrectae</i> Hering, 1935	4 ex.
<i>Pseudodineura enslini</i> (Hering, 1923)	11 ex.
<i>Pseudodineura fuscula</i> (Klug, 1816)	36 ex.
<i>Pseudodineura heringi</i> (Enslin, 1921)	3 ex.
<i>Pseudodineura mentiens</i> (C. G. Thomson, 1871)	4 ex.
<i>Pseudodineura parva</i> Norton, 1867	10 ex.
<i>Pseudodineura parvula</i> (Klug, 1816)	4 ex.
<i>Pseudodineura</i> spec.	4 ex.
<i>Pseudoheptamelus runari</i> Conde, 1932	4 ex.
<i>Pseudopachylosticta subflavata</i> (W. F. Kirby, 1882)	4 ex.
<i>Pseudoperga ferruginea</i> (Leach, 1817)	4 ex.
<i>Pseudoperga lewisii</i> (Westwood, 1837)	3 ex.
<i>Pseudoryssus henschii</i> (Mocsáry, 1910)	0 ex.
<i>Pseudoryssus niehuisorum</i> Kraus, 1998	1 ex.
<i>Pseudosiobla excavata</i> (Norton, 1862)	2 ex.
<i>Pseudostromboceros atratus</i> (Enslin, 1911)	196 ex.
<i>Pseudostromboceros sinensis</i> Forsius, 1927	3 ex.

<i>Pterygophorus cinctus</i> Klug, 1814	24 ex.
<i>Ptilia brasiliensis</i> Lepeletier, 1823	3 ex.
<i>Ptilia melanictera</i> (Klug, 1814)	2 ex.
<i>Ptilia peletieri</i> (Gray, 1832)	1 ex.
<i>Ptilia</i> sp.	1 ex.
<i>Ptilia versicolor</i> (Klug, 1834)	1 ex.
<i>Quetutus viridipes</i> (Konow, 1899)	1 ex.
<i>Revatra sinica</i> Wei & Nie, 1998	2 ex.
<i>Rhadinoceraea aldrichi</i> (MacGillivray, 1923)	2 ex.
<i>Rhadinoceraea micans</i> (Klug, 1816)	19 ex.
<i>Rhadinoceraea nodicornis</i> Konow, 1886	19 ex.
<i>Rhadinoceraea nubilipennis</i> (Norton, 1867)	5 ex.
<i>Rhadinoceraea reitteri</i> Konow, 1890	9 ex.
<i>Rhadinoceraea singularis</i> Konow, 1897	1 ex.
<i>Rhadinoceraea</i> spec.	3 ex.
<i>Rhogogaster addenda</i> (Cresson, 1880)	31 ex.
<i>Rhogogaster bactriana</i> Benson, 1965	2 ex.
<i>Rhogogaster californica</i> (Norton, 1862)	8 ex.
<i>Rhogogaster chlorosoma</i> (Benson, 1943)	56 ex.
<i>Rhogogaster convergens</i> Malaise, 1931	2 ex.
<i>Rhogogaster dryas</i> (Benson, 1943)	15 ex.
<i>Rhogogaster gilva</i> (Konow, 1908)	1 ex.
<i>Rhogogaster kaszabi</i> Zombori, 1973	2 ex.
<i>Rhogogaster lateraria</i> (Cresson, 1880)	3 ex.
<i>Rhogogaster naias</i> Benson, 1965	2 ex.
<i>Rhogogaster nigriventris</i> Malaise, 1931	3 ex.
<i>Rhogogaster opacella</i> (Mocsáry, 1909)	2 ex.
<i>Rhogogaster punctulata</i> (Klug, 1817)	138 ex.
<i>Rhogogaster robusta</i> Jakowlew, 1891	1 ex.
<i>Rhogogaster</i> spec.	11 ex.
<i>Rhogogaster stigmata</i> Wei, 2002	3 ex.
<i>Rhogogaster turanica</i> Zhelochovtsev, 1927	7 ex.
<i>Rhogogaster viridis</i> (Linné, 1758)	217 ex.
<i>Rhoptroceros cyatheae</i> Wei & Wang, 1995	2 ex.
<i>Rhoptroceros procinctus</i> (Konow, 1898)	2 ex.
<i>Rocalia femorata</i> Nie & Wei, 1997	2 ex.
<i>Rocalia longipennis</i> Takeuchi, 1952	2 ex.
<i>Rya tegularis</i> Malaise, 1964	2 ex.
<i>Schizocerella jenseni</i> (Konow, 1906)	4 ex.
<i>Schizocerella lineata</i> Rohwer, 1909	12 ex.
<i>Schizocerella pilicornis</i> (Holmgren, 1868)	10 ex.
<i>Sciapteryx circassica</i> Dovnar-Zapolskij, 1930	0 ex.
<i>Sciapteryx cleopatra</i> Benson, 1954	0 ex.
<i>Sciapteryx consobrina</i> (Klug, 1816)	75 ex.
<i>Sciapteryx costalis</i> (Fabricius, 1775)	23 ex.
<i>Sciapteryx costalis corcyrensis</i> Benson, 1954	0 ex.
<i>Sciapteryx costalis soror</i> Konow, 1890	3 ex.

<i>Sciapteryx lactipennis</i> Konow, 1903	0 ex.
<i>Sciapteryx laeta</i> Konow, 1891	2 ex.
<i>Sciapteryx levantina</i> Ed. André, 1881	1 ex.
<i>Scobina angusticeps</i> D. R. Smith, 1992	1 ex.
<i>Scobina bolivari</i> (Konow, 1899)	11 ex.
<i>Scobina braunsi</i> (Konow, 1899)	1 ex.
<i>Scobina dibapha</i> (Konow, 1899)	1 ex.
<i>Scobina dorsalis</i> (Klug, 1834)	1 ex.
<i>Scobina forficulata</i> (Konow, 1906)	1 ex.
<i>Scobina fulcrata</i> (Klug, 1834)	1 ex.
<i>Scobina geniculata</i> (Klug, 1834)	2 ex.
<i>Scobina helvola</i> (Klug, 1834)	2 ex.
<i>Scobina inculta</i> (Konow, 1906)	6 ex.
<i>Scobina lepida</i> (Klug, 1834)	6 ex.
<i>Scobina lurida</i> (Klug, 1834)	1 ex.
<i>Scobina maculipes</i> (Klug, 1834)	1 ex.
<i>Scobina melanaria</i> (Klug, 1834)	1 ex.
<i>Scobina melanopyga</i> (Klug, 1834)	6 ex.
<i>Scobina nigricollis</i> (Konow, 1906)	1 ex.
<i>Scobina nigripes</i> (Konow, 1906)	1 ex.
<i>Scobina notaticollis</i> (Konow, 1899)	3 ex.
<i>Scobina poecila</i> (Klug, 1834)	2 ex.
<i>Scobina rubricollis</i> (Klug, 1834)	2 ex.
<i>Scobina scitula</i> (Konow, 1904)	1 ex.
<i>Scobina semifusca</i> (Norton, 1867)	1 ex.
<i>Scobina strophosa</i> (Konow, 1906)	3 ex.
<i>Scobina suda</i> (Konow, 1906)	1 ex.
<i>Scobina terminalis</i> (Klug, 1814)	15 ex.
<i>Scobina torquata</i> (Konow, 1903)	11 ex.
<i>Scobina xanthospila</i> (Klug, 1834)	1 ex.
<i>Scolioneura betuleti</i> (Klug, 1816)	23 ex.
<i>Scolioneura spec.</i>	3 ex.
<i>Scolioneura tirolensis</i> (Enslin, 1914)	6 ex.
<i>Scolioneura vicina</i> Konow, 1894	22 ex.
<i>Selandria melanosterna</i> (Serville, 1823)	9 ex.
<i>Selandria mica</i> Konow, 1900	2 ex.
<i>Selandria serva</i> (Fabricius, 1793)	255 ex.
<i>Seljukia tenebrosa</i> Benson, 1966	4 ex.
<i>Senoclidea aegra</i> Konow, 1898	1 ex.
<i>Senoclidea comis</i> Konow, 1898	2 ex.
<i>Senoclidea decora</i> (Konow, 1898)	144 ex.
<i>Senoclidea furva</i> Konow, 1898	1 ex.
<i>Senoclidea koreana</i> (Konow, 1898)	1 ex.
<i>Sericoceros albicollis</i> (Klug, 1834)	4 ex.
<i>Sericoceros calanticatus</i> Konow, 1906	1 ex.
<i>Sericoceros dimidiatus</i> Konow, 1908	1 ex.
<i>Sericoceros gibbus</i> (Klug, 1834)	2 ex.

<i>Sericoceros obscurus</i> (Brullé, 1846)	1 ex.
<i>Sharliphora nigella</i> (Förster, 1854)	65 ex.
<i>Silliana lhommei</i> (Hering, 1934)	4 ex.
<i>Sinarge typica</i> Forsius, 1934	2 ex.
<i>Sinicephus giganteus</i> (Enderlein, 1913)	1 ex.
<i>Sinocaliroa zomborii</i> Wei, 1998	1 ex.
<i>Siobla ferox</i> (F. Smith, 1874)	1 ex.
<i>Siobla hirasana</i> Takeuchi, 1929	3 ex.
<i>Siobla metallica</i> Takeuchi, 1929	3 ex.
<i>Siobla punctata</i> (Cameron, 1899)	1 ex.
<i>Siobla ruficornis</i> (Gimmerthal, 1834)	1 ex.
<i>Siobla spec.</i>	48 ex.
<i>Siobla sturmii</i> (Klug, 1817)	115 ex.
<i>Siobla szechuanica</i> Malaise, 1934	2 ex.
<i>Siobla venusta apicalis</i> Takeuchi, 1929	2 ex.
<i>Sirex areolatus</i> (Cresson, 1867)	4 ex.
<i>Sirex behrensii</i> Cresson, 1880	2 ex.
<i>Sirex carinthiacus</i> Konow, 1892	2 ex.
<i>Sirex cyaneus</i> Fabricius, 1781	10 ex.
<i>Sirex edwardsii</i> Brullé, 1846	2 ex.
<i>Sirex juvencus</i> (Linné, 1758)	31 ex.
<i>Sirex juvencus californicus</i> Ashmead, 1904	1 ex.
<i>Sirex longicauda</i> Middlekauff, 1948	2 ex.
<i>Sirex noctilio</i> Fabricius, 1773	31 ex.
<i>Sjoestedtia hilaris</i> Konow, 1907	1 ex.
<i>Sphacophilus apios</i> (Ross, 1933)	6 ex.
<i>Sphacophilus blandus</i> (Konow, 1906)	1 ex.
<i>Sphacophilus cellularis</i> (Say, 1836)	3 ex.
<i>Sphacophilus cultricornis</i> (Konow, 1906)	1 ex.
<i>Sphacophilus moniliatus</i> (Konow, 1899)	1 ex.
<i>Sphacophilus nigriceps</i> (Konow, 1906)	1 ex.
<i>Sphacophilus peratus</i> (Konow, 1906)	1 ex.
<i>Spinarge metallica</i> (Klug, 1824)	6 ex.
<i>Steirocephala flavipes</i> (Philippi, 1871)	2 ex.
<i>Stenemphytus superbus</i> Wei & Nie, 1999	1 ex.
<i>Stenocampa elongata</i> Wei & Nie, 1997	1 ex.
<i>Stenocephus oncogaster</i> Shinohara, 1999	2 ex.
<i>Sterictiphora angelicae</i> (Panzer, 1799)	32 ex.
<i>Sterictiphora curvata</i> Wei, 1998	1 ex.
<i>Sterictiphora furcata</i> (Villers, 1789)	4 ex.
<i>Sterictiphora gastrica</i> (Klug, 1814)	1 ex.
<i>Sterictiphora geminata</i> (Gmelin, 1790)	19 ex.
<i>Sterictiphora lii</i> Wei, 1998	1 ex.
<i>Sterictiphora longicornis</i> Chevin, 1982	65 ex.
<i>Sterictiphora nigripes</i> (Konow, 1899)	1 ex.
<i>Sterictiphora pedicella</i> Wei, 1998	4 ex.
<i>Sterictiphora spec.</i>	3 ex.

<i>Sterictiphora sulcata</i> Wei, 1998	1 ex.
<i>Stethomostus fuliginosus</i> (Schrank, 1781)	123 ex.
<i>Stethomostus funereus</i> (Klug, 1816)	32 ex.
<i>Stethomostus liui</i> Wei	2 ex.
<i>Stethomostus vulgaris</i> Wei, 1997	2 ex.
<i>Stigmatijanus armeniacae</i> Wu, 2008	2 ex.
<i>Stirocorsia tosensis</i> (Tosawa & Sugihara, 1934)	1 ex.
<i>Stromboceridea albilabris</i> (Konow, 1885)	7 ex.
<i>Stromboceridea bifer</i> (Konow, 1908)	2 ex.
<i>Stromboceridea culta</i> (Konow, 1908)	1 ex.
<i>Stromboceridea gratiosa</i> Konow, 1907	1 ex.
<i>Stromboceros alvinus</i> Konow, 1899	1 ex.
<i>Stromboceros anilis</i> Konow, 1908	3 ex.
<i>Stromboceros ater</i> Konow, 1899	0 ex.
<i>Stromboceros biclinius</i> Konow, 1899	6 ex.
<i>Stromboceros bitinctus</i> Konow, 1903	7 ex.
<i>Stromboceros brevicornis</i> Konow, 1899	2 ex.
<i>Stromboceros brevispinis</i> Konow, 1908	8 ex.
<i>Stromboceros caligatus</i> Konow, 1903	3 ex.
<i>Stromboceros cervicalis</i> Konow, 1908	2 ex.
<i>Stromboceros cruralis</i> Konow, 1899	2 ex.
<i>Stromboceros delicatulus</i> (Fallén, 1808)	68 ex.
<i>Stromboceros fenestratus</i> Konow, 1899	3 ex.
<i>Stromboceros fraternus</i> Konow, 1899	1 ex.
<i>Stromboceros gracilicornis</i> Konow, 1885	8 ex.
<i>Stromboceros habenulatus</i> Konow, 1899	1 ex.
<i>Stromboceros koebelei</i> Rohwer, 1910	13 ex.
<i>Stromboceros limbolarius</i> Konow, 1908	1 ex.
<i>Stromboceros liscivus</i> Konow, 1908	1 ex.
<i>Stromboceros mocsáryi</i> Konow, 1900	2 ex.
<i>Stromboceros nigerrimus</i> Konow, 1899	4 ex.
<i>Stromboceros nigricornis</i> (Cameron, 1883)	3 ex.
<i>Stromboceros normatus</i> Konow, 1900	1 ex.
<i>Stromboceros notabilis</i> Konow, 1899	2 ex.
<i>Stromboceros notophorus</i> Konow, 1899	2 ex.
<i>Stromboceros obscurus</i> Konow, 1899	2 ex.
<i>Stromboceros ocreatus</i> Konow, 1899	1 ex.
<i>Stromboceros pallipes</i> Konow, 1908	1 ex.
<i>Stromboceros parmatus</i> Konow, 1903	8 ex.
<i>Stromboceros peronatus</i> Konow, 1908	1 ex.
<i>Stromboceros ruficollis</i> (Cameron, 1883)	1 ex.
<i>Stromboceros soleatus</i> Konow, 1899	1 ex.
<i>Stromboceros spadix</i> Konow, 1899	1 ex.
<i>Stromboceros spurcus</i> Konow, 1899	7 ex.
<i>Stromboceros subuculatus</i> Konow, 1908	3 ex.
<i>Stromboceros sudus</i> Konow, 1903	1 ex.
<i>Stromboceros suppar</i> Konow, 1903	2 ex.

<i>Stromboceros sutilis</i> Konow, 1903	1 ex.
<i>Stromboceros torquatus</i> Konow, 1903	3 ex.
<i>Stromboceros tribrachys</i> Konow, 1899	2 ex.
<i>Stromboceros unguicularis</i> Konow, 1899	2 ex.
<i>Stromboceros ustipennis</i> Konow, 1899	8 ex.
<i>Strongylogaster baikalensis</i> Naito, 1990	9 ex.
<i>Strongylogaster blechni</i> Takeuchi, 1929	1 ex.
<i>Strongylogaster distans</i> Norton, 1868	9 ex.
<i>Strongylogaster empriaeformis</i> Malaise, 1931	5 ex.
<i>Strongylogaster filicis</i> (Klug, 1817)	40 ex.
<i>Strongylogaster formosana</i> Rohwer, 1916	1 ex.
<i>Strongylogaster ictericus</i> (Klug, 1816)	8 ex.
<i>Strongylogaster macula</i> (Klug, 1817)	70 ex.
<i>Strongylogaster mixta</i> (Klug, 1817)	31 ex.
<i>Strongylogaster moiwana</i> Matsumura, 1912	2 ex.
<i>Strongylogaster multicincta</i> Norton, 1862	6 ex.
<i>Strongylogaster multifasciata</i> (Geoffroy, 1785)	103 ex.
<i>Strongylogaster onocleae</i> Takeuchi, 1941	1 ex.
<i>Strongylogaster secunda</i> (Takeuchi, 1929)	3 ex.
<i>Strongylogaster struthiopteridis</i> (Malaise, 1931)	12 ex.
<i>Strongylogaster tacita</i> (Norton, 1860)	6 ex.
<i>Strongylogaster tibialis</i> Cresson, 1880	10 ex.
<i>Strongylogaster verzhutskii</i> Naito, 1990	1 ex.
<i>Strongylogaster xanthocera</i> (Stephens, 1835)	103 ex.
<i>Styracotechys dicelysma</i> Benson, 1935	13 ex.
<i>Susana cupressi</i> Rohwer & Middleton, 1932	2 ex.
<i>Synaptoneura boliviensis</i> Konow, 1908	1 ex.
<i>Syntexis libocedrii</i> Rohwer, 1915	1 ex.
<i>Syrista parreyssii</i> (Spinola, 1843)	18 ex.
<i>Syrista similis</i> Mocsáry, 1904	2 ex.
<i>Syzygonia cyanocephala</i> Klug, 1824	11 ex.
<i>Tanymeles alternus</i> (Konow, 1906)	1 ex.
<i>Tanymeles amictorianus</i> (Konow, 1906)	1 ex.
<i>Tanymeles galumnatus</i> (Konow, 1906)	1 ex.
<i>Tanymeles hilarulus</i> Konow, 1906	1 ex.
<i>Tanymeles segrex</i> (Konow, 1906)	1 ex.
<i>Tanymeles socius</i> (Konow, 1906)	6 ex.
<i>Tanymeles urcacensis</i> (Cameron, 1878)	1 ex.
<i>Tanyphatnidea erythraea</i> Gussakovskij, 1935	5 ex.
<i>Tanyphatnidea microcephala</i> (Snellen van Vollenhoven, 1860)	3 ex.
<i>Tanyphatnidea sinensis</i> (Kirby, 1882)	1 ex.
<i>Taxonemphytus fulvus</i> Malaise, 1947	2 ex.
<i>Taxonus accidentus</i> Wei & W. Huang	4 ex.
<i>Taxonus agrorum</i> (Fallén, 1808)	178 ex.
<i>Taxonus alboclypea</i> Wei, 1997	2 ex.
<i>Taxonus alboscuteclatus</i> Niezabitowski, 1899	12 ex.
<i>Taxonus annulicornis</i> Takeuchi, 1940	2 ex.

<i>Taxonus aterritina</i> Wei, 1997	2 ex.
<i>Taxonus attenatus</i> Rohwer, 1921	2 ex.
<i>Taxonus borealis</i> MacGillivray, 1895	2 ex.
<i>Taxonus chuanshanicus</i> Wei, 1997	2 ex.
<i>Taxonus compressicornis</i> Wei, 1998	2 ex.
<i>Taxonus delumbis</i> Konow, 1900	1 ex.
<i>Taxonus epicera</i> (Say, 1836)	6 ex.
<i>Taxonus formosacola</i> (Rohwer, 1916)	2 ex.
<i>Taxonus huangleii</i> Wei, Liao & N. Huang, 2007	1 ex.
<i>Taxonus hunanensis</i> Wei & N. Huang, 2007	2 ex.
<i>Taxonus immarginervis</i> Malaise, 1957	2 ex.
<i>Taxonus latus</i> Jakovlev, 1888	1 ex.
<i>Taxonus leucocoxus</i> Wei & Nie, 1998	2 ex.
<i>Taxonus pallicoxus</i> (Provancher, 1889)	6 ex.
<i>Taxonus pallidicornis</i> (Norton, 1868)	89 ex.
<i>Taxonus proximus</i> (Provancher, 1885)	1 ex.
<i>Taxonus qinlinginus</i> Wei, 1998	2 ex.
<i>Taxonus rufothoracinus</i> Wei, 1998	2 ex.
<i>Taxonus smerinthus</i> Wei, 2003	2 ex.
<i>Taxonus sticticus</i> (Klug, 1817)	3 ex.
<i>Taxonus terminalis</i> (Say, 1824)	128 ex.
<i>Taxonus zhangii</i> Wei, 1997	2 ex.
<i>Taxonus zhelochovtsevi</i> Viitasaari & Zinovjev, 1991	2 ex.
<i>Tenthredo aaliensis</i> Strand, 1898	15 ex.
<i>Tenthredo abdominalis</i> (Matsumura, 1912)	4 ex.
<i>Tenthredo abruptifrons</i> Malaise, 1945	1 ex.
<i>Tenthredo acuminipleuralis</i> Wei & Nie, 2003	1 ex.
<i>Tenthredo acupunctata</i> Singh & Saini, 1988	2 ex.
<i>Tenthredo acutiscutis</i> Konow, 1908	1 ex.
<i>Tenthredo acutiserrulana</i> Wei, 2002	2 ex.
<i>Tenthredo adaequata</i> (Enslin, 1912)	3 ex.
<i>Tenthredo adusta</i> Motschulsky, 1866	8 ex.
<i>Tenthredo aericeps</i> Konow, 1907	3 ex.
<i>Tenthredo alaskana</i> Enslin, 1910	0 ex.
<i>Tenthredo albiventris albiventris</i> (Mocsáry, 1880)	21 ex.
<i>Tenthredo albiventris picena</i> Pesarini, 1989	2 ex.
<i>Tenthredo alboannulata</i> (Takeuchi, 1933)	1 ex.
<i>Tenthredo albopicta</i> Puls, 1869	2 ex.
<i>Tenthredo albotegularina</i> Wei & Nie, 2003	2 ex.
<i>Tenthredo algeriensis</i> (Magretti, 1886)	1 ex.
<i>Tenthredo algoviensis</i> Enslin, 1912	64 ex.
<i>Tenthredo alienata</i> Rohwer, 1913	8 ex.
<i>Tenthredo allometallogaster</i> Wei	1 ex.
<i>Tenthredo amasiensis</i> (Kriechbaumer, 1869)	1 ex.
<i>Tenthredo amoena</i> Gravenhorst, 1807	176 ex.
<i>Tenthredo amurica</i> Dalla Torre, 1894	5 ex.
<i>Tenthredo angustiannulata</i> Malaise, 1945	3 ex.

<i>Tenthredo annandalei</i> (Rohwer, 1915)	2 ex.
<i>Tenthredo anomocera</i> Rohwer, 1913	3 ex.
<i>Tenthredo appendicella</i> Malaise, 1945	2 ex.
<i>Tenthredo araxana</i> Mocsáry, 1909	2 ex.
<i>Tenthredo arctica</i> (C. G. Thomson, 1870)	2 ex.
<i>Tenthredo arcuata</i> Forster, 1771	490 ex.
<i>Tenthredo arcuatoides</i> Muche, 1965	13 ex.
<i>Tenthredo arida</i> Lacourt, 1995	1 ex.
<i>Tenthredo asperata</i> (Konow, 1906)	1 ex.
<i>Tenthredo assamensis</i> Konow, 1898	2 ex.
<i>Tenthredo astragali</i> Heibo, Goulet, Taeger & Vikberg, 2008	0 ex.
<i>Tenthredo atra</i> Linné, 1758	363 ex.
<i>Tenthredo aulica</i> (Enslin, 1912)	2 ex.
<i>Tenthredo auraria</i> Konow, 1899	2 ex.
<i>Tenthredo aversata</i> (Enslin, 1912)	6 ex.
<i>Tenthredo babai</i> Takeuchi, 1936	4 ex.
<i>Tenthredo baetica</i> (Spinola, 1843)	15 ex.
<i>Tenthredo baetica dominiquei</i> (Konow, 1894)	14 ex.
<i>Tenthredo balabatea</i> Rohwer, 1921	1 ex.
<i>Tenthredo balteata</i> Klug, 1817	50 ex.
<i>Tenthredo basilaris</i> Say, 1824	9 ex.
<i>Tenthredo basizonata</i> Malaise, 1938	3 ex.
<i>Tenthredo becquarti</i> Takeuchi, 1940	4 ex.
<i>Tenthredo berberensis</i> Lacourt, 1986	1 ex.
<i>Tenthredo bernardi</i> Konow, 1888	1 ex.
<i>Tenthredo beryllica</i> Malaise, 1945	7 ex.
<i>Tenthredo bifasciata bifasciata</i> O. F. Müller, 1766	112 ex.
<i>Tenthredo bifasciata rossii</i> (Panzer, 1804)	24 ex.
<i>Tenthredo bifasciata violacea</i> (Ed. André, 1881)	10 ex.
<i>Tenthredo bigemina</i> (Dyar, 1893)	0 ex.
<i>Tenthredo bilineacornis</i> Wei, 1998	8 ex.
<i>Tenthredo bimacuclypea</i> Wei, 1998	3 ex.
<i>Tenthredo bimaculoventralia</i> Wei	1 ex.
<i>Tenthredo bipunctula</i> Klug, 1817	49 ex.
<i>Tenthredo bipunctula malaisei</i> (Takeuchi, 1933)	2 ex.
<i>Tenthredo bizonula</i> (Enslin, 1910)	4 ex.
<i>Tenthredo borea</i> Enslin, 1919	1 ex.
<i>Tenthredo brachycera</i> Mocsáry, 1909	4 ex.
<i>Tenthredo brevicornis</i> (Konow, 1886)	395 ex.
<i>Tenthredo brevivertex brevivertex</i> (Konow, 1905)	5 ex.
<i>Tenthredo brevivertex turkestanica</i> Forsius, 1930	2 ex.
<i>Tenthredo brevivertexila</i> Nie & Wei, 2002	4 ex.
<i>Tenthredo brunnea</i> (Cameron, 1899)	1 ex.
<i>Tenthredo bullifera</i> Malaise, 1945	2 ex.
<i>Tenthredo caligator</i> Eversmann, 1847	22 ex.
<i>Tenthredo callostigmata</i> Wei, 1998	2 ex.
<i>Tenthredo calvaria</i> Enslin, 1912	6 ex.

<i>Tenthredo campestris</i> Linné, 1758	306 ex.
<i>Tenthredo capistrata</i> Konow, 1907	2 ex.
<i>Tenthredo carinilania</i> Wei, 1998	2 ex.
<i>Tenthredo carinomandibularis</i> Wei & Nie, 1997	2 ex.
<i>Tenthredo cascadenis</i> Goulet, 1996	2 ex.
<i>Tenthredo caspia</i> Ed. André, 1881	1 ex.
<i>Tenthredo casta</i> Konow, 1908	0 ex.
<i>Tenthredo caucasica caucasica</i> Eversmann, 1847	17 ex.
<i>Tenthredo caucasica cinctaria</i> Enslin, 1912	37 ex.
<i>Tenthredo cestata</i> (Konow, 1908)	1 ex.
<i>Tenthredo chenae</i> Wei, 2006	2 ex.
<i>Tenthredo chenghanhuai</i> Wei, 2002	2 ex.
<i>Tenthredo chloralancenica</i> Wei, 1998	1 ex.
<i>Tenthredo choptai</i> Singh & Saini, 1988	1 ex.
<i>Tenthredo cinctipleuris</i> (Enslin, 1910)	5 ex.
<i>Tenthredo cingulifera</i> (Konow, 1899)	11 ex.
<i>Tenthredo clavicornuta</i> Taeger & Blank, 1996	1 ex.
<i>Tenthredo clypeata</i> Cameron, 1876	1 ex.
<i>Tenthredo coccinocerus</i> Wood, 1874	1 ex.
<i>Tenthredo cockerelli</i> Rohwer, 1925	2 ex.
<i>Tenthredo colon</i> Klug, 1817	137 ex.
<i>Tenthredo coloradensis</i> Rohwer, 1913	7 ex.
<i>Tenthredo concaviappendix</i> Wei, 1999	1 ex.
<i>Tenthredo concessa</i> Norton, 1869	2 ex.
<i>Tenthredo concinna</i> Mocsáry, 1909	2 ex.
<i>Tenthredo concinnoides</i> Malaise, 1945	1 ex.
<i>Tenthredo contigua</i> (Konow, 1894)	4 ex.
<i>Tenthredo contusa</i> (Enslin, 1912)	3 ex.
<i>Tenthredo convergenata</i> (Takeuchi, 1955)	1 ex.
<i>Tenthredo convergenomma</i> Wei, 1998	4 ex.
<i>Tenthredo cordillera</i> Goulet, 1996	11 ex.
<i>Tenthredo corynetes</i> (W. F. Kirby, 1882)	12 ex.
<i>Tenthredo costata</i> Klug, 1817	114 ex.
<i>Tenthredo crassa</i> Scopoli, 1763	269 ex.
<i>Tenthredo cretata</i> Konow, 1898	1 ex.
<i>Tenthredo cunyi</i> Konow, 1886	12 ex.
<i>Tenthredo cyanata</i> Konow, 1898	6 ex.
<i>Tenthredo cyanigaster</i> Wei & Nie, 1999	2 ex.
<i>Tenthredo cylindrica</i> (Rohwer, 1911)	2 ex.
<i>Tenthredo dahlii</i> (Klug, 1817)	17 ex.
<i>Tenthredo davidi</i> Blank & Taeger, 2006	2 ex.
<i>Tenthredo deaurata</i> (Enslin, 1912)	36 ex.
<i>Tenthredo devia</i> (Konow, 1900)	6 ex.
<i>Tenthredo diana</i> Benson, 1968	1 ex.
<i>Tenthredo dilaticornis</i> Muehe, 1986	3 ex.
<i>Tenthredo dissidua</i> (Konow, 1899)	3 ex.
<i>Tenthredo distinguenda</i> (Stein, 1885)	45 ex.

<i>Tenthredo distinguenda</i> hircana Benson, 1968	1 ex.
<i>Tenthredo dorsivittata</i> (Cameron, 1902)	5 ex.
<i>Tenthredo dulcis</i> Benson, 1968	2 ex.
<i>Tenthredo duplicata</i> Enslin, 1920	2 ex.
<i>Tenthredo eburata</i> Konow, 1900	1 ex.
<i>Tenthredo eburneifrons</i> W. F. Kirby, 1882	3 ex.
<i>Tenthredo echo</i> Zhelochovtsev, 1961	1 ex.
<i>Tenthredo eduardi</i> Forsius, 1919	2 ex.
<i>Tenthredo elavimaculata</i> Wei	2 ex.
<i>Tenthredo elegansoma</i> Wei, 1998	3 ex.
<i>Tenthredo elfarella</i> Wei	2 ex.
<i>Tenthredo emphytiformis</i> Malaise, 1931	4 ex.
<i>Tenthredo erasina</i> Malaise, 1945	5 ex.
<i>Tenthredo erectonervula</i> Wei & Nie, 2003	1 ex.
<i>Tenthredo erudita</i> (Kuznetzov-Ugamskij, 1927)	2 ex.
<i>Tenthredo erythromera</i> Provancher, 1885	2 ex.
<i>Tenthredo euphorbiae</i> Benson, 1968	2 ex.
<i>Tenthredo excellens</i> (Konow, 1886)	12 ex.
<i>Tenthredo exigua</i> Malaise, 1934	2 ex.
<i>Tenthredo eximia</i> Norton, 1869	2 ex.
<i>Tenthredo fagi</i> Panzer, 1798	19 ex.
<i>Tenthredo fanjingensis</i> Wei	1 ex.
<i>Tenthredo felderi</i> Radoszkowsky, 1872	1 ex.
<i>Tenthredo fentoni</i> (W. F. Kirby, 1882)	2 ex.
<i>Tenthredo fernaldii</i> MacGillivray, 1900	2 ex.
<i>Tenthredo ferruginea</i> Schrank, 1776	91 ex.
<i>Tenthredo ferrugineipes</i> Cresson, 1880	11 ex.
<i>Tenthredo ferruginiella</i> Wei, 2002	2 ex.
<i>Tenthredo filiola</i> (Jakovlev, 1891)	5 ex.
<i>Tenthredo finschi</i> W. F. Kirby, 1882	12 ex.
<i>Tenthredo finschi seguro</i> Takeuchi, 1956	8 ex.
<i>Tenthredo flatoscutellenia</i> Wei	1 ex.
<i>Tenthredo flatoscutellerila</i> Wei & Nie, 2003	2 ex.
<i>Tenthredo flaveola</i> (Gmelin, 1790)	24 ex.
<i>Tenthredo flavipectus</i> (Matsumura, 1912)	1 ex.
<i>Tenthredo flavipennis</i> Brullé, 1832	5 ex.
<i>Tenthredo flavitarsis</i> Konow, 1908	1 ex.
<i>Tenthredo flavobalteata</i> Cameron, 1876	3 ex.
<i>Tenthredo flavobrunneus</i> Malaise, 1945	1 ex.
<i>Tenthredo flavomandibulata</i> (Matsumura, 1912)	2 ex.
<i>Tenthredo flavopectalina</i> Wei	1 ex.
<i>Tenthredo formosula</i> Wei, 2002	3 ex.
<i>Tenthredo fortunei</i> W. F. Kirby, 1882	8 ex.
<i>Tenthredo frauenfeldii</i> (Giraud, 1857)	17 ex.
<i>Tenthredo fredericki</i> Taeger & Blank, 1996	4 ex.
<i>Tenthredo frontatus</i> Malaise, 1945	3 ex.
<i>Tenthredo fukaii</i> (Rohwer, 1910)	4 ex.

<i>Tenthredo fulviterminata</i> Wei, 1998	2 ex.
<i>Tenthredo fulvoscapa</i> Wei	1 ex.
<i>Tenthredo funiushana</i> Wei, 1998	1 ex.
<i>Tenthredo fuscocostalis</i> Rohwer, 1925	1 ex.
<i>Tenthredo fuscoterminata</i> Marlatt, 1898	9 ex.
<i>Tenthredo genitalis</i> Malaise, 1945	3 ex.
<i>Tenthredo gifui</i> Marlatt, 1898	4 ex.
<i>Tenthredo giraudi</i> Taeger, 1991	2 ex.
<i>Tenthredo glatofrontalina</i> Wei, 2002	2 ex.
<i>Tenthredo gopeshwari</i> Singh & Saini, 1988	1 ex.
<i>Tenthredo grahami</i> Malaise, 1945	2 ex.
<i>Tenthredo grandis</i> (Norton, 1860)	3 ex.
<i>Tenthredo gressitti</i> Malaise, 1945	1 ex.
<i>Tenthredo grombczewskii</i> (Jakovlev, 1891)	42 ex.
<i>Tenthredo gulmargi</i> Singh & Saini, 1987	2 ex.
<i>Tenthredo habenata</i> Konow, 1907	1 ex.
<i>Tenthredo haberhaueri</i> W. F. Kirby, 1889	19 ex.
<i>Tenthredo heinrichi</i> Malaise, 1945	2 ex.
<i>Tenthredo helveicornis</i> Malaise, 1945	1 ex.
<i>Tenthredo hengshana</i> Wei & Yan, 2008	1 ex.
<i>Tenthredo heros</i> (Jakovlev, 1891)	12 ex.
<i>Tenthredo heterocornia</i> Wei	1 ex.
<i>Tenthredo hilaris</i> F. Smith, 1874	11 ex.
<i>Tenthredo hokkaidonis</i> (Malaise, 1931)	3 ex.
<i>Tenthredo hongchuna</i> Wei, 2002	1 ex.
<i>Tenthredo horishana</i> Takeuchi, 1927	6 ex.
<i>Tenthredo huangleii</i> Wei	1 ex.
<i>Tenthredo huesingi</i> Koch, 1984	69 ex.
<i>Tenthredo hummeli</i> Malaise, 1934	2 ex.
<i>Tenthredo himalayensis</i> Radoszkowsky, 1871	1 ex.
<i>Tenthredo idaho</i> Goulet, 1996	6 ex.
<i>Tenthredo ignobilis</i> Klug, 1817	25 ex.
<i>Tenthredo indica</i> Cameron, 1876	2 ex.
<i>Tenthredo indigena</i> Malaise, 1945	3 ex.
<i>Tenthredo indistinctiva</i> Wei, 2002	1 ex.
<i>Tenthredo inframaculata</i> Malaise, 1945	1 ex.
<i>Tenthredo inguinalis</i> (Konow, 1908)	2 ex.
<i>Tenthredo intercincta</i> Malaise, 1934	0 ex.
<i>Tenthredo issiki</i> Takeuchi, 1933	1 ex.
<i>Tenthredo jacutensis</i> (Konow, 1897)	1 ex.
<i>Tenthredo jakowlewi</i> (Jakovlev, 1891)	12 ex.
<i>Tenthredo jakowlewi centrorufa</i> (Mocsáry, 1909)	13 ex.
<i>Tenthredo japonica</i> (Mocsáry, 1909)	5 ex.
<i>Tenthredo jelochovcevi</i> Vassilev, 1971	2 ex.
<i>Tenthredo jiuzhaigoua</i> Wei & Nie, 1997	2 ex.
<i>Tenthredo jonoensis</i> Matsumura, 1912	0 ex.
<i>Tenthredo jozana</i> (Matsumura, 1912)	4 ex.

<i>Tenthredo juga</i> Konow, 1908	1 ex.
<i>Tenthredo juvenilia</i> Wei	1 ex.
<i>Tenthredo kaszabi</i> Mucbe, 1965	1 ex.
<i>Tenthredo katchinica</i> Malaise, 1945	4 ex.
<i>Tenthredo katoi</i> Takeuchi, 1929	1 ex.
<i>Tenthredo kervillei</i> (Konow, 1907)	1 ex.
<i>Tenthredo kiobii</i> Togashi, 1973	4 ex.
<i>Tenthredo koehleri</i> (Klug, 1817)	282 ex.
<i>Tenthredo kongauana</i> Rohwer, 1925	0 ex.
<i>Tenthredo korabica</i> Taeger, 1985	185 ex.
<i>Tenthredo kozlovi</i> (Konow, 1908)	1 ex.
<i>Tenthredo krausi</i> Blank & Taeger, 2006	6 ex.
<i>Tenthredo kurilensis</i> (Takeuchi, 1931)	1 ex.
<i>Tenthredo lacourti</i> Taeger, 1991	0 ex.
<i>Tenthredo lacourtiana</i> Blank & Taeger, 2006	5 ex.
<i>Tenthredo lacticineta</i> Cresson, 1880	3 ex.
<i>Tenthredo laevissima</i> Malaise, 1945	2 ex.
<i>Tenthredo lagidina</i> Malaise, 1945	3 ex.
<i>Tenthredo largifasciata</i> (Konow, 1900)	9 ex.
<i>Tenthredo largiflava</i> (Enslin, 1910)	6 ex.
<i>Tenthredo latifasciata</i> Cameron, 1877	2 ex.
<i>Tenthredo leucostoma</i> W. Kirby, 1837	14 ex.
<i>Tenthredo limbalis</i> (Spinola, 1843)	3 ex.
<i>Tenthredo lindbergorum</i> Forsius, 1930	0 ex.
<i>Tenthredo lineimarginata</i> Wei, 2002	3 ex.
<i>Tenthredo lini</i> Wei & Nie, 2003	2 ex.
<i>Tenthredo linjinweii</i> Wei & Nie, 2003	1 ex.
<i>Tenthredo lissuana</i> Malaise, 1945	4 ex.
<i>Tenthredo liturata</i> (Mocsáry, 1886)	12 ex.
<i>Tenthredo liufei</i> Wei	2 ex.
<i>Tenthredo livida</i> Linné, 1758	275 ex.
<i>Tenthredo longipennis</i> (Matsumura, 1912)	4 ex.
<i>Tenthredo longipes</i> (Konow, 1886)	4 ex.
<i>Tenthredo longiserrula</i> Wei, 2002	4 ex.
<i>Tenthredo longitubercula</i> Wei, 1998	9 ex.
<i>Tenthredo lucasii</i> (W. F. Kirby, 1882)	10 ex.
<i>Tenthredo lushicola</i> Wei, 2002	1 ex.
<i>Tenthredo luteipennis</i> Eversmann, 1847	11 ex.
<i>Tenthredo luteocincta</i> Eversmann, 1847	4 ex.
<i>Tenthredo maculata</i> Geoffroy, 1785	161 ex.
<i>Tenthredo maculicula</i> Wei, 2005	2 ex.
<i>Tenthredo maculiger</i> (Jakovlev, 1891)	6 ex.
<i>Tenthredo maculiger dioctrioides</i> (Jakovlev, 1891)	1 ex.
<i>Tenthredo maculocellaris</i> Wei	2 ex.
<i>Tenthredo magnimaculata</i> Wei, 2002	1 ex.
<i>Tenthredo malimilova</i> Wei, 2005	6 ex.
<i>Tenthredo mallachi</i> Wei, Nie & Taeger, 2006	2 ex.

<i>Tenthredo mandibularis</i> Fabricius, 1804	96 ex.
<i>Tenthredo margaretella</i> (Rohwer, 1916)	3 ex.
<i>Tenthredo marginella</i> Fabricius, 1793	101 ex.
<i>Tenthredo marginella fuscipennis</i> (Konow, 1886)	4 ex.
<i>Tenthredo marginella hakkariensis</i> Blank, 1990	2 ex.
<i>Tenthredo marginiceps</i> Cameron, 1899	1 ex.
<i>Tenthredo matsumurai</i> Takeuchi, 1932	5 ex.
<i>Tenthredo maxima</i> (Norton, 1867)	25 ex.
<i>Tenthredo megacephala</i> Cameron, 1899	1 ex.
<i>Tenthredo megacephala elegans</i> (Mocsáry, 1909)	2 ex.
<i>Tenthredo meilihongia</i> Wei	1 ex.
<i>Tenthredo melanotarsus</i> Cameron, 1876	2 ex.
<i>Tenthredo melli</i> Mallach, 1933	4 ex.
<i>Tenthredo mellicoxa</i> Provancher, 1878	2 ex.
<i>Tenthredo mellina</i> (Norton, 1860)	3 ex.
<i>Tenthredo meridiana</i> Serville, 1823	20 ex.
<i>Tenthredo mesomela</i> Linné, 1758	744 ex.
<i>Tenthredo metallocinctella</i> Wei	1 ex.
<i>Tenthredo metallogasterana</i> Wei	1 ex.
<i>Tenthredo microexcisa</i> Wei, 1998	2 ex.
<i>Tenthredo micrommota</i> Wei, 2002	1 ex.
<i>Tenthredo microvertexis</i> Wei, 2006	1 ex.
<i>Tenthredo minuta</i> (Jakovlev, 1891)	1 ex.
<i>Tenthredo minutimacula</i> Wei	1 ex.
<i>Tenthredo mioceras</i> (Enslin, 1912)	178 ex.
<i>Tenthredo mitsuhashii</i> (Matsumura, 1912)	1 ex.
<i>Tenthredo mongolica</i> (Jakovlev, 1891)	5 ex.
<i>Tenthredo moniliata</i> Klug, 1817	46 ex.
<i>Tenthredo mordax</i> Konow, 1908	2 ex.
<i>Tenthredo mortivaga</i> Marlatt, 1898	4 ex.
<i>Tenthredo mossafila</i> Wei, 2002	1 ex.
<i>Tenthredo multidentella</i> Wei, 1998	2 ex.
<i>Tenthredo nagaii</i> (Togashi, 1963)	2 ex.
<i>Tenthredo naraensis</i> Kumamoto, 1987	1 ex.
<i>Tenthredo narkandai</i> Singh & Saini, 1988	2 ex.
<i>Tenthredo nazarensis</i> (Ed. André, 1881)	4 ex.
<i>Tenthredo neobesa</i> Zombori, 1980	23 ex.
<i>Tenthredo neocestata</i> Wei	2 ex.
<i>Tenthredo nephritica</i> Malaise, 1945	6 ex.
<i>Tenthredo nevada</i> Goulet, 1996	3 ex.
<i>Tenthredo nigripleuris</i> (Enslin, 1910)	11 ex.
<i>Tenthredo nigrita</i> Mocsáry, 1909	11 ex.
<i>Tenthredo nigrocaudata</i> Wei	1 ex.
<i>Tenthredo nigrodorsalica</i> Wei	2 ex.
<i>Tenthredo nigrofrontalina</i> Wei, 1998	3 ex.
<i>Tenthredo nigrolateralis</i> Malaise, 1931	1 ex.
<i>Tenthredo nigropicta</i> (F. Smith, 1874)	6 ex.

<i>Tenthredo nimbata</i> Konow, 1906	5 ex.
<i>Tenthredo nimbipennis</i> Cresson, 1872	1 ex.
<i>Tenthredo nitidiceps</i> (Takeuchi, 1955)	10 ex.
<i>Tenthredo niui</i> Wei, 1998	4 ex.
<i>Tenthredo notha</i> Klug, 1817	410 ex.
<i>Tenthredo notha titania</i> Benson, 1959	27 ex.
<i>Tenthredo novemmacula</i> Wei	2 ex.
<i>Tenthredo nubipennis</i> Malaise, 1945	4 ex.
<i>Tenthredo nympa</i> F. Pesarini, 1999	2 ex.
<i>Tenthredo obscuripennis</i> Cresson, 1880	2 ex.
<i>Tenthredo obsoleta</i> Klug, 1817	104 ex.
<i>Tenthredo obtusicorninata</i> Wei & Nie, 1999	2 ex.
<i>Tenthredo ocampa</i> Ross, 1951	2 ex.
<i>Tenthredo occupata</i> Kumamoto, 1987	3 ex.
<i>Tenthredo oculissima</i> Konow, 1907	4 ex.
<i>Tenthredo odynerina</i> (Malaise, 1934)	1 ex.
<i>Tenthredo oedaclypeus</i> Wei	1 ex.
<i>Tenthredo okamotoi</i> Inomata, 1967	2 ex.
<i>Tenthredo okutanii</i> B. Singh, 1985	2 ex.
<i>Tenthredo oligoleucomacula</i> Wei, 1998	1 ex.
<i>Tenthredo olivacea</i> Klug, 1817	160 ex.
<i>Tenthredo olivacea takedae</i> Matsumura, 1912	2 ex.
<i>Tenthredo omissa</i> (Förster, 1844)	89 ex.
<i>Tenthredo omphalica</i> Wei & Nie, 2003	2 ex.
<i>Tenthredo opaciceps</i> (Takeuchi, 1955)	1 ex.
<i>Tenthredo opacifrons</i> Malaise, 1934	1 ex.
<i>Tenthredo opima</i> (Cresson, 1880)	1 ex.
<i>Tenthredo opposita</i> (F. Smith, 1878)	5 ex.
<i>Tenthredo oregon</i> Goulet, 1996	2 ex.
<i>Tenthredo originalis</i> (Norton, 1867)	1 ex.
<i>Tenthredo ornaticeps</i> (Cresson, 1880)	0 ex.
<i>Tenthredo ornatularia</i> Shinohara, 1994	2 ex.
<i>Tenthredo oryssoides</i> Jakovlev, 1888	18 ex.
<i>Tenthredo uralensis</i> (Ed. André, 1881)	9 ex.
<i>Tenthredo pamyrensis alaica</i> Zhelochovtsev, 1976	3 ex.
<i>Tenthredo pamyrensis pamyrensis</i> Jakovlev, 1888	56 ex.
<i>Tenthredo pannulosa</i> Konow, 1907	1 ex.
<i>Tenthredo paraberyllica</i> Wei	2 ex.
<i>Tenthredo paranephritica</i> Wei	2 ex.
<i>Tenthredo paraobsoleta</i> Wei	2 ex.
<i>Tenthredo paraolivacea</i> Wei	2 ex.
<i>Tenthredo parapeniata</i> Singh & Saini, 1987	1 ex.
<i>Tenthredo pararegia</i> Wei, 2002	2 ex.
<i>Tenthredo pararubiapicilina</i> Wei & Niu, 2008	1 ex.
<i>Tenthredo pectoralis</i> Norton, 1864	11 ex.
<i>Tenthredo perplexa</i> MacGillivray, 1897	2 ex.
<i>Tenthredo persica</i> Ed. André, 1882	2 ex.

<i>Tenthredo picticornis</i> (Mocsáry, 1909)	5 ex.
<i>Tenthredoieli</i> Takeuchi, 1938	2 ex.
<i>Tenthredo poeciloptera</i> Enslin, 1911	5 ex.
<i>Tenthredo pompilina</i> Malaise, 1945	5 ex.
<i>Tenthredo potanini</i> (Jakovlev, 1891)	7 ex.
<i>Tenthredo prasina</i> Konow, 1903	2 ex.
<i>Tenthredo priva priva</i> Konow, 1903	1 ex.
<i>Tenthredo procera</i> Klug, 1817	19 ex.
<i>Tenthredo pronotalis</i> Malaise, 1945	2 ex.
<i>Tenthredo propinqua</i> Klug, 1817	29 ex.
<i>Tenthredo provida</i> (F. Smith, 1878)	1 ex.
<i>Tenthredo providens</i> F. Smith, 1874	4 ex.
<i>Tenthredo pseudoberyllica</i> Wei, 2002	2 ex.
<i>Tenthredo pseudocylindrica</i> Wei & He, 2008	1 ex.
<i>Tenthredo pseudoformosula</i> Wei	2 ex.
<i>Tenthredo pseudofrontatus</i> Singh & Saini, 1988	2 ex.
<i>Tenthredo pseudograhami</i> Wei, 2002	8 ex.
<i>Tenthredo pseudolivacea</i> Malaise, 1931	1 ex.
<i>Tenthredo pseudolivacea omega</i> (Takeuchi, 1936)	5 ex.
<i>Tenthredo pseudomelaena</i> Malaise, 1945	2 ex.
<i>Tenthredo pseudomesomela</i> Wei	2 ex.
<i>Tenthredo pseudonephritica</i> Wei, 1998	4 ex.
<i>Tenthredo pseudopurpleiventris</i> Wei, 1998	2 ex.
<i>Tenthredo pulchra</i> Jakovlev, 1891	1 ex.
<i>Tenthredo puncticincta</i> Wei, 1998	1 ex.
<i>Tenthredo punctimaculiger</i> Wei, 1998	3 ex.
<i>Tenthredo purpurea</i> Puls, 1870	2 ex.
<i>Tenthredo purpureiventris</i> Malaise, 1945	1 ex.
<i>Tenthredo pusilla</i> Jakowlew, 1891	1 ex.
<i>Tenthredo pusilloides</i> Malaise, 1934	1 ex.
<i>Tenthredo pyramidata</i> Konow, 1898	1 ex.
<i>Tenthredo pyrenaea</i> Taeger & Schmidt, 1992	6 ex.
<i>Tenthredo radoszkowskii</i> (Ed. André, 1881)	48 ex.
<i>Tenthredo raoae</i> Wei	2 ex.
<i>Tenthredo regia</i> Malaise, 1945	1 ex.
<i>Tenthredo retura</i> Ross, 1951	1 ex.
<i>Tenthredo reversimaculeta</i> Wei, 2002	7 ex.
<i>Tenthredo rhammisia</i> MacGillivray, 1923	3 ex.
<i>Tenthredo roborowskyi</i> Jakowlew, 1887	1 ex.
<i>Tenthredo rotundiventris</i> Cameron, 1876	2 ex.
<i>Tenthredo rubelloides</i> MacGillivray	2 ex.
<i>Tenthredo rubiapicilina</i> Wei, 2002	2 ex.
<i>Tenthredo rubiginolica</i> Wei, 2005	1 ex.
<i>Tenthredo rubiobitava</i> Wei, 2002	1 ex.
<i>Tenthredo rubitarsalitia</i> Wei	1 ex.
<i>Tenthredo rubricoxis</i> (Enslin, 1912)	58 ex.
<i>Tenthredo rubritibialina</i> Wei, 2002	1 ex.

<i>Tenthredo rubrocaudata</i> (Takeuchi, 1936)	4 ex.
<i>Tenthredo rufoglabrata</i> Wei, 1998	2 ex.
<i>Tenthredo rufonotalis</i> Mallach, 1936	3 ex.
<i>Tenthredo rufopecta</i> (Norton, 1860)	6 ex.
<i>Tenthredo rufotibianella</i> Wei, 1998	3 ex.
<i>Tenthredo rufoviridis</i> Malaise, 1945	2 ex.
<i>Tenthredo rugiceps</i> Konow, 1908	1 ex.
<i>Tenthredo rugifrontalis</i> Wei, 2002	6 ex.
<i>Tenthredo sabariensis</i> (Mocsáry, 1880)	4 ex.
<i>Tenthredo salvazii</i> Malaise, 1934	2 ex.
<i>Tenthredo sangzhina</i> Wei	2 ex.
<i>Tenthredo sapporensis</i> (Matsumura, 1912)	9 ex.
<i>Tenthredo sauteri</i> (Rohwer, 1916)	6 ex.
<i>Tenthredo schaefferi</i> Klug, 1817	31 ex.
<i>Tenthredo scrobiculata</i> (Konow, 1898)	1 ex.
<i>Tenthredo scrophulariae</i> Linné, 1758	88 ex.
<i>Tenthredo scutellata</i> (Mocsáry, 1909)	16 ex.
<i>Tenthredo segmentaria</i> Fabricius, 1798	12 ex.
<i>Tenthredo semicolon</i> Mol, i.l.	48 ex.
<i>Tenthredo semipurpuratus</i> Wei	2 ex.
<i>Tenthredo seriemaculata</i> Malaise, 1945	1 ex.
<i>Tenthredo serraticornis</i> Konow, 1899	1 ex.
<i>Tenthredo shaposhnikovi</i> Dovnar-Zapolskij, 1930	1 ex.
<i>Tenthredo sheni</i> Wei, 1998	4 ex.
<i>Tenthredo shennengsianus</i> Wei	1 ex.
<i>Tenthredo shii</i> Wei, 1998	2 ex.
<i>Tenthredo shinoharai</i> Togashi, 1974	1 ex.
<i>Tenthredo shishikuensis</i> (Togashi, 1963)	0 ex.
<i>Tenthredo shuaiguo</i> Wei	2 ex.
<i>Tenthredo shunhuangensis</i> Wei	1 ex.
<i>Tenthredo sibirica</i> (Kriechbaumer, 1869)	3 ex.
<i>Tenthredo sierra</i> Goulet, 1996	3 ex.
<i>Tenthredo signata</i> Norton, 1860	1 ex.
<i>Tenthredo silensis</i> A. Costa, 1859	24 ex.
<i>Tenthredo simlaensis</i> Cameron, 1899	2 ex.
<i>Tenthredo simplex</i> Dalla Torre, 1882	37 ex.
<i>Tenthredo sinensis</i> Malaise, 1931	1 ex.
<i>Tenthredo smaragdula</i> Malaise, 1945	2 ex.
<i>Tenthredo smithiana</i> Togashi, 1977	1 ex.
<i>Tenthredo sobrina</i> Eversmann, 1847	8 ex.
<i>Tenthredo solitaria solitaria</i> Scopoli, 1763	172 ex.
<i>Tenthredo solitaria xylota</i> (Jakovlev, 1891)	3 ex.
<i>Tenthredo sordidezozonata</i> Malaise, 1945	1 ex.
<i>Tenthredo spec.</i>	2 ex.
<i>Tenthredo spinifera</i> Forsius, 1931	1 ex.
<i>Tenthredo spinigera spinigera</i> Konow, 1903	6 ex.
<i>Tenthredo spinipulchra</i> Wei	1 ex.

<i>Tenthredo spinosella</i> Malaise, 1945	1 ex.
<i>Tenthredo stenocyana</i> Wei	1 ex.
<i>Tenthredo stigma</i> (Forsius, 1918)	14 ex.
<i>Tenthredo striaticornis</i> Malaise, 1945	4 ex.
<i>Tenthredo stricklandi</i> (Ross, 1931)	1 ex.
<i>Tenthredo stulta</i> Jakovlev, 1891	5 ex.
<i>Tenthredo subcoerulea</i> Eschscholtz, 1822	2 ex.
<i>Tenthredo subflava</i> Malaise, 1945	4 ex.
<i>Tenthredo sublimis</i> Konow, 1908	1 ex.
<i>Tenthredo subnigriceps subnigriceps</i> (Rohwer, 1909)	4 ex.
<i>Tenthredo subnigrocornia</i> Wei & Nie, 1999	1 ex.
<i>Tenthredo subolivacea</i> (Takeuchi, 1955)	7 ex.
<i>Tenthredo subrufescens</i> W. F. Kirby, 1882	1 ex.
<i>Tenthredo sulphuripes</i> (Kriechbaumer, 1869)	15 ex.
<i>Tenthredo sunae</i> Wei	2 ex.
<i>Tenthredo suta</i> Konow, 1906	1 ex.
<i>Tenthredo szechuanica</i> Malaise, 1945	1 ex.
<i>Tenthredo taegeri</i> Goulet, 1996	0 ex.
<i>Tenthredo taianensis</i> Wei, i.l.	4 ex.
<i>Tenthredo takeuchii</i> (Togashi, 1963)	6 ex.
<i>Tenthredo talyshensis</i> (Zhelochovtsev, 1988)	1 ex.
<i>Tenthredo tamanukii</i> (Takeuchi, 1936)	3 ex.
<i>Tenthredo temula</i> Scopoli, 1763	230 ex.
<i>Tenthredo tenuivaginata</i> (Takeuchi, 1955)	2 ex.
<i>Tenthredo terratila</i> Wei & Nie, 2002	2 ex.
<i>Tenthredo tertia</i> Wei, Nie & Taeger, 2006	2 ex.
<i>Tenthredo tessariella</i> Wei & Nie, 2003	2 ex.
<i>Tenthredo thaumatogaster</i> Wei & Nie, 2003	2 ex.
<i>Tenthredo thompsoni</i> (Curtis, 1839)	11 ex.
<i>Tenthredo tienmushana</i> Takeuchi, 1940	5 ex.
<i>Tenthredo tilineata</i> Wei & Nie, 2002	1 ex.
<i>Tenthredo trabeata</i> Klug, 1817	70 ex.
<i>Tenthredo transversa</i> Wei	2 ex.
<i>Tenthredo triangulifera</i> Malaise, 1945	7 ex.
<i>Tenthredo triangulifera melanopectalis</i> Wei	3 ex.
<i>Tenthredo triangulimacula</i> Wei	2 ex.
<i>Tenthredo tridentoclypeata</i> Wei, 1998	3 ex.
<i>Tenthredo trixanthomaculata</i> Wei	1 ex.
<i>Tenthredo trochanterata</i> (Cameron, 1876)	1 ex.
<i>Tenthredo trunca dentaria</i> Wei	2 ex.
<i>Tenthredo trunca flatotrunca</i> Wei	2 ex.
<i>Tenthredo tuberculata</i> (Ed. André, 1882)	1 ex.
<i>Tenthredo tuberculifera</i> Konow, 1898	2 ex.
<i>Tenthredo umbonigera</i> Konow, 1906	1 ex.
<i>Tenthredo umbrica</i> Benson, 1959	1 ex.
<i>Tenthredo ungava</i> Goulet, 1996	3 ex.
<i>Tenthredo ussuriensis</i> (Mocsáry, 1909)	3 ex.

<i>Tenthredo ussuriensis uncinctasa</i> Nie & Wei, 2002	4 ex.
<i>Tenthredo variabilis</i> (Mocsáry, 1909)	14 ex.
<i>Tenthredo varicarpus</i> (Ed. André, 1881)	3 ex.
<i>Tenthredo variicolor</i> Malaise, 1945	1 ex.
<i>Tenthredo varipicta</i> Norton, 1868	11 ex.
<i>Tenthredo velox</i> Fabricius, 1798	282 ex.
<i>Tenthredo velox nigrofemorata</i> (Takeuchi, 1955)	1 ex.
<i>Tenthredo ventralis</i> (Say, 1823)	2 ex.
<i>Tenthredo versuta</i> Mocsáry, 1909	4 ex.
<i>Tenthredo verticalis</i> Say, 1824	4 ex.
<i>Tenthredo vespa</i> Retzius, 1783	161 ex.
<i>Tenthredo vespa inaeffectata</i> Muche, 1965	1 ex.
<i>Tenthredo vespiformis</i> Schrank, 1781	13 ex.
<i>Tenthredo vestita</i> Ed. André, 1881	12 ex.
<i>Tenthredo violaceipennis</i> Cameron, 1899	1 ex.
<i>Tenthredo violascens</i> Konow, 1886	4 ex.
<i>Tenthredo violettae</i> Lacourt, 1973	1 ex.
<i>Tenthredo viridatrix</i> Malaise, 1931	13 ex.
<i>Tenthredo vittipleuris</i> Malaise, 1945	1 ex.
<i>Tenthredo waltoni</i> Malaise, 1945	2 ex.
<i>Tenthredo wenjuni</i> Wei, 1998	1 ex.
<i>Tenthredo xantha</i> Norton, 1864	27 ex.
<i>Tenthredo xanthopleurita</i> Wei, 1998	4 ex.
<i>Tenthredo xanthoptera</i> Cameron, 1876	4 ex.
<i>Tenthredo xiaowei</i> Wei & Nie, 2003	2 ex.
<i>Tenthredo yinae</i> Wei, 1999	3 ex.
<i>Tenthredo yingdangi</i> Wei, 2002	2 ex.
<i>Tenthredo yuasai</i> Singh & Saini, 1988	2 ex.
<i>Tenthredo zebra</i> Konow, 1898	2 ex.
<i>Tenthredo zhaidaina</i> Wei	1 ex.
<i>Tenthredo zheminica</i> Wei & Nie, 1998	4 ex.
<i>Tenthredo zhui</i> Wei, 2002	3 ex.
<i>Tenthredo zomborii</i> Togashi, 1977	4 ex.
<i>Tenthredo zona</i> Klug, 1817	35 ex.
<i>Tenthredo zonula</i> Klug, 1817	349 ex.
<i>Tenthredopsis albata</i> Konow, 1904	1 ex.
<i>Tenthredopsis albonotata</i> (Brullé, 1832)	5 ex.
<i>Tenthredopsis andrei</i> Konow, 1898	2 ex.
<i>Tenthredopsis annuligera</i> (Eversmann, 1847)	22 ex.
<i>Tenthredopsis auriculata</i> C. G. Thomson, 1870	4 ex.
<i>Tenthredopsis benthini</i> Rudow, 1871	5 ex.
<i>Tenthredopsis birmanica</i> Malaise, 1945	4 ex.
<i>Tenthredopsis cabrerae</i> Konow, 1898	3 ex.
<i>Tenthredopsis carbonaria</i> (Linné, 1767)	15 ex.
<i>Tenthredopsis carinata carinata</i> Malaise, 1931	2 ex.
<i>Tenthredopsis coquebertii</i> (Klug, 1817)	37 ex.
<i>Tenthredopsis corcyrensis</i> (Ed. André, 1881)	3 ex.

<i>Tenthredopsis denticulata</i> Blank, in lit	0 ex.
<i>Tenthredopsis discrepans</i> Konow, 1890	1 ex.
<i>Tenthredopsis excisa</i> (C. G. Thomson, 1870)	89 ex.
<i>Tenthredopsis festiva</i> Konow, 1890	5 ex.
<i>Tenthredopsis floricola</i> (A. Costa, 1859)	1 ex.
<i>Tenthredopsis friesei</i> (Konow, 1884)	106 ex.
<i>Tenthredopsis humerosa</i> Konow, 1898	1 ex.
<i>Tenthredopsis hungarica</i> (Klug, 1817)	14 ex.
<i>Tenthredopsis insularis</i> Takeuchi, 1927	10 ex.
<i>Tenthredopsis jakowleffi</i> Konow, 1896	0 ex.
<i>Tenthredopsis lactiflua</i> (Klug, 1817)	13 ex.
<i>Tenthredopsis languida</i> (Erichson, 1851)	2 ex.
<i>Tenthredopsis ligata</i> Konow, 1903	2 ex.
<i>Tenthredopsis litterata</i> (Geoffroy, 1785)	200 ex.
<i>Tenthredopsis moscovita</i> (Ed. André, 1881)	1 ex.
<i>Tenthredopsis nassata</i> (Linné, 1767)	598 ex.
<i>Tenthredopsis nigella</i> Konow, 1891	1 ex.
<i>Tenthredopsis nigrescens</i> Konow, 1897	1 ex.
<i>Tenthredopsis nivosa</i> (Klug, 1817)	5 ex.
<i>Tenthredopsis ornatix</i> Konow, 1890	2 ex.
<i>Tenthredopsis putoni</i> Konow, 1886	6 ex.
<i>Tenthredopsis quadriforis</i> Konow, 1898	1 ex.
<i>Tenthredopsis rufa</i> Konow, 1890	2 ex.
<i>Tenthredopsis scutellaris</i> (Fabricius, 1804)	103 ex.
<i>Tenthredopsis sordida</i> (Klug, 1817)	105 ex.
<i>Tenthredopsis sororia</i> Konow, 1898	2 ex.
<i>Tenthredopsis</i> sp.	17 ex.
<i>Tenthredopsis stigma</i> (Fabricius, 1798)	185 ex.
<i>Tenthredopsis stramineata</i> Konow, 1898	2 ex.
<i>Tenthredopsis tarsata</i> (Fabricius, 1804)	178 ex.
<i>Tenthredopsis tegularis</i> Malaise	2 ex.
<i>Tenthredopsis tessellata</i> (Klug, 1817)	39 ex.
<i>Tenthredopsis tischbeinii</i> (Frivaldszky, 1876)	41 ex.
<i>Tenthredopsis ventriflua</i> Konow, 1898	2 ex.
<i>Tequus ruficeps</i> (Konow, 1899)	6 ex.
<i>Tequus schrottkyi</i> (Konow, 1906)	2 ex.
<i>Thaumatotaxonus longicornis</i> Wei, 1999	2 ex.
<i>Thecatiphyta longitheca</i> Wei, 2003	4 ex.
<i>Themos hyaline</i> Norton, 1867	2 ex.
<i>Themos surinamensis</i> (Klug, 1814)	2 ex.
<i>Thrinax albidopicta</i> (Norton, 1868)	7 ex.
<i>Thrinax angustata</i> Zhelochovtsev, 1951	30 ex.
<i>Thrinax contigua</i> (Konow, 1885)	14 ex.
<i>Thrinax dubitata</i> (Norton, 1862)	5 ex.
<i>Thrinax japonica</i> Rohwer, 1910	3 ex.
<i>Thrinax liui</i> Wei, 2005	2 ex.
<i>Thrinax longitheca</i> Wei	2 ex.

<i>Thrinax minomensis</i> Takeuchi, 1929	1 ex.
<i>Thrinax paucipunctatus</i> Malaise, 1931	10 ex.
<i>Thrinax rufoclypeus</i> Wei, 1998	1 ex.
<i>Thrinax</i> spec.	2 ex.
<i>Togashia brevitarsus</i> Wei, 1997	2 ex.
<i>Tomostethus melanopygius</i> (A. Costa, 1859)	3 ex.
<i>Tomostethus multicoloratus</i> Rohwer, 1909	4 ex.
<i>Tomostethus nigrinus</i> (Fabricius, 1804)	47 ex.
<i>Tomostethus veles</i> Konow, 1900	1 ex.
<i>Trachelus flavicornis</i> (Lucas, 1846)	5 ex.
<i>Trachelus iudaicus</i> (Konow, 1907)	2 ex.
<i>Trachelus libanensis</i> (Ed. André, 1881)	5 ex.
<i>Trachelus tabidus</i> (Fabricius, 1775)	25 ex.
<i>Trachelus tigris</i> (Benson, 1935)	1 ex.
<i>Trachelus troglodyta</i> (Fabricius, 1787)	18 ex.
<i>Tremex alchymista</i> Mocsáry, 1886	7 ex.
<i>Tremex columba</i> (Linné, 1763)	27 ex.
<i>Tremex fuscicornis</i> (Fabricius, 1787)	22 ex.
<i>Tremex insignis</i> F. Smith, 1859	1 ex.
<i>Tremex longicollis</i> Konow, 1896	1 ex.
<i>Tremex magus</i> (Fabricius, 1787)	12 ex.
<i>Trichiocampus grandis</i> (Serville, 1823)	36 ex.
<i>Trichiocampus pilicornis</i> (Curtis, 1833)	24 ex.
<i>Trichiocampus ulmi</i> (Linné, 1758)	43 ex.
<i>Trichiosoma crassum</i> W. F. Kirby, 1882	1 ex.
<i>Trichiosoma latreillii</i> Leach, 1817	2 ex.
<i>Trichiosoma lucorum</i> (Linné, 1758)	41 ex.
<i>Trichiosoma nigricoma</i> Konow, 1906	2 ex.
<i>Trichiosoma opacum</i> Konow, 1906	2 ex.
<i>Trichiosoma sericeum</i> Konow, 1903	5 ex.
<i>Trichiosoma sikkimense</i> Konow, 1897	2 ex.
<i>Trichiosoma sorbi</i> Hartig, 1840	40 ex.
<i>Trichiosoma</i> sp.	3 ex.
<i>Trichiosoma sylvaticum</i> Leach, 1817	2 ex.
<i>Trichiosoma tibiale</i> Stephens, 1835	22 ex.
<i>Trichiosoma triangulum</i> W. Kirby, 1837	15 ex.
<i>Trichiosoma vitellina</i> (Linné, 1761)	23 ex.
<i>Trichotaxonus</i> spec.	2 ex.
<i>Triptenus humeratus</i> (Konow, 1906)	2 ex.
<i>Trochophora lobata</i> (Erichson, 1848)	4 ex.
<i>Tyloceridius dorsatus</i> Mocsáry, 1883	1 ex.
<i>Ungulia fasciativentris</i> Malaise, 1961	2 ex.
<i>Ungulirhadina nigriceps</i> Wei, 1997	1 ex.
<i>Urocerus albicornis</i> (Fabricius, 1781)	5 ex.
<i>Urocerus antennatus</i> (Marlatt, 1898)	4 ex.
<i>Urocerus argonautarum</i> (Semenov, 1921)	4 ex.
<i>Urocerus augur</i> (Klug, 1803)	18 ex.

<i>Urocerus californicus</i> Norton, 1869	4 ex.
<i>Urocerus cressoni</i> Norton, 1864	4 ex.
<i>Urocerus fantoma</i> (Fabricius, 1781)	3 ex.
<i>Urocerus gigas</i> (Linné, 1758)	68 ex.
<i>Urocerus japonicus</i> (F. Smith, 1874)	4 ex.
<i>Urocerus sah</i> (Mocsáry, 1881)	2 ex.
<i>Ussurinus longispinus</i> Wei	2 ex.
<i>Waldheimia amazonica</i> (W. F. Kirby, 1882)	3 ex.
<i>Waldheimia apicalis</i> (Cameron, 1878)	2 ex.
<i>Waldheimia atripennis</i> (Fabricius, 1804)	1 ex.
<i>Waldheimia costalis</i> (Cameron, 1883)	2 ex.
<i>Waldheimia cruenta</i> (Konow, 1899)	7 ex.
<i>Waldheimia diagonica</i> (Konow, 1899)	3 ex.
<i>Waldheimia duckei</i> Konow, 1908	2 ex.
<i>Waldheimia erebus</i> (W. F. Kirby, 1882)	6 ex.
<i>Waldheimia erebus atra</i> Konow, 1904	2 ex.
<i>Waldheimia foriola</i> (Konow, 1899)	1 ex.
<i>Waldheimia fronto</i> (Konow, 1899)	1 ex.
<i>Waldheimia fusicornis</i> Konow, 1908	2 ex.
<i>Waldheimia galerita</i> Konow, 1904	1 ex.
<i>Waldheimia laeta</i> (Cameron, 1883)	2 ex.
<i>Waldheimia ochra</i> (Norton, 1867)	8 ex.
<i>Waldheimia offensa</i> (Konow, 1899)	1 ex.
<i>Waldheimia pallens</i> (Klug, 1816)	1 ex.
<i>Waldheimia pellucida</i> Konow, 1904	1 ex.
<i>Waldheimia pictipes</i> (Konow, 1903)	1 ex.
<i>Waldheimia separ</i> Konow, 1908	1 ex.
<i>Waldheimia spec.</i>	4 ex.
<i>Waldheimia thoracata</i> (Konow, 1899)	1 ex.
<i>Waldheimia thoracica</i> (Konow, 1903)	1 ex.
<i>Waldheimia veles</i> (Konow, 1899)	1 ex.
<i>Waldheimia vitis</i> (T. W. Harris, 1841)	1 ex.
<i>Waldheimia wagneri</i> Konow, 1908	2 ex.
<i>Xenapates braunsi</i> (Konow, 1896)	1 ex.
<i>Xenapates gabunensis</i> (Konow, 1896)	2 ex.
<i>Xenapates gaullei</i> (Konow, 1896)	1 ex.
<i>Xenapates offrenatus</i> (Konow, 1907)	1 ex.
<i>Xenapatidea monomera</i> Wei, 1999	2 ex.
<i>Xenapatidea procincta</i> (Konow, 1903)	3 ex.
<i>Xenapatidea rufoscutellata</i> Koch, 1996	1 ex.
<i>Xeris caudata</i> Cresson, 1865	1 ex.
<i>Xeris morrisoni</i> (Cresson, 1880)	3 ex.
<i>Xeris spectrum</i> (Linné, 1758)	63 ex.
<i>Xiphydria abdominalis</i> Say, 1824	4 ex.
<i>Xiphydria betulae</i> (Enslin, 1911)	1 ex.
<i>Xiphydria camelus</i> (Linné, 1758)	80 ex.
<i>Xiphydria longicollis</i> (Geoffroy, 1785)	14 ex.

<i>Xiphydria maculata</i> Say, 1836	4 ex.
<i>Xiphydria megapolitana</i> (Brauns, 1884)	3 ex.
<i>Xiphydria mellipes</i> T. W. Harris, 1835	5 ex.
<i>Xiphydria picta</i> Konow, 1897	7 ex.
<i>Xiphydria prolongata</i> (Geoffroy, 1785)	45 ex.
<i>Xiphydria scutellata</i> Konow, 1897	2 ex.
<i>Xiphydria tibialis</i> Say, 1824	3 ex.
<i>Xyela alpigena</i> Strobl, 1895	15 ex.
<i>Xyela bakeri</i> Konow, 1898	3 ex.
<i>Xyela californica</i> Rohwer, 1913	2 ex.
<i>Xyela curva</i> Benson, 1938	273 ex.
<i>Xyela densiflorae</i> Blank & Shinohara, 2005	2 ex.
<i>Xyela graeca</i> J. P. E. F. Stein, 1876	49 ex.
<i>Xyela japonica</i> Rohwer, 1910	1 ex.
<i>Xyela julii</i> Brébisson, 1818	310 ex.
<i>Xyela longula</i> Dalman, 1819	4 ex.
<i>Xyela menelaus</i> Benson, 1960	199 ex.
<i>Xyela obscura</i> Strobl, 1895	160 ex.
<i>Xyela occidentalis</i> Blank & Shinohara, 2005	4 ex.
<i>Xyela par</i> Blank & Shinohara, 2005	4 ex.
<i>Xyela tecta</i> Blank & Shinohara, 2005	1 ex.
<i>Xyela ussuriensis</i> Rasnitsyn, 1965	4 ex.
<i>Xyela variegata</i> Rohwer, 1910	1 ex.
<i>Xyelecia nearctica</i> Ross, 1932	1 ex.
<i>Xyloperga lalage</i> (W. F. Kirby, 1893)	1 ex.
<i>Xyloperga mocsaryi</i> (Konow, 1905)	1 ex.
<i>Zadiprion rohweri</i> Middleton, 1931	3 ex.
<i>Zaschizonyx montana</i> (Cresson, 1865)	6 ex.
<i>Zenarge turneri</i> Rohwer, 1918	6 ex.
<i>Zynzus crassulus</i> Cameron, 1884	1 ex.
<i>Zynzus nigropectus</i> (Norton, 1872)	1 ex.