


ISSN 1618-8977

ACARI

Bibliographia Acarologica



Mesostigmata



Band 3 (1)

2003

Staatliches Museum für Naturkunde Görlitz

ACARI

Bibliographia Acarologica

Herausgeber: Dr. Axel Christian
im Auftrag des Staatlichen Museums für Naturkunde Görlitz

Anfragen erbeten an:

ACARI
Dr. Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, D-02806 Görlitz

„ACARI“

ist zu beziehen über:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, D-02806 Görlitz

Eigenverlag Staatliches Museum für Naturkunde Görlitz
Alle Rechte vorbehalten
Titelgrafik: E. Mättig
Druck: MAXROI Graphics GmbH, Görlitz

*Editor-in-chief: Dr Axel Christian
authorised by Staatliches Museum für Naturkunde Görlitz*

*Enquiries should be directed to:
ACARI
Dr Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, D-02806 Görlitz, Germany*

*‘ACARI’
may be ordered through:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, D-02806 Görlitz*

*Published by Staatliches Museum für Naturkunde Görlitz
All rights reserved
Cover design by: E. Mättig
Printed by MAXROI Graphics GmbH, Görlitz, Germany*

Mesostigmata Nr. 14

Axel Christian und Kerstin Franke
Staatliches Museum für Naturkunde Görlitz

Jährlich werden in der Bibliographie die neuesten Publikationen über mesostigmatische Milben veröffentlicht, soweit sie uns bekannt sind. Das aktuelle Heft enthält 350 Titel von Wissenschaftlern aus 45 Ländern. In den Arbeiten werden 80 neue Arten und Gattungen beschrieben. Sehr viele Artikel beschäftigen sich mit ökologischen Problemen (27%), mit der Taxonomie (11%), mit der Bienen-Milbe Varroa (24%) und der Faunistik (8%).

Bitte helfen Sie bei der weiteren Vervollständigung der Literaturdatenbank durch unaufgeforderte Zusendung von Sonderdrucken bzw. Kopien. Wenn dies nicht möglich ist, bitten wir um Mitteilung der vollständigen Literaturzitate zur Aufnahme in die Datei. Stellen Sie fest, daß in der Bibliographie Titel Ihrer Publikationen oder anderer Autoren fehlen, wären wir Ihnen für eine Information dankbar.

Die Datenbank über mesostigmatische Milben enthält gegenwärtig 11 662 Datensätze zur Literatur und 8 954 Datensätze zu den Taxa. Recherchen zur Literatur und zu den Taxa werden auf Wunsch nach Stichwörtern durchgeführt und die Abfrageergebnisse zugeschickt.

Wir bemühen uns, die Referenzsammlungen der Milbengruppen zu erweitern und sind interessiert an der Übernahme von determiniertem Milbenmaterial. Selbstverständlich können in den acarologischen Sammlungen des Staatlichen Museums für Naturkunde Görlitz auch weiterhin Typen und Paratypen hinterlegt werden. Durch die ständige wissenschaftliche und präparatorische Betreuung der umfangreichen Sammlungen durch derzeit 3 Wissenschaftler und technische Mitarbeiter ist ein hoher Bearbeitungsstand und eine gute Zugänglichkeit gewährleistet. Es ist vorgesehen, die Daten der Typen mit ihren Originalbeschreibungen im Internet zugänglich zu machen.

In the bibliography, the latest works on mesostigmatic mites - as far as they have come to our knowledge - are published yearly. The present volume includes 350 titles by researchers from 45 countries. In these publications, 80 new species and genera are described. The majority of articles concern ecological problems (27%), taxonomy (11%), the bee-mite Varroa (24%) and faunistics (8%).

Please help us keep the literature database as complete as possible by sending us reprints or copies of all your papers on mesostigmatic mites, or, if this is not possible, complete references so that we can include them in the list. Please inform us if we have failed to list all your publications in the Bibliography.

The database on mesostigmatic mites already contains 11 662 papers and 8 954 taxa. Every scientist who sends keywords for literature researches can receive a list of literature or taxa.

We are endeavouring to expand the reference collections on mites and are interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the State Museum of Natural History Görlitz is also possible. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. For the future, it is planned to publish the types and the original descriptions in the Internet.

Acarologische Literatur / Acarological literature

Literaturzitate in fett gedruckter Schrift enthalten Beschreibungen neuer Arten. Mit „*“ markierte Titel liegen nur als Zitat oder Kurzfassung vor.

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "" were only found as citation or abstract.*

Publikationen 2003 / Publications 2003

- BAKER, A.S. / CRAVEN, J.C. (2003): Checklist of the mites (Arachnida, Acari) associated with bats (Mammalia, Chiroptera) in the British Isles. - Syst. Appl. Acarol. Spec. Publ. 14: 1-20
- CHANT, D.A. / McMURTRY, J.A. (2003): A review of the subfamily Amblyseiinae Muma (Acari, Phytoseiidae): Part I. Neoseiulini new tribe. - Internat. J. Acarol. 29,1: 3-46
- FAIN, A. / WALTER, G. / HEDDERGOTT, M. (2003): A new species of *Macronyssus Kolenati, 1858* (Acari, Macronyssidae) from Leisler's bat, *Nyctalus leisleri* Kuhl, 1818 (Mammalia, Chiroptera) in Germany. - Internat. J. Acarol. 29,1: 55-61
- FERENC, H. / BLASZAK, C. / EHRNSBERGER R. (2003): Die Milben in der Zoologischen Staatssammlung München. Teil 2. Familie Spiturnicidae (Acari, Gamasida). - Spixiana 26,1: 35-41
- FERRAGUT, F. / PENA-ESTÉVEZ, M.A. (2003): Phytoseiid mites of the Canary Islands (Acari, Phytoseiidae): Gran Canaria Island. - Internat. J. Acarol. 29,2: 149-174
- HAITLINGER, R. (2003): Arthropods (Anoplura, Siphonaptera, Coleoptera, Acari) collected on small mammals of Mt. Babia Góra. [Orig. Polish] - Monografia Fauny Babiej Góry: 359-371
- HUHTA, V. / NIEMI, R. (2003): Communities of soil mites (Acarina) in planted birch stands compared with natural forests in central Finland. - Can. J. For. Res. 33: 171-180
- KALUZ, S. / MASAN, P. / MOSER, J.C. (2003): Morphology and ecology of *Schizosthetus simulatrix* Athias-Henriot, 1982 (Acarina, Mesostigmata) associated with galleries of bark beetles (Scolytidae). - Biologia, Bratislava 58,2: 165-172
- KRISTOFIK, J. / MASAN, P. / SUSTEK, Z. / KLOUBEC, B. (2003): Arthropods (Pseudoscorpionida, Acari, Coleoptera, Siphonaptera) in nests of the tengmalm's owl, *Aegolius funereus*. - Biologia, Bratislava 58,2: 231-240
- LOFEGO, A.C. / MORAES, G.J. DE (2003): Two new species of *Neoseiulus Hughes* (Acari, Phytoseiidae) from Brazil. - Internat. J. Acarol. 29,2: 113-117
- MORAES, G.J. DE / McMURTRY, J.A. / JEFERSON, L. DE C. MINEIRO (2003): A new genus and species of phytoseiid mite (Acari, Phytoseiidae) from Brazil. - Internat. J. Acarol. 29,1: 47-54
- ROYCE, L.A. / KRANTZ, G.W. (2003): A new genus and species of Hypoaspidine mite (Acari, Laelapidae) associated with a night-flying xylocopinine carpenter bee (Hymenoptera, Apidae, Xylocopa) in Thailand. - Internat. J. Acarol. 29,2: 107-111
- WALTER, D.E. (2003): The genus *Gamasellodes* (Acari, Mesostigmata, Ascidae): New Australian and North American species. - Syst. Appl. Acarol. Spec. Publ. 15: 1-10
- WALTER, D.E. (2003): A new mite from an arboreal ant (Formicidae, Polyrachis sp.): *Myrmazercon iainkayi* n. sp. (Mesostigmata, Laelapidae). - Internat. J. Acarol. 29,1: 81-85
- YODER, J.A. / SAMMATARO, D. (2003): Potential to control Varroa mites (Acari, Varroidae) using chemical ecology. - Internat. J. Acarol. 29,2: 139-143

Publikationen 2002 / Publications 2002

- AL-ATAWI, F. / KLOMPEN, H. / MOSER, J.C. (2002): Redescription of *Schizosthetus lyriformis* (McGraw and Farrier, 1969) (Parasitiformes, Parasitidae), with revision of the genus. - Internat. J. Acarol. 28,4: 341-360
- ALBERTI, G. / KLOMPEN, H. (2002): Fine structure of unusual spermatozoa and spermiogenesis of the mite *Megisthanus floridanus*, Banks, 1904 (Acari, Gamasida, Antennophorina). - Acta zool. 83,4: 277-295
- AMER, S.A.A. / MOMEN, F.M. (2002):* Effect of some essential oils on the predacious mite *Amblyseius swirskii* A.-H. (Acari, Phytoseiidae). - Acta Phytopathol. Entomol. Hungarica 37,1-3: 281-286
- AMOSOVA, L.I. / STANYUKOVICH, M.K. (2002): Structure of subepidermal tissue of gamasid mites. [Orig. Russ.] - Parazitologija 36,4: 263-270

- AMUSA, N.A. / OJO, J.B. (2002):* The effect of controlling *Mononychellus tanajoa* (Acari, Tetranychidae) the cassava green spider mite using *Typhlodromalus aripi* (Acari, Phytoseiidae) on the severity of cassava diseases in transition forest, Nigeria. - Crop Protection 21,7: 523-527
- ARGOV, Y. / AMITAI, S. / BEATTIE, G.A.. / GERSON, U. (2002):* Rearing, release and establishment of imported predatory mites to control citrus rust mite in Israel. - Biocontrol Dordrecht 47,4: 399-409
- ASPÖCK, H. / AUER, H. / WALOCHNIK, J. (2002): Parasiten und parasitäre Erkrankungen des Menschen in Mitteleuropa im Überblick. In: Biologiezentrum des Öö. Landesmuseums (Hrsg.), Amöben, Bandwürmer, Zecken ... - Denisia 6: 33-74
- AUMEIER, P. / ROSENKRANZ, P. / FRANCKE, W. (2002):* Cuticular volatiles, attractivity of worker larvae and invasion of brood cells by Varroa mites. A comparision of Africanized and European honey bees. - Chemoecology 12,2: 65-75
- AZEVEDO, A.A. / LINARDI, P.M. / COUTINHO, M.T.Z. (2002): Acari ectoparasites of bats from Minas Gerais, Brazil. - J. Med. Entomol. 39,3: 553-555
- BAKER, A.S. / OSTOJÁ-STARZEWSKI, J.C. (2002): New distributional records of the mite *Parasitus mycophilus* (Acari, Mesostigmata), with a description of the male and first description of the deutonymph. - Syst. Appl. Acarol. 7: 113-122
- BAKONYI, T. / FARKAS, R. / SZENDROI, A. / DOBOS-KOVACS, M. / RUSVAI, M. (2002):* Detection of acute bee paralysis virus by RT-PCR in honey bee and Varroa destructor field samples: Rapid screening of representative Hungarian apiaries. - Apidologie 33,1: 63-74
- BAUER-DUBAU, W. (2002): Die tropische Rattenmilbe (*Ornithonyssus bacoti*) - ein Ektoparasit auch beim Menschen. - Pest Control News 30: 33
- BECNEL, J.J. / JEYAPRAKASH, A. / HOY, M.A. / SHAPIRO, A. (2002): Morphological and molecular characterization of a new microsporidian species from the predatory mite *Metaseiulus occidentalis* (Nesbitt) (Acari, Phytoseiidae). - J. Inverteb. Pathol. 79: 163-172
- BEI, N. / SHI, C. / YIN, S. (2002): A new species of the genus *Prozercon* Sellnick (Acari, Zerconidae) from China. [Orig.Chin.]. - Entomotaxonomia 24,3: 223-226
- BERRIOS, P. (2002): Artropodos asociados s suelo de renovales de *Nothofagus obliqua* (Mirb.) Oersted (Fagaceae) en la zona costera de la VIII Region. - Gayana 66,1: 1-6
- BHATTACHARYYA, A.K. / SANYAL, A.K. (2002): Three new species and some new records of the genus *Gamaselodes Athias-Henriot* (Acarina, Ascidae) from India. - Acarologia 42,3: 229-238
- BHATTACHARYYA, A.K. / SANYAL, A.K. (2002): New data on mites of the genus *Lasioseius* (Mesostigmata, Ascidae) in India alongwith the description of two new species. - Acarina 10,1: 51-56
- BIOLOGIEZENTRUM DES ÖÖ. LANDESMUSEUMS (Hrsg.) (2002): Amöben, Bandwürmer, Zecken ... - Parasiten und parasitäre Erkrankungen des Menschen in Mitteleuropa. - Denisia 6: 1-600
- BLASZAK, C. / EHRNSBERGER, R. (2002): Beiträge zur Kenntnis von *Saprolaelaps Leitner, 1946* in Europa (Acari, Gamasida, Halolaelapidae). - Osnabrücker naturwiss. Mitt. 28: 159-197
- BLÜMEL, S. / WALZER, A. (2002): Efficacy of different release strategies of *Neoseiulus californicus* McGregor and *Phytoseiulus persimilis* Athias-Henriot (Acari, Phytoseiidae) for the control of two-spotted spider mite (*Tetranychus urticae* Koch) on greenhouse cut roses. - Syst. Appl. Acarol. 7: 35-48
- BOBKOVÁ, O.A. (2002): Bat ectoparasite fauna of Podolia. [Orig. Russian] - Vestnik zoologii 36,2: 77-81
- BOUNFOUR, M. / TANIGOSHI, L.K. (2002):* Predatory role of *Neoseiulus fallacis* (Acari, Phytoseiidae): Spatial and temporal dynamics in Washington red raspberry fields. - J. Econ. Entomol. 95,6: 1142-1150
- BROUFAS, G.D. / KOVEOS, D.S. / GEORGATSIIS, D.I. (2002): Overwintering sites and winter mortality of *Euseius finlandicus* (Acari, Phytoseiidae) in a peach orchard in northern Greece. - Exp. Appl. Acarol. 26,1-2: 1-12
- CALDERONE, N.W. / LIN, S. / KUENEN, L.P.S. (2002):* Differential infestation of honey bee, *Apis mellifera*, worker and queen brood by the parasitic mite *Varroa destructor*. - Apidologie 33,4: 389-398
- CASTAGNOLI, M. / ANGELI, G. / LIQUORI, M. / FORTI, D. / SIMONI, S. (2002): Side effects of botanical insecticides on predatory mites *Amblyseius andersoni* (Chant). - Anz. Schädlingsk. 75,5: 122-127
- CENCEK, T. / ZIOMKO, I. / TOPOR, W. (2002):* *Dermanyssus gallinae* as a cause of high mortality of duck broilers. [Orig. Poln.] - Medycyna Wet. 58,5: 353-355
- CHIRICO, J. / TAUSON, R. (2002): Traps containing acaricides for the control of *Dermanyssus gallinae*. - Vet. Parasitol. 110: 109-116
- CLAPPERTON, M.J. / KANASHIRO, D.A. / BEHAN-PELLETIER, V.M. (2002):* Changes in abundance and diversity of microarthropods associated with fescue prairie grazing regimes. - Pedobiologia 46,5: 496-511
- CLARK, K.L. / DURDEN, L.A. (2002): Parasitic arthropods of small mammals in Mississippi. - J. Mammalogy 83,4: 1039-1048
- COBANOGLU, S. / ÖZMAN, S.K. (2002): Beneficial mite species of hazelnut orchard ecosystems from the Black Sea Region of Turkey. - Proceedings 2nd Meeting of Working Group 4, Prague 2002: 91-99

- COTE, K.W. / LEWIS, E.E. / SCHULTZ, P.B. (2002):* Compatibility of acaricide residues with Phytoseiulus persimilis and their effects on *Tetranychus urticae*. - Hortscience 37,6: 906-909
- CUI, S.-Q. / MA, L.-M. / WANG, B.-I. (2002): Description of female of *Parasitus mammillatus* (Berlese) (Acari, Gamasina, Parasitidae). [Orig. Chin.] - Entomol. J. East China 11,2: 118-119
- CUI, S.-Q. / ZHANG, H.-Y. / MA, L.-M. (2002): Description of *Vulgarogamasus lyriformis* (McGraw et Farrier) (Acari, Gamasina, Parasitidae). [Orig. Chin.] - Entomol. J. East China 11,1: 115-116
- DEGRANDI-HOFFMANN, G. / PAGE, R.E. / MARTIN, J. / FONDRK, M.K. (2002):* Can the frequency of reduced Varroa destructor fecundity in honey bee (*Apis mellifera*) pupae be increased by selection? - Apidologie 33,6: 563-570
- DENMARK, H.A. / EDLAND, T. (2002): The subfamily Amblyseiinae Muma (Acari, Phytoseiidae) in Norway. - Internat. J. Acarol. 28,3: 195-220
- DENMARK, H.A. / WELBOURN, W.C. (2002): Revision of the genera *Amblydromella* Muma and *Anthoseius* De Leon (Acari, Phytoseiidae). - Internat. J. Acarol. 28,4: 291-316
- EHARA, S. (2002): Phytoseiid mites (Acari, Phytoseiidae) from Sumatra with description of a new species. - Acta Arachnol. 51,2: 125-133
- EHARA, S. / AMANO, H. (2002): Some Japanese phytoseiid mites (Acari, Phytoseiidae) mostly from Ishigaki and Taketomi Islands. - Entomol. Sci. 5,3: 321-329
- EKIZ, A.N. / URHAN, R. (2002): Two macrochelid species (Acari, Gamasida, Macrochelidae) new to Turkish fauna. - Turk. J. Zool. 26: 309-313
- FAIN, A. / BANNERT, B. (2002): New observations on species of the genus *Ophionyssus* Mégnin (Acari, Macronyssidae) parasitic on lizards of the genus *Gallotia* Boulenger (Reptilia, Lacertidae) from the Canary Islands, Spain with description of a new species. - Internat. J. Acarol. 28,4: 361-366
- FARAJI, F. / JANSEN, A. / SABELIS, M.W. (2002):* Oviposition patterns in a predatory mite reduce the risk of egg predation caused by prey. - Ecol. Entomol. 27,6: 660-664
- FENDA, P. (2002): First records of mites (Acarina, Mesostigmata) from Slovakia. - Biologia, Bratislava 57,2: 234, 242
- FERES, R.J.F. / ROSSA-FERES, D. DE C. / DAUD, R.D. / SANTOS, R.S. (2002):* Diversidade de Acaros (Acari, Arachnida) em seringueiras (*Hevea brasiliensis* Muell. Arg., Euphorbiaceae) na regio noroeste do Estado de Sao Paulo, Brasil. - Revta bras. Zool. 19,1: 137-144
- FERLA, N.J. / MORAES, G.J. DE (2002):* Acaros (Arachnida, Acari) da seringueira (*Hevea brasiliensis* Muell. Arg.) no Estado do Mato Grosso, Brasil. - Rev. Bras. Zool. 19,3: 867-888
- FERNANDEZ, N. / COINEAU, Y. (2002): Varroa tueur d' Abeilles. Bien le connaitre pour mieux l combattre. - Atlantica, Anglet : 7-237
- FILSER, J. / KROGH, P.H. (2002): Interactions between *Enchytraeus crypticus*, collembolans, gamasid mites and barley plants: A greenhouse experiment. - Natura Jutlandica Occasional Papers 0,2: 32-42
- FRAGOSA, D.B. / FILHO, P.J. / FILHO, A.P. / BADJI, C.A. (2002):* Acao de inseticidas organofosforados utilizados no controle de *Leucoptera coffeella* (Guerin-Meneville) (Lepidoptera, Lyonetiidae) sobre o acaro predador *Iphiseioides zuluagai* Denmark & Muma (Acari, Phytoseiidae). - Neotropical Entomology 31,3: 463-467
- GAREDEW, A. / LAMPRECHT, I. / SCHMOLZ, E. / SCHRICKER, B. (2002):* The varroacidal action of propolis: A laboratory assay. - Apidologie 33,1: 41-50
- GEEST, L.P.S. VAN DER / MORAES, G.J. DE / NAVIA, D. / TANZINI, M.R. (2002):* New records of pathogenic fungi in mites (Arachnida, Acari) from Brazil. - Neotropical Entomology 31,3: 493-495
- GJEVRE, A.G. (2002):* Ectoparasites of Norwegian poultry, with emphasis on the poultry red mite (*Dermanyssus gallinae*). [Orig. Norweg.] - Norsk Veterinaertidsskrift 114,10: 763-769
- GONDIM, M.G.C. / MORAES, G.J. DE (2002):* Compatibilidade reprodutiva de duas populacoes de *Iphiseioides zuluagai* Denmark & Muma (Acari, Phytoseiidae). - Neotropical Entomology 31,2: 181-186
- GREGORC, A. / PLANINC, I. (2002):* The control of Varroa destructor using oxalic acid. - Vet. Journ. 163,3: 306-310
- GROENEWOUND, G.C.M. / GRAAF IN 'T VELD, C. DE / OORSCHOT VAN NES, A.J. VAN / JONG, N.W. DE ET AL. (2002):* Prevalence of sensitization to the predatory mite *Amblyseius cucumeris* as a new occupational allergen in horticulture. - Allergy Copenhagen 57,7: 614-619
- HABEDANK, B. (2002): Die tropische Rattenmilbe *Ornithonyssus bacoti* und andere Raubmilben - seltene Parasiten des Menschen in Mitteleuropa. In: Biologizentrum des Öö. Landesmuseums (Hrsg.), Amöben, Bandwürmer, Zecken ... - Parasiten und parasitäre Erkrankungen des Menschen in Mitteleuropa. 600 S. - Denisia 6: 447-460
- HAITLINGER, R. (2002): Mites (Acarina) associated with Cetoniinae and Trichiinae (Insecta, Coleoptera, Scarabaeidae) in Poland. In: Ignatowicz, S. (Ed.), Postepy polskiej akarologii. - Wyd. SGGW : 63-73

- HAJIZADEH, J. / HOSSEINI, R. / McMURTRY, J.A. (2002): Phytoseiid mites (Acari, Phytoseiidae) associated with eriophyid mites (Acari, Eriophyidae) in Guilan Province of Iran.. - Internat. J. Acarol. 28,4: 373-378
- HART, A.J. / BALE, J.S. / TULLETT, A.G. / WORLAND, M.R. / WALTERS, K.F.A. (2002):* Effects of temperature on the establishment potential of the predatory mite *Amblyseius californicus* McGregor (Acari, Phytoseiidae) in the UK. - J. Insect Physiol. 48,6: 593-599
- HORTON, D.R. / BROERS, D.A. / HINOJOSA, T. / LEWIS, T.M. / MILICZKY, E.R. / LEWIS, R.R. (2002): Diversity and phenology of predatory arthropods overwintering in cardboard bands placed in pear and apple orchards of central Washington State. - Ann. Ent. Soc. Amer. 95,4: 469-480
- HOUNTONDJI, F.C.C. / YANINEK, J.S. / MORAES, G.J. DE / ODUOR, G.I. (2002):* Host specificity of the cassava green mite pathogen *Neozygites floridana*. - Biocontrol Dordrecht 47,1: 61-66
- JEYAPRAKASH, A. / HOY, M.A. (2002):* Mitochondrial 12S rRNA sequences used to design a molecular ladder assay to identify six commercially available phytoseiids (Acari, Phytoseiidae). - Biol. Control 25,2: 136-142
- JIA, F. / MARGOLIES, D.C. / BOYER, J.E. / CHARLTON, R.E. (2002):* Genetic variation in foraging traits among inbred lines of a predatory mite. - Heredity 89,5: 371-379
- KAZAK, C. / YILDIZ, S. / SEKEROGLU, E. (2002): Biological characteristics and life tables of *Neoseiulus umbraticus* Chant (Acari, Phytoseiidae) at three constant temperatures. - Anz. Schädlingsk. 75,5: 118-121
- KARG, W. (2002): Eine neue Raubmilbenart der Gattung *Punctodendrolaelaps* Hirschmann et Wisniewski (Acari, Rhodacaridae), phoretisch auf Gallmücken (Cecidomyiidae, Lestremiinae). - Abh. Ber. Naturkundemus. Görlitz 74,2: 237-240
- KIM, S.S. / YOO, S.S. (2002): Comparative toxicity of some acaricides to the predatory mite, *Phytoseiulus persimilis* and the twospotted spider mite, *Tetranychus urticae*. - Biocontrol Dordrecht 47,5: 563-573
- KOEHLER, H. (2002): Gamasina im Monitoring einer Phytoremediationsmaßnahme eines TNT-belasteten Bodens. - Abh. Ber. Naturkundemus. Görlitz 74,1: 21-29
- KOEHLER, H. / WARRELMANN, J. / FRISCHE, T. / BEHREND, P. / WALTER, U. (2002): In-situ phytoremediation of TNT-contaminated soil. - Acta Biotechnol. 22,1-2: 67-80
- KOENIGER, G. / KOENIGER, N. / ANDERSON, D.L. / LEKPRAYOON, C. / TINGEK, S. (2002):* Mites from debris and sealed brood cells of *Apis dorsata* colonies in Sabah (Borneo) Malaysia, including a new haplotype of *Varroa jacobsoni*. - Apidologie 33,1: 15-24
- KOVÁČ, L. / MOCK, A. / L'UPTÁCIK, P. / HUDEC, I. / KOSEL, V. / FENDA, P. (2002): Spločenstvá kaverníkolnych Clánkonoze (Arthropoda) Demänovský Jaskyn. In: Vyskum, Využívania a Ochrana Jaskyn. Biospeleológia. Zborník Referátov. - Zilina: 155-164
- KOVÁČ, L. / MOCK, A. / L'UPTÁCIK, P. / HUDEC, I. / KOSEL, V. / FENDA, P. (2002): Clánkonoze (Arthropoda) Belianskej Jaskyne (Belianske Tatry). - Aragonit 7: 27-29
- KREITER, S. / AUGER, P. / LEBDI GRILLA, K. / TIXIER, M.S. / CHERMITI, B. / DALI, M. (2002): Plant inhabiting mites (Acari, Prostigmata, Mesostigmata) of some Northern Tunisian crops. - Acarologia 42,4: 389-402
- KREITER, S. / TIXIER, M.S. (2002): Les phytoséiides des abords non cultivés. Quel intérêt pour la parcelle de vigne? - Adalia 48: 26-27
- KREITER, S. / TIXIER, M.S. / CROFT, B.A. / AUGER, P. / BARRET, D. (2002): Plants and leaf characteristics influencing the predaceous mite *Kampinodromus aberrans* (Acari, Phytoseiidae) in habitats surrounding vineyards. - Environ. Entomol. 31,4: 648-660
- KREITER, S. / UECKERMANN, E.A. / QUILICI, S. (2002): Seven new phytoseiid species, with a new generic assignment and a key to the species of La Réunion island (Acari, Mesostigmata). - Acarologia 42,4: 335-350
- KRISTOFIK, J. / SUSTEK, Z. / MASAN, P. (2002): Arthropods (Pseudoscorpionida, Acari, Coleoptera, Siphonaptera) in the nests of red-backed shrike (*Lanius collurio*) and lesser grey shrike (*Lanius minor*). - Biologia, Bratislava 57,5: 603-613
- LEONOVICH, S.A. / STANYUKOVICH, M.K. (2002): Comparative study of the sensory system in Gamasid mites *Rhinonyssus rhinolethrum*, Rh. subrhinoöethrum and *Ptilonyssus motacillae* (Mesostigmata, Gamasina, Rhinonyssidae) parasites in nasal cavity of birds. [Orig.Russ.] - Parazitologiya 36,5: 390-395
- LIU, B. / SENGONCA, C. (2002):* Investigations on side-effects of the mixed biocide GCSC-BtA on different predators of *Plutella xylostella* (L.) (Lep., Plutellidae) in southeastern China. - Anz. Schädlingsk. 75,3: 57-61
- LIU, H. / ZHAO, Z.M. / DENG, Y.X. / HE, L. / WANG, J.J. / WU, S.Y. (2002):* Effect of temperature on experimental population dynamics of *Typhlodromus bambasae* Ehara (acari, Phytoseiidae). - Zool. Res. 23,4: 356-360

- LIU, J.-Y. / MA, L.-M. (2002): A new species of the genus Haemogamasus and an amendment to the original description of female of Eulaelaps petauristae (Acari, Haemogamasidae). [Orig. Chin.] - Acta Entomol. Sin. 45, Suppl.: 118-120**
- LODESANI, M. / CRAILSHEIM, K. / MORITZ, R.F.A. (2002):* Effect of some characters on the population growth of mite Varroa jacobsoni in Apis mellifera L. colonies and results of a bi-directional selection. - J. Appl. Ent. 126,2-3: 130-137**
- MA, L.-M. (2002): Two new species of the genus Amblyseius (Acari, Phytoseiidae) from Jilin Province, China. [Orig. Chin.] - Entomotaxonomia 24,3: 227-231**
- MA, L.-M. (2002): Two new species of the family Zerconidae from China (Acari, Mesostigmata). [Orig. Chin.] - Acta Zootaxon. Sin. 27,3: 479-482**
- MA, L.-M. (2002): A new genus and two new species of gamasid mites parasitic on spiders (Acari, Macronyssidae). [Orig. Chin.] - Acta Arachnol. Sin. 11,1: 8-13**
- MA, L.-M. (2002): Description on a new species of the genus Epicriopsis and male and deutonymph of Ameroseius taoerhensis Ma, 1995 (Acari, Gamasina, Ameroseiidae). [Orig. Chin.] - Entomotaxonomia 24,4: 308-312**
- MA, L.-M. (2002): A new species of the genus Leioseius (Acari, Gamasina, Aceosejidae). [Orig. Chin.] - Entomotaxonomia 24,2: 154-156**
- MA, L.-M. / CUI, S.-Q. (2002): Mesostigmatic mites in imported goods from Korea with description of male Uropoda baloghi (Acari). [Orig. Chin.] - Acta Arachnol. Sin. 11,2: 83-84**
- MA, L.-M. / LIU, J.-Y. / CUI, S.-Q. (2002): A new species of the genus Vulgarogamasus and a new species of the genus Hypoaspis (Acari, Gamasina, Parasitidae, Laelapidae). [Orig. Chin.] - Acta Zootaxon. Sin. 27,4: 735-739**
- MA, L.-M. / YIN, X.-Q. / CHEN, P. (2002): Description of male and deutonymph of Macrocheles reductus and additional characters of female (Acari, Gamasina, Macrochelidae). [Orig. Chin.] - Entomol. J. East China 11,1: 113-114**
- MA, L.-M. / YIN, X.-Q. / CHEN, P. (2002): Descriptions on nymph of Ololaelaps ussuriensis and Ololaelaps veneta (Acari, Gamasina, Laelapidae). [Orig. Chin.] - Entomol. J. East China 11,1: 117-119**
- MACEDO, P.A. / WU, J. / ELLIS, M.D. (2002): Using inert dusts to detect and assess Varroa infestations in honey bee colonies. - J. Apic. Res. 41,1-2: 3-7**
- MADEJ, G. (2002): Soil mesostigmatid mites (Arachnida, Acari) as a good indicator of succession stages on dumps. [Orig. Poln.] - Kosmos 51,2: 205-211**
- MAGALHAES, S. / JANSEN, A. / HANNA, R. / SABELIS, M.W. (2002):* Flexible antipredator behaviour in herbivorous mites through vertical migration in a plant. - Oecologia 132,1: 143-149**
- MAKAROVA, O.L. (2002): Acarocenoses (Acariformes, Parasitiformes) in polar deserts. 1. Mite assemblages in the Severanaya Zemlya Archipelago. Structure of fauna and abundance. - Zool. Zh. 81,2: 165-181**
- MAKAROVA, O.L. (2002): Acarocenoses (Acariformes, Parasitiformes) in polar deserts. 2. Cenotic relations. Structure of communities. Proportion of suborders. - Zool. Zh. 81,10: 1222-1238**
- MARTIN, C. / PROVOST, E. / BAGNERES, A.G. / ROUX, M. / CLEMENT, J.L. / LE CONTE, Y. (2002):* Potential mechanism for detection by Apis mellifera of the parasitic mite Varroa destructor inside sealed brood cells. - Physiol. Entomol. 27,3: 175-188**
- MARTIN, S.J. / ELZEN, P.J. / RUBINK, W.R. (2002): Effect of acaricide resistance on reproductive ability of the honey bee mite Varroa destructor. - Exp. Appl. Acarol. 27: 195-207**
- MARTIN, S.J. / KRYGER, P. (2002): Reproduction of Varroa destructor in South African honey bees: Does cell space influence Varroa male survivorship? - Apidologie 33,1: 51-61**
- MARTINS, H.F. / GETTINGER, D. / BERGALLO, H.G. (2002):* Ecology and host specificity of Laelapine (Acari, Laelapidae) of small mammals in an Atlantic forest area of Brazil. - J. Parasitol. 88,1: 36-40**
- MASAN, P. / FENDA, P. (2002): Description of the deutonymph of Uroobovella minima (Acarina, Mesostigmata, Uropodina). - Entomol. Probl. 32,2: 169-170**
- MASHAYA, N. (2002):* Predation of the booklouse Liposcelis entomophila (Enderlein) by Blattisocius dentriticus (Berlese) and their susceptibility to Deltamethrin, Fenitrothion. - Insect Sci. Appl. 22,1: 75-79**
- MASSE, A. / KREITER, S. (2002): Protection intégrée en jardins et espaces verts. Essai de lutte biologique avec des phytoséiides contre l'acarien jaune du tilleul. - Phytoma 550: 34-37**
- MATIS, J.H. / KIFFE, T.R. (2002):* On interacting bee / mite populations: A stochastic model with analysis using cumulant truncation. - Environmental and Ecological Statistics 9,3: 237-258**
- METZGER, J.A. / PFEIFFER, D.G. (2002):* Topical toxicity of pesticides used in Virginia vineyards to the predatory mite, Neoseiulus fallacis (Garman). - J. Entomol. Sci. 37,4: 329-337**
- MILANI, N. / VELLA VEDOVA, G. (2002):* Decline in the proportion of mites resistant to flutolanil in a population of Varroa destructor not treated with pyrethroids. - Apidologie 33: 417-422**

- MOCK, A. / KOVÁC, L. / L'UPTÁCIK, P. / KOSEL, V. / HUDEC, I. / FENDA, P. (2002): Bezstavovce Vazeckej Jaskyne a Vyvieracky Teplica (Kozie Chrbty). - Aragonit 7: 30-32
- MOLLER, A.P. (2002):* Temporal change in mite abundance and its effect on barn swallow reproduction and sexual selection. - J. Evol. Biol. 15,3: 495-504
- MORALES-MALACARA, J.B. / JUSTE, J. (2002): Two new species of the genus *Periglischrus* (Acari, Mesostigmata, Spinturnicidae) on two bat species of the genus *Tonatia* (Chiroptera, Phyllostomatidae) from southeastern Mexico, with additional data from Panama.** - J. Med. Entomol. 39,2: 298-311
- MORAZA, M.L. / JOHNSTON, D.E. (2002): Observations on *Neoparasitus* (= *Bulbogamasus*) associated with scarabaeid beetles in Indonesia (Acari, Mesostigmata). - Internat. J. Acarol. 28,3: 257-260
- MURILHAS, A.M. (2002):* Varroa destructor infestation impact on *Apis mellifera carnica* capped worker brood production, bee population and honey storage ina Mediterranean climate. - Apidologie 33,3: 271-281
- MUSSURY, R.M. / SCALON-SILVANA, P.Q. / DA SILVA, S.V. / SOLIGO, V.R. (2002):* Study of Acari and Collembola populations in four cultivation systems in Dourados – MS. - Braz. Arch. Biol. Techn. 45,3: 257-264
- NAVAJAS, M. / LE CONTE, Y. / SOLIGNAC, M. / CROS, A.S. / CORNUET, J.M. (2002):* The complete sequence of the mitochondrial genome of the honeybee ectoparasite mite *Varroa destructor* (Acari, Mesostigmata). - Molecular Biology 19,12: 2313-2317
- NAZZI, F. / MILANI, N. / VEDOVA, G. DELLA (2002):* (Z)-8-Heptadecene from infested cells reduces the reproduction of *Varroa destructor* under laboratory conditions. - J. Chem. Ecol. 28,11: 2181-2190
- NODA, T. / KIMURA, Y. / LOPEZ, M.B.R. DE / EVERT, M.T. DE / PALACIO, C. (2002): Potential of predatory natural enemies for biological control of sap-sucking insect pests in Paraguay. - JARQ 36,1: 31-35
- OLSEN, L.E. / HOY, M.A. (2002): Heat curing *Metaseiulus occidentalis* (Nesbitt) (Acari, Phytoseiidae) of a fitness-reducing microsporidium. - J. Inverteb. Pathol. 79: 173-178
- PAI, K.F. / SHIH, C.I.T. (2002):* Effects of *Bemisia argentifolii* (Homoptera, Aleyrodidae) and cucumber pollen on development and fecundity of *Amblyseius ovalis* (Acari, Phytoseiidae). [Orig. Chin.] - Plant Prot. Bull., Taichung 44,2: 101-114
- PAVLOVIC, I. (2002): Ektoparaziti zivine - hematofage arthropode (2). *Dermanyssus gallinae* - crvena kokosija grinja. - Zivinarstvo 5: 103-105
- PAVLOVIC, I. / PAVLICEVIC, A. (2002): *Dermanyssus gallinae* (Tekut) - zoonotska hematofaga. Artropoda i mogucnosti njenog sirenja urbane sredine. In: Kontrola stetnih organizama u urbanoj sredini. - V Beogradska Konferencija sa Medunarodnim Ucescem: 123-125
- PEACHEY, R.E. / MOLDENKE, A. / WILLIAM, R.D. / BERRY, R. / INGHAM, E. / GROTH, E. (2002):* Effect of cover crops and tillage system on symphytan (*Symphyllus*, *Scutigerella immaculata*, Newport) and *Pergamasus quisquiliarum* *Canestrini* (Acari, Mesostigmata) populations, and other soil organisms in agricultural soils. - Appl. Soil Ecol. 21,1: 59-70
- POLAK, M. (2002):* Heritability of resistance against ectoparasitism in the *Drosophila* - *Macrocheles* system. - J. Evol. Biol. 16,1: 74-82
- POTZEBON, A. / DUSO, C. / PAVANETTO, E. (2002): Side effects of some fungicides on phytoseiid mites (Acari, Phytoseiidae) in north-Italian vineyards. - Anz. Schädlingsk. 75,5: 132-136
- PRATT, P.D. / COOMBS, E.M. / CROFT, B.A. (2002):* Phytoseiid mite fauna on gorse, *Ulex europaeus* L., in western Oregon, USA with new records for *Phytoseiulus persimilis* Athias-Henriot and *Amblyseius graminis* (Chant) (Acari, Phytoseiidae). - Pan-Pacific Entomol. 78,3: 215-218
- PRISCHMANN, D.A. / CROFT, B.A. / LUH, H.K. (2002):* Biological control of spider mites on grape by phytoseiid mites (Acari, Tetranychidae, Phytoseiidae): Emphasis on regional aspects. - J. Econ. Entomol. 95,2: 340-347
- RICE, N.D. / WINSTON, M.L. / WHITTINGTON, R. / HIGO, H.A. (2002):* Comparison of release mechanisms for botanical oils to control *Varroa destructor* (Acari, Varroidae) and *Acarapis woodi* (Acari, Tarsonemidae) in colonies of honey bees (Hymenoptera, Apidae). - J. Econ. Entomol. 95,2: 221-226
- RIGAMONTI, I.E. / LOZZIA, G.C. (2002):* Phytoseiid mites (Acari, Phytoseiidae) on apple tree and spontaneous flora under different environmental and cultural conditions in Valtellina (Lombardy, Northern Italy). - Boll. Zool. agr. Bachic. 34,2: 53-70
- RIJN, P.C.J. VAN / HOUTEN, Y.M. VAN / SABELIS, M.W. (2002): How plants benefit from providing food to predators even when it is also edible to herbivores. - Ecology, Washington D.C. 83,10: 2664-2679
- RIUDAVETS, J. (2002): Current status of stored grain managment in Spain. - Proceedings 2nd Meeting of Working Group 4, Prague 2002: 50-51
- ROBINSON, M.T. / WEEKS, A.R. / HOFFMANN, A.A. (2002):* Geographic patterns of clonal diversity in the earth mite species *Penthaleus major* with particular emphasis on species margins. - Evolution 56,6: 1160-1167

- ROJAS, M. DE / MORA, M.D. / UBEDA, J.M. / CUTILLAS, C. / NAVAJAS, M. / GUEVARA, D.C. (2002): Phylogenetic relationships in rhinonyssid mites (Acari, Rhinonyssidae) based on ribosomal DNA sequences: Insights for the discrimination of closely related species. - Parasitol. Res. 88,7: 675-681
- ROMANIUK, K. (2002):* The existence of *Dermanyssus gallinae* and saprobiontic mites in the litter of turkey farms. [Orig. Poln.] - Medycyna Wet. 58,4: 298-299
- SALMANE, I. / PETROVA V. (2002): Overview on Phytoseiidae mites (Acari, Mesostigmata, Gamasina) of Latvia. - Latv. Entomol. 39: 48-54
- SALMINEN, J. / KORKAMA, T. / STROMMER, R. (2002):* Interaction modification among decomposers impairs ecosystem processes in lead-polluted soil. - Environ. Toxic. Chem. 21,11: 2301-2309
- SANTILLAN, G.M.T. / OTERO, C.G. / ROMERO, V.C. / CIBRIAN, T.J. (2002):* Varroa destructor (Acari, Varroidae) infestation in queen, worker and drone brood of *Apis mellifera* (Hymenoptera, Apidae). - Can. Entomol. 134,3: 381-390
- SATO, M.E. / SILVA, M. DA / GONCALVES, L.R. / DE SOUZA FILHO, M.F. / RAGA, A. (2002): Toxicidade diferencial de agroquimicos a *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae) e *Tetanychus urticae* Koch (Acari, Tetranychidae) em morangoiro. - Neotropical Entomology 31,3: 449-456
- SEELEY, T.D. (2002):* The effect of drone comb on a honey bee colony's production of honey. - Apidologie 33,1: 75-86
- SENICZAK, S. / KACZMAREK, S. / KLIMEK, A. / SENICZAK, A. (2002): The effect of some air pollutants on the vertical distribution of mites (Acari) in soils of young Scots pine forests in Poland. - Eur. J. Soil Biol. 38,3-4: 311-314
- SENTENAC, G. / BONAFOS, R. / RUELLE, B. / COULON, T. / ESCAFFRE, P. / AUGER, P. / KREITER, S. (2002): Effets non intentionnels de certains produits phytopharmaceutiques. Sur *Typhlodromus pyri*, *Kampimodromus aberrans* et *Phytoseius plumifer*. - Phytoma 555: 50-56
- SHAW, K.E. / DAVIDSON, G. / CLARK, S.J. / BALL, B.V. / PELL, J.K. / CHANDLER, D. / SUNDERLAND, K.D. (2002):* Laboratory bioassays to assess the pathogenicity of mitosporic fungi to *Varroa destructor* (Acari, Mesostigmata), an ectoparasitic mite of the honeybee, *Apis mellifera*. - Biol. Control 24,3: 266-276
- SKIRVIN, D.J. / DE COURCY, W.M.E. / FENLON, J.S. / SUNDERLAND, K.D. (2002):* Modelling the effects of plant species on biocontrol effectiveness in ornamental nursery crops. - J. Appl. Ecol. 39,3: 469-480
- SKLYAR, V.E. (2002): A new species of the genus *Poecilochirus* (Gamasina, Parasitidae) from Ukraine. [Orig. Russ.] - Vestn. zoologii 36,3: 77-79
- SPIVAK, M. / MASTERMANN, R. / ROSS, R. / MESCE, K.A. (2002): Hygienic behaviour in the honey bee (*Apis mellifera* L.) and the modulatory role of octopamine. - Inc. J. Neurobiol. 55: 341-354
- ST. JOHN, M.G. / BAGATTO, G. / BEHAN-PELLETIER, V. / LINDQUIST, E.E. / SHORTHOUSE, J.D. / SMITH, I.M. (2002): Mite (Acari) colonization of vegetated mine tailings near Sudbury, Ontario, Canada - Plant and Soil 245: 295-305
- STANYUKOVICH, M.K. (2002): Gamasid mites of the genus *Dermanyssus* (Acarina, Dermanyssidae) of Russia and neighbouring countries. Abstract. [Orig. Russ.] - XII. Kongr. Russ. Entomol. Ges., St. Petersburg 2002: 331
- STANYUKOVICH, M.K. (2002): Gamaside Milben (Parasitiformes, Gamasina) der fuchsroten europäischen Wühlmaus (*Clethrionomys glareolus* Schr., 1780) im Norden Karelins. [Orig. Russ.] - Material II. Wiss. Konf. der Republ., Novgorod 2002: 146-147
- STANYUKOVICH, M.K. / BUTENKO, O.M. (2002): New species of rhinonyssid mites of the genus *Ptilonyxus* (Gamasina, Rhinonyssidae) from Passeriformes of Russia and neighbouring countries. [Orig. Russ.] - Parazitologiya 37,1: 31-46
- SWIFT, S.F. (2002): One hundred years of acarology in the Hawaiian Islands. - Proc. Haw. ent. Soc. 35: 21-32
- SZYMKOWIAK, P. (2002): The influence of elevation over the sea level, exposure, land slope and landscape sculpture on the density of Gamasina (Acari, Gamasida) soil mites. - Postepy polskiej akarologii: 149-150
- SZYMKOWIAK, P. (2002): Relationship of the soil mites Gamasina (Acari, Gamasida) with biotic types of forests and habitat of different degree of degradation. - Postepy polskiej akarologii: 133-148
- SZYMKOWIAK, P. (2002): The soil mites Gamasina (Acari, Gamasida) in the Carpathian beech forest: abundance, spatial organization and influence of two environmental factors. In: Tajovsky, K. / Balik, V. / Pizl, V. (Eds.), Studies on Soil Fauna in Central Europe. - ISB AS CR, Ceske Budejovice: 213-225
- TAKANO-LEE, M. / HODDLE, M. (2002):* *Oligonychus perseae* (Acari, Tetranychidae) population responses to cultural control attempts in an avocado orchard. - Fla. Entomol. 85,1: 216-226
- TAKANO-LEE, M. / HODDLE, M. (2002):* Predatory behavior of *Neoseiulus californicus* and *Galendromus helveolus* (Acari, Phytoseiidae) attacking *Oligonychus perseae* (Acari, Tetranychidae). - Exp. Appl. Acarol. 26,1-2: 13-26

- THOMPSON, H.M. / BROWN, M.A. / BALL, R.F. / BEW, M.H. (2002):* First report of Varroa destructor resistance to pyrethroids in the UK. - Apidologie 33: 357-366
- TIXIER, M.S. / KREITER, S. / CHEVAL, B. / GUICHOU, S. / CHAPUIS, A. / AUGER, P. / BONAFOS, R. (2002): Vigne, cormiers et acariens. Colonisation par les Phytoseiidae d'une jeune vigne en agroforesterie: influence des alentours non cultivés. - Phytoma 555: 28-31
- TIXIER, M.S. / KREITER, S. / CROFT, B.A. / AUGER, P. (2002): Colonization of vineyards by Kampinodromus aberrans (Oudemans) (Acari, Phytoseiidae): dispersal from surrounding plants as indicated by random amplified polymorphism DNA typing. - Agric. For. Entomol. 4: 255-264
- URHAN, R. (2002): New zeronid mites (Acari, Gamasida, Zeronidae) from Turkey. - J. Nat. Hist.**
36,17: 2127-2138
- VANDAME, R. / MORAND, S. / COLIN, M.E. / BELZUNES, L.P. (2002): Parasitism in the social bee *Apis mellifera*: Quantifying costs and benefits of behavioral resistance to Varroa destructor mites. - Apidologie 33,5: 433-445
- WALTER, D.E. / BEARD, J.F. / WALKER, K.L. / SPARKS, K. (2002):* Of mites and bees: a review of mite-bee associations in Australia and a revision of Raymentia Womersley (Acari, Mesostigmata, Laelapidae), with the description of two new species of mites from *Lasioglossum* (*Parasphecodes*) spp. (Hymenoptera, Halictida - Aust. J. Entomol. 41,2: 128-148
- WALTER, D.E. / SHAW, M. (2002): First record of the mite *Hirstiella diolii* Baker (Prostigmata, Pterygosomatidae) from Australia, with a review of mites found on Australian lizards. - Aust. J. Entomol. 41: 30-34
- WALZL, M.G. / GUTWENIGER, A. (2002): A simple preparation technique for transmission electron microscopic investigations of acarine eggs. - Abh. Ber. Naturkundemus. Görlitz 74,1: 3-7
- WANG, R. / LIU, Z. / DONG, K. / ELZEN, P.J. / PETTIS, J. / HUANG, Z.Y. (2002):* Association of novel mutations in a sodium channel gene with flutolanil resistance in the mite, Varroa destructor. - J. Apic. Res. 41,1-2: 17-25
- WILKINSON, D. / SMITH, G.C. (2002):* A model of the mite parasite, Varroa destructor, on honeybees (*Apis mellifera*) to investigate parameters important to mite population growth. - Ecol. Modell. 148,3: 263-275
- WILLEMSE, E. (2002):* Why thrips predate the eggs of a predatory mite. [Orig. Netherl.] - Ent. Ber., Amst. 62,1: 27-29
- WU, W.-N. / OU, J.-F. (2002): The genus Asperoseius Chant (Acari, Phytoseiidae) in China. - Syst. Appl. Acarol. 7: 123-128**
- YAN, J.-Z. / MA, L.-M. (2002): Descriptions of nymph of *Amblygamasus atushiensis* (Acari, Gamasina, Parasitidae). [Orig. Chin.] - J. Hubei Univ., Nat. Sci. Ed. 24,2: 171-172
- ZHANG, Y. / ZHU, J. / DENG, X. / WU, G. / ZHANG, J. / ZHOU, Y. (2002):* Distribution of hemorrhagic fever with renal syndrome virus in gamasid mites and chigger mites. [Orig. Chin.] - Zhonghua Yufang Yixue Zazhi 36,4: 232-234
- ZHANG, Y.-X. / JI, J. / ZHANG, Z.-Q. / LIN, J.-Z. (2002): Responses to stimuli from *Schizotetranychus nanjingensis* on bamboo leaves by two predatory mite species (Acari, Tetranychidae, Phytoseiidae). - Syst. Appl. Acarol. 7: 49-56

Publikationen, Ergänzung 2001 / Publications, additions 2001

- ABDALLAH, A.A. / ZHANG, Z.Q. / MASTERS, G.J. / MCNEILL, S. (2001):* *Euseius finlandicus* (Acari, Phytoseiidae) as a potential biocontrol agent against *Tetranychus urticae* (Acari, Tetranychidae): Life history and feeding habits on three different types of food. - Exp. Appl. Acarol. 25,10-11: 833-847
- ABOU-AWAD, B.A. / KORAYEM, A.M. / HASSAN, M.F. / ABOU-ELELA, M.A. (2001): Life history of the predatory mite *Lasioseius athiasae* (Acari, Ascidae) on various kinds of food substances: A polypeptide analysis of prey consideration. - J. Appl. Ent. 125,3: 125-130
- AHN, Y.J. / KIM, Y.J. / YOO, J.K. (2001):* Toxicity of the herbicide glufosinate-ammonium to predatory insects and mites *Tetranychus urticae* (Acari, Tetranychidae) under laboratory conditions. - J. Econ. Entomol. 94,1: 157-161
- AL-ATAWI, F. (2001):* Revision of the genus *Schizostethus* and redescription of its type species *S. lyriformis*. - MS Thesis, The Ohio State University: 1-73
- AL-GHZAWI, A.M.A. / ZAITOUN, S.T. / SHANNAG, H.K. (2001):* Damaged Varroa mites in the debris of different honey bee subspecies under semiarid mediterranean conditions. - Bull. Soc. ent. Fr. 106,2: 193-198
- AL-GHZAWI, A.M.A. / ZAITOUN, S.T. / SHANNAG, H.K. (2001):* Ontogenesis of the parasitic mite *Varroa jacobsoni* on Syrian honey bees, *Apis mellifera syriaca*. - Zoology in the Middle East 23: 101-106

- ARATHI, H.S. / SPIVAK, M. (2001): Influence of colony genotypic composition on the performance of hygienic behaviour in the honeybee, *Apis mellifera* L. - *Anim. Behav.* 62,1: 57-66
- AUMEIER, P. / ROSENKRANZ, P. (2001): Scent or movement of Varroa destructor mites does not elicit hygienic behaviour by Africanized and Carniolan honey bees. - *Apidologie* 32,3: 253-263
- BLÜMEL, S. / GROSS, M. (2001): Effect of pesticide mixture on the predatory mite *Phytoseiulus persimilis* A.H. (Acarina, Phytoseiidae) in the laboratory. - *J. Appl. Ent.* 125,4: 201-205
- BONATO, O. / NORONHA, A.C. DA S. / CUELLAR, T. / MORAES, G. DE (2001): Structure d'age et dynamique des populations de *Amblyseius manihoti* Moraes (Acari, Phytoseiidae) sur Manioc au Brésil. - *Insect Sci. Appl.* 21,3: 207-212
- BOWEN-WALKER, P.L. / GUNN, A. (2001):* The effect of the ectoparasitic mite, Varroa destructor on adult worker honeybee (*Apis mellifera*) emergence weights, water, protein, carbohydrate, and lipid levels. - *Ent. exp. appl.* 101,3: 207-217
- BROUFAS, G. (2001): Diapause induction and termination in the predatory mite *Euseius finlandicus* in peach orchards in Northern Greece. - *Exp. Appl. Acarol.* 25,12: 921-932
- BROUFAS, G.D. / KOVEOS, D.S. (2001): Rapid cold hardening in the predatory mite *Euseius* (*Amblyseius*) *finlandicus* (Acari, Phytoseiidae). - *J. Insect Physiol.* 47,7: 699-708
- BROUFAS, G.D. / KOVEOS, D.S. (2001): Cold hardness characteristics in a strain of the predatory mite *Euseius* (*Amblyseius*) *finlandicus* (Acari, Phytoseiidae) from northern Greece. - *Ann. Ent. Soc. Amer.* 94,1: 82-90
- BRUIN, J. / SABELIS, M.W. (2001): Meta-analysis of laboratory experiments on plant-plant information transfer. - *Biochemical Systematics and Ecology* 29,10: 1089-1102
- CALDERONE, N.W. / KUENEN, L.P.S. (2001):* Effects of western honey bee (Hymenoptera, Apidae) colony, cell type, and larval sex on host acquisition by female Varroa destructor (Acari, Varroidae). - *J. Econ. Entomol.* 94,5: 1022-1030
- CASTAGNOLI, M. / SIMONI, S. / NACHMAN, G. (2001): Short-term changes in consumption and oviposition rates *Neoseiulus californicus* strains (Acari, Phytoseiidae) after a diet shift. - *Exp. Appl. Acarol.* 25,12: 969-983
- CEDOLA, C.V. / SANCHEZ, N.E. / LILJESTROM, G.G. (2001):* Effect of tomato leaf hairiness on functional and numerical response of *Neoseiulus californicus* (Acari, Phytoseiidae). - *Exp. Appl. Acarol.* 25,10-11: 819-831
- CHANDLER, D. / SUNDERLAND, K.D. / BALL, B.V. / DAVIDSON, G. (2001):* Prospective biological control agents of Varroa destructor, an important pest of the European honeybees, *Apis mellifera*. - *Biocontrol Sci. Technol.* 11,4: 429-448
- CHILDERS, C.C. / AGUILAR, H. / VILLANUEVA, R. / ABOU-SETTA, M.M. (2001): Comparative residual toxicities of pesticides to the predator *Euseius mesembrinus* (Acari, Phytoseiidae) on citrus in Florida. - *Fla. Entomol.* 84,3: 391-401
- CHINNAIH, C. / MOHANASUNDARAM, M. (2001): Five new species of predatory mites (Acarina, Phytoseiidae) from Kerala, India. - *Entomon* 26,1: 65-77
- CHITTENDEN, A.R. / SAITO, Y. (2001): Why are there feeding and nonfeeding larvae in phytoseiid mites (Acari, Phytoseiidae)? - *J. Ethol.* 19,1: 55-62
- COLIN, M. / TCHAMITCHIAN, M. / BONMATIN, J.M. / PASQUALE, S. DI (2001):* Presence of chitinase in adult Varroa destructor, an ectoparasitic mite of *Apis mellifera*. - *Exp. Appl. Acarol.* 25,12: 947-955
- COURCY WILLIAMS, M.E. DE (2001): Biological control of thrips on ornamental crops: Interactions between the predatory mite *Neoseiulus cucumeris* (Acari, Phytoseiidae) and Western flower thrips, *Frankliniella occidentalis* (Thysanoptera, Thripidae), on cyclamen. - *Biocontrol Sci. Technol.* 11,1: 41-55
- CROFT, B.A. / JUNG, C. (2001):* Phytoseiid dispersal at plant to regional levels: a review with emphasis on management of *Neoseiulus fallacis* in diverse agroecosystems. - *Exp. Appl. Acarol.* 25,10-11: 763-784
- CROSS, J.V. / EASTERBROOK, M.A. / CROOK, A.M. / CROOK, D. / FITZGERALD, J.D. / INNOCENZI, P.J. ET AL. (2001):* Review: Natural enemies and biocontrol of pests of strawberry in northern and central Europe. - *Biocontrol Sci. Technol.* 11,2: 165-216
- DICKE, M. / DIJKMAN, H. (2001): Within-plant circulation of systematic elicitor of induced defence and release from roots of elicitor that affects neighbouring plants. - *Biochemical Systematics and Ecology* 29,10: 1075-1087
- EIDELBERG, M.M. (2001):* New mite species of the family Antennoseiidae (Parasitiformes, Gamasina) from carabid beetles. [Orig. Russ.] - *Zool. Zh.* 80,1: 39-44
- ELLNER, S.P. / McCUALEY, E. / KENDALL, B.E. / BRIGGS, C.J. / HOSSEINI, P.R. / WOOD, S.N. ET AL. (2001): Habitat structure and population persistence in an experimental community. - *Nature* 412: 538-543
- ELZEN, P.J. / BAXTER, J.R. / WESTERVELT, D. / CAUSEY, D. / RANDALL, C. / CUTTS, L. / WILSON, W.T. (2001):* Acaricide rotation plan for control of varroa. - *Amer. Bee J.* 141: 412

- FARAJI, F. / JANSSEN, A. / SABELIS, M.W. (2001/02):* Predatory mites avoid ovipositing near counterrattacking prey. - *Exp. Appl. Acarol.* 25,8: 613-623
- FARKAS, R. / BAKONYI, T. / BORZONYI, L. / RUSVAI, M. (2001):* Questionnaire examination for the infection of honey bee (*Apis mellifera* L.) with Varroa jacobsoni Oudemans in domestic apiaries. - *Magyar Allatorvosok Lapja* 123,6: 348-353
- FLORES, S.J.M. / RUIZ, J.A. / RUZ, J.M. / PUERTA, F. / BUSTOS, M. (2001):* Hygienic behaviour of *Apis mellifera* iberica against brood cells artificially infested with Varroa. - *J. Apic. Res.* 40,1: 29-34
- FLORES, S.J.M. / AFONSO, P.S.M. / PUERTA, P.F. (2001):* Hygienic behaviour of *Apis mellifera* iberica in broad cells artificially infested with Varroa mites. [Orig. Port.] - *Rev. Portug. Cienc. Vet.* 96,538: 71-74
- FLORIS, I. / CABRAS, P. / GARAU, V.L. / MINELLI, E.V. / SATTA, A. / TROULLIER, J. (2001): Persistence and effectiveness of pyrethroids in plastic strips against Varroa jacobsoni (Acari, Varroidae) and mite resistance in a Mediterranean area. - *J. Econ. Entomol.* 94,4: 806-810
- FRIES, I. / PEREZ, E.S. (2001):* Mortality of Varroa destructor in honey bee (*Apis mellifera*) colonies during winter. - *Apidologie* 32,3: 223-229
- GAJEK, D. / NIEMCZYK, E. (2001):* Efficacy of chemical and non-chemical treatments against blackcurrant gall mite (*Cecidophyopsis ribis* (Westw.)) and their influence on populations of two-spotted spider mite (*Tetranychus urticae* Koch), predatory mites (Phytoseiidae) and aphids (Aphidae). - *J. Fruit Ornam. Plant Res.* 9,1-4: 93-102
- GNANVOSSOU, D. / HANNA, R. / DICKE, M. / YANINEK, S.J. (2001): Attraction of the predatory mites *Typhlodromalus manihoti* and *Typhlodromalus aripo* to cassava plants infested by cassava green mite. - *Ent. exp. appl.* 101,3: 291-298
- GRIMM, C. / SCHNIDLI, H. / BAKKER, F. / BROWN, K. / CAMPBELL, P. / CANDOLFI, M. / CHAPMAN, P. ET AL. (2001):* Use of standard toxicity tests with *Typhlodromus pyri* and *Aphidius rhopalosiphi* to establish a dose-response relationship. - *Anz. Schädlingsk.* 74,3: 72-84
- GUZMAN, L.I. DE / RINDERER, T.E. / COLLINS, A. / LANCASTER, V.A. (2001):* Attractiveness of Africanized honey bee brood from southern Texas to Varroa destructor infestation. - *Amer. Bee J.* 142: 130-132
- HARRIS, J.W. (2001):* A technique for marking individual varroa mites. - *J. Apic. Res.* 40,1: 35-37
- HUHTA, V. / HÄNNINEN, S.M. (2001): Effects of temperature and moisture fluctuations on an experimental soil microarthropod community. - *Pedobiologia* 45: 279-286
- JACOBSON, R.J. / CHANDLER, D. / FENLON, J. / RUSSELL, K.M. (2001): Compatibility of *Beauveria bassiana* (Balsamo) Vuillemin with *Amblyseius cucumeris* Oudemans (Acarina, Phytoseiidae) to control *Frankliniella occidentalis* Pergande (Thysanoptera, Thripidae) on cucumber plants. - *Biocontrol Sci. Technol.* 11,3: 391-400
- JACOBSON, R.J. / CROFT, P. / FENLON, J. (2001):* Suppressing establishment of *Frankliniella occidentalis* Pergande (Thysanoptera, Thripidae) in cucumber crops by prophylactic release of *Amblyseius cucumeris* Oudemans (Acarina, Phytoseiidae). - *Biocontrol Sci. Technol.* 11,1: 27-34
- JAMES, D.G. / VOGELE, B. (2001): The effect of imidacloprid on survival of some beneficial arthropods. - *Plant Prot. Quart.* 16,2: 58-62
- JUNG, C. / CROFT, B.A. (2001):* Aerial dispersal of phytoseiid mites (Acari, Phytoseiidae): Estimating falling speed and dispersal distance of adult females. - *Oikos* 94: 182-190
- KAMALI, K. / OSTOVAN, H. / ATAMEHR, A. (2001):* A catalog of mites and ticks (Acari) of Iran. - Islamic Azad Univ. Scientific Publication center, Tehran: 1-192
- KHAN, A.I. / SENCONCA, C. (2001): Development, longevity and reproduction of *Typhlodromus pyri* Scheuten (Acari, Phytoseiidae) under different climatic conditions. - *Mitt. Dtsch. Ges. Allg. Angew. Ent.* 13: 185-188
- KILPINEN, O. (2001): Activation of the poultry red mite, *Dermanyssus gallinae* (Acari, Dermanyssidae), by increasing temperatures. - *Exp. Appl. Acarol.* 25,10-11: 859-867
- KOTIAHO, J.S. / SIMMONS, L.W. (2001):* Effects of Macrocheles mites on longevity of males of the dimorphic dung beetle *Onthophagus binodis*. - *J. Zool., London* 254,4: 441-445
- KOVEOS, D.S. / BROUFSAS, G.D. (2001): Survival under dry conditions of males, and diapause and non-diapause females of the predatory mite *Euseius finlandicus* (Acari, Phytoseiidae). - *Acta Soc. ent. Bohem.* 65: 247-251
- KRIPS, O.E. / WILLEMS, P.E.L. / GOLS, R. / POSTHUMUS, M.A. / GORT, G. / DICKE, M. (2001): Comparison of cultivars of ornamental crop *Gerbera jamesonii* on production of spider mite-induced volatiles, and their attractiveness to the predator *Phytoseiulus persimilis*. - *J. Chem. Ecol.* 27,7: 1355-1372
- LABUD, V.A. (2001):* Acaros asociados a Dipteros de las familias Muscidae y Fannidae en pilas de Compostaje de Biosolidos. - *Rev. Soc. Entomol. Argent.* 60,1-4: 162-164
- LARESCHI, M. (2001): Nuevas citas de *Laelaps manguihnosi* (Acari, Parasitiformes, Laelapidae) en la Argentina. - *Rev. Soc. Entomol. Argent.* 60,1-4: 255-256

- LUDWIG, S.W. / OETTING, R.D. (2001):* Susceptibility of natural enemies to infection by Beauveria bassiana and impact of insecticides on *Iphiseius degenerans* (Acari, Phytoseiidae). - J. Agric. Urban Entomol. 18,3: 169-178
- MANRIQUE, A.J. (2001):* Control of Varroa and its effect on honey production by *Apis mellifera* in Venezuela. [Orig. Port.] - Interciencia 26,1: 25-28
- MARTIN, S.J. (2001):* The role of Varroa and viral pathogens in the collapse of honeybee colonies: A modelling approach. - J. Appl. Ecol. 38,5: 1082-1093
- MARTINS, H.F. / GETTINGER, D. / BERGALLO, H.G. (2001):* *Androlaelaps marmosops* (Acari, Laelapidae), a new species associated with the mouse opossum, *Marmosops incanus* (Lund, 1840) in the Atlantic Forest of Rio de Janeiro State, Brazil. - Brazil. J. Biol. 61,4: 685-688
- MASTERMAN, R. / ROSS, R. / MESCE, K. / SPIVAK, M. (2001): Olfactory and behavioral response thresholds to odors of diseased brood differ between hygienic and non-hygienic honey bees (*Apis mellifera* L.). - J. Comp. Physiol. A 187: 441-452
- MEHRNEJAD, M.R. / UECKERMAN, E.A. (2001): Mites (Arthropoda, Acari) associated with pistachio trees (Anacardiaceae) in Iran (I). - Syst. Appl. Acarol. Spec. Publ. 6: 1-12
- MINEIRO, J.L.C. / MORAES, G.J. (2001):* Edaphic Gamasida (Arachnida, Acari) at Piracicaba, State of São Paulo. [Orig. Portug.] - Neotropical Entomology 30,3: 379-385
- MOMEN, F.M. / AMER, S.A.A. / REFAAT, A.M. (2001):* Influence of mint and peppermint on *Tetranychus urticae* and some predacious mites of the family Phytoseiidae (Acari, Tetranychidae, Phytoseiidae) - Acta Phytopathol. Entomol. Hungarica 36,1-2: 143-153
- MORAES, G.J. DE / UECKERMAN, E.A. / OLIVEIRA, A.R. / YANINEK, J.S. (2001): Phytoseiid mites of the genus *Euseius* (Acari, Phytoseiidae) from Sub-Saharan Africa. - Zootaxa 3: 1-70
- MORALES-MALACARA, J.B. / LOPEZ-ORTEGA, G. (2001): A new species of the genus *Periglischrus* (Acari, Mesostigmata, Spinturnicidae) on *Choereonycteris mexicana* (Chiroptera, Phyllostomatidae) in central Mexico. - J. Med. Entomol. 38,2: 153-160
- MORETTO, G. / MELLO, L.J. DE (2001): Infestation and distribution of the mite Varroa jacobsoni in Africanized honey bee (*Apis mellifera*) colonies. - Interciencia 26,9: 394-396
- MULLENS, B.A. / HINKLE, N.C. / ROBINSON, L.J. / SZIJ, C.E. (2001):* Dispersal of northern fowl mites, *Ornithonyssus sylvarium*, among hens in an experimental poultry house. - J. Appl. Poultry Res. 10: 60-64
- NACHMAN, G. (2001): Predator-prey interactions in a nonequilibrium context: The metapopulation approach to modelling "hide-and-seek" dynamics in a spatially explicit tri-trophic system. - Oikos 94,1: 72-88
- NIEMCZYK, E. / SEKRECKA, M. / KUMOR, I. (2001):* Influence of two spraying programmes on occurrence of some pests and predatory mite *Typhlodromus pyri* Scheutten (Phytoseiidae) in an apple orchard. - J. Fruit Ornam. Plant Res. 9,1-4: 103-115
- NORDENFORS, H. / HÖGLUND, J. / TAUSON, R. / CHIRICO, J. (2001):* Effect of permethrin impregnated plastic strips on *Dermanyssus gallinae* in loose-housing systems for laying hens. - Vet. Parasitol. 102: 121-131
- NORTON R.A. (2001): Book Review. Alberti, G. / Coons, L.B. et al. (Contr.); Harrison, F.W. / Foelix, R.F. (Eds.) Microscopic anatomy of invertebrates. Volume 8: chelicerata Arthropoda. - Exp. Appl. Acarol. 25: 609-612
- PALACIOS-VARGAS, J.G. (2001): La biodiversidad de los ácaros cavernícolas en México. In: Vargas, M. / Polaco, O.J. / Zuniga, G. (Eds.), Contribuciones Entomológicas. - Esc. Nac. de Cienc. Biol., Inst. Polit. Nac. : 105-112
- PANDIT, S. / BHATTACHARYA, T. (2001):* An ecological study of soil microarthropods from three contrasting sites of midnapore district, West Bengal. - Proc. Zool. Soc. Calcutta 54,2: 61-67
- POSPISCHIL, R. (2001): Die Rote Vogelmilbe *Dermanyssus gallinae* (Acarina, Mesostigmata, Dermanyssidae): Biologie und Bekämpfung. - DGaaE-Nachrichten 15: 131-132
- RADOVSKY, F.J. / ESTEBANES, G.M.L. (2001): Macronyssidae in wild bird nests in Mexico, including new synonymies, and the genus *Pellonyssus* in the New World (Acari, Mesostigmata). - Acta Zool. Mexicana N.S. 82: 19-28
- RINDERER, T.E. / GUZMAN, L.I. DE / DELATTE, G.T. / STELZER, J.A. / LANCASTER, V.A. / KUZNETSOV, V. ET AL. (2001): Resistance to the parasitic mite Varroa destructor in honey bees from far-eastern Russia. - Apidologie 32,4: 381-394
- RÓBERT, F. / TAMÁS, B. / LÁSZLO, B. / MIKLÓS, R. (2001): A mézelő méh (*Apis mellifera* L.) Varroa jacobsoni Oudemans fertőzöttségével kapcsolatos kérdőíves vizsgálat hazai méhészeti körben. - Magyar Allatorvosok Lapja 6: 348-353
- ROJAS, M. DE / MORA, M.D. / UBEDA, J.M. / CUTILLAS, C. / NAVAJAS, M. / GUEVARA, D.C. (2001):* Phylogenetic relationships in rhinonyssid mites (Acari, Rhinonyssidae) based on mitochondrial 16S rDNA sequences. - Exp. Appl. Acarol. 25,12: 957-967

- SALMANE, I. (2001): Fauna of soil Gamasina mites (Acari, Mesostigmata) along the Latvian seacoast and the relation to respective habitats. - Norw. J. Entomol. 48,1: 223-230
- SALMANE, I. (2001): A check-list of Latvian Gamasina mites (Acari, Mesostigmata) with short notes to their ecology. - Latv. Entomol. 38: 50-61
- SATO, M.E. / RAGA, A. / CERAVOLO, L.C. / DE SOUZA FILHO, F.M. / ROSSI, A.C. / DE MORAES, G.J. (2001): Effect of insecticides and fungicides on the interaction between members of the mite families Phytoseiidae and Stigmaeidae on citrus. - Exp. Appl. Acarol. 25,10-11: 809-818
- SCHMÖLZER, K. (2001): Drei neue Milbenarten aus den italienischen Alpen (Acarina, Anactinochaeta). - Bollettino Soc. Naturalisti "Silvia Zenari", Pordenone 25: 31-40
- SHIMODA, T. / TAKABAYASHI, J. (2001):* Migration of specialist insect predators to exploit patchily distributed spider mites. - Popul. Ecol. 43,1: 15-21
- SKLYAR, V.E. (2001): Ectoparasites of the gray rat *Rattus norvegicus* in some areas of steppe and forest-steppe zones of Ukraine. [Orig. Russ.] - Parazitologiya 35,3: 257-261
- SKLYAR, V.E. (2001): Faunistische Anmerkungen über freilebende gamasine Milben (Parasitiformes, Gamasina) im Südosten der Ukraine. In: Ökologie und Fauna des Südosten der Ukraine. [Orig. Russ.] - Petrovskaja Akad. Nauk i Iskusstva, Donezk: 93-103
- SOLIMAN, S. / MAIN, A.J. / MARZOUK, A.S. / MONTASSER, A.A. (2001):* Seasonal studies on commensal rats and their ectoparasites in a rural area of Egypt: The relationship of ectoparasites to the species, locality, and relative abundance of the host. - J. Parasitol. 87,3: 545-553
- SPIVAK, M. / REUTER, G.S. (2001):* Varroa destructor infestation in untreated honey bee (Hymenoptera, apidae) colonies selected for hygienic behavior. - J. Econ. Entomol. 94,2: 326-331
- STEBAEVA, S.K. / SEDEL'NIKOVA, N.V. / ANDRIEVSKY, V.S. / VOLONIKHINA, I.I. (2001):* Microarthropod communities under lichens in the Eastern Tannu-Ola Ridge (Tuva). [Orig. Russ.] - Zool. Zh. 80,2: 170-182
- SUMPTER, D.J.T. / BROOMHEAD, D.S. (2001):* Relating individual behaviour to population dynamics. - Proc. Roy. Soc. Lond., Ser. B, Biol. Sci. 268: 925-932
- SZYMKOWIAK, P. (2001): New to Polish fauna and rare species of Gamasina mites (Acari, Gamasida) reported from the Gorce National Park and a comment on habitat preferences. - Biol. Bull. Poznan 38,2: 163-179
- THIND, B.B. / CLARKE, P.G. (2001):* The occurrence of mites in cereal-based foods destined for human consumption and possible consequences of infestation. - Exp. Appl. Acarol. 25,3: 203-215
- TRILTSCH, H. / FREIER, B. / KÜHNE, S. / KARG, W. / STARK, A. (2001): Wiederbesiedlung und Erholung von lokalen Arthropodenpopulationen in Feldsäumen nach einem chemischen „Knock-out“. - Mitt. Dtsch. Ges. Allg. Angew. Ent. 13: 237-240
- TSUNODA, T. / AMANO, H. (2001): Female mate-receptivity behavior in multiple matings of a predacious mite, *Amblyseius womersleyi* Schicha (Acari, Phytoseiidae). - Appl. Entomol. Zool. 36,3: 393-397
- VENZON, M. / JANSEN, A. / SABELIS, M.W. (2001/02):* Prey preference, intraguild predation and population dynamics of an arthropod food web on plants. - Exp. Appl. Acarol. 25,10-11: 785-808
- WALZER, A. / BLÜMEL, S. / SCHÄUSBERGER, P. (2001): Population dynamics of interacting predatory mite, *Phytoseiulus persimilis* and *Neoseiulus californicus*, held on detached bean leaves. - Exp. Appl. Acarol. 25,9: 731-743
- WHITAKER, J.O. / MCCRACKEN, G.F. (2001):* Food and ectoparasites of bats on the Galapagos Islands. - Acta Chiropterologica 3,1: 63-69
- YANAGIDA, H. / SAITO, Y. / MORI, K. / CHITTENDEN, A.R. (2001): Egg-depositing behavior as a predator avoidance tactic of *Yezonychus sapporensis* Ehara (Acari, Tetranychidae). - J. Ethol. 19: 63-66
- ZALOM, F.G. / STIMMANN, M.W. / ARNDT, T.S. / WALSH, D.B. / PICKEL, C. / KRUEGER, W.H. (2001): Analysis of Permethrin (cis- and trans-isomers) and Esfenvalerate on almond twigs and effects of residues on the predator mite *Galendromus occidentalis* (Acari, Phytoseiidae). - Environ. Entomol. 30,1: 70-75
- ZEGULA, T. / BLAESER, P. / SENGONCA, C. (2001): Vergleichende Untersuchungen zur Biologie und Prädationsleistung zweier subtropischer Raubmilben *Cheyletus fortis* Oudemans und *Euseius addoensis* (Van der Merwe & Ryke) mit der kommerziell erwerbbaren Raubmilbe *Amblyseius cucumeris* Oudemans. - Mitt. Dtsch. Ges. Allg. Angew. Ent. 13: 179-183

Publikationen, Ergänzung 2000 / Publications, additions 2000

- AUMEIER, P. / ROSENKRANZ, P. / GONCALVES, L.S. (2000): A comparison of the hygienic response of Africanized and European (*Apis mellifera carnica*) honey bees to Varroa-infested brood in tropical Brazil. - Genetics Molecular Biology 23,4: 787-791

- BLASZAK, C. / EHRNSBERGER, R. (2000): Eine neue Raubmilbe *Saprolaelaps claudiae* sp. nov. aus der Gattung *Saprolaelaps* Leitner, 1946 (Acari, Gamasida, Halolaelapidae). - Genus 11,4: 613-618**
- BLASZAK, C. / EHRNSBERGER, R. (2000): *Saprolaelaps reticulatus* nov. sp., eine neue Milbenart der Gattung *Saprolaelaps* Leitner, 1946 (Acari, Gamasida, Halolaelapidae). - Osnabrücker naturwiss. Mitt. 26: 135-138**
- BROUFAS, G.D. / KOVEOS, D.S. (2000):* Cold hardiness characteristics in a strain of the predatory mite *Euseius (Amblyseius) finlandicus* from Northern Greece. - Ann. Ent. Soc. Amer. 94: 82-90
- CASTAGNOLI, M. / SIMONI, S. / GOGLIO, D. (2000):* Biological activity of predator *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae). [Orig. Ital.] - Redia 0,83: 141-150
- HARRIS, M.A. / BREWER, M.J. / MEYER, J.A. (2000):* Presence-absence sequential sampling plan for northern fowl mite, *Ornithonyssus sylviarum* (Acari, Macronyssidae), on caged-layer hens. - J. Econ. Entomol. 93,2: 544-549
- HUNG, A.C.F. (2000):* PCR detection of Kashmir bee virus in honey bee excreta. - J. Apic. Res. 39,3-4: 103-106
- LEDOUX, M.N. / PERNAL, S.F. / HIGO, H.A. / WINSTON, M.L. (2000):* Development of a bioassay to test the orientation behaviour of the honey bee ectoparasites, *Varroa jacobsoni*. - J. Apic. Res. 39,1-2: 47-54
- LIN, J.-Z. / ZHANG, Z.-Q. / ZHANG, Y.-X. / LIU, Q.-Y. / JI, J. (2000): Checklist of mites from moso bamboo in Fujian, China. In: Zhang, Y.-X. / Zhang, Z.-Q. (Eds.) Biology and control of bamboo mites in Fujian. 160 pp. - Syst. Appl. Acarol. Spec. Publ. 4: 81-92
- LINDBERG, C.M. / MELATHOPOULOS, A.P. / WINSTON, M.L. (2000):* Laboratory evaluation of miticides to control *Varroa jacobsoni* (Acari, Varroidae), a honey bee (Hymenoptera, Apidae) parasite. - J. Econ. Entomol. 93,2: 189-198
- MARTIN, C. (2000):* Sensibilité de l'abeille *Apis mellifera* à l'acarien parasite *Varroa jacobsoni*. - These de Doctorat, Univ. d'Avignon et des pays de vaucluse, U.F.R. Sciences : x-xxx
- MATHIEU, L. / FAUCON, J.P. (2000):* Changes in the response time for *Varroa jacobsoni* exposed to amitraz. - J. Apic. Res. 39,3-4: 155-158
- NORDENFORS, H. / HÖGLUND, J. (2000):* Long term dynamics of *Dermanyssus gallinae* in relation to mite control measures in aciary systems for layers. - Br. Poult. Sci. 41: 533-540
- PENG, C.Y.S. / TRINH, S. / LOPEZ, J.E. / MUSSEN, E.C. / HUNG, A. / CHUANG, R. (2000):* The effects of azadirachtin on the parasitic mite, *Varroa jacobsoni* and its host honey bee (*Apis mellifera*). - J. Apic. Res. 39,3-4: 159-168
- PEREZ, S.G. / OTERO, C.G. / MOTA, S.D. / RAMIREZ, G.M.E. / VANDAME, R. (2000):* Comparing effects of three acaricides on *Varroa jacobsoni* (Acari, Varroidae) and *Apis mellifera* (Hymenoptera, Apidae) using two application techniques. - Fla. Entomol. 83,4: 468-476
- PRATT, P.D. / CROFT, B.A. (2000): Overwintering and comparative sampling of *Neoseiulus fallacis* (Acari, Phytoseiidae) on ornamental nursery plants. - Environ. Entomol. 29,5: 1034-1040
- QUAIA, L. (2000):* Nota preliminare sulla Acarofauna della Val Cellina. - Bollettino Soc. Naturalisti „Silvia Zenari“, Pordenone 24: 43-46
- SALMANE, I. (2000): Investigation of the seasonal dynamics of the soil Gamasina mites (Acari, Mesostigmata) in Pinaceum myrtulosum, Latvia. - Ekológia 19,Suppl.3: 245-252
- SAMMATARO, D. / GERSON, U. / NEEDHAM, G.R. (2000):* Parasitic mites of honey bees: Life history, implications, and impact. - Ann. Rev. Entomol. 45: 519-548
- SHIMODA, T. / DICKE, M. (2000): Attraction of a predator to chemical information related to nonprey: When can it be adaptive? - Behav. Ecol. 11,6: 606-613
- SKLYAR, V.E. (2000): Milben der Familie Parasitidae Oudemans, 1901 (Mesostigmata, Gamasina) aus der Ukraine. [Orig. Russ.] - The Kharkov Entomol. Soc. Gazette 8,2: 193-197**
- TROUILLER, J. (2000):* Apiguard un medicament naturel contre le Varroa. - La Sante de l'Abeille 178: 225-228
- WHITAKER, J.O. / DEUNFF, J. / BELWOOD, J.J. (2000): Ectoparasites of neonate Indiana bats, *Myotis sodalis* (Chiroptera, Vespertilionidae), with description of male of *Paraspinturnix globosa* (Acari, Spinturnicidae). - J. Med. Entomol. 37,3: 445-453
- ZHANG, Y.-X. / ZHANG, Z.-Q. (EDS.) (2000): Monographie Biology and control of bamboo mites in Fujian (Systematic and Applied Acarology Special Publications 4). - Syst. Appl. Acarol. Soc., London: 1-160
- ZHANG, Y.-X. / ZHANG, Z.-Q. / TONG, L.-X. / LIU, Q.-Y. / SONG, M.-G. (2000): Causes of mite pest outbreaks in bamboo forests in Fujian, China: analysis of mite damage in monoculture versus polyculture stands. In: Zhang, Y.-X. / Zhang, Z.-Q. (Eds.), Biology and control of bamboo mites in Fujian. 160 pp. - Syst. Appl. Acarol. Spec. Publ. 4: 93-108

Publikationen, Ergänzung 1999 / Publications, additions 1999

- ALBERTI, G. / COONS, L.B. (1999):* Acari - Mites. In: Harrison, F.W. / Foelix, R.F. (Ed.), Microscopic anatomy of invertebrates. Volume 8: chelicerata Arthropoda. - John Wiley & Sons, New York 8C: 515-1265
- BENG SCH, E. / BONMATIN, M. (1999):* Mise au point d'un nouveau procede de lutte biologique contre la Varroa: approche virologique. Une nouvelle voie pour la destruction selective de l'acarien Varroa jacobsoni parasitant Apis mellifera, l'abeille domestique. - La Sante de l'Abeille 172: 245-252
- BOGDANOV, S. / IMDORF, A. / KILCHENMANN, V. / FLURI, P. (1999):* Carte à thymol Frakno pour la lutte contre Varroa jacobsoni, determination de l'emplacement. - La Sante de l'Abeille 172: 215-222
- COVARRUBIAS, R. / CONTRERAS, A. (1999): Efecto de manejo forestal del bosque siempreverde chilote sobre los microartrópodos del suelo. - Bosque 20,2: 25-38
- GUZMAN, L.I. DE / RINDERER, V. / LANCASTER, G. / DELATTE, G. / STELZER, A. (1999):* Varroa in the mating yard: III the effects of formic acid gel formulation on drone production. - Amer. Bee J. 139: 304-307
- HIGES, M. / MEANA, A. / SUAREZ, M. / LLORENTE, J. (1999):* Effet négatifs sur des colonies traitées à l'acide oxalique contre Varroa jacobsoni Oudemans. - La Sante de l'Abeille 174: 342-343
- IMDORF, A. / BOGDANOV, S. / IBANES OCHOA, R. / CALDERONE, N. (1999):* Use of essential oils for the control of Varroa jacobsoni Oud. in honey bee colonies. - Apidologie 30: 209-228
- KOCHANSKY, J. / SHIMANUKI, H. (1999):* Development of a gel formulation fo formic acid for control of parasitic mites of honey bees. - J. Agric. Food Chem. 47: 3850-3853
- LOPATINA, Y.V. / VASILEVA, I.S. / GUTOVA, V.P. / ERSHOVA, A.S. / BURAKOVA, O.V. ET AL. (1999): An experimental study of the capacity of the rare mite Ornithonyssus bacoti (Hirst, 1913) to ingest, maintain and transmit Borrelia. - Med. Parazit. 2: 26-30
- MILANI, N. (1999):* Nouvelles recherches et acquisitions sur le Varroa. - La Sante de l'Abeille 169: 49-51
- MORETTO, G. / MELLLO, L.J. (1999):* Varroa jacobsoni infestation of adult africanized and italian honey bees (Apis mellifera) in mixed colonies in Brazil.. - Genetics Molecular Biology 22: 121-123
- OSLER, G.H.R. / BEATTIE, A.J. (1999): Relationships between body length, number of species and species abundance in soil mites and beetles. - Pedobiologia 43: 401-412
- PAULINA, E. / SALMANE, I. (1999): Soil Collembola (Insecta) and Gamasina mites (Acari) of the reserve Lake Engure, Latvia. - Proceedings of the XXIV Nordic Congress of Entomology 1999: 145-150
- SALMANE, I. (1999): Soil Collembola (Insecta) and Gamasina (Acari) of littoral meadows of Latvia. - Proceedings of the XXIV Nordic Congress of Entomology 1999: 157-162
- SAMMATARO, D. / DEGRANDI-HOFFMANN, G. / NEEDHAM, G. / WARDELL, G. (1999):* Some volatile plant oils as potential control agents for Varroa mites (Acari Varroidae) in honey bee colonies (Hymenoptera: Apidae). - Amer. Bee J. 139: 681-685
- SAMPSON, C. / MARTIN,S. (1999):* Varroa control on Jersey: a study of co-ordinated treatment? - Bee Biz 10: 19-21
- SCHMÖLZER, K. (1999): Prä- und interglaziale Elemente in der Acarofauna der Alpen. - Carinthia II 189/109: 573-602
- SCHÖNTAG, K. (1999):* Laboruntersuchungen zu Entwicklung, Reproduktion und Diapause der Raubmilbe Neoseiulus californicus McGregor (Acarina, Phytoseiidae). - Diploma Thesis, Institute for Plant Protection, Univ. of Agric. Sci., Vienna: 1-83
- SZYMOWIAK, P. (1999): The effect of stand density and undergrowth cover on soil Gamasina mites (Acari, Gamasida). In: Tajovsky, K. / Pizl, V. (Eds.), Soil Zoology in Central Europe. - ISB AS CR, Ceske Budejovice: 343-350
- VERMA, S. / SINGH, K. (1999): Morphometrics of developmental stages of honey bee mite, Neocypholaelaps indica Evans. - J. Insect Sci. 12,1: 51-53
- WALZER, A. / BLÜMEL, S. (1999):* Effect of different prey amounts on the population development of the phytoseiid mites Phytoseiulus persimilis and Neoseiulus californicus: predation rates and effects on reproduction and juvenile development. - BioControl 43: 469-478

Publikationen, Ergänzung 1998 / Publications, additions 1998

- ANDERSON, D.L. (1998):* Genetic and reproductive variation in Varroa jacobsoni. In: Schwarz M.P. / Hogendoorn K. (Eds.), Proc. XII. Int. Cong. IUSSI. - Adelaide: 33
- BOECKING, O. / DRESCHER, W. (1998):* Research on Varroa resistant traits in European honey bee races EUROBEE AIR3-CT94-1064, EU, Brussels. final report. - Brussels: 1-22

- BOGDANOV, S. / KILCHMANN, V. / IMDORF, A. / FLURI, P. (1998):* Residues in honey after application of thymol against Varroa using the frakno thymol frame. - Amer. Bee J. 138,8: 610-611
- BOLLHALDER, F. (1998):* Thymovar zur Varroabekämpfung. - Schweiz. Bienenzeitung 21: 148-151
- BOWEN-WALKER, P.L. / GUNN, A. (1998):* Inter-host transfer and survival of Varroa jacobsoni under simulated and natural winter conditions. - J. Apic. Res. 37,3: 199-204
- BRODSGAARD, C.J. / BRODSGAARD, H.F. (1998):* Monitoring method as a basis for need-based control of Varroa mites (Varroa jacobsoni) infesting honey bee (*Apis mellifera*) colonies. - Atla 26: 413-419
- BRUNEAU, E. / JACOBS, F. / TROUILLER, J. (1998):* Results of a campaign for the detection of Varroa resistance to pyrethroids in Belgium. [Orig. Franz.] - Belgique Apicole 61: 294-297
- CARVALHO, L. DE (1998):* Notes on the mites (Arachnida, Acarina) of the insect fauna of food products in storage on the Island of Sao Tome (Sao Tome and Principe). [Orig. Port.] - Bol. Soc. Port. Entomol. 0,186: 29-41
- CHARRIERE, D-J. / IMDORF, A./FLURI, P. (1998):* Potentiel et limites de l' acide oxalique pour lutter contre Varroa. - Rev. Suisse d'Apic. 95,8: 311-316
- CHRISTIAN, E. (1998): Die Fauna der Katakomben des Wiener Stephansdomes. - Verh. zool. bot. Ges. Österreich 135: 41-60
- CROFT, B.A. / COOP, L.B. (1998):* Heat units, release rate, prey density, and plant age effects on dispersal by *Neoseiulus fallacis* after inoculation into strawberry. - J. Econ. Entomol. 91: 94-100
- DONZE, G. / FLURI, P. / IMDORF, A. (1998):* A look under the reproductive behaviour of Varroa in the capped brood of the honey bee. - Amer. Bee J. 138: 528-533
- EISCHEN, F. (1998):* Trials (and tribulations) with formic acid Varroa control. - Amer. Bee J. 138: 734-735
- ELZEN, P.J. / EISCHEN, F.A. / BAXTER, J.R. / PETTIS, J. / ELZEN, G. / WILSON, W.T. (1998):* Fluvalinate resistance in Varroa jacobsoni from several geographic locations. - Amer. Bee J. 138: 674-676
- KACZMAREK, S. / SENICZAK, S. (1998):* Soil Gamasida (Acari) associated with young Scots pine forests polluted by the "Wistom" chemical factory. [Orig. Poln.] - Zesz. Nauk. ATR Bydgoszcz, Ochr. Srod. 2: 203-206
- MILANI, N. / LOB, M. (1998):* Plastic strips containing organophosphorous acaricides to control Varroa jacobsoni: a preliminary experiment. - Amer. Bee J. 138: 612-614
- PRATT, P.D. / MONETTI, L.N. / CROFT, B.A. (1998):* Within- and between-plant dispersal and distributions of *Neoseiulus californicus* and *N. fallacis* in simulated bean and apple branch systems. - Environ. Entomol. 27: 148-153
- SALMANE, I. / PETROVA, V. / TENBERGS, G. (1998):* Effect of predatory mite *Blattisocius tarsalis* (Berlese, 1918) (Acari, Mesostigmata, Gamasina) on survival of *Trichogramma* sp. during the process of mass rearing. In: Brunnhofer, V. / Soldan, T. (Eds.), Book of Abstr., VIth European Congr. of Entomol. - Acad. Sci. Czech Rep. and Univ. South Bohemia, Ceske Budejovice: 396
- SAMPSON, C. (1998):* The commercial development of an *Amblyseius cucumeris* controlled release method for the control of *Frankliniella occidentalis* in protected crops. - Proc. Brighton Crop Protection Conference - Pest and Disease (1998) 35: 409-416
- SPIVAK, M. / GILLIAM, M. (1998):* Hygienic behaviour of honeybees and its application for control of brood diseases and Varroa mites. Part. I. Hygienic behaviour and resistance to American foulbrood. - Bee World 79: 124-134
- SPIVAK, M. / GILLIAM, M. (1998):* Hygienic behaviour of honeybees and its application for control of brood diseases and Varroa mites. Part. III. Studies on hygienic behaviour since the Rothenbuhler Era. - Bee World 79: 169-186
- STEINITE, I. / PETROVA, V. / TENBERGS, G. / JANKEVICA, L. (1998):* The use of the predatory mite *Neoseiulus cucumeris* Oud. for pest control (*Tetranychus urticae* Koch, *Thrips tabaci* L.) in Gerbera. - Baltic Botanic Gardens, Talinn: 45-50
- SWIRSKI, E. / RAGUSA DI CHIARA, S. / TSOLAKIS, H. (1998):* Keys to the phytoseiid mites (Parasitiformes, Phytoseiidae) of Israel. - Phytophaga 8: 85-154
- VEEN, J. / CALDERONE, R. / MURLILLO, A. / ARCE, H. (1998):* Varroa jacobsoni in Costa Rica: detection, spread and treatment with formic acid. - Bee World 79: 5-10
- WALSH, D.B. / ZALOM, F.G. / STIMMANN, M.W. (1998):* Effects of pyrethroid insecticide residues on almond leaves on the biology of the western orchard predator mite, *Galendromus occidentalis* (Nesbitt) (Acari, Phytoseiidae). - Acta Horticult. 470: 539-546
- WALZER, A. (1998):* Vergleichende Untersuchungen zur Effektivität der Raubmilbenarten *Phytoseiulus persimilis* Athias-Henriot und *Neoseiulus californicus* McGregor gegenüber *Tetranychus urticae* Koch an Rosa sp. im Labor. - Diploma Thesis, Institute of Zoology, Univ. of Vienna: 1-140
- XIN, J.-L. / LU, J.-Q. / ZHANG, Z.-Q. (1998):* Predatory Mites: Their biology and roles in biological control. [Orig. Chin.] - Syst. Appl. Acarol., London: 1-187

Nomina Nova

Die Namen neuer Taxa werden hier veröffentlicht, sofern sie uns bekannt wurden. Eine Überprüfung ihrer Validität erfolgte nicht. Die Autoren von neuen Kombinationen und neuen Synonymen stehen in [eckigen Klammern].

The names of new taxa are listed here as far as they have come to our knowledge. Their validity could not be examined here. The authors of new combinations and new synonyms are written in [brackets].

Typen-Informationen / *Type-material information as follows:*

Neoseiulus brigarinus Beard, 2001 (Seite / *Page*: 94^l) – Typen / *Types*: HT² - QM³, PT - UQIC

1 – erste Seite der Beschreibung / *first page of the description*

2 – Holotypen (HT), Paratypen (PT) oder Syntypen (ST) / *holotypes (HT), paratypes (PT) or syntypes (ST)*

3 – Abkürzungen der Aufbewahrungsorte der neuen Arten, sofern sie in den Publikationen zitiert sind / *Abbreviations of the places of storage of new species, as far as they were cited in the publications*

Abkürzungen der Aufbewahrungsorte der neuen Arten / *Abbreviations of the places of storage of new species*

Agricultural Research Council-Plant Protection Research Institute, Pretoria, South Africa

American Museum of Natural History, Washington, USA

Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

B. P. Bishop Museum, Honolulu, Hawaii

Chiba University, Laboratory of Applied Entomology and Zoology, Matsudo, Japan

Colección Nacional de ACAROS at the Instituto de Biología, Universidad Nacional Autónoma de México, México, México

Collection Alex Fain, Bruxelles, Belgium

Collection Gottfried Walter, Wardenburg, Germany

Collection Juan B. Morales-Malacara, Coyoacán, México

Collection Mike HEddergott, Heiligenstadt, Germany

Collection Miguel-Angle Pena-Estévez, Las Palmas de Gran Canaria, Spain

Collection Rasit Urhan, Pamukkale, Turkey

Collection Shozo Ehara, Tottori, Japan

College of Plant Protection, Shenyang Agricultural University, Shenyang, China

Ecole Nationale Supérieure Agronomique Montpellier - Institut National de la Recherche Agronomique, Montpellier, France

Escola Superior de Agricultura „Luiz de Queiroz”, Universidade de São Paulo, Departamento de Entomologia, Fitopatologia e Zoologia Agrícola, Piracicaba, Brazil

Faculty of Horticulture, Chiba University, Matsudo, Japan

Field Museum of Natural History, Chicago, USA

Florida State Collection of Arthropods, Gainesville, Florida, USA

Guangdong Institute of Entomology, Guangzhou, China

Institute of Parasitic Diseases, Hubei Academy of Medical Science, Hubei, Jilin Province, China

Institute of Zoology of the Ukraine, Kiev, Ukraine

L'Institut Royal des Sciences Naturelles, Bruxelles, Belgium

Museo Insular de Ciencias Naturales, Tenerife, Spain

Museum für Naturkunde, Humboldt-Universität, Berlin, Germany

National Base of Plague and Brucellosis Control, Baicheng City, Jilin Province, China

Natural History Museum, Department of Entomology, London, United Kingdom

National Museum of Natural History, Washington, USA

National Museum of Natural Sciences, Madrid, Spain
 National Science Museum, Tokyo, Japan
 National Zoological Collection, Zoological Survey of India, Calcutta, India
 Norwegian Crop Research Institute, As, Norway
Ohio State University, Acarology Laboratory, Columbus, Ohio, USA
Oregon State University Arthropod Collection, Corvallis, USA
Staatliches Museum für Naturkunde Görlitz, Görlitz, Germany
Tamil Nadu Agricultural University, Department of Entomology, Coimbatore, India
United States National Museum of Natural History, Washington, USA
 University of Adam Mickiewicz, Poznan, Poland
 University of Michigan, Museum of Zoology, Ann Arbor, USA
 Universidad Politécnica of Valencia, Department of Agroforestral Ecosystems, Valencia, Spain
 University of Queensland Institut Collection, Department of Zoology and Entomology, St. Lucia, Queensland, Australia
Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia
Zoological Survey of India, Calcutta, West Bengal, India
Zoologische StaatsSammlung, München, Germany
Zoologisches Museum und Institut Hamburg, Hamburg, Germany
Zoological Museum of Atatürk University, Ataturk, Turkey

Neue Arten / New species

Amblyseiella yaeyamana Ehara & Amano, 2002 (Seite / Page: 323) – TYPEN / TYPES: HT + PT - NSMT
Amblyseius (Amblyseius) apocynae Chinniah & Mohanasundaram, 2001 (Seite / Page: 66) – TYPEN / TYPES: HT + PT - TNAU
Amblyseius (Paraphytoseius) apocynaevagrans Chinniah & Mohanasundaram, 2001 (Seite / Page: 73) – TYPEN / TYPES: HT + PT - TNAU
Amblyseius baichengensis Ma, 2002 (Seite / Page: 228) – TYPEN / TYPES: HT + PT - NBPBC
Amblyseius (Proprioseiopsis) keralaensis Chinniah & Mohanasundaram, 2001 (Seite / Page: 76) – TYPEN / TYPES: HT - TNAU
Amblyseius (Amblyseius) parakaguya Denmark & Edland, 2002 (Seite / Page: 203) – TYPEN / TYPES: HT - NCRI
Amblyseius (Amblyseius) pseudorientalis Chinniah & Mohanasundaram, 2001 (Seite / Page: 68) – TYPEN / TYPES: HT + PT - TNAU
Amblyseius (Amblyseius) rubiae Chinniah & Mohanasundaram, 2001 (Seite / Page: 70) – TYPEN / TYPES: HT + PT - TNAU
Amblyseius subhainanensis Ma, 2002 (Seite / Page: 227) – TYPEN / TYPES: HT + PT - NBPBC
Amblyseius (Amblyseius) sumatrensis Ehara, 2002 (Seite / Page: 128) – TYPEN / TYPES: HT - NSMT, PT - NSMT, CSE
Androlaelaps marmosops Martins, Gettinger & Bergallo, 2001 (Seite / Page: 685) – TYPEN / TYPES: keine Information / no information
Arachnyssus guangxiensis Ma, 2002 (Seite / Page: 12) – TYPEN / TYPES: HT + PT - NBPBC
Arachnyssus huwenae Ma, 2002 (Seite / Page: 10) – TYPEN / TYPES: HT + PT - NBPBC
Asperoseius paraheveae Wu & Ou, 2002 (Seite / Page: 125) – TYPEN / TYPES: HT + PT - GIE
Cauzerocon duploxeideus Ma, 2002 (Seite / Page: 480) – TYPEN / TYPES: HT + PT - NBPBC
Epicriopsis jilinensis Ma, 2002 (Seite / Page: 308) – TYPEN / TYPES: HT + PT - NBPBC
Euseius neodossei Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 34) – TYPEN / TYPES: HT + 2PT - ESALQ/USP
Euseius neolokele Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 37) – TYPEN / TYPES: HT + PT - ESALQ/USP
Euseius neomagucii Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 38) – TYPEN / TYPES: HT + PT - ARC-PPRI
Euseius nigeriaensis Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 40) – TYPEN / TYPES: HT - ESALQ/USP

- Euseius reticulatus* Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 50) – TYPEN / TYPES: HT + 2 PT - ESALQ/USP, 2 PT - ARC-PPRI
- Euseius ugandaensis* Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 61) – TYPEN / TYPES: HT + PT - ESALQ/USP
- Euseius zairensis* Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 63) – TYPEN / TYPES: HT - ARC-PPRI
- Euseius zambiaensis* Moraes, Ueckermann & Oliveira, 2001 (Seite / Page: 65) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - ARC-PPRI
- Gamaselloides adrianae* Walter, 2003 (Seite / Page: 6) – TYPEN / TYPES: HT + PT - QM, PT - QM, ANIC, UQIC
- Gamaselloides claudiae* Walter, 2003 (Seite / Page: 5) – TYPEN / TYPES: HT + PT - USDA-ARS, PT - USDA-ARS, ANIC, UQIC
- Gamaselloides ericae* Walter, 2003 (Seite / Page: 3) – TYPEN / TYPES: HT + PT - QM, PT - QM, ANIC, UQIC
- Gamaselloides islandicus* Bhattacharyya & Sanyal, 2002 (Seite / Page: 232) – TYPEN / TYPES: HT + PT - ZSI
- Gamaselloides spinosus* Bhattacharyya & Sanyal, 2002 (Seite / Page: 233) – TYPEN / TYPES: HT + PT - ZSI
- Gamaselloides sternalis* Bhattacharyya & Sanyal, 2002 (Seite / Page: 235) – TYPEN / TYPES: HT + PT - ZSI
- Haemogamasus postsinuatus* Liu & Ma, 2002 (Seite / Page: 118) – TYPEN / TYPES: HT - IPDHAMS
- Hypoaspis (Geolaelaps) aculeiferoformis* Sklyar, 2001 (Seite / Page: 100)
- Hypoaspis spinaperaffinis* Ma & Cui, 2002 (Seite / Page: 736) – TYPEN / TYPES: HT + PT - NBPBC
- Kampimodromus adrianae* Ferragut & Pena-Estévez, 2003 (Seite / Page: 151) – TYPEN / TYPES: HT - NMNSM, PT - UPV, CMPE
- Kampimodromus echii* Ferragut & Pena-Estévez, 2003 (Seite / Page: 153) – TYPEN / TYPES: HT - NMNSM, PT - UPV, CMPE
- Kuzinellus bourbonensis* Kreiter & Ueckermann, 2002 (Seite / Page: 336) – TYPEN / TYPES: HT + PT - ENSAM-INRA, PT - ARC-PPRI
- Lasioseius punjabensis* Bhattacharyya & Sanyal, 2002 (Seite / Page: 53) – TYPEN / TYPES: HT + PT - NZC
- Lasioseius triangularis* Bhattacharyya & Sanyal, 2002 (Seite / Page: 51) – TYPEN / TYPES: HT + PT - NZC
- Leiobius dolichotrichus* Ma, 2002 (Seite / Page: 154) – TYPEN / TYPES: HT + PT - NBPBC
- Macrocaudus multisetaetus* Moraes, McMurtry & Jeferson, 2003 (Seite / Page: 49) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - OSAL, USNM, FSCA
- Macronyssus leislerianus* Fain, Walter & Heddergott, 2003 (Seite / Page: 57) – TYPEN / TYPES: HT + PT - ZSSM, PT - CAF, CGW, CMHE
- Myrmozercon iainkayi* Walter, 2003 (Seite / Page: 83) – TYPEN / TYPES: HT + PT - UQIC
- Neoseiulella canariensis* Ferragut & Pena-Estévez, 2003 (Seite / Page: 159) – TYPEN / TYPES: HT - NMNSM, PT - UPV, CMPE
- Neoseiulella elongata* Ferragut & Pena-Estévez, 2003 (Seite / Page: 164) – TYPEN / TYPES: HT - NMNSM, PT - UPV, CMPE
- Neoseiulella splendida* Ferragut & Pena-Estévez, 2003 (Seite / Page: 161) – TYPEN / TYPES: HT - NMNSM, PT - UPV, CMPE
- Neoseiulus arenarius* Denmark & Edland, 2002 (Seite / Page: 207) – TYPEN / TYPES: HT - NCRI
- Neoseiulus communis* Denmark & Edland, 2002 (Seite / Page: 211) – TYPEN / TYPES: HT - NCRI
- Neoseiulus melinis* Lofego & Moraes, 2003 (Seite / Page: 113) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - FSCA
- Neoseiulus ribes* Denmark & Edland, 2002 (Seite / Page: 213) – TYPEN / TYPES: HT - NCRI
- Neoseiulus pluridentatus* Lofego & Moraes, 2003 (Seite / Page: 115) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - FSCA
- Ophionyssus dolatelaicensis* Fain & Bannert, 2002 (Seite / Page: 365) – TYPEN / TYPES: HT + PT - IRSNB, PT - MNB, MICNT, ZMH
- Parazercon floralis* Ma, 2002 (Seite / Page: 479) – TYPEN / TYPES: HT + PT - NBPBC

- Pergamasus (Triadogamasus) quaianus* Schmöller, 2001 (Seite / Page: 34)
Pergamasus (Triadogamasus) settimanae Schmöller, 2001 (Seite / Page: 32)
Pergamasus (Valigamasus) clauti Schmöller, 2001 (Seite / Page: 35)
Periglischrus eurysternus Morales-Malacara & Juste, 2002 (Seite / Page: 304) – TYPEN / TYPES: HT - CNAC, PT - JMM, NHHN, FMNH
Periglischrus leptosternus Morales-Malacara & López-Ortega, 2001 (Seite / Page: 153) – TYPEN / TYPES: HT + PT - CNAC, PT - JMM, NHHN, BPBM, AMNH, NHML
Periglischrus stereosotrichus Morales-Malacara & Juste, 2002 (Seite / Page: 299) – TYPEN / TYPES: HT + PT - CNAC, PT - JMM, NHHN, BPBM, NHML, FMNH
Phytoseius haroldi Kreiter & Ueckermann, 2002 (Seite / Page: 339) – TYPEN / TYPES: HT + PT - ARC-PPRI, PT - ENSAM-INRA, MNHP
Poecilochirus sexlavatus Sklyar, 2002 (Seite / Page: 77) – TYPEN / TYPES: HT - IZU
Proprioseiopsis etiennei Kreiter & Ueckermann, 2002 (Seite / Page: 345) – TYPEN / TYPES: HT + PT - ENSAM-INRA, PT - ARC-PPRI
Proprioseiopsis longipilus Kreiter & Ueckermann, 2002 (Seite / Page: 341) – TYPEN / TYPES: HT + PT - ENSAM-INRA, PT - MNHP, ARC-PPRI
Proprioseiopsis nesiotus Kreiter & Ueckermann, 2002 (Seite / Page: 343) – TYPEN / TYPES: HT + PT - ARC-PPRI, PT - ENSAM-INRA
Prozercon changbaiensis Bei, Shi & Yin, 2002 (Seite / Page: 223) – TYPEN / TYPES: HT - CPSAU
Prozercon (Plumatozercon) denizliensis Urhan, 2002 (Seite / Page: 2129) – TYPEN / TYPES: HT + PT - ZMAU, PT - CRU
Prozercon (Plumatozercon) umidicola Urhan, 2002 (Seite / Page: 2127) – TYPEN / TYPES: HT + PT - ZMAU, PT - CRU
Ptilonyssus acanthopneustes Stanyukovich & Butenko, 2002 (Seite / Page: 37) – TYPEN / TYPES: HT + PT - ZISP
Ptilonyssus ammomani Stanyukovich & Butenko, 2002 (Seite / Page: 32) – TYPEN / TYPES: HT + PT - ZISP
Ptilonyssus anthi Stanyukovich & Butenko, 2002 (Seite / Page: 43) – TYPEN / TYPES: HT + PT - ZISP
Ptilonyssus cyanosylviae Stanyukovich & Butenko, 2002 (Seite / Page: 42) – TYPEN / TYPES: HT + PT - ZISP
Ptilonyssus pyrrhulinus Stanyukovich & Butenko, 2002 (Seite / Page: 38) – TYPEN / TYPES: HT + PT - ZISP
Ptilonyssus ripariae Stanyukovich & Butenko, 2002 (Seite / Page: 35) – TYPEN / TYPES: HT - ZISP
Ptilonyssus spinii Stanyukovich & Butenko, 2002 (Seite / Page: 34) – TYPEN / TYPES: HT + PT - ZISP
Ptilonyssus sylvicolae Stanyukovich & Butenko, 2002 (Seite / Page: 40) – TYPEN / TYPES: HT + PT - ZISP
Punctodendrolaelaps myiaphilus Karg, 2002 (Seite / Page: 238) – TYPEN / TYPES: HT + PT - SMNG
Saprolaelaps claudiae Blaszak & Ehrnsberger, 2000 (Seite / Page: 168) – TYPEN / TYPES: HT - UAM, PT - ZSSM
Saprolaelaps goetzi Blaszak & Ehrnsberger, 2002 (Seite / Page: 175) – TYPEN / TYPES: HT - ZSSM, PT - UAM
Saprolaelaps hirschmanni Blaszak & Ehrnsberger, 2002 (Seite / Page: 176) – TYPEN / TYPES: HT - ZSSM, PT - UAM
Saprolaelaps hyatti Blaszak & Ehrnsberger, 2002 (Seite / Page: 178) – TYPEN / TYPES: HT - ZSSM, PT - UAM
Saprolaelaps reticulatus Blaszak & Ehrnsberger, 2000 (Seite / Page: 136) – TYPEN / TYPES: HT - UAM
Typhlodromus (Anthoseius) maspalomensis Ferragut & Pena-Estevez, 2003 (Seite / Page: 158) – TYPEN / TYPES: HT - NMNSM, PT - UPV, CMPE
Typhlodromus (Anthoseius) moraesi Kreiter & Ueckermann, 2002 (Seite / Page: 338) – TYPEN / TYPES: HT + PT - ENSAM-INRA, PT - ARC-PPRI
Vulgarogamasus hubeiensis Ma & Liu, 2002 (Seite / Page: 735) – TYPEN / TYPES: HT + PT - IPDHAMS
Xylocolaelaps burgettii Royce & Krantz, 2003 (Seite / Page: 110) – TYPEN / TYPES: HT + PT - USNM, PT - OSAC, UMMZ, CNC
Zercon beleviensis Urhan, 2002 (Seite / Page: 2134) – TYPEN / TYPES: HT + PT - ZMAU, PT - CRU
Zercon salmani Urhan, 2002 (Seite / Page: 2131) – TYPEN / TYPES: HT + PT - ZMAU, PT - CRU

Neue Gattungen / New genera

Arachnyssus Ma, 2002 (Seite / Page: 8)

TYPUSART / - SPECIES: *Arachnyssus guangxiensis* Ma, 2002

Archeosetus Chant, 2003 (Seite / Page: 13)

TYPUSART / - SPECIES: *Amblyseius rackae* Fain, 1987

Macrocaudus Moraes, McMurtry & Jeferson, 2003 (Seite / Page: 47)

TYPUSART / - SPECIES: *Macrocaudus multisetaetus* Moraes, McMurtry & Jeferson, 2003

Xylocolaelaps Royce & Krantz, 2003 (Seite / Page: 108)

TYPUSART / -SPECIES: *Xylocolaelaps burgetti* Royce & Krantz, 2003

Neue Untergattungen / New subgenera

Amblydromella (Lindquistoseia) Denmark & Welbourn, 2002 (Seite / Page: 301)

TYPUSART / - SPECIES: *Amblydromella rodriguezi* Denmark & Daneshvar, 1982

Amblydromella (Prasadoseia) Denmark & Welbourn, 2002 (Seite / Page: 297)

TYPUSART / -SPECIES: *Typhlodromus eremica* Ueckermann, 1989

Neue Kombinationen / New combinations

Amblydromella (Prasadoseia) eremica (Ueckermann, 1989) – [Denmark & Welbourn, 2002: 297]

Amblyseiella spinosa (Meyer & Rodrigues, 1966) – [Kreiter, Ueckermann & Quilici, 2002: 347]

Asperoseius omei (Wu & Li, 1984) – [Wu & Ou, 2002: 124]

Asperoseius prunii (Liang & Ke, 1982) – [Wu & Ou, 2002: 125]

Typhlodromips masseei (Nesbitt, 1951) – [Denmark & Edland, 2002: S.205]

Neue Synonyme / New synonyms

Afrogigagnathus Yousef, 1974 – [Chant & McMurtry, 2003: 39]

= *Paragigagnathus* Amitai & Grinberg, 1971

Ansaria Chaudhri, 1979 – [Chant & McMurtry, 2003: 39]

= *Paragigagnathus* Amitai & Grinberg, 1971

Pamiroseius Wainstein, 1973 – [Chant & McMurtry, 2003: 39]

= *Paragigagnathus* Amitai & Grinberg, 1971

Phytocerus Amitai & Swirski, 1978 – [Chant & McMurtry, 2003: 39]

= *Paragigagnathus* Amitai & Grinberg, 1971

Amathia Chaudhri, Akbar & Rasool, 1979 – [Chant & McMurtry, 2003: 15]

= *Neoseiulus* Hughes, 1948

Denmarkia Chaudhri, Akbar & Rasool, 1979 – [Chant & McMurtry, 2003: 15]

= *Neoseiulus* Hughes, 1948

Dictydionotus Athias-Henriot, 1979 – [Chant & McMurtry, 2003: 15]

= *Neoseiulus* Hughes, 1948

Dictyonotus Athias-Henriot, 1978 – [Chant & McMurtry, 2003: 15]

= *Neoseiulus* Hughes, 1948

Kashmerius Chaudhri, Akbar & Rasool, 1979 – [Chant & McMurtry, 2003: 15]

= *Neoseiulus* Hughes, 1948

Phytodromus Muma, 1961 – [Chant & McMurtry, 2003: 15]

= *Neoseiulus* Hughes, 1948

Amblyseius (Amblyseius) grabouwensis Merwe & Ryke, 1964 – [Moraes, Ueckermann, Oliveira & Yaninek, 2001: 14]

= *Euseius bwende* (Pritchard & Baker, 1962)

Amblyseius insulatus Ueckermann, 1992 – [Moraes, Ueckermann, Oliveira & Yaninek, 2001: 19]

= *Euseius eitanae* (Swirski & Amitai, 1965)

Anthoseius (Lithoseius) Kolodochka, 1992 – [Denmark & Welbourn, 2002: 295]

= *Amblydromella* (Aphanoseia) Wainstein, 1972

Anthoseius tranquillus (Livschitz & Kuznetsov, 1972) – [Denmark & Welbourn, 2002: 297]

- = Amblydromella (Aphanoseia) rara (Wainstein, 1961)
Avioseius Karg, 1965 – [Chant & McMurtry, 2003: 11]
= Chileseius Gonzalez & Schuster, 1962
Mumaseius crypta subalegericus Abbasova, 1970 – [Denmark & Welbourn, 2002: 297]
= Amblydromella (Aphanoseia) foenilis (Oudemans, 1930)
Paragigagnathus tamaricis Amitai & Grinberg, 1971 – [Chant & McMurtry, 2003: 39]
= Afrogigagnathus tawfiki Yousef, 1974
Rhabdocarpais parvus Athias-Henriot, 1981 – [Baker & Ostojá-Starzewski, 2002: 114]
= Parasitus mycophilus Karg, 1971

New Namen / New names

- Amblydromella (Aphanoseia) kuznetsovi* Denmark & Welbourn, 2002 (Seite / Page: 297) – ex
Amblydromella (Aphanoseia) richteri (Kuznetov, 1984)
Amblydromella (Prasadoseia) kolodochkai (Denmark & Welbourn, 2002) (Seite / Page: 301) – ex
Amblydromella (Prasadoseia) juniperi (Kolodochka, 1982)

Adressen / Addresses

- ABDALLAH, DR. AWAD ALI, CABI Bioscience, UK Centre, Silwood Park, SL5 7TA Ascot, Berkshire, Großbritannien / United Kingdom; E-Mail: A.Abdallah@ic.ac.uk
- ABOU-AWAD, DR. B.A., National Research Centre, Plant Protection Department., Dokki, Cairo 12511, Ägypten / Egypt
- AHN, DR. YOUNG-JOON, School of Agricultural Biotechnology, Seoul National University, Suwon, 441-744, Südkorea / South Korea
- AL-ATAWI, DR. FAHAD, Department of Entomology, Kansas State Univ., 123 Waters Hall, Manhattan, KS, 66506, USA
- ALBERTI, PROF. DR. GERD, E.-Moritz-Arndt Univ., Zool. Inst. und Museum, J.-Seb.-Bach-Str. 11-12, 17489 Greifswald, Deutschland / Germany; E-Mail: alberti@rz.uni-greifswald.de
- AL-GHZAWI, DR. ABDUL M.A., Faculty of Agriculture, Department of Plant Production, Jordan University of Science and Technology, Irbid, Jordanien / Jordan; E-Mail: ghzawi@just.edu.jo
- AMANO, DR. HIROSHI, Faculty of Horticulture, Chiba University, 648 Matsuda, Chiba, 271-8510, Japan; E-Mail: amano@midori.h.chiba-u.ac.jp
- AMER, DR. S.A.A., National Research Center, Plant Protection Department, Dokki, Cairo 12311, Ägypten / Egypt
- AMUSA, DR. N.A., Institute of Agricultural Research and Training, Obafemi Awolowo University, Moor Plantation, P.M.B., 5029 Ibadan, Nigeria; E-Mail: drart@infoweb.abs.net
- ARGOV, DR. Y., Israel Cohen Institute for Biological Control, Citrus Marketing Board of Israel, P.O. Box 80, 50250 Bet Dagan, Israel; E-Mail: yael@jaffa.co.il
- ASPÖCK, UNIV.-PROF. DR. HORST, Abt. für Medizinische Parasitologie, Klinisches Inst. f. Hygiene und, Medizinische Mikrobiologie der Univ., Kinderspitalgasse 15, 1095 Wien, Österreich / Austria; E-Mail: horst.aspoeck@univie.ac.at
- AUMEIER, DR. PIA, Zoologisches Institut, Universität Tübingen, Auf der Morgenstelle 28, 72076 Tübingen, Deutschland / Germany; E-Mail: bieneau@uni-hohenheim.de
- AZEVEDO, DR. ALEXANDER A., Dep. de Parasitologia, Instituto de Ciencias Biológicas, Univ. Fed. de Minas Gerais, Av. A. Carlos 6627, 31270-901 Belo Horizonte, MG, Brasilien / Brazil; E-Mail: alexander@insecta.ifv.br
- BAKER, DR. ANNE S., Dep. of Entomology, The Natural History Museum, Cromwell Road, London, SW7 5BD, Großbritannien / United Kingdom; E-Mail: asb@nhm.ac.uk
- BALL, DR. BRENDA V., Plant and Invertebrate Ecology Division, IACR-Rothamsted, Harpenden, Herts, AL5 2JQ, Großbritannien / United Kingdom; E-Mail: brenda.ball@bbsrc.ac.uk
- BANNERT, DR. BRIGITTE, Institut für Molekulare Parasitologie, Humboldt-Universität zu Berlin, Philippstr. 13, 10115 Berlin, Deutschland / Germany; E-Mail: brigitte.bannert@museum.hu-berlin.de
- BECNEL, DR. J.J., Center for Medical, Agricult. and Veter., Entomol., USDA/ARS, P.O. Box 14565, Gainesville, FL, 32604, USA E-Mail: jbecnel@gainesville.usda.ufl.edu

- BEI, DR. N., Department of Plant Protection, Shenyang Agric. Univ., Shenyang, Liaoning 110161, China
- BERGALLO, DR. H.G., Setor de Ecologia, Instituto de Biologia, Universidade do Estado do Rio de Janeiro, Rua Sao Francisco Xavier, 524, CEP 20559-900 Rio de Janeiro, Brasilien / Brazil; E-Mail: bergallo@uerj.br
- BERRIOS, DR. PATRICIA, Departamento de Zoologia, Facultad de Ciencias Naturales y Oceanograficas, Universidad de Concepcion, Casilla 160 C, Concepcion, Chile
- BHATTACHARYYA, DR. ASIT, Desert Regional Station, Zool. Survey of India, near Jhalamand Circle, New Pali Road, PO., Krishi Upaj Mandi, Jodhpur 342 005, Rajastahn, Indien / India; E-Mail: asitzsi@yahoo.com
- BLASZAK, PROF. DR. CZESLAW, ul. 28 Czerwca 1956 r. nr. 198 ZMZ, 61-485 Poznan, Polen / Poland
- BLÜMEL, DR. SYLVIA, Bundesanstalt und Forschungszentrum für Landwirtschaft, Institut für Phytomedizin, Spargelfeldstr. 191, 1226 Wien, Österreich / Austria; E-Mail: sbluemel@bfl.ac.at
- BOECKING, DR. OTTO, Bieneninstitut, Wehlstraße 4a, 29221 Celle, Deutschland / Germany; E-Mail: o.boecking@bieneninstitut.de
- BONATO, DR. O., IRD-CBGP, Campus International de Baillarguet, 34988 Montferrier, Lez Cedex, Frankreich / France; E-Mail: bonato@ensam.inra.fr
- BOTELHO, PROF. JOSÉ R., Universidade Federal de Minas Gerais, Departamento de Parasitologia e Zoologia, Caixa Postal 486, 30.123-970 Belo Horizonte, MG, Brasilien / Brazil; E-Mail: botelhoj@icb.ufmg.br
- BOUNFOUR, DR. MALIKA, D.P.V.C.T.R.F.B.P., B.P. 1308, Rabat, Marokko / Morocco; E-Mail: mbounfour@yahoo.com
- BRODSGAARD, DR. H.F., Dep. Plant Pathol. Pest Manag., Danish Inst. Plant Soil Sci., Lottenborgvej 2, 2800 Lyngby, Dänemark / Denmark
- BROUUFAS, DR. G.D., Laboratory of Applied Zoology and Parasitology, Aristotle University of Thessaloniki, 540 06 Thessaloniki, Griechenland / Greece; E-Mail: brouufas@agro.auth.gr
- BRUIN, DR. JAN, Sect. Popul. Biology, Inst. of Biodiversity and Ecosystem Dynamics, Univ. Amsterdam, Kruislaan 302, 1098 SM Amsterdam, Niederlande / The Netherlands; E-Mail: bruin@science.uva.nl
- CALDERONE, DR. NICHOLAS W., Department of Entomology, 6130 Comstock Hall, Cornell Univ., Ithaca, NY, 14853, USA; E-Mail: nwc4@cornell.edu
- CARVALHO, LUNA DE, Aposentado do Instituto, de Investigacao Cientifica Tropical, Rua do Mercado 28, Agueirao, 2725-901, Mem Martins, Portugal
- CASTAGNOLI, DR. MARISA, Istituto Sperimentale per la Zoologia Agraria, Via Lancia 12/A, Sezione di Acarologia, 50125 Firenze, Italien / Italy; E-Mail: marisa.castagnoli@tin.it
- CEDOLA, DR. CLAUDIA V., Centro de Estudios Parasitologicos, y de Vectores (CEPAVE), calle 2 nro. 584, 1900 La Plata, Argentinien / Argentina; E-Mail: ccedola@infovia.com.ar
- CENCEK, DR. TOMASZ, ul. Partyzantow 57, Inst. Wetryn., 24-100 Pulawy, Polen / Poland; E-Mail: tcencek@piwet.pulawy.pl
- CHANDLER, DR. DAVID, Department of Entomological Sciences, Horticulture Res. Internat., Wellesbourne, Warwick, CV35 9EF, Großbritannien / United Kingdom; E-Mail: david.chandler@hri.ac.uk
- CHANT, DR. D.A., 2276 Queensborough Rd., RR#2, Madoc, Ontario, K0K 2K0, Kanada / Canada; E-Mail: dchant@interlog.com
- CHILDERS, DR. CARL C., Citrus Research and Education Center, University of Florida, 700 Experiment Station Road, Lake Alfred, FL, 33850, USA
- CHINNAIH, DR. C., Department of Agricultural Entomology, Tamil Nadu Agricultural University, Coimbatore, 641003, Indien / India
- CHIRICO, DR. JAN, Department of Parasitology (SWEPAR), National Veterinary Institute, SE-751 89 Uppsala, Schweden / Sweden; E-Mail: jan.chirico@sva.se
- CHRISTIAN, PROF. DR. ERHARD, Universität für Bodenzoologie, Institut für Zoologie, Gregor-Mendel-Straße 33, 1180 Wien, Österreich / Austria; E-Mail: echrist@edv1.boku.ac.at
- CLAPPERTON, DR. M. JILL, Lethbridge Research Centre, Agriculture and Agri-Food Canada, P.O. Box 3000, Lethbridge, AB, T1J 4B1, Kanada / Canada; E-Mail: Clapperton@em.agr.ca
- CLARK, PROF. KERRY L., College of Health, University of North Florida, 4567 St. Johns Bluff Road, South Jacksonville, FL, 32224-2673, USA; E-Mail: kclark@unf.edu
- COBANOGLU, DR. SULTAN, Agric. Faculty, Plant Protection Department, Univ.of Ankara, 06110 Ankara, Türkei / Turkey

- COLIN, DR. MARC, UMR-INRA-UAPV „Ecologie des Invertebrates“, Site Agroparc, Domaine Saint-Paul, Avignon Cedex 9, Avignon Cedex 9, 84914, Frankreich / France; E-Mail: colin@avignon.inra.fr
- COTE, DR. KENNETH W., Department of Entomology, Virginia Polytechnic Institute and State Univ., 216 Price Hall, Mail Code 0319, Blacksburg, VA, 24061, USA
- COURCY WILLIAMS, DR. MICHAEL E. DE, Dep. Entomol. Sci., Hortic. Res. Internat., Wellesbourne, Warwick, CV35 9EF, Großbritannien / United Kingdom; E-Mail: michael.decourcywilliams@hri.ac.uk
- COVARRUBIAS, DR. RENÉ, Rupanco 106, La Florida, Santiago, Chile
- CROSS, DR. J.V., Horticulture Research Internat., East Malling, West Malling, Kent ME19 6BJ, Großbritannien / United Kingdom; E-Mail: jerry.cross@hri.ac.uk
- DEGRANDI-HOFFMAN, DR. GLORIA, Carl Hayden Bee Research Center, ARS, USDA, 2000 East Allen Road, Tucson, AZ, 85719, USA; E-Mail: gdhoff@aol.com
- DENMARK, DR. HAROLD A., Florida Dep. of Agriculture & Consumer Services, Division of Plant Industry, P.O. Box 147100, Gainesville, FLA 32614-7100, USA; E-Mail: hdenmar@attglobal.net
- DI PALMA, DR. ANTONELLA, Istituto di Entomologia Agraria, Univ. degli Studi di Bari, Via Amendola 165/a, 70126 Bari, Italien / Italy; E-Mail: antonella.dipalma@agr.uniba.it
- DICKE, DR. MARCEL, Laboratory of Entomology, Wageningen Agric. Univ., P.O. Box 8031, 6700 EH Wageningen, Niederlande / The Netherlands; E-Mail: marcel.dicke@wur.nl
- DUSO, DR. CARLO, Univ. di Padova, Dipart. di Agron. Ambientale e Prod. Vegetali, Via Romea, 16, 35020 Legnaro, Padova, Italien / Italy; E-Mail: carlduso@agripolis.unipd.it
- EHARA, DR. SHOZO, Hamasaka 2-15-7, Tottori, 680-0001, Japan
- EIDELBERG, DR. MICHAEL M., Crimean Institute of Ecology, and Projecting, Kujbishev str. 4, 334216 Yalta Crimea, Ukraine / Ukraina
- EKIZ, DR. ALI NAFIZ, Department of Biology, Faculty of Science and Arts, Pamukkale University, Kinikli-Denizli, Türkei / Turkey
- ELLNER, DR. STEPHEN P., Department of Ecology and Evolutionary Biology, Cornell University, Ithaca, NY, 14853-2701, USA; E-Mail: spe2@cornell.edu
- ELZEN, DR. PATTI J., Kika de la Garza, Subtropical Agric. Research Center, USDA-ARS, 2413 E Hwy, 83, Weslaco, TX, 78596, USA
- FAIN, DR. ALEX, Institut Royal des Sciences Naturelles de Belgique, Dep. Entomol., Rue Vautier 29, 1000 Bruxelles, Belgien / Belgium; E-Mail: wauthy@kbinirsnb.be
- FARAJI, DR. FARID, Inst. of Systematics and Popul. Biol., Sect. Popul. Biol., Univ. Amsterdam, Kruislaan 320, 1098 SM Amsterdam, Niederlande / The Netherlands
- FARKAS, DR. R., Parazitologias es Allattani Tanszek, SZIE-AOTK, Istvan u. 2, 1078 Budapest, Ungarn / Hungary; E-Mail: rfarkas@univet.hu
- FAUCON, DR. JEAN PAUL, Unite Abeille, AFSSA, site de Sophia Antipolis, BP 111, 06902 Sophia Antipolis Cedex, Frankreich / France; E-Mail: jp.faucon@sophia.afssa.fr
- FENDA, DR. PETER, Dep. of Zool., Fac. of Sciences, Comius Univ., Mlynska dolina B-1, 84215 Bratislava, Slovakische Republik / Slovak Republic; E-Mail: fenda@fns.uniba.sk
- FERENC, MGR. HANNA, Department of Animal Morphology, A. Mickiewicz University, 28 czerwca 1956 Nr. 198, 61-485 Poznan, Polen / Poland; E-Mail: hania@man.poznan.pl
- FERES, PROF. REINALDO J.F., Departamento de Zootecnia e Botanica, Universidade Estadual Paulista, rua Cristovao Colombo, 2265, Sao Paulo, 15054-000 Sao Jose do Rio Preto, Brasilien / Brazil; E-Mail: reinaldo@zoo.ibilce.unesp.br
- FERLA, DR. NOELI J., Museu de Ciencias Naturais, Centro Universitario UNIVATES, 95900-000 Lajeado, RJ, Brasilien / Brazil; E-Mail: njferla@fates.tche.br
- FERNANDEZ, PROF. DR. NESTOR A., Universidad Adventista del Plata, Secretaria de Ciencia y Técnica, 25 de Mayo 99, 3103 Libertador San Martin, Entre Rios, Argentinien / Argentina; E-Mail: fernandn@uapar.edu
- FERRAGUT, DR. FRANCISCO, Instituto Agroforestal Mediterráneo, Departamento de Ecosistemas Agroforestales, Univ. Politécnica, Camino de Vera, 14, 46022 Valencia, Spanien / Spain; E-Mail: ffferrag@eaf.upv.es
- FILSER, PROF. JULIANE, UFT, Dpt. 10, General and Theoretical Ecology, University of Bremen, 28334 Bremen, Deutschland / Germany; E-Mail: filser@uni-bremen.de
- FLORES, DR. S.J.M., Centro Andaluz de Apicultura Ecologica, Campus Universitario de Rabanales, 14071 Cordoba, Spanien / Spain; E-Mail: balpupuf@lucano.uco.es

- FLORIS, DR. IGNAZIO, Istituto Entomologia Agraria, Universita di Sassari, Via Enrico De Nicola, 07100
Sassari, Italien / Italy
- FRAGOSA, DR. DANIEL B., Depto. Biologia Animal, Universidade Federal De Vicoso, 36571-000 Vicoso,
MG, Brasilien / Brazil
- FRIES, DR. INGEMAR, Department of Entomology, Swedish University of Agricultural Sciences, P.O. Box
7044, 750 07 Uppsala, Schweden / Sweden; E-Mail: ingemar.fries@entom.slu.se
- GEEST, DR. LEO P.S. VAN DER, Institute for Biodiversity and Ecosystem Dyn., University of Amsterdam,
Kruislaan 320, 1098 SM Amsterdam, Niederlande / The Netherlands; E-Mail: geest@bio.uva.nl
- GJEVERE, DR. ANNE-GERD, Fagsenteret for fjarve, Nydalen, 0402, Boks 4377, Oslo, Norwegen / Norway; E-
Mail: anne-gerd.gjerve@fjorve.org
- GONDIM, DR. MANOEL G.C., Departamento de Agronomia, Univ. Federal Rural de Pernambuco, Rua Dom
Manuel de Medeiros s/n, 52171-900 Recife, PE, Brasilien / Brazil; E-Mail: manoguedes@hotmail.com
- GREGOC, DR. A., Veterinary Faculty, University of Ljubljana, Gerbiceva 60, 100 Ljubljana, Slovenia /
Slovenia; E-Mail: ales.gregorc@vf.uni-lj.si
- GRIMM, DR. CHRISTOPH, Novartis Crop Protection AG, 4003 Basel, Schweiz / Switzerland; E-Mail:
christoph.grimm@cp.novartis.com
- GROOT, DR. H. DE, Department Allergology, University Hospital Rotterdam, PO Box 2040, 3000 CA,
Rotterdam, Niederlande / The Netherlands
- GUNN, DR. ALAN, School of Biological and Earth Sciences, Liverpool John Moores Univ., Byrom Street,
Liverpool L3 3AF, Großbritannien / United Kingdom
- GUZMAN, DR. LILIA I. DE , USDA/ARS, Honey-Bee Breeding, Genetics Physiol. Res. Lab., 1157 Ben Hur
Road, Baton Rouge, LA, 70820-5502, USA
- HABEDANK, DR. BIRGIT, Institut für Parasitologie der Freien Univ., Königsweg 67, 14163 Berlin,
Deutschland / Germany; E-Mail: bd.habedank@t-online.de
- HAITLINGER, PROF. DR. RYSZARD, Katedra Zoologii AR, ul. Cybulskiego 20, 50-205 Wrocław, Polen /
Poland; E-Mail: rhait@ozi.ar.wroc.pl
- HAJIZADEH, DR. JALIL, Department of Plant Protection, College of Agricultural Sciences, Guilan University,
P.O. Box 41335-3179, Rasht, Iran; E-Mail: hajizadeh@kadous.gu.ac.ir
- HARRIS, DR. JEFFREY W., Genetics and Physiology Laboratory, USDA-ARS, Honey Bee Breeding, 1157
Ben Hur Road, Baton Rouge, LA, 70820, USA; E-Mail: jwharris@ars.usda.gov
- HART, DR. ANDREW J., School of Biosciences, Univ. of Birmingham, Edgbaston, Birmingham, B15 2TT,
Großbritannien / United Kingdom; E-Mail: andrew.hart@hri.ac.uk
- HODDLE, DR. MARK S., Department of Entomology, University of California, Riverside, CA, 92521, USA;
E-Mail: mark.hoddle@ucr.edu
- HOFFMANN, DR. ARY A., Centre for Environmental Stress and Adapt. Res., La Trobe Univ., 3083 Bundoora,
Victoria, Australien / Australia; E-Mail: A.Hoffmann@latrobe.edu.au
- HORTON, DR. DAVID R., USDA-ARS, 5230 Konnowac Pass Road, Wapato, WA, 98951, USA; E-Mail:
horton@yarl.ars.usda.gov
- HOUNTONDJI, DR. F.C.C., International Institute of Tropical Agriculture, Cotonou, Benin; E-Mail:
f.hountondji@cigair.org
- HOY, DR. MARJORIE A., Dep. Entomology & Nematology, Univ. of Florida, P.O. Box 110620, Gainesville,
FL, 32611-0620, USA; E-Mail: mahoy@mail.ifas.ufl.edu
- HUHTA, DR. VEIKKO, University of Jyväskylä, Department of Biology, Box 35, 40351 Jyväskylä, Finnland /
Finland; E-Mail: vhuhta@jyu.fi
- HUNG, DR. AKEY C.F., Bee Research Laboratory, USDA-ARS, Beltsville, MD 20705, USA
- IMDORF, DR. ANTON, Forschungsanstalt Milchwirtschaft, Sektion Bienen, 3097 Liebefeld-Bern, Schweiz /
Switzerland
- JACOBSON, DR. ROB J., Stockbridge Technology Centre, Cawood, Selby, North Yorkshire YO8 0TZ,
Großbritannien / United Kingdom; E-Mail: rob.jacobson@hri.ac.uk
- JAMES, ASSOC.-PR. DR. DAVID G., Irrigated Agric. Research, and Extension Center, Washington State
Univ., 24106 North Bunn Road, Prosser, WA 99350, USA; E-Mail: djames@tricity.wsu.edu
- JANSSEN, DR. ARNE, Sect. Popul. Biol. Inst. for Biodiversity and Ecosystem Dynamics, Univ. Amsterdam,
P.O. Box 94084, 1090 GB, Amsterdam, Niederlande / The Netherlands; E-Mail: janssen@science.uva.nl
- JEYAPRAKASH, DR. AYYAMPERUMAL, Dep. of Entomol. and Nematol., Univ. Florida, Gainesville, FL,
32611-0620, USA; E-Mail: ajey@mailifas.ufl.edu

- JIA, DR. F., Department of Entomology, Kansas State University, Manhattan, KS, 66506, USA; E-Mail: fja@oznet.ksu.edu
- JUNG, DR. CHULEUI, Division of Entomology, Seoul National University, Suwon, 441-744, Südkorea / South Korea; E-Mail: jungc@ava.bcc.orst.edu
- KARG, PROF. DR. WOLFGANG, Hohe Kiefer 152, 14532 Kleinmachnow, Deutschland / Germany
- KALUZ, DR. STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 842 06 Bratislava, Slovakische Republik / Slovak Republic; E-Mail: uzaekalu@savba.savba.sk
- KAZAK, DR. CENGIZ, Dep. Plant Protection, Agriculture Faculty, Cukurova University, 01330 Adana, Türkei / Turkey; E-Mail: ckazak@mail.cu.edu.tr
- KHAN, M.SC.ING.AGR. IMTIAZ ALI, Abteilung Entomologie und Pflanzenschutz, Institut für Phytopathologie, Universität Bonn, Nussallee 9, 53115 Bonn, Deutschland / Germany
- KILPINEN, DR. OLE, Danish Pest Infestation Laboratory, Skovbrynet 14, DK-2800 Kongens Lyngby, Dänemark / Denmark; E-Mail: O.Kilpinen@SSL.DK
- KIM, DR. SANG-SOO, Faculty of Appl. Biol. and Horticult., Sunchon Natl. Univ., Maegok-Dong 315, Sunchon-Si 540-742, Südkorea / South Corea; E-Mail: kimss@sunchon.sunchon.ac.kr
- KOEHLER, PD DR. HARTMUT, Univ. Bremen, FB 2 (Biologie/Chemie), Zentr. f. Umweltforsch. u. Umwelttechn., Leobener Str. - UFT, 28334 Bremen, Deutschland / Germany; E-Mail: a13r@uni-bremen.de
- KOENIGER, DR. GUDRUN, Institut für Bienenkunde, Universität Frankfurt/M., Karl-von-Frisch-Weg 2, 61440 Oberursel, Deutschland / Germany; E-Mail: Gudrun.Koeniger@em.uni-frankfurt.de
- KOTIAHO, DR. JANNE S., Dept. of Biological and Environmental Sciences, University of Jyvaskyla, 40351 Jyvaskyla, Finnland / Finland; E-Mail: jkotiaho@jyu.fi
- KOVEOS, DR. DIMITRIS S., Faculty of Agriculture, Laboratory of Applied Zoology and Parasitology, Aristotle University of Thessaloniki, 540 06 Thessaloniki, Griechenland / Greece; E-Mail: koveos@agro.auth.gr
- KREITER, DR. SERGE, ENSAM/INRA, UFR d'Ecologie animale et de Zoologie agricole, Laboratoire d'Acarologie, 2 Place Pierre Viala, 34060 Montpellier Cedex 1, Frankreich / France; E-Mail: kreiter@ensam.inra.fr
- KRIPS, DR. O.E., Labor. Entomol., Wageningen Agric. Univ., 6700 EH Wageningen, Niederlande / The Netherlands
- LABUD, DR. V., Centro Regional Universitario Bariloche, Universidad Nacional del Comahue, Quintral 1250, 8400 San Carlos de Bariloche, Argentinien / Argentina; E-Mail: marval@bariloche.com.ar
- LARESCHI, DR. MARCELA, Univ. Nac. de La Plata, Centro de Estudios Parasitologicos, y de Vextores, Calle 2 No. 584, 1900 La Plata, Argentinien / Argentina; E-Mail: ferpao@netverk.com.ar
- LEDOUX, DR. MONIQUE N., Department of Biological Sciences, Simon Fraser University, 8888 University Drve, Burnaby, BC, V5A 1S6, Kanada / Canada
- LEONOVICH, DR. S.A., Zoological Institute, Academy of Sciences, 199034 St. Petersburg B-34, Russland / Russia
- LIN, DR. JIAN-ZHEN, Plant Protection Research Institute, Fujian Academy of Agricultural Sciences, Fuzhou 350 013, China; E-Mail: zyxlj@pub3.fz.fj.cn
- LIU, DR. HUAI, Key Labor. Entomol. and Pest Contr. Engineering, Southw. Agriculture Univ., Chongqing 400 716, China
- LLUSIA, DR. J., Unitat Ecofisiologia CSIC, CREAf, Facultad de Ciencias, Univ. Autonoma de Barcelona, 08193 Barcelona, Catalonia, Spanien / Spain; E-Mail: J.Llusia@CREAF.uab.es
- LODESANI, DR. M., Istituto Nazionale di Apicoltura, Via F. illi Rosselli 80, 42100 Reggio Emilia, Italien / Italy; E-Mail: m.lodasoni@stpa.unibo.it
- LOFEGO, DR. ANTONIO C., Depto. Zoologia, Inst. de Biociencias, Univ. de Sao Paulo, 05508-900 Sao Paulo, Brasilien / Brazil; E-Mail: aclofego@carpa.ciagi.usp.br
- LUDWIG, DR. SCOTT W., Department of Entomology, College of Agricultural and Environmental Sci., University of Georgia, Griffin Campus, Griffin, GA 30223, USA
- LUH, DR. HANG-KWANG, Department of Entomology, Oregon State University, Corvallis, OR, 97331, USA; E-Mail: luhh@bcc.orst.edu
- L'UPTÁCIK, DR. PETER, Ustav zoologie SAV, Löffnerova 120, 04001 Kosice, Slovakische Republik / Slovak Republic

- MA, DR. LI-MING, National Base of Plague and, Brucellosis Control, 85 Haiming West Road, Jilin Province, Baicheng City, China
- MACEDO, DR. P.A., Department of Entomology, Univ. Nebraska-Lincoln, Lincoln, NE, 69593-0816, USA
E-Mail: pmacedo@unlserv.unl.edu
- MADEJ, DR. GRAZyna, University of Silesia, Department of Ecology, ul. Bankowa 9, 40-007 Katowice, Polen / Poland; E-Mail: gmadej@us.edu.pl
- MAGALHAES, DR. SARA, Section Population Biology, University of Amsterdam, P.O. Box 94084, 1090 GB, Amsterdam, Niederlande / The Netherlands; E-Mail: magalhaes@science.uva.nl
- MAKAROVA, DR. OLGA L., Severtsov Institute of Ecol. and Evolution, Russian Acad. of Sciences, Leninsky pr. 33, Moscow 117071, Russland / Russia
- MANRIQUE, DR. ANTONIO J., Departamento de Genetica, Universidade de Sao Paulo (USP), Sao Paulo, SP, Brasilien / Brazil; E-Mail: manrique@rgm.fmrp.usp.br
- MARTIN, DR. CAROLINE, Laboratoire de Biologie, UMR 406 Univ. d'Avignon et des Pays de Vaucluse, UFR Sciences, 33 Rue Louis Pasteur, 84000 Avignon, Frankreich / France; E-Mail: carolinemartin@univ-avignon.fr
- MARTIN, DR. STEPHEN JOHN, Laboratory of Apiculture and Social Insects, Department of Animal and Plant Sciences, University of Sheffield, Western Bank, Sheffield, S10 2TN, Großbritannien / United Kingdom; E-Mail: s.j.martin@sheffield.ac.uk
- MARTINS, DR. HATANO F., Departamento de Ecologia, IBRAG, Universidade do Estado do Rio de Janeiro, Rua Sao Francisco Xavier, no. 524, Maracana, Rio de Janeiro 20550-011, Brasilien / Brazil; E-Mail: martinsfernanda@hotmail.com
- MASAN, DR. PETER, Institute of Zoology, Slovak Acad. of Sciences, Dubravská Cesta 9, 842 06 Bratislava, Slovakiache Republik / Slovak Republic; E-Mail: uzaepema@savba.savba.sk
- MASHAYA, DR. NICHOLAS, Tobacco Research Board, P.O. Box 1909, Harare, Zimbabwe; E-Mail: nicholas_mashaya@kutsaga.co.zw
- MATIS, DR. JAMES H., Department of Statistics, Texas A and M University, College Station, TX, 77843-3143, USA
- MEHRNEJAD, DR. M.R., Pistachio Research Institute, P.O. Box 77175.435, Rafsanjan, Iran; E-Mail: m_mehrnejad@areeo.or.ir
- MELATHOPOULOS, DR. ADONY P., Department of Biological Sciences, Simon Fraser University, Burnaby, BC, V5A 1S6, Kanada / Canada
- MILANI, DR. NORBERTO, Dipartimento di Biologia applicata Di, alla Difesa delle Piante, Universita di Udine, Via delle Scienze, 208, 33100 Udine, Italien / Italy; E-Mail: noberto.milani@pldef.uniud.it
- MINEIRO, DR. JEFERSON, L.C., Depto. de Fitossanidade, Fac. de Cienc. Agrar. e Veter., UNESP/Jacoticabal, CAPES, 14870-000 Jacoticabal, Brasilien / Brazil; E-Mail: gjmoraes@carpa.ciagri.usp.br
- MOMEN, DR. F.M., Pests and Plant Protection Department, National Research Center, El Tahrir Street, Dokki, Cairo 12311, Ägypten / Egypt
- MORAES, DR. GILBERTO J. DE, Depto. Zoologia, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, Brasilien / Brazil; E-Mail: gjmoraes@carpa.ciagri.usp.br
- MORALES-MALACARA, DR. JUAN B., Laboratorio de Acarologia, Dep. Biol., Fac. Cienc., Univ. Nacional Autonoma Mexico, Distrito Federal, Coyoacan 04510, Mexico; E-Mail: jbmm@hp.fcienicias.unam.mx
- MORAZA, DR. MARIA LOURDES, Depart. de Zool. y Ecol., Univ. de Navarra, C/Irun-Iarrea, s/n, 31080 Pamplona (Navarra), Spanien / Spain; E-Mail: mlmoraza@unav.es
- MORETTO, DR. GERALDO, Departamento de Ciencias Naturais, Universidade Regional de Blumenau, 89.01, 0-971, Blumenau, SC, Brasilien / Brazil; E-Mail: gmoretto@furb.rct-sc.br
- MURILHAS, DR. ANTONIO M., Instituto de Ciencias Agrarias Mediterranicas, Universidade de Evora, 7000 Evora, Portugal; E-Mail: murilhas@uevora.pt
- MUSSURY, DR. ROSILDA M., UNIGRAN em convenio com a EMBRAPA, Centro Universitario da Grande Dourados, Dourados, MS, Brasilien / Brazil; E-Mail: r.mussury@bol.com.br
- NACHMAN, DR. GOSTA, Dept. of Population Ecology, Zoological Institute, University of Copenhagen, Universitetsparken 15, 2100 Copenhagen, Dänemark / Denmark; E-Mail: gnachman@zi.ku.dk
- NAVAJAS, DR. MARIA, CBGP-INRA, Campus International de Baillarguet, CS 30 016, 34988 Montferrier sur Lez Cedex, Frankreich / France; E-Mail: navajas@ensam.inra.fr
- NAZZI, DR. FRANCESCO, Dipartimento di Biologia applicata, alla Difesa delle Piante, Universita di Udine, Via delle Scienze 208, 33100 Udine, Italien / Italy; E-Mail: francesco.nazzi@pldef.uniud.it

- NIELSEN, DR. PER S., Danish Pest Infestation Labor., Skovbrynet 14, 2800 Kongens Lyngby, Dänemark / Denmark; E-Mail: P.S.Nielsen@SSL.DK
- NIEMCZYK, DR. EDMUND, Research Institute of Pomology and Floriculture, Pomologiczna 18, 96-100 Skiernewice, Polen / Poland
- NODA, DR. TAKASHI, Department of Insect Genetics and Evolution, National Institute of Agrobiological Sciences, Tsukuba, Ibaraki, 305-8634, Japan; E-Mail: nodat@affrc.go.jp
- NORDENFORS, DR. HELENA, Dep. of Parasitol. (SWEPAR), Natl. Vet. Inst., Swedish Univ. of Agricultural Sciences, PO Box 7073, 751 89 Uppsala, Schweden / Sweden; E-Mail: helena.nordenfors@sva.se
- NORTON, PROF. DR. ROY A., Coll. Environ. Sci. & Forestry, State Univ. of New York, 1 Forestry Drive, Syracuse, NY, 13210-2778, USA; E-Mail: ranortom@mailbox.syr.edu
- OSLER, DR. GRAHAM H.R., Soil Science and Plant Nutrition, Faculty of Agriculture, Univ. of Western Australia, Nedlands, WA, 6907, Australien / Australia; E-Mail: gosler@agric.uwa.edu.au
- OSTOVAN, DR. HADI, Dep. of Entomology, Post Graduate & Adv. Res. Branch, Islamic Azad Univ., P.O. Box 19395.1775, Teheran, Iran
- PALACIOS-VARGAS, DR. JOSE G., Lab. Ecología y Sistemática, de Microartrópodos, Dpto. Biología, Fac. Ciencias, UNAM, 04510 México, D.F., Mexiko / Mexico
- PANDIT, DR. SUBRATA, Department of Zoology, Vidyasagar University, Midnapore, WB, 721102, Indien / India
- PAVLOVIC, DR. IVAN, Scientific Veterin. Inst. of Serbia, Velizara Kosanovica 49, 11000 Beograd, Jugoslawien / Jugoslavia
- PEACHEY, DR. R.E., Department of Horticulture, Oregon State University, Corvallis, OR, 97331-7304, USA; E-Mail: peacheye@bcc.orst.edu
- PENG, DR. CHRISTINE Y.S., Department of Entomology, University of California, Davis, CA, 95616, USA; E-Mail: cypseng@ucdavis.edu
- PEREZ, DR. S. GERARDO, Instituto Politecnico Nacional, CIIDIR Unidad Durango, Zarco 106, 34890 Vicente Guerrero, DGO, Mexiko / Mexico
- PETROVA, DR. VALENTINA, Institute of Biology, Univ. of Latvia, Miera iela 3, 2169 Salaspils, Lettland / Latvia; E-Mail: vpetrova@hotmail.com
- PFEIFFER, DR. DOUGLAS G., Department of Entomology, Virginia Tech, Blacksburg, VA, 24061-0319, USA; E-Mail: dgpfeiff@vt.edu
- POLAK, DR. M., Department of Biological Sciences, University of Cincinnati, Cincinnati, OH, 45221-0006, USA; E-Mail: polakm@email.uc.edu
- PRATT, DR. P.D., USDA-ARS, 3205 College Avenue, Ft. Lauderdale, FL, 33314, USA; E-Mail: prattp@saa.ars.usda.gov
- RADOVSKY, DR. FRANK J., Department of Entomology, Oregon State University, 2046 Cordley Hall, Corvallis, OR, 97331, USA
- RICE, DR. NATHAN D., Department of Biological Sciences, Simon Fraser University, Burnaby, BC, V5A 1S6, Kanada / Canada
- RIGAMONTI, DR.IVO E., Istituto di Entomologia Agraria, Università degli Studi di Milano, Via Celoria 2, 20133 Milano, Italien / Italy; E-Mail: ivo.rigamonti@unimi.it
- RIJN, DR. PAUL C.J. VAN, Univ. of Amsterdam, Institute for Biodiversity and Ecosystems Dyn., Kruislaan 302, 1098 SM Amsterdam, Niederlande / The Netherlands; E-Mail: rijn@science.uva.nl
- RINDERER, DR. THOMAS E., ARS Honey Bee Breeding, Genetics and Physiology Laboratory, USDA, 1157 Ben Hur Road, Baton Rouge, LA 70820-5502, USA; E-Mail: trinderer@ars.usda.gov
- ROBINSON, DR. M.T., IPM Unit and Centre for Environmental Stress and Adaptation Research, Department of Genetics, La Trobe University, Bundoora, VIC, 3083, Australien / Australia
- RODA, DR. A., Abt. für Molekularökologie, Max Planck Institut für chemische Ökologie, Carl Zeiss Promenade 10, 07745 Jena, Deutschland / Germany; E-Mail: roda@ice.mpg.de
- ROJAS, DR. M. DE, Department of Microbiology and Parasitology, Faculty of Pharmacy, Sevilla University, Prof. Garcia Gonzalez s/n, Sevilla, 41012, Spanien / Spain; E-Mail: derojas@us.es
- ROMANIUK, DR. KONSTANTY, ul. Sloneczna 42, 10-710 Olsztyn, Polen / Poland
- ROYCE, DR. LYNN A., Dep. of Entomol., Oregon State University, Cordley Hall 2046, Corvallis, OR, 97331-2907, USA; E-Mail: roycel@ava.bcc.orst.edu
- RUSVAI, DR. MIKLOS, Department of Microbiology and Infectious Diseases, Faculty of Veterinary Science, Szent Istvan University, 1581 Budapest, Ungarn / Hungary; E-Mail: rusvai@novell.vmri.hu

- SABELIS, PROF. DR. MAURICE W., Institute for Biodiversity and Ecosystem Dynamics, Section Population Biology, University of Amsterdam, 1090 GB, Amsterdam, Niederlande / The Netherlands; E-Mail: sabelis@bio.uva.nl
- SAITO, DR. YUTAKA, Graduate School of Agriculture, Hokkaido University, Sapporo, Hokkaido, 060-8589, Japan; E-Mail: yutsat@res.agr.hokudai.ac.jp
- SALMANE, DR. INETA, Institute of Biology, University of Latvia, Miera iela 3, 2169 Salaspils, Lettland / Latvia; E-Mail: incis@email.lubi.edu.lv
- SALMINEN, DR. JANNE, Faculty of Technology, Lahti Polytechnic, Stalberginkatu 10, 5110 Lahti, Finnland / Finland; E-Mail: janne.salminen@lpt.fi
- SANTILLAN, DR. GALICIA M.T., Instituto de Fisiosanidad, Programa de Entomologia y Acarologia, Colegio de Postgraduados, 56230 Montecillo, Mexiko / Mexico; E-Mail: tgalicia@colpos.colpos.mx
- SATO, DR. MARIO E., Centro Exp. do Istituto Biol., Rodovia Heitor Penteado km 3.5, Caixa Postal 70, 13001-970 Campinas, Brasilien / Brazil; E-Mail: mesato@biologico.br
- SCHMOLZ, DR. ERIK, Freie Universität Berlin, Institut für Zoologie, Königin-Luise-Str. 1-3, 14195 Berlin, Deutschland / Germany; E-Mail: eschmolz@zedat.fu-berlin.de
- SCHMÖLZER, DR. KARL, Hauptstrasse 26 D 5/5, 2351 Wiener Neudorf, Österreich / Austria
- SEELEY, DR. THOMAS D., Department of Neurobiology and Behavior, Cornell University, Ithaca, NY, 14853, USA; E-Mail: tds5@cornell.edu
- SENGONCA, PROF. DR. CETON, Abteilung Entomologie und Pflanzenschutz, Institut für Phytopathologie, Universität Bonn, Nussallee 9, 53115 Bonn, Deutschland / Germany
- SENICZAK, DR. STANISLAW, Dep. Ecol., Univ. Technol. Agric., ul. ks. Kordeckiego 20, 85-225 Bydgoszcz, Polen / Poland; E-Mail: seniczak@mail.atr.bydgoszcz.pl
- SHIH, DR. CHAIN-ING T., Department of Entomology, National Chung-Hsing-Univ., 205 Kuokuang Road, Taichung 40227, Taiwan; E-Mail: cishih@nchu.edu.tw
- SHORTHOUSE, DR. JOSEPH D., Department of Biology, Laurentian University, Sudbury, ON, P3E 2C6, Kanada / Canada; E-Mail: jshortho@nickel.laurentian.ca
- SKIRVIN, DR. DAVID J., Horticulture Research International, Dep. of Entomol. Sciences, Wellesbourne, Warwick, CV35 9EF, Großbritannien / United Kingdom; E-Mail: dave.skirvin@hri.ac.uk
- SKLYAR, DR. V.E., ul. Nesterova 18. kv. 14, 36007 Poltava-7, Ukraine / Ukraina
- SOLIMAN, DR. SOHAIL, Department of Zoology, Faculty of Science, Ain Shams University, Abbassia, Cairo, 11566, Ägypten / Egypt
- SPIVAK, DR. MARLA, Department of Entomology, 219 Hodson Hall, Univ. Minnesota, 1980 Folwell Avenue, St. Paul, MN, 55108-6125, USA; E-Mail: spiva001@tc.umn.edu
- STANYUKOVICH, DR. MARIA K., Lab. Parasitol., Zool. Inst., Russian Acad. Sci. Univ., University Embankment 1, fl. 5, 199034 St. Petersburg B-34, Russland / Russia
- STEBAEVA, DR. S.K., Institute of Animal Systematics and Ecology, Siberian Division, Russian Academy of Sciences, Novosibirsk, 630091, Russland / Russia
- STEKOL'NIKOV, DR. A.A., Zoological Institute, Russian Academy of Sciences, St. Petersburg 199034, Russland / Russia
- SUMPTER, DR. D.J.T., Department of Mathematics, Univ. of Manchester Inst. of Science and Technol., Manchester, M60 1QD, Großbritannien / United Kingdom; E-Mail: sumpter@maths.ox.ac.uk
- SWIFT, DR. SABINA F., Depart. of Plant and Environ. Prot. Sci., University of Hawaii at Manoa, 3190 Maile Way, St. John 307, Honolulu, HI, 96822-2271, Hawaii; E-Mail: sabina@hawaii.edu
- SWIRSKI, PROF. E., Dep. of Entomology, Inst. of Plant Protection, Volcani Center, ARO, P.O. Box 6, Bet Dagan 50-250, Israel
- SZYMKOPIAK, DR. PAWEŁ, Dep. of Anim. Taxon. & Ecol., A. Mickiewicz Univ., Szamarzewskiego 91A, 60-569 Poznan, Polen / Poland; E-Mail: szymkowi@main.amu.edu.pl
- TAKABAYASHI, DR. JUNJI, Laboratory of Ecological Inform., Graduate School of Agriculture, Kyoto University, Kitashirakawa, Kyoto, 606-8502, Japan; E-Mail: junji@kais.kyoto-u.ac.jp
- THIND, DR. B.B., Central Science Laboratory, Ministry of Agriculture Fisheries and Food, Sand Hutton, York, YO41 1LZ, Großbritannien / United Kingdom; E-Mail: b-thined@csl.gov.uk
- TIXIER, DR. MARIE-STÉPHANE, ENSA/INRA, UFR d'Ecologie animale et de Zoologie agricole, Laboratoire d'Acarologie, 2 Place Pierre Viala, 34060 Montpellier Cedex 1, Frankreich / France; E-Mail: garcin@ensam.inra.fr

TRILTSCH, DR. HOLGER, BA für Land- und Forstwirtschaft, Institut für integrierten Pflanzenschutz, Stahnsdorfer Damm 81, 14532 Kleinmachnow, Deutschland / Germany; E-Mail: triltsch@bba.de

TSUNODA, DR. TAKASHI, The Public Health, Lab. Chiba Prefecture, 666-2 Nitona-cho, Chiba, 280, Japan

URHAN, DR. RASIT, Department of Biology, Faculty of Science and Arts, Pamukkale University, 20100 Denizli, Türkei / Turkey; E-Mail: urhan@pamukkale.edu.tr

VANDAME, DR. REMY, Unidad Tapachula, Proyecto 'Abejas de Chiapas', ECOSUR, Apdo. postal 36, 30700 Tapachula, Chiapas, Mexiko / Mexico; E-Mail: rvandame@tap-ecosur.edu.mx

VERMA, MR. S., Department of Bio-Sciences, H.P. University, Shimla, 171 005, Indien / India

WALSH, DR. DOUGLAS B., Department of Entomology, Washington State University, Prosser, WA, 99350, USA

WALTER, DR. DAVID EVANS, Department of Zoology and Entomology, University of Queensland, St. Lucia, Brisbane, QLD, 4072, Australien / Australia; E-Mail: d.walter@mailbox.uq.edu.au

WALZER, MAG. ANDREAS, Bundesanstalt u. Forschungszentrum für Landwirtschaft, Institut für Phytomedizin, Spargelfeldstr. 191, 1226 Wien, Österreich / Austria; E-Mail: awalzer@relay.bfl.at

WALZL, DR. MANFRED G., Zoologisches Institut, Universität Wien, Althanstr. 14, 1090 Wien, Österreich / Austria

WHITAKER, DR. JOHN O., Department of Life Studies, Indiana State University, Terre Haute, IN, 47809, USA; E-Mail: iswhitak@scifac.indstate.edu

WILKINSON, DR. D., Central Science Laboratory, Sand Hutton, York, YO41 1LZ, Großbritannien / United Kingdom; E-Mail: d.wilkinson@csl.gov.uk

WILLEMSE, DR. ELLEN, Univ. Amsterdam, Sect. Popul. Biol., IBED, 1090 GB Amsterdam, Niederlande / The Netherlands; E-Mail: elcyclo@hotmail.com

WU, DR. WEI-NAN, Guangdong Inst. Entomol., 105 Xiangang Road West, Guangzhou, Guangdong 510260, China

YODER, DR. JAY A., Department of Biology, Wittenberg University, Springfield, OH, 45501, USA; E-Mail: jyoder@wittenberg.edu

YUTAKA, DR. SAITO, Department of Ecology and Systematics, Graduate School of Agriculture, Hokkaido Univ., Kita 9 Nishi 9 Kitaku, Sapporo 060-8589, Japan; E-Mail: yutsat@res.agr.hokudai.ac.jp

ZALOM, DR. FRANK G., Department of Entomology, University of California, One Shields Avenue, Davis, CA, 95615, USA

ZEGULA, DR. THORSTEN, Abt. Entomologie und Pflanzenschutz, Institut für Pflanzenkrankheiten, Universität Bonn, Nußallee 9, 53115 Bonn, Deutschland / Germany; E-Mail: thorsten.zegula@uni-bonn.de

ZHANG, DR. ZHI-QIANG, Landcare Research, Private Bag 92-170, Auckland, Neuseeland / New Zealand; E-Mail: zhangz@landcare.cri.nz

ZHANG, DR. YAN-XUAN, Institute of Plant Protection, Fujian Academy of Agricultural Sciences, Fuzhou 350013, China; E-Mail: zxylj@pub3.fz.fj.cn

ZHANG, DR. YUN, Institute of Military Medicine, Nanjing Command of PLA, Nanjing, 210002, China

Anschrift der Verfasser:

Dr. Axel Christian

Kerstin Franke

Staatliches Museum für Naturkunde Görlitz

Postfach 300 154

D-02806 Görlitz

Tel.: 0049-3581-4760 201

Fax.: 0049-3581-4760 101

Email: Axel.Christian@smng.smwk.sachsen.de

Kerstin.Franke@smng.smwk.sachsen.de

HomePage: <http://www.naturkundemuseum-goerlitz.de>

erschienen am: 30.11.2003

Inhalt / Contents

Christian, A.: Vorwort	1
Christian, A. & K. Franke: Mesostigmata Nr. 14	3-32

Acarologische Literatur / Acarological literature

- Publikationen 2003 / <i>Publications 2003</i>	4
- Publikationen 2002 / <i>Publications 2002</i>	4
- Publikationen, Ergänzung 2001 / <i>Publications, additions 2001</i>	11
- Publikationen, Ergänzung 2000 / <i>Publications, additions 2000</i>	15
- Publikationen, Ergänzung 1999 / <i>Publications, additions 1999</i>	17
- Publikationen, Ergänzung 1998 / <i>Publications, additions 1998</i>	17

Nomina nova

- Neue Arten / <i>New species</i>	20
- Neue Gattungen / <i>New genera</i>	23
- Neue Untergattungen / <i>New subgenera</i>	23
- Neue Kombination / <i>New combinations</i>	23
- Neue Synonyme / <i>New synonyms</i>	23
- Neue Namen / <i>New names</i>	24
Adressen / Addresses	24