


ISSN 1618-8977

# ACARI

Bibliographia Acarologica



**Oribatida**



Band 4 (2)

2004

# **Staatliches Museum für Naturkunde Görlitz**

## **ACARI**

### **Bibliographia Acarologica**

Herausgeber: Dr. Axel Christian  
im Auftrag des Staatlichen Museums für Naturkunde Görlitz

Anfragen erbeten an:

ACARI  
Dr. Axel Christian  
Staatliches Museum für Naturkunde Görlitz  
PF 300 154, D-02806 Görlitz

„ACARI“

ist zu beziehen über:  
Staatliches Museum für Naturkunde Görlitz – Bibliothek  
PF 300 154, D-02806 Görlitz

Eigenverlag Staatliches Museum für Naturkunde Görlitz  
Alle Rechte vorbehalten  
Titelgrafik: E. Mättig  
Druck: MAXROI Graphics GmbH, Görlitz

---

*Editor-in-chief: Dr Axel Christian  
authorised by the Staatliches Museum für Naturkunde Görlitz*

*Enquiries should be directed to:  
ACARI  
Dr Axel Christian  
Staatliches Museum für Naturkunde Görlitz  
PF 300 154, 02806 Görlitz, Germany*

*‘ACARI’  
may be ordered through:  
Staatliches Museum für Naturkunde Görlitz – Bibliothek  
PF 300 154, 02806 Görlitz, Germany*

*Published by the Staatliches Museum für Naturkunde Görlitz  
All rights reserved  
Cover design by: E. Mättig  
Printed by MAXROI Graphics GmbH, Görlitz, Germany*

## Oribatida Nr. 35

Thomas Schwalbe und Kerstin Franke  
Staatliches Museum für Naturkunde Görlitz

Unter dem Titel „Oribatida“ wird jährlich eine Auflistung der neuesten gedruckten oder geplanten Arbeiten über Oribatiden publiziert, soweit sie uns bekannt wurden. Die Zusendung Ihrer Publikationen als Sonderdruck oder Kopie sowie Informationen über gerade laufende Arbeiten sind die Basis dieser Bibliographie und unserer Datenbank. Vorschläge und Kritiken sind zur Verbesserung sehr willkommen.

Die Datenbank über Oribatei enthält gegenwärtig etwa 8726 Datensätze zur Literatur und rund 4237 Datensätze zu den Taxa. Recherchen zur Literatur und zu den Taxa werden auf Wunsch nach Stichwörtern durchgeführt und die Abfrageergebnisse zugeschickt.

Wir sind bemüht, die Referenzsammlungen der Milbengruppen zu erweitern und interessiert an der Übernahme von determiniertem Milbenmaterial. Selbstverständlich können in den acarologischen Sammlungen des Staatlichen Museums für Naturkunde Görlitz auch weiterhin Typen und Paratypen hinterlegt werden. Durch die ständige wissenschaftliche und präparatorische Betreuung der umfangreichen Sammlungen durch derzeit 3 Wissenschaftler und technische Mitarbeiter ist ein hoher Bearbeitungsstand und eine gute Zugänglichkeit gewährleistet. Es ist vorgesehen, die Daten der Typen mit ihren Originalbeschreibungen im Internet zugänglich zu machen.

*Under the title "Oribatida", the current printed or planned publications on oribatid mites are listed every year as far as they have come to our knowledge. Please help us to keep the literature database as complete as possible by sending us reprints or copies of all your papers on oribatid mites, or, if this is not possible, complete references so that we can include them in the list. Proposals for improvement and criticism are very welcome. Please inform us, if we have failed to list all your publications in the Bibliographia.*

*The database about oribatid mites presently contains 8726 papers and around 4237 taxa. Every scientist who sends keywords for investigations can receive a list of literature or taxa.*

*We are presently endeavouring to extend the reference collections on mites and interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the State Museum of Natural History Görlitz will also remain possible in the future. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. For the future it is planned to publish the types and the original descriptions in the Internet.*

## Acarologische Literatur / Acarological literature

Literaturzitate in fett gedruckter Schrift enthalten Beschreibungen neuer Arten. Mit „\*“ markierte Titel liegen nur als Zitat oder Kurzfassung vor. Die Adressen der Autoren sind im Teil Adressen / Addresses zusammengestellt.

*Literature quotations printed in bold type contain descriptions of new species. Titles marked with "\*" were only found as a citations or abstract. The addresses of the corresponding authors are given in the part Adressen / Addresses.*

### Publikationen 2004 / Publications 2004

- AVANZATI, A.M., N. SALOMONE, M. BARATTI & F. BERNINI (2004):\* Genetic diversity in the *Carabodes marginatus* species group (Acari, Oribatida, Carabodidae) as inferred from allozymes. - Journal of Natural History **38**,15: 1927-1940
- BAYARTOGTOKH, B. (2004):\* **Oribatid mites of the genera Belba and Belbodamaeus (Acari, Oribatida, Damaeidae) from Eastern Mongolia.** - Zootaxa **476**: 1-11
- BECK, L., J. RÖMBKE, A. RUF, A. PRINZING & S. WOAS (2004): Effects of diflubenzuron and *Bacillus thuringiensis* var. *kurstaki* toxin on soil invertebrates of a mixed deciduous forest in the Upper Rhine Valley, Germany. - European Journal of Soil Biology **40**: 55-62
- DUCARME, X., H.M. ANDRE, G. WAUTHY & P. LEBRUN (2004): Are there real endogeic species in temperate forest mites? - Pedobiologia **48**: 139-147
- FUJIKAWA, T. (2004): **Nineteen new species from the Shirakami-sanchi World Heritage Area, Nippon (Acari, Oribatida).** - Acarologia **44**,1-2: 97-131
- FUJIKAWA, T. (2004): **A new species of Allonothrus from Shikoku Island, Japan (Acari, Oribatei).** - Edaphologia **74**: 11-14
- FUJIKAWA, T. (2004): 3.6.5. Oribatida. In: A Monitoring Method Development for the Forest Ecosystem Conservation of the Shirakami-Sanchi World Heritage Site and a Forest Management Method Development for Harmonization with Forest Utilization in its Surrounding Areas. [Orig. Jap.]: 165-222
- HEETHOFF, M. (2004):\* Genetic diversity and evolutionary age of parthenogenetic oribatid mites (Acari, Oribatida). - PhD Thesis, Technische Universität Darmstadt: 1-140
- KARASAWA, S. & N. HIJII (2004): Effects of microhabitat diversity and geographical isolation on oribatid mite (Acari, Oribatida) communities in mangrove forests. - Pedobiologia **48**,3: 245-256
- KOOLHAAS, J.E., C.A.M. VAN GESTEL, J. RÖMBKE, A.M. SOARES & S.E. JONES (2004): Ring-testing and field-validation of a Terrestrial Model Ecosystem (TME): An instrument for testing potentially harmful substances: Effects of carbendazim on soil microarthropod communities. - Ecotoxicology **13**,1-2: 75-88
- MARAUN, M., M. HEETHOFF, K. SCHNEIDER, S. SCHEU, G. WEIGMANN, J. CIANCIOLI, R.H. THOAMS & R.A. NORTON (2004): Molecular phylogeny of oribatid mites (Oribatida, Acari): evidence for multiple radiations of parthenogenetic lineages. - Experimental & Applied Acarology **33**: 183-201
- MINOR, M.A., T. VOLK & R.A. NORTON (2004): Effects of site preparation techniques on communities of soil mites (Acari, Oribatida, Acari, Gamasida) under short-rotation forestry plantings in New York, USA. - Applied Soil Ecology **25**,3: 181-192
- NAKAMURA, Y. & T. FUJIKAWA (2004): **Report on oribatid mites in eco-friendly agriculture with a description of third new species of the genus Cosmogalumna from the litter of coconut palm tree on Ishigaki Island, in Southern Japan.** - Memoirs of the Faculty of Agriculture, Ehime University. **49**: 11-18
- NIEDBALA, W. (2004): **Ptyctimous mites (Acari, Oribatida) of the neotropical region.** - Annales Zoologici **54**,1: 1-228
- NIEMI, R. & V.M. BEHAN-PELLETIER (2004): **Nuhivabates n. gen., and two new species, N. nukuhiva n. sp. and N. hivaao n. sp. from Marquesas Islands (Acari, Oribatida, Mycobatidae).** - Acarologia **44**,1-2: 73-85
- NOZAKI, M. & Y. NAKAMURA (2004): **A new species of the genus Minguezetes from rice stubble of paddy field after grain harvest in Japan (Acari, Oribatida).** - Acarologia **44**,1-2: 87-95

- OLSZANOWSKI, Z. & M. KUTY (2004): Redescription of *Platynothrus bicarinatus* Jacot, 1938 (Acari, Oribatida, Camisiidae) with remarks on the morphology of juvenile stages. - *Annales Zoologici* **54**,2: 481-490
- SANDERS, F.H. & R.A. NORTON (2004): Anatomy and function of the ptychoid defensive mechanism in the mite *Euphthiracarus cooki* (Acari, Oribatida). - *Journal of Morphology* **259**: 119-154
- SCHATZ, H. (2004): Die Hormilbenfamilie Brachychthoniidae (Acari, Oribatida) in Tirol (Österreich). - *Denisia* **14**: 343-355
- SCHNEIDER, K., S. MIGGE, R.A. NORTON, S. SCHEU, R. LANGEL, A. REINEKING & M. MARAUN (2004):\* The "enigma of soil animal species diversity" reconsidered in oribatid mites (Oribatida, Acari) using stable isotope ratios (15N / 14N). - *Soil Biology & Biochemistry*: im Druck / *in press*
- SCHNEIDER, K., S. MIGGE, R.A. NORTON, S. SCHEU, R. LANGEL, A. REINEKING & M. MARAUN (2004):\* Trophic niche differentiation in oribatid mites (Oribatida, Acari): evidence from stable isotope ratios (15N / 14N). - *Soil Biology & Biochemistry*: im Druck / *in press*
- SHIMANO, S. (2004):\* Oribatid mites (Acari, Oribatida) as an intermediate host of Anoplocephalid cestodes in Japan. - *Applied Entomology and Zoology* **39**,1: 1-6
- SHIMANO, S. & R.A. NORTON (2004):\* Is the Japanese oribatid mite *Euphthiracarus foveolatus* Aoki, 1980 (Acari, Euphthiracaridae) a junior synonym of *E. cibrarius* (Berlese, 1904)? - *Journal of the Acarological Society of Japan* **12**,2: 115-126
- SKUBALA, P. (2004): Colonization and development of oribatid mite communities (Acari, Oribatida) on post-industrial dumps. - Wydawnictwo Uniwersytetu Śląskiego, Katowice: 5-207
- SKUBALA, P. & A. KAFEL (2004): Oribatid mite communities and metal bioaccumulation in oribatid species (Acari, Oribatida) along the heavy metal gradient in forest ecosystems. - *Environmental Pollution* **132**: 51-60
- SMRŽ, J. & R.A. NORTON (2004): Food selection and internal processing in *Archegozetes longisetosus* (Acari, Oribatida). - *Pedobiologia* **48**: 111-120
- WEIGMANN, G. & F.D. MONSON (2004): **A new genus and species of Haplozetidae (Arachnida, Acari) from Great Britain with a key to the European genera.** - *Journal of Natural History* **38**: 1415-1420
- YANOVIAK, S.P. & H. WALKER (2004): Arthropod assemblages in vegetative vs. humic portions of epiphyte mats in a neotropical cloud forest. - *Pedobiologia* **48**,1: 51-59

### **Publikationen 2003 / Publications 2003**

- AL DEEB, M.A., G.E. WILDE, J.M. BLAIR & T.C. TODD (2003):\* Effect of Bt corn for corn rootworm control on nontarget soil microarthropods and nematodes. - *Environmental Entomology* **32**,4: 859-865
- ALBERTI, G., A. SENICZAK & S. SENICZAK (2003): The digestive system and fat body of an early-derivative oribatid mite, *Archegozetes longisetosus* Aoki (Acari, Oribatida, Trhypochthoniidae). - *Acarologia* **43**,1: 151-222
- AOKI, J. (2003):\* A new species of oribatid mite of the genus *Dolicheremaeus* (Otocepheidae) from Tokyo. - *Acta Arachnologica* **52**,1: 31-33
- AVANZATI, A.M., N. SALOMONE, M. BARATTI & F. BERNINI (2003):\* Taxonomic revision of *Amerus troisi* (Berlese, 1883) (Acari, Oribatida, Ameridae) using morphological and biochemical character. - *Journal of Natural History* **37**: 797-819
- BADEJO, M.A., S. WOAS & L. BECK (2003): New pterogasterine mites from Nigeria and Brazil II. *Protoribates*. - *Acarologia* **43**,1: 119-132
- BAYARTOGTOKH, B. (2003): Four species of Oribatid mites (Acari, Oribatida) from Central and Southern Mongolia, with notes on the genera *Montizetes* and *Zachvatkinibates*. - *Mongolian Journal of Biological Sciences* **1**,1: 3-19
- BAYARTOGTOKH, B. (2003):\* Taxonomic studies of oribatid mites (Acari, Oribatida) of Mongolia. In: Shimura, J. (Ed.), *Global Taxonomy Initiative in Asia*.: 224-229
- BAYARTOGTOKH, B. (2003):\* The soil mite family Eremaeidae (Acari, Oribatida) in Mongolia, with remarks on distribution and diversity of known genera. - *Journal of Natural History* **17**,13: 1571-1610
- BAYARTOGTOKH, B. & I.E. SMELYANSKY (2003): New and little known species of *Bipassalozetes* and some other related genera (Acari, Oribatida) from Russia and Kazakhstan. - *Mongolian Journal of Biological Sciences* **1**,1: 31-48

- BEHAN-PELLETIER, V.M. & B. EAMER (2003): Zetomimidae (Acari, Oribatida) of North America. In: Smith, I.M. (Ed.), An Acarological Tribute to David R. Cook (from Yankee Springs to Wheeny Creek). - Indira Publishing House, West Bloomfield, Michigan, USA: 21-56**
- BLACK, H.I.J., N.R. PAREKH, J.S. CHAPLOW, F. MONSON, J. WATKINS, R. CREAMER & E.D. POTTER (2003): Assessing soil biodiversity across Great Britain national trends in the occurrence of heterotrophic bacteria and invertebrates in soil. - Journal of Environmental Management 67: 255-266**
- COETZEE, L. (2003): A new genus and species *Floritrichus lousbothai* (Acari, Oribatida, Oripodoidea, Zetomotrichidae) from South Africa. - Navorsinghe nazionale Museum, Bloemfontein 19,5: 93-100**
- COETZEE, L. & J.S. BRINK (2003): Fossil oribatid mites (Acari, Oribatida) from the Florisbad Quaternary deposits, South Africa. - Quaternary Research 59: 246-254**
- COETZEE, L. & D.J. MARSHALL (2003): A new *Halozetes* species (Acari, Oribatida, Ameronothridae) from the marine littoral of southern Africa. - African Zoology 38,2: 327-331**
- CORPUZ-RAROS, L.A. & R.C. GARCIA (2003):\* Three new species and five new records of primitive oribatids from the Philippines (Acari, Oribatida). - Asia Life Sciences 12,1: 1-18**
- COVARRUBIAS, R. & I. MELLADO (2003): Microartrópodos de suelos asociados a vegetación altiplánica. I. Parque Nacional Volcán Isluga Chile. - Acta Entomologica Chilena 27: 25-35**
- FERNANDEZ, N.A. & R. CLEVA (2003): Contribution à la connaissance de la faune oribatologique de la Province de Cordoba, Argentine. III. *Plesiodamaceus tabuencai* n. sp.. - Acarologia 43,4: 399-409**
- FUJIKAWA, T. (2003): A new species of the genus *Hypochthonius* (Acari, Oribatida). - Edaphologia 73: 11-17**
- FUJIKAWA, T. (2003): Thirteen new species from the Shirakami-sanchi World Heritage Area (Acari, Oribatida). - Acarologia 43,4: 369-392**
- GROBLER, L. (2003): The genus *Furcoppia* (Acari, Oribatida) from South Africa. - Navorsinge nazionale Museum, Bloemfontein 19,7: 161-179**
- GROBLER, L., S.K. OZMAN & S. COBANOGLU (2003): The genera *Liacarus*, *Stenoxenillus* and *Xenillus* (Oribatida, Gustavioidea) from Turkey. - Acarologia 43,1: 133-149**
- HORAK, F. (2003): Feinstrukturiertheit der Oribatidenpopulationen im Lennebergwald bei Mainz. - Mitteilungen zum Jahrestreffen der AG Bodenmesofauna 19: 1-7**
- HUBERT, J. & S. TUCKOVA (2003): The oribatid communities (Acari, Oribatida) on different stands of two meadows. - Ekológia 22,4: 443-456**
- ITO, F. & J. AOKI (2003):\* Bionomics of the myrmecophilous oribatid mite *Protoribates myrmecophilus* (Acari, Oribatida) in the Oriental tropics. - Journal of Natural History 37,19: 2383-2391**
- KRIVOLUTSKIJ, D.A. & E.A. SIDORCHUK (2003):\* Subfossil oribatid mites in the holocene deposits of the Arkhangelsk region. [Orig. Russ.] - Doklady Akademii Nauk 392,3: 421-425**
- LAUMANN, M. (2003): Chromosomenuntersuchungen an parthenogenetischen Oribatiden. - Mitteilungen zum Jahrestreffen der AG Bodenmesofauna 19: 15-17**
- LOPEZ, M.G., M.R. MATESANZ, J.B.J. LIDON & D.J.D. COSIN (2003):\* The effect of *Hormogaster elisae* (Hormogastridae) on the abundance of soil Collembola and Acari in laboratory cultures. - Biology and Fertility of Soils 37,4: 231-236**
- MAHUNKA, S. (2003): János Balogh the Zoologist. - Acta Zoologica Hungarica 49: 307-312**
- MAHUNKA, S. (2003): János Balogh (1913-2002). - Acta Zoologica Hungarica 49:**
- MAHUNKA, S. (2003): *Baloghozetes* gen. n. and two new species from Kenya (Acari, Oribatida). - Acta Zoologica Hungarica 49,1: 17-23**
- MAHUNKA, S. & L. MAHUNKA-PAPP (2003): Contribution to the knowledge of the hungarian oribatida fauna (Acari). I. - Acta Zoologica Hungarica 49,4: 255-260**
- MAHUNKA, S. & L. MAHUNKA-PAPP (2003): Oribatids from Switzerland VIII (Acari, Oribatida, Pytictima). (Acarologica Genavensis CII) - Revue suisse de zoologie 110,3: 453-481**
- MARAUN, M., M. HEETHOFF, S. SCHEU, R.A. NORTON, G. WEIGMANN & R.H. THOMAS (2003): Radiation in sexual and parthenogenetic oribatid mites (Oribatida, Acari) as indicated by genetic divergence of closely related species. - Experimental & Applied Acarology 29: 265-277**
- MARAUN, M., J.A. SALAMON, K. SCHNEIDER, M. SCHAEFER & S. SCHEU (2003): Oribatid mite and collembolan diversity, density and community structure in a moder beech forest (*Fagus sylvatica*): effects of mechanical perturbations. - Soil Biology & Biochemistry 35,10: 1387-1394**

- MIZUTANI, Y., S. SHIMANO & J. AOKI (2003):\*** A new species of *Hermaniella* (Acari, Oribatida, Hermaniellidae) from forest soil in Tokyo. - *Journal of the Acarological Society of Japan* **12**,2: 87-92
- MORDKOVICH, V.G., V.S. ANDRIEVSKY, O.G. BEREZINA & I.I. MARCHENKO (2003):\* Zoological method of soil diagnostics in northern taiga of Western Siberia. [Orig. Russ.] - *Zoologiceskij Zurnal* **82**,2: 188-196
- MURVANIDZE, M. & G. WEIGMANN (2003):** Contribution to the oribatid mite fauna of Georgia. 1. New species of *Poronota* (Acari, Oribatida). - *Spixiana* **26**,2: 165-170
- NIEDBALA, W. (2003):\*** New species of ptyctimous oribatid mites from the Neotropical Region, described in honour of Prof. Dr. Janos Balogh. - *Acta Zoologica Hungarica* **49**,3: 201-209
- NIIJIMA, K. & Y. MIZUTANI (2003):\* Studies on soil invertebrates in the Tama Forest Science Garden 1. Oribatid mites. [Orig. Jap.] - *Bulletin of Forestry and Forest Production Research Institute* **2**,1: 53-60
- NORTON, R.A., F.H. SANDERS & M.A. MINOR (2003):** *Euphthiracarus cooki* n. sp., a new oribatid mite (Acari, Oribatida) from Michigan and New York. In: Smith, I.M. (Ed.), *An Acarological Tribute to David R. Cook*. - Yankee Springs to Wheeny Creek, Indira Publishing House, West Bloomfield: 201-210
- NOTI, M.I., H. ANDRÉ, X. DUCARME & PH. LEBRUN (2003):\* Diversity of soil oribatid mites (Acari, Oribatida) from High Katanga (Democratic Republic of Congo): A multiscale and multifactor approach. - *Biodiversity and Conservation* **12**: 767-785
- OHKUBO, N. (2003):\* A revision of Oppiidae and its allies (Acari, Oribatida) of Japan. 2. Genus *Cycloppia*. - *Journal of Acarological Society of Japan* **12**,2: 73-86
- PENTTINEN, R. & E. GORDEEVA (2003):** *Cosmochthonius zanini* sp. n. (Acari, Oribatida, Cosmochthoniidae) from the Eastern Mediterranean. - *Vestnik zoologii* **37**,5: 77-83
- RASPOTNIG, G., R. SCHUSTER & G. KRISPER (2003): Functional anatomy of oil glands in *Collohmannia gigantea* (Acari, Oribatida). - *Zoomorphology* **122**: 105-112
- REYNOLDS, B.C., D.A. CROSSLEY & M.D. HUNTER (2003): Response of soil invertebrates to forest canopy along a productivity gradient. - *Pedobiologia* **47**,2: 127-139
- ROY, S., A.K. SRIVASTAV & M.M. ROY (2003):\* Abundance of collembola and mites in *Hardwickia binata* based silvopastures in semi-arid tracts of Central India. - *Indian Forester* **129**,4: 531-537
- RUF, A., L. BECK, P. DREHER, K. HUND-RINKE, J. ROEMBKE & J. SPELDA (2003): A biological classification concept for the assessment of soil quality "Biological soil classification scheme" (BBSK). - *Agriculture, Ecosystems and Environment* **98**,1-3: 263-271
- SAKATA, T. & R.A. NORTON (2003): Opisthonotal gland chemistry of a middle-derivative oribatid mite, *Archegozetes longisetosus* (Acari, Trhypochthoniidae). - *International Journal of Acarology* **29**,4: 345-350
- SAKATA, T., S. SHIMANO & Y. KUWAHARA (2003):\* Chemical ecology of oribatid mites III. Chemical composition of oil gland exudates from *Trhypochthoniellus* sp. and *Trhypochthonius japonicus* (Acari, Trhypochthoniidae). - *Experimental & Applied Acarology* **29**: 279-291
- SALOMONE, N., A.M. AVANZATI, M. BARATTI & F. BERNINI (2003):** Genetic and morphological analysis of some european species of the "coriaceus group" of *Carabodes* (Acari, Oribatida, Carabodidae) and description of *Carabodes tyrrhenicus* sp. nov. - *Zoologischer Anzeiger* **242**: 121-136
- SCHATZ, H. (2003):** On some species of *Eremaezetes* Berlese 1913 (Acari, Oribatida, Eremaezetidae) from South Africa. - *Tropical Zoology* **16**: 113-131
- SCHEU, S., D. ALBERS, J. ALPHEI, R. BURYN, U. KLAGES, S. MIGGE, C. PLATNER & J.A. SALAMON (2003):\* The soil fauna community in pure and mixed stands of beech and spruce of different age: Trophic structure and structuring forces. - *Oikos* **101**,2: 225-238
- SCHNEIDER, K. (2003): Use of stable isotopes (delta 15N) to estimate the trophic structure of the oribatid mite community. - *Mitteilungen zum Jahrestreffen der AG Bodenmesofauna* **19**: 11-14
- SHTANCHAEVA, U.YA. & I.A. NETUZHILIN (2003):** A review of the world fauna of Scutoverticidae oribatid mites (Acari, Oribatida) with description of new species. [Orig. Russ.] - *Zoologiceskij Zurnal* **82**,7: 781-803
- SKUBALA, P. (2003): Oribatid fauna (Acari, Oribatida) of abandoned galena-calamine wastelands. - *Archives of Environmental Protection* **29**,2: 67-75
- SMITH, I.M. (ED.) (2003):\* An Acarological Tribute to David R. Cook. - Yankee Springs to Wheeny Creek, Indira Publishing House, West Bloomfield

- SØVIK, G. (2003): Observations on ovoviparity and mixed-parity mode in arctic populations of *Ameronothrus lineatus* (Acari, Oribatida). - *Acarologia* **43**,4: 393-398
- SØVIK, G. & H.P. LEINAAS (2003):\* Long life cycle and high adult survival in an arctic population of the mite *Ameronothrus lineatus* (Acari, Oribatida) from Svalbard. - *Polar Biology* **26**,8: 500-508
- SØVIK, G. & H.P. LEINAAS (2003):\* Adult survival and reproduction in an arctic mite, *Ameronothrus lineatus* (Acari, Oribatida): effects of temperature and winter cold. - *Canadian Journal of Zoology* **81**: 1579-1588
- SØVIK, G., H.P. LEINAAS, R.A. IMS & T. SOLHØY (2003): Population dynamics and life history of the oribatid mite *Ameronothrus lineatus* (Acari, Oribatida) on the high arctic Archipelago of Svalbard. - *Pedobiologia* **47**,2: 257-271
- TIUNOV, A.V. (2003):\* Impact of *Lumbricus terrestris* burrows on spatial and taxonomic structure of soil communities. - *Zoologiceskij Zurnal* **82**,2: 269-274
- UVAROV, A.V. (2003): Effects of diurnal temperature fluctuations on population responses of forest floor mites. - *Pedobiologia* **47**,4: 331-339
- WANG, H.F., Z.G. WEN & J. CHEN (2003): A checklist of oribatid mites of China (II) (Acari, Oribatida). [Orig. Chin.] - *Acta Arachnologica Sinica* **12**,1: 42-63
- WEIGMANN, G. & M. MURVANIDZE (2003): *Achipteria longisetosa* sp. n. - a new oribatid mite species from Georgia (Acari, Oribatida). - *Entomologische Mitteilungen des zoologischen Museums Hamburg* **14**,168: 149-153
- WEIGMANN, G. & M. MURVANIDZE (2003): Contribution to the Oribatid mite fauna of Georgia. 2. *Carabodes* and *Lamellocepheus* (Acari, Oribatida). - *Spixiana* **26**,3: 221-226
- YAMAMOTO, Y. & L. COETZEE (2003):\* The *Malacothrus* species from South Africa and Lesotho (Acari, Oribatida, Malacothridae). - *Acta Arachnologica* **52**,2: 113-126
- ZHANG, Z.Q. & B.E. RHODE (2003): A faunistic summary of acarine diversity in New Zealand. – Systematic and Applied Acarology **8**: 75-84

### **Publikationen, Ergänzungen 2002 / Publications, additions 2002**

- ADIS, J., A.B. BONALDO, A.D. NRESCOVIT, R. BERTANI, J.C. COKENDOLPER, B. CONDÉ, A.B. KURY, W.R. LOURENÇO, V. MAHNERT, R. PINTO-DA-ROCHA, N.I. PLATNICK, J.R. REDDELL, C.A. RHEIMS, L.S. ROCHA, J.M. ROWLAND, P. WEYGOLDT & S. WOAS (2002): Arachnida at "Reserva Ducke", Central Amazonia / Brazil. - *Amazoniana* **17**,1-2: 1-14
- BADEJO, M.A., J.A.A. ESPINDOLA, J.G.M. GUERRA, A.M. DE. AQUINO & M.E.F. CORREA (2002):\* Soil oribatid mite communities under three species of legumes in an ultisol in Brazil. – *Experimental & Applied Acarology* **27**,4: 283-296
- BADEJO, M.A., S. WOAS & L. BECK (2002): Redescription of *Archegozetes magnus* (Sellnick, 1925) (*Trhypochthonioidea*) from Brazil and description of two new species of nanhermanniid mites: *Bicyrthermannia nigeriana* and *Masthermannia seropedica* (*Nanhermannioidea*) (Acari, Oribatida). - *Genus* **14**,1: 125-149
- BEHAN-PELLETIER, V.M. (2002): Acari and Collembola biodiversity in Canadian agricultural soils. - *Canadian Journal of Soil Sciences* **83**: 279-288
- BRAGIN, E.A. & A.V. TOLSTIKOV (2002):\* Communities of arboreal oribatid mites (Acariformes, Oribatida) of aspen-birch forests of West Siberia communication 1. Species diversity and abundance. - *Acarina* **10**,2: 175-187
- CHEN, J. & H.F. WANG (2002): First record of the genus *Veloppia* Hammer from China, with description of a new species (Acari, Oribatida, Caleremaeidae). - *The Raffles Bulletin of Zoology* **50**,2: 389-394
- CHINONE, S., T. TSUBAKIMOTO & K. YUMOTO (2002): Soil fauna on the campus forests of Ibaraki Nature Museum. 1. Oribatid mites. [Orig. Jap.] - *Bulletin of the Ibaraki Nature Museum* **5**: 131-136
- HEETHOFF, M., M. MARAUN & S. SCHEU (2002):\* Ancient parthenogenetic species: Methods for detection and a candidate from oribatid mites. - *Zoology* **105**, Suppl.V: 25
- KAUFMANN, R., M. FUCHS & N. GOSTERXEIER (2002):\* The soil fauna of an Alpine glacier foreland: Colonization and succession. - *Arctic Antarctic and Alpine Research* **34**: 242-250

- KRIVOLUTSKIJ, D.A. & N.V. LEBEDEVA (2002):\* The oribatid mites and other soil microarthropods in the bird feathers. In: Tajovský, K., V. Balík & V. Pižl, V. (Eds.), Studies on soil fauna in Central Europe. - ISB AS CR, Česke Budějovice: 101-104
- LA FRANCE, M. (2002): Zu den Auswirkungen experimenteller Waldneugründungs- und Waldumbau-maßnahmen auf die saprophage Invertebratenfauna extrem immissionsgeschädigten Kammlagenstandorte des Osterzgebirges (Sachsen). - Dissertation, TU Dresden, Institut für Forstbotanik und Forstzoologie Tharandt: 1-197
- MAHUNKA, S. (2002): A survey of the Oribatida fauna of Madagascar (Acari, Oribatida). - Folia Entomologica Hungarica **63**: 5-16
- MAHUNKA, S. & L. MAHUNKA-PAPP (2002): **Oribatids (Acari, Oribatida) from the Fertő-Hanság National Park (NW Hungary). - The fauna of the Fertő-Hanság National Park, Budapest:** 199-229
- MARAUN, M. (2002):\* Zur Diversität von Oribatiden. - Mitteilungen zum Jahrestreffen der AG Bodenmesofauna **18**: 19-25
- MARAUN, M., M. HEETHOFF, S. SCHEU & R.H. THOMAS (2002):\* Parthenogenetic radiation and the re-evolution of sex. Evidence from molecular phylogeny of oribatid mites (Acari, Oribatida).- Proceeding of the 95. Annual Meeting, Deutsche Zoologische Gesellschaft, Halle (Saale) - Zoology **105**, Suppl. 5: 93
- MIGLIORINI, M., A. PETRIOLI & F. BERNINI (2002): Comparative analysis of two edaphic zoocoenoses (oribatid mites and carabid beetles) in five habitats of "Pietraporciana" and "Lucciolabella" Nature Reserve (Orcia Valley, Central Italy). - Acta Oecologica **23**,6: 361-374
- MONSON, F.D. (2002): **The oribatid mites (Acari, Oribatida) of Stockton's Wood, Speke Hall, Merseyside, including the description of a new *Chamobates* Hull, 1916 species.** - Journal of the Lancashire & Cheshire Entomological Society **124-126**: 59-65
- OHKUBO, N. & J.C. COKENDOLPER (2002):\* A new species of *Insculptoppia* mite (Acari, Oribatida, Oppiidae) from a cave in the southwestern U.S.A. - Journal of the Acarological Society of Japan **11**,1: 11-16
- OLIVEIRA, A.R., R.A. NORTON & G.J. DE MORAES (2002): Preliminary biological and behavioral observations on *Mochlozetes* sp. (Oribatida, Mochlozetidae). - III simposio do programa biota / fapesp., São Carlos: 307-309
- PRINZING, A., S. KRETZLER, A. BADEJO & L. BECK (2002):\* Traits of oribatid mite species that tolerate habitat disturbance due to pesticide application. - Soil Biology & Biochemistry **34**,11: 1655-1661
- SHIMANO, S. & T. MATSUO (2002):\* Morphological studies on the digestive tract of *Scheloribates azumaensis* (Acari, Oribatida). - Journal of the Acarological Society of Japan **11**,1: 37-40
- SHIMANO, S., T. SAKATA, Y. MIZUTANI, Y. KUWAHARA & J. AOKI (2002):\* Geranal: The alarm pheromone in the nymphal stage of the oribatid mite *Nothrus palustris*. - Journal of Chemical Ecology **28**,9: 1831-1837
- SMRŽ, J. (2002):\* Microanatomical and microbiological characteristics of the quiescent state of *Scutovertex minutus* (Acari, Oribatida). - Experimental & Applied Acarology **27**,1-2: 103-112
- STEFANIAK, O. & S. SENICZAK, S. (2002): The effect of fungal diet on the development of *Oppia nitens* (Acari, Oribatei) and on the microflora of its alimentary tract. - Pedobiologia **21**: 202-210
- SUBÍAS, L.S. & A. ARILLO (2002): **Oribatid mite fossils from the Upper Devonian of South Mountain, New York, and the Lower Carboniferous of Contry Antrim, Northern Ireland (Acariformes, Oribatida).** - Estudios del Museo de Ciencias Naturales de Alava **17**: 93-106
- WANG, H.F., Z.G. WEN & J. CHEN, J. (2002): A checklist of oribatid mites of China (I) (Acari, Oribatida). [Orig. Chin.] - Acta Arachnologica Sinica **11**,2: 107-126
- WEIGMANN, G. & L. MIKO (2002): Redescription of *Oribates lagenula* Berlese, 1904, the type of *Lagenobates* n. gen. (Acarina, Oribatida). - Redia **85**: 29-35

### **Publikationen, Ergänzungen 2001 / Publications, additions 2001**

- ALPHEI, J., M. MARAUN & S. SCHEU, S. (2001):\* Der Einfluss experimentell manipulierter Faunendiversität auf die Gemeinschaftsstruktur freilebender Nematoden im Boden eines Mull-Buchenwaldes. - Mitteilungen der Deutschen Bodenkundlichen Gesellschaft **95**: 7-10

- BAYARTOGTOKH, B. (2001): A new and little known species of Gymnodamaeid mites (Acari, Oribatida, Gymnodamaeidae) from Mongolia. - *Edaphologia* 67: 37-47**
- KAMALI, K., H. OSTOVAN & A. ATAMEHR (2001): A catalog of mites and ticks (Acari) of Iran. - Islamic Azad University Scientific Publication Center: 1-192
- KAUFMANN, R. (2001):\* Invertebrate succession on an Alpine glacier foreland. - *Ecology* 82: 2261-2278
- MARAUN, M. (2001):\* Molecular analysis of sexual and asexual oribatid mites (Oribatida, Acari): evolutionary and phylogenetic implications. - Proceedings of the 10th Workshop Marie Curie Fellows, London 2001
- WALTER, D.E. & H.C. PROCTOR (2001): Mites in Soil. An interactive key to mites and other soil arthropods. - CSIRO Publishing, Collingwood, Victoria, CD-ROM
- WANG, H.F., T. SOLHØY, J. SHEN & R.M. XU (2001): New species and new records of oribatid mites from Tibet, China (Acari, Oribatida). - *Acta Zootaxonomica Sinica* 26,4: 401-413

### **Publikationen, Ergänzungen 2000 / Publications, additions 2000**

- BAYARTOGTOKH, B. (2000): New oribatid mites (Acari, Oribatida) of the genera *Protoribates* and *Proteremaeus* from Mongolia. - *Acta Zoologica Hungarica* 46,2: 147-153**
- BAYARTOGTOKH, B. (2000): New Oribatid mites of the genus *Epidamaeus* (Acari, Oribatida, Damaeidae) from Mongolia. - *Species Diversity* 5,3: 183-200**
- BAYARTOGTOKH, B. & M.A. AKRAMI (2000): Oribatid mites (Acari, Oribatida) from Iran, with descriptions of two new species. - *Journal of the Acarological Society of Japan* 9,2: 129-146**
- BAYARTOGTOKH, B. & M.A. AKRAMI (2000): Porotonic oribatid mites (Acari, Oribatida, Poronota) from Iran. - *Journal of the Acarological Society of Japan* 9,2: 159-172**
- HU, S.H. (2000):\* Succession of Oribatida community in decomposing leaves of *Cyclobalanopsis glauca*. In: Yin, W.Y. et al. (Eds.), *Soil Animal of China*. - Science Press, Beijing: 191-198
- JORGE VELIS, G., M. OSTERRIETH & P.A. MARTINEZ (2000): Caracterización preliminar de la mesofauna en suelos del área costera de Mar Chiquita. Provincia de Buenos Aires. Argentina. - *Bollettino del Museo Regionaledi Scienze Naturali di Torino* 17,1: 245-256
- MARAUN, M. (2000): Oribatida (= Cryptostigmata), Hornmilben. Bestimmungsschlüssel für Hornmilben. In: Schaefer, M. (Ed.), *Brohmer / Fauna von Deutschland*. - Quelle & Meyer Verlag Wiebelsheim: 173-176
- WANG, H.F., Y.Q. CUI & Y.H. LIU (2000):\* Acari: Oribatida. In: Huang, B.K. (Ed.), *Fauna of Insects in Fujian Province of China*. - Fujian Science Technical Publication House, Fuzhou 9: 296-323
- WANG, H.F., S.H. HU & S.G. SIN (2000):\* The oribatid fauna and distribution in different zones in China. In: Yin, W.Y. et al. (Eds.), *Soil animals of China*. - Science Press, Beijing: 251-265
- WANG, H.F., S.H. HU & Z.G. WEN (2000):\* Acariformes: Oribatida. In: Yin, W.Y. et al. (Eds.), *Pictorial keys to soil animals of China*. - Science Press, Beijing: 199-230; 535-565
- WEN, Z. & Y.Q. GAO (2000):\* The first record of *Parautogneta* in China, with description of a new species (Acari, Autognetidae). - *Acta Zootaxonomica Sinica* 25,2: 155-157

### **Publikationen, Ergänzungen 1999 / Publications, additions 1999**

- BAYARTOGTOKH, B. (1999): Two oribatid mite species of the family Peloppiidae (Acari, Oribatei) from Mongolia. [Orig. Russian] - *Zoologicheskij Zurnal* 78,10: 1248-1253**
- HEETHOFF, M. (1999):\* Genetische Variabilität bei der parthenogenetischen Hornmilbe *Platynothrus peltifer*. - Diploma thesis, Technische Universität Darmstadt
- KALUZ, S. (1999): Soil mites (Acarina) in two types of floodplain forest.. In: Tajovský, K. & V. Pižl (Eds.), *Soil Zoology in Central Europe*. - ISB AS CR, Česke Budějovice: 123-128
- KLIMEK, A. (1999): *Tectocephalus velatus* (Michael) (Acari, Oribatida) as an indicator of industrial air pollution in young Scots pine forests. In: Tajovský, K. & V. Pižl (Eds.), *Soil Zoology in Central Europe*. - ISB AS CR, Česke Budějovice: 143-148
- MARAUN, M. (1999):\* Die Dichte und Gemeinschaftsstruktur von Oribatiden in verschiedenen Habitatein: Muster und Mechanismen. - *Mitteilungen zum Jahrestreffen der AG Bodenmesofauna* 15: 8-12
- MARAUN, M., J. SALAMON, J. ALPHEI & S. SCHEU (1999): Der Einfluß zunehmender funktioneller Diversität von Bodentieren auf die Dichte von Collembolen, Oribatiden, Gamasinen und Nematoden im

- Boden eines Mull-Buchenwaldes: Laborexperimente in Mikrokosmen. - Mitteilungen der Deutschen Bodenkundlichen Gesellschaft **89**: 269-272
- MELAMUD, V. (1999):\* Oribatid mites (Acari) of *Dentario glandulosae - Fagetum* in the Western Bieszczady Mts. (Polish Eastern Carpathians) - preliminary report. [Orig. Polish] - Roczniki Bieszczadzkie **8**: 249-256
- REEVES, R.M. & V. BEHAN-PELLETIER (1999):\* *Carabodes* (Acari, Oribatida, Carabodidae) of North America, with description of new species from western regions.** - Canadian Journal of Zoology **76**: 1898-1921
- RUSEK, J. & J. RUSEK (1999): Impact of winter road salting on soil Collembola and other microarthropods. In: Tajovský, K. & V. Pižl (Eds.), Soil Zoology in Central Europe. - ISB AS CR, Česke Budějovice: 261-268
- SENICZAK, A., S. SENICZAK & J. DLUGOSZ (1999): The effect of lead and copper on *Archegozetes longisetosus* Aoki (Acari, Oribatida) in laboratory conditions. In: Tajovský, K. & V. Pižl (Eds.), Soil Zoology in Central Europe. - ISB AS CR, Česke Budějovice: 289-293
- SENICZAK, S., A. KLIMEK & S. KACZMAREK (1999): Soil mites (Acari) associated with meadows polluted by the 'Polchem' chemical factory in Toruń (Poland). In: Tajovský, K. & V. Pižl (Eds.), Soil Zoology in Central Europe. - ISB AS CR, Česke Budějovice: 295-300
- SENICZAK, S., A. KLIMEK & S. KACZMAREK (1999): Soil mites (Acari) associated with young Scots pine forests polluted by the 'Polchem' chemical factory in Toruń (Poland). In: Tajovský, K. & V. Pižl (Eds.), Soil Zoology in Central Europe. - ISB AS CR, Česke Budějovice: 301-308
- SHEN, J., H.F. WANG, T. SOLHØY & R. XU (1999): Three new species of oribatid mites from Tibet, China.** - Systematic and Applied Acarology **4**: 121-126
- TAJOVSKÝ, K. & V. PIŽL (EDS.) (1999): Soil zoology in Central Europe. Proceedings of the 5th Central European Workshop on Soil Zoology held in Česke Budějovice, Czech Republic, April 27-30, 1999. - Institute of Soil Biology, Academy of Sciences of the Czech Republic, Česke Budějovice: 1-377
- WEN, Z. & Y.Q. GAO (1999):\* A new species of the genus *Furcoribula* from Xiaoxinganling Region of Heilongjiang Province (Acari, Oribatida, Astegistidae).** - Acta Arachnologica Sinica **8**,**1**: 8-10
- ZAITSEV, A.S. (1999):\* Metal accumulation by oribatid mites in the surroundings of the Kosogorsky metallurgic plant. In: Butovsky, R.O. & N.M. Van Straalen (Eds.), Pollution-induced changes in soil invertebrate food-webs. - Amsterdam and Moscow **4**: 51-70
- ZAITSEV, A.S. & D.A. KRIVOLUTSKIY (1999):\* Responses of oribatid mite communities to the impact of a metallurgical plant in the Netherlands (IJmuiden). In: Butovsky, R.O. & N.M. van Straalen (Eds.), Pollution-induced changes in soil invertebrate food-webs. - Amsterdam and Moscow **2**,**3**: 43-50

### Publikationen, Ergänzungen 1998 / Publications, additions 1998

- WANG, H.F. (1998): Studies on the genus *Scapheremaeus* in China (Acari, Oribatida, Cymbaeremaeidae).** [Orig. Chin.] - Acta Zootaxonomica Sinica **23**,**3**: 252-263
- WEN, Z. (1998):\* Two new species of the genus *Dolicheremaeus* from China.** - Acta Arachnologica Sinica **7**,**1**: 7-11

## Nomina Nova

Die Namen neuer Taxa werden hier veröffentlicht, sofern sie uns bekannt wurden. Eine Überprüfung ihrer Validität erfolgte nicht. Die Autoren von neuen Kombinationen und neuen Synonymen stehen in [eckigen Klammern].

*The names of new taxa are listed here as far as they have come to our knowledge. Their validity could not be examined here. The authors of new combinations and new synonyms are written in [brackets].*

Typen-Informationen / Type-material informations as follows:

*Allonothrus henroi* Fujikawa, 2004 (Seite / Page: 11<sup>1</sup>) – TYPEN / TYPES: HT<sup>2</sup> + 4 PT – NSMT<sup>3</sup>

1 – erste Seite der Beschreibung / first page of the description

2 – Holotypen (HT), Anzahl der Paratypen (PT) oder Syntypen (ST) / holotypes (HT), number of paratypes (PT) or syntypes (ST)

3 – Abkürzungen der Aufbewahrungsorte der neuen Arten, sofern sie in den Publikationen zitiert sind / Abbreviations of the places of storage of new species, as far as they were cited in the publications

Abkürzungen der Aufbewahrungsorte der neuen Arten / Abbreviations of the places of storage of new species

Agricultural Faculty, Plant Protection Department, University of Ankara, Ankara, Turkey

Board of Education, Kawai-mura, Japan

Beijing Normal University, Beijing, China

Collection Gerd Weigmann, Berlin, Germany

Collection Heinrich Schatz, Innsbruck, Austria

Caspian Institute of Biological Resources, Makhachkala, Russia

Canadian National Collection of Insects and Arachnida, Ottawa, Canada

Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznań, Poland

Department of Soil Fauna, EMBRAPA-Agrobiologia, Seropédica, Brazil

Fabio Bernini's Private Collection, Institute of Zoology, University of Siena, Siena, Italy

The Field Museum of Natural History, Chicago, USA

Free University Berlin, Laboratory of Soil Zoology and Ecology, Institut of Biology, Berlin, Germany

Hungarian Natural History Museum, Budapest, Hungary

Museum of Institute of Zoology, Chinese Academy of Sciences, Beijing, China

Liverpool Museum, Liverpool, United Kingdom

Museum of Comparative Zoology, Harvard University, Cambridge, United Kingdom

Muséum d'Histoire Naturelle, Genève, Switzerland

Museum of Natural History at Obafemi Awolowo University, Ile-Ife, Nigeria

Natural History Museum, Department of Entomology, London, United Kingdom

National Museum Bloemfontein, Acarological Collection, Bloemfontein, South Africa

National Science Museum, Tokyo, Japan

National University of Mongolia, Department of Zoology, Ulaan-baatar, Mongolia

Roy A. Norton Collection, New York, Syracuse, USA

Sibirsk Division, Russian Academy of Sciences, Institute of Animal and Systematic Ecology, Novosibirsk, Russia

Severtsov Institute of Ecology and Evolution, Moscow, Russia

Staatliches Museum für Naturkunde Karlsruhe, Karlsruhe, Germany

Ulster Museum, Belfast, Ireland

United States National Museum of Natural History, Smithsonian Institution, Washington, USA

World Heritage Conservation Center, Nishimeya, Aomori Prefecture, Japan

Zoological Institute, Georgian Academy of Sciences, Tbilisi, Georgia

Zoologisches Museum und Institut Hamburg, Hamburg, Germany

Zoological Museum, University of Turku, Turku, Turkey

Zoological Museum, University Bergen, Bergen, Norway

Zoological Reference Collection of the Raffles Museum of Biodiversity Research, National University of Singapore, Singapore

### **Neue Arten / New species / n. sp.**

*Achipteria longisetosa* Weigmann & Murvanidze, 2003 (Seite / Page: 150) – TYPEN / TYPES: HT♀ + PT♀  
- ZIGAST + PT♀ - FUB + PT♀ - ZMH

*Acrogalumna longipluma adjarica* Murvanidze & Weigmann, 2003 (Seite / Page: 165) – TYPEN / TYPES:  
HT♀ - ZIGAST + PT♂ - CGW

*Allonothrus henroi* Fujikawa, 2004 (Seite / Page: 11) – TYPEN / TYPES: HT + 4 PT - NSMT

*Anomaloppiia iranica* Bayartogtokh & Akrami, 2000 (Seite / Page: 139) – TYPEN / TYPES: HT + PT -  
NSMT + 2 PT - CATU

*Archaeoplrophora bella* Subias & Arillo, 2002 (Seite / Page: 103) – TYPEN / TYPES: HT + PT - UM

*Arphthicularus aulicus* Niedbala, 2004 (Seite / Page: 101) – TYPEN / TYPES: HT + 3 PT - DATE

*Arphthicularus bulbis* Niedbala, 2004 (Seite / Page: 102) – TYPEN / TYPES: HT + 3 PT - DATE

*Arphthicularus carinatus* Niedbala, 2004 (Seite / Page: 103) – TYPEN / TYPES: HT - FMHD + PT - DATE

*Arphthicularus cataulacus* Niedbala, 2004 (Seite / Page: 103) – TYPEN / TYPES: HT + 7 PT - FMNH + 6 PT  
- DATE

*Arphthicularus dikroos* Niedbala, 2004 (Seite / Page: 103) – TYPEN / TYPES: HT - DATE

*Arphthicularus eparmatos* Niedbala, 2004 (Seite / Page: 104) – TYPEN / TYPES: HT - FMNH

*Arphthicularus exacutus* Niedbala, 2004 (Seite / Page: 105) – TYPEN / TYPES: HT + PT - DATE

*Arphthicularus frondeus* Niedbala, 2004 (Seite / Page: 105) – TYPEN / TYPES: HT + 2 PT - HNHM + 2 PT -  
DATE

*Arphthicularus fusulus* Niedbala, 2004 (Seite / Page: 105) – TYPEN / TYPES: HT - DATE

*Arphthicularus gyros* Niedbala, 2004 (Seite / Page: 106) – TYPEN / TYPES: HT - DATE

*Arphthicularus humilis* Niedbala, 2004 (Seite / Page: 106) – TYPEN / TYPES: HT + 17 PT - FMNH + 17 PT -  
DATE

*Arphthicularus impolitus* Niedbala, 2004 (Seite / Page: 106) – TYPEN / TYPES: HT - FMNH

*Arphthicularus ogmos* Niedbala, 2004 (Seite / Page: 109) – TYPEN / TYPES: HT - DATE

*Arphthicularus pedanos* Niedbala, 2004 (Seite / Page: 110) – TYPEN / TYPES: HT + 17 PT - DATE

*Arphthicularus prolixus* Niedbala, 2004 (Seite / Page: 111) – TYPEN / TYPES: HT + 2 PT - DATE

*Arphthicularus quadrus* Niedbala, 2004 (Seite / Page: 111) – TYPEN / TYPES: HT + PT - DATE

*Arphthicularus rotundus* Niedbala, 2004 (Seite / Page: 112) – TYPEN / TYPES: HT + 4 PT - FMNH + 4 PT -  
DATE

*Arphthicularus striolatus* Niedbala, 2004 (Seite / Page: 113) – TYPEN / TYPES: HT - CNC + PT - DATE

*Arphthicularus sulcatus* Niedbala, 2004 (Seite / Page: 113) – TYPEN / TYPES: HT - DATE

*Atropacarus (Atropacarus) plumatus* Niedbala, 2004 (Seite / Page: 143) – TYPEN / TYPES: HT - FMNH

*Atropacarus (Hoplophorella) brachys* Niedbala, 2004 (Seite / Page: 133) – TYPEN / TYPES: HT + 9 PT -  
CNC + 9 PT - DATE

*Atropacarus (Hoplophorella) brevipilosus* Niedbala, 2004 (Seite / Page: 133) – TYPEN / TYPES: HT + 3 PT  
- FMNH + 2 PT - DATE

*Atropacarus (Hoplophorella) phymatos* Niedbala, 2004 (Seite / Page: 138) – TYPEN / TYPES: HT + 4 PT -  
DATE

*Austrophthiracarus anceps* Niedbala, 2004 (Seite / Page: 91) – TYPEN / TYPES: HT + 3 PT - DATE

*Austrophthiracarus gongylos* Niedbala, 2004 (Seite / Page: 95) – TYPEN / TYPES: HT + PT - DATE

*Austrophthiracarus heteropilosus* Niedbala, 2004 (Seite / Page: 96) – TYPEN / TYPES: HT - FMNH + PT -  
DATE

*Austrophthiracarus minisetosus* Niedbala, 2004 (Seite / Page: 97) – TYPEN / TYPES: HT + 4 PT - DATE

*Baloghiella granulata* Bayartogtokh & Akrami, 2000 (Seite / Page: 168) – TYPEN / TYPES: HT + PT -  
NSMT + PT - CATU

- Baloghoizetes pluritrichosus* Mahunka, 2003 (Seite / Page: 19) – TYPEN / TYPES: HT - HNHM
- Banksinoma tamayura* Fujikawa, 2003 (Seite / Page: 383) – TYPEN / TYPES: HT + PT - NSMT
- Bicyrthermannia nigeriana* Badejo, Woas & Beck, 2002 (Seite / Page: 135) – TYPEN / TYPES: HT♀ + 66 PT♀ - MNHI + 15 PT♀ - SMNK
- Bipassalozetes pilosus* Bayartogtokh, 2003 (Seite / Page: 32) – TYPEN / TYPES: HT♂ + 6 PT - SDRAC + 2 PT - NUM
- Birsteinius monticolus* Wang & Shen, 2001 (Seite / Page: 406) – TYPEN / TYPES: HT + 4 PT - IZCAS
- Bunabodes truncatus* Fujikawa, 2004 (Seite / Page: 107) – TYPEN / TYPES: HT - NSMT
- Carabodes procerus* Weigmann & Murvanidze, 2003 (Seite / Page: 221) – TYPEN / TYPES: HT♀ + 3 PT - ZIGAST + 4 PT - CGW
- Carabodes silvus* Fujikawa, 2004 (Seite / Page: 105) – TYPEN / TYPES: HT + 17 PT - NSMT + 2 PT - WHCC
- Carabodes tyrrhenicus* Salomone, Avanzati, Baratti & Bernini, 2003 (Seite / Page: 126) – TYPEN / TYPES: HT - FBPC
- Carbochthonius antrimensis* Subías & Arillo, 2002 (Seite / Page: 103) – TYPEN / TYPES: HT + PT - UM
- Cepheus similis* Fujikawa, 2003 (Seite / Page: 370) – TYPEN / TYPES: HT + 3 PT - NSMT
- Cepheus spinosus* Fujikawa, 2004 (Seite / Page: 105) – TYPEN / TYPES: HT - NSMT + PT - WHCC
- Ceratozetes colchica* Murvanidze & Weigmann, 2003 (Seite / Page: 168) – TYPEN / TYPES: HT♀ - ZIGAST + 6 PT♀ - ZIGAST + 3 PT♀ - CGW
- Chamobates tumidisetus* Monson, 2002 (Seite / Page: 60) – TYPEN / TYPES: HT - LM + 6 PT - NHML
- Coronoquadropria trapezoidea* Fujikawa, 2004 (Seite / Page: 111) – TYPEN / TYPES: HT - NSMT
- Cosmochthonius zanini* Penttinen & Gordeeva, 2003 (Seite / Page: 77) – TYPEN / TYPES: HT♀ + 16 PT♀ - ZMT
- Cosmogalumna hiroyoshii* Nakamura & Fujikawa, 2004 (Seite / Page: 13) – TYPEN / TYPES: HT + PT - NSMT
- Ctenacaronychus nortoni* Subías & Arillo, 2002 (Seite / Page: 96) – TYPEN / TYPES: HT + PT - UM
- Cyranozetes nasalis* Mahunka & Mahunka-Papp, 2003 (Seite / Page: 257) – TYPEN / TYPES: HT - HNHM
- Epidamaeus culterisetosus* Bayartogtokh, 2000 (Seite / Page: 189) – TYPEN / TYPES: HT♀ + PT - NUM + 2 PT - NSMT
- Epidamaeus granulatus* Bayartogtokh, 2000 (Seite / Page: 184) – TYPEN / TYPES: HT♀ + 6 PT - NUM + 2 PT - NSMT
- Epidamaeus mongolicus* Bayartogtokh, 2000 (Seite / Page: 193) – TYPEN / TYPES: HT♂ + 6 PT - NUM + 2 PT - NSMT
- Eremaeozetes louisae* Schatz, 2003 (Seite / Page: 114) – TYPEN / TYPES: HT♀ + PT - NMB + 2 PT - CHS
- Eremaeozetes nasutus* Schatz, 2003 (Seite / Page: 120) – TYPEN / TYPES: HT♀ + PT - NMB + 2 PT - CHS
- Eupelops miyamaensis* Fujikawa, 2004 (Seite / Page: 129) – TYPEN / TYPES: HT + 5 PT - NSMT + 2 PT - MHCC
- Euphthiracarus cooki* Norton, Sanders & Minor, 2003 (Seite / Page: 202) – TYPEN / TYPES: 2 PT - DATE
- Euphthiracarus (Euphthiracarus) breviculus* Niedbała, 2004 (Seite / Page: 40) – TYPEN / TYPES: HT + 6 PT - FMNH + 5 PT - DATE
- Euphthiracarus (Euphthiracarus) clavatus* Niedbała, 2004 (Seite / Page: 40) – TYPEN / TYPES: HT - CNC + PT - DATE
- Euphthiracarus (Euphthiracarus) diatropos* Niedbała, 2004 (Seite / Page: 41) – TYPEN / TYPES: HT + PT - DATE
- Euphthiracarus (Euphthiracarus) hetero setosus* Niedbała, 2004 (Seite / Page: 42) – TYPEN / TYPES: HT + 4 PT - FMNH + 4 PT - DATE
- Euphthiracarus (Euphthiracarus) lanceolatus* Niedbała, 2004 (Seite / Page: 43) – TYPEN / TYPES: HT - FMNH
- Euphthiracarus (Euphthiracarus) modicus* Niedbała, 2004 (Seite / Page: 43) – TYPEN / TYPES: HT - FMNH
- Euphthiracarus (Euphthiracarus) nasalis* Niedbała, 2004 (Seite / Page: 44) – TYPEN / TYPES: HT + PT - DATE
- Euphthiracarus (Euphthiracarus) parabrasiliensis* Niedbała, 2004 (Seite / Page: 44) – TYPEN / TYPES: HT + PT - DATE

- Euphthiracarus (Euphthiracarus) parasimilis* Niedbała, 2004 (Seite / Page: 45) – TYPEN / TYPES: HT - FMNH + PT - DATE
- Euphthiracarus (Euphthiracarus) paravesciculus* Niedbała, 2004 (Seite / Page: 45) – TYPEN / TYPES: HT + PT - DATE
- Euphthiracarus (Euphthiracarus) reticulatus* Niedbała, 2004 (Seite / Page: 46) – TYPEN / TYPES: HT - CNC + PT - DATE
- Euphthiracarus (Euphthiracarus) vesciculus* Niedbała, 2004 (Seite / Page: 47) – TYPEN / TYPES: HT + 10 PT - FMNH + 10 PT - DATE
- Euphthiracarus (Pocsia) insolitus* Niedbała, 2004 (Seite / Page: 48) – TYPEN / TYPES: HT - FMNH
- Euphthiracarus (Pocsia) paradisparilis* Niedbała, 2004 (Seite / Page: 48) – TYPEN / TYPES: HT - DATE
- Euphthiracarus (Pocsia) sudamericanus* Niedbała, 2004 (Seite / Page: 49) – TYPEN / TYPES: HT + PT - DATE
- Eupterotegeaeus xizangensis* Wang & Solhøy, 2001 (Seite / Page: 403) – TYPEN / TYPES: HT - IZCAS
- Floririchus louisbothai* Coetze, 2003 (Seite / Page: 96) – TYPEN / TYPES: HT♀ + PT♂ + PT♀ - NMB
- Furcoppia dentata* Grobler, 2003 (Seite / Page: 168) – TYPEN / TYPES: HT + 5 PT - NMB
- Furcoppia longiseta* Grobler, 2003 (Seite / Page: 172) – TYPEN / TYPES: HT + PT - NMB
- Furcoppia minuta* Grobler, 2003 (Seite / Page: 175) – TYPEN / TYPES: HT + PT - NMB
- Fuscozetes montanus* Fujikawa, 2003 (Seite / Page: 384) – TYPEN / TYPES: HT + 16 PT - NSMT
- Gehyopochthonimimus hibernicus* Subías & Arillo, 2002 (Seite / Page: 100) – TYPEN / TYPES: HT + PT - UM
- Halozetes capensis* Coetze & Marshall, 2003 (Seite / Page: 327) – TYPEN / TYPES: HT♀ + 5 PT♂ + 5 PT♀ - NMB
- Heterobelba montana* Fujikawa, 2003 (Seite / Page: 373) – TYPEN / TYPES: HT + 3 PT - NSMT
- Hoplophthiracarus cacainus* Niedbała, 2004 (Seite / Page: 78) – TYPEN / TYPES: HT - CNC
- Hoplophthiracarus penicillatus* Niedbała, 2004 (Seite / Page: 79) – TYPEN / TYPES: HT - DATE
- Hoplophthiracarus tryssos* Niedbała, 2004 (Seite / Page: 79) – TYPEN / TYPES: HT + 6 PT - DATE  
HT♂ + 40 PT♀ + 32 PT♀ - ZMT + 2 PT♀ + 2 PT♂ - CNC
- Hypochthonius montanus* Fujikawa, 2003 (Seite / Page: 11) – TYPEN / TYPES: HT - NSMT + 2 PT - BEK
- Hypovertex bajartogtokhi* Netuzhilin & Shtanchaeva, 2003 (Seite / Page: 794) – TYPEN / TYPES: HT♀ + 2 PT - SIEE
- Indotritia allocotos* Niedbała, 2004 (Seite / Page: 35) – TYPEN / TYPES: HT + PT - DATE
- Indotritia tetradiis* Niedbała, 2004 (Seite / Page: 38) – TYPEN / TYPES: HT + 4 PT - DATE
- Indotritia vestigia* Niedbała, 2004 (Seite / Page: 39) – TYPEN / TYPES: HT + 9 PT - FMNH
- Masthermannia seropedica* Badejo, Woas & Beck, 2002 (Seite / Page: 141) – TYPEN / TYPES: HT♀ - MNHI + 50 PT♀ - DSFEA + 10 PT♀ - SMNK
- Medioxyoppia hamata* Fujikawa, 2004 (Seite / Page: 109) – TYPEN / TYPES: HT - NSMT
- Mesoplophora (Mesoplophora) bacilla* Niedbała, 2004 (Seite / Page: 19) – TYPEN / TYPES: HT + 3 PT - FMNH + 2 PT - DATE
- Mesoplophora (Mesoplophora) brachysetosa* Niedbała, 2004 (Seite / Page: 20) – TYPEN / TYPES: HT + 11 PT - DATE
- Mesoplophora (Mesoplophora) sparsa* Niedbała, 2004 (Seite / Page: 22) – TYPEN / TYPES: HT - FMNH
- Mesotritia atractos* Niedbała, 2004 (Seite / Page: 30) – TYPEN / TYPES: HT + 7 PT - DATE
- Mesotritia biramula* Niedbała, 2004 (Seite / Page: 31) – TYPEN / TYPES: HT + 35 PT - DATE
- Mesotritia multisetosa* Niedbała, 2004 (Seite / Page: 33) – TYPEN / TYPES: HT + 8 PT - FMNH + 8 PT - DATE
- Mesotritia procerus* Niedbała, 2004 (Seite / Page: 34) – TYPEN / TYPES: HT + PT - DATE
- Mesotritia recurva* Niedbała, 2004 (Seite / Page: 35) – TYPEN / TYPES: HT + PT - FMNH + PT - DATE
- Metrioppia krivolutskyi* Bayartogtokh, 1999 (Seite / Page: 1248) – TYPEN / TYPES: HT + PT - NUM
- Micropippia septentrionalis* Fujikawa, 2003 (Seite / Page: 376) – TYPEN / TYPES: HT - NSMT
- Microtegeus granulatus* Wang & Shen, 2001 (Seite / Page: 405) – TYPEN / TYPES: HT + 2 PT - IZCAS
- Microtritia mirifica* Niedbała, 2004 (Seite / Page: 62) – TYPEN / TYPES: HT + 13 PT - DATE
- Minguezetes inecola* Nozaki & Nakamura, 2004 (Seite / Page: 87) – TYPEN / TYPES: HT + 2 PT - NSMT
- Monoaphelacarus carboniferus* Subías & Arillo, 2002 (Seite / Page: 99) – TYPEN / TYPES: HT + PT - UM
- Montizetes serratus* Bayartogtokh, 2003 (Seite / Page: 6) – TYPEN / TYPES: HT♂ + PT♂ + 3 PT♀ - NUM

- Moritzoppia problematica* Mahunka & Mahunka-Papp, 2002 (Seite / Page: 219) – TYPEN / TYPES: HT + 4 PT - HNHM + PT - MHNG
- Multioppia crassuta* Fujikawa, 2003 (Seite / Page: 379) – TYPEN / TYPES: HT + 6 PT - NSMT
- Multioppia yamatogracilis* Fujikawa, 2003 (Seite / Page: 376) – TYPEN / TYPES: HT + 18 PT - NSMT
- Neogymnobates capitatus* Wang & Solhøy, 2001 (Seite / Page: 411) – TYPEN / TYPES: HT + 11 PT - IZCAS
- Neoxenillus scopulus* Fujikawa, 2004 (Seite / Page: 101) – TYPEN / TYPES: HT + 2 PT - NSMT + PT - WHCC
- Notophthiracarus brachistos* Niedbała, 2004 (Seite / Page: 123) – TYPEN / TYPES: HT + PT - DATE
- Notophthiracarus curtatus* Niedbała, 2004 (Seite / Page: 123) – TYPEN / TYPES: HT + 3 PT - DATE
- Notophthiracarus dilatatus* Niedbała, 2004 (Seite / Page: 123) – TYPEN / TYPES: HT + 5 PT - DATE
- Notophthiracarus flagellatus* Niedbała, 2004 (Seite / Page: 124) – TYPEN / TYPES: HT + PT - CNC + PT - DATE
- Notophthiracarus heteropilosus* Niedbała, 2004 (Seite / Page: 125) – TYPEN / TYPES: HT + PT - CNC + PT - DATE
- Notophthiracarus lunatus* Niedbała, 2004 (Seite / Page: 126) – TYPEN / TYPES: HT + 3 PT - DATE
- Notophthiracarus mastigos* Niedbała, 2004 (Seite / Page: 127) – TYPEN / TYPES: HT + 2 PT - DATE
- Notophthiracarus meristos* Niedbała, 2004 (Seite / Page: 127) – TYPEN / TYPES: HT + PT - DATE
- Notophthiracarus minusculus* Niedbała, 2004 (Seite / Page: 127) – TYPEN / TYPES: HT + 14 PT - DATE
- Notophthiracarus ogmos* Niedbała, 2004 (Seite / Page: 129) – TYPEN / TYPES: HT - DATE
- Notophthiracarus paraflagellatus* Niedbała, 2004 (Seite / Page: 129) – TYPEN / TYPES: HT + 3 PT - FMNH + 3 PT - DATE
- Notophthiracarus plegados* Niedbała, 2004 (Seite / Page: 130) – TYPEN / TYPES: HT - DATE
- Notophthiracarus rabus* Niedbała, 2004 (Seite / Page: 130) – TYPEN / TYPES: HT + 3 PT - FMNH
- Notophthiracarus spiniformis* Niedbała, 2004 (Seite / Page: 132) – TYPEN / TYPES: HT - FMNH + PT - DATE
- Nuhivabates hivaaoa* Niemi & Behan-Pelletier, 2004 (Seite / Page: 79) – TYPEN / TYPES:
- Nuhivabates nukuhiva* Niemi & Behan-Pelletier, 2004 (Seite / Page: 77) – TYPEN / TYPES: HT♂ + 45 PT♂ + 108 PT♀ - ZMT + 2 PT♀ + 2 PT♂ - CNC
- Oppiella editae* Mahunka & Mahunka-Papp, 2002 (Seite / Page: 221) – TYPEN / TYPES: HT + 3 PT - HNHM + PT - MHNG
- Oribotria ampliata* Niedbała, 2004 (Seite / Page: 24) – TYPEN / TYPES: HT + 6 PT - FMNH + 5 PT - DATE
- Oribotria dispar* Niedbała, 2004 (Seite / Page: 25) – TYPEN / TYPES: HT + 4 PT - DATE
- Oribotria geminata* Niedbała, 2004 (Seite / Page: 26) – TYPEN / TYPES: HT + 9 PT - DATE
- Oribotria pumila* Niedbała, 2004 (Seite / Page: 27) – TYPEN / TYPES: HT - CNC
- Oribotria recta* Niedbała, 2004 (Seite / Page: 28) – TYPEN / TYPES: HT + 5 PT - DATE
- Oribotria varia* Niedbała, 2004 (Seite / Page: 28) – TYPEN / TYPES: HT + PT - DATE
- Oribotria vicinia* Niedbała, 2004 (Seite / Page: 29) – TYPEN / TYPES: HT + PT - CNC + PT + DATE
- Oxybrachioppia glabriseta* Wang & Shen, 1999 (Seite / Page: 122) – TYPEN / TYPES: HT + PT - IZCAS + PT - BNU + PT - ZMUB
- Palaeoctenacarus simmsoi* Subías & Arillo, 2002 (Seite / Page: 99) – TYPEN / TYPES: HT - UM
- Palaeohypochthonius jerami* Subías & Arillo, 2002 (Seite / Page: 101) – TYPEN / TYPES: HT + PT - UM
- Parachipteria georgica* Murvanidze & Weigmann, 2003 (Seite / Page: 167) – TYPEN / TYPES: HT♀ - ZIGAST + 50 PT♀ - ZIGAST + 5 PT♀ - CGW
- Phthiracarus (Archiphthiracarus) hirsutus* Fujikawa, 2003 (Seite / Page: 370) – TYPEN / TYPES: HT + 11 PT - NSMT
- Phthiracarus (Archiphthiracarus) shirakamiensis* Fujikawa, 2004 (Seite / Page: 98) – TYPEN / TYPES: HT - NSMT + 10 PT - WHCC
- Phthiracarus aethus* Niedbała, 2004 (Seite / Page: 67) – TYPEN / TYPES: HT - DATE
- Phthiracarus besuchetianus* Mahunka & Mahunka-Papp, 2003 (Seite / Page: 465) – TYPEN / TYPES: HT + 8 PT - MHNG + 5 PT - HNHM
- Phthiracarus catalaucus* Niedbała, 2004 (Seite / Page: 68) – TYPEN / TYPES: HT + 13 PT - FMNH + 10 PT - DATE
- Phthiracarus closteros* Niedbała, 2004 (Seite / Page: 69) – TYPEN / TYPES: HT - DATE

- Phthiracarus miyamaensis* Fujikawa, 2004 (Seite / Page: 101) – TYPEN / TYPES: HT - NSMT + 12 PT - WHCC
- Phthiracarus octosetosus* Niedbała, 2004 (Seite / Page: 70) – TYPEN / TYPES: HT - FMNH
- Phthiracarus opiparus* Niedbała, 2004 (Seite / Page: 70) – TYPEN / TYPES: HT + 18 PT - DATE
- Phthiracarus pandus* Niedbała, 2004 (Seite / Page: 71) – TYPEN / TYPES: HT - FMNH
- Phthiracarus paraclosteros* Niedbała, 2004 (Seite / Page: 71) – TYPEN / TYPES: HT + PT - FMNH + 2 PT - DATE
- Phthiracarus parashiptoni* Niedbała, 2004 (Seite / Page: 71) – TYPEN / TYPES: HT + PT - FMNH + PT - DATE
- Phthiracarus phoxos* Niedbała, 2004 (Seite / Page: 72) – TYPEN / TYPES: HT + 2 PT - DATE
- Pilobatella baloghi* Mahunka, 2003 (Seite / Page: 21) – TYPEN / TYPES: HT + PT - HNHM + PT - MHNG
- Pleodamaeus rotundigranulatus* Bayartogtokh, 2001 (Seite / Page: 38) – TYPEN / TYPES: HT♂ + PT - NUM + PT - NSMT
- Plesiodesmaeus tabuencai* Fernandez & Cleva, 2003 (Seite / Page: 400) – TYPEN / TYPES: ST - MNHN
- Proteremaeus punctulatus* Bayartogtokh, 2000 (Seite / Page: 150) – TYPEN / TYPES: HT + 8 PT - NUM + 3 PT - NSMT
- Protophthiracarus contiguus* Niedbała, 2004 (Seite / Page: 115) – TYPEN / TYPES: HT - DATE
- Protophthiracarus filaris* Niedbała, 2004 (Seite / Page: 116) – TYPEN / TYPES: HT - FMNH
- Protophthiracarus kyphos* Niedbała, 2004 (Seite / Page: 118) – TYPEN / TYPES: HT + PT - DATE
- Protophthiracarus oculus* Niedbała, 2004 (Seite / Page: 119) – TYPEN / TYPES: HT + 12 PT - DATE
- Protophthiracarus oidematos* Niedbała, 2004 (Seite / Page: 119) – TYPEN / TYPES: HT - DATE
- Protophthiracarus trisulcus* Niedbała, 2004 (Seite / Page: 120) – TYPEN / TYPES: HT + 2 PT - DATE
- Protoribates bayanicus* Bayartogtokh, 2000 (Seite / Page: 148) – TYPEN / TYPES: HT + 21 PT - NUM + 4 PT - NSMT
- Protoribates osunensis* Badejo, Woas & Beck, 2003 (Seite / Page: 119) – TYPEN / TYPES: HT♂ + 2 PT♂ + 5 PT♀ - MNHI + 2 PT♂ + 2 PT♀ - SMNK
- Protoribates rioensis* Badejo, Woas & Beck, 2003 (Seite / Page: 123) – TYPEN / TYPES: HT♂ + 20 PT♂ + 15 PT♀ - MNHI + 25 PT♂ + 25 PT♀ - DSFEA + 12 PT♂ + 6 PT♀ - SMNK
- Protoribates shirakamiensis* Fujikawa, 2003 (Seite / Page: 388) – TYPEN / TYPES: HT + 15 PT - NSMT
- Protoribates tohokuensis* Fujikawa, 2003 (Seite / Page: 388) – TYPEN / TYPES: HT + 42 PT - NSMT
- Provertex cendsureni* Netuzhilin & Shtanchaeva, 2003 (Seite / Page: 788) – TYPEN / TYPES: HT♀ - SIEE
- Provertex travei* Netuzhilin & Shtanchaeva, 2003 (Seite / Page: 787) – TYPEN / TYPES: HT♀ - SIEE + PT - CIBR
- Pseudoprotoribates luxtoni* Weigmann & Monson, 2004 (Seite / Page: 1416) – TYPEN / TYPES: HT - LM + PT - NHML
- Quadroppia minima* Fujikawa, 2004 (Seite / Page: 112) – TYPEN / TYPES: HT + 9 PT - NSMT
- Ramusella abarkouhiensis* Bayartogtokh & Akrami, 2000 (Seite / Page: 141) – TYPEN / TYPES: HT + PT - NSMT + PT - CATU
- Rhynchobelba planeta* Fujikawa, 2004 (Seite / Page: 112) – TYPEN / TYPES: HT + 4 PT - NSMT
- Rhyssotritia bacula* Niedbała, 2004 (Seite / Page: 51) – TYPEN / TYPES: HT + 2 PT - DATE
- Rhyssotritia ischnos* Niedbała, 2004 (Seite / Page: 58) – TYPEN / TYPES: HT - DATE
- Sadocepheus tohokuensis* Fujikawa, 2003 (Seite / Page: 373) – TYPEN / TYPES: HT - NSMT
- Scapheremaeus bituberculatus* Wang, 1998 (Seite / Page: 255) – TYPEN / TYPES: HT - IZCAS
- Scapheremaeus digitatus* Wang, 1998 (Seite / Page: 256) – TYPEN / TYPES: HT - IZCAS
- Scapheremaeus quadrireticulatus* Wang, 1998 (Seite / Page: 255) – TYPEN / TYPES: HT - IZCAS
- Scapheremaeus retestriatus* Wang, 1998 (Seite / Page: 252) – TYPEN / TYPES: HT - IZCAS
- Scapheremaeus uncinatus* Wang, 1998 (Seite / Page: 254) – TYPEN / TYPES: HT+ PT - IZCAS
- Scheloribates bunaensis* Fujikawa, 2004 (Seite / Page: 126) – TYPEN / TYPES: HT + 10 PT - NSMT
- Sellnickochthonius hanyensis* Mahunka & Mahunka-Papp, 2002 (Seite / Page: 216) – TYPEN / TYPES: HT - HNHM
- Steganacarus (Rhacoplacarus) aduncatus* Niedbała, 2004 (Seite / Page: 80) – TYPEN / TYPES: HT - DATE
- Steganacarus (Rhacoplacarus) evexus* Niedbała, 2004 (Seite / Page: 81) – TYPEN / TYPES: HT + 15 PT - HNHM+ 20 PT - DATE
- Steganacarus (Rhacoplacarus) fusticulus* Niedbała, 2004 (Seite / Page: 81) – TYPEN / TYPES: HT + 10 PT - HNHM+ 10 PT - DATE

- Steganacarus (Rhacoplacarus) gladius* Niedbała, 2004 (Seite / Page: 82) – TYPEN / TYPES: HT - HNHM+ 2 PT - DATE
- Steganacarus (Rhacoplacarus) longipilosus* Niedbała, 2004 (Seite / Page: 82) – TYPEN / TYPES: HT + 9 PT - DATE
- Steganacarus (Rhacoplacarus) mekistos* Niedbała, 2004 (Seite / Page: 83) – TYPEN / TYPES: HT + 20 PT - DATE
- Steganacarus (Rhacoplacarus) multipilosus* Niedbała, 2004 (Seite / Page: 83) – TYPEN / TYPES: HT + 6 PT - FMNH + 5 PT - DATE
- Steganacarus (Rhacoplacarus) sedecimus* Niedbała, 2004 (Seite / Page: 84) – TYPEN / TYPES: HT + PT - DATE
- Steganacarus (Rhacoplacarus) stenodes* Niedbała, 2004 (Seite / Page: 84) – TYPEN / TYPES: HT - FMNH
- Steganacarus (Steganacarus) absidatus* Niedbała, 2004 (Seite / Page: 85) – TYPEN / TYPES: HT + 3 PT - FMNH+ 3 PT - DATE
- Steganacarus (Steganacarus) aspergillus* Niedbała, 2004 (Seite / Page: 85) – TYPEN / TYPES: HT + 5 PT - DATE
- Steganacarus (Steganacarus) diatropos* Niedbała, 2004 (Seite / Page: 86) – TYPEN / TYPES: HT + 27 PT - DATE
- Steganacarus (Steganacarus) secundus* Niedbała, 2004 (Seite / Page: 86) – TYPEN / TYPES: HT + 6 PT - HNHM + 5 PT - DATE
- Steganacarus (Steganacarus) paradoxus* Niedbała, 2004 (Seite / Page: 87) – TYPEN / TYPES: HT - DATE
- Steganacarus (Steganacarus) parrafalskii* Niedbała, 2004 (Seite / Page: 87) – TYPEN / TYPES: HT + PT - DATE
- Steganacarus (Steganacarus) phasganus* Niedbała, 2004 (Seite / Page: 88) – TYPEN / TYPES: HT + 4 PT - DATE
- Steganacarus (Steganacarus) sculptilis* Niedbała, 2004 (Seite / Page: 89) – TYPEN / TYPES: HT + 2 PT - HNHM + 2 PT - DATE
- Steganacarus (Steganacarus) tumidus* Niedbała, 2004 (Seite / Page: 89) – TYPEN / TYPES: HT + 11 PT - HNHM + 10 PT - DATE
- Steganacarus antennatus* Mahunka & Mahunka-Papp, 2003 (Seite / Page: 474) – TYPEN / TYPES: HT + 4 PT - HNHM
- Steganacarus schweizeri* Mahunka & Mahunka-Papp, 2003 (Seite / Page: 477) – TYPEN / TYPES: HT + 9 PT - MHNG + 6 PT - HNHM
- Stenoxenillus incisus* Grobler, Ozman & Cobanoglu, 2003 (Seite / Page: 138) – TYPEN / TYPES: HT♀ - AFAU
- Suctobelba monobina* Fujikawa, 2003 (Seite / Page: 381) – TYPEN / TYPES: HT + 3 PT - NSMT
- Suctobelbella (Flagrosuctobelba) muronokiensis* Fujikawa, 2004 (Seite / Page: 118) – TYPEN / TYPES: HT - NSMT + 14 PT - WHCC
- Suctobelbella angulata* Fujikawa, 2004 (Seite / Page: 118) – TYPEN / TYPES: HT + NSMT + 14 PT - WHCC
- Suctobelbella margarita* Fujikawa, 2004 (Seite / Page: 117) – TYPEN / TYPES: HT - NSMT + PT - WHCC
- Suctobelbella shironeseta* Fujikawa, 2004 (Seite / Page: 121) – TYPEN / TYPES: HT + NSMT + 31 PT - WHCC
- Suctobelbella silva* Fujikawa, 2004 (Seite / Page: 115) – TYPEN / TYPES: HT - NSMT + 6 PT - WHCC
- Umbellozetes combinatus* Wang & Shen, 1999 (Seite / Page: 125) – TYPEN / TYPES: HT - IZCAS
- Umbellozetes parvus* Fujikawa, 2003 (Seite / Page: 388) – TYPEN / TYPES: HT + 471 PT - NSMT
- Umbellozetes squamaceus* Wang & Shen, 1999 (Seite / Page: 123) – TYPEN / TYPES: HT - IZCAS
- Unguizetes striatus* Fujikawa, 2004 (Seite / Page: 125) – TYPEN / TYPES: HT + PT - NSMT
- Unicobelba aomoriensis* Fujikawa, 2004 (Seite / Page: 123) – TYPEN / TYPES: HT + NSMT + 9 PT - WHCC
- Veloppia nortoni* Chen & Wang, 2002 (Seite / Page: 389) – TYPEN / TYPES: HT + 54 PT - IZCAS + 4 PT - ZRC
- Xenillus setosus* Grobler, Ozman & Cobanoglu, 2003 (Seite / Page: 144) – TYPEN / TYPES: HT♀ - AFAU
- Zachvatkinibates mongolicus* Bayartogtokh, 2003 (Seite / Page: 4) – TYPEN / TYPES: HT♀ + 2 PT♂ + 2 PT♀ - NUM

*Zetomimus cooki* Behan-Pelletier & Eamer, 2003 (Seite / Page: 31) – TYPEN / TYPES: HT♀ + PT - CNC + PT - RNC, MCZ, FMNH, USNM

### Neue Gattungen / New genera / n. gen.

- Archaeoplophora* Subías & Arillo, 2002 (Seite / Page: 103)  
 Typ.sp.: *Archaeoplophora bella* Subías & Arillo, 2002  
*Baloghoizetes* Mahunka, 2003 (Seite / Page: 18)  
 Typ.sp.: *Baloghoizetes pluritrichosus* Mahunka, 2003  
*Bunabodes* Fujikawa, 2004 (Seite / Page: 107)  
 Typ.sp.: *Bunabodes truncates* Fujikawa, 2004  
*Carbochthonius* Subías & Arillo, 2002 (Seite / Page: 103)  
 Typ.sp.: *Carbochthonius antrimensis* Subías & Arillo, 2002  
*Ctenacaronychus* Subías & Arillo, 2002 (Seite / Page: 96)  
 Typ.sp.: *Ctenacaronychus nortoni* Subías & Arillo, 2002  
*Cyranozetes* Mahunka & Mahunka-Papp, 2003 (Seite / Page: 257)  
 Typ.sp.: *Cyranozetes nasalis* Mahunka & Mahunka-Papp, 2003  
*Floritrichus* Coetzee, 2003 (Seite / Page: 96)  
 Typ.sp.: *Floritrichus louisbothai* Coetzee, 2003  
*Gehypochthonimimus* Subías & Arillo, 2002 (Seite / Page: 100)  
 Typ.sp.: *Gehypochthonimimus hibernicus* Subías & Arillo, 2002  
*Lagenobates* Weigmann & Miko, 2002 (Seite / Page: 30)  
 Typ.sp.: *Oribates lagenula* Berlese, 1904  
*Monoaphelacarus* Subías & Arillo, 2002 (Seite / Page: 99)  
 Typ.sp.: *Monophelacarus carboniferus* Subías & Arillo, 2002  
*Neoxenillus* Fujikawa, 2004 (Seite / Page: 101)  
 Typ.sp.: *Neoxenillus scopulus* Fujikawa, 2004  
*Nuhivabates* Niemi & Behan-Pelletier, 2004 (Seite / Page: 74)  
 Typ.sp.: *Nuhivabates nukuhiva* Niemi & Behan-Pelletier, 2004  
*Palaeocetenacarus* Subías & Arillo, 2002 (Seite / Page: 96)  
 Typ.sp.: *Palaeocetenacarus simmsi* Subías & Arillo, 2002  
*Palaeohypochthonius* Subías & Arillo, 2002 (Seite / Page: 101)  
 Typ.sp.: *Palaeohypochthonius jerami* Subías & Arillo, 2002  
*Pseudoprotoribates* Weigmann & Monson, 2004 (Seite / Page: 1415)  
 Typ.sp.: *Pseudoprotoribates luxtoni* Weigmann & Monson, 2004

### Neue Kombinationen / New combinations / n. comb.

- Neoxenillus heterosetiger* (Aoki, 1967) – [Fujikawa, 2004: 105]  
*Protoribates paracapucinus* (Mahunka, 1988) – [Bayartogtokh, 2000: 166]

### Neue Synonyme / New synonyms / n. syn.

- Atropacarus (Hoplophorella) hamatus* (Ewing, 1909) – [Niedbała, 2004: 135]  
 = *Hoplophorella cochlearis* Perez-Iñigo & Baggio, 1993  
 = *Hoplophorella cucullata* curassensis Willmann, 1936  
*Austrophthiracarus diazae* Ojeda, 1985 – [Niedbała, 2004: 92]  
 = *Calyptophthiracarus cucundus* Niedbała, 1988  
*Heterozetes aquaticus* (Banks, 1895) – [Behan-Pelletier & Eamer, 2003: 26]  
 = *Heterozetes patchchlorum* Habeeb, 1974  
*Heterozetes minnesotensis* (Ewing, 1913) – [Behan-Pelletier & Eamer, 2003: 28]  
 = *Heterozetes cayugensis* Habeeb, 1974  
*Phthiracarus mahunkai* Niedbała, 1994 – [Niedbała, 2004: 73]

- = Phthiracarus shiptoni (Sheals & Macfarlane, 1966)  
*Steganacarus (Rhacoplacarus)* Niedbała, 1986 – [Niedbała, 2004: 80]  
= Mantiguercarus Balogh & Mahunka, 1992  
*Steganacarus (Steganacarus)* Ewing, 1917 – [Niedbała, 2004: 84]  
= Nortonacarus Balogh & Mahunka, 1992  
= Neosteganacarus Balogh & Mahunka, 1992  
*Steganacarus (Steganacarus) rafalskii* (Niedbała, 1981) – [Niedbała, 2004: 88]  
= Neosteganacarus cataracta Balogh & Mahunka, 1992

***Nomina dubia / nom. dub.***

- Oribotritia exilis* (Sellnick, 1923) – [Niedbała, 2004: 26]

## Adressen / Addresses

- ADIS, PROF. DR. JOACHIM, Tropical Ecology Working Group, Max-Planck-Institute for Limnology, Postfach 165, 24302 Plön, Germany; E-Mail: adis@mpil-ploen.mpg.de
- AL DEEB, MR. MOHAMMAD A., Department of Entomology, Kansas State University, Manhattan, KS, 66506-4004, USA
- ALBERTI, PROF. DR. GERD, E.-Moritz-Arndt Univ., Zoologisches Institut und Museum, J.-Seb.-Bach-Str. 11-12, 17489 Greifswald, Germany; E-Mail: alberti@rz.uni-greifswald.de
- ANDRE, MR. HENRI M., Invertebrate Section, Musée Royal de l'Afrique Centrale, 3080 Tervuren, Belgium; E-Mail: handre@africamuseum.be
- AOKI, DR. JUN-ICHI, 3-8-12, Nishi-Azabu, Minato-ku, Tokyo, 106-0031, Japan; E-Mail: ja-muck@ma.rosenet.ne.jp
- ARILLO, DR. ANTONIO, Dpto. Biología Animal I, Facultad de Biología, Universidad Complutense, 28040 Madrid, Spain; E-Mail: aarillo@teleline.es
- BADEJO, PROF. DR. MOSADOLUWA A., Department of Zoology, Obafemi Awolowo University, Ile-Ife, Nigeria; E-Mail: mbadejo@yahoo.com
- BAYARTOGTOKH, DR. BADAMDORJ, Department of Zoology, Faculty of Biology, National Univ. of Mongolia, 210646 Ulaan-baatar, Mongolia; E-Mail: bayartogtokh@num.edu.mn
- BECK, PROF. DR. LUDWIG, Staatl. Museum f. Naturkunde, Postfach 111364, 76063 Karlsruhe, Germany; E-Mail: lbeck\_smnk@compuserve.com
- BEHAN-PELLETIER, DR. VALERIE M., Systematic Acarology, Invertebrate Biodiversity, Agriculture and Agri-Food Canada, K.W. Neatby Bldg., 960 Carling Ave., Ottawa, Ontario K1A 0C6, Canada; E-Mail: behanpv@agr.gc.ca
- CHEN, MR. JUN, Institute of Zoology, Chinese Academy of Sciences, 25 Beisihuan Road, Haidian, Beijing 100080, China; E-Mail: chenj@panda.ioz.ac.cn
- CHINONE, MR. SHIGEO, Iwai 2026-2, Iwai-shi, Ibaraki-ken, Japan
- COETZEE, DR. LOUISE, Department of Acarology, National Museum, P.O. Box 266, 9300 Bloemfontein, South Africa; E-Mail: acarol@nasmus.co.za
- CORPUZ-RAROS, DR. LEONILA A., Department of Entomology, University of the Philippines College, Los Banos, Laguna 4031, Philippines; E-Mail: prostigman7@hotmail.com
- COSIN, MR. D.J. DIAZ, Dpto. Biología Animal I, Facultad de Biología, Universidad Complutense, 28040 Madrid, Spain; E-Mail: dadico@bio.ucm.es
- COVARRUBIAS, MR. RENÉ, Rupanco 106, La Florida, Santiago, Chile
- DOGAN, DR. SALIH, Department of Biology, Kazim Karabekir Education Faculty, Ataturk University, 25240 Erzurum, Turkey; E-Mail: sadogan@atauni.edu.tr
- FERNANDEZ, PROF. DR. NESTOR A., Universidad Adventista del Plata, Secretaria de Ciencia y Técnica, 25 de Mayo 99, 3103 Libertador San Martin, Entre Ríos, Argentina; E-Mail: urtiz@ccopmacachin.com.ar
- FUJIKAWA, DR. TOKUKO, Aidai-Shukusha 1-115, Yokogawara 1375, Shigenobu-cho, Ehime, 791-0203 Nippon, Japan
- GORDEEVA, DR. E.V., Karadag-Reservation, National Academy of Sciences, Feodosia, Crimea 334876, Ukraina; E-Mail: gord@pb.301f.crimea.com
- GROBLER, MR. L., Department of Acarology, National Museum, Bloemfontein, South Africa
- HEETHOFF, DR. MICHAEL, Institut für Zoologie, Technische Universität Darmstadt, Schnittspahnstrasse 3, 64287 Darmstadt, Germany; E-Mail: heethoff@bio.tu-darmstadt.de
- HORAK, DR. FRANZ, Nahestraße 9, 55 118 Mainz, Germany; E-Mail: Franz.Horak@gruene.landtag.rip.de
- HUBERT, DR. JAN, Research Inst. Crop Production, Drnovska 507, 161 06 Praha 6-Ruzyne, Czech Republic; E-Mail: hubert@hb.vurv.cz
- ITO, MR. FUMINORI, Laboratory of Entomology, Faculty of Agriculture, Kagawa University, Ikenobe, Miki, 761-0795, Japan; E-Mail: ito@ag.kagawa-u.ac.jp
- KALUZ, DR. STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 842 06 Bratislava, Slovak Republic; E-Mail: uzaekalu@savba.sk
- KLIMEK, MR. ANDRZEJ, Department of Ecology, University of Technology and Agriculture, ul. Kordeckiego 20, 85225 Bydgoszcz, Poland
- KRIVOLUTSKY, DR. D.A., A.A. Severtsov Inst. Evol. Morph. & Ecol. Anim., Leninsky Prospect 33, 117071 Moscow W-71R, Russia; E-Mail: bioge@geogr.msu.ru

- LAUMANN, MR. MICHAEL, TU Darmstadt, Institut für Zoologie, Schnittspahnstr. 3, 64287 Darmstadt, Germany; E-Mail: laumann@bio.tu-darmstadt.de
- MARAUN, DR. MARK, TU Darmstadt, Institut für Zoologie, Schnittspahnstr. 3, 64287 Darmstadt, Germany; E-Mail: maraun@bio.tu-darmstadt.de
- MIGLIORINI, MR. MASSIMO, Department of Evolutionary Biology, University of Siena, via A. Moro 2, 53100 Siena, Italy; E-Mail: migliorinim@unisi.it
- MINOR, MRS. MARIA A., Institute of Natural Resources, Massey University, Private Bag 11222, Palmerston North, New Zealand; E-Mail: m.a.minor@massey.ac.nz
- MONDAL, MR. B.K., Department of Zoology, Ananda Chandra College, Jalpaiguri 735 101, India
- MONSON, MR. FRANK, 37 Hillfoot Road, Woolton, Liverpool L25 7UJ, United Kingdom; E-Mail: frank.monson@btopenworld.com
- MORDKOVICH, MR. V.G., Siberian Division, Institute of Animal Systematics and Ecology, Russian Academy of Sciences, Novosibirsk, 630091, Russia
- MURVANIDZE, MR. MAKÀ, Institute of Zoology of Georgian Academy of Sciences, Chavchavadze av. 31, 380089 Tbilisi, Georgia
- NADKARNI, MR. NALINI M., The Evergreen State College, 2700 Evergreen Pkwy, Lab 1, Olympia, WA, 98505, USA; E-Mail: Nadkarn@evergreen.edu
- NAKAMURA, YOSHIO, Laboratory of Crop Sciences, Faculty of Agriculture, Ehime University, 3-5-7 Tarumi, Matsuyama City, Ehime, 790-8566, Japan
- NIEDBALA, PROF. DR. WOJCIECH, Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Szamarzewskiego 91 A, , 60-569 Poznan, Poland; E-Mail: niedbala@hum.amu.edu.pl
- NIEMI, DR. RITVA, Zoological Museum, University of Turku, 20500 Turku, Finland; E-Mail: ritniemi@utu.fi
- NIIJIMA, MR. KEIKO, Tama Forest Science Garden, Forestry and Forest Products Research Institute, 1833-81 Todoricho, Hachioji, Tokyo, 193-0843, Japan; E-Mail: yasude@ffpri.affrc.go.jp
- NORTON, PROF. DR. ROY A., One Forestry Drive, Coll. Environ. Sci. & Forestry, State Univ. of New York, 1 Forestry Drive, Syracuse, NY 13210-2778, USA; E-Mail: ranorton@esf.edu
- NOZAKI, DR. TAKAO, Kanagawa Environ. Res. Center, 842 Nakahar-Shimojuku, Hiratsuka-shi, Kanagawa, 254-0072, Japan; E-Mail: takao.nozaki@nifty.ne.jp
- OHKUBO, MR. NORIHIDE, 2-10 Shibumi-cho, Tsu, Mie, 514-0063, Japan
- OLIVEIRA, MR. ANIBAL R., Curso de Pos-Graduação em Ciências Biológicas, Área de Zoologia, Instituto de Biosciências, Universidade de São Paulo, 05422-970 São Paulo, Brazil; E-Mail: arolivei@carpa.ciagri.usp.br
- OLSZANOWSKI, DR. ZIEMOWIT, Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Szamarzewskiego 91A, 60-569 Poznan, Poland; E-Mail: olszanow@main.amu.edu.pl
- OSTOVAN, DR. HADI, Department of Entomology, Post Graduate & Adv. Res. Branch, Islamic Azad Univ., P.O. Box 19395.1775, Teheran, Iran
- PRINZING, DR. ANDREAS, Department of Community Ecology, Centre of Environmental Res. Ltd., Theodor Lieser Str. 4, 06120 Halle/S., Germany
- RASPOTNIG, MAG.DR. GÜNTHER, Karl-Franzens-Universität, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; E-Mail: guenther.raspotnig@uni-graz.at
- REYNOLDS, MRS. BARBARA C., Department of Environmental Studies, Univ. of North Carolina at Asheville, Asheville, NC, 28804-8511, USA; E-Mail: kreyolds@unca.edu
- ROY, MRS. SHARMILA, Indian Grassland and Fodder Research Inst., Jhansi, UP, India
- RUF, DR. ANDREA, Univ. Bremen, FB 2 (Biologie/CHEMIE), Inst. f. Ökol. u. Evolutionsforsch., Leobener Str. - UFT, 28359 Bremen, Germany; E-Mail: aruf@uni-bremen.de
- SAKATA, DR. TOMOYO, Lab. Chem. Ecol., Div. Appl. Life Sci., Kyoto Univ., Kitashirakawa-Oiwakecho, Sakyo-ku, Kyoto, 606-8502, Japan; E-Mail: tonsuke@kais.kyoto-u.ac.jp
- SALOMONE, MRS. NICOLA, Department of Evolutionary Biology, University of Siena, via P.A. Mattioli 4, 53100 Siena, Italy; E-Mail: salomone@unisi.it
- SCHATZ, DR. HEINRICH, Inst. für Zoologie, Univ. Innsbruck, Technikerstr. 25, 6020 Innsbruck, Austria; E-Mail: heinrich.schatz@uibk.ac.at
- SCHEU, DR. STEFAN, Institut für Zoologie, Technische Universität Darmstadt, Schnittspahnstr. 3, 64287 Darmstadt, Germany; E-Mail: scheu@bio.tu-darmstadt.de

SCHNEIDER, MRS. KATJA, Institut für Zoologie, Technische Universität Darmstadt, Schnittspahnstr. 3, 64287 Darmstadt, Germany; E-Mail: schneider@bio.tu-darmstadt.de

SENICZAK, PROF. DR. STANISLAW, Dep. Ecol., Univ. Technol. Agric., ul. ks. Kordeckiego 20, 85-225 Bydgoszcz, Poland; E-Mail: seniczak@mail.atr.bydgoszcz.pl

SHIMANO, MR. SATOSHI, Department of Upland Farming, Tohoku Nation. Agricultural Experiment Station, Arai, Fukushima, 960-2156, Japan; E-Mail: satoshis@fk.affrc.go.jp

SHTANCHAEVA, U.YA., Caspian Institute of the Biological Resources, Daghestan Research Center, M. Gadjiev Str. 45, , Makhachkala, 367025, Daghestan, Russia; E-Mail: umukusum@mail.ru

SKUBALA, DR. PIOTR, University of Silesia, Department of Ecology, ul. Bankowa 9, 40-007 Katowice, Poland; E-Mail: pskubala@us.edu.pl

SMITH, MR. IAN M., Systematic Acarology Unit, Biodiversity Section, Research Branch, Agric. and Agri-food Canada, ECORC, Central Experimental Farm, Ottawa, Ontario K1A 0C6, Canada; E-Mail: smithi@em.agr.ca

SMRŽ, DR. JAROSLAV, Department of Zoology, Charles University, Vinicina 7, Czech Republic; E-Mail: smrz@mbox.cesnet.cz

SØVIK, MR. GULDBORG, Biological Institute, Department of Zoology, University of Oslo, P.O. Box 1050, Blindern, 0316 Oslo, Norway

SUBIAS, PROF. DR. LUIS S., Dept. Zoologia (Entomologia), Facultad de Biología, Universidad Complutense, 28040 Madrid, Spain; E-Mail: subias@bio.ucm.es

TIUNOV, MR. A.V., Severtsov Institute of Ecology and Evolution, Russian Academy of Sciences, Moscow, 119071, Russia

TOLSTIKOV, DR. ANDREJ V., Depart. Entomol., Fac. of Biology, Moscow State Univ., Moscow 119899, Russia

UVAROV, MR. ALEXEI V., Laboratory of Soil Zoology, Institute for Ecology and Evolution, Leninsky prospect, 119071 Moscow, Russia; E-Mail: zoosoil@orc.ru

VAN GESTEL, MR. CORNELIS A.M., Institute of Ecological Science, Vrije Universiteit, De Boelelaan 1085, 1081 HV, Amsterdam, The Netherlands; E-Mail: gestel@bio.vu.nl

WALTER, DR. DAVID EVANS, Department of Zoology and Entomology, University of Queensland, St. Lucia, , Brisbane, QLD, 4072, Australia; E-Mail: d.walter@mailbox.uq.edu.au

WEIGMANN, PROF. DR. GERD, Freie Univ. Berlin, Inst. f. Bodenzoolog. und Ökologie (WE 04), Grunewaldstr. 34, 12165 Berlin, Germany; E-Mail: weigmann@zedat.fu-berlin.de

WEN, MR. ZAI-GEN, Department of Biology, Norman Bethune University of Medical Sciences, Changchun Jilin 130021, China

WOAS, DR. STEFFEN, Staatliches Museum für Naturkunde, Postfach 111364, 76063 Karlsruhe, Germany

YAMAMOTO, DR. YOSHINORI, Wakayama Prefectural School for the Blind, 949-23 Fuchu, Wakayama-shi, Wakayama, 649-6338, Japan; E-Mail: yoshi19@pop21.odn.ne.jp

ZAITSEV, MR. ANDREI S., Institute of Zoology, J.-Liebig University, Heinrich-Buff-Ring 26-32, 35392 Gießen, Germany; E-Mail: andrei.zaitsev@allzool.bio.uni-giessen.de

ZHANG, DR. ZHI-QIANG, Landcare Research, Private Bag 92-170, Auckland, New Zealand; E-Mail: zhangz@landcare.cri.nz

Anschrift der Verfasser / *Address of the authors:*

Dr. Thomas Schwalbe  
Kerstin Franke  
Staatliches Museum für Naturkunde Görlitz  
Postfach 300 154  
02806 Görlitz

Tel.: 0049-3581-4760 200  
Fax.: 0049-3581-4760 101  
E-Mail: Kerstin.Franke@smng.smwk.sachsen.de  
Homepage: <http://www.naturkundemuseum-goerlitz.de>

Privat / *privat:*

Dr. Thomas Schwalbe  
Alfred-Fehler-Strasse 21  
02827 Görlitz

Tel.: 0049-3581-739236  
E-mail: tschwalbe@t-online.de

erschienen am / *published:* 10.11.2004

## Bestellschein / Subscription form

Ich abonneiere hiermit **ACARI** – Bibliographia Acarologica  
3 Hefte pro Band und Jahr

*I wish to subscribe to ACARI – Bibliographia Acarologica  
3 issues per volume and year*

Institut, Bibliothek      20 € incl. Porto und Verpackung  
*Institution, library*      20 € *incl. postage and handling*

privat      10 € incl. Porto und Verpackung  
*personal*      10 € *incl. postage and handling*

Ich kann die Kosten in konvertierbarer Währung nicht bezahlen. Senden Sie mir im Schriftentausch gegen meine Veröffentlichungen über Milben ein Heft pro Jahr zu. (Bitte gewünschtes Heft ankreuzen.)

*I cannot cover the costs in convertible currency. I request in publication exchange for my articles about mites one issue per year. (Please indicate the issue chosen by ticking square below.)*

Mesostigmata

Oribatida

Actinedida

Bitte geben Sie Ihre **Adresse** exakt und lesbar an! / Please write your **address** exactly and legibly!

Name / name

---

Adresse / address

---

---

---

---

---

Datum / Date

---

Unterschrift / Signature

Bitte senden Sie diesen Bestellschein an: / Please return this form to:

Dr. A. Christian  
Staatliches Museum für Naturkunde Görlitz  
PF 300 154  
D-02806 Görlitz  
Deutschland / Germany

Fax.: 0049-3581-4760 101  
Email: [axel.christian@smng.smwk.sachsen.de](mailto:axel.christian@smng.smwk.sachsen.de)

**Inhalt / Contents****Schwalbe, T. & K. Franke: Oribatida Nr. 35 ..... 1-22****Acarologische Literatur / Acarological literature**

- Publikationen 2004 / Publications 2004 .....	2
- Publikationen 2003 / Publications 2003 .....	3
- Publikationen, Ergänzungen 2002 / Publications, additions 2002 .....	6
- Publikationen, Ergänzungen 2001 / Publications, additions 2001 .....	7
- Publikationen, Ergänzungen 2000 / Publications, additions 2000 .....	8
- Publikationen, Ergänzungen 1999 / Publications, additions 1999 .....	8
- Publikationen, Ergänzungen 1998 / Publications, additions 1998 .....	9

**Nomina nova**

- Neue Arten / New species / n. sp. ....	11
- Neue Gattungen / New genera / n. gen. ....	17
- Neue Kombinationen / New combinations / n. comb. ....	17
- Neue Synonyme / New synonyms / n. syn. ....	17
- <i>Nomina dubia</i> / nom. dub. ....	18
<b>Adressen / Addresses</b> .....	19