


# ACARI

Bibliographia Acarologica



13 (2) · 2013

## Oribatida

# ACARI

Bibliographia Acarologica

## Publisher

Senckenberg Gesellschaft für Naturforschung, Senckenberganlage 25, 60325 Frankfurt am Main, Germany  
Institute: Senckenberg Museum für Naturkunde Görlitz, Germany

## Editor-in-Chief

Axel Christian  
Senckenberg Museum für Naturkunde Görlitz, Germany  
PF 300 154, 02806 Görlitz, Germany  
Email: axel.christian@senckenberg.de

## Technical Editor

Kerstin Franke, Senckenberg Museum für Naturkunde Görlitz, Germany

## Indexed in

CAB Abstracts, Worldcat, Zoological Record

## Cover picture

Ekkehart Mättig, Senckenberg Museum für Naturkunde Görlitz, Germany

## Production

Senckenberg Museum für Naturkunde Görlitz, Germany

## Print

MAXROI Graphics GmbH, Görlitz, Germany. Printed in environmentally friendly paper.

## Distributor

Senckenberg Museum für Naturkunde Görlitz — Library  
PF 300 154, 02806 Görlitz, Germany

## Subscription Information

The issue contains an order form.

## Website

[www.senckenberg.de/acari](http://www.senckenberg.de/acari)

© Senckenberg Gesellschaft für Naturforschung · 2013  
All rights reserved.

The scientific content of a paper is the sole responsibility of the author(s).

## Editum

05.08.2013

ISSN  
1618-8977

Member of the  
  
Leibniz Association

## ORIBATIDA No. 44

Kerstin Franke

Senckenberg Museum für Naturkunde Görlitz, PF 300 154, 02806 Görlitz, Germany  
E-Mail: kerstin.franke@senckenberg.de

Editorial end 30 June 2013

Published 05 August 2013

Under the title “Oribatida”, the publications on oribatid mites are listed every year as far as they have come to our knowledge. Please help us to keep the literature database as complete as possible by sending us pdf’s, reprints or copies of all your papers on oribatid mites, or, if this is not possible, complete references so that we can include them in the list. Proposals for improvement and criticism are very welcome. Please inform us, if we have failed to list all your publications in the Bibliographia.

The database about oribatid mites presently contains 10 929 papers and 8119 taxa. Every scientist who sends keywords for investigations can receive a list of literature or taxa. The literature from 1995 to 2012 is searchable on the Internet. The Bibliographia Oribatologica of number 1 to 31 and the issues 1 to 12 of ACARI can be downloaded free of charge. <http://www.senckenberg.de/goerlitz/Acari>

We are presently endeavouring to extend the reference collections on mites and interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the Senckenberg Museum of Natural History Görlitz will also remain possible in the future. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. Types and original descriptions are presented on the Internet. <http://www.senckenberg.de/goerlitz/Arachnida-Database>

## Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with “\*” were only found as a citation or abstract. The addresses of the corresponding authors are given in the section Addresses.

## Publications 2013

ABDURAKHMANOV, G.M. / DAVUDOVA, E.Z. (2013): Volumes of genera and species composition of Oribatida (Acariformes, Oribatida) of the internal mountain Dagestan. [Orig. Russ.] - The South of Russia: ecology, development 1: 21-37

ABDURAKHMANOV, G.M. / GRIKUROVA, A.A. / SUBIAS, L.S. / SHTANCHEVA, U.YA. / KURAMAGOMEDOV, B.M. (2013): Species composition and zoogeographical characteristics of oribatid mites (Acariformes, Oribatida) of the coast and islands of the north-western part of the Caspian Sea. [Orig. Russ.] - The South of Russia: ecology, development 1: 16-20

AKRAMI, M.A. / BEHMANESH, M. (2013): A new species of the family Zetomotrichidae (Acari, Oribatida) from Iran. - Pers. J. Acarol. 2,1: 1-7

BAYARTOGTOKH, B. / ERMILOV, S.G. (2013): Ontogenetic stages of *Gymnodamaeus irregularis*, with remarks on morphology of the juveniles of Gymnodamaeidae (Acari, Oribatida, Plateremaeoidea). - Intern. J. Acarol. 39,1: 7-25

- BEATY, L.E. / ESSER, H.J. / MIRANDA, R. / NORTON, R.A. (2013): First report of phoresy by an oribatid mite (Trhypochthoniidae, *Archezogozetes magnus*) on a frog (Leptodactylidae, *Engystomops pustulosus*). - Intern. J. Acarol. 39: 3 pp. DOI:10.1080/01647954.2013.777783
- BEHAN-PELLETIER, V.M. (2013): *Adoribatella*, *Ferolocella*, *Joelia* and *Ophidiotrichus* (Acari, Oribatida, Oribatellidae) of North America. - Zootaxa 3637 (3): 254-284
- COLLOFF, M.J. / CAMERON, S.L. (2013): A phylogenetic analysis and taxonomic revision of the oribatid mite family Malaconothridae (Acari: Oribatida), with new species of Tyrphonothrus and Malaconothrus from Australia. - Zootaxa 3681 (4): 301-346
- COULSON, S.J. / FJELLBERG, A. / GWIAZDOWICZ, D.J. / LEBEDEVA, N.V. / MELEKHINA, E.N. / SOLHOY, T. / ERSÉUS, C. / MARALDO, K. / MIKO, L. / SCHATZ, H. / SCHMELZ, R.M. / SOLI, G. / STUR, E. (2013): The invertebrate fauna of anthropogenic soils in the High-Arctic settlement of Barentsburg, Svalbard. - Polar Research 32: 12 pp. DOI:10.3402/polar.v32i0.19273
- DAU, A.C. (2013): Die Salzquellen von Bad Oldesloe - Struktur und eines Extremlebensraumes. -Bachelorarbeit, Christian-Albrechts-Universität, Zool. Inst., Kiel: 1-67
- DONOSO, D.A. / JOHNSTON, M.K. / CLAY, N.A. / KASPARI, M.E. (2013): Trees as templates for trophic structure of tropical litter arthropod fauna. - Soil Biol. Biochem. 61: 45-51
- EISSFELLER, V. / BEYER, F. / VALTANEN, K. / HERTEL, D. / MARAUN, M. / POLLE, A. / SCHEU, S. (2013): Incorporation of plant carbon and microbial nitrogen into the rhizosphere foodweb of beech and ash. - Soil Biol. Biochem. 62: 76-81
- ERMILOV, S.G. (2013): Additional description of *Scheloribates* (*Bischeloribates*) *mahunkai* Subías, 2010 (Acari, Oribatida, Scheloribatidae) on the basis of Vietnamese specimens. - Opusc. Zool. Budapest 44,1: 9-14
- ERMILOV, S.G. / ANICHKIN, A.E. (2013): Oribatid mites (Acari, Oribatida) from dipterocarp and polydominat forests of the Dong Nai Culture and Nature Reserve (Southern Vietnam), with description of a new species of *Lyroppia* (Oppiidae). - **Acarologia 53,1: 101-109**
- ERMILOV, S.G. / ANICHKIN, A.E. (2013): A new species of *Ramuselloppia* (Acari, Oribatida, Oppiidae) from Vietnam. - Persian J. Acarol. 2,1: 25-33
- ERMILOV, S.G. / ANICHKIN, A.E. (2013): Oribatid mites (Acari, Oribatida) of fungi from Dong Nai Biosphere Reserve, Southern Vietnam. - Pers. J. Acarol. 2,2: 195-208
- ERMILOV, S.G. / ANICHKIN, A.E. (2013): Oribatid mites (Acari, Oribatida) from acacia and pine plantations in southern Vietnam, with description of a new species of the subgenus *Galumna* (*Cosmogalumna*). - Syst. Appl. Acarol. 18,1: 80-88
- ERMILOV, S.G. / ANICHKIN, A.E. (2013): A new species of *Plakoribates* (Acari, Oribatida, Achipteriidae) from Vietnam. - Syst. Appl. Acarol. 18,2: 137-144
- ERMILOV, S.G. / ANICHKIN, A.E. (2013): Collection of oribatid mites (Acari, Oribatida) from Dong Nai Biosphere Reserve of southern Vietnam, with description of three new species. - Ann. Zool. 63,2: 177-193
- ERMILOV, S.G. / ANICHKIN, A.E. / PAL'KO, I.V. (2013): Oribatid mites (Acari) from nests of some birds in South Vietnam. [Orig. Russ.] - Zool. Zhur. 92,7: 802-807
- ERMILOV, S.G. / AOKI, J. / ANICHKIN, A.E. (2013): Description of *Chistyakovella insolita* gen. nov., sp. nov., and redescription of the type species of *Diplobodes*, *D. kanekoi* Aoki, 1958 (Acari, Oribatida, Carabodidae). - Zootaxa 3608 (3): 178-190
- ERMILOV, S.G. / KOLESNIKOV, V.B. (2013): Morphology of juvenile instars of *Zetorchestes micronychus* (Acari, Oribatida, Zetorchestidae). [Orig. Russ.] - Zool. Zhur. 92,6: 646-658
- ERMILOV, S.G. / KALÚZ, S. (2013): Three new species of Oppioidea (Acari: Oribatida) from India. - Zootaxa 3670 (4): 482-492
- ERMILOV, S.G. / KALÚZ, S. (2013): Two new species of oribatid mites (Acari, Oribatida) from India. - Proc. Zool. Inst. RAS: 317,2: 176-184
- ERMILOV, S.G. / KALÚZ, S. (2013): Additions to the moroccan oribatid mite fauna, with a supplementary

- description of *Xenillus clavatopilus* (Acari, Oribatida, Liacaridae). - *Acarina* 21,1: 76-80
- ERMILOV, S.G. / KALÚZ, S. (2013): Supplementary description of *Dolicheremaeus distinctus* Aoki, 1982 (Acari: Oribatida: Tetranychidae) on the basis of Indian specimens. - *Opusc. Zool. Budapest* : 7 pp. online first
- ERMILOV, S.G. / RYBALOV, L.B. (2013): Two new species of oribatid mites of the superfamily Oripodoidea (Acari, Oribatida) from Ethiopia. - *Syst. Appl. Acarol.* 18,1: 71-79
- ERMILOV, S.G. / RYBALOV, L.B. (2013): Two new species and new records of oribatid mites (Acari, Oribatida) from Ethiopia. - *Ann. Zool.* 63,1: 45-55
- ERMILOV, S.G. / RYBALOV, L.B. / WU, D. (2013): Morphology of adult and nymphal instars of *Gustavia longiseta* (Acari, Oribatida, Gustaviidae). - *Acarina* 21,1: 53-61
- ERMILOV, S.G. / SANDMANN, D. / MARAIN, F. / MARAUN, M. (2013): Three new species of oribatid mites (Acari, Oribatida) from Ecuador. - *Acarologia* 53,1: 111-123
- ERMILOV, S.G. / SANDMANN, D. / MARIAN, F. / MARAUN, M. (2013): New oribatid mites of the genera *Machadobelba* and *Campachipteria* (Acari, Oribatida) from Ecuador. - *Syst. Appl. Acarol.* 18,2: 145-152
- ERMILOV, S.G. / SANDMANN, D. / MARAUN, M. (2013): Two new species of *Schalleria* (Acari, Oribatida, Microzetidae) from Ecuador with a key to all species of the genus. - *Intern. J. Acarol.* 39,3: 200-208
- ERMILOV, S.G. / SANDMANN, D. / MARIAN, F. / MARAUN, M. (2013): Three new species of the genus *Sternoppia* (Acari, Oribatida, Sternoppiidae) from Ecuador. - *Zootaxa* 3641 (5): 565-576
- ERMILOV, S.G. / SANDMANN, D. / MARIAN, F. / MARAUN, M. (2013): Two new species of oribatid mites of the genus *Truncozetes* (Acari, Oribatida, Epactozetidae) from Ecuador. - *ZooKeys* 303: 23-31
- ERMILOV, S.G. / SHTANCHAEVA, U.Y. / KALÚZ, S. / SUBIAS, L. (2013): Three new species of the genus *Pergalumna* (Acari, Oribatida, Galumnidae) from India. - *Zootaxa* 3682 (3): 412-420
- FARSKÁ, J. / PREJZKOVÁ, K. / RUSEK, J. (2013): Spruce monoculture establishment affects functional traits of soil microarthropod communities. - *Biologia* 68,3: 479-486
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. (2013): The family Carabodidae (Acari, Oribatida) I. Description of a new genus, *Bovicarabodes* with three new species, and the redescription of *Hardybodes mirabilis* Balogh, 1970. - *Intern. J. Acarol.* 39,1: 26-57
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. / LEIVA, S. (2013): Revision of the family Carabodidae (Acari, Oribatida) II. Redescription of *Austrocarabodes ensifer* (Sellnick, 1931), *Aokiella florens* Balogh & Mahunka, 1967 and *Singabodes rarus* Mahunka, 1998. - *Intern. J. Acarol.* 39,3: 181-199
- FISCHER, B.M. / SCHATZ, H. (2013): Biodiversity of oribatid mites (Acari, Oribatida) along an altitudinal gradient in the Central Alps. - *Zootaxa* 3626 (4): 429-454
- HASEGAWA, M. / OKABE, K. / FUKUYAMA, K. / MAKINO, S. / OKOCHI, I. / TANAKA, H. / GOTO, H. / MIZOGUCHI, T. / SAKATA, T. (2013): Community structures of Mesostigmata, Prostigmata and Oribatida in broad-leaved regeneration forests and conifer plantations of various ages. - *Exp. Appl. Acarol.* 59,4: 391-408
- HUGO-COETZEE, E.A. (2013): New species of *Aleurodamaeus* Grandjean, 1954 (Oribatida: Aleurodamaeidae) from South Africa. - *Zootaxa* 3670 (4): 531-556
- JALOSZYNSKI, P. / OLSZANOWSKI, Z. (2013): Specialized feeding of *Euconnus pubicollis* (Coleoptera, Staphylinidae, Scydmaeninae) on oribatid mites: Prey preferences and hunting behaviour. - *Eur. J. Entomol.* 110,2: 339-353
- KNEE, W. / FORBES, M.R. / BEAULIEU, F. (2013):\* Diversity and host use of mites (Acari: Mesostigmata, Oribatida) phoretic on bark beetles (Coleoptera, Scolytinae): Global generalists, local specialists? - *Ann. Entomol. Soc. Amer.* 106,3: 339-350
- LIANG, W.Q. / YANG, M.F. (2013): Two new species of *Neoribates* (*Neoribates*) Berlese, 1914 from China (Acari, Oribatida, Parakalummidae). - *Opusc.*

- Zool. Budapest 44,1: 15-21
- LIU, D. / WU, D. (2013): Three new species of the genus *Suctobelbella* (Acari, Oribatida, Suctobelbidae) from Sanjiang Plain, Northeast China. - Zootaxa 3637 (2): 131-138
- LÓSKOVÁ, J. / LUPTÁCIK, P. / MIKLISOVÁ, D. / KOVÁČ, L. (2013): The effect of clear-cutting and wildfire on soil Oribatida (Acari) in windthrown stands of the High Tatra Mountains (Slovakia). - Eur. J. Soil Biol. 55: 131-138
- MCCULLOUGH, E. / KRISPER, G. (2013): Morphological analysis of the oribatid mite species *Scutovertex pannonicus* Schuster and description of its juvenile stages (Acari, Oribatida, Scutoverticidae). - Zootaxa 3619 (3): 201-245
- MELTOFTE, H. (ED.) (2013): Arctic Biodiversity Assessment. Status and trends in Arctic biodiversity. - Conservation of Arctic Flora and Fauna: 1-560
- MIKO, L. / MONSON, F.D. (2013): Two interesting Damaeid mites (Acari, Oribatida, Damaeidae Berlese, 1896) from the British Isles and Svalbard (Spitsbergen, Norway), with a description of *Kunstidamaeus arcticus* n. sp.. - Acarologia 53,1: 89-100
- MIKO L. / MOUREK J. / MELEG I.N. / MOLDOVAN O.T. (2013): Oribatid mite fossils from pre-Quaternary sediments in Slovenian caves II. *Amiracarus pliocennatus* n. gen., n. sp. (Microzetidae) from Pliocene, with comments on the other species of the genus. - Zootaxa 3670 (4): 557-578
- MUMLADZE, L. / MURVANIDZE, M. / BEHAN-PELLETIER, V. (2013): Compositional patterns in Holarctic peat bog inhabiting oribatid mite (Acari, Oribatida) communities. - Pedobiologia 56,1: 41-48
- NAKAMURA, K. / NAKAMURA, Y.-N. / FUJIKAWA, T. (2013): Oribatid mites (Acari, Oribatida) from Tohoku (Northeast Japan), collected after a tidal wave in 2011. - Acarologia 53,1: 41-76
- NEWTON, J.S. / PROCTOR, H.C. (2013): A fresh look at weight-estimation models for soil mites (Acari). - Intern. J. Acarol. 39,1: 72-85
- NIEDBALA, W. / DABERT, M. (2013): Madeira's ptyctimous mites (Acari, Oribatida). - Zootaxa 3664 (4): 571-585
- NIEDBALA, W. / ERMILOV, S.G. (2013): Ptyctimous mites (Acari, Oribatida) from Southern Vietnam with descriptions of three new species. - Zootaxa 3608 (6): 521-530
- PENTTINEN, R. / VIIRI, H. / MOSER, J.C. (2013): The mites (Acari) associated with bark beetles in the Koli National Park in Finland. - Acarologia 53,1: 3-15
- PFINGSTL, T. (2013): Revealing the diversity of a once small taxon: the genus *Selenoribates* (Acari, Oribatida, Selenoribatidae). - ZooKeys 312: 39-63
- PFINGSTL, T. (2013): Population dynamics of intertidal oribatid mites (Acari, Cryptostigmata) from the subtropical archipelago of Bermuda. - Exp. Appl. Acarol.: 12 pp. DOI: 10.1007/s10493-013-9687-5
- PFINGSTL, T. (2013): Resistance to fresh and salt water in intertidal mites (Acari: Oribatida): implications for ecology and hydrochorous dispersal. - Exp. Appl. Acarol.: 10 pp. DOI: 10.1007/s10493-013-9681-y
- ROSENBERGER, M. / MARAUN, M. / SCHEU, S. / SCHAEFER, I. (2013): Pre- and post-glacial diversifications shape genetic complexity of soil-living microarthropod species. - Pedobiologia: 9 pp. DOI:10.1016/j.pedobi.2012.11.003
- RUSSELL, D.J. / HOHBERG, K. / OTTE, V. / CHRISTIAN, A. / POTAPOV, M. / BRUCKNER, A. / MCINNES, S.J. (2013): Der Einfluss menschlicher Aktivitäten auf Bodenorganismen der maritimen Antarktis und die Einschleppung von fremden Arten in die Antarktis. - Studie i. A. des Umweltbundesamtes 21: 1-302
- SENICZAK, S. / SENICZAK, A. (2013): Morphology of juvenile stages and ontogeny of three species of Damaeidae (Acari, Oribatida). - Intern. J. Acarol. 39,2: 160-179
- SENICZAK, S. / SENICZAK, A. (2013): Differentiation of external morphology of *Oribatella* Banks, 1895 (Acari, Oribatida, Oribatellidae), in light of the ontogeny of three species. - J. Nat. Hist. 47,23-24: 1569-1611
- SENICZAK, S. / SENICZAK, A. / CHACHAJ, B. (2013): Morphology of juvenile stages of three species of Scheloribatidae (Acari: Oribatida). - Ann. Zool. 63,1: 29-43

- SKUBALA, P. / DETHIER, M. / MADEJ, G. / SOLARZ, K. / MAKOL, J. / KAZMIERSKI, A. (2013): How many mite species dwell in subterranean habitats? A survey of Acari in Belgium. - *Zool. Anz.* 252,3: 307-318
- SUBIAS, L.S. (2013): Oribátidos (Acari, Oribatida) subterráneos de Jaén. In: Los invertebrados de hábitats subterráneos de Jaén. - Grupo de Espeleología de Villacarrillo, Jaén: 56-57
- SUBIAS, L.S. / PÉREZ, T. (2013): Oribatidos (Acari, Oribatida) cavernícolas de España. In: Grupo de Espeleología de Villacarrillo, G.E.V. (Ed.) - Gota a gota 1: 37-43
- SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2013): Nuevas especies y citas ibéricas de *Ctenobelba* s. str. Balogh, 1943, y descripción de *Ctenobelba (Aokibelba)* n. subg. del este de Asia (Acari, Oribatida, Ctenobelbidae). - *Graellsia* 69,1: 37-44
- SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2013): El género *Hermannia* en la península ibérica. Primera cita paleártica occidental de *H. (Phyllhermannia)* y descripción de *H. (Ph.) longisetosa* n. sp. (Acari, Oribatida, Hermannidae). - *Boln. Asoc. esp. Ent.* 37,1-2: 17-22
- SUBIAS, L.S. / SHTANCHAEVA, U.Y. / ARILLO, A. (2013): Oribátidos (Acari, Oribatida) de España peninsular e islas Baleares. Distribución. - Monografías electrónicas S.E.A. 5: 1-259
- TOLUK, A. / AYYILDIZ, N. (2013): New and unrecorded oribatid mites from Kahramanmaraş province in Turkey (Acari, Oribatida). - *Zoology in the Middle East* 59,1: 77-83
- WALTER, D.E. / LATONAS, S. (2013): A review of the ecology and distribution of *Protoribates* (Oribatida, Oripodoidea, Haplozetidae) in Alberta, Canada, with the description of a new species. - *Zootaxa* 3620 (3): 483-499
- WU, Y. / LI, Y. / ZHENG, C. / ZHANG, Y. / SUN, Z. (2013): Organic amendment application influence soil organism abundance in saline alkali soil. - *Eur. J. Soil Biol.* 54: 32-40
- YANG, B. / LIU, X.H. / CHEN, H. / GE, F. (2013): The specific responses of Acari community to Bt cotton cultivation in agricultural soils in northern China. - *Appl. Soil Ecol.* 66: 1-7
- ZAITSEV, A.S. / VAN STRAALLEN, N.M. / BERG, M.P. (2013): Landscape geological age explains large scale spatial trends in oribatid mite diversity. - *Landscape Ecology* 28,2: 285-296

## Publications 2012

- AKRAMI, M.A. / BEHMANESH, M. (2012): The first record of the family Parakalummidae Grandjean, 1936 (Acari, Oribatida) from Iran, with description of a new species. - *Syst. Appl. Acarol.* 17,4: 428-434
- ANDRÉ, H.M. / N'DRI, J.K. (2012): Bréviaire de taxonomie des acariens. - *Abc Taxa* 13: 1-186
- ARROYO, J. / KENNY, J. / BOLGER, T. (2012): A survey of the Oribatida and Mesostigmata (Acarina) of Irish forests. - *Bull. Ir. biogeogr. Soc.* 36: 33-59
- BADIERITAKIS, E.G. / THANOPOULOS, R.C. / EMMANOUEL, N.G. (2012): Mite fauna in foliage and litter of *Medicago* species in Greece. - *Intern. J. Acarol.* 38,8: 681-691
- BARAN, S. (2012): First record of the mite family Ctenobelbidae (Acari, Oribatida) from Turkey: *Ctenobelba (Ctenobelba) ayyildizi* sp. nov.. - *Turk. J. Zool.* 36,6: 739-744
- BARAN, S. / AYYILDIZ, N. / KENCE, A. (2012): Two new species and a new record of oppioid mites (Acari: Oribatida) from Turkey. - *Pak. J. Zool.* 44,3: 777-785
- BARNETT, A.A. / THOMAS, R.H. (2012): The delineation of the fourth walking leg segment is temporally linked to posterior segmentation in the mite *Archezogetes longisetosus* (Acari, Oribatida, Trhypochthoniidae). - *Evol. & Devel.* 14,4: 383-392
- BASSET, Y. / CIZEK, L. / CUÉNOUD, P. / DIDHAM, R.K. / GUILHAUMON, F. ET AL. (2012): Arthropod diversity in a tropical forest. - *Science* 338,1481: 5 pp. DOI: 10.1126/science.1226727
- BEHAN-PELLETIER, V.M. / WALTER, D.E. (2012): *Oribatella* (Acari, Oribatida, Oribatellidae) of western North America. - *Zootaxa* 3432: 1-62
- BERGMANN, P. / HEETHOFF, M. (2012): The oviduct is a brood chamber for facultative egg retention

- in the parthenogenetic oribatid mite *Archezogozetes longisetosus* Aoki (Acari, Oribatida). - *Tissue and Cell* 44: 342-350
- BERNIER, N. / GILLET, F. (2012): Structural relationships among vegetation, soil fauna and humus form in a subalpine forest ecosystem: a Hierarchical Multiple Factor Analysis (HMFA). - *Pedobiologia* 55,6: 321-334
- CAMANN, M.A. / LAMONCHA, K.L. / GILLETTE, N.E. (2012): Oribatid mite community decline two years after low-intensity burning in the southern cascade range of California, USA. - *Forests* 3,4: 959-985
- COLLOFF, M.J. (2012): New eremaeozetid mites (Acari, Oribatida, Eremaozetoidea) from the south-western Pacific region and the taxonomic status of the Eremaozetidae and Idiozetidae. - *Zootaxa* 3435: 1-39
- DEUS, E.G. / SOUZA, M.S.M. / MINEIRO, J.L.C. / ADAIME, R. / SANTOS, R.S. (2012): Mites (Arachnida, Acari) collected on rubber trees *Hevea brasiliensis* (Willd. ex A. Juss.) Mull. Arg. in Santana, Amapá State, Brazil. - *Braz. J. Biol.* 72,4: 915-918
- ELMOGHAZY, M.M.E. / EL-KAWAS, H.M.G. / SALMAN, M.S. (2012):\* Biological aspects of *Schelorbitates laevigatus* (Acari, Oribatida) when fed on mixture of the free-living nematod, *Eudiplogaster phlagellicaudatus* and potato in the laboratory. - *Acarines* 6,1: 21-24
- EL-SHARABASY, H.M. (2012):\* Abundance and diversity of soil mites (Acari, Gamasida & Oribatida) in mango orchards in Ismailia Region, Egypt. - *Acarines* 4,1: 31-36
- ERMILOV, S.G. (2012): Oribatid mites of the superfamily Galumnoidea from Zambia, with description of a new species of the genus *Galumna* (Acari, Oribatida). - *Genus* 23,3: 455-460
- ERMILOV, S.G. / ANICHKIN, A.E. (2012): Two new oribatid mite species with auriculate pteromorphs from Southern Vietnam (Acari, Oribatida, Parakalummidae, Galumnidae). - *Opusc. Zool. Budapest* 43,2: 161-167
- ERMILOV, S.G. / ANICHKIN, A.E. (2012): Two new species of oribatid mites (Acari, Oribatida) from Bu Gia Map National Park (Vietnam). - *Zoosyst. Rossica* 21,1: 18-27
- ERMILOV, S.G. / ANICHKIN, A.E. / WU, D. (2012): Oribatid mites from Bu Gia Map National Park (Southern Vietnam), with description of a new species of *Dolicheremaeus* (Tetracondylidae) (Acari, Oribatida). - *Genus* 23,4: 591-601
- ERMILOV, S.G. / ANICHKIN, A.E. / WU, D. (2012): Two new species of the genus *Papillacarus* (Acari, Oribatida, Lohmanniidae) from caves of Southern Vietnam. - *Zootaxa* 3593: 75-88
- ERMILOV, S.G. / HUGO-COETZEE, E.A. (2012): Oribatid mites of the genus *Eremulus* Berlese, 1908 (Acari, Oribatida, Eremulidae) from South Africa. - *Afr. Invertebr.* 53,2: 559-569
- ERMILOV, S.G. / HUGO-COETZEE, E.A. (2012): *Valbehanella freestatensis* gen. nov., sp. nov. (Acari, Oribatida) from South Africa. - *Syst. Appl. Acarol.* 17,4: 407-416
- ERMILOV, S.G. / HUGO-COETZEE, E.A. (2012): Two new species of *Nothrus* (Acari, Oribatida, Nothridae) from South Africa. - *Navors. nas. Mus., Bloemfontein* 28,2: 25-40
- ERMILOV, S.G. / KALÚZ, S. (2012): Four new species of the superfamily Galumnoidea (Acari, Oribatida) from Ecuador. - *Zootaxa* 3481: 27-38
- ERMILOV, S.G. / KALÚZ, S. (2012): Two new species of oribatid mites (Acari, Oribatida) from Ecuador. - *Syst. Appl. Acarol.* 17,3: 269-280
- ERMILOV, S.G. / KALÚZ, S. (2012): A new species of the genus *Unguizetes* (Acari, Oribatida, Mochlozetidae) from Ecuador. - *Acarina* 20,2: 180-184
- ERMILOV, S.G. / KALÚZ, S. (2012): A new subgenus and three new species of oribatid mites of the family Schelorbitatidae (Acari, Oribatidae) from Ecuador. - *Ann. Zool.* 62,4: 773-787
- ERMILOV, S.G. / KHAUSTOV, A.A. / WU, D. (2012): Checklist of oribatid mites from "Cape Martyan" Nature Reserve (Ukraine), with redescription of *Paralopheremaeus hispanicus* (Ruiz, Kahwash and Subías, 1990) and description of *Ctenobelba martyanensis* sp. nov. (Acari, Oribatida). - *Opusc. Zool. Budapest* 43,2: 147-160
- ERMILOV, S.G. / KOLESNIKOV, V.B. (2012): Morphology of juvenile instars of *Furcoribula furcillata* and

- Zygoribatula exilis* (Acari, Oribatida). - *Acarina* 20,1: 48-59
- ERMILOV, S.G. / NIEDBAŁA, W. / ANICHKIN, A.A. (2012): **Oribatid mites of Dong Nai Biosphere Reserve (= Cat Tien National Park) of southern Vietnam, with description of a new species of *Pergalumna* (Acari, Oribatida, Galumnidae).** - *Acarina* 20,1: 20-28
- ERMILOV, S.G. / RYABININ, N.A. / ANICHKIN, A.E. (2012): The morphology of the juvenile stages of two oribatid species of the family Hermanniidae (Acari). - *Entomol. Rev.* 92,7: 815-826
- ERMILOV, S.G. / RYBALOV, L.B. (2012): Morphology of juvenile instars of *Heminothrus glaber* (Acari, Oribatida, Camisiidae). - *Zool. Zhur.* 91,10: 1161-1170
- ERMILOV, S.G. / SHTANCHAEVA, U.Y. / SUBIAS, L.S. (2012): Morphology of juvenile instars of *Eueremaes travei* (Acari, Oribatida). - *Acarina* 20,2: 185-193
- ERMILOV, S.G. / SHTANCHAEVA, U.Y. / SUBIAS, L.S. / ANICHKIN, A.E. (2012): Morphology of juvenile instars of *Meristacarus sundensis* Hammer, 1979 and *Cryptacarus promecus* Grandjean, 1950 (Acari, Oribatida, Lohmanniidae). - *Syst. Appl. Acarol.* 17,3: 281-300
- ERMILOV, S.G. / SHTANCHAEVA, U.Y. / SUBIAS, L.S. / ANICHKIN, A.E. (2012): **The oribatid mite genus *Hammerella*, with description of a new subgenus and species from Vietnam (Acari, Oribatida, Granuloppiidae).** - *Acarina* 20,2: 159-166
- ERMILOV, S.G. / WINCHESTER, N.N. / LOWMAN, M.M. / WASSIE, A. (2012): **Two new species of oribatid mites (Acari, Oribatida) from Ethiopia, including a key to species of *Pilobatella*.** - *Syst. Appl. Acarol.* 17,3: 301-307
- FALENCZYK-KOZIRÓG, K. / KACZMAREK, S. / MARQUARDT, T. / MARCYSIAK, K. (2012): Contribution to succession of mite (Acari) communities in the soil of *Tilio-Carpinetum* Tracz. 1962 in northern Poland. - *Acta zool. cracov.* 55,2: 47-57
- FERNÁNDEZ, M. / DIEZ, J. / MORAZA, M.L. (2012): Acarofauna associated with *Ips sexdentatus* in northwest Spain. - *Scand. J. For. Res.* 28,4: 358-362
- FERREIRA, R.N.C. / FRANKLIN, E. / PEREIRA DE SOUZA, J.L. / DE MORAES, J. (2012): Soil oribatid mite (Acari: Oribatida) diversity and composition in semi-deciduous forest fragments in eastern Amazonia and comparison with the surrounding savanna matrix. - *J. Nat. Hist.* 46,33-34: 2131-2144
- FREDES, N.A. / MARTINEZ, P.A. (2012): \* Nuevos registros de ácaros oribátidos (Acari: Oribatida) para la región Pampeana, Buenos Aires, Argentina. - *Rev. Soc. Entomol. Argent.* 71,3-4: 301-306
- FUJIKAWA, T. (2012): **A new species of *Odontocephus* (Acari, Oribatida) from Shikoku Island, Japan.** - *Edaphologia* 91: 1-7
- HEETHOFF, M. (2012): Regeneration of complex oil-gland secretions and its importance for chemical defense in an oribatid mite. - *J. Chem. Ecol.* 38: 1116-1123
- HUHTA, V. / PENTTINEN, R. / PITKÄNEN, E. (2012): Cultural factors in the distribution of soil mites in Finland. - *Mem. Soc. Fauna Flora Fennica* 88: 1-6
- HUHTA, V. / SIIRA-PIETIKÄINEN, A. / PENTTINEN, R. (2012): Importance of dead wood for soil mite (Acarina) communities in boreal old-growth forests. - *Soil Organisms* 84,3: 499-512
- IGLESIAS, R. / GUZMAN, H. (2012): **Nueva especie de *Epidamaeus* (Oribatei, Damaeidae) del estado de Guerrero, México.** - *Dugesiana* 19,2: 99-104
- IGLESIAS, R. / VAZQUEZ, R. / PALACIOS-VARGAS, J.G. (2012): Desarrollo ontogenético y redescipción del adulto de *Epidamaeus mitsensillus* (Acari, Oribatida, Damaeidae). - *Rev. Mex. Biodiver.* 83: 958-965
- JALOSZYNSKI, P. / BEUTEL, R.G. (2012): Functional morphology and evolution of specialized mouthparts of Cephenniini (Insecta, Coleoptera, Staphylinidae, Scydmaeninae). - *Arthropod Struct. & Develop.* 41: 593-607
- KAGAINIS, U. (2012): Revision and renovation of oribatid mites (Acari, Oribatida) specimen collection of Institute of Biology, Latvia. - *Environ. Exp. Biol.* 10,2: 67-75
- KUN, M.E. (2012): **The genus *Paroppia* (Acari, Oribatida) in the neotropical region: *Paroppia patagonica* n. sp. from Andean forests of Northwestern Patagonia, Argentina.** - *Acarologia* 52,4: 411-418

- LEHMITS, R. (2012): Die Verbreitungswege von Hornmilben (Oribatida) und ihre Einwanderung in Rohböden. - Dissertation, Univ. Leipzig, Fak. Biowissenschaften: 1-99
- LIANA, M. / WITALINSKI, W. (2012): Female and male reproductive systems in the oribatid mite *Hermannia gibba* (Koch, 1839) (Oribatida, Desmonomata). - Intern. J. Acarol. 38,8: 648-663
- LIU, D. / WU, D.-H. / CHEN, J. (2012): Six new species of the genus *Euphthiracarus* (Acari: Oribatida: Euphthiracaridae) from China. - Zootaxa 3481: 47-59**
- LIU, G.-F. / YANG, M.-F. (2012):\* Preliminary research on the soil oribatid fauna of Fanjing Mountain in the genus level. - Shengming Kexue Yanjiu 16,2: 149-152
- LUPTÁCIK, P. / MIKLISOVÁ, D. / KOVÁČ, L. (2012): Diversity and community structure of soil Oribatida (Acari) in an arable field with alluvial soils. - Eur. J. Soil Biol. 50: 97-105
- MAHUNKA, S. / MAHUNKA-PAPP, L. (2012): New Oppioidea taxa from Madagascar (Acari, Oribatida). - Opusc. Zool. Budapest 43,1: 43-55**
- MARAUN, M. / NORTON, R.A. / EHNES, R.B. / SCHEU, S. / ERDMANN, G. (2012): Positive correlation between density and parthenogenetic reproduction in oribatid mites (Acari) supports the structured resource theory of sexual reproduction. - Evol. Ecol. Res. 14,3: 311-323
- MIRZAI, M. / AKRAMI, M.A. (2012): New species records of the family Suctobelbidae (Acari, Oribatida) from Iran. - Turk. J. Zool. 36,6: 835-837**
- MURVANIDZE, M. / WEIGMANN, G. (2012): Two new species of oribatid mites (Acari, Oribatida) *Haplozetes longisacculus* and *Scutovertex armazi* from Georgia. - Acarina 20,2: 167-172**
- NIEDBALA, W. (2012): Ptyctimous mites (Acari, Oribatida) of the palaeartic region. Distribution. - Fauna Mundi 5: 1-348
- OWOJORI, O.J. / SICILIANO, S.D. (2012): Accumulation and toxicity of metals (Copper, Zinc, Cadmium and Lead) and organic compounds (Geraniol and Denzo[A] pyrene) in the oribatid mite *Oppia nitens*. - Environ. Toxic. Chem. 31,7: 1639-1648
- PACHL, P. / DOMES, K. / SCHULZ, G. / NORTON, R.A. / SCHEU, S. / SCHAEFER, I. / MARAUN, M. (2012): Convergent evolution of defense mechanisms in oribatid mites (Acari, Oribatida) shows no 'ghosts of predation past'. - Mol. Phylogenet. Evol. 65: 412-420
- PERDOMO, G. / EVANS, A. / MARAUN, M. / SUNNUCKS, P. / THOMPSON, R. (2012): Mouthpart morphology and trophic position of microarthropods from soils and mosses are strongly correlated. - Soil Biol. Biochem. 53: 56-63
- PERNEK, M. / WIRTH, S. / BLOMQUIST, S.R. / AVTZIS, D.N. / MOSER, J.C. (2012): New associations of phoretic mites on *Pityokteines curvidens* (Coleoptera, Curculionidae, Scolytina). - Cent. Eur. J. Biol. 7,1: 63-68
- PFINGSTL, T. / SCHUSTER, R. (2012): First record of the littoral genus *Alismobates* (Acari, Oribatida) from the Atlantic ocean, with a redefinition of the family Fortuyniidae based on adult and juvenile morphology. - Zootaxa 3301: 1-33**
- PFINGSTL, T. / SCHUSTER, R. (2012): *Carinozetes* nov. gen. (Acari, Oribatida) from Bermuda and remarks on the present status of the family Selenoribatidae. - Acarologia 52,4: 377-409**
- POLLIERER, M.M. / DYCKMANS, J. / SCHEU, S. / HAUBERT, D. (2012): Carbon flux through fungi and bacteria into the forest soil animal food web as indicated by compoundspecific <sup>13</sup>C fatty acid analysis. - Funct. Ecol. 26: 978-990
- REZENDE, J.M. / LOFEGO, A.C. / NÁVIA, D. / ROGGIA, S. (2012): Mites (Acari, Mesostigmata, Sarcoptiformes and Trombidiformes) associated to soybean in Brazil, including new records from the Cerrado areas. - Fla. Entomol. 95,3: 683-693
- RÖMBKE, J. / ROSS-NICKOLL, M. / TOSCHKI, A. / HÖFER, H. / HORAK, F. / RUSSELL, D. / BURKHARDT, U. / SCHMITT, H. (2012):\* Erfassung und Analyse des Bodenzustands im Hinblick auf die Umsetzung und Weiterentwicklung der Nationalen Biodiversitätsstrategie. - Studie i. A. des Umweltbundesamtes: 1-386
- RÖMBKE, J. / ROSS-NICKOLL, M. / TOSCHKI, A. / HÖFER, H. / HORAK, F. / RUSSELL, D. / BURKHARDT, U. / SCHMITT, H. (2012): 6. Vorstellung einzelner Organismengruppen: Oribatida. In: Erfassung und Analyse des Bodenzustands im Hinblick auf die Umsetzung und Weiterentwicklung der Nationalen Biodiversitätsstrategie. - Studie i. A.

des Umweltbundesamtes: 176-203

**RYABININ, N.A. (2012): *Liacarus paraborealis*, a new species of oribatids (Acariformes) from Khabarovsk Krai. [Orig. Russ.] - Zool. Zh. 91,12: 1527-1529**

SANTAMARIA, J.M. / MORAZA, M.L. / ELUSTONDO, D. / BAQUERO, E. / JORDANA, R. / LASHERAS, E. / BERMEJO, R. / ARINO, A.H. (2012): Diversity of Acari and Collembola along a pollution gradient in soils of a prepyrenean forest ecosystem. - Environ. Engineering Manag. J. 11,6: 1159-1169

SCHATZ, H. / FISCHER, B.M. (2012): Hornmilben (Acari, Oribatida). In: Schatz, H. / Haller, R. / Wilhalm, T. (eds.): Tag der Artenvielfalt 2011 im Münsterland in den Gemeinden Taufers (I) und Val Müstair (CH). - Gredleriana 12: 324-330

SCHATZ, H. / HALLER, R. / WILHALM, T. (2012): Tag der Artenvielfalt 2011 im Münsterland in den Gemeinden Taufers (I) und Val Müstair (CH). - Gredleriana 12: 285-366

SCHATZ, H. / SCHUSTER, R. (2012): First records of Lohmanniidae (Acari, Oribatida) from the Bermuda Islands. - Acarologia 52,3: 247-257

SEIEDY, M. / SABOORI, A. / ALLHYARI, H. (2012): Preliminary observations on mites found in domesticated animal food factories in Karaj, Iran. - Pers. J. Acarol. 1,2: 119-125

SENICZAK, S. / ITURRONDOBEITIA, J.C. / SENICZAK, A. (2012): The ontogeny of morphological traits in three species of Galumnidae (Acari: Oribatida). - Intern. J. Acarol. 38,7: 612-638

SENICZAK, S. / SENICZAK, A. (2012): Differentiation of external morphology of Zetomimidae (Acari: Oribatida) in light of the ontogeny of two species. - Ann. Zool. 62,2: 341-355

SENICZAK, S. / SENICZAK, A. / KACZMAREK, S. / ZELAZNA, E. (2012): Systematic status of *Oribatula* Berlese, 1895 (Acari, Oribatida, Oribatulidae) in the light of the ontogeny of three species. - Intern. J. Acarol. 38,8: 664-680

SHTANCHAEVA, U.Y. / SUBIAS, L.S. (2012): New species of the primitive oribatid mite families Brachychthoniidae and Phthiracaridae (Acariformes, Oribatida) from the Caucasus. -

**Entomol. Rev. 92,4: 447-458**

SUBIAS, L.S. (2012): Un nuevo nombre, *Peloptulus ibericus* n. nom., y nuevas e interesantes citas de ácaros oribátidos (Acari: Oribatida) de España. - Bol. Asoc. esp. Entomol. 36,1-2: 43-52

**SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2012): Oribátidos (Acari, Oribatida) de las loreras (*Prunus lusitanicus* L.) de Extremadura (suroeste de España) y descripción de una nueva especie de *Cosmochthonius* Berlese, 1910 (Cosmochthoniidae). - Graellsia 68,1: 7-16**

SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2012): Listado sistemático, sinonímico y biogeográfico de los ácaros oribátidos (Acari: Oribatida) mediterráneos. - Bol. R. Soc. Esp. Hist. Nat. (Sec. Biol.) 106: 5-92

**SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2012): Oribatidos (Acari, Oribatida) de al ribera del Rio Guadalquivir (sur de España). Description de *Bullibates hygrophilus* n. gen., n. sp. (Hermanniellidae). - Rev. Iber. Aracnol. 21: 33-37**

**SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2012): Nuevos oribátidos (Acari, Oribatida) de Galicia (Nordeste de España). Un subgénero nuevo, tres especies nuevas y cuatro primeras citas de España. - Rev. Iber. Aracnol. 21: 125-130**

SUBIAS, L.S. / SHTANCHAEVA, U.Y. / ARILLO, A. (2012): Listado de los ácaros oribátidos (Acariformes, Oribatida) de las diferentes regiones biogeográficas del mundo. - Monografías electrónicas S.E.A. 4: 1-819 [www.sea-entomologia.org](http://www.sea-entomologia.org)

TIERNO DE FIGUEROA, J.M. / LOPEZ-RODRIGUEZ, M.J. / FENOGLIO, S. / SANCHEZ-CASTILLO, P. / FOCHETTI, R. (2012): Freshwater biodiversity in the rivers of the Mediterranean Basin. - Hydrobiologia : 50 pp. DOI 10.1007/s10750-012-1281-z

**WEIGMANN, G. (2012): Oribatid mites (Acari, Oribatida) from the coastal region of Portugal. VI. *Chamobates*, *Protozetomimus*, *Protoribates*, *Oribatula*. - Soil Organisms 84,3: 529-550**

XIE, L. / HUANG, D. / YAN, Y. / HUANG, R. / YANG, M. (2012): First record of the genus *Spatiodamaeus* Bulanova-Zachvatkina (Oribatida, Damaeidae) from China, with description of a new species. - Syst. Appl. Acarol. 17,4: 417-427

- XIE, L. / YAN, Y. / HUANG, R. / YANG, M. (2012): Two newly recorded species of the genus *Epidamaeus* (Oribatida: Damaeidae) from China. - *Entomotaxonomia* 34,2: 482-488
- YOUNG, M.R. / BEHAN-PELLETIER, V.M. / HEBERT, P.D.N. (2012): Revealing the hyperdiverse mite fauna of Subarctic Canada through DNA barcoding. - *Plos One* 7,11: 11 pp. DOI: 10.1371/journal.pone.0048755
- Bydgoszcz (northern Poland). - *Biol. Lett.* 48,2: 185-192
- SENICZAK, S. / KACZMAREK, S. / SENICZAK, A. (2011): Oribatid mites (Acari, Oribatida) of bushy patches in steppe vegetation of cape Tarkhankut in Crimea (Ukraine). - *Biol. Lett.* 48,2: 177-183
- SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2011): Oribatid mite fauna of Caucasian alpine zone. [Orig. Russ.] - *Herald of Dagestan Scientific Center* 42: 58-68

## Publications, additions 2011

- EL-KAWAS, H.M.G. / MEAD, H.M. / EL-SHARABASY, H.M. (2011):\* Occurrence of soil mites in relation to soil analysis at Sharkia Governorate. - *Acarines* 5,1: 41-46
- ERMILOV, S.G. / VU, Q.M. / NGUYEN, H.T. (2013): *Galumna (Cosmogalumna) tenensis*, a new species of oribatid mite from northwestern Vietnam (Acari, Oribatida, Galumnidae). - *Intern. J. Acarol.* 37, Suppl. 1: 53-60
- KAGAINIS, U. / EITMINAVICIUTE, I. (2011): Review on Lithuanian expedition records of oribatid mites (Acari: Oribatida) along the coast of Baltic Sea in the territory of Latvia back in the year of 1965. - *Acta Biol. Univ. Daugavp.* 11,2: 237-246
- KAGAINIS, U. / SPUNGIS, V. (2011): First data on moss mite (Acari: Oribatida) communities in the calcareous fen Apšuciems, Latvia. - *Acta Biol. Univ. Daugavp.* 11,2: 248-258
- MARIBIE, C.W. / NYAMASYO, G.H.N. / NDEGWA, P.N. / MUNGATU, J.K. / LAGERLÖF, J. / GIKUNGU, M. (2011): Abundance and diversity of soil mites (Acari) along a gradient of land use types in Taita Taveta, Kenya. - *Trop. Subtrop. Agroecosyst.* 13: 11-27
- MISTRZAK, M. / SENICZAK, A. / SENICZAK, S. (2011): *Hydrozetes* species (Acari, Oribatida) at bog ponds and pools in the Tatra National Park and Orawa-Nowy Targ Basin (Kotlina Orawsko-Nowotarska) in southern Poland. - *Biol. Lett.* 48,2: 139-145
- NASR, A.K. / ABOU-ELELA, M.M. / SALEH, K.M.A. (2011):\* Mites associated with water weeds in Egypt. - *Acarines* 5,1: 33-36
- SENICZAK, A. (2011): Ecology of *Hydrozetes* Berlese, 1902 (Acari, Oribatida) at various water bodies near
- WILHALM, T. / SCHATZ, H. (2011): GEO-Tag der Artenvielfalt 2010 im Pfelderer (Gemeinde Moos in Passeier, Südtirol, Italien). - *Gredleriana* 11: 165-168
- XIE, L. / YAN, Y. / HUANG, R. / YANG, M. (2011): First record of the subgenus *Damaeus (Paradamaeus) Bulanova-Zachvatkina* (Oribatida, Damaeidae) from China, with description of a new species. - *ZooKeys* 160: 47-57

## Publications, additions 2010

- IVAN, O. / VASILIU, N.A. (2010): Influence of the pollution with cement dust on the oribatid communities (Acari, Oribatida) in forest soils from Campulung Muscel Zone (Romania). - *Lucrari Stiintifice, Seria Agronomie, Iasi* 53,3: 186-192
- PACHL, P. (2010): A conservative genetic marker (RNA Polymerase II) for the resolution of old radiations in oribatid mites (Acari, Oribatida). - *Diploma Thesis, TU Darmstadt, Dep. Biol.*: 1-55

## Publications, additions 2009

- CONVEY, P. / STEVENS, M.I. / HODGSON, D.A. / SMELLIE, J.L. / HILLENBRAND, C.D. / BARNES, D.K.A. / CLARKE, A. / PUGH, P.J.A. / LINSE, K. / CARY, S.C. (2009): Exploring biological constraints on the glacial history of Antarctica. - *Quart. Sci. Rev.* 28: 3035-3048
- DOMES-WEHNER, K. (2009): Parthenogenesis and sexuality in oribatid mites. Phylogeny, mitochondrial genome structure and resource dependence. - *Dissertation, Technische Universität Darmstadt*: 1-161
- TORLOPOVA, N.B. / MELEKHINA, E.N. / KOLESNIKOVA,

A.A. / TASKAEVA, A.A. / KONAKOVA, T.N. (2009): Soil invertebrates in indication of soil community's condition in the impact area of Syktyvkar timber processing factory. In: Nikiforov, M.E. (ed.): Problems of biodiversity conservation and use of biological resources. - Mat. Intern. Scient. Pract. Conf. and 10th Zool. Conf., Minsk, "Magic", Varaxin IP: 515-518

### **Publications, additions 2008**

ABO-SHNAF, R. / ROMEIH, A.H.M. / ALLAM, S.F. (2008):\* Biodiversity of mites associated with parrots and peacocks in Giza Zoo, Egypt. - *Acarines* 2,1: 27-30

BIRKHOFFER, K. / BEZEMER, M. / BLOEM, J. / BONKOWSKI, M. / CHRISTENSEN, S. / DUBOIS, D. / EKELUND, F. / FLIESSBACH, A. / GUNST, L. / HEDLUND, K. / MÄDER, P.

/ MIKOLA, J. / ROBIN, C. / SETÄLÄ, H., TATIN-FROUX, F., VAN DER PUTTEN, W.H. / SCHEU, S. (2008): Long-term organic farming fosters below and aboveground biota: Implications for soil quality, biological control and productivity. - *Soil Biol. Biochem.* 40: 2297-2308

EL-SHARABASY, H.M. / HASSAN, M.F. / MOHAMED, A.I. (2008):\* Occurrence of soil mites at El-Mashara Region, Sinai Peninsula. - *Acarines* 2: 31-35

XIE, L. ET AL. (2008): Research progress in the Damaeidae (Acari Oribatida Damaeioidea) in taxonomy. [Orig. Chin.] - *J. Anhui Agri. Sci.* 36,15: 6346-6349, 6359

TOSTIKOV, A.V. / PETROVA-NIKITINA, A.D. (2008):\* Mites of the order Acariformes A. Zachv. in water: diversity of habitats. - In: Gashev S.N. (ed.): Ecology of Animals and Faunistics. [Orig. Russ.] - Tyumen University Publ. 0,8: 109-137

## Nomina nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material information as follows:

*Chamobates roynortoni* Weigmann, 2012 (Page: 530<sup>1</sup>) –  
TYPES: HT<sup>2</sup>♀ + PT<sup>2</sup>♂ - SMNG<sup>3</sup>, 9 PT<sup>2</sup> - CGW<sup>3</sup>

1 – first page of the description

2 – holotype (HT), paratypes (PT) or syntypes (ST)

3 – abbreviations of the places of storage of new types, as far as they were cited in the publications

Abbreviations of the places of storage of new types

ANIC - Australian National Insect Collection, CSIRO  
Division of Entomology, Canberra, Australia

CFM - Collection Frank D. Monson, Liverpool, United  
Kingdom

CGW - Collection Gerd Weigmann, Berlin, Germany

CIBR - Caspian Sea Institute of Biological Resources,  
Daghestan Scientific Center, Makhachkala, Russia

CLM - Collection Ladislav Miko, Bruxelles, Belgium

CMK - Collection Miroslav Kunst, Department of  
Zoology, Charles University, Prague, Czech Republic

CMM - Collection of Maka Murvanidze, Tbilisi, Georgia

CNC - Canadian National Collection of Insects, Arachnids  
and Nematodes, Ottawa, Canada

CEBRED - Center for Biodiversity Resources Education  
and Development, Hanoi National University of  
Education, Hanoi, Vietnam

CRUB - Zoology Department of Centro Regional  
Universitario Bariloche, Universidad Nacional del  
Comahue, San Carlos de Bariloche, Argentina

CSGE - Collection Sergey G. Ermilov, Tyumen, Russia

DATE - Deartment of Animal Taxonomy and Ecology,  
Adam Mickiewicz University, Poznan, Poland

DPPSU - Deartment of Plant Protection, College of  
Agriculture, Shiraz University, Shiraz, Iran

FBUCM - Facultad de Biologia de la Universidad  
Complutense de Madrid, Madrid, Spain

FMNH - Field Museum of Natural History, Chicago,  
USA

FUB - Free University Berlin, Institut of Biology, Berlin,  
Germany

GUGC - Guizhou University, Institute of Entomology,  
Guiyang, Guizhou, China

HNHM - Hungarian Natural History Museum, Budapest,  
Hungary

IWEP - Institute for Water and Ecological Problems,  
Khabarovsk, Russia

MCNLP - Museo de Ciencias Naturales de La Plata, La  
Plata, Argentina

MHNG - Muséum d'Histoire Naturelle, Geneva,  
Switzerland

MNHN - Muséum National d'Histoire Naturelle,  
Laboratoire de Zoologie (Arthropodes), Paris, France

NEIGA - NorthEast Institute of Geography and  
Agroecology, Chinese Academy of Sciences,  
Changchun, China

NHNV - Natural History Museum, Vienna, Austria

NMB - National Museum Bloemfontein, Bloemfontein,  
South Africa

NMP - National Museum Prague, Prague, Czech Republic

NMSA - Natal Museum, Department of Natural Science,  
Pietermaritzburg, South Africa

NSMT - National Science Museum, Tokyo, Japan

PMAE - Royal Alberta Museum, Invertebrate Zoology  
(formaly Provincial Museum of Alberta Herbarium),  
Edmonton, Alberta, Canada

- RNC - **R**oy A. **N**orton **C**ollection, New York, Syracuse, USA  
*Aleurodamaeus niedbalai* Hugo-Coetzee, 2013 (Page: 545) – TYPES: HT + 6 PT - NMB, 4 PT - SMNK
- SIEE - **S**evertsov **I**nstitute of **E**cology and **E**volution, Moscow, Russia  
*Aleurodamaeus prominens* Hugo-Coetzee, 2013 (Page: 552) – TYPES: HT + 6 PT - NMB, 4 PT - SMNK
- SMNG - **S**enckenberg **M**useum für **N**aturkunde **G**örlitz, Görlitz, Germany  
*Aleurodamaeus salvadordalii* Hugo-Coetzee, 2013 (Page: 533) – TYPES: HT + 6 PT - NMB, 4 PT - SMNK
- SMNK - **S**taatliches **M**useum für **N**aturkunde **K**arlsruhe, Karlsruhe, Germany  
*Aleurodamaeus vicinus* Hugo-Coetzee, 2013 (Page: 538) – TYPES: HT + 6 PT - NMB, 4 PT - SMNK
- SUAC - **S**akarya **U**niversity, **A**carological **C**ollection, Sakarya, Turkey  
*Aleurodamaeus woasi* Hugo-Coetzee, 2013 (Page: 549) – TYPES: HT + 6 PT - NMB, 4 PT - SMNK
- SZMN - **S**iberian **Z**oological **M**useum, Institute of Animal Systematics and Ecology, Siberian Division of the Russian Academy of Sciences, **N**ovosibirsk, Russia  
*Alismobates inexpectatus* Pflingstl & Schuster, 2012 (Page: 3) – TYPES: HT + 4 PT♂ + 4 PT♀ - SMNG
- UNAM - **U**niversidad **N**acional **A**utónoma de **M**exico, Instituto de Biología, Mexico City, Mexico  
*Amiracarus pliocennatus* Miko, 2013 (Page: 567) – TYPES: HT - CMK
- USNM - **U**nited **S**tates **N**ational **M**useum of Natural History, Washington, USA  
*Ampullobates ecuadoriensis* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 112) – TYPES: HT♂ - ZISP, 2 PT - SZMN, 2 PT - CSGE
- WAM - **W**estern **A**ustralian **M**useum, Perth, Australia  
*Apoplophora minuscula* Niedbala, 2013 (Page: 523) – TYPES: HT + PT - DATE
- ZISP - **Z**oological **I**nstitute, Russian Academy of Sciences, **S**t. **P**etersburg, Russia  
*Atropacarus achmedovi* Shtanchaeva & Subias, 2012 (Page: 451) – TYPES: HT - FBUCM, PT - CIBR
- ZMAU - **Z**oological **M**useum of **A**tatürk **U**niversity, Erzurum, Turkey  
*Atropacarus chernovae* Shtanchaeva & Subias, 2012 (Page: 455) – TYPES: HT - FBUCM, PT - CIBR
- ZMCAS - National **Z**oological **M**useum of China, Institute of Zoology, **C**hinese **A**cademy of **S**ciences, Beijing, China  
*Atropacarus kremenitsai* Shtanchaeva & Subias, 2012 (Page: 451) – TYPES: HT - FBUCM, PT - CIBR
- ZMEU - **Z**oological **M**useum, **E**rciyes **U**niversity, Kayseri, Iran  
*Atropacarus yarovenkoi* Shtanchaeva & Subias, 2012 (Page: 453) – TYPES: HT - FBUCM, PT - CIBR
- New species**
- Acrotritia proxima* Niedbala, 2013 (Page: 524) – TYPES: HT - DATE
- Aleurodamaeus angelae* Hugo-Coetzee, 2013 (Page: 541) – TYPES: HT + 6 PT - NMB, 4 PT - SMNK
- Aleurodamaeus minutus* Hugo-Coetzee, 2013 (Page: 547) – TYPES: HT + 6 PT - NMB, 4 PT - SMNK
- Austrocarabodes (Uluguroides) klutzi* Ermilov, Winchester, Lowman & Wassie, 2012 (Page: 305) – TYPES: HT♀ - ZISP, PT♀ - SZMN, PT♀ - CSGE
- Austrophthiracarus rabacalensis* Niedbala, 2013 (Page: 475) – TYPES: HT - DATE
- Bovicarabodes dehavengi* Fernandez, Theron & Rollard, 2013 (Page: 29) – TYPES: HT♀ - MNHN, PT♀ - MHNG
- Bovicarabodes fort-dauphini* Fernandez, Theron &

- Rollard, 2013 (Page: 38) – TYPES: HT♀ + 3 PT♀ - MNHN, PT - MHNG, NMSA
- Bovicarabodes levyi* Fernandez, Theron & Rollard, 2013 (Page: 33) – TYPES: HT♀ + 3 PT♀ - MNHN, PT - MHNG, NMSA
- Bullibates hygrophilus* Subias & Shtanchaeva, 2012 (Page: 34) – TYPES: HT + PT - FBUCM
- Campachipteria brevisetosa* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 149) – TYPES: HT♂ - ZISP, PT♂ - CSGE
- Carabodes mikhaetandreorum* Ermilov & Anichkin, 2013 (Page: 201) – TYPES: HT - ZISP, 2 PT - SZMN, 2 PT - CSGE
- Chamobates roynortoni* Weigmann, 2012 (Page: 530) – TYPES: HT♀ + PT♂ - SMNG, 9 PT - CGW
- Chistyakovella insolita* Ermilov, Aoki & Anichkin, 2013 (Page: 182) – TYPES: HT - ZISP, 2 PT - SZMN, 3 PT - CSGE
- Cosmochthonius lusitanicus* Subias & Shtanchaeva, 2012 (Page: 14) – TYPES: HT + PT - FBUCM
- Ctenobelba ayyildizi* Baran, 2012 (Page: 740) – TYPES: HT♀ + PT♂ + PT♀ - SUAC, PT♀ - ZMEU
- Ctenobelba martyanensis* Ermilov, Khaustov & Wu, 2012 (Page: 155) – TYPES: HT - ZISP, PT - SZMN, 2PT - CSGE
- Cycloppia asetosa* Ermilov & Kaluz, 2013 (Page: 483) – TYPES: HT - ZISP, 6 PT - SZMN
- Cycloppia spindleformis* Ermilov & Kaluz, 2013 (Page: 486) – TYPES: HT - ZISP, PT - SZMN, CSGE
- Damaeus (Paradamaeus) yushuensis* Xie, Yan, Huang & Yang, 2011 (Page: 49) – TYPES: HT♂ + 2 PT♂ + 3 PT♀ - GUGC
- Dolicheremaeus bigiamapensis* Ermilov, Anichkin & Wu, 2012 (Page: 597) – TYPES: HT♂ - ZISP, PT♂ - SZMN
- Dolicheremaeus contactus* Ermilov & Anichkin (Page: 185) – TYPES: HT♀ - ZISP, 2 PT - SZMN, 2 PT - CSGE
- Epidamaeus palaciosi* Iglesias & Guzmán, 2012 (Page: 100) – TYPES: HT♀ + 6 PT♀ - UNAM
- Epidamaeus parayunnanensis* Ermilov & Kalúz, 2013 (Page: 177) – TYPES: HT♂ - ZISP, 2 PT♂ - SZMN, 2 PT♂ - CSGE
- Epimerella ankaraensis* Baran, Ayyildiz & Kence, 2012 (Page: 780) – TYPES: HT + 2 PT - ZMAU
- Epimerella marasensis* Toluk & Ayyildiz, 2013 (Page: 78) – TYPES: HT + PT - ZMEU
- Eremaeozetes darwinensis* Colloff, 2012 (Page: 8) – TYPES: HT♀ + 2 PT♂ + 2 PT♀ - ANIC
- Eremaeozetes malleensis* Colloff, 2012 (Page: 10) – TYPES: HT♂ + 2 PT♂ + 4 PT♀ + PT(TN) - ANIC
- Eremaeozetes schatzi* Colloff, 2012 (Page: 4) – TYPES: HT♀ + 2 PT♂ + 3 PT♀ + 2 PT(PN) - ANIC
- Eremulus southafricanensis* Ermilov & Hugo-Coetzee, 2012 (Page: 564) – TYPES: HT♀ + 5 PT - NMB, 4 PT - SZMN, 3 PT - CSGE
- Eremulus spindleformis* Ermilov & Hugo-Coetzee, 2012 (Page: 560) – TYPES: HT♀ + 5 PT - NMB, 5 PT - SZMN, 4 PT - CSGE
- Euphthiracarus macrorostralis* Liu, Wu & Chen, 2012 (Page: 47) – TYPES: HT + PT - ZMCAS
- Euphthiracarus medogensis* Liu, Wu & Chen, 2012 (Page: 49) – TYPES: HT - ZMCAS
- Euphthiracarus minimus* Liu, Wu & Chen, 2012 (Page: 51) – TYPES: HT - ZMCAS
- Euphthiracarus oblongus* Liu, Wu & Chen, 2012 (Page: 51) – TYPES: HT - ZMCAS
- Euphthiracarus protrusus* Liu, Wu & Chen, 2012 (Page: 54) – TYPES: HT + 6 PT - ZMCAS
- Euphthiracarus truncatus* Liu, Wu & Chen, 2012 (Page: 56) – TYPES: HT + 10 PT - ZMCAS
- Fissurobates neotropicus* Ermilov & Kalúz, 2012 (Page: 775) – TYPES: HT♀ - ZISP, PT - SZMN, PT - CSGE
- Galumna (Cosmogalumna) dongnaiensis* Ermilov & Anichkin, 2013 (Page: 83) – TYPES: HT♂ - ZISP, 2

- PT - SZMN, 2 PT - CSGE
- Galumna (Cosmogalumna) tenensis* Ermilov, Vu & Nguyen, 2011 (Page: 55) – TYPES: HT - ZISP, 4 PT – CEBRED, 4 PT - CSGE
- Galumna tiunovi* Ermilov & Anichkin, 2013 (Page: 189) – TYPES: HT♀ - ZISP, PT - SZMN, PT - CSGE
- Galumnopsis lanceosensilla* Ermilov & Kalúz, 2012 (Page: 35) – TYPES: HT♀ - ZISP, PT♀ - CSGE
- Globogalumna biporosa* Ermilov & Anichkin, 2012 (Page: 164) – TYPES: HT♀ - ZISP, PT♀ - CSGE
- Hammerella excisa* Ermilov & Kaluz, 2013 (Page: 488) – TYPES: HT - ZISP, 3 PT - SZMN, 2 PT - CSGE
- Haplozetes longisacculus* Murvanidze & Weigmann, 2012 (Page: 167) – TYPES: HT + 2 PT - CMM, 3 PT - FUB
- Hermannia (Phyllhermannia) longisetosa* Subias & Shtanchaeva, 2013 (Page: 19) – TYPES: HT + PT - FBUCM
- Hermannobates bifurcatus* Ermilov & Kalúz, 2012 (Page: 270) – TYPES: HT♂ - ZISP, 2 PT - SZMN, PT - CSGE
- Idiozetes hagenensis* Colloff, 2012 (Page: 29) – TYPES: HT♀ - ANIC
- Interbelba solifera* Mahunka & Mahunka-Papp, 2012 (Page: 48) – TYPES: HT - HNHM
- Joelia appalachia* Behan-Pelletier, 2013 (Page: 265) – TYPES: HT♀ - CNC, 17 PT♂ + 18 PT♀ - CNC, FMNH, USNM, RNC
- Kunstidamaeus arcticus* Miko & Monson, 2013 (Page: 90) – TYPES: HT - NMP, PT - CLM, 3 PT - CFM
- Liacarus paraborealis* Ryabinin, 2012 (Page: 1527) – TYPES: HT - SIEE, PT - IWEP
- Liochthonius murtazalievi* Shtanchaeva & Subias, 2012 (Page: 448) – TYPES: HT + PT - FBUCM, PT - CIBR
- Lyroppia dongnaiensis* Ermilov & Anichkin, 2013 (Page: 104) – TYPES: HT♂ - ZISP, PT - SZMN, PT - CSGE
- Machadobelba longiciliata* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 146) – TYPES: HT♂ - ZISP, PT♀ - CSGE
- Malaconothrus beecroftensis* Colloff & Cameron, 2013 (Page: 320) – TYPES: HT♀ + 5 PT♀ - ANIC
- Malaconothrus darwini* Colloff & Cameron, 2013 (Page: 320) – TYPES: HT♀ + 40 PT♀ - ANIC
- Malaconothrus gundungurra* Colloff & Cameron, 2013 (Page: 324) – TYPES: HT♀ + 15 PT♀ - ANIC
- Malaconothrus jowettae* Colloff & Cameron, 2013 (Page: 327) – TYPES: HT♀ + PT♀ - ANIC
- Malaconothrus knuellei* Colloff & Cameron, 2013 (Page: 330) – TYPES: HT♀ + PT♀ - ANIC
- Malaconothrus talaitae* Colloff & Cameron, 2013 (Page: 333) – TYPES: HT♀ + 26 PT♀ - ANIC
- Masthermannia multiciliata* Nakamura, Nakamura & Fujikawa, 2013 (Page: 44) – TYPES: HT♀ + 9 PT♀ - NSMT
- Miracarus longisetosus* Subias & Shtanchaeva, 2012 (Page: 125) – TYPES: HT - FBUCM
- Monoschelorbates hemileiformis* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 119) – TYPES: HT♂ - ZISP, 2 PT - SZMN, 3 PT - CSGE
- Mucrobates microsetosus* Ermilov & Kalúz, 2012 (Page: 777) – TYPES: HT♀ - ZISP, 2 PT - SZMN, PT - CSGE
- Neoribates granulatus* Akrami & Behmanesh, 2012 (Page: 429) – TYPES: HT♂ + 3 PT♀ - DPPSU
- Neoribates spindleformis* Ermilov & Anichkin, 2012 (Page: 162) – TYPES: HT♂ - ZISP, 2 PT♂ - SZMN, PT♂ - CSGE
- Nothrus engelbrechti* Ermilov & Hugo-Coetzee, 2012 (Page: 33) – TYPES: HT + 3 PT - NMB, 3 PT - SZMN, 5 PT - CSGE
- Nothrus louiseae* Ermilov & Hugo-Coetzee, 2012 (Page: 27) – TYPES: HT + 4 PT - NMB, 3 PT - SZMN, 2 PT - CSGE

- Nothrus separatum* Nakamura, Nakamura & Fujikawa, 2013 (Page: 53) – TYPES: HT♀ - NSMT
- Ocesobates galaicus* Subias & Shtanchaeva, 2012 (Page: 128) – TYPES: HT - FBUCM
- Odontocephus morikawai* Fujikawa, 2012 (Page: 1) – TYPES: HT♀ + 2 PT♀ - NSMT
- Oppiella (Perspicuoppia) ozkani* Baran, Ayyildiz & Kence, 2012 (Page: 778) – TYPES: HT + PT - ZMAU
- Oribatella abmi* Behan-Pelletier & Walter, 2012 (Page: 5) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella banksi* Behan-Pelletier & Walter, 2012 (Page: 11) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella ewingi* Behan-Pelletier & Walter, 2012 (Page: 16) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella gerdweigmanni* Ermilov & Anichkin, 2012 (Page: 22) – TYPES: HT♀ - ZISP, PT - SZMN, CSGE
- Oribatella heatherae* Behan-Pelletier & Walter, 2012 (Page: 19) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella manningensis* Behan-Pelletier & Walter, 2012 (Page: 24) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella maryae* Behan-Pelletier & Walter, 2012 (Page: 27) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella oregonensis* Behan-Pelletier & Walter, 2012 (Page: 31) – TYPES: HT♀ + PT - CNC, PT - RNC, USNM
- Oribatella parallelus* Behan-Pelletier & Walter, 2012 (Page: 34) – TYPES: HT♀ + PT - CNC, PT - RNC, USNM
- Oribatella pawnee* Behan-Pelletier & Walter, 2012 (Page: 37) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella sintranslamella* Behan-Pelletier & Walter, 2012 (Page: 45) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oribatella yukonensis* Behan-Pelletier & Walter, 2012 (Page: 48) – TYPES: HT♀ + PT - CNC, PT - PMAE, RNC, USNM
- Oxyoppia (Oxyoppiella) crassata* Mahunka & Mahunka-Papp, 2012 (Page: 44) – TYPES: HT - HNHM, PT - MHNG
- Papillacarus indistinctus* Ermilov, Anichkin & Wu, 2012 (Page: 79) – TYPES: HT - ZISP, PT - SZMN, 2 PT - CSGE
- Papillacarus polysetosus* Ermilov, Anichkin & Wu, 2012 (Page: 83) – TYPES: HT - ZISP, PT - CSGE
- Paroppia patagonica* Kun, 2012 (Page: 412) – TYPES: HT♀ + PT♂ + PT♀ - MCNLP, 12 PT - CRUB
- Pergalumna asetosa* Ermilov, Shtanchaeva, Kalúz & Subias, 2013 (Page: 415) – TYPES: HT♀ - ZISP, 2 PT - SZMN, 2 PT - CSGE
- Pergalumna ecuadorensis* Ermilov & Kalúz, 2012 (Page: 32) – TYPES: HT♀ - ZISP, PT - CSGE
- Pergalumna mahunkai* Ermilov, Shtanchaeva, Kalúz & Subias, 2013 (Page: 417) – TYPES: HT♀ - ZISP, PT - SZMN, 2 PT - CSGE, 5 PT - FBUCM
- Pergalumna paradecoratissima* Ermilov & Kalúz, 2012 (Page: 28) – TYPES: HT♀ - ZISP, 3 PT♀ - SZMN, 7 PT♀ - CSGE
- Pergalumna paraelongata* Ermilov & Anichkin, 2012 (Page: 25) – TYPES: HT♀ - ZISP, 4 PT - SZMN, 3 PT - CSGE
- Pergalumna paralongisetosa* Ermilov & Kalúz, 2012 (Page: 30) – TYPES: HT♀ - ZISP, 2 PT - SZMN, 2 PT - CSGE
- Pergalumna paratsurusakii* Ermilov, Shtanchaeva, Kalúz & Subias, 2013 (Page: 413) – TYPES: HT♀ - ZISP, 4 PT - SZMN, 3 PT - CSGE
- Pergalumna pseudosejugalis* Ermilov & Anichkin, 2012 (Page: 19) – TYPES: HT♀ - ZISP, PT - SZMN, CSGE
- Perscheloribates (Ecuadoribates) pentasacculus* Ermilov & Kalúz, 2012 (Page: 774) – TYPES: HT♀ - ZISP, PT - CSGE

- Persuctobelba flagellatissima* Mahunka & Mahunka-Papp, 2012 (Page: 50) – TYPES: HT - HNHM
- Pilobatella lowmanae* Ermilov, Winchester & Wassie, 2012 (Page: 311) – TYPES: HT♀ - ZISP, PT - CSGE
- Plakoribates asiaticus* Ermilov & Anichkin, 2013 (Page: 138) – TYPES: HT♀ - ZISP, PT - SZMN, 2 PT - CSGE
- Plenotocepheus neotropicus* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 115) – TYPES: HT♂ - ZISP, 3 PT - SZMN, 7 PT - CSGE
- Protoribates haughlandae* Walter & Latonas, 2013 (Page: 489) – TYPES: HT♀ - PMAE, 38 PT - PMAE, CNC, USNM
- Protozetomimus behanae* Weigmann, 2012 (Page: 535) – TYPES: HT♀ + PT♂ - SMNG, PT - CNC, 8 PT - CGW
- Ramusella arcuata* Mahunka & Mahunka-Papp, 2012 (Page: 45) – TYPES: HT - HNHM, PT - MHNG
- Ramusella (Rectoppia) ginchiensis* Ermilov & Rybalov, 2013 (Page: 48) – TYPES: HT♀ - ZISP, PT♀ - CSGE
- Ramusella (Insculptoppia) lata* Mahunka & Mahunka-Papp, 2012 (Page: 47) – TYPES: HT - HNHM, PT - MHNG
- Ramuselloppia vietnamica* Ermilov & Anichkin, 2013 (Page: 28) – TYPES: HT♀ - ZISP, 2 PT - SZMN, 3 PT - CSGE
- Retrozetes fernandezi* Colloff, 2012 (Page: 27) – TYPES: HT♀ + PT♀ - ANIC
- Retrozetes koghisensis* Colloff, 2012 (Page: 19) – TYPES: HT♀ + 3 PT♀ + PT♂ - ANIC
- Retrozetes mirabilis* Colloff, 2012 (Page: 22) – TYPES: HT♀ - ANIC
- Retrozetes novaecaledoniae* Colloff, 2012 (Page: 24) – TYPES: HT♀ + PT♂ + PT♀ - ANIC
- Rogerzetes samueli* Colloff, 2012 (Page: 16) – TYPES: HT♀ + 2 PT♀ - ANIC
- Sabahtritia dongnaiensis* Niedbala, 2013 (Page: 526) – TYPES: HT + 4 PT - DATE
- Schalleria brevisetosa* Ermilov, Sandmann & Maraun, 2013 (Page: 200) – TYPES: HT - ZISP, PT - CSGE
- Schalleria pectinata* Ermilov, Sandmann & Maraun, 2013 (Page: 204) – TYPES: HT - ZISP, PT - CSGE
- Scheloribates (Bischeloribates) lizelhugae* Ermilov & Rybalov, 2013 (Page: 73) – TYPES: HT♂ - ZISP, 2 PT - SZMN, 3 PT - CSGE
- Scheloribates processus* Nakamura, Nakamura & Fujikawa, 2013 (Page: 68) – TYPES: HT♀ - NSMT
- Scutovertex armazi* Murvanidze & Weigmann, 2012 (Page: 169) – TYPES: HT - CMM
- Selenoribates elegans* Pfungstl, 2013 (Page: 55) – TYPES: HT♂ - NHMV
- Selenoribates satanicus* Pfungstl, 2013 (Page: 50) – TYPES: HT♂ - NHMV, PT♂ + PT♀ - SMNG
- Selenoribates quasimodo* Pfungstl, 2013 (Page: 41) – TYPES: HT♂ - NHMV, 2 PT♂ - SMNG
- Sellnickochthonius ilyinae* Shtanchaeva & Subias, 2012 (Page: 449) – TYPES: HT + PT - FBUCM, PT - CIBR
- Separatoppia concava* Ermilov & Rybalov, 2013 (Page: 46) – TYPES: HT♂ - ZISP, PT♂ - CSGE
- Spatiodamaeus bomeensis* Xie, Huang, Yan, Huang & Yang, 2012 (Page: 419) – TYPES: HT♀ + 3 PT♂ + 5 PT♀ - GUGC
- Steganacarus (Tropacarus) adelaidae* Shtanchaeva & Subias, 2012 (Page: 456) – TYPES: HT - FBUCM, PT - CIBR
- Sternoppia fissurata* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 572) – TYPES: HT♂ - ZISP, 2 PT♂ - SZMN, PT♀ - CSGE
- Sternoppia paraincisa* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 566) – TYPES: HT♂ - ZISP, 4 PT♂ + 3 PT♀ - SZMN, 2 PT♂ - CSGE
- Sternoppia paramirabilis* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 569) – TYPES: HT♂ - ZISP, 5

- PT♂ - SZMN, PT♀ - CSGE
- Subiasella (Paralalmoppia) barbulata* Subias & Shtanchaeva, 2012 (Page: 127) – TYPES: HT + PT - FBUCM
- Suctobelbella obtusa* Liu & Wu, 2013 (Page: 131) – TYPES: HT + 5 PT - NEIGA
- Suctobelbella sanjiangensis* Liu & Wu, 2013 (Page: 135) – TYPES: HT + 6 PT - NEIGA
- Suctobelbella triangulata* Liu & Wu, 2013 (Page: 131) – TYPES: HT + 6 PT - NEIGA
- Suctobelbilla punctocostulata* Mahunka & Mahunka-Papp, 2012 (Page: 51) – TYPES: HT - HNHM
- Suctobelbilla tumida* Mahunka & Mahunka-Papp, 2012 (Page: 53) – TYPES: HT + PT - HNHM, PT - MHNG
- Taiwanoppia (Taiwanoppia) paraflagellifera* Ermilov & Kalúz, 2013 (Page: 180) – TYPES: HT♂ - ZISP, 2 PT♂ - SZMN, 3 PT♂ - CSGE
- Tectocephus acutus* Nakamura, Nakamura & Fujikawa, 2013 (Page: 60) – TYPES: HT♀ + PT♀ - NSMT
- Trhypochthonius triangulum* Nakamura, Nakamura & Fujikawa, 2013 (Page: 56) – TYPES: HT♀ + 2 PT♀ - NSMT
- Trichogalumna trowella* Nakamura, Nakamura & Fujikawa, 2013 (Page: 71) – TYPES: HT♀ - NSMT
- Truncozetes ecuadoriensis* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 25) – TYPES: HT♂ - ZISP, PT - SZMN, CSGE
- Truncozetes monodactylus* Ermilov, Sandmann, Marian & Maraun, 2013 (Page: 29) – TYPES: HT♀ - ZISP, PT♀ - CSGE
- Tyrphonothrus gnammaensis* Colloff & Cameron, 2013 (Page: 307) – TYPES: HT + 5 PT - WAM
- Tyrphonothrus gringai* Colloff & Cameron, 2013 (Page: 309) – TYPES: HT♀ + 17 PT♀ - ANIC
- Tyrphonothrus maritimus* Colloff & Cameron, 2013 (Page: 313) – TYPES: HT♀ - ANIC
- Tyrphonothrus taylori* Colloff & Cameron, 2013 (Page: 315) – TYPES: HT♀ + 4 PT♀ - ANIC
- Unguizetes latus* Ermilov & Anichkin, 2013 (Page: 187) – TYPES: HT♀ - ZISP, PT♀ - CSGE
- Valbehanella freestatensis* Ermilov & Hugo-Coetzee, 2012 (Page: 409) – TYPES: HT♀ + 4 PT - NMB, 5 PT - SZMN, 4 PT - CSGE
- Xenillus brevisetosus* Ermilov & Kalúz, 2012 (Page: 274) – TYPES: HT♂ - ZISP, PT - SZMN, PT - CSGE
- Zetomotrichus persicus* Akrami & Behmanesh, 2013 (Page: 2) – TYPES: HT♂ + PT - DPPSU
- Zygoribatula josefstaryi* Ermilov & Rybalov, 2013 (Page: 76) – TYPES: HT♂ - ZISP, PT - SZMN, PT - CSGE

### New subspecies

- Atropacarus obesus minimus* Shtanchaeva & Subias, 2012 (Page: 456) – TYPES: HT - FBUCM, PT - CIBR

### New genera

- Amiracarus* Miko, 2013 (Page: 562) Typ. sp.: *Miracarus senensis* Bernini 1975
- Bovicarabodes* Fernandez, Theron & Rollard, 2013 (Page: 28) Typ. sp.: *Bovicarabodes deharvengi* Fernandez, Theron & Rollard, 2013
- Bullibates* Subias & Shtanchaeva, 2012 (Page: 34) Typ. sp.: *Bullibates hygrophilus* Subias & Shtanchaeva, 2012
- Chistyakovella* Ermilov, Aoki & Anichkin, 2013 (Page: 179) Typ. sp.: *Chistyakovella insolita* Ermilov, Aoki & Anichkin, 2013
- Interbelba* Mahunka & Mahunka-Papp, 2012 (Page: 48) Typ. sp.: *Interbelba solifera* Mahunka & Mahunka-Papp, 2012
- Retrozetes* Colloff, 2012 (Page: 19) Typ. sp.: *Retrozetes koghensis* Colloff, 2012

*Valbehanella* Ermilov & Hugo-Coetzee, 2012 (Page: 408) Typ. sp.: *Valbehanella freestatensis* Ermilov & Hugo-Coetzee, 2012

### New subgenera

*Perscheloribates* (*Ecuadoribates*) Ermilov & Kalúz, 2012 (Page: 774) Typ. sp.: *Perscheloribates* (*Ecuadoribates*) *pentasacculus* Ermilov & Kalúz, 2012

*Subiasella* (*Paralalmoppia*) Subias & Shtanchaeva, 2012 (Page: 126) Typ. sp.: *Subiasella* (*Paralalmoppia*) *barbulata* Subias & Shtanchaeva, 2012

### New synonyms

*Cristonothrus* Subias, 2004 – [Colloff & Cameron, 2013: 306]  
= *Malaconothrus* Berlese, 1904

*Seteremaeozetes* P. Balogh, 1988 – [Colloff, 2012: 4]  
= *Eremaeozetes* Berlese, 1913

*Trimalaconothrus* Berlese, 1916 – [Colloff & Cameron, 2013: 306]  
= *Malaconothrus* Berlese, 1904

*Idiozetidae* Aoki, 1976 – [Colloff, 2012: 3]  
= *Eremaeozetidae* Piffel, 1972

### New combinations

*Aleurodamaeus deswarti* (Hugo, 2010) – [Hugo-Coetzee, 2013: 554]

*Amiracarus abeloosi* (Lions, 1978) – [Miko, Mourek, Meleg & Moldovan, 2013: 562]

*Amiracarus discrepans* (Mahunka, 1966) – [Miko, Mourek, Meleg & Moldovan, 2013: 562]

*Amiracarus grootaerti* (Wauthy & Ducarme, 2011) – [Miko, Mourek, Meleg & Moldovan, 2013: 562]

*Amiracarus senensis* (Bernini, 1975) – [Miko, Mourek, Meleg & Moldovan, 2013: 566]

*Amiracarus similis* (Subias & Iturrondobeitia, 1978) – [Miko, Mourek, Meleg & Moldovan, 2013: 562]

*Ctenobelba* (*Aokibelba*) *leei* Choi, 2005 – [Subias & Shtanchaeva, 2013: 40]

*Ctenobelba* (*Aokibelba*) *longisetosa* Suzuoka & Aoki, 1980 – [Subias & Shtanchaeva, 2013: 40]

*Ctenobelba* (*Aokibelba*) *nakatamarii* Aoki, 2007 – [Subias & Shtanchaeva, 2013: 38]

*Ctenobelba* (*Aokibelba*) *polysetosa* Aoki & Yamamoto, 2000 – [Subias & Shtanchaeva, 2013: 38]

*Ctenobelba* (*Aokibelba*) *soloduchi* Pankov, 1988 – [Subias & Shtanchaeva, 2013: 38]

### New names

*Peloptulus ibericus* Subias, 2012 pro *Peloptulus phaenotus* (C.L. Koch, 1844) sensu Gil & Subias 1990 – [Subias, 2012: 50]

*Malaconothrus hammerae* Colloff & Cameron, 2013 pro *Malaconothrus angulatus* Hammer, 1958 – [Colloff & Cameron, 2013: 307]

*Malaconothrus luxtoni* Colloff & Cameron, 2013 pro *Malaconothrus scutatus* Luxton, 1987 – [Colloff & Cameron, 2013: 307]

## Addresses

AKRAMI, PROF. DR. MOHAMMAD ALI, Department of Plant Protection, Faculty of Agriculture, Shiraz University, 7144165186 Shiraz, Iran; **E-Mail: akrami@shirazu.ac.ir**

ANDRÉ, HENRI M., Musée royal de l'Afrique centrale, Department of Zoology, Invertébrés non-Insectes, 3080 Tervuren, Belgium; **E-Mail: hmandre@bluewin.ch**

ARROYO, JULIO, School of Biology and Environmental Science, University College Dublin, Belfield, Dublin 4, Ireland; **E-Mail: juahcuatro@gmail.com**

BADIERITAKIS, EVANGELOS G., Laboratory of Agricultural Zoology and Entomology, Agricultural University of Athens, Athens, Greece; **E-Mail: ebadieritakis@yahoo.gr**

BARAN, ASS. PROF. DR. SULE, Sakarya University, Sciences and Arts Faculty, Biology Department, Z-501, Sakarya 54187, Turkey; **E-Mail: sbaran@sakarya.edu.tr**

BARNETT, A.A., Southern Illinois University, Carbondale, IL 62901, USA; **E-Mail: abarnett@siu.edu**

BAYARTOGTOKH, PROF. DR. BADAMDORJ, Department of Zoology, Faculty of Biology, National University of Mongolia, P.O. Box 377, Ulaanbaatar 210646, Mongolia; **E-Mail: bayartogtokh@num.edu.mn**

BEATY, LYNNE E., Department of Zoology, Oklahoma State University, Stillwater, Oklahoma, USA; **E-Mail: lynne.beaty@okstate.edu**

BEHAN-PELLETIER, DR. VALERIE M., Invertebrate Biodiversity Program, Agriculture and Agri-Food Canada, K.W. Neatby Bldg., 960 Carling Ave., Ottawa, ON, K1A 0C6, Canada; **E-Mail: Valerie.behan-pelletier@agr.gc.ca**

BERGMANN, PAAVO, Eberhard-Karls-Universität Tübingen, AG Evolutionsbiologie der Invertebraten, Auf der Morgenstelle 28E, 72076 Tübingen, Germany; **E-Mail: bergmann\_paavo@yahoo.de**

BERNIER, NICOLAS, Muséum National d'Histoire Naturelle, Ecologie et Gestion de la Biodiversité, 4 Avenue du Petit-Château, 91800 Brunoy, France; **E-Mail: bernier@mnhn.fr**

BIRKHOFFER, KLAUS, University of Technology Darmstadt, Zoological Institute, Schnittspahnstraße 3, 64287 Darmstadt, Germany; **E-Mail: birkhofer@bio.uni-giessen.de**

BOLGER, PROF. DR. THOMAS, UCD School of Biology and Environ. Sci., University College Dublin, Belfield, Dublin 4, Ireland; **E-Mail: tom.bolger@ucd.ie**

COLLOFF, MATTHEW J., CSIRO Ecosystem Sciences, GPO Box 1700, Canberra, ACT 2601, Australia; **E-Mail: matt.colloff@csiro.au**

CONVEY, PETER, Natural Environment Research Council, British Antarctic Survey, High Cross, Madingley Road, Cambridge, CB3 0ET, United Kingdom; **E-Mail: p.convey@bas.ac.uk**

COULSON, STEPHEN J., Department of Arctic Biology, University Centre in Svalbard, P.O. Box 156, 9171 Longyearbyen, Norway; **E-Mail: steve.coulson@unis.no**

DE MEEUS, THIERRY, Genetique et Evolution des Maladies Infectieuses, Equipe Evolution des Systemes Symbiotiques, UMR IRD/CNRS 2724, BP 64501, 911 Av. Agropolis, 34394 Montpellier Cedex 5, France; **E-Mail: demeeus@mpl.ird.fr**

DEUS, E.G., Embrapa Amapa, Rod JK, Km 5, 2600, 68903-419 Macapa, AP, Brazil; **E-Mail: ricardo.adaime@embrapa.br**

DONOSO, DAVID A., Graduate Program in Ecology and Evolutionary Biology, Department of Zoology, University of Oklahoma, Norman, OK 73019, USA; **E-Mail: david\_donosov@yahoo.com**

EISSFELLER, VERENA, J.F. Blumenbach Institut of Zoology & Anthropodology, Animal Ecology, G. August University Göttingen, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail: veissfe@gwdg.de**

EL-KAWAS, H.M.G., Plant Protection Research Institute, Agriculture Research Center, Dokki, Giza, Egypt; **E-Mail: hmg731@yahoo.com**

ELMOGHAZY, M.M.E., Zoology and Nematology Department, Faculty of Agriculture, Al-Azhar University, Cairo, Egypt

EL-SHARABASY, HAMDY M., Suez Canal Univ., Fac. Agr., Plant Protection Department, Ismailia, Egypt; **E-Mail:**

**helsharabasy@yahoo.com**

ERMILOV, DR. SERGEY G., Tyumen State University, Semakova 10, Tyumen 625003, Russia; **E-Mail: ermilovacari@yandex.ru**

FALENCZYK-KOZIRÓG, KATARZYNA, Kazimierz Wielki University, Institute of Environmental Biology, Department of Zoology, Ossolinskich Av. 12, 85-094 Bydgoszcz, Poland; **E-Mail: kasia.fk@ukw.edu.pl**

FARSKÁ, JITKA, Department of Ecosystem Biology, Faculty of Science, Univ. of South Bohemia, Branisovska 31, 370 05 České Budejovice, Czech Republic; **E-Mail: jijiji@seznam.cz**

FERNANDEZ, PROF. DR. NESTOR A., National Council of Science and Technological Research, La Rioja University, La Rioja, Argentina; **E-Mail: nestorfernand51@yahoo.fr**

FERNÁNDEZ, MERCEDES, Área de Zoología, Departamento C. Agroforestales, ETSSIIAA de Palencia, Universidad de Valladolid, Valladolid, Spain; **E-Mail: mffernan@agro.uva.es**

FERREIRA, RAIMUNDO N.C., Programa de Pós-Graduação em Entomologia, Instituto Nacional de Pesquisas da Amazonia, Caixa Postal 478, 69011-970 Manaus, Amazonas, Brazil; **E-Mail: nonatocferreira@gmail.com**

FISCHER, MAG. BARBARA .M., Universität Innsbruck, Institut für Ökologie, Technikerstr. 25, 6020 Innsbruck, Austria; **E-Mail: barbara.fischer@uibk.ac.at**

FREDES, NATALIA A., Departamento de Biología, Facultad de Cs. Exactas y Naturales, UNMdP, Funes 3350 7600 Mar del Plataes, Argentina; **E-Mail: nfredes@mdp.edu.ar**

FUJIKAWA, TOKUKO, Ueminami 1346-3, Asagiri-cho, Kumagun, Kumamoto Prefecture, 868-0423 Nippon, Japan

GE, FENG, Chinese Academy of Sciences, Institute of Zoology, State Key Laboratory Integrated Management Pests & Roden, Beijing 100101, China; **E-Mail: gef@ioz.ac.cn**

GILLETTE, NANCY E., US Forest Service, USDA, Pacific SW Research Station, POB 245, Berkeley, CA 94701, USA; **E-Mail: ngillette@fs.fed.us**

HASEGAWA, MOTOHIRO, Forestry and Forest Products Research Institute, Tsukuba, Ibaraki 305-8687, Japan; **E-Mail: motohiro@ffpri.affrc.go.jp**

HEETHOFF, DR. MICHAEL, Abteilung Evolutionsbiologie der Invertebraten, Institut für Evolution u. Ökologie, Eberhard-Karls-Universität Tübingen, Auf der Morgenstelle 28E, 72076 Tübingen, Germany; **E-Mail: michael@heethoff.de**

HUGO-COETZEE, E.A., DEPARTMENT OF ACAROLGY, NATIONAL MUSEUM, PO BOX 266, BLOEMFONTEIN, 9300, SOUTH AFRICA; **E-Mail: Lhugo@nasmus.co.za**

HUHTA, DR. VEIKKO, Ruutisarvi 14, 40630 Jyväskylä, Finland; **E-Mail: v.huhta@pp.inet.fi**

IGLESIAS, RICARDO, Laboratorio de Ecología y Sistemática de Microartropodos, Departamento de Biología, Facultad de Ciencias, UNAM, 04510 Mexico, DF, Mexico; **E-Mail: iglesias60@yahoo.com**

IVAN, PH.D. OTILIA, Biological Research Institute, Lascar Catargi str. 47, 700 107 Iasi, Romania; **E-Mail: otilia.ivan@ymail.com**

JALOSZYNSKI, PAWEL, Museum of Natural History, Wrocław University, Sienkiewicza 21, 50-335 Wrocław, Poland; **E-Mail: scydmaenus@yahoo.com**

KAGAINIS, UGIS, Institute of Biology, University of Latvia, 3 Miera Street, 2169, Salaspils, Latvia; **E-Mail: oribatida@inbox.lv**

KNEE, WAYNE, Agriculture & Agri-Food Canada, Canadian National Collection of Insects, Arachnids & Nematodes, 960 Carling Ave, Neatby Bldg, Ottawa, ON K1A 0C6, Canada; **E-Mail: wknee@connect.carleton.ca**

KRISPER, DR. GÜNTHER, Institut für Zoologie, Karl-Franzens-Universität Graz, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: guenther.krisper@uni-graz.at**

KUN, MARCELO E., Departamento de Zoología, Cátedra de Invertebrados B, Centro regional Universitario Bariloche, Universidad Nacional del Comahue, Calle Quintral 1250, CP 8400 San Carlos de Barilochee, Argentina; **E-Mail: marcelo.kun@crub.uncoma.edu.ar**

LEHMITS, DR. RICARDA, Senckenberg Museum für Naturkunde Görlitz, Am Museum 1, 02826 Görlitz,

- Germany; **E-Mail: ricarda.lehmitz@senckenberg.de**
- LIANA, MARCIN, Jagiellonian University, Department of Comparative Anatomy, ul. Romana Ingardena 6, 30 060 Krakow, Poland; **E-Mail: marcin.liana@gmail.com**
- LIU, DONG, Key Laboratory of Wetland Ecology and Environment, Northeast Institute of Geography and Agroecology, Chinese Academy of Sciences, Changchun, Jilin 130012, China; **E-Mail: yzliudong@126.com**
- LOSKOVA, JANA, University of Pavol Jozef Safarik, Faculty of Sciences, Institute of Biology & Ecology, Moyzesova 11, Kosice, Slovakia; **E-Mail: loskova.jana@azet.sk**
- LUPTÁCIK, PETER, P.J. Safarik University, Faculty of Science, Institute of Biology and Ecology, Moyzesova, 040 01 Kosice, Slovakia; **E-Mail: peter.luptacik@upjs.sk**
- MARAUN, PD DR. MARK, J.F. Blumenbach Institut für Zoologie, u. Anthropologie, Universität Göttingen, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail: mmaraun@gwdg.de**
- MARIBIE, C.W., School of Biological Sciences, University of Nairobi, P.O. Box 30197-00100, Nairobi, Kenya; **E-Mail: cmaribie@yahoo.com**
- MCCULLOUGH, MAG. ELKE, Institut für Zoologie, Karl-Franzens-Universität, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: elke99100@yahoo.de**
- MIKO, DR. LADISLAV, Institute for Environmental Studies, Charles University in Prague, Faculty of Sciences, Benátská 2, 128 01 Prague 2, Czech Republic; **E-Mail: ladislavmiko@seznam.cz**
- MIRZAIE, MUSTAFA, Department of Plant Protection, College of Agriculture, University of Tehran, Karaj, Iran; **E-Mail: m\_mirzaie@ut.ac.ir**
- MUMLADZE, LEVAN, Institute of Ecology, Ilia State University, Cholokashviliave 3/5, 0165 Tbilisi, Georgia; **E-Mail: levan.mumladze@illauni.edu.ge**
- MURVANIDZE, PH.D. MAKI, Entomology and Biocontrol Research Centre, Agrarian University of Georgia, David Aghmashenebeli Alley 13th km, 0131 Tbilisi, Georgia; **E-Mail: m.murvanidze@agrni.edu.ge**
- NAKAMURA, KAZUNORI, Graduate School of Life Sciences, Tohoku University, 232-3 Yomogida, Naruko-onsen, Osaki, 989-6711, Japan; **E-Mail: knakamura@eco.civil.tohoku.ac.jp**
- NASR, ABDEL-R.K., Department of Plant Protection, National Research Centre, Dokki, Cairo 12311, Egypt
- NIEDBALA, PROF. DR. WOJCIECH, Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail: wojciech.niedbala@amu.edu.pl**
- OLSZANOWSKI, DR. ZIEMOWIT, Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail: olszanow@amu.edu.pl**
- PACHL, PATRICK, Institut für Zoologie u. Anthropologie, Georg August Universität Göttingen, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail: ppachl@gwdg.de**
- PENTTINEN, DR. RITVA, Zoological Museum, Section of Biodiversity and Environ. Research, University of Turku, 20014 Turku, Finland; **E-Mail: ritva.penttinen@utu.fi**
- PERDOMO, GISELLE, Monash University, School of Biological Sciences, Bdg. 17, Clayton Campus, Clayton, Vic 3800, Australia; **E-Mail: gisselle\_p@yahoo.com**
- PERNEK, MILAN, Croatian Forest Research Institute, Cvjetno naselje 41, 10450 Jastrebarsko, Croatia; **E-Mail: milanp@sumins.hr**
- PFINGSTL, DR. TOBIAS, Karl-Franzens-Universität, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: dr.tobias.pfingstl@gmail.com**
- POLLIERER, MELANIE M., J.F. Blumenbach Institute of Zoology and Anthropology, University of Goettingen, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail: mpollie@gwdg.de**
- PROCTOR, DR. HEATHER C., Department of Biological Sciences, University of Alberta, Edmonton, Alberta T6G 3E9, Canada; **E-Mail: hproctor@ualberta.ca**
- REZENDE, JOSÉ MARCOS, PPG – Biologia Animal, UNESP-

- Universidade Estadual Paulista, Rua Cristóvão Colombo, 2265, Jardim Nazareth, 15054-000 São José do Rio Preto, SP, Brazil; **E-Mail: jmrezende@live.com**
- RUSSELL, DR. DAVID J., Senckenberg Museum für Naturkunde, Sektion Bodenmesofauna, Am Museum 1, 02826 Görlitz, Germany; **E-Mail: david.russel@senckenberg.de**
- RYABININ, NIKOLAY A., Institute of Water and Ecology Problems FEB RAS, 65, Kim Yu Chennstr., Khabarovsk 680000, Russia
- SANTAMARIA, JESÚS M., University of Navarra, Department of Chemistry and Soil Science, Irunlarrea No.1, 31008 Pamplona, Spain; **E-Mail: chusmi@unav.es**
- SCHATZ, DR. HEINRICH, Leopold-Franzens Universität Innsbruck, Institut für Zoologie, Technikerstr. 25, 6020 Innsbruck, Austria; **E-Mail: heinrich.schatz@uibk.ac.at**
- SCHUSTER, PROF. DR. REINHART, Karl-Franzens-Universität Graz, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: reinhart.schuster@uni-graz.at**
- SEIEDY, MARJAN, Department of Animal Biology, University of Tehran, Tehran, Iran; **E-Mail: mseyyedi@ut.ac.ir**
- SENICZAK, PROF. DR. STANISLAW, Department of Zoology, Kazimierz Wielki University, Ossolinskich 12, 85-092 Bydgoszcz, Poland; **E-Mail: stseni@ukw.edu.pl**
- SENICZAK, DR. ANNA, Department of Ecology, University of Technology and Life Sciences, Kordeckiego 20, 85-225 Bydgoszcz, Poland; **E-Mail: aseniczak@utp.edu.pl**
- SHTANCHAEVA, U.Y., Caspian Sea Institute of Biological Resources, Daghestan Scientific Center, M. Gadjev Str. 45, Makhachkala, 367000, Daghestan, Russia; **E-Mail: umukusum@mail.ru**
- SICILIANO, STEVEN D., Department of Soil Science, University of Saskatchewan, Saskatoon, Saskatchewan, Canada; **E-Mail: steven.siciliano@usask.ca**
- SKUBALA, DR. PIOTR, University of Silesia, Department of Ecology, Bankowa 9, 40-007 Katowice, Poland; **E-Mail: piotr.skubala@us.edu.pl**
- SUBIAS, PROF. DR. LUIS S., Universidad Complutense, Departamento de Zoología, Facultad de Biología, C/ Jose A. Novais 2, 28040 Madrid, Spain; **E-Mail: subias@bio.ucm.es**
- SUN, ZHENJUN, Department of Ecological Science and Engineering, College of Resources and Environment, China Agricultural University, Beijing 100193, China; **E-Mail: sun108@cau.edu.cn**
- THOMAS, RICHARD H., Department of Zoology, Southern Illinois University, Carbondale, IL, 62901, USA; **E-Mail: rthomas@zoology.siu.edu**
- TIERNO DE FIGUEROA, J. MANUEL, Departamento de Zoología, Facultad de Ciencias, Universidad de Granada, 18071 Granada, Spain; **E-Mail: jmtdef@ugr.es**
- TOLUK, DR. AYSE, Erciyes Universitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 38039 Kayseri, Turkey; **E-Mail: atoluk@erciyes.edu.tr**
- URHAN, DR. RASIT, Department of Biology, Faculty of Science and Arts, Pamukkale University, Kinikli, P.O. Box 286, 20070 Denizli, Turkey; **E-Mail: rurhan@pau.edu.tr**
- VU, PROF. MANH Q., Center for Biodiversity (CEBRED), Hanoi National University of Education, Dai Hoc Su Pham Hanoi, 136 Xuan Thuy Rd, Cau Giay Hanoi, Vietnam; **E-Mail: vqmanh@hnue.edu.vn**
- WALTER, DR. DAVID E., Invertebrate Zoology, Royal Alberta Museum, 12845-102 Ave, Edmonton, Alberta T5N 0M6, Canada; **E-Mail: david.walter@gov.ab.ca**
- WEIGMANN, PROF. DR. GERD, Freie Universität Berlin, Institut für Zoologie, Königin Luise Str. 1-3, 14195 Berlin, Germany; **E-Mail: weigmann@zedat.fu-berlin.de**
- WU, DONG-HUI, Northeast Institute of Geography and Agroecology, Chinese Academy of Sciences, Changchun 130012, China; **E-Mail: wudonghui@neigae.ac.cn**
- XIE, LIXIA, Institute of Entomology, Guizhou University, Guiyang, Guizhou 550025, China
- YANG, MAOFA, Guizhou University (GUGC), Institute of Entomology, Provincial Key Laboratory for Agricultural Pest Management, Guiyang, Guizhou

550025, China; **E-Mail: yangmaofa@sohu.com**

YOUNG, MONICA R., Biodiversity Institute of Ontario and Department of Integrative Biology, University of Guelph, Ontario, Canada; **E-Mail: myoung02@uoguelph.ca**

ZAITSEV, ANDREI S., Department of Animal Ecology, J. Liebig University, Heinrich-Buff-Ring 26-32,

35392 Gießen, Germany; **E-Mail: andrey.zaytsev@hotmail.de**

## **Acknowledgement**

For the friendly assistances I thank Dr. Heinrich Schatz, Institut für Zoologie, Universität Innsbruck

## Subscription form

I wish to subscribe to ACARI – Bibliographia Acarologica 3 issues per volume and year		
Institution and library	20 € (incl. 7% VAT = 1,31 €), incl. postage and handling	<input type="checkbox"/>
personal	10 € (incl. 7% VAT = 0,65 €) incl. postage and handling	<input type="checkbox"/>
I cannot cover the costs in convertible currency. I request in publication exchange for my articles about mites <u>one issue per year</u> . (Please indicate the issue chosen by ticking square below.)		
	Mesostigmata	<input type="checkbox"/>
	Oribatida	<input type="checkbox"/>
	Actinedida	<input type="checkbox"/>

Please write your address exactly and legibly!

name \_\_\_\_\_  
address \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature

Please return this form to:

Dr A. Christian  
Senckenberg Museum für Naturkunde Görlitz  
Am Museum 1  
02826 Görlitz  
Germany

Fax.: 0049-3581-4760 5101  
E-Mail: axel.christian@senckenberg.de

**13** (2) · 2013

**Franke, K.**

Oribatida No. 44 .....	1–24
<b>Acarological literature</b> .....	<b>1</b>
Publications 2013 .....	1
Publications 2012 .....	5
Publications, additions 2011 .....	10
Publications, additions 2010 .....	10
Publications, additions 2009 .....	10
Publications, additions 2008 .....	11
<b>Nomina nova</b> .....	<b>12</b>
New species .....	13
New subspecies .....	18
New genera .....	18
New subgenera .....	19
New synonyms .....	19
New combinations .....	19
New names .....	19
<b>Addresses</b> .....	<b>20</b>