


ISSN 1618-8977

ACARI

Bibliographia Acarologica



Actinedida



Band 2 (3)

2002

Staatliches Museum für Naturkunde Görlitz

ACARI

Bibliographia Acarologica

Herausgeber: Dr. Axel Christian
im Auftrag des Staatlichen Museums für Naturkunde Görlitz

Anfragen erbeten an:

ACARI
Dr. Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, D-02806 Görlitz

„ACARI“

ist zu beziehen über:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, D-02806 Görlitz

Eigenverlag Staatliches Museum für Naturkunde Görlitz
Alle Rechte vorbehalten
Titelgrafik: E. Mättig
Druck: MAXROI Graphics GmbH, Görlitz

*Editor-in-chief: Dr Axel Christian
authorised by Staatliches Museum für Naturkunde Görlitz*

*Enquiries should be directed to:
ACARI
Dr Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, D-02806 Görlitz, Germany*

*‘ACARI’
may be ordered through:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, D-02806 Görlitz*

*Published by Staatliches Museum für Naturkunde Görlitz
All rights reserved
Cover design by: E. Mättig
Printed by MAXROI Graphics GmbH, Görlitz, Germany*

Actinedida Nr. 1

David Russell und Kerstin Franke
State Museum of Natural History Görlitz

With the publication of this volume, the State Museum of Natural History Görlitz is now presenting the third bibliography in the series ACARI. After publishing the *Bibliographia Oribatologica* for more than thirty years, and the *Bibliographia Mesostigmatologica* since 1990, we are now extending this series with a bibliography of the Actinedida. The Natural History Museum in Görlitz has a long history of soil-zoological research, so that it was only logical that the *Bibliographia* be extended by this third, important soil-mite group. However, as also in the Mesostigmata and Oribatida volumes, we have not limited the present volume to the literature of soil Actinedida, and have attempted to include all the literature of this group. As can be seen in the present volume, the literature on Actinedida is represented by only a small portion of soil taxa, with published data emphasizing, i.e., the economically important group Tetranychidae.

The recent publications on the actinedid mites will be published every year as far as they come to our knowledge. The literature of the Actinedida, however, is vast. We have thus excluded three major taxa from the present bibliography: Eriophyidae, Tarsonemidae and the paraphyletic group "Hydracarina", since these are available elsewhere. The literature of the Tarsonemidae is published by RACK and MAHUNKA as the *Bibliographia Tarsonemidologica*. Besides many excellent monographs on Eriophyidae, databanks for the literature of this group exist with, i.e., Dr. DE LILLO from the University of Bari. "Hydracarina" is available in, i.e., VIETS and other works. Please help us keep our literature database on Actinedida as complete as possible by sending us reprints or copies of all your papers on actinedid mites or, if this is not possible, complete reference citations so that we can include them in the list.

We are proud that the *Bibliographia Oribatologica* and *Bibliographia Mesostigmatologica* have been distributed and used by researchers around the world and hope that the present bibliography will receive as much attention and help researchers with this taxonomically difficult group. As with any new journal, mistakes and omissions are to be expected. Please inform us if we have failed to list any of your publications in the *Bibliographia* and we will include them in later volumes.

The Actinedida collection at the State Museum of Natural History Görlitz comprises approx. 9000 determined individuals from 75 species. The Museum will be expanding this collection, especially of reference species, so that a comparative taxonomic collection is available. We thus explicitly call for determined material. In goes without saying that type species may also be deposited in the acarological collections of the State Museum of Natural History in Görlitz. The availability of these collections is guaranteed, as presently three scientists and further technical personnel are working with them. For the future, the publication of types with the original descriptions via Internet is planned.

Critique and suggestions are welcome and explicitly called for. With "ACARI", we hope to advance and help disseminate acarological knowledge and are grateful for all help in accomplishing this task.

Mit dem Erscheinen dieses Heftes veröffentlicht das Staatliche Museum für Naturkunde Görlitz die dritte Bibliographie der Serie *ACARI*. Nachdem die *Oribatologica* bereits über 30 Jahre und die *Mesostigmatologica* seit 1990 veröffentlicht werden, erweitern wir diese Serie mit einer Bibliographie über die Gruppe Actinedida. Das Naturkundemuseum in Görlitz blickt auf eine lange Geschichte bodenzoologischer Forschung zurück, so dass eine Erweiterung der *ACARI* um diese dritte Bodenmilben-Gruppe naheliegend ist. Wie bei den Bänden zu den Mesostigmata oder Oribatida beschränkten wir auch dieses Heft nicht auf die Literatur der Boden-Actinedida, sondern bemühen uns, alle Literaturzitate aufzunehmen. Wie aus dem im vorliegenden Band ersichtlich, sind Bodentaxa jedoch nur zu einem geringen Teil in der Actinedida-Literatur, während Daten z.B. zur ökonomisch wichtigen Gruppe der Tetranychidae stark vertreten sind.

Die neuesten Arbeiten der Actinedida werden jährlich publiziert, soweit uns diese bekannt sind. Da die Literatur der Actinedida besonders umfangreich ist, wurden drei Taxa ausgeschlossen: Eriophyidae, Tarsonemidae und die paraphyletischen „Hydracarina“. Bibliographien dieser Gruppen sind an anderer Stelle vorhanden: zu den Tarsonemidae durch RACK und MAHUNKA in der *Bibliographia Tarsonemidologica*; zu den Eriophyidae - neben hervorragenden Monographien - in den Datenbanken bei DE LILLO von der Universität Bari; zu den „Hydracarina“ z.B. bei VIETS u.a.. Bitte helfen Sie uns bei der weiteren Vervollständigung unserer Literaturdatenbank durch die unaufgeforderte Zusendung von Sonderdrucken bzw. Kopien. Sollte dies nicht möglich sein, bitten wir um Mitteilung der vollständigen Literaturzitate zur Aufnahme in die Datei.

Wir freuen uns, dass die *Bibliographia Oribatologica* und die *Bibliographia Mesostigmatologica* von Forschern weltweit genutzt werden und hoffen, dass die vorliegende Bibliographie ebenso viel Anerkennung findet. Wie bei jeder neuen Zeitschrift, sind Fehler und Irrtümer unvermeidlich. Sollten Sie feststellen, dass in der Bibliographie Titel Ihrer Publikationen oder der anderer Autoren fehlen, wären wir Ihnen für eine entsprechende Information dankbar. Wir werden die Titel in zukünftige Ausgaben aufnehmen.

Die Actinediden-Sammlung des Staatlichen Museums für Naturkunde Görlitz besteht z.Zt. aus ca. 9000 determinierten Individuen von 75 Arten. Das Museum bemüht sich um die Erweiterung dieser Sammlung, insbesondere von Referenzmaterial, so dass eine taxonomische Vergleichssammlung verfügbar ist. Deshalb bitten wir explizit um die Zusendung determinierten Materials. Selbstverständlich können in den acarologischen Sammlungen des Staatlichen Museums für Naturkunde Görlitz auch Typen hinterlegt werden. Durch die ständige Betreuung der Sammlungen durch derzeit drei wissenschaftliche und weitere technische Mitarbeiter ist ein hoher Bearbeitungsstand und eine gute Zugänglichkeit gewährleistet. Es ist vorgesehen, die Daten der Typen mit ihren Originalbeschreibungen im Internet zugänglich zu machen.

Kritiken und Empfehlungen zu diesem Heft sind willkommen und ausdrücklich erwünscht. Mit *ACARI* hoffen wir, acarologisches Wissen zu vergrößern und dazu beizutragen, dieses Wissen zu verbreiten. Wir sind für jegliche Hilfe in der Bewältigung dieser Aufgabe dankbar.

Acarologische Literatur / *Acarological literature*

Literaturzitate in fett gedruckter Schrift enthalten Beschreibungen neuer Arten. Mit „*“ markierte Titel liegen nur als Zitat oder Kurzfassung vor.

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "" were only found as citation or abstracts.*

Publikationen 2002 / Publications 2002

- BERNINI, F. / NANNELLI, R. / NUZZACI, G. / DE LILLO, E. (EDS.) (2002): Acarid phylogeny and evolution: Adaptation in mites and ticks. Proceedings of the IV Symposium of the European Association of Acarologists. Siena 2000. - Kluwer Academic Publishers Dordrecht, Boston, London : 1-451
- BERTRAND, M. (2002): Morphologic adaptations to parasitism on reptiles: Pterygosomatidae (Prostigmata, Raphiganthina). In: Bernini, F. / Nannelli, R. / Nuzzaci, G./ De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 233-240
- BLÜMEL, S. / WALZER, A. (2002): Efficacy of different release strategies of *Neoseiulus californicus* McGregor and *Phytoseiulus persimilis* Athias-Henriot (Acari, Phytoseiidae) for the control of two-spotted spider mite (*Tetranychus urticae* Koch) on greenhouse cut roses. - *Syst. Appl. Acarol.* 7: 35-48
- CZAJKOWSKA, B. / KIELKIEWICZ, M. (2002): Linden-leaf morphology and the host-plant susceptibility to *Eotetranychus tiliarium* Hermann (Acarida, Tetranychidae). In: Bernini, F. / Nannelli, R. / Nuzzaci, G./ De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 435-440
- DE LILLO, E. / ALDINI, P. (2002): Fine morphology of the bothridial receptor organs of *Pediculaster mesembrinae* (Acari, Siteroptidae) adult female. In: Bernini, F. / Nannelli, R. / Nuzzaci, G./ De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 253-261
- DESCH, C.E. / STEWART, T.B. (2002): First description of a hair follicle mite from the host order Xenarthra: Demodex dasypodi n. sp. (Acari, Demodecidae) from the nine-banded Armadillo, Dasypus novemcinctus Linnaeus, 1758 (Dasypodidae).** - *Internat. J. Acarol.* 28,2: 169-174
- DUSBABEK, F. (2002): Adaptation of mites and ticks to parasitism. Medical and veterinary aspect. In: Bernini, F. / Nannelli, R. / Nuzzaci, G./ De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 399-418
- EBERMANN, E. / GOLOBOFF, P.A. (2002): Association between neotropical burrowing spiders (Araneae, Nemesiidae) and mites (Acari, Heterostigmata, Scutacaridae). - *Acarologia* 42,2: 173-184
- FAIN, A. (2002): Notes on a small collection of mites (Acari) parasitic on bates in the Philippines. - *Acarologia* 42,1: 67-74
- FAIN, A. / BOCHKOV, A.V. (2002): A new genus and species of cheyletid mite (Acari, Cheyletidae) from a cave in Western Australia. - *Internat. J. Acarol.* 28,1: 37-40
- FAIN, A. / BOCHKOV, A.V. (2002): On some new or little known species of parasitic Cheyletidae (Acari, Prostigmata). - *Acarologia* 42,2: 145-160
- FAN, Q.-H. / ZHANG, Z.-Q. (2002): Mites of the genus *Summersiella* Gonzalez (Acari, Stigmaeidae). - *Syst. Appl. Acarol.* 7: 149-158
- FU, Y.-G. / ZHANG, F.-P. / PENG, Z.-Q. / LIU, K. / JIN, Q. (2002): The effects of temperature on the development and reproduction of *Tetranychus piercei* McGregor (Acari, Tetranychidae) in banana. - *Syst. Appl. Acarol.* 7: 69-76
- HAITLINGER, R. (2002): Two new species of *Leptus* Latreille, 1796 and the first record of *Leptus astrubali* Haitlinger, 1999 (Acari, Prostigmata, Erythraeidae) from India and Sri Lanka. - *Syst. Appl. Acarol.* 7: 177-184
- HAITLINGER, R. (2002): *Pollux kovalamicus* sp. nov. (Acari, Prostigmata, Erythraeidae) from India. - *Syst. Appl. Acarol.* 7: 173-175
- JAMES, D.J. (2002): Selectivity of the acaricide, bifenazate, and aphicide, pymetrozine, to spider mite predators in Washington hops. - *Internat. J. Acarol.* 28,2: 175-179

- KHANJANI, M. / UECKERMAN, E.A. (2002): Camerobiidae of Iran with descriptions of three new species (Acari, Camerobiidae). - Syst. Appl. Acarol. 7: 159-166**
- KIELKIEWICZ, M. (2002): Influence of carmine spider mite *Tetranychus cinnabarinus* Boisd. (Acarida, Tetranychidae) feeding on ethylene production and the activity of oxidative enzymes in damaged tomato plants. In: Bernini, F. / Nannelli, R. / Nuzzaci, G. / De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 389-392
- KOC, K. / MADANLAR, N. (2002): A new species of *Neophyllobius Berlese* (Acari, Camerobiidae) from Turkey. - Acarologia 42,1: 61-66**
- KOLLARS, T.M. / WONGKALASIN, K. / KHLAIMANEE, N. / COLEMAN, R.E. (2002): A novel method for detection and identification of murine and scrub typhus using one primer set by PCR and restriction enzyme digestion. - Internat. J. Acarol. 28,1: 85-87
- KROPCZYNSKA, D. / CZAJKOWSKA, B. / TOMCZYK, A. / KIELKIEWICZ, M. (2002): Mite communities on linden trees (*Tilia sp.*) in an urban environment. In: Bernini, F. / Nannelli, R. / Nuzzaci, G. / De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 303-313
- LIN, Z.-J. / ZHANGA, Y.-X. (2002): Two new species of the Bonziinae from China (Acari, Cunaxidae). - Syst. Appl. Acarol. 7: 143-148**
- LIU, Y.-X. (2002): First isolation of *Orientia (O.) tsutsugamushi* from larvae and reared nymphs of *Leptotrombidium (L.) linhuakongense* collected from wild rodents in Fei County, Shandong Province, China. - Syst. Appl. Acarol. 7: 31-34
- MA, Y. / YANG, X.-Z. / CHEN, H.-J. (2002): A new sand mite of the subgenus *Digenualea* from Qinghai, China (Acari, Trombiculidae: Neotrombicula). - Syst. Appl. Acarol. 7: 207-208**
- MATIOLI, A.L. / UECKERMAN, E.A. / DE OLIVEIRA, C.A.L. (2002): Some stigmaeid and eupalopsellid mites from citrus orchards in Brazil (Acari, Stigmaeidae and Eupalopsellidae). - Internat. J. Acarol. 28,2: 99-102**
- NUKENINE, E.N. / DIXON, A.G.O. / HASSAN, A.T. / ZALOM, F.G. (2002): Relationships between leaf trichome characteristics and field resistance to cassava green mite, *Mononychellus tanajoa* (Bondar). - Syst. Appl. Acarol. 7: 77-90
- PRINCIPATO, M. (2002): Observations on the spread of *Pyemotes ventricosus* (Prostigmata, Pyemotidae) in houses in Umbria, Central Italy. In: Bernini, F. / Nannelli, R. / Nuzzaci, G. / De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 431-434
- RASMY, A.H. / ABOU-ELELLA, G.M. (2002): Effect of prey density on functional and numerical responses of the predatory mite *Typhlodromus negevi* (Acari, Phytoseiidae). In: Bernini, F. / Nannelli, R. / Nuzzaci, G. / De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 315-318
- RASMY, A.H. / MOMEN, F.M. / ZAHER, M.A. / NAWAR, M.S. / ABOU-ELELLA, G.M. (2002): Dietary influence on life history and predation of the phytoseiid mite, *Amblyseiulus deleoni* (Acari, Phytoseiidae). In: Bernini, F. / Nannelli, R. / Nuzzaci, G. / De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 319-323
- SABOORI, A. (2002): A new genus and species of larval Neothrombiidae (Acari, Trombidioidea) from Iran. - Syst. Appl. Acarol. 7: 185-190**
- THONGTAB, A. / CHANDRAPATYA, A. / BAKER, G.T. (2002): Bionomics of citrus yellow mite, *Eotetranychus cendanai* Rimando (Acari, Tetranychidae). - Syst. Appl. Acarol. 7: 57-68
- TOMCZYK, A. (2002): Changes in the content of soluble surgars in leaves of cucumber plant infested with *Tetranychus urticae* Koch and treated with plant growth promoting rhizobacteria (PGPR). In: Bernini, F. / Nannelli, R. / Nuzzaci, G. / De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 393-398
- TSOLAKIS, H. / RAGUSA, E. / RAGUSA, S. (2002): Effects of neem oil (*Azadirachta indica* A. Juss) on *Tetranychus urticae* Koch (Acariformes, Tetranychidae). In: Bernini, F. / Nannelli, R. / Nuzzaci, G. / De Lillo, E. (eds.), Acarid phylogeny and evolution: Adaptation in mites and ticks. - Kluwer Academic Publishers Dordrecht, Boston, London: 351-362
- UECKERMAN, E.A. / KHANJANI, M. (2002): New species of the genus *Austroteneriffa* (Acari, Teneriffidae) from Iran. - Syst. Appl. Acarol. 7: 167-172**
- VAN MELE, P. / VAN LENTEREN, J.C. (2002):* Survey of current crop management practices in a mixed-ricefield landscape, Mekong Delta, Vietnam - potential of habitat manipulation for improved control of citrus leafminer and citrus red mite. - Agric. Ecosystems Environ. 88,1: 35-48
- ZHANG, Z.-Q. / JI, J. / ZHANG, Z.-Q. / LIN, J.-Z. (2002): Responses to stimuli from *Schizotetranychus nanjingensis* on bamboo leaves by two predatory mite species (Acari, Tetranychidae, Phytoseiidae). - Syst. Appl. Acarol. 7: 49-56

Publikationen 2001 / Publications 2001

- ABBOT, P. / DILL, L.M. (2001):* Sexually transmitted parasites and sexual selection in the milkweed leaf beetle, *Labidomera clivicollis*. - *Oikos* 92,1: 91-100
- ANCHOR, D.S. / OCHOA, R. / ERBE, E.F. / AGUILAR, H. / WERGIN, W.P. / CHILDERS, C.C. (2001): Relative advantages of low temperature versus ambient temperature scanning electron microscopy in the study of mite morphology. - *Internat. J. Acarol.* 27,1: 3-12
- AGUILAR, H. / CHILDERS, C.C. / WELBOURN, W.C. (2001): Relative abundance and seasonal occurrence of mites in the family Tydeidae on citrus in Florida. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 376-380
- ANTONY, L.M.K. (2001): Soil Acari response to deforestation and fire in a Central Amazon forest. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 277-282
- BADII, M.H. / FLORES, A.E. / PONCE, G. / LANDERO, J. / QUIROZ, H. (2001): Does the *Lorryia formosa* Cooreman (Acaria, Prostigmata, Tydeidae) population visit or reside on citrus foliage? In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 413-418
- BLACKWOOD, J.S. / SCHAUSSBERGER, P. / CROFT, B.A. (2001):* Prey-stage preference in generalist and specialist phytoseiid mites (Acaria, Phytoseiidae) when offered *Tetranychus urticae* (Acaria, Tetranychidae) eggs and larvae. - *Environ. Entomol.* 30,6: 1103-1111
- BOCHKOV, A.V. / APANASKEVICH, D. (2001): Two new species of the family Syringophilidae (Acaria, Cheyletidae) from passeriform birds collected in the Altai. - *Folia parasitol.* 48,4: 321-325
- BOCHKOV, A.V. / FAIN, A. (2001): Phylogeny and system of the Cheyletidae (Acaria, Prostigmata) with special reference to their host-parasite associations. - *Bull. Inst. R. Sci. nat. Belg., Entomol.* 71: 5-36
- BOCHKOV, A.V. / GALLOWAY, T. (2001):* Parasitic cheyletid mites (Acaria, Cheyletoidea) associated with passeriform birds (Aves: Passeriformes) in Canada. - *Can. J. Zool.* 79,11: 2014-2028
- BOLLAND, H.R. (2001): Observations and description of *Neophyllobius piniphilus* n.sp. (Acaria, Camerobiidae) from pine trees in the Netherlands. - *Internat. J. Acarol.* 27,2: 129-134
- BOLLAND, H.R. (2001): Mites (Acaria, Tetranychidae and Phytoseiidae) from the Tatra Mountains in Slovakia, with special remarks on *Tetranychopsis hystriciformis* Reck. - *Internat. J. Acarol.* 27,3: 225-227
- BOLLAND, H.R. / KOC, K. (2001): Notes on *Tycherobius* species (Acaria, Camerobiidae) in Turkey. - *Internat. J. Acarol.* 27,2: 135-137
- BOLLAND, H.R. / MEHRNEJAD, M.R. (2001): *Neophyllobius pistaciae* n. sp. (Acaria, Camerobiidae) from Iran. - *Internat. J. Acarol.* 27,1: 49-53
- BOUNFOUR, M. / TANIGOSHI, L.K. (2001):* Host plant-mediated interactions between *Tetranychus urticae* and *Eotetranychus carpini borealis* (Acaria, Tetranychidae). - *Exp. Appl. Acarol.* 25,1: 13-24
- BOWIE, M.H. / WORNER, S.P. / KRIPS, O.E. / PENMAN, D.R. (2001):* Sublethal effects of esfenvalerate residues on pyrethroid resistant *Typhlodromus pyri* (Acaria, Phytoseiidae) and its prey *Panonychus ulmi* and *Tetranychus urticae* (Acaria, Tetranychidae). - *Exp. Appl. Acarol.* 25,4: 311-320
- BRIESE, D.T. / CULLEN, J.M. (2001): The use and usefulness of mites in biological control of weeds. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 453-463
- CAMERIK, A.M. (2001): Redescription of holotype of *Pediculaster manicatus* (Berlese), 1904 and description of *P. pseudomanicatus* n. sp. (Acaria, Pygmephoridae). - *Internat. J. Acarol.* 27,1: 13-28
- CHAGAS, C.M. / ROSSETTI, V. / COLARICCI, A. / LOVISOLI, O. / KITAJIMA, E.W. / CHILDERS, C.C. (2001): Brevipalpus mites (Acaria, Tenuipalpidae) as vectors of plant viruses. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 369-375
- CHARANASRI, V. / KONGCHUENSIN, M. (2001): Species and population densities of mites on jujube. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 419-422
- CHILDERS, C.C. / VILLANUEVA, R. / AGUILAR, H. / CHEWNING, R. / MICHAUD, J.P. (2001): Comparative residual toxicities of pesticides to the predator *Agistemus industani* (Acaria, Stigmaeidae) on citrus in Florida. - *Exp. Appl. Acarol.* 25,5: 461-474
- CLIFT, A. / TERRAS, M.A. (2001): A quantitative study of phoresy in *Microdispus lambi* (Acaria, Microdispidae) in eastern Australia. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 394-398

- COETZEE, S.H. / CAMERIK, A.M. (2001): The use of autofluorescence of the pharyngeal pump complex in Pygmephoridae (Acarai, Heterostigmata) as a new taxonomic aid. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 213-216
- COLLIER, K.F.S. / ALBUQUERQUE, G.S. / EIRAS, A.E. / BLACKMER, J.L. / ARAUJO, M.C. / MONTEIRO, L.B. (2001): Olfactory stimuli involved in prey location by *Neoseiulus californicus* (McGregor) (Acarai, Phytoseiidae) on apple and alternate host plants. - Neotropical Entomology 30,4: 631-639
- CORPUZ-RAROS, L.A. (2001): *Tuckerella filipina*, a new species of Tuckerellidae (Acarai) from the Philippines. - Internat. J. Acarol. 27,1: 71-74
- CUELLAR, M.E. / CALATAYUD, P.A. / EL MELO, X. / SMITH, L. / BELLOTTI, A.C. (2001):* Consumption and oviposition rates of six phytoseiid species feeding on eggs of the cassava green mite *Mononychellus tanajoa* (Acarai, Tetranychidae). - Fla. Entomol. 84,4: 602-607
- DEVINE, G.J. / BARBER, M. / DENHOLM, I. (2001): Incidence and inheritance of resistance to METI-acaricides in European strains of the two-spotted spider mite (*Tetranychus urticae*) (Acarai, Tetranychidae). - Pest Manag. Sci. 57,5: 443-448
- DOGAN, S. / AYYILDIZ, N. (2001): A new species of *Cryptognathus* (Acarai, Cryptognathidae) from Turkey. - Internat. J. Acarol. 27,3: 217-220
- DONG, Y. (2001): Laboratory experiments on the effect of *Allothrombium ovatum* larvae (Acarai, Trombidiidae) on the aphid *Rhopalosiphum padi* (Homoptera, Aphididae). - Syst. Appl. Acarol. 6: 61-64
- EASTERBROOK, M.A. / FITZGERALD, J.D. / SOLOMON, M.G. (2001):* Biological control of strawberry tarsonemid mite *Phytonemus pallidus* and two-spotted spider mite *Tetranychus urticae* on strawberry in the UK using species of *Neoseiulus* (*Amblyseius*) (Acarai, Phytoseiidae). - Exp. Appl. Acarol. 25,1: 25-36
- EL-BANHAWY, E.M. / HAFEZ, S.M. / SABER, S.A. (2001): Response of *Amblyseius cydnodactylon* (Phytoseiidae) to increasing prey density of *Tetranychus urticae* (Tetranychidae) in absence or presence of nymphs of *Bemesia tabaci* (Homoptera) in Egypt. - Internat. J. Acarol. 27,3: 241-244
- ELIOPoulos, P.A. / PAPADOULIS, G.T. (2001): New records of mites (Acarai, Cheyletidae) from stored products with descriptions of a new species in Greece. - Internat. J. Acarol. 27,1: 29-33
- FAIN, A. / BOCHKOV, A.V. (2001): A review of some genera of cheyletid mites (Acarai, Prostigmata) with descriptions of new species. - Acarina 9,1: 47-95
- FAIN, A. / BOCHKOV, A.V. (2001): A new species of the genus *Epimyodex* Fain and Orts, 1969 (Acarai, Cloacaridae, Epimyodicinae) parasitizing *Sorex trowbridgii* (Soricidae) from USA. - Internat. J. Acarol. 27,3: 221-223
- FAIN, A. / BOCHKOV, A.V. (2001): A review of the genus *Cheyletus* Latreille, 1776 (Acarai, Cheyletidae). - Bull. Inst. R. Sci. nat. Belg., Entomol. 71: 83-114
- FAN, Q.-H. (2001): The genus *Neophyllobius* (Acarai, Camerobiidae) from China. - Syst. Appl. Acarol. 6: 137-144
- FERES, R.J.F. / NUNES, M.A. (2001): Mites (Acarai, Arachnida) associated with weed Euphorbiaceae in monoculture planting of the amazonian rubber tree (*Hevea brasiliensis* Muell. Arg., Euphorbiaceae) in Northwestern Sao Paulo State, Brazil. [Orig. Port.] - Rev. Bras. Zool. 18,4: 1253-1264
- FERNANDEZ-SOTO, P. / PEREZ-SANCHEZ, R. / ENCINAS-GRANDES, A. (2001):* Molecular detection of *Ehrlichia phagocytophila* genogroup organisms in larvae of *Neotrombicula autumnalis* (Acarai, Trombiculidae) captured in spain. - J. Parasitol. 87,6: 1482-1483
- FLECHTMANN, C.H.W. (2001): A new stilt-legged mite from the Brazilian neotropics (Acarai, Camerobiidae). - Internat. J. Acarol. 27,1: 41-44
- FLECHTMANN, C.H.W. / ETIENNE, J. (2001): Plant mites from Guadeloupe and French Guyana, with descriptions of five new species of eriophyid mites (Acarai, Eriophyidae, Tenuipalpidae, Tetranychidae). - Internat. J. Acarol. 27,4: 261-270
- FLECHTMANN, C.H.W. / DE MORAES, G.J. (2001): A new species of *Hystrichonychus* (Acarai, Tetranychidae) from Brazil. - Internat. J. Acarol. 27,1: 45-47
- FRANCES, S.P. / WATCHARAPICHAT, P. / PHULSUKSOMBATI, D. (2001): Vertical transmission of *Orientia tsutsugamushi* in two lines of naturally infected *Leptotrombidium deliene* (Acarai, Trombiculidae). - J. Med. Entomol. 38,1: 17-21
- GAO, J.-R. / ZOU, P. (2001):* Biology, life table and host specificity of the mushroom pest, *Brennandania lambi* (Acarai, Pygmephoroidae). - Exp. Appl. Acarol. 25,3: 187-202
- GISPERT, C. / FARRAR, C. / PERRING, T.M. (2001): Seasonal abundance of the Banks grass mite *Oligogonychus pratensis* (Banks) (Prostigmata, Tetranychidae) and a predatory mite, and their response to sulfur treatment on commercial date palms *Phoenix dactilifera* L. in Southern California. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 403-408

- GOTOH, S. / TAKENAKA, O. / WATANABE, K. / HAMADA, Y. / KAWAMOTO, Y. / WATANABE, T. / SURYOBROTO, B. / SAJUTHI, D. (2001): Hematological values and parasite fauna in free-ranging Macaca hecki and the M. hecki / M. tonkeana hybrid group of Sulawesi Island, Indonesia. - *Primates* 42,1: 27-34
- GOTOH, T. / KITASHIMA, Y. / GOKA, K. / NAGATA, T. (2001): Susceptibility of the red spider mite, *Oligonychus coffeae* (Acari, Tetranychidae), to acaricides on tea plants in Japan. - *Internat. J. Acarol.* 27,4: 303-307
- GOTOH, T. / NAGATA, T. (2001): Development and reproduction of *Oligonychus coffeae* (Acari, Tetranychidae) on tea. - *Internat. J. Acarol.* 27,4: 293-298
- GUPTA, S.K. (2001): A conspectus of natural enemies of phytophagous mites and mites as potential biocontrol agents of agricultural pests in India. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 484-497
- HAITLINGER, R. (2001): Parasitus geotrupidis Makarova, 1996 (Mesostigmata, Parasitidae) and *Podothrombium roari* Haitlinger, 2000 (Prostigmata, Trombidiidae) two mite species (Acari) new to the Polish fauna. [Orig. Polish] - *Przegl. Zool.* 45,1-2: 83-85
- HAITLINGER, R. (2001): Four new species of Leptus (Acari, Prostigmata, Erythraeidae) from Republic of South Africa and Kenya. - Biologia, Bratislava 56,5: 473-481**
- HAITLINGER, R. (2001): Diplothrombium zbigniewi sp. nov. (Acari, Prostigmata, Johnstonianidae), a new mite from Poland. - Syst. Appl. Acarol. 6: 179-182**
- HALLIDAY, R.B. (2001): Systematics and biology of the Australian species of *Balaustium* von Heyden (Acari, Erythraeidae). - *Aust. J. Entomol.* 40: 326-330
- HALLIDAY, R.B. / WALTER, D.E. / PROCTOR, H.C. / NORTON, R.A. / COLLOFF, M.J. (EDS.) (2001): *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne : 1-657
- HATZINIKOLIS, E.N. / PAPADOULIS, G.T. / KAPAXIDI, E.V. (2001): A new species of Cenopalpus (Acari, Tenuipalpidae) from grape vines in Greece. - Internat. J. Acarol. 27,1: 35-40**
- HERRON, G.A. / EDGE, V.E. / ROPHAIL, J. / WILSON, L. (2001): Development and use of a method to measure aldicarb resistance in *Tetranychus urticae* Koch (Acari, Tetranychidae) from cotton in Australia. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 399-402
- HERRON, G.A. / ROPHAIL, J. / WILSON, L.J. (2001):* The development of bifenthrin resistance in two-spotted spider mite (Acari, Tetranychidae). - *Exp. Appl. Acarol.* 25,4: 301-310
- HINOMOTO, N. / TAKAFUJI, A. (2001):* Genetic diversity and phylogeny of the Kanzawa spider mite, *Tetranychus kanzawai*, in Japan. - *Exp. Appl. Acarol.* 25,5: 355-370
- HO, C.-C. / CHEN, W.-H. (2001): Life cycle, food consumption, and seasonal occurrence of *Scolothrips indicus* (Thysanoptera, Aeolothripidae) on eggplant. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 409-412
- HOSSAIN, M.S. / SOLHOY, T. (2001): Densities of *Panonychus ulmi* (Acari, Tetranychidae) and *Aculus schlechtendali* (Acari, Eriophyidae) on three apple cultivars in Western Norway. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 300-305
- HU, S. / WU, M. / CHEN, X. (2001): The effect of relative humidity on the development of the predator *Agistemus terminalis* (Quayle) (Acari, Stigmaeidae). - *Syst. Appl. Acarol.* 6: 51-53
- IRVANLOU, J.S.K. / SABOORI, A. (2001): Leptus kamalii sp. nov. (Acari, Erythraeidae) from Iran. - Syst. Appl. Acarol. 6: 165-169**
- JAMALI, M.A. / KAMALI, K. / SABOORI, A. / NOWZARI, J. (2001): Biology of *Zetcellia mali* (Ewing) (Acari, Stigmaeidae) in Karaj, Iran. - *Syst. Appl. Acarol.* 6: 55-60
- JAMES, D.G. (2001): History and perspectives of biological mite control in Australian horticulture using exotic and native phytoseiids. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 436-443
- JAMES, D.G. / PRICE, T. / WRIGHT, L.C. / COYLE, J. / PEREZ, J. (2001): Mite abundance and phenology on commercial and escaped hops in Washington State, USA. - *Internat. J. Acarol.* 27,2: 151-156
- KAZAK, C. (2001): Population dynamics of naturally occurring *Phytoseiulus persimilis* (Acari, Phytoseiidae) colonising beans (*Phaseolus vulgaris* cv. Sari) infested by spider mites, *Tetranychus cinnabarinus* (Acari, Tetranychidae), in Turkey. - *Syst. Appl. Acarol.* 6: 19-25
- KIM, I.H. / TOYOMURA, N. / KUWANO, E. (2001):* Insecticidal and acaricidal activities of 2,2-diphenylpropionate derivatives. - *J. Pest. Sci.* 26,1: 87-90

- KOLLARS, T.M. / KENGLUECHA, A. / KHLAIMANEE, N. / TANSKUL, P. (2001):* Temporal changes in prevalence of scrub typhus rickettsia (*Orientia tsutsugamushi*) infecting the eggs of *Leptotrombidium imphalum* (Acari, Trombiculidae). - *J. Med. Entomol.* 38,1: 108-110
- KOLLARS, T.M. / MONKANNA, T. / KHLAIMANEE, N. (2001): A comparison between mica and rats as sentinels for *Leptotrombidium imphalum* (Acari, Trombiculidae) in Northern Thailand. - *Internat. J. Acarol.* 27,2: 171-172
- KONGCHUENSIN, M. / CHARANASRI, V. / KULPIYAWAT, T. / KHANTONTHONG, P. (2001): Biological control of two-spotted mite in strawberries by the predatory mite *Amblyseius longispinosus* (Evans) (Acari, Phytoseiidae). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 513-517
- KRIESCH, S. / AZAM, G.N. / WALTER, D.E. (2001): Can *Phytoseiulus persimilis* (Acari, Phytoseiidae) invade rainforest fragments when its preferred prey *Tetranychus urticae* is present. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 518-521
- LAIHO, R. / SILVAN, N. / CARCAMO, H. / VASANDER, H. (2001): Effects of water level and nutrients on spatial distribution of soil mesofauna in peatlands drained for forestry in Finland. - *Appl. Soil Ecol.* 16,1: 1-9
- LANDEROS, J. / RODRIGUEZ, S. / BADII, M.H. / CERDA, P.A. / FLORES, A.E. (2001):* Functional response and population parameters of *Phytoseiulus persimilis* (Acari, Phytoseiidae) Athias-Henriot on *Tetranychus urticae* (Acari, Tetranychidae) Koch. - *Southw. Entomol.* 26,3: 253-257
- LIN, J. / ZHANG, Y. / JI, J. (2001): Three new species of Cunaxidae from Fujian, China. - *Syst. Appl. Acarol.* 6: 145-153**
- LITERAK, I. / HONZA, M. / PINOWSKA, B. / HAMAN, A. (2001):* Larvae of trombiculid mites (Acarina, Trombiculidae) in wild birds in Slovak and Polish Carpathians. - *Acta Veterinaria Brno* 70,4: 479-480
- LIU, A. / RIDSDILL-SMITH, T.J. (2001): Comparsion of feeding damage by redlegged earth mite *Halotydeus destructor* (Tucker) (Acari, Penthaleidae) to different grain legume species as an indicator of potentially resistant lines. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 295-299
- LIU, J.-Y. / HU, C.-H. / MA, L.-M. (2001): Two new species and a new subspecies of Acari from Hubei Province, China (Acari, Trombiculidae, Haemogamasidae). [Orig. Chinese] - *Acta Zootaxon. Sin.* 26,3: 306-312**
- LLUSI, J. / PEUELAS, J. (2001):* Emission of volatile organic compounds by apple trees under spider mite attack and attraction of predatory mites. - *Exp. Appl. Acarol.* 25,1: 65-78
- MAEDA, T. / TAKABAYASHI, J. (2001): Production of herbivore-induced plant volatiles and their attractiveness to *Phytoseiulus persimilis* (Acari, Phytoseiidae) with changes of *Tetranychus urticae* (Acari, Tetranychidae) density on a plant. - *Appl. Entomol. Zool.* 36,1: 47-52
- MAEDA, T. / TAKABAYASHI, J. / YANO, S. / TAKAFUJI, A. (2001): Variation in the olfactory response of 13 populations of the predatory mite *Amblyseius womersleyi* (Acari, Phytoseiidae, Tetranychidae) to *Tetranychus urticae* - infested plant volatiles (Acari, Phytoseiidae, Tetranychidae). - *Exp. Appl. Acarol.* 25,1: 55-64
- MAKOL, J. (2001): A redescription of *Thrombidium geniculatum* (Feider, 1955) (Acari, Actinotrichida, Trombidioidea) with characteristics of all active instars. - *Ann. Zool.* 51,2: 251-260
- MARSHALL, D.B. / LESTER, P.J. (2001): The transfer of *Typhlodromus pyri* on grape leaves for biological control of *Panonychus ulmi* (Acari, Phytoseiidae, Tetranychidae) in vineyards in Ontario, Canada. - *Biological Control* 20,3: 228-235
- MARSHALL, D.B. / THISTLEWOOD, H.M.A. / LESTER, P.J. (2001): Release, establishment, and movement of the predator *Typhlodromus pyri* (Acari, Phytoseiidae) on apple. - *Can. Entomol.* 133,2: 279-292
- MONTIEL-PARRA, G. / VILLEGAS-GUZMAN, G.A. / VARGAS, M. / POLACO, O.J. (2001): Mites associated with nests of *Neotoma albigena* Hartley, 1894 (Rodentia, Muridae) in Durango, México. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 586-593
- MORISHITA, M. (2001): Movement of the two-spotted spider mite *Tetranychus urticae* Koch and the Kanzawa spider mite *T. kanzawai* Kishida (Acari, Tetranychidae) in a watermelon-pea cropping system. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 355-360
- MORRIS, M.J.A. / RIMMER, J. (2001): Allergenicity of the predator dust mite *Cheyletus tenuipilis* (Acari, Cheyletidae): a preliminary study. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 558-564

- NAUEN, R. / STUMPF, N. / ELBERT, A. / ZEBITZ, C.P.W. / KRAUS, W. (2001): Acaricide toxicity and resistance in larvae of different strains of *Tetranychus urticae* and *Panonychus ulmi* (Acari, Tetranychidae). - Pest Manag. Sci. 57,3: 253-261
- NAVAJAS, M. (2001): Genetic markers and mite population biology. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 149-151
- NAVAJAS, M. / GUTIERREZ, J. / WILLIAMS, M. / GOTOH, T. (2001): Synonymy between two spider mite species, *Tetranychus kanzawai* and *T. hydrangeae* (Acari, Tetranychidae), shown by ribosomal ITS2 sequences and cross-breeding experiments. - Bull. Entomol. Res. 91,2: 117-123
- NICETIC, O. / WATSON, D.M. / BEATTIE, G.A.C. / MEATS, A. / ZHENG, J. (2001):* Integrated pest management of two-spotted mite *Tetranychus urticae* on greenhouse roses using petroleum spray oil and the predatory mite *Phytoseiulus persimilis*. - Exp. Appl. Acarol. 25,1: 37-54
- OMER, A.D. / GRANETT, J. / KARBAN, R. / VILLA, E.M. (2001):* Chemically-induced resistance against multiple pests in cotton. - Intern. J. Pest Manag. 47,1: 49-54
- OTTO, J.C. / WILSON, K.J. (2001): Assessment of the usefulness of ribosomal 18S and mitochondrial COI sequences in Prostigmata phylogeny. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 100-109
- OZMAN, S.K. (2001): The life history and population development of *Rhyncaphytoptus negundivagrans* Farkas (Acari, Diptilomiopidae). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 352-354
- PRINGLE, K.L. (2001): Biological control of tetranychid mites in South African apple orchards. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 429-435
- QIN, T.-K. / HENDERSON, R.C. (2001): Taxonomy of New Zealand Prostigmata: past, present, and future. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 35-39
- QUINTERO, M.M.T. / VARGAS, M. / HERNÁNDEZ, B.S. / GARCIA, P. / OTERO, N.J. (2001): Ectoparasitic mites on *Heteromyia gaumeri* in the South of Yucatan, Mexico. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 583-585
- REDING, M.E. / ALSTON, D.G. / THOMSON, S.V. / STARK, A.V. (2001): Association of powdery mildew and spider mite populations in apple and cherry orchards. - Agric. Ecosystems Environ. 84,2: 177-186
- REZK, H.A. (2001): The false spider mite, *Brevipalpus obovatus* Donnadeieu (Acari, Tenuipalpidae): host-related biology, seasonal abundance, and control. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 291-294
- RODA, A. / NYROP, J. / ENGLISH-LOEB, G. / DICKE, M. (2001): Leaf pubescence and two-spotted spider mite webbing influence phytoseiid behavior and population density. - Oecologia 129,4: 551-560
- ROTT, A.S. / PONSONBY, D.J. (2001): Control of two-spotted spider mite *Tetranychus urticae* Koch (Acari, Tetranychidae) on edible crops in glasshouses using two interacting species of predatory mite. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 387-391
- SABOORI, A. (2001): Descriptions of the larva, deutonymph and adult of *Balaustium zhangi* sp. nov. (Acari, Erythraeidae) from Iran. - Syst. Appl. Acarol. 6: 171-178
- SABOORI, A. / AKRAMI, M.A. (2001): A new species of *Erythraeus* larva (Acari, Erythraeidae) from Iran. - Syst. Appl. Acarol. 6: 159-163
- SABOORI, A. / NEMATI, A. / MOSSADEGH, M.S. (2001): Second Asian larval *Trombellia Berlese*, 1887 (Acari, Trombellidae), with description of a new species from Iran. - Syst. Appl. Acarol. 6: 183-188
- SABOORI, A. / NOWZARI, J. (2001): A new larval Erythraeine mite (Acari, Erythraeidae) from Iran. - Internat. J. Acarol. 27,3: 229-233
- SABOORI, A. / OSTOVAN, H. (2001): A new species of larval *Neothrombium Feider*, 1959 (Acari, Neothrombiidae) from Iran. - Syst. Appl. Acarol. 6: 203-207
- SAHA, K. / SOMCHOURDHY, A.K. / SARKAR, P.K. / GUPTA, S.K. (2001): Effect of temperature on the rate of development, fecundity, longevity, sex ratio and mortality of *Amblyseius coccusocius* Ghai and Menon (Acari, Phytoseiidae), an important biocontrol agent against tea red spider mite in India. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 470-472

- SATOH, Y. / YANO, S. / TAKAFUJI, A. (2001):* Mating strategy of spider mite, *Tetranychus urticae* (Acari, Tetranychidae) males: Postcopulatory guarding to assure paternity. - Appl. Entomol. Zool. 36,1: 41-45
- SCHAUSBERGER, P. / WALZER, A. (2001): Combined versus single species release of predaceous mites: Predator-predator interactions and pest suppression. - Biological Control 20,3: 269-278
- SHARANABASAVA, H. / MANJUNATHA, M. (2001): Predatory prey interactions between *Chrysoperla carnea* Stephens (Neuroptera, Chrysopidae) and *Tetranychus neocaledonicus* (André) (Acari, Tetranychidae). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 423-426
- SHARMA, A. / SHARMA, M. (2001): Effect of nutrients and salinity on the incidence of *Petrobia latens* (Muller) (Prostigmata, Tetranychidae). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 349-354
- SHATROV, A.B. (2001): Observations on external ultrastructural morphology of trombidiid larvae (Trombidiidae, Microtrombidiidae). - Acarina 9,1: 149-162
- SHATROV, A.B. (2001):* Ultrastructure of the integument during moulting of the quiescent tritonymphal instar of trombiculid mite *Hirsutiella zachvatkini* (Acari, Trombiculidae). - Exp. Appl. Acarol. 25,2: 127-142
- SHIH, C.-T. / WANG, C.-J. (2001): Functional responses of *Amblyseius ovalis* (Evans) (Acari, Phytoseiidae) on *Tetranychus urticae* Koch (Prostigmata, Tetranychidae): effects of prey stages. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 498-505
- SKIRVIN, D.J. / FENLON, J.S. (2001): Plant species modifies the functional response of *Phytoseiulus persimilis* (Acari, Phytoseiidae) to *Tetranychus urticae* (Acari, Tetranychidae): Implications for biological control. - Bull. Entomol. Res. 91,1: 61-67
- SKORACKI, M. / DABERT, J. (2001): The quill mites of the genus *Syringophilopsis* Kethley, 1970 (Acari, Syringophilidae) from african birds. - Acarina 9,1: 105-112
- SKORACKI, M. / HROMADA, M. / TRYJANOWSKI, P. (2001): Description of a new species of quill mite *Syringophiloidus weiszii* sp. n. (Acari, Prostigmata, Syringophilidae) from great grey shrike *Lanius excubitor*. - Acta Parasitologica 46,1: 30-34
- SKORACKI, M. / MAGOWSKI, W. (2001): Two new species of quill mites of the genus *Picobia* (Acari, Prostigmata, Syringophilidae) from passerine birds of Poland. - Acarina 9,1: 113-119
- SLONE, D.H. / CROFT, B.A. (2001):* Species association among predaceous and phytophagous apple mites (Acari, Eriophyidae, Phytoseiidae, Stigmaeidae, Tetranychidae). - Exp. Appl. Acarol. 25,2: 109-126
- SOELLER, R. / WOHLTMANN, A. / WITTE, H. / BLOHM, D. (2001):* Phylogenetic relationships within terrestrial mites (Acari, Prostigmata, Parasitengona) inferred from comparative DNA sequence analysis of the mitochondrial cytochrome oxidase subunit I gene. - Molecular Phylogenetics and Evolution 18,1: 47-53
- STEKOL'NIKOV, A.A. (2001): On the systematics of the genus *Eutonella* Kudryashova, 1988 (Acari, Trombiculidae). - Acarina 9,1: 97-104
- STUMPF, N. / NAUEN, R. (2001): Cross-resistance, inheritance, and biochemistry of mitochondrial electron transport inhibitor-acaricide resistance in *Tetranychus urticae* (Acari, Tetranychidae). - J. Econ. Entomol. 94,2: 1577-1583
- STUMPF, N. / ZEBITZ, C.P.W. / KRAUS, W. / MOORES, G.D. / NAUEN, R. (2001): Resistance to organophosphates and biochemical genotyping of acetylcholinesterases in *Tetranychus urticae* (Acari, Tetranychidae) - Pest. Biochem. Physiol. 69,2: 131-142
- SUMANGALA, K. / HAQ, M.A. (2001): Survey of the mite fauna associated with *Apis* spp. in Kerala, Southern India. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 565-568
- SWIFT, S.F. (2001): The leg chaetotaxy of *Caligoniellidae* (Prostigmata, Raphignathoidea). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), Acarology: Proceedings of the 10th International Congress. - CSIRO Publishing, Melbourne: 242-249
- SWIFT, S.F. / GOFF, M.L. (2001): Mite (Acari) communitites associated with 'Ohi'a, Metrosideros polymorpha (Myrtaceae), at Hono O Na Pali and Kui'a natural area reserves on Kaua'i Island, Hawaiian Islands. - Pacific Science 55,1: 23-40
- TAKAFUJI, A. / MORISHITA, M. (2001): Overwintering ecology of two species of spider mites (Acari, Tetranychidae) on different host plants. - Appl. Entomol. Zool. 36,1: 169-175
- TAKAFUJI, A. / SANTOSO, S. / HINOMOTO, N. (2001): Host-related differences in diapause characteristics of different geographical populations of the Kanzawa spider mite, *Tetranychus kanzawai* (Acari, Tetranychidae), in Japan. - Appl. Entomol. Zool. 36,1: 177-184

- TAKAHASHI, H. / TAKAFUJI, A. / TAKABAYASHI, J. / YANO, S. / SHIMODA, T. (2001):* Seasonal occurrence of specialist and generalist insect predators of spider mites and their response to volatiles from spider-mite-infested plants in Japanese pear orchards. - *Exp. Appl. Acarol.* 25,5: 393-402
- TAKANO-LEE, M. / HODDLE, M.S. (2001): Biological control of *Oligonychus perseae* (Acari, Tetranychidae) on Avocado: IV. Evaluating the efficacy of a modified mistblower to mechanically dispense *Neoseiulus californicus* (Acari, Phytoseiidae). - *Internat. J. Acarol.* 27,2: 157-169
- THONGBAB, T. / CHANDRAPATYA, A. / BAKER, G.T. (2001):* Biology and efficacy of the predatory mite, *Amblyseius longispinosus* (Evans) (Acari, Phytoseiidae) as a biological control agent of *Eotetranychus cendanai* Rimando (Acari, Tetranychidae). - *J. Appl. Ent.* 125,9-10: 543-549
- TODA, S. / OSAKABE, M. / KOMAZAKI, S. (2001):* Detection of a point mutation in mitochondrial COI gene of *Panonychus citri* (Acari, Tetranychidae) using PCR amplification of specific alleles. - *J. Acarol. Soc. Jpn.* 10,1: 37-42
- TOLSTIKOV, A.V. (2001): Reproductive behaviour of the semi-aquatic mite *Homocaligus* cf. *amphibius Wainstein*, 1975 (Acari, Homocaligidae). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 180-182
- TOMCZYK, A. (2001): Physiological and biochemical responses of plants to spider mite feeding. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 306-313
- WAITE, G.K. (2001): Managing spider mites in field-grown strawberries using *Phytoseius persimilis* and the "pest-in-first" technique. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 381-386
- WANG, C.-J. / SHIH, C.-T. (2001): Functional responses of *Amblyseius ovalis* (Evans) (Acari, Phytoseiidae) on *Tetranychus urticae* Koch (Prostigmata, Tetranychidae): effects of substrate component and size of rearing arena. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 506-512
- WANG, S.F. / RIDSDILL-SMITH, T.J. / GHISALBERTI, E.L. (2001): Resistance in pasture legumes to redlegged earth mite *Halotydeus destructor* (Tucker) (Acari, Penthaleidae). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 328-341
- WEN, T.-H. (2001): A new sand-mite subgenus *Monosignum* of *Leptotrombidium* with description of two new species (Acariformes, Trombiculidae). - *Syst. Appl. Acarol.* 6: 189-194**
- WEN, T.-H. / FAN, P. (2001): Redescription of the sand-mite *Walchia* (W.) *shannui* (Hsu et Chen) (Acariformes, Walchiidae). - *Syst. Appl. Acarol.* 6: 199-202
- WEN, T.-H. / ZHOU, M.-S. / JIANG, Z.-Y. (2001): Description of a new sand-mite, *Whartonia furcappa* sp. nov. (Acariformes, Leeuwenhoekidae). - *Syst. Appl. Acarol.* 6: 195-198**
- WILKINS, S.K. / HOUCK, M.A. (2001): Parasitic mites of Pocket gophers (Rodentia, Geomyidae) from Texas, USA. - *Internat. J. Acarol.* 27,4: 309-317
- WILSON, L.J. / SADRAS, V.O. (2001): Host plant resistance in cotton to spider mites. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 314-327
- WOHLTMANN, A. (2001): Closely related species of *Parasitengonae* (Acari, Prostigmata) inhabiting the same areas: features facilitating coexistence. In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 121-135
- WOHLTMANN, A. / WITTE, H. / OLOMSKI, R. (2001): Organismal patterns causing high potential for adaptive radiation in *Parasitengonae* (Acari, Prostigmata). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 83-99
- YANG, X. / ZHU, K.-Y. / BUSCHMAN, L.L. / MARGOLIES, D.C. (2001):* Comparative susceptibility and possible detoxification mechanisms for selected miticides in Banks grass mite and two-spotted spider mite (Acari, Tetranychidae). - *Exp. Appl. Acarol.* 25,4: 293-300
- YANO, S. / TAKABAYASHI, J. / TAKAFUJI, A. (2001):* Trade-offs in performance on different plants may not restrict the host plant range of the phytophygous mite, *Tetranychus urticae*. - *Exp. Appl. Acarol.* 25,5: 371-382
- ZACHARDA, M. (2001): Talus formations - remarkable biotopes for acarological research, with examples from the Rhagidiidae (Acari, Prostigmata). In: Halliday, R.B. / Walter, D.E. / Proctor, H.C. / Norton, R.A. / Colloff, M.J. (Eds.), *Acarology: Proceedings of the 10th International Congress*. - CSIRO Publishing, Melbourne: 269-271

- ZHANG, Y.-X. / ZHANG, Z.-Q. / LIN, J.-Z. / JI, J. (2001):* Observations on the life history of *Schizotetranychus bambusae* Reck (Acari, Tetranychidae) infesting bamboo leaves in Fujian, China. - Syst. Appl. Acarol., Spec. Publ. 6: 13-20
- ZHANG, Y.-X. / ZHANG, Z.-Q. / CHEN, C.-P. / LIN, J.-Z. / CHEN, X. (2001): Amblyseius cucumeris (Acari, Phytoseiidae) as biocontrol agent against *Panonychus citri* (Acari, Tetranychidae) on citrus in China. - Syst. Appl. Acarol. 6: 35-44
- ZHANG, Y.-X. / ZHANG, Z.-Q. / LIN, J.-Z. / JI, J. (2001):* Observations on the behaviour and life history of *Schizotetranychus tenuinidus* (Acari, Tetranychidae) inhabiting bamboo leaves in Fujian, China. - Syst. Appl. Acarol., Spec. Publ. 8: 13-20
- ZHANG, Y.-X. / ZHANG, Z.-Q. / LIN, J.-Z. / JI, J. / HOU, A.-P. (2001):* Oviposition and survival of *Schizotetranychus bambusae* females (Acari, Tetranychidae) feeding on young and old bamboo leaves. - Syst. Appl. Acarol., Spec. Publ. 9: 1-9
- ZHANG, Y.-X. / ZHANG, Z.-Q. / LIN, J.-Z. / JI, J. / TONG, L.-X. (2001):* Larvae and protonymphs of the predator *Typhlodromus bambusae* (Acari, Phytoseiidae) attacked and killed by adult males of their prey, *Schizotetranychus nanjingensis* (Acari, Tetranychidae). - Syst. Appl. Acarol., Spec. Publ. 9: 11-21
- ZHANG, Y.-X. / ZHANG, Z.-Q. / ZHANG, X.-J. / LIU, Q.-Y. / JI, J. (2001):* Population dynamics of phytophagous and predatory mites (Acari, Tetranychidae, Eriophyidae, Phytoseiidae) on bamboo plants in Fujian, China. - Exp. Appl. Acarol. 25,5: 383-392
- ZHANG, Z.-Q. (2001):* On *Leptus siemssenii* Oudemans from Fujian, China (Acari, Erythraeidae). - Syst. Appl. Acarol., Spec. Publ. 9: 22
- ZHANG, Z.-Q. (2001):* On the type specimens of *Smaris grandjeani* grandjeani (Oudemans, 1941) (Acari, Smarididae) from Panama. - Syst. Appl. Acarol., Spec. Publ. 10: 17-23

Publikationen 2000 / Publications 2000

- ADDISON, J.A. / HARDMAN, J.M. / WALDE, S.J. (2000):* Pollen availability for predaceous mites on apple: Spatial and temporal heterogeneity. - Exp. Appl. Acarol. 24,1: 1-18
- AGRAWAL, A.A. (2000):* Host-range evolution: Adaptation and trade-offs in fitness of mites on alternative hosts. - Ecology, Washington D.C. 81,2: 500-508
- AGRAWAL, A.A. / COLFER, R.G. (2000): Consequences of thrips-infested plants for attraction of conspecifics and parasitoids. - Ecol. Entomol. 25,4: 493-496
- ALVES, E.B. / OMOTO, C. / FRANCO, C.R. (2000):* Mixture of dicofol and fenpyroximate for managing resistance of *Brevipalpus phoenicis* (Geijskes) (Acari, Tenuipalpidae) to dicofol. [Orig. Port.] - An. Soc. Entomol. Brasil 29,4: 789-797
- ALVES, E.B. / OMOTO, C. / FRANCO, C.R. (2000):* Cross-resistance between dicofol and other acaricides in *Brevipalpus phoenicis* (Acari, Tenuipalpidae) - An. Soc. Entomol. Brasil 29,4: 765-771
- ANDRE, H.M. / FAIN, A. (2000): Phylogeny, ontogeny and adaptive radiation in the superfamily Tydeoidea (Acari, Actinedida), with a reappraisal of morphological characters. - Zool. J. Linn. Soc. 130,3: 405-448
- ARIMURA, G.-I. / OZAWA, R. / SHIMODA, T. / NISHIOKA, T. / BOLAND, W. / TAKABAYASHI, J. (2000):* Herbivory-induced volatiles elicit defence genes in lima bean leaves. - Nature 406: 512-515
- ARIMURA, G.-I. / TASHIRO, K. / KUHARA, S. / NISHIOKA, T. / OZAWA, R. / TAKABAYASHI, J. (2000): Gene responses in bean leaves induced by herbivory and by herbivore-induced volatiles. - Biochem. Biophys. Res. Commun. 277,2: 305-310
- AXELSEN, J.A. / KRISTENSEN, K.T. (2000): Collembola and mites in plots fertilised with different types of green manure. - Pedobiologia 44,5: 556-566
- BADEGANA, A.M. / PAYNE, V.K. (2000):* The effect of leaf contents of N, P, K, Ca and Mg nutrients on the population of the two-spotted spider mite *Tetranychus urticae* Koch (Acari, Tetranychidae). - Med. Fac. Landbouw. Toegep. Biol. Wetensch. Univ. Gent 65,2a: 221-226
- BANNERT, B. / KARACA, H.Y. / WOHLTMANN, A. (2000): Life cycle and parasitic interaction of the lizard-parasitizing mite *Ophionyssus galloiticulus* (Acari, Gamasida, Macronyssidae), with remarks about the evolutionary consequences of parasitism in mites. - Exp. Appl. Acarol. 24,8: 597-613
- BECK, C.W. (2000):* The efficacy of Fipronil (Frontline(R)) against ectoparasites: Control of lice, mites and mallopaheggs in diverse small animals. - Tierärztl. Umschau 55,5: 244-250
- BELCZEWSKI, R. / HARMSEN, R. (2000):* The effect on non-pathogenetic phylloplane fungi on life-history traits of *Tetranychus urticae* (Acari, Tetranychidae). - Exp. Appl. Acarol. 24,4: 257-270
- BIORNSON, S. / RAWORTH, D.A. / BEDARD, C. (2000):* Abdominal discoloration and the predatory mite *Phytoseiulus persimilis* Athias-Henriot: Prevalence of symptoms and their correlation with short-term performance. - Biological Control 19,1: 17-27

- BOCHKOV, A.V. (2000): Syringophilus numidai sp. n., a new species of the quill mites (Acarina, Syringophilidae) ex *Numida meleagris* (Galliformes, Phasianidae) from South Africa. - *Acarina* 8,2: 103-104
- BOCHKOV, A.V. (2000): A new harpirhynchid mite *Harpyrhynchoides alaudinus* sp. n. (Acarini, Harpirhynchidae) from *Alauda arvensis* (Passeriformes, Alaudidae) from Russia. - *Acarina* 8,2: 91-93
- BOCHKOV, A.V. / ARBOBI, M. / MALIKOV, V. (2000):* Notes on mites of the family Myobiidae (Acarini, Prostigmata) parasitising rodents (Mammalia, Rodentia) in Iran. - *Folia parasitol.* 47,1: 73-77
- BOCHKOV, A.V. / MIRONOV, S.V. (2000):* Two new species of the genus *Geckobia* (Acarini, Pterygosomatidae) from Gecksons (Lacertilia, Gekkonomorpha) with a brief review of host-parasitic associations of the genus. - *Russian J. Herpetology* 7,1: 61-68
- BOCHKOV, A.V. / MIRONOV, S.V. / KRAVTSOVA, N.T. (2000): Two new syringophilid mites from the Greenfinch *Carduelis chloris* (Passeriformes, Fringillidae) from Kirghizia (Acarini, Syringophilidae). - *Genus* 11,2: 351-358
- BOLLAND, H.R. / RIPKA, G. (2000): A new species of the genus *Neophyllobius* (Acarini, Camerobiidae) from Hungary. - *Internat. J. Acarol.* 26,4: 357-361
- BOLLAND, H.R. / SWIFT, S.F. (2000): Hawaiian Raphignathoidea: Family Camerobiidae (Acariformes, Prostigmata), with descriptions of three new species. - *Internat. J. Acarol.* 26,4: 347-356
- BOLLAND, H.R. / VALA, F. (2000):* First record of the spider mite *Tetranychus evansi* (Acarini, Tetranychidae) from Portugal. - *Ent. Ber., Amst.* 60,9: 180
- BROUFAS, G.D. / KOVEOS, D.S. (2000): Threshold temperature for post-diapause development and degree-days to hatching of winter eggs of the European red mite (Acarini, Tetranychidae) in Northern Greece. - *Environ. Entomol.* 29,4: 710-713
- CARBONNELLE, S. / HANCE, T. / LEBRUN, P. (2000): Influence of maize varieties on *Tetranychus urticae* Koch (Acarini, Tetranychidae) infestation in Belgium. - *Med. Fac. Landbouw. Toegep. Biol. Wetensch. Univ. Gent* 65,2a: 213-220
- CHANDLER, D. / DAVIDSON, G. / PELL, J.K. / BALL, B.V. / SHAW, K. / SUNDERLAND, K.D. (2000):* Fungal biocontrol of Acari. - *Biocontrol Sci. Technol.* 10,4: 357-384
- CIGLAR, I. / BARIC, B. (2000):* Side effect of some fungicides on the mite population in apple orchard in Croatia. - *Anz. Schädlingsk.* 73,4: 110-112
- COINEAU, Y. / POINAR, G. (2000): Un Caeculidae de l'ambre de la République Dominicaine. - *Acarologia* 41,1-2: 141-144
- COLLIER, K.F.S. / EIRAS, A.E. / ALBUQUERQUE, G.S. / BLACKMER, J.L. / ARAUJO, M.C. / MONTEIRO, L.B. (2000): Short-distance prey location by *Neoseiulus californicus* (McGregor) (Acarini, Phytoseiidae): The role of the allelochemicals from two phytophagous mites, *Panonychus ulmi* (Koch) and *Tetranychus urticae* Koch (Acarini, Tetranychidae), and their host plant, *Malus domestica* (Borkham). - *An. Soc. Entomol. Brasil* 29,4: 705-713
- CORPUZ-RAROS, L.A. (2000): Two new species and a new record of Bak from the Philippines (Acarini, Cheyletidae). - *Internat. J. Acarol.* 26,4: 321-328
- CUNHA-BARROS, M. / ROCHA, C.F.D. (2000): Ectoparasitism by chigger mites (*Eutrombicula alfreddugesi*: Trombiculidae) in a restinga lizard community. - *Ciencia e Cultura Sao Paulo* 52,2: 108-114
- DAS, T.K. / SARKAR, P.K. / DEY, P.K. / SOMCHOUDHURY, A.K. (2000): The chemical basis of resistance of pineapple plant to *Dolichotetranychus floridanus* Banks (Prostigmata, Tenuipalpidae). - *Acarologia* 41,3: 317-320
- DELALIBERA, I. / DE MORAES, G.J. / LAPOINTE, S.L. / DA SILVA, C.A.D. / TAMAI, M.A. (2000): Temporal variability and progression of *Neozygites* sp. (Zygomycetes, Entomophthorales) in populations of *Mononychellus tanajoa* (Bondar) (Acarini, Tetranychidae). - *An. Soc. Entomol. Brasil* 29,3: 523-535
- DICKE, M. / SCHUTTE, C. / DIJKMAN, H. (2000):* Change in behavioral reponse to herbivore-induced plant volatiles in a predatory mite population. - *J. Chem. Ecol.* 26,6: 1497-1514
- DURDEN, L.A. / HU, R. / OLIVER, J.H. / CILEK, J.E. (2000): Rodent ectoparasites from two locations in northwestern Florida. - *J. Vect. Ecol.* 25,2: 222-228
- EDELSTEIN, M. / TADMOR, Y. / ABO, M.F. / KARCHI, Z. / MANSOUR, F. (2000):* The potential of *Lagenaria* rootstock to confer resistance to the carmine spider mite, *Tetranychus cinnabarinus* (Acarini, Tetranychidae) in Cucurbitaceae. - *Bull. Entomol. Res.* 90,2: 113-117
- FAIN, A. / ARDESHIR, F. (2000): Notes on the genus *Neoeucechyla* Radford, 1950 (Acarini, Cheyletidae) with description of a new species from Iran. - *Internat. J. Acarol.* 26,4: 329-334
- FAIN, A. / BOCHKOV, A.V. / MIRONOV, S.V. (2000): New genera and species of quill mites of the family Syringophilidae (Acarini, Prostigmata). - *Bull. Inst. R. Sci. nat. Belg., Entomol.* 70: 33-70

- FAIN, A. / LE NET, J.L. (2000): A new larval mite of the genus *Straelensia* Vercammen-Grandjean and Kolebinova, 1968 (Acari, Leeuwenhoekidae) causing nodular dermatitis of dogs in France. - Internat. J. Acarol. 26,4: 339-345**
- FAN, H. / ZHANG, Y.-X. / LIU, Q.-Y. (2000):* Raphignathoid mites on bamboo from Fujian, China (Acari, Prostigmata). - Syst. Appl. Acarol., Spec. Publ. 4: 49-68
- FAN, Q.-H. (2000): A phylogenetic analysis of the family Caligonnellidae (Acari, Prostigmata) with descriptions of two new species. - Acta Entomol. Sin. 43,4: 421-428**
- FAN, Q.-H. / YIN, X.-M. (2000): The genus *Raphignathus* (Acari, Raphignathidae) from China. - Syst. Appl. Acarol. 5: 83-98**
- FAROOQ, A. (2000):* Genus *Acaropsis* Moquin - Tandon (Cheyletidae) from Lahor. - Pak. J. Zool. 32,1: 41-44
- FAROOQ, A. / AKBAR, A. / QURESHI, S. (2000):* Two new predatory mites of the genus *Cheyletus* Latreille (Cheyletidae) from Lahore, Pakistan. - Pak. J. Zool. 32: 257-261
- FAUVEL, G. / COMBE, F. / MARBOUTIE, G. (2000):* Phytophagous and predacious mite populations on a scab resistant apple variety under disruptive insecticide spray programmes. - Med. Fac. Landbouw. Toegep. Biol. Wetensch. Univ. Gent 65,2a: 441-451
- FAUVEL, G. / HASNAOUI, H. (2000):* First assessment of the resistance of *Panonychus ulmi* populations (Acari, Teranychidae) to Masai (R) (Tebufenpyrad) in apple orchards of southeastern France. - Med. Fac. Landbouw. Toegep. Biol. Wetensch. Univ. Gent 65,2a: 371-378
- FEIT, R. / JAROSIK, V. (2000): Assessment of interactions between the predatory bug *Orius insidiosus* and the predatory mite *Phytoseiulus persimilis* in biological control on green house cucumber. - Plant Protect. Sci. 36,3: 85-90
- FERES, R.J.F. (2000): Survey and naturalistic remarks on the acarological fauna (Acari, Arachnida) from *Hevea* spp. (Euphorbiaceae) in Brazil. [Orig. Port.] - Rev. Bras. Zool. 17,1: 157-173
- FERES, R.J.F. / FLECHTMANN, C.H.W. (2000): Four new *Neotetranychus* Trägardh (Acari, Tetranychidae) from Sao Paulo State, Brazil. - Acarologia 41,1-2: 215-226**
- FITZGERALD, J.D. / SOLOMON, M.G. (2000): Phytoseiid mites from christmas tree (*Picea abies* and *Abies nordmanniana*) plantations in England: potential biocontrol agents of eriophyid and tetranychid mites. - Internat. J. Acarol. 26,2: 193-196
- FLECHTMANN, C.H.W. (2000): Dolichotetranychus cocos n. sp. from the perianth of coconuts in Sri Lanka (Acari, Tenuipalpidae). - Internat. J. Acarol. 26,2: 145-153**
- FLORES, A.E. / LANDEROS, J. / BADII, M.H. (2000): Evaluation of population parameters of *Tetranychus urticae* Koch (Acari, Prostigmata, Tetranychidae) exposed to avermectin. - Southw. Entomol. 25,4: 287-293
- GABRY, G. (2000): Four new homonyms in Erythraeidae (Acari, Actinedida). - Ann. Zool. 50,1: 65-66
- GABRY, G. (2000): Kamertonia polonica gen. and sp. nov. from Poland with a key to the world genera of "conalaе-less" Erythraeinae (Acari, Actinedida, Erythraeidae). - Ann. Zool. 50,1: 57-63
- GABRY, G. (2000): Balaustium xerothermicum sp. nov. from Poland with remarks on all world species of the genus (Acari, Actinedida, Erythraeidae). - Ann. Zool. 50,1: 47-56
- GJELSTRUP, P. (2000): Soil mites and collembolans on Surtsey, Iceland, 32 years after the eruption. - Surtsey Research 11: 43-50
- GOH, H.-G. / BROADBENT, A.B. (2000):* Quality control of the mass-reared predatory mite, *Phytoseiulus persimilis* Athias-Henriot (Acari, Phytoseiidae). - Korean J. Entomol. 30,1: 1-5
- GOTOH, T. / GOMI, K. (2000): Population dynamics of *Tetranychus kanzawai* (Acari, Tetranychidae) on hydrangea. - Exp. Appl. Acarol. 24,5-6: 337-350
- GUO, F. / ZHAO, Z. (2000): Feeding behaviour of omethoate-resistant spider mites (Acari, Tetranychidae): a study using electrical penetration graphs. - Syst. Appl. Acarol. 5: 3-7
- HAITLINGER, R. (2000): Four new species of *Leptus* Latreille, 1796 (Acari, Prostigmata, Erythraeidae) from Peru. - Boll. Mus. reg. Sci. nat. Turin 17,1: 149-162**
- HAITLINGER, R. (2000): Mites (Acari, Prostigmata, Erythraeidae, Trombidiidae) new to the fauna of Norway, Finland, Russia, Latvia and Lithuania, with a description of *Podothrombium roari* n. sp. - Entomol. Fenn. 11,3: 187-193**
- HAITLINGER, R. (2000): New larval mites (Acari, Prostigmata, Erythraeidae, Microtrombidiidae, Trombidiidae) from Turkey, Peru and Poland. - Wiad. Parazytol. 46,3: 379-396**
- HAITLINGER, R. (2000): A new species of larval *Dasitrombium* Zhang, 1994 (Acari, Prostigmata, Neothrombidiidae) parasitic on grasshoppers from Nicaragua. - Syst. Parasitol. 47,1: 65-67**
- HAITLINGER, R. (2000): A new larval trombidiid *Porttrombodium sebastiani* g. nov., n. sp. (Acari, Trombidiidae) parasitic on *Calliptamus italicus* (L.) (Orthoptera, Catantopidae) from Portugal. - Zesz. Nauk. Akad. Roln. Wroclawiu. Zooteknika 47: 65-68**

- HAITLINGER, R. (2000): Five new species of *Balaustiinae* (Acari, Prostigmata, Erythraeidae) from Guatemala, Mexico and Italy. - *Zesz. Nauk. Akad. Roln. Wrocławiu, Zooteknika* 47: 69-84
- HAITLINGER, R. (2000): Four new species of *Leptus Latreille, 1796* (Acari, Prostigmata, Erythraeidae) from Central America. - *Syst. Appl. Acarol.* 5: 131-142
- HAITLINGER, R. (2000): *Cheletophyes aurorae* n.sp. (Acari, Prostigmata, Cheyletidae) from *Xylocopinae* (Hymenoptera, Anthophoridae) in Tanzania. - *Zesz. Nauk. Akad. Roln. Wrocławiu, Zooteknika* 47: 85-89
- HALLIDAY, R.B. (2000): Additions and corrections to mites of Australia: A checklist and bibliography. - *Aust. J. Entomol.* 39,4: 233-235
- HO, C.-C. (2000): Spider-mite problems and control in Taiwan. - *Exp. Appl. Acarol.* 24,5-6: 453-462
- HODDLE, M.S. / ROBINSON, L. / VIRZI, J. (2000): Biological control of *Oligonychus perseae* (Acari, Tetranychidae) on Avocado: III. Evaluating the efficacy of varying release rates and release frequency of *Neoseiulus californicus* (Acari, Phytoseiidae). - *Internat. J. Acarol.* 26,3: 203-214
- IKEGAMI, Y. / YANO, S. / TAKABAYASHI, J. / TAKAFUJI, A. (2000):* Function of quiescence of *Tetranychus kanzawai* (Acari, Tetranychidae), as a defense mechanism against rain. - *Appl. Entomol. Zool.* 35,3: 339-343
- JAMES, D.G. (2000): Abundance and phenology of earth mites (Acari, Penthaleidae) and predatory mites in pesticide-treated and pesticide-free grassland habitats in southern New South Wales, Australia. - *Internat. J. Acarol.* 26,4: 363-369
- JEON, H.Y. / KIM, D.S. / CHO, M.R. / YIEM, M.S. / CHANG, Y.D. (2000):* Recent status of major fruit tree pest occurrences in Korea. [Orig. Korean] - *J. Korean Soc. Hortic. Sci.* 41,6: 607-612
- JUNG, C. / CROFT, B.A. (2000):* Survival and plant-prey finding by *Neoseiulus fallacis* (Acari, Phytoseiidae) on soil substrates after aerial dispersal. - *Exp. Appl. Acarol.* 24,8: 579-596
- KALUZ, S. (2000): Redescription of *Penthalodes ovalis* (Acarina, Prostigmata, Penthalodidae) based on mites from Central Europe and Turkey. - *Biologia, Bratislava* 55,5: 477-482
- KALUZ, S. (2000): New records of soil mites (Acarina) from Slovakia. - *Biologia, Bratislava* 55,2: 206-208
- KAZMIERSKI, A. (2000): Prostigmatic mites (Acari, Actinedida) from the Slonsk Nature Reserve. Part II. The families Tydeidae, Meyerellidae and Iolinidae of Slonsk area with new data on distribution in palearctic. - *Biol. Bull. Poznan* 37,2: 327-341
- KAZMIERSKI, A. (2000): Prostigmatic mites (Acari, Actinedida) from the Slonsk Nature Reserve. Part I. The families Stigmeidae, Raphignathidae, Caligoniellidae and Camerobiidae. - *Biol. Bull. Poznan* 37,2: 317-325
- KAZMIERSKI, A. / RIPKA, G. (2000): *Andretydaelus aliis*, a new genus and species of iolinid mite from Hungary (Tydeoidea, Iolinidae, Tydaelinidae). - *Acarologia* 41,4: 445-450
- KHARADOV, A.V. (2000): Chigger mites (Trombiculidae, Leeuwenhoekidae) of gerbillids in Kyrgyzstan. - *Acarina* 8,2: 167-172
- KHAUSTOV, A.A. (2000): Bembidiacaridae, a new family of mites (Acari, Heterostigmata) associated with carabid beetles of the genus *Bembidion* (Coleoptera, Carabidae). - *Acarina* 8,1: 3-8
- KINKOROVA, J. / KOCOUREK, F. (2000):* The effect of integrated pest management practices in an apple orchard on Heteroptera community structure and population dynamics. - *J. Appl. Ent.* 124,9-10: 381-385
- KOIKE, A. / NEMOTO, H. / AMANO, H. (2000): New trap for survey of species structure and seasonal dynamics of phytoseiid mites on Japanese pear trees (Acari, Phytoseiidae). [Orig. Japanese] - *Jap. J. Appl. Ent.* 44,1: 35-40
- KOLLARS, T.M. / TIPPAYACHAI, B. / PHULSUKSOMBATI, D. / BODHIDATTA, D. / LERDTHUSNEE, K. / PARRISH, J. / COLEMAN, R.E. (2000): Variation in weight loss in *Mus musculus* (Rodentia) fed upon by *Leptotrombidium chiangraiensis* and *Leptotrombidium imphalum* (Acari, Trombiculidae) infected with two strains of *Orientia tsutsugamushi* (Rickettsia). - *Internat. J. Acarol.* 26,2: 173-176
- KOVOES, D.S. / BROUFAS, G.D. (2000): Functional response of *Euseius finlandicus* and *Amblyseius andersoni* to *Panonychus ulmi* on apple and peach leaves in the laboratory. - *Exp. Appl. Acarol.* 24,4: 247-256
- LEBRUN, P. (2000):* Effect of elevated CO₂ on the demography of a leaf-sucking mite feeding on bean. - *Oecologia* 123,1: 75-81
- LESTER, P.J. / THISTLEWOOD, H.M.A. / HARMSEN, R. (2000): Some effects of pre-release host-plant on the biological control of *Panonychus ulmi* by the predatory *Amblyseius fallacis*. - *Exp. Appl. Acarol.* 24,1: 19-33
- LIN, J.-Z. / ZHANG, Y.-X. / ZHANG, Z.-Q. / LIU, Q.-Y. / JI, J. (2000):* Checklist of mites from moso bamboo in Fujian, China. - *Syst. Appl. Acarol., Spec. Publ.* 4: 81-92
- LIU, A. / RIDSDILL, S.T.J. (2000):* Cold storage of *Halotydeus destructor* (Acari, Penthaleidae) for use in experiments. - *Exp. Appl. Acarol.* 24,2: 123-133

- LIU, A. / RIDSDILL-SMITH, T.J. (2000): Feeding by redlegged earth mite (*Halotydeus destructor*) on seedlings influences subsequent plant performance of different pulse crops. - Aust. J. Exp. Agric. 40: 715-723
- LIU, H. / ZHAO, Z. / WANG, J. / LI, L. / DING, W. (2000): Temperature-dependent development and reproduction of the spider mite, *Schizotetranychus bambusae* Reck (Acari, Tetranychidae). - Syst. Appl. Acarol. 5: 33-39
- LOURENCAO, A.L. / MORAES, G.J. DE / PASSOS, F.A. / AMBROSANO, G.M.B. / SILVA, L.V.F. (2000):* Resistance of strawberries to *Tetranychus urticae* Koch (Acari, Tetranychidae). [Orig. Port.] - An. Soc. Entomol. Brasil 29,2: 339-346
- LOZZIA, G.C. / RIGAMONTI, I.E. / MANACHINI, B. / ROCCHETTI, R. (2000):* Laboratory studies on the effects of transgenic corn on the spider mite *Tetranychus urticae* Koch. - Boll. Zool. agr. Bachic. 32,1: 35-47
- MAEDA, T. / TAKABYASHI, J. / YANO, S. / TAKAFUJI, A. (2000): Effects of light on the tritrophic interactions between kidney bean plants, two-spotted mites and predatory mites, *Amblyseius womersleyi* (Acari, Phytoseiidae)? - Exp. Appl. Acarol. 24,5-6: 415-425
- MAEDA, T. / TAKABYASHI, J. / YANO, S. / TAKAFUJI, A. (2000): The effects of rearing conditions on the olfactory response of predatory mites, *Phytoseiulus persimilis* and *Amblyseius womersleyi* (Acari, Phytoseiidae). - Appl. Entomol. Zool. 35,3: 345-351
- MAKOL, J. (2000): Description of larva of *Podothrombium filipes* (C.L. Koch, 1837) (Acari, Actinotrichida, Trombidiidae) with notes on variability, anomaly and their implications for classification of *Podothrombium* larvae. - Ann. Zool. 50,3: 347-361
- MAKOL, J. (2000): Catalogue of the world Trombidiidae (Acari, Actinotrichida, Trombidioidea). - Ann. Zool. 50,4: 599-625
- MAKOL, J. (2000): Description of larva and deutonymph of *Paratrombium insulare* (Berlese, 1910) (Acari, Actinotrichida, Trombidioidea) with characteristics of adult instar and remarks on other members of the genus. - Ann. Zool. 50,4: 587-597
- MAKOL, J. / WOHLTMANN, A. (2000): A redescription of *Thrombidium holosericeum* (Linnaeus, 1758) (Acari, Actinotrichida, Trombidioidea) with characteristics of all active instars and notes on taxonomy and biology. - Ann. Zool. 50,1: 67-91
- MAYLAND, H. / MARGOLIES, D.C. / CHARLTON, R.E. (2000): Local and distant prey-related cues influence when an acarine predator leaves a prey patch. - Ent. exp. appl. 96,3: 245-252
- MCALOON, F.M. / DURDEN, L.A. (2000): Attachment sites and frequency distribution of erythraeid mites, *Leptus indianensis* (Acari, Prostigmata), ectoparasitic on harvestmen, *Leiobunum formosum* (Opiliones). - Exp. Appl. Acarol. 24,7: 561-567
- MCCAULEY, E. / KENDALL, B.E. / JANSEN, A. / WOOD, S. / MURDOCH, W.W. / HOSSEINI, P. / BRIGGS, C.J. ET AL. (2000):* Inferring colonization processes from population dynamics in spatially structured predator-prey systems. - Ecology, Washington D.C. 81,12: 3350-3361
- MESSENGER, M.T. / BUSCHMAN, L.L. / NECHOLS, J.R. (2000): A comparison of sampling techniques for spider mite and spider mite predators in corn. - Southw. Entomol. 25,3: 221-227
- MESSENGER, M.T. / BUSCHMAN, L.L. / NECHOLS, J.R. (2000): Survey and evaluation of native and released predators of the Banks grass mite (Acari, Tetranychidae) in corn and surrounding vegetation. - J. Kans. Entom. Soc. 73,2: 112-122
- MIETKIEWSKI, R. / BALAZY, S. / TKACZUK, C. (2000):* Mycopathogens of mites in Poland: A review. - Biocontrol Sci. Technol. 10,4: 459-465
- MOREAU, D.L. / HARDMAN, J.M. / KUKAL, O. (2000): Supercooling capacity and survival of low temperatures by a pyrethroid-resistant strain of *Typhlodromus pyri* (Acari, Phytoseiidae). - Environ. Entomol. 29,4: 683-689
- MORISHITA, M. (2000): Effect of predators on the occurrence of the Kanzawa spider mite, *Tetranychus kanzawai* Kishida (Acari, Tetranychidae), on feral plants, *Clerodendrum trichotomum* and *Akebia quinata*. [Orig. Japanese] - Jap. J. Appl. Ent. Zool. 44,4: 235-239
- MORRIS, M.A. / BERRY, R.E. / CROFT, B.A. (2000): Fall flaming effects on densities, distribution, and dispersal of *Tetranychus urticae* and *Neoseiulus fallacis* (Acari, Tetranychidae, Phytoseiidae) on peppermint. - Environ. Entomol. 29,1: 95-100
- MOTOBÄ, K. / NISHIZAWA, H. / SUZUKI, T. / HAMAGUCHI, H. / UCHIDA, M. / FUNAYAMA, S. (2000):* Species-specific detoxification metabolism of fenpyroximate, a potent acaricide. - Pest. Biochem. Physiol. 67,2: 73-84
- NAKAMURA, M. / NEMOTO, H. / AMANO, H. (2000):* Ovipositional characteristics of lacewings, *Chrysoperla carnea* (Stephans) and *Chrysopa pallens* (Rambur) (Neuroptera, Crysopidae) in field. [Orig. Japanese] - Jap. J. Appl. Ent. Zool. 44,1: 17-26

- NAUEN, R. / STUMPF, N. / ELBERT, A. (2000):* Efficacy of BAJ 2740, a new acaricidal tetronec acid derivative, on *Tetranychus* mite species resistant to conventional acaricides. - Proceedings Brighton Crop Protection Conference - Pest and Diseases, BCPC, Farnham, Surrey: 453-458
- NAVAJAS, M. / FENTON, B. (2000): The application of molecular markers in the study of diversity in acarology: A review. - *Exp. Appl. Acarol.* 24,10-11: 751-774
- NAVAJAS, M. / TSAGKARAKOV, A. / LAGNEL, J. / PERROT-MINNOT, M.J. (2000): Genetic differentiation in *Tetranychus urticae* (Acari, Tetranychidae): Polymorphism, host races or sibling species? - *Exp. Appl. Acarol.* 24,5-6: 365-376
- NOHARA, K. / NAKAO, S.-I. / NAGATOMI, A. (2000): A study of the relationship between pesticide treatment and the fauna in citrus groves on Nagashima Island, Kagoshima Prefecture. - *Appl. Entomol. Zool.* 35,2: 271-281
- NUKENINE, E.N. / HASSAN, A.T. / DIXON, A.G.O. (2000):* Influence of variety on the within-plant distribution of cassava green spider mite (Acari, Tetranychidae), and leaf anatomical characteristics and chemical components in relation to varietal resistance. - *Intern. J. Pest Manag.* 46,3: 177-186
- OKADA, I. / FUKUCHI, T. (2000):* Development of a new acaricide, tebufenpyrad. - *J. Pest. Sci.* 25,3: 310-320
- OSAKABE, M.H. / EHARA, S. / ADHIKARI, S. (2000):* Damage to young leaves of pear trees by *Bryobia rubrioculus* (Scheut.) (Acari, Tetranychidae) in Nepal. - *J. Acarol. Soc. Jpn.* 9,1: 15-22
- OSAKABE, M.H. / HINOMOTO, N. / TODA, S. / KOMAZAKI, S. / GOKA, K. (2000): Molecular cloning and characterization of a microsatellite locus found in an RAPD marker of a spider mite, *Panonychus citri* (Acari, Tetranychidae). - *Exp. Appl. Acarol.* 24,5-6: 385-395
- OTTO, J.C. (2000): A cladistic analysis of Erythracarinae (Acarina, Prostigmata, Anystidae), with the description of a new genus. - *Syst. Entomol.* 25,4: 447-484**
- OZAWA, R. / ARIMURA, G.-I. / TAKABAYASHI, J. / SHIMODA, T. / NISHIOKA, T. (2000):* Involvement of jasmonate- and salicylate-related signaling pathways for the production of specific herbivore-induced volatiles in plants. - *Plant and Cell Physiology* 41,4: 391-398
- OZAWA, R. / SHIMODA, T. / KAWAGUCHI, M. / ARIMURA, G. / HORIUCHI, J.-I. / NISHIOKA, T. / TAKABAYASHI, J. (2000): Lotus japonicus infested with herbivorous mites emits volatile compounds that attract predatory mites. - *J. Plant Res.* 113: 427-433
- PANOU, H.N. / EMMANUEL, N.G. / KAZMIERSKI, A. (2000): Neopronematus, a new genus of the subfamily Pronematinae (Acari, Prostigmata, Tydeidae) and a new species from Greece. - *Acarologia* 41,3: 321-325
- PAPAIOANNOU, S.P. / MARKOYIANNAKI, P.D. / ZOAKI, M.D. (2000): Side effects of Neemark (Azadirachta indica A. Juss) and two new vegetable oils formulations on *Tetranychus urticae* Koch and its predator *Phytoseiulus persimilis* Athias-Henriot. - *Boll. Zool. agr. Bachic.* 32,1: 25-33
- PELS, B. / SABELIS, M. (2000):* Do herbivore-induced plant volatiles influence predator migration and local dynamics of herbivorous and predatory mites? - *Exp. Appl. Acarol.* 24,5-6: 427-440
- PONTIER, K.J.B. / FLECHTMANN, C.H.W. (2000): Description of the immature stages of *Tenuipalpus heveae* Baker, 1945 (Acari, Prostigmata, Tenuipalpidae). - *Syst. Appl. Acarol.* 5: 77-81
- PONTIER, K.J.B. / MORAES, G.J. DE / KREITER, S. (2000): Biology of *Tenuipalpus heveae* (Acari, Tenuipalpidae) on rubber tree leaves. - *Acarologia* 41,4: 423-427
- POPOV, S.Y. (2000):* The temperature developmental curves of the Atlantic spider mite *Tetranychus atlanticus* McGregor (Tetranychidae). - *Entomol. obozr.* 79,3: 550-556
- POPOV, S.Y. / SLOTIN, V.V. (2000):* Comparing the methods of cucumber plants estimation on resistance to spider mites by their biological parameters. [Orig. Russ.] - *Izv. Timir. Sel'skokhozyaist. Akad.* 0,3: 85-99
- PUGH, P.J.A. / CONVEY, P. (2000):* Scotia Arc Acari: Antiquity and origin. - *Zool. J. Linn. Soc.* 130,2: 309-328
- RAFAEL, F.M. / SALINAS, M. / DOMINGUEZ, E. / ALVAREZ, M. / CUARTERO, J. (2000):* Inheritance of the two-spotted spider mite from *L. pimpinellifolium* (Jusl.) Mill. accession 'TO-937'. - *Acta Physiologae Planatarum* 22,3: 358-359
- RAZDOBURDIN, V.A. / SINELNIKOV, E.A. (2000):* Interspecific interactions of spider mite *Tetranychus urticae* K. and onion thrips, *Thrips tabaci* Lind. on different cucumber cultivars. II. Influence of spider mite on behavior and spatial distribution of onion thrips. - *Entomol. obozr.* 79,3: 530-542
- REIS, P.R. / DE SOUZA, J.C. / DE SOUSA, E. O. (2000): Spatial distribution of *Brevipalpus phoenicis* (Geijskes) (Acari, Tenuipalpidae) in coffee plants (Coffee arabica L.). - *An. Soc. Entomol. Brasil* 29,1: 177-183
- REIS, P.R. / TEODORO, A.V. / PEDRO, N.M. (2000): Predatory activity of phytoseiid mites on the developmental stages of coffee ringspot mite (Acari, Phytoseiidae, Tenuipalpidae). - *An. Soc. Entomol. Brasil* 29,3: 547-553

- RIDSDILL-SMITH, S.T.J. / PAVRI, C.C. (2000): Feeding life style of redlegged earth mite, *Halotydeus destructor* (Acari, Penthaleidae), in pastures and the role of broad-leaved weeds.. - *Exp. Appl. Acarol.* 24,5-6: 397-414
- RITA, X. / KAPOOR, V.C. / BHULLAR, M.B. / MAHAL, M.S. (2000):* Population dynamics of mites associated with okra (*Hibiscus esculentus*) in Punjab. - *Indian J. Agric. Sci.* 70,11: 794-796
- ROBINSON, M.T. / HOFFMANN, A.A. (2000): Additional tests on the effects of pesticides on cryptic species of blue oat mite (*Penthaleus* spp.) and the redlegged earth mite (*Halotydeus destructor*). - *Aust. J. Exp. Agric.* 40,5: 671-678
- RODA, A. / NYROP, J. / DICKE, M. / ENGLISH-LOEB, G. (2000):* Trichomes and spider-mite webbing protect predatory mite eggs from intraguild predation. - *Oecologia* 125,3: 428-435
- ROTT, A.S. / PONSONBY, D.J. (2000):* Improving the control of *Tetranychus urticae* on edible glasshouse crops using a specialist coccinellid (*Stethorus punctillum* Weise) and a generalis mite (*Amblyseius californicus* McGregor) as biocontrol agents. - *Biocontrol Sci. Technol.* 10,4: 487-498
- ROTT, A.S. / PONSONBY, D.J. (2000):* The effects of temperature, relative humidity and host plant on the behaviour of *Stethorus punctillum* as a predator of the two-spotted spider mite, *Tetranychus urticae*. - *Biocontrol Dordrecht* 45,2: 155-164
- SABOORI, A. (2000): Two new larval erythraeine mites (Acari, Erythraeidae) from Iran. - *Syst. Appl. Acarol.* 5: 125-130**
- SABOORI, A. / BABOLMORAD, M. (2000): A new larval mite (Acari, Erythraeidae) ectoparasitic on *Monosteira unicostata* (Hemiptera, Tingidae) from Iran. - *Syst. Appl. Acarol.* 5: 119-133
- SABOORI, A. / KAMALI, K. (2000): Description of *Allothrombium tritici* adult (Acari, Trombidiidae) from Iran. - *Syst. Appl. Acarol.* 5: 207-208
- SABOORI, A. / OSTOVAN, H. (2000): A new species of the genus *Leptus* Latreille, 1796 (Acari, Erythraeidae) ectoparasitic on sun pest, *Eurygaster integriceps* Puton (Hemiptera, Scutelleridae) from Iran. - *Syst. Appl. Acarol.* 5: 143-147**
- SAITO, Y. (2000): Do kin selection and intra-sexual selection operate in spider mites? - *Exp. Appl. Acarol.* 24,5-6: 351-363
- SAITO, Y. / MORI, K. / CHITTENDEN, A.R. / SATO, Y. (2000): Correspondence of male-to-male aggression to spatial distribution of individuals in field populations of a subsocial spider mite. - *J. Ethol.* 18,2: 79-83
- SAITO, Y. / SAHARA, K. / MORI, K. (2000):* Inbreeding depression by recessive deleterious genes affecting female fecundity of a haplo-diploid mite. - *J. Evolut. Biol.* 13,4: 668-678
- SALAZAR, S.F. / REBOLLEDO, R.R. / CARRILLO, L.R. / AGUILERA, P.A. (2000): Environmental and plant-associated factors related to female diapause of *Tetranychus urticae* Koch (Acari, Tetranychidae) in Temuco, Chile. [Orig. Span.] - *Rev. Chil. Entomol.* 27: 53-56
- SATO, Y. / SAITO, Y. / MORI, K. (2000): Patterns of reproductive isolation between two groups of *Schizotetranychus miscanthi* Saito (Acari, Tetranychidae) showing different male aggression traits. - *Appl. Entomol. Zool.* 35,4: 611-618
- SATO, Y. / SAITO, Y. / MORI, K. (2000): Reproductive isolation between populations showing different aggression in an subsocial spider mite, *Schizotetranychus miscanthi* Saito (Acari, Tetranychidae). - *Appl. Entomol. Zool.* 35,4: 605-610
- SCAMPINI, E.M. / OSTERRIETH, M.L. / MARTINEZ, P.A. (2000):* Study of the physicochemical properties and mesofauna in a crop field boundary in the Laguna de Los Padres, Buenos Aires Province, Argentina. [Orig. Spanish] - *Neotropica La Plata* 46: 3-10
- SEVASTIANOV, V.D. (2000): Ecological groupings of mites of the cohort Tarsonemina and the group of families Acaridae. - *Acarina* 8,2: 151-155
- SHATROV, A.B. (2000): On the origin of Parasitism in Trombiculid mites (Acariformes, Trombiculidae). - *Acarologia* 41,1-2: 205-213
- SHEARER, P.W. (2000): Pyridaben baseline assays for adult female European red mite (Acari, Tetranychidae) and eggs. - *J. Agric. Urban Entomol.* 17,2: 65-69
- SILVAN, N. / LAIHO, R. / VASANDER, H. (2000): Changes in mesofauna abundance in peat soils drained for forestry. - *Forest Ecology and Management* 133,1-2: 127-133
- SIRCOM, J. (2000): Photographic sampling: a photographic sampling method for mites on plants. - *Exp. Appl. Acarol.* 24,1: 55-61
- SKORACKI, M. / DABERT, J. (2000): Syringophilopsis albicollisi sp. n., a new species of the quill mite of the family Syringophilidae (Acari, Prostigmata). - *Acarina* 8,1: 59-63**
- SKORUPSKI, M. / BIESIADKA, E. / GABRYS, G. / GWIAZDOWICZ, D.J. / KAZMIERSKI, A. / MAGOWSKI, W.L. / MAKOL, J. / OLSZANOWSKI, Z. / SIUDA, K. (2000): Mites (Acari) in the Bieszczady Mountains. [Orig. Poln.] - *Monografie Bieszczadzkie* 7: 67-100
- SOBALA, M. (2000):* Computer simulation of the population dynamics of *Panonychus ulmi* and applications to integrated pest management. - *Bulletin OEPP* 30,1: 99-102

- STOJNIC, B. / SEKULIC, D. / PETANOVIC, R. (2000): A case of *Monstra duplicita* in *Tetranychus urticae* Koch (Acari, Tetranychidae). - *Acarologia* 41,1-2: 227-232
- TAKABYASHI, J. / SHIMODA, T. / DICKE, M. / ASHIHARA, W. / TAKAFUJI, A. (2000): Induced response of tomato plants to injury by green and red strains of *Tetranychus urticae*. - *Exp. Appl. Acarol.* 24,5-6: 377-383
- TAKAFUJI, A. / OZAWA, A. / NEMOTO, H. / GOTOH, T. (2000): Spider mites of Japan: Their biology and control. - *Exp. Appl. Acarol.* 24,5-6: 319-335
- TODA, S. / OSAKABE, M.H. / KOMAZAKI, S. (2000): Interspecific diversity of mitochondrial COI sequences in Japanese *Panonychus* species (Acari, Tetranychidae). - *Exp. Appl. Acarol.* 24,10-11: 821-829
- VALA, F. / BREEUWER, J.A.J. / SABELIS, M.W. (2000):* Wolbachia-induced 'hybrid breakdown' in the two-spotted spider mite *Tetranychus urticae* Koch. - *Proc. Roy. Soc. biol. Sci., Ser. B* 267: 1931-1937
- VAN LAERHOVEN, S. / GILLESPIE, D.R. / MCGREGOR, R.R. (2000):* Leaf damage and prey type determine search effort in *Orius tristicolor*. - *Ent. exp. appl.* 97,2: 167-174
- VENZON, M. / JANSEN, A. / PALLINI, A. / SABELIS, M.W. (2000):* Diet of a polyphagous arthropod predator affects refuge seeking of its thrips prey. - *Animal Behaviour* 60,3: 369-375
- WANG, S.F. / RIDSDILL-SMITH, T.J. / GHISALBERTI, E.L. (2000): Role of alkaloids in resistance of yellow lupin to the redlegged earth mite *Halotydeus destructor*. - *J. Chem. Ecol.* 24: 397-414
- WEEKS, A.R. / HOFFMANN, A.A. (2000):* Competitive interactions between two pest species of earth mites *Halotydeus destructor* and *Penthaleus major* (Acarina, Penthaleidae). - *J. Econ. Entomol.* 93,4: 1183-1191
- WOHLTMANN, A. (2000): The evolution of life histories in Parasitengona (Acari, Prostigmata). - *Acarologia* 41,1-2: 145-205
- WOOD, B.W. / REILLY, C.C. (2000):* Pest damage to pecan is affected by irrigation, nitrogen application, and fruit load. - *Hortscience* 35,4: 669-672
- YAO, H. / SNIDER, R.J. / SNIDER, R.M. (2000): **Larval and post-larval stages of a new Abrolophus species (Acari, Erythraeidae) from a deciduous forest in northern Michigan, USA.** - *Syst. Appl. Acarol.* 5: 149-155
- YOO, S.S. / KIM, S.S. (2000): Comparative toxicity of some pesticides to the predatory mite, *Phytoseiulus persimilis* (Acarina, Phytoseiidae) and the two-spotted spider mite, *Tetranychus urticae* (Acarina, Tetranychidae). [Orig. Korean] - *Korean J. Entomol.* 30,4: 235-241
- ZACHARDA, M. (2000): **New and little-known species of Rhagidiidae from talus ecosystems, in the Czech Republic and Austria.** - *J. Zool., London* 251,1: 105-118
- ZHANG, Y.-X. / LIN, J.-Z. / ZHANG, Z.-Q. / SONG, M.-G. / JI, J. / LIU, Q.-Z. (2000):* Key factors affecting populations of *Schizotetranychus nanjingensis*, *Aponychus corpuzae* and *Aculus bambusae* in Fujian bamboo forests during different seasons: an analysis using methods of grey sequence. China. - *Syst. Appl. Acarol., Spec. Publ.* 4: 125-160
- ZHANG, Y.-X. / ZHANG, Z.-Q. / LIN, J.-Z. (2000):* Arrestment response of the predatory mite *Amblyseius longispinosus* to *Schizotetranychus nanjingensis* webnets on bamboo leaves (Acari, Phytoseiidae, Tetranychidae). - *Exp. Appl. Acarol.* 24,3: 227-233
- ZHANG, Y.-X. / ZHANG, Z.-Q. / LIN, J.-Z. / JI, J. (2000):* Potential of *Amblyseius cucumeris* (Acari, Phytoseiidae) as a biocontrol agent against *Schizotetranychus nanjingensis* (Acari, Tetranychidae) in Fujian, China. - *Syst. Appl. Acarol., Spec. Publ.* 4: 109-124
- ZHANG, Z.-Q. (2000): **Ramsayella, new genus of Erythraeinae (Acari, Erythraeidae) parasitic on grasshoppers in New Zealand.** - *Internat. J. Acarol.* 26,1: 33-40
- ZHANG, Z.-Q. / ZHANG, Y.-X. / LIN, J.-Z. (2000):* Discovery of the genus *Abalakeus* (Acari, Erythraeidae) in China and description of a new species from bamboo forests in Fujian, China. - *Syst. Appl. Acarol., Spec. Publ.* 4: 69-80
- ZHANG, Z.-Q. / ZHANG, Y.-X. / LIN, J.-Z. (2000):* Taxonomic notes on *Stylophoronychus* (Acari, Tetranychidae) with new data for *S. baghensis* infesting moso bamboo in Fujian, China. - *Syst. Appl. Acarol., Spec. Publ.* 4: 37-47
- ZHANG, Z.-Q. / ZHANG, Y.-X. / LIN, J.-Z. (2000):* Mites of *Schizotetranychus* (Acari, Tetranychidae) from moso bamboo in Fujian, China. - *Syst. Appl. Acarol., Spec. Publ.* 4: 19-35
- ZHAO, Z.-Q. / JACOBSON, R.J. (2000): Using adult female morphological characters for differentiating *Tetranychus urticae* complex (Acari, Tetranychidae) from greenhouse tomato crops in UK. - *Syst. Appl. Acarol.* 5: 69-76
- ZHOU, L. / YUE, B.-S. / ZOU, F.-D. (2000):* Influence of temprature-humidity on the generation period and the number of eggs laid of *Eotetranychus kankitus* Ehara. - *Sichuan Daxue Xuebao Ziran Kexueban* 37,1: 98-102

Nomina Nova

Die Namen neuer Taxa werden hier veröffentlicht, sofern sie uns bekannt wurden. Eine Überprüfung ihrer Validität erfolgt nicht. Die Autoren von neuen Kombinationen und neuen Synonymen stehen in [eckigen Klammern].

The names of new taxa are listed here as far as they have come to our knowledge. Their validity could not be examined here. The authors of new combinations and new synonyms are written in [brackets].

Typen-Information / Type-material information as follows:

- Leptus hringuri* Haitlinger, 2000 (Seite / Page: 154^l) – Typen / Types: HT²+PT - MNHWU³
- 1 – erste Seite der Beschreibung / first page of the description
 - 2 – Holotypen (HT), Paratypen (PT) oder Syntypen (ST) / holotypes (HT), paratypes (PT) or syntypes (ST)
 - 3 – Abkürzungen der Aufbewahrungsorte der neuen Arten, sofern sie in den Publikationen zitiert sind / Abbreviations of places of storage of new species, as far as they are cited in the publications

Abkürzungen der Aufbewahrungsorte der neuen Arten / Abbreviations of places of storage of new species

Acarology Laboratory, Agricultural University of Athens, Athens, Greece

Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

ARC-Plant Protection Research Institute, Pretoria, South Africa

British Museum of Natural History, Department of Entomology, London, Great Britain

Bernice P. Bishop Museum, Honolulu, Hawaii

Collection Alex Fain, Bruxelles, Belgium

Celal Bayar University, Zoological Museum, Manisa, Turkey

Collection A. Kazmierski, Poznan, Poland

Collection Grzegorz Gabrys, Wroclaw, Poland

Collection G. Poinar, Corvallis, Oregon, USA

Collection G. Ripka, Budapest, Hungary

Collection H.R. Bolland, Amsterdam, The Netherlands

Collection Kazuyoshi Kurosa, Tokyo, Japan

Canadian National Collection of Insects and Arachnids, Agriculture and Agri-Food Canada, Ottawa, Canada

Collection Ryszard Haitlinger, Wroclaw, Poland

Cornell University, Department of Entomology, Ithaca, USA

Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznan, Poland

Department of Entomology, College of Agriculture, Science and Research Branch, Islamic Azad University, Tehran, Iran

Department of Entomology, College of Agriculture, Tarbiat Modarres University, Tehran, Iran

Departamento de Fitossanidade UNESP, Jacoticabal, Brazil

Division of Plant Industry, Gainesville, USA

Department of Plant Protection, College of Agriculture, Shahid Chamran University, Ahwaz, Iran

Departamento de Zoologia, Campus de S.J. do Rio Preto, Universidade Estadual Paulista, Sao Paulo, Brazil
Escola Superior de Agricultura "Luiz de Queiroz", Universidade de São Paulo, Departamento de Entomologia, Fitopatologia e Zoologia Agricola, Piracicaba, Brazil

Fujian Academy of Agricultural Sciences, Plant Protection Research Institute, Fuzhou, China

Fujian Agricultural and Forestry University, Department of Plant Protection, Fuzhou, China

- Florida Department of Agriculture and Consumer Services, Gainesville, USA
Fundación e Instituto Miguel Lillo, S.M. de Tucumán, Argentina
Florida State Collection of Arthropods, Gainesville, Florida, USA
Hungarian Natural History Museum, Budapest, Hungary
Institute for Endemic Disease Prevention and Control of Qinghai Province, Qinghai, China
Institute of Parasitology, Academy of Sciences of the Czech Republik, Ceske Budejovice, Czech Republic
L'Institut Royal des Sciences Naturelles, Bruxelles, Belgium
Institute of Zoology of the Ukraine, Kiev, Ukraine
Kirghizian State National University, Bishkek, Kirghizia
Laboratory of Agricultural Zoology and Entomology, Agricultural University of Athens, Athens, Greece
Museo Argentino de Ciencias Naturales, Buenos Aires, Argentina
Medical Acarology Laboratory, Shanghai Medical University, Shanghai, China
Muséum d'Histoire Naturelle, Geneva, Switzerland
Museum of Natural History, Wroclaw University, Wroclaw, Poland
Musée Royal de l'Afrique Centrale, Tervuren, Belgium
Museu de Zoologia da Escola Superior de Agricultura "Luiz de Queiroz", Piracicaba, Brazil
National Collection of Arachnida, Pretoria, South Africa
Natural History Museum, London, United Kingdom
National Museum of Natural History, Systematic Entomology Laboratory, Beltsville, Maryland, USA
National Science Museum, Tokyo, Japan
New Zealand Arthropod Collection, Auckland, New Zealand
Ohio State University, Acarology Laboratory, Columbus, Ohio, USA
Philippine National Museum, Manila, Philippinen
Queensland Museum, South Brisbane, Queensland, Australia
Sanitation and Anti-Epidemic Station of Liangshan Yi Autonomous Prefecture, Sichuan Province, China
Sarisské Museum, Department of Natural History, Bardejov, Slovakian Republic
State Nikita Botanical Gardens, Department of Agroecology, Yalta, Crimea, Ukraine
University of Adam Mickiewicz, Department of Morphology, Poznan, Poland
University of Horticulture and Food Industry, Menen, Belgium
University of Philippines, Los Banos Museum of Natural History, Laguna, Philippinen
University of Queensland Institut Collection, Department of Zoology and Entomology, Brisbane, Queensland, Australia
United States Department of Agriculture, Systematic Entomology Laboratory, Agricultural Research Service, Beltsville, USA
United States National Insect and Mite Collection, Beltsville, Maryland, USA
United States National Museum of Natural History, Washington, USA
United States National Parasite Collection, Beltsville, USA
Western Australian Museum, Perth, Australia
Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia
Zoological Museum of the University of Amsterdam, Amsterdam, The Netherlands
Zoological Museum of the Erciyes University, Kayseri, Iran
Zoologisches Museum und Institut Hamburg, Hamburg, Germany
Zoological Museum of the Tehran University, Acarological Collection, Karaj, Iran

Neue Arten / New species

- Abrolophus welbourni* Yao, Snider & Snider, 2000 (Seite / Page: 150) – TYPEN / TYPES: HT - NMNH, PT - NZAC
Acaropsis campuensis Farooq, 2000 (Seite / Page: 41) – TYPEN / TYPES: keine Information / no information
Agistemus brasiliensis Matioli, Ueckermann & De Oliveira, 2002 (Seite / Page: 106) – TYPEN / TYPES: HT+PT - ESALQ/USP, PT - ARC, DPI, DF / UNESP
Allothrombium wolmari Haitlinger, 2000 (Seite / Page: 393) – TYPEN / TYPES: HT+PT - MNHWU, PT - CRH

- Andreydaelus alius Kazmierski & Ripka, 2000* (Seite / Page: 446) – TYPEN / TYPES: HT - HNHM, PT - CAK
- Austroteneriffia kamalii* Ueckermann & Khanjani, 2002 (Seite / Page: 168) – TYPEN / TYPES: HT - ARC
- Bakfaini* Corpuz-Raros, 2000 (Seite / Page: 323) – TYPEN / TYPES: HT - UPLBM, PT - USNM
- Bakgersoni* Corpuz-Raros, 2000 (Seite / Page: 326) – TYPEN / TYPES: HT - UPLBM, PT - USNM
- Baknadchatrami* Fain & Bochkov, 2001 (Seite / Page: 80) – TYPEN / TYPES: HT - IRSNB
- Balaustum medardi* Haitlinger, 2000 (Seite / Page: 388) – TYPEN / TYPES: HT - MNHWU
- Balaustum minodorae* Haitlinger, 2000 (Seite / Page: 73) – TYPEN / TYPES: HT+PT - MNHWU
- Balaustum soydani* Haitlinger, 2000 (Seite / Page: 70) – TYPEN / TYPES: HT - MNHWU
- Balaustum xerohermicum* Gabrys, 2000 (Seite / Page: 47) – TYPEN / TYPES: HT - MNHWU, PT - FDAC, CGG
- Balaustum zhangi* Saboori, 2001 (Seite / Page: 171) – TYPEN / TYPES: HT+PT - ZMTU
- Bembidiacarus eidelbergi* Khaustov, 2000 (Seite / Page: 4) – TYPEN / TYPES: HT+PT - SNBG
- Bursaustum gaspari* Haitlinger, 2000 (Seite / Page: 390) – TYPEN / TYPES: HT - MNHWU
- Caligonella tunica* Fan, 2000 (Seite / Page: 425) – TYPEN / TYPES: HT+PT - FAFU
- Cenopalpus viniferus* Hatzinikolis, Papadoulis & Kapaxidi, 2001 (Seite / Page: 35) – TYPEN / TYPES: HT+PT - ALUA, PT - USNM
- Chelacaropsis kenyensis* Fain & Bochkov, 2001 (Seite / Page: 70) – TYPEN / TYPES: HT - IRSNB
- Chelacheles algericus* Fain & Bochkov, 2001 (Seite / Page: 83) – TYPEN / TYPES: HT - IRSNB
- Chelacheles hellenicus* Eliopoulos & Papadoulis, 2001 (Seite / Page: 31) – TYPEN / TYPES: HT+PT - LAZEA, PT - NHML, USNM, CAF
- Cheletophyes aurorae* Haitlinger, 2000 (Seite / Page: 86) – TYPEN / TYPES: HT - MNHWU
- Cheletophyes vespae* Fain & Bochkov, 2001 (Seite / Page: 65) – TYPEN / TYPES: HT - IRSNB
- Cheyletus volgini* Fain & Bochkov, 2002 (Seite / Page: 95) – TYPEN / TYPES: HT+PT - ZISP, PT - IRSNB
- Coptocheles shaowuensis* Fan, 2000 (Seite / Page: 425) – TYPEN / TYPES: HT+PT - FAFU
- Cryptognathus ozkani* Dogan & Ayyildiz, 2001 (Seite / Page: 217) – TYPEN / TYPES: HT+PT - ZMEU, PT - USNM
- Dasitrombium clarissae* Haitlinger, 2000 (Seite / Page: 65) – TYPEN / TYPES: HT - MNHWU, PT - CRH
- Demodex dasypodi* Desch & Stewart, 2002 (Seite / Page: 169) – TYPEN / TYPES: HT+PT - USNPC, PT - OSAL
- Diplothrombium zbindiewi* Haitlinger, 2001 (Seite / Page: 179) – TYPEN / TYPES: HT+PT - MNHWU
- Dolichotetranychus cocos* Flechtmann, 2000 (Seite / Page: 145) – TYPEN / TYPES: HT+PT - ESALQ / USP, PT - USNM
- Epimyodex soricis* Fain & Bochkov, 2001 (Seite / Page: 221) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Erythraeus (Erythraeus) shojaii* Saboori & Babolmorad, 2000 (Seite / Page: 119) – TYPEN / TYPES: HT - ZMTU, PT - DEIAU
- Erythraeus (Zaracarus) didonae* Haitlinger, 2000 (Seite / Page: 383) – TYPEN / TYPES: HT - MNHWU
- Erythraeus (Zaracarus) iranicus* Saboori & Akrami, 2001 (Seite / Page: 159) – TYPEN / TYPES: HT - ZMTU
- Erythraeus (Zaracarus) kharrazii* Saboori, 2000 (Seite / Page: 125) – TYPEN / TYPES: HT+PT - ZMTU
- Erythraeus (Zaracarus) longipedus* Saboori & Nowzari, 2001 (Seite / Page: 229) – TYPEN / TYPES: HT - ZMTU
- Erythraeus (Zaracarus) rajabii* Saboori, 2000 (Seite / Page: 127) – TYPEN / TYPES: HT - ZMTU
- Erythraeus sifi* Haitlinger, 2000 (Seite / Page: 381) – TYPEN / TYPES: HT - MNHWU
- Eutonella kudryashovae* Stekol'nikov, 2001 (Seite / Page: 98) – TYPEN / TYPES: HT+PT - ZISP
- Foveacheles (Proxistella) simulata* Zacharda, 2000 (Seite / Page: 109) – TYPEN / TYPES: HT - CNC
- Geckobia anomellatus* Bochkov & Mironov, 2000 (Seite / Page: 61) – TYPEN / TYPES: keine Information / no information
- Geckobia hirsti* Bochkov & Mironov, 2000 (Seite / Page: 61) – TYPEN / TYPES: keine Information / no information
- Granulochyeletus corpuzrarosae* Fain & Bochkov, 2002 (Seite / Page: 38) – TYPEN / TYPES: HT+PT - IRSNB
- Guatustium biljanae* Haitlinger, 2000 (Seite / Page: 74) – TYPEN / TYPES: HT+PT - MNHWU
- Harpyrhynchoides alaudinus* Bochkov, 2000 (Seite / Page: 91) – TYPEN / TYPES: HT+PT - ZISP

- Hoffmannita gersoni* Fain & Bochkov, 2001 (Seite / Page: 73) – TYPEN / TYPES: HT - IRSNB
- Hystrichonychus anisoseta* Flechtmann & De Moraes, 2001 (Seite / Page: 45) – TYPEN / TYPES: HT+PT - ESALQ / USP
- Italustium eframi* Haitlinger, 2000 (Seite / Page: 79) – TYPEN / TYPES: HT - MNHWU
- Kamertonia polonica* Gabrys, 2000 (Seite / Page: 57) – TYPEN / TYPES: HT - MNHWU, PT - CGG, ZMH, FDAC
- Kenyacheylus troglodytes* Fain & Bochkov, 2001 (Seite / Page: 56) – TYPEN / TYPES: HT - MRAC
- Ker afrotropicalis* Fain & Bochkov, 2001 (Seite / Page: 59) – TYPEN / TYPES: HT - MRAC
- Leptotrombidium (Leptotrombidium) dabashanense* Liu & Ma, 2001 (Seite / Page: 306) – TYPEN / TYPES: HT+PT - IPDHAMS
- Leptotrombidium (Leptotrombidium) shenzhenense* Wen, 2001 (Seite / Page: 192) – TYPEN / TYPES: HT - MALSU
- Leptotrombidium (Monosigmum) zhongi* Wen, 2001 (Seite / Page: 190) – TYPEN / TYPES: HT+PT - MALSU
- Leptus (Amaroptus) vuki* Haitlinger, 2000 (Seite / Page: 157) – TYPEN / TYPES: HT+PT - MNHWU
- Leptus annikae* Haitlinger, 2000 (Seite / Page: 154) – TYPEN / TYPES: HT - MNHWU
- Leptus assagasicus* Haitlinger, 2001 (Seite / Page: 474) – TYPEN / TYPES: HT - MNHWU
- Leptus bogoriacus* Haitlinger, 2001 (Seite / Page: 475) – TYPEN / TYPES: HT - MNHWU
- Leptus esmailli* Saboori & Ostovan, 2000 (Seite / Page: 143) – TYPEN / TYPES: HT - DEIAU, PT - ZMTU
- Leptus filipinae* Haitlinger, 2000 (Seite / Page: 132) – TYPEN / TYPES: HT - MNHWU, PT - CRH
- Leptus hospeticus* Haitlinger, 2002 (Seite / Page: 177) – TYPEN / TYPES: HT - MNHWU, PT - CRH
- Leptus hringuri* Haitlinger, 2000 (Seite / Page: 154) – TYPEN / TYPES: HT+PT - MNHWU
- Leptus kamalii* Irvanlou & Saboori, 2001 (Seite / Page: 165) – TYPEN / TYPES: HT - DETMU
- Leptus laviniacus* Haitlinger, 2002 (Seite / Page: 180) – TYPEN / TYPES: HT - MNHWU, PT - CRH
- Leptus maldonadoicus* Haitlinger, 2000 (Seite / Page: 151) – TYPEN / TYPES: HT+PT - MNHWU
- Leptus masaimaraicus* Haitlinger, 2001 (Seite / Page: 479) – TYPEN / TYPES: HT - MNHWU
- Leptus nikanori* Haitlinger, 2000 (Seite / Page: 132) – TYPEN / TYPES: HT - MNHWU, PT - CRH
- Leptus olamukijacus* Haitlinger, 2001 (Seite / Page: 476) – TYPEN / TYPES: HT - MNHWU
- Leptus onnae* Haitlinger, 2000 (Seite / Page: 137) – TYPEN / TYPES: HT - MNHWU, PT - CRH
- Leptus simonettiae* Haitlinger, 2000 (Seite / Page: 137) – TYPEN / TYPES: HT - MNHWU, PT - CRH
- Megasyringophilus cyanocephala* Fain, Bochkov & Mironov, 2000 (Seite / Page: 40) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Megasyringophilus kethleyi* Fain, Bochkov & Mironov, 2000 (Seite / Page: 37) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Megasyringophilus trichoglossus* Fain, Bochkov & Mironov, 2000 (Seite / Page: 37) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Neochyletiella athene* Fain & Bochkov, 2002 (Seite / Page: 155) – TYPEN / TYPES: HT - IRSNB
- Neochyletiella lonchurae* Fain & Bochkov, 2002 (Seite / Page: 159) – TYPEN / TYPES: HT - IRSNB
- Neochyletiella quelea* Fain & Bochkov, 2002 (Seite / Page: 155) – TYPEN / TYPES: HT+PT - IRSNB
- Neocunaxoides boltoides* Lin, 2001 (Seite / Page: 145) – TYPEN / TYPES: HT - FAFU
- Neocunaxoides fani* Lin, 2001 (Seite / Page: 148) – TYPEN / TYPES: HT - FAFU
- Neoeuchelya iranica* Fain & Ardeshir, 2000 (Seite / Page: 329) – TYPEN / TYPES: HT - IRSNB
- Neophyllobius astragalusi* Khanjani & Ueckermann, 2002 (Seite / Page: 162) – TYPEN / TYPES: HT - ARC
- Neophyllobius ayyildizi* Koc & Madanlar, 2002 (Seite / Page: 61) – TYPEN / TYPES: HT+PT - CBZM
- Neophyllobius bisetalis* Bolland & Swift, 2000 (Seite / Page: 351) – TYPEN / TYPES: HT+PT - BPBM, USNM
- Neophyllobius camelli* Khanjani & Ueckermann, 2002 (Seite / Page: 162) – TYPEN / TYPES: HT - ARC
- Neophyllobius euonymi* Bolland & Ripka, 2000 (Seite / Page: 357) – TYPEN / TYPES: HT+PT - UHFI, PT - CGR
- Neophyllobius ferrugineus* Fan, 2001 (Seite / Page: 140) – TYPEN / TYPES: HT+PT - FAFU
- Neophyllobius foliosetus* Fan, 2001 (Seite / Page: 138) – TYPEN / TYPES: HT+PT - FAFU
- Neophyllobius mamaneae* Bolland & Swift, 2000 (Seite / Page: 352) – TYPEN / TYPES: HT - BPBM
- Neophyllobius persiaensis* Khanjani & Ueckermann, 2002 (Seite / Page: 160) – TYPEN / TYPES: HT+PT - ARC

- Neophyllobius piniphilus* Bolland, 2001 (Seite / Page: 129) – TYPEN / TYPES: HT+PT - ZMA, PT - USNM, NHML
- Neophyllobius pistaciae* Bolland & Mehrnejad, 2001 (Seite / Page: 49) – TYPEN / TYPES: PT - ZMA
- Neophyllobius punctulatus* Fan, 2001 (Seite / Page: 142) – TYPEN / TYPES: HT+PT - FAFU
- Neoprrenematus aegeae* Panou, Emmanouel & Kazmierski, 2000 (Seite / Page: 322) – TYPEN / TYPES: HT+PT - LAZEA, PT - USNM
- Neoscirula saitoi* Lin, 2002 (Seite / Page: 146) – TYPEN / TYPES: HT - FAAS
- Neotetranychus asper* Feres & Flechtmann, 2000 (Seite / Page: 224) – TYPEN / TYPES: HT+PT - DZSJRP
- Neotetranychus granifer* Feres & Flechtmann, 2000 (Seite / Page: 220) – TYPEN / TYPES: HT+PT - DZSJRP
- Neotetranychus peniculus* Aranda, 2000 (In Feres & Flechtmann, 2000 - Seite / Page: 216) – TYPEN / TYPES: HT+PT - MZLQ
- Neotetranychus raphidoseta* Aranda, 2000 (In Feres & Flechtmann, 2000 - Seite / Page: 216) – TYPEN / TYPES: HT+PT - MZLQ
- Neothrombium mojdehii* Saboori & Ostovan, 2001 (Seite / Page: 203) – TYPEN / TYPES: HT - DEIAU, PT - ZMTU
- Neotrombicula (Digenualea) silvestris* Ma, Yang & Chen, 2002 (Seite / Page: 207) – TYPEN / TYPES: HT - IECQ
- Neoualobia aratingae* Fain, Bochkov & Mironov, 2000 (Seite / Page: 44) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Neoualobia psittaculae* Fain, Bochkov & Mironov, 2000 (Seite / Page: 44) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Niglarobia rhinoptili* Fain, Bochkov & Mironov, 2000 (Seite / Page: 61) – TYPEN / TYPES: HT - MRAC
- Ornithocheyletia columbigallinae* Fain & Bochkov, 2002 (Seite / Page: 148) – TYPEN / TYPES: HT+PT - IRSNB
- Ornithocheyletia orioli* Fain & Bochkov, 2002 (Seite / Page: 151) – TYPEN / TYPES: HT+PT - MRAC
- Ornithocheyletia wauthyi* Fain & Bochkov, 2002 (Seite / Page: 152) – TYPEN / TYPES: HT+PT - MRAC
- Palenquistium leanderi* Haitlinger, 2000 (Seite / Page: 80) – TYPEN / TYPES: HT+PT - MNHWU
- Parabonzia zhangi* Lin, 2002 (Seite / Page: 143) – TYPEN / TYPES: HT - FAAS
- Pedicularaster pseudomanicatus* Camerik, 2001 (Seite / Page: 17) – TYPEN / TYPES: HT+PT - ZMH
- Pediculaster agitatus* Otto, 2000 (Seite / Page: 459) – TYPEN / TYPES: HT - ANIC, PT - IZU, NCA, ZMH, WAM, ANIC
- Pedidromus curiosus* Otto, 2000 (Seite / Page: 460) – TYPEN / TYPES: HT+PT - ANIC
- Pedidromus durongensis* Otto, 2000 (Seite / Page: 461) – TYPEN / TYPES: HT - ANIC, PT - ANIC, IZU, NCA, ZMH
- Pedidromus peliculus* Otto, 2000 (Seite / Page: 462) – TYPEN / TYPES: HT - ANIC, PT - ANIC, IZU, NCA, ZMH
- Pedidromus pilatrix* Otto, 2000 (Seite / Page: 462) – TYPEN / TYPES: HT+PT - ANIC
- Pedidromus velox* Otto, 2000 (Seite / Page: 464) – TYPEN / TYPES: HT - ANIC, PT - ANIC, IZU, NCA, ZMH
- Picobia alectoris* Fain, Bochkov & Mironov, 2000 (Seite / Page: 65) – TYPEN / TYPES: HT - MRAC
- Picobia brotogeris* Fain, Bochkov & Mironov, 2000 (Seite / Page: 64) – TYPEN / TYPES: HT+PT - IRSNB
- Picobia chloris* Bochkov, Mironov & Kravtsova, 2000 (Seite / Page: 352) – TYPEN / TYPES: HT+PT - ZISP, PT - KNU
- Picobia currucae* Skoracki & Magowski, 2001 (Seite / Page: 116) – TYPEN / TYPES: HT+PT - UAM, PT - ZISP
- Picobia kirgizorum* Bochkov, Mironov & Kravtsova, 2000 (Seite / Page: 354) – TYPEN / TYPES: HT+PT - ZISP, PT - KNU
- Picobia modularis* Skoracki & Magowski, 2001 (Seite / Page: 114) – TYPEN / TYPES: HT+PT - UAM, PT - ZISP
- Picobia phoeniculi* Fain, Bochkov & Mironov, 2000 (Seite / Page: 69) – TYPEN / TYPES: HT+PT - MRAC, PT - ZISP
- Picobia ramphastos* Fain, Bochkov & Mironov, 2000 (Seite / Page: 65) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Podothrombium roari* Haitlinger, 2000 (Seite / Page: 188) – TYPEN / TYPES: HT - MNHWU

- Pollux kovalamicus* Haitlinger, 2002 (Seite / Page: 173) – TYPEN / TYPES: HT+PT - MNHWU
- Porttrombidium sebastiani* Haitlinger, 2000 (Seite / Page: 66) – TYPEN / TYPES: HT - MNHWU
- Procaeculus dominicensis* Coineau & Poinar, 2000 (Seite / Page: 143) – TYPEN / TYPES: HT - CGP
- Prosocheyla ripkai* Fain & Bochkov, 2001 (Seite / Page: 85) – TYPEN / TYPES: HT - IRSNB
- Psittaciphilus amazonae* Fain, Bochkov & Mironov, 2000 (Seite / Page: 47) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Psittaciphilus fritschi* Fain, Bochkov & Mironov, 2000 (Seite / Page: 47) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Radfordia (Austromyobia) persica* Bochkov, Arbobi & Malikov, 2000 (Seite / Page: 73) – TYPEN / TYPES: keine Information / no information
- Ramsayella rangitata* Zhang, 2000 (Seite / Page: 36) – TYPEN / TYPES: HT+PT - NZAC, PT - BMNH, USNM
- Raphignathus aciculatus* Fan, 2000 (Seite / Page: 91) – TYPEN / TYPES: HT+PT - FAFU
- Raphignathus evidus* Fan, 2000 (Seite / Page: 94) – TYPEN / TYPES: HT+PT - FAFU
- Raphignathus hsiufui* Fan, 2000 (Seite / Page: 95) – TYPEN / TYPES: HT+PT - FAFU
- Raphignathus membranrus* Fan, 2000 (Seite / Page: 91) – TYPEN / TYPES: HT+PT - FAFU
- Rhagidia (Noerneria) longiseta* Zacharda, 2000 (Seite / Page: 113) – TYPEN / TYPES: HT+PT - CNC
- Scutacarus (Scutacarus) aggregatus* Ebermann & Goloboff, 2002 (Seite / Page: 178) – TYPEN / TYPES: HT+PT - MACN, PT - FIML, CU, ZMH, MHNG, HNHM
- Scutacarus (Scutacarus) araneophilus* Ebermann & Goloboff, 2002 (Seite / Page: 175) – TYPEN / TYPES: HT+PT - MACN, PT - FIML, CU, ZMH, MHNG, HNHM
- Scutascirius triangulum* Lin, 2001 (Seite / Page: 150) – TYPEN / TYPES: HT+PT - FAFU
- Southcottella nematii* Saboori, 2002 (Seite / Page: 185) – TYPEN / TYPES: HT - DPSCU, PT - ZMTU
- Straelensia cynotis* Fain & Le Net, 2000 (Seite / Page: 340) – TYPEN / TYPES: HT+PT - IRSNB
- Summersiella camphorae* Fan & Zhang, 2002 (Seite / Page: 154) – TYPEN / TYPES: HT+PT - FAFU
- Syringophiloïdus cypsiuri* Fain, Bochkov & Mironov, 2000 (Seite / Page: 51) – TYPEN / TYPES: HT+PT - MRAC, PT - ZISP
- Syringophiloïdus dendrocittae* Fain, Bochkov & Mironov, 2000 (Seite / Page: 55) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Syringophiloïdus graculæ* Fain, Bochkov & Mironov, 2000 (Seite / Page: 51) – TYPEN / TYPES: HT+PT - IRSNB, PT - ZISP
- Syringophiloïdus weiszii* Skoracki, Hromada & Tryjanowski, 2001 (Seite / Page: 30) – TYPEN / TYPES: HT+PT - DATE, PT - SMB, USNIMC
- Syringophilopsis albicollisi* Skoracki & Dabert, 2000 (Seite / Page: 59) – TYPEN / TYPES: HT+PT - MRAC, DATE
- Syringophilopsis carpodaci* Bochkov & Apanaskevich, 2001 (Seite / Page: 323) – TYPEN / TYPES: HT+PT - ZISP, PT - IPASC
- Syringophilopsis emberizae* Fain, Bochkov & Mironov, 2000 (Seite / Page: 57) – TYPEN / TYPES: HT+PT - MRAC, PT - IRSNB
- Syringophilopsis faini* Bochkov & Apanaskevich, 2001 (Seite / Page: 321) – TYPEN / TYPES: HT+PT - ZISP, PT - IPASC
- Syringophilopsis melittophagi* Skoracki & Dabert, 2001 (Seite / Page: 108) – TYPEN / TYPES: HT+PT - MRAC, PT - UAM
- Syringophilopsis nitens* Skoracki & Dabert, 2001 (Seite / Page: 107) – TYPEN / TYPES: HT+PT - MRAC, PT - UAM
- Syringophilopsis sylviettae* Fain, Bochkov & Mironov, 2000 (Seite / Page: 57) – TYPEN / TYPES: HT+PT - MRAC + PT - IRSNB
- Syringophilus numidae* Bochkov, 2000 (Seite / Page: 103) – TYPEN / TYPES: HT - ZISP
- Thryonomycheyla angolensis* Fain & Bochkov, 2002 (Seite / Page: 148) – TYPEN / TYPES: HT - MRAC
- Trombella ahmadii* Saboori, Nemati & Mossadegh, 2001 (Seite / Page: 183) – TYPEN / TYPES: HT+PT - DPSCU, PT - ZMTU
- Tuckarella filipina* Corpuz-Raros, 2001 (Seite / Page: 71) – TYPEN / TYPES: HT+PT - UPLBM, PT - USNM
- Tycherobius edaphon* Flechtmann, 2001 (Seite / Page: 41) – TYPEN / TYPES: HT+PT - ESALQ / USP, PT - USNM

- Tycherobius hawaiiensis* Bolland & Swift, 2000 (Seite / Page: 347) – TYPEN / TYPES: HT+PT - BPBM, USNM
- Tycherobius quercus* Bolland & Koc, 2001 (Seite / Page: 135) – TYPEN / TYPES: HT - CHB
- Whartonia diosii* Fain, 2002 (Seite / Page: 69) – TYPEN / TYPES: HT - PNMM, PT - IRSNB
- Whartonia furcappa* Wen, Zhou & Jiang, 2001 (Seite / Page: 195) – TYPEN / TYPES: HT - MALSU, PT - SASL
- Yucothrombium ilzae* Haitlinger, 2000 (Seite / Page: 391) – TYPEN / TYPES: HT - MNHWU
- Zetzellia malvinae* Matioli, Ueckermann & De Oliveira, 2002 (Seite / Page: 111) – TYPEN / TYPES: HT+PT - ESALQ / USP; PT - ARC, DPI, DF / UNESP

Neue Gattungen / New genera

- Andreydaelus* Kazmierski & Ripka, 2000 (Seite / Page: 445)
TYPUS-ART / - SPECIES: *Andreydaelus altius* Kazmierski & Ripka, 2000
- Bembidiacarus* Khaustov, 2000 (Seite / Page: 4)
TYPUS-ART / - SPECIES: *Bembidiacarus eidelbergi* Khaustov, 2000
- Bursaustium* Haitlinger, 2000 (Seite / Page: 390)
TYPUS-ART / - SPECIES: *Bursaustium gaspari* Haitlinger, 2000
- Curculapolipus* Husband & Kurosa, 2000 (Seite / Page: 249)
TYPUS-ART / - SPECIES: *Curculapolipus trisetosus* Husband & Kurosa, 2000
- Granulocheyletus* Fain & Bochkov, 2002 (Seite / Page: 37)
TYPUS-ART / - SPECIES: *Granulocheyletus corpuzarosae* Fain & Bochkov, 2002
- Guatustum* Haitlinger, 2000 (Seite / Page: 74)
TYPUS-ART / - SPECIES: *Guatustum bijanae* Haitlinger, 2000
- Italustum* Haitlinger, 2000 (Seite / Page: 79)
TYPUS-ART / - SPECIES: *Italustum eframi* Haitlinger, 2000
- Kamertonia* Gabrys, 2000 (Seite / Page: 57)
TYPUS-ART / - SPECIES: *Kamertonia polonica* Gabrys, 2000
- Kenyacheylus* Fain & Bochkov, 2001 (Seite / Page: 56)
TYPUS-ART / - SPECIES: *Kenyacheylus troglodytes* Fain & Bochkov, 2001
- Megasyringophilus* Fain, Bochkov & Mironov, 2000 (Seite / Page: 35)
TYPUS-ART / - SPECIES: *Megasyringophilus kethleyi* Fain, Bochkov & Mironov, 2000
- Neoaulobia* Fain, Bochkov & Mironov, 2000 (Seite / Page: 40)
TYPUS-ART / - SPECIES: *Neoaulobia aratingae* Fain, Bochkov & Mironov, 2000
- Neopronematus* Panou, Emmanoel & Kazmierski, 2000 (Seite / Page: 322)
TYPUS-ART / - SPECIES: *Neopronematus rapidus* (Kuznetzov, 1972)
- Palenquistium* Haitlinger, 2000 (Seite / Page: 80)
TYPUS-ART / - SPECIES: *Palenquistium leanderi* Haitlinger, 2000
- Pedidromus* Otto, 2000 (Seite / Page: 458)
TYPUS-ART / - SPECIES: *Pedidromus peliculus* Otto, 2000
- Porttrombidium* Haitlinger, 2000 (Seite / Page: 65)
TYPUS-ART / - SPECIES: *Porttrombidium sebastiani* Haitlinger, 2000
- Psittaciphilus* Fain, Bochkov & Mironov, 2000 (Seite / Page: 44)
TYPUS-ART / - SPECIES: *Psittaciphilus amazonae* Fain, Bochkov & Mironov, 2000
- Ramsayella* Zhang, 2000 (Seite / Page: 36)
TYPUS-ART / - SPECIES: *Ramsayella rangitata* Zhang, 2000
- Rudaemannia* Haitlinger, 2000 (Seite / Page: 386)
TYPUS-ART / - SPECIES: *Hauptmannia rudaensis* Haitlinger, 1986
- Southcottella* Saboori, 2002 (Seite / Page: 185)
TYPUS-ART / - SPECIES: *Southcottella nematii* Saboori, 2002
- Yucothrombium* Haitlinger, 2000 (Seite / Page: 391)
TYPUS-ART / - SPECIES: *Yucothrombium ilzae* Haitlinger, 2000

Neue Untergattungen / New subgenera

Leptotrombidium (Monosignum) Wen, 2001 (Seite / Page: 189)

TYPUS-ART / - SPECIES: *Leptotrombidium (Monosignum) zhongi* Wen, 2001

Leptus (Amaroptus) Haitlinger, 2000 (Seite / Page: 156)

TYPUS-ART / - SPECIES: *Leptus (Amaroptes) vuki* Haitlinger, 2000

Neue Familien / New families

Bembidiacaridae Khaustov, 2000 (Seite / Page: 3)

TYPUS-GENUS: *Bembidiacarus* Khaustov, 2000

Neue Kombinationen / New combinations

Acaropsellina levis (Corpuz-Raros, 1972) – [Fain & Bochkov, 2001: 68]

Acaropsellina nanchangensis (Xia & Zhu, 1997) – [Fain & Bochkov, 2001: 68]

Cheyletia funisciuri (Fain, 1972) – [Fain & Bochkov, 2001: 100]

Cheyletus kivuensis (Fain, 1972) – [Fain & Bochkov, 2001: 100]

Cheyletus tanzaniensis (Fain, 1972) – [Fain & Bochkov, 2001: 103]

Cunliffella dua (Corpuz-Raros, 1998) – [Fain & Bochkov, 2001: 72]

Cunliffella maysa (Corpuz-Raros, 1998) – [Fain & Bochkov, 2001: 72]

Eustigmaeus pinnatus (Kuznetsov, 1977) – [Kazmierski, 2000: 321]

Eutonella blanfordi (Kudryashova, 1977) – [Stekol'nikov, 2001: 100]

Eutonella horti (Kudryashova, 1977) – [Stekol'nikov, 2001: 102]

Eutonella sciuricola (Kolebinova, 1970) – [Stekol'nikov, 2001: 103]

Eutonella serbovae (Kolebinova, 1972) – [Stekol'nikov, 2001: 103]

Eutonella tadjikistanica (Kudryashova & Abou-Taka, 1987) – [Stekol'nikov, 2001: 100]

Neue Synonyme / New synonyms

Acaropsella kinshasensis Fain, 1972 – [Fain & Bochkov, 2001: 68]

= *Acaropsella konoi* Tseng, 1977

Acaropsella volgini (Gerson, 1967) – [Fain & Bochkov, 2001: 67]

= *Acaropsella aegyptiaca* (Wafa & Soliman, 1968)

Bakericheyla chanayi chanayi (Berlese & Trouessart, 1889) – [Fain & Bochkov, 2001: 88]

= *Bakericheyla chanayi lafiori* Fain, 1972

= *Bakericheyla faini* (Lawrence, 1954)

Bothrocleyla pavlovskyi (Volgin, 1964) – [Fain & Bochkov, 2001: 73]

= *Bothrocleyla beeri* (Thewke & Enns, 1972)

Charlotonia bucephalia Beron, 1975 – [Haitlinger, 2000: 386]

= *Charlotonia tamarae* Haitlinger, 1984

Cheyletiella parasitivorax (Megnin, 1887) – [Fain & Bochkov, 2001: 88]

= *Cheyletiella furmani* Smiley, 1970

= *Cheyletiella katangae* Fain, 1972

= *Cheyletiella dengi* Hu & Hou, 1992

Cheletonella vespertilionis Womersley, 1941 – [Fain & Bochkov, 2001: 50]

= *Cheletonella caucasica* Volgin, 1955

Cheletophyes indiacus Smiley & Whitaker, 1981 – [Fain & Bochkov, 2001: 62]

= *Cheletophyes xylocopae* Ramaraju & Mohanasundaram, 1999

Cunliffella whartoni (Baker, 1949) – [Fain & Bochkov, 2001: 72]

= *Cunliffella tuberculicoxa* (Volgin, 1964)

Eucheyletia bishoppii Baker, 1949 – [Fain & Bochkov, 2001: 48]

= *Eucheyletia oregonensis* Smiley & Whitaker, 1981

= *Eucheyletia asiatica* Volgin, 1963

Eucheyletia flabellifera (Michael, 1878) – [Fain & Bochkov, 2001: 48]

= *Eucheyletia taurica* Volgin, 1963

- Eutogenes frater* Volgin, 1958 – [Fain & Bochkov, 2001: 87]
= *Eutogenes africanus* Wafa & Soliman, 1968
- Hoffmannita clavipes* Volgin, 1963 – [Fain & Bochkov, 2001: 73]
= *Hoffmannita navicula* Lin & Zhang, 1997
- Lepidocheyla caucasica* Volgin, 1963 – [Fain & Bochkov, 2001: 55]
= *Hemicheyletia hissariensis* Mathur & Mathur, 1981
- Microcheyla granifera* Kuznetzov, 1977 – [Fain & Bochkov, 2001: 74]
= *Microcheyla ozkani* Koc & Ayyildiz, 1995
- Microtydeus beltrani* Baker, 1944 – [Kazmierski, 2000: 321]
= *Microtydeus bellus* Livshitz & Kuznetzov, 1973
- Raphignathus collegiatus* Atyeo, Baker & Crossley, 1961 – [Fan & Yin, 2000: 91]
= *Raphignathus guiyuanensis* Hu, Jing & Liang, 1995
- Raphignathus zhaoi* Hu, Jing & Liang, 1995 – [Fan et Yin, 2000: 84]
= *Raphignathus hongchengensis* Hu & Chen, 1998
= *Acaropsella filippina* Corpuz-Raros, 1988
- Rudaemannia rudaensis* (Haitlinger, 1986) – [Haitlinger, 2000: 386]
= *Hauptmannia viticola* Fain & Cobanoglu, 1998
- Paracheyletia pyriformis* (Banks, 1904) – [Fain & Bochkov, 2001: 50]
= *Paracheyletia samsinaki* Volgin, 1966
= *Paracheyletia hortensis* Volgin, 1969

Neue Namen / New names

- Abrolophus baderi* Gabrys, 2000 – [Gabrys, 2000: 66] - ex *Abrolophus longipes* (Schweizer & Bader, 1963),
non *Abrolophus longipes* (Willmann, 1951)
- Leptus errabundus* Gabrys, 2000 – [Gabrys, 2000: 65] - ex *Leptus villosus* Mihelcic, 1964, non *Leptus*
villosus (Berlese, 1910)
- Leptus furibundus* Gabrys, 2000 – [Gabrys, 2000: 65] - ex *Leptus diversus* Mihelcic, 1958, non *Leptus*
diversus (Mihelcic, 1958)
- Leptus incertus* Gabrys, 2000 – [Gabrys, 2000: 65] - ex *Leptus calvatus* Mihelcic, 1958, non *Leptus calvatus*
(Willmann, 1951)

Neuer Status / New status

- Leptus variatus* Mihelcic, 1958 – [Gabrys, 2000: 66]

Adressen / Addresses

- ABBOT, PATRICK, Department of Zoology and Evolutionary Biology, University of Arizona, Tucson, AZ 85721, USA; E-Mail: abbot@u.arizona.edu
- ABE, HIROSHI, Biological Laboratory, College of Bioresource Sciences, Nihon University, 1866 Kameino, Fujisawa, 252-8510, Japan; E-Mail: acari@brs.nihon-u.ac.jp
- ACHOR, DIANN S., Citrus Research and Education Center, IFAS, University of Florida, Lake Alfred, FL 33850, USA; E-Mail: ccc@lal.ufl.edu
- AGRAWAL, ANURAG A., Department of Botany, University of Toronto, 25 Wilcocks Street, Toronto, ON, M5S 3B2, Canada; E-Mail: agrawal@botany.utoronto.ca
- AGUILAR, H., University of Florida, Citrus Research and Education Center, 700 Experiment Station Road, Lake Alfred, FL 33850, USA
- ALVES, EVERALDO B., Departamento de Entomologia, Fitopatologia, e Zoologia Agricola, ESALQ/USP, Av. Padua Dias 11, 13418-900 Piracicaba, SP, Brazil; E-Mail: celomoto@carpa.ciagri.usp.br
- ANDRE, HENRI M., Laboratoire d'Ecologie et de Biogeographie, Universite Catholique de Louvain, Place Croix du Sud, 1348 Louvain-la-Neuve, Belgium
- ANTONY, LUCILLE M.K., Departamento de Ecologia, Instituto Nacional de Pesquisas da Amazonia, Av. Efigenio Sales 2239, 69.060-020 Manaus, Amazonas, Brazil; E-Mail: lantony@inpa.gov.br
- AXELSEN, JORGENSEN AAGAARD, Department of Terrestrial Ecology, National Environmental Research Institute, Vejlsoevej 25, DK 8600 Silkeborg, Denmark
- BADEGANA, A.M., Faculty of Agriculture and Agronomic Sciences, Univ. of Dschang, Dschang, Cameroon
- BADI, DR. MOHAMMAD H., Autonomous Univ. of Nuevo Leon, Fac. de Ciencias Biologicas, AP. 391, San Nicolas, NL, 66450, Mexico; E-Mail: mbadii@prodigy.net.mx
- BARTSCH, DR. ILSE, Forschungsinstitut Senckenberg, c/o DESY, Notkestrasse 31, 22 607 Hamburg, Germany; E-Mail: bartsch@meeresforschung.de
- BECK, C.W., Veterinaerstrasse 13, 80539 Muenchen, Germany
- BELCZEWSKI, R., ARB Biological Sciences Inc, 774 McLeod Hill Road, Fredericton, NB, E3A 6J5, Canada; E-Mail: arbbiol@nb.sympatic.ca
- BERA, SUBIR, Department of Botany, Presidency College, Calcutta, 700 073, India
- BERNINI, PROF. DR. FABIO, Department of Evolutionary Biology, University of Siena, via P.A. Mattioli 4, I-53100 Siena, Italy; E-Mail: bernini@unisi.it
- BERTRAND, DR. MICHEL, Laboratoire de Zoogeografie, Université Montpellier III, Route de Mende, 34 199 Montpellier Cedex 5, France; E-Mail: Michel.Bertrand@univ-montp3.fr
- BJORNSON, DR. SUSAN, Pacific Agri-Food Research Centre, Agriculture and Agri-Food Canada, P.O. Box 1000, Agassiz, BC, V0M 1A0, Canada; E-Mail: bjornsons@em.agr.ca
- BLÜMEL, DR. SYLVIA, Federal Office and Research Center for Agriculture, Institute of Phytomedicine, Spargelfeldstr. 191, 1226 Wien, Austria
- BOCHKOV, ANDREI V., Zoological Institute, Russian Academy of Sciences, Universitetskaya nab. 1, St. Petersburg, 199034, Russia; E-Mail: abochkov@kbinirsnb.be
- BOCZEK, JAN, Department of Applied Entomology, Warsaw Agricultural University, Nowoursynowska 166, 02 787 Warsaw, Poland
- BOLLAND, H.R., Population Biology Section, Univ. of Amsterdam, IBED, Kruislaan 320, 1098 SM, Amsterdam, The Netherlands; E-Mail: bolland@bio.uva.nl
- BOWIE, DR. M.H., Ecological and Entomological Group, Division of Soil Plant and Ecology Sciences, Lincoln University, Canterbury, New Zealand
- BREAM, DR. A.S., Department of Zoology, Faculty of Science, Al-Azhar University, Cairo, Ägypten / Egypt
- BRIESE, D.T., CSIRO Entomology and CRC for Weed Management Systems, GPO Box 1700, Canberra, ACT 2601, Australia
- BRODEUR, CAROLE, Institut de recherche et de développement en agroenvironnement inc., 3300 rue Sicotte, Saint-Hyacinthe, Quebec, J2S 7B8, Canada
- BROUFAS, G.D., Laboratory of Applied Zoology and Parasitology, Aristotle University of Thessaloniki, 54006 Thessaloniki, Greece

- CACERES, MARTINEZ JORGE, Labor. de Patologia de Moluscos del, Departamento de Agricultura, Centro de Invest. Cientifica y Educ., Superior de Ensenada, 2800, Ensenada, BC, Mexico; E-Mail: jcaceres@cicese.mx
- CAMERIK, ANNE M., Department of Animal Plant and Environmental Sciences, University of the Witwatersrand, Wits 2050, Johannesburg, South Africa; E-Mail: camerik@gecko.biol.wits.ac.za
- CARBONELLE, SABINE, Unite d'Ecologie et de Biogeographie, Faculte des Sciences, Universite Catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium
- CASTAGNOLI, DR. MARISA, Istituto Sperimentale per la Zoologia Agraria, Via Linciola 12/A, Sezione di Acarologia, 50125 Firenze, Italy; E-Mail: marisa.castagnoli@tin.it
- CHAGAS, C.M., Instituto Biologico, Ave., Conselheiro Rodriques Alves 1252, Sao Paulo, Brazil
- CHAKRABARTI, SASWATI, Biosystematics Research Unit, Department of Zoology, University of Kalyani, Kalyani 741 235, West Bengal, India; E-Mail: samiran@klyuniv.ernet.in
- CHANDLER, DR. DAVID, Department of Entomological Sciences, Horticulture Research International, Wellesbourne, Warwick, CV35 9EF, United Kingdom; E-Mail: david.chandler@hri.ac.uk
- CHANDRAPATYA, ANGSUMARN, Department of Entomology, Kasetsart University, 10 900 Bangkok, Thailand; E-Mail: agrame@ku.ac.th
- CHARANASRI, V., Entomology and Zoology Division, Department of Agriculture, Bangkok 10900, Thailand
- CHATTERJEE, TAPAS, I.S.M. Annexe, Indian School of Learning, Dhanbad, BR, 826 004, Indian
- CIGLAR, I., Faculty of Agriculture, Department of Agricultural Zoology, Svetosimunska 25, Zagreb, Croatia
- CLIFT, A., Department of Crop Science, The University of Sydney, NSW 2006, Australia
- COETZEE, S.H., University of the Witwatersrand, Private Bag 3, Wits 2050, South Africa; E-Mail: stephan@gecko.biol.wits.ac.za
- COINEAU, Y., Muséum national d'Histoire naturelle, Laboratoire de Zoologie (Arthropodes), 61 Rue Buffon, 75005 Paris, France
- COLLIER, DR. KARIN F.S., Laboratorio de Prot. de Plantas, CCTA, Univ. Estad. do Norte Fluminense, Av. Alberto Lamego, 2000, 28015-620, Campos dos Goytacazes, Brazil
- COOK, DAVID R., 1836, Invergordon Place, Paradise Valley, AZ, 85253, USA
- CORPUZ-RAROS, DR. LEONILA A., Department of Entomology, University of the Philippines College, Los Banos, , Laguna 4031, Philippines; E-Mail: prostigman7@hotmail.com
- CRAMER, CRISTINA, Laboratorio de Acarologia, Departamento de Biologia, Facultad de Ciencias, UNAM, México, D.F. 04510, México; E-Mail: cch@hp.ciencias.unam.mx
- CUNHA-BARROS, MONICA, Setor de Ecologia, Instituto de Biologia Roberto de Alcantara Gomes, Universidade do Estado do Rio de Janeiro, UERJ, Rua Sao Francisco Xavier, 524, Maracana, Rio de Janeiro, 20550-013, Brazil
- CZAJKOWSKA, BARBARA, Department of Applied Entomology, Faculty of Horticulture and Landscape Architecture, Warsaw Agricultural University, Nowoursynowska 166, PL 02-787 Warsaw, Poland
- DANKA, ROBERT G., Honey Bee Breeding, Genetics and Physiology Laboratory, USDA-ARS, 1157 Ben Hur Road, Baton Rouge, LA, 70820, USA
- DAS, T.K., Department of Agricultural Entomolgy, Bidhan Chandra Krishi Viswavidyalaya, Kalyani-741235 Nadia, West Bengal, India
- DE LILLO, DR. ENRICO, Dipartimento di Biologie e Chimica Agroforestry ed Ambientale, Facultad di Agraria, Univ. degli Studi di Bari, Via Amendola 165/a, 70126 Bari, Italy; E-Mail: delillo@agr.uniba.it
- DE ROSSO, FERRADAS BEATRIZ, Facultad de Ciencias Exactas, Fisicas y Naturales, Universidad Nacional de Cordoba, Av. Velez Sarsfield 299, 5000 Cordoba, Argentina; E-Mail: brosso@com.uncor.edu
- DELALIBERA, DR. ITALO, Cornell University, 6128 Comstock Hall, Ithaca, NY 14853-0901, USA
- DESCH, CLIFFORD E., Department of Ecology and Evolutionary Biology, University of Connecticut, Hartford Campus, 85 Lawer Road, West Hartford, CT 06117, USA; E-Mail: desch@uconnvm.uconn.edu
- DEVINE, GREGOR J., BEC Department, IACR-Rothamsted, Harpenden, ALS 2JQ, United Kingdom; E-Mail: greg.devine@bbsrc.ac.uk
- DI SABATINO, A., Dipartimento di Scienze Ambientali, Univerisity of L'Aquila, Via Vetoio, Coppito, 67100 L'Aquila, Italy; E-Mail: disabatino@virgilio.it
- DICKE, DR. MARCEL, Laboratory Entomology, Wageningen Agricultural University, P.O. Box 8031, 6700 EH Wageningen, The Netherlands

- DOGAN, S., Department of Biology, Kazim Karabekir Education Faculty, Ataturk University, 25240 Erzurum, Turkey; E-Mail: salihdogan_tr@yahoo.com
- DONG, YINGCAI, Department of Plant Protection, Northwest Sci-Tech University of Agriculture & Forestry, Yangling, Shaanxi 712100, China
- DURDEN, DR. LANCE A., Institute of Arthropodology and Parasitology, Department of Biology, Landrum Box 8056, Georgia Southern University, Statesboro, GA 30460-8056, USA; E-Mail: ldurden@gsvms2.cc.gasou.edu
- DUSBABEK, MR. FRANTISEK, Institute of Parasitology, Academy of Sciences of the Czech Republic, Branisovska 31, CZ 370 05 Ceske Budejovice, Czech Republic; E-Mail: dusf@paru.cas.cz
- EBERMANN, AO.-PROF. DR. ERNST, Karl-Franzens-Univ., Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria
- EDELSTEIN, M., Department of Vegetable Crops, Newe Ya'ar Research Center, Ramat Yishay, 30-095, Israel;
- EDWARDS, DALE D., Department of Biology, University of Evansville, Evansville, IN, 47722, USA
- EIICHI, KUWANO, Labor. Pest. Chem., Dic. Appl. Gen. and Pest Manag., Fac. Agric., Kyushu University, Fukuoka, 812-8581, Japan
- EL-BANHAWY, PROF. E.M., Department of Acarology, National Research Center, A.R. of Egypt Sh., El-Tahrir, Dokki, Cairo 12311, Egypt; E-Mail: sayban@hotmail.com
- ELIOPOULOS, P.A., Laboratory of Agricultural Zoology and Entomology, Agricultural University of Athens, Iera Odos 75, 118 55 Athens, Greece; E-Mail: ceaz2pag@auadec.hua.gr
- FAIN, DR. ALEX, Institut Royal des Sciences Naturelles de Belgique, Dep. Entomol., Rue Vautier 29, B-1000 Bruxelles, Belgien / Belgium; E-Mail: wauthy@kbinirsnb.be
- FAN, QING-HAI, Department of Plant Protection, Fujian Agricultural and Forestry University, Fuzhou 350002, China; E-Mail: qhf@pub2.fz.fj.cn
- FAROOQ, ANIQA, Department of Zoology, Government College, Lahore, Pakistan
- FAUVEL, DR. GUY, INRA, UFR d'Ecologie animale, et de Zoologie agricole, AGRO-M, Place Pierre Viala, 34060 Montpellier Cedex 1, France
- FENTON, B., Scottish Crop Research Institute, Invergowrie, Dundee, Tayside, DD2 5DA, United Kingdom; E-Mail: bfento@scri.sari.ac.uk
- FERES, PROF. REINALDO J.F., Departamento de Zoologia e Botanica, Universidade Estadual Paulista, rua Cristovao Colombo, 2265, Sao Paulo, 15054-000 Sao Jose do Rio Preto, Brazil; E-Mail: reinaldo@zoo.ibilce.unesp.br
- FERNANDEZ, MUNOZ R., Estacion Experimental La Mayora, CSIC, 29750 Algarrobo-Costa, Malaga, Spain
- FISHER, GINGER R., Department of Biology, Wake Forest University, Winston-Salem, NC, 27109, USA
- FITZGERALD, DR. JEAN D., Horticulture Research International, East Malling, Kent, ME19 6BJ, United Kingdom; E-Mail: jean.fitzgerald@hri.ac.uk
- FLECHTMANN, DR. CARLOS H.W., CNPq-Brazil Researchers, Univ. Sao Paulo, ESALQ, Caixa Postal 9, Sao Paulo, 13418-900 Piracicaba, Brazil; E-Mail: chwflech@carpa.ciagri.usp.br
- FLORES, DR. ADRIANA E., Ap. Postal 391, San Nicolás de los Garza, N.L., CP. 66450, Mexico; E-Mail: adflores@ccr.dsi.uanl.mx
- FRANCES, MAJOR STEPHEN P., Australian Army Malaria Institute, Gallipoli Barracks, Enoggera, Queensland, 4052, Australia
- FU, YUE-GUAN, Plant Protection Research Institute, Chinese Academy of Tropical Agric. Sci., Danzhou 571737, Hainan, China
- GABRYS, GRZEGORZ, Department of Zoology, Agricultural University, ul. Cybulskiego 20, 50-205 Wroclaw, Poland; E-Mail: gregab@ozi.ar.wroc.pl
- GERECKE, DR. REINHARD, Biesinger Str. 11, 72070 Tübingen, Germany; E-Mail: reinhard.gerecke@uni-tuebingen.de
- GERSON, U., Department of Entomology, Faculty of Agricultural, Food and Environmental, Quality Sciences, Hebrew University, Rehovot, 76100, Israel; E-Mail: gerson@agri.huji.ac.il
- GISPERT, CARMEN, Department of Entomology, University of California, Riverside, CA, 92521, USA
- GJELSTRUP, DR. PETER, Naturhistorisk Museum, Universitetsparken, Bygning 210, DK-8000 Aarhus C, Denmark; E-Mail: pg@nathist.aau.dk
- GOFF, DR. M. LEE, Department of Entomology, University of Hawaii'i at Manoa, 3050 Maile Way, 310 Gilmore Hall, Honolulu, HI 96822, USA; E-Mail: igoff@hawaii.edu

- GOH, DR. HYUN-GWAN, National Institute of Agric. Sciences, and Technology, RDA, Suwon, 441-707, South Korea
- GONDIM, MANOEL G.C., Departamento de Agronomia, Universidade Federal Rural de Pernambuco, Rua Dom Manuel de Medeiros s/n, 52171-900 Dois irmãos, Recife-PE, Brazil
- GOTOH, SHUNJI, Primate Research Institute, Kyoto University, Kanrin, Inuyama, Aichi, 484-8506, Japan; E-Mail: gotoh@pri.kyoto-u.ac.jp
- GOTOH, TETSUO, Laboratory of Applied Entomology and Zoology, Faculty of Agriculture, Ibaraki University, Ami, Ibaraki, 300-0393, Japan; E-Mail: goth@agr.ibaraki.ac.jp
- GUO, FENGYING, Institute of Microbiology and Epidemiology, 20 Dongdajie, Fengtai, Beijing 100 071, China; E-Mail: fgyuo@hotmail.com
- GUPTA, DR. S.K., IC/10, Anandam Housing Complex, 7, K.B. Sarani, Calcutta, 700080, India; E-Mail: amaleshchoudhury@hotmail.com
- GWTHER, JANET, School of Ecology and Environment, Deakin University, Geelong, VIC, 3217, Australia; E-Mail: janetg@deakin.edu.au
- HAITLINGER, PROF.DR.HABIL. RYSZARD, Katedra Zoologii AR, ul.Cybulskiego 20, 50-205 Wroclaw, Poland; E-Mail: rhait@ozi.qu.uroc.pl
- HALLIDAY, DR. R. BRUCE, CSIRO, Div. Entomol., G.P.O. Box 1700, Canberra, ACT 2601, Australia; E-Mail: bruceh@ento.csiro.au
- HARDMAN, DR. JOHN MICHAEL, Atlantic Food and Horticulture Res. C., Agric. and Agri-Food Canada, 32 Main Street, Kentville, NS, B4N 1J5, Canada
- HATZINIKOLIS, E.N., Laboratory of Agricultural Zoology and Entomology, Agricultural University of Athens, Iera Odos 75, 118 55 Athens, Greece; E-Mail: ceaz2pag@auadec.hua.gr
- HERRON, GRANT A., NSW Agriculture, Elizabeth Macarthur Agricultural Institute, Camden, NSW, 2570, Australia
- HO, DR. CHYI-CHEN, Dep. Appl. Zool., Taiwan Agric. Res. Inst., 189 Chungcheng Road, Wufeng, Taichung, 41301, Taiwan; E-Mail: ccho@wufeng.tari.gov.tw
- HODDLE, DR. MARK S., Department of Entomology, University of California, Riverside, CA, 92521, USA; E-Mail: mark.hoddle@ucr.edu
- HOFFLAND, ELLIS, Sub-department of Soil Quality, Wageningen University, 6700, EC, Wageningen, The Netherlands
- HONG, XIAOYUE, Department of Entomology, Nanjing Agricultural University, Jiangsu 210 095, China; E-Mail: xyhong@njau.edu.cn
- HOSSAIN, MOFAKHAR S., Department of Animal Ecology, Institute of Zoology, University of Bergen, 5007 Bergen, Norway
- HUSBAND, ROBERT W., Biology Department, Adrian College, 1035 Scottdale Drive, Adrian, MI, 49221, USA; E-Mail: rhusband@adrian.edu
- IKEGAMI, YOKO, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606 8502, Japan
- IRVANLOU, JAFAR S.K., Department of Entomology, College of Agriculture, Tarbiat Modarres University, Tehran, Iran
- IZAWA, HIROKI, Tottori Horticultural Experiment Station, Daiei, Tottori, 689-2221, Japan
- JAMALI, MOHAMMAD ALI, Department of Entomology, College of Agriculture, Tarbiat Modarres University, P.O. Box 14115-111, Tehran, Iran
- JAMES, DR. DAVID G., Irrigated Agric. Research, and Extension Center, Washington State Univ., 24106 North Bunn Road, Prosser, WA, 99350, USA; E-Mail: djames@tricity.wsu.edu
- JANSSEN, MR. ARNE, Inst. Syst. & Populationsbiol., Sect. Populationsbiol., University of Amsterdam, Kruislaan 302, 1098 SM Amsterdam, The Netherlands; E-Mail: Janssen@bio.uva.nl
- JAROSIK, DR. VOJTECH, Katedra zoologie, Prirodovedecka fak. Univ. Karlovy, Vinicna 7, 128 43 Praha 2, Czech Republic
- JIN, DAOCHAO, Institute of Entomology, Guizhou University, Guiyang, 550 025, China
- JONES, A. TEIFON, Scottish Crop Research Institute, Invergowrie, Dundee, DD2 5DA, United Kingdom; E-Mail: tjones@scri.sari.ac.uk
- JORDAN, D.L., Department of Crop Science, North Carolina State University, Raleigh, NC, 27695, USA
- JUNG, CHULEUI, Department of Entomology, Oregon State University, Corvallis, OR, 97331-2907, USA; E-Mail: jungc@bcc.orst.edu

- KALUZ, DR. STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 842 06 Bratislava, Slovakia; E-Mail: uzaekalu@savba.savba.sk
- KAZAK, DR. CENGIZ, Department of Plant Protection, Agriculture Faculty, Cukurova University, 01330 Adana, Turkey; E-Mail: ckazak@mail.cu.edu.tr
- KAZMIERSKI, ANDRZEJ, Department of Animal Morphology, A. Mickiewicz University, 28 Czerwca 1956r./198, PL-61 484 Poznan, Poland
- KHANJANI, DR. MOHAMAD, Department of Plant Protection, College of Agriculture, Bu-Ali Sina University, Hamadan, 65174, Iran; E-Mail: khanjani@basu.ac.ir
- KHARADOV, A.V., Dachnaya st. 1a, Bishkek, 720019, Kyrgyzstan
- KHAUSTOV, ALEXANDER.A., State Nikita Botanical Gardens, Yalta, Crimea, 98648, Ukraine; E-Mail: flora@gnbs.crimea.ua
- KIELKIEWICZ, MALGORZATA, Department of Applied Entomology, Faculty of Horticulture and Landscape Architecture, Warsaw Agricultural University, ul. Nowoursynowska 166, 02-787 Warsaw, Poland
- KIM, DR. SANG-SOO, Faculty of Applied Biology and Horticulture, Sunchon National University, Maegok-Dong 315, Sunchon-Si 540-742, Korea
- KINKOROVA, J., Department of Zoology, Charles University, Vinicna 7, 128 44 Prague 2, Czech Republic; E-Mail: kinkor@prfdec.natur.cuni.cz
- KOC, KAMIL, Department of Biology, Faculty of Arts and Sciences, Celal Bayar University, Muradiye, 45140, Manisa, Turkey
- KOIKE, DR. AKIRA, Laboratory of Applied Entomology and Zoology, Faculty of Horticulture, Chiba University, 648 Matsudo, Chiba 271-8510, Japan
- KOLLARS, THOMAS M. JR., Departement of Entomology, U.S. Army Medical Component, Armed Forces Research Institute of Medical Sciences, 315/6 Rajavithi Road, Phya Thai, Bangkok, 10400, Thailand; E-Mail: kollarst@medenvvet.com
- KONGCHUENSIN, M., Entomology and Zoology Division, Department of Agriculture, Chatuchak, Bangkok 10900, Thailand
- KOVEOS, DR. DIMITRIS S., Faculty of Agriculture, Laboratory of Applied Zoology and Parasitology, University of Thessaloniki, 540 06 Thessaloniki, Greece; E-Mail: koveos@agro.auth.gr
- KOZLOWSKI, J., Department of Zoology, Institute of Plant Protection, Miczurina 20, 60-318 Poznan, Poland
- KRIESCH, SASKIA, Department of Entomology, Wageningen Agricultural University, Wageningen, Binnenhaven 4, The Netherlands; E-Mail: Saskia.Kriesch@hotmail.com.nl
- KROPCZYNSKA, DR. DANUTA, Warsaw Agricultural University, Department of Applied Entomology, ul. Nowoursynowska 166, 02-787 Warszawa, Poland
- LAIHO, DR. RAIJA, Department of Forest Ecology, University of Helsinki, P.O. Box 24, 00 014 Helsinki, Finland; E-Mail: raija.laiho@helsinki.fi
- LAMBINON, JACQUES, Dep. de Botanique, Serv. de Botan. syst. et de Phytogeogr, Sart Tilman, Universite de Liege, 4000 Liege, Belgium; E-Mail: Jacques.Lambinon@ulg.ac.be
- LANDA, DR. Z., Zemedelska fakulta, Jihoceska univerzita v C. Budejovicich, Studentska 13, 370 05 Ceske Budejovicich, Czech Republic
- LEGRAND, G., IRBAB/KBIVB Institut Royal Belge pour l'Amelioration de la Betterave Koninklijk, Belgisch Instituut tot Verbetering van de Biet, Molenstraat 45, B-3300 Tienen, Belgium
- LIN, JIANZHEN, Plant Protection Research Institute, Fujian Academy of Agricultural Sciences, Fuzhou 350013, China; E-Mail: zyxlj@pub3.fz.jf.cn
- LIU, A., Pasture Science, Centre for Cropping Systems, Agriculture Western Australia, Northam, WA, 6401, Australia
- LIU, HUAI, Department of Plant Protection, Southwest Agriculture University, Chongqing 400 716, China
- LIU, Y.-X., Institute of Military Medicine, Jinan Command, Jinan, 250014, China
- LOURENCAO, ANDRE L., Instituto Agronomico de Campinas (IAC), 13001-970 Campinas, SP, Brazil
- LOZZIA, DR. G.C., Universite degli Studi di Milano, Istituto di Entomologia Agraria, Via Celoria 2, 20133 Milano, Italy
- LYDON, J., Sustainable Agricultural Systems Laboratory, U.S. Department of Agriculture, Agricultural Research Services, H.A. Wallace Beltsville Agric. Res. Center, Beltsville, MD 20705, USA; E-Mail: lydonj@ba.ars.usda.gov
- MA, YING, Institute for Endemic Disease Prevention & Contr., Qinghai Province, Xining 811602, China

- MAEDA, DR. TARO, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606-8502, Japan; E-Mail: taro@kais.kyoto-u.ac.jp
- MAGOWSKI, W.L., Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Szamarzewskiego 91A, 60-569 Poznan, Poland; E-Mail: magowski@hum.amu.edu.pl
- MAKOL, JOANNA, Department of Zoology, Agricultural University of Wroclaw, Cybulskiego 20, PL-50-205 Wroclaw, Poland; E-Mail: makol@ozi.ar.wroc.pl
- MALANDRAKI, E.G., Agricultural University of Athens, Laboratory of Agricultural Zoology & Entomology, Iera Odos 75, 118 55 Athens, Greece; E-Mail: ceaz2emn@auadec.hua.gr
- MALLIK, B., Department of Entomology, University of Agricultural Sciences, GKVK, Bangalore, 560 065, India
- MARI, MARISA, Dipartimento di Biologia Animale, Universita di Modena e Reggio Emilia, Via Campi 213/d, 41 110 Modena, Italy; E-Mail: mari.marisa@unimo.it
- MARSHALL, DR. D.B., Southern Crop Protection, and Food Research Centre, Agriculture and Agri-Food Canada, Vineland, P.O. Box 6000, Ontario, L0R 2E0, Canada; E-Mail: marshalld@em.agr.ca
- MARTIN, DR. PETER, Christian-Albrecht-Universität, Zoologisches Institut, Olshausenstr. 40, 24098 Kiel, Germany; E-Mail: pmartin@zoologie.uni-kiel.de
- MATEOS-CRESPO, JUAN R., Facultad de Ciencias Biologicas y Agropecuarias, Universidad Autonoma de Veracruz, Tuxpan, Veracruz, Mexico
- MATIOLI, A.L., FAPESP-Brazil Researchers, Departamento de Fitossanidade, Universidade Estadual Paulista-UNESP, 14870-000 Jacoticabal, Sao Paulo, Brasil; E-Mail: amatioli@fcav.unesp.br
- MAYLAND, DR. HOLLY, Department of Entomology, Kansas State University, Manhattan, KS, 66506-4004, USA
- MCCAULEY, EDWARD, Ecology Division, Department of Biological Sciences, University of Calgary, Calgary, AB, T2N 1N4, Canada
- MESSENGER, DR. MATTHEW T., City of New Orleans Mosquito, and Termite Control Board, 6601 Stars and Stripes Blvd., New Orleans, LA 70126-8012, USA; E-Mail: mmesseng@usa.net
- MIETKIEWSKI, R., Research Centre of Agricultural and Forest Environment, Polish Academy of Sciences, ul. Bukowska 19, 60-809 Poznan, Poland
- MOHANASUNDARAM, M., Department of Agricultural Entomology, Tamil Nadu Agricultural University, Coimbatore-641 003, Tamil Nadu, India
- MONTIEL-PARRA, GRISELDA, Laboratoire de Acarologia, Departamento de Zoologia, Escuela Nacional de Ciencias Biologicas, Colonia Santo Tomás, México 11340, México
- MOREAU, DEBRA L., Atlantic Food and Horticulture Research Center, Agriculture and Agri-Food Canada, 32 Main Street, , Kentville, NS, B4N 1J5, Canada
- MOREIRA, ANDREA N., Departamento de Agronomia, Universidade Federal Rural de Pernambuco, 52171-900 Recife, PE, Brazil
- MORISHITA, MASAHICO, Kihoku Branch, Fruit Tree Experiment Station, Wakayama Res. Cent. Agric., Forestry and Fisheries, Kokawa 3336, Kokawa, Wakayama 649-6531, Japan
- MORRIS, M.J.A., 108 Stanhope Road, Killara NSW, Australia
- MORRIS, DR. M.A., Department of Entomology, Oregon State University, Corvallis, OR, 97330-2907, USA
- MOSER, DR. JOHN C., USDA Forest Service, Southern Forest Experiment Station, 2500 Shreveport Highway, Pineville, LA 71360, USA; E-Mail: jmoser@fs.fed.us
- MOTOBA, KAZUHIKO, Toxicological Research Center, Research Division, Nihon Nohyaku Company, Limited, 345 Oyamadacho, Kawachinagano, Osaka, 586-0049, Japan
- NAKAMURA, MITSURU, Laboratory of Applied Entomology and Zoology, Faculty of Horticulture, Chiba University, 648 Matsudo, Matsudo, Chiba, 271-8510, Japan
- NANDAGOPAL, V., National Research Centre for Groundnut, (ICAR), Ivnagar Road, Junagadh, Gujarat, 362001, India
- NAUEN, RALF, Agrochemicals Division, Research Insecticides, Bayer AG, Building 6220, 51 368 Leverkusen, Germany; E-Mail: ralf.nauen.rn@bayer-ag.de
- NAVAJAS, DR. MARIA, CBGP-INRA, Campus International de, Baillarguet, 34 988 Montferrier sur Lez Ced, France; E-Mail: navajas@ensam.inra.fr
- NAVIA, D., Embrapa Recursos Genéticos e Biotecnologia, Cx. Postal 02372, 70.770-900 Brasilia, DF, Brazil; E-Mail: navia@cenargen.embrapa.br
- NOHARA, KEIGO, 1909-1085 Kikutomi, Koshi-machi, Kikuchi, Kumamoto, 861-1112, Japan

- NUKENINE, E.N., Department of Biological Sciences, Faculty of Science, University of Ngaoundere, PO Box 454, Ngaoundere, Cameroon; E-Mail: en_nukene@yahoo.co.uk
- O'CONNOR, J.P., National Museum of Irland, Kildare Street, Dublin 2, Irland
- OKADA, ITARU, Yokohama Research Center, Mitsubishi Chemical Corporation, Aoba-ku, Yokohama, 227-8502, Japan
- OMER, A.D., Departement of Entomology, University of California, One Shields Avenue, Davis, CA, 95616, USA; E-Mail: adomer@ucdavis.edu
- OMOTO, CELSO, Departamento de Entomologia, Fitopatologia e Zoologia Agricola, ESALQ/USP, 13419-900 Piracicaba, SP, Brazil; E-Mail: celomoto@carpa.ciagri.usp.br
- OSAKABE, M.H., Crop Entomology Laboratory, Department of Plant Protection, National Agriculture Res. Center, 3-1-1 Kannondai, Tsukuba, Ibaraki, 305-8666, Japan; E-Mail: mhosaka@narc.affrc.go.jp
- OTTO, JURGEN C., Australian Institute of Marine Science, PMB 3, Townsville, Queensland, 4810, Australia; E-Mail: j.otto@aims.gov.au
- OZAWA, RIKI, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606 8502, Japan
- ÖZKAN, MUHLIS, The Faculty of Science and Arts, Ataturk University, Erzurum, Turkey; E-Mail: mozkan@ata.uni.edu.tr
- OZMAN, SEBAHAT K., Department of Zoology and Entomology, The University of Queensland, Brisbane, 4072, QLD, Australia; E-Mail: sozman@zoology.uq.edu.au
- PANOU, HELENI N., Agricultural University of Athens, Laboratory of Agricultural Zoology & Entomology, Iera Odos 75, 118 55 Athens, Greece
- PAPAIOANNOU-SOULIOTIS, DR. PAGONA, Labor. Acarol. & Agric. Zool., Benaki Phytopatol. Inst., 8 St. Delta Str., 145 61 Kifissia Athens, Greece; E-Mail: bpilibr@otenet.gr
- PASCHOAL, DR. GARCIA IVONE, Departamento de Defesa Fitossanitaria, Faculdade de Ciencias Agronomicas, UNESP, 18600-000 Botucatu, SP, Brazil
- PELS, BAS, Section Population Biology, University of Amsterdam, Kruislaan 320, 1098, SM, Amsterdam, The Netherlands; E-Mail: pels@bio.uva.nl
- PEREIRA-RODRIGO, AUGUSTO S., Departamento de Botanica, Instituto de Biologia, Universidade Estadual de Campinas, 13083-970 Campinas, SP, Brazil; E-Mail: rodrigo@obelix.unicamp.br
- PETANOVIC, RADMILA, Department of Entomology, Faculty of Agriculture, Nemanjina 6, 11081 Beograd-Zeman, Yugoslavia
- PILKO, ANNA, Department of Applied Entomology, Warsaw Agricultural University, 166, Nowoursynowska Street, 02-787, Warsaw, Poland
- PONTIER, KARINE J.B., ENSAM, 2 palce Pierre Viala, 34 060 Montpellier Cedex 1, France
- PRINCIPATO, MARIO, Facoltà di Medicina Veterinaria, Dipartimento di Scienze Biopatologiche Veterinarie, Via S. Costanzo 4, I-06100 Perugia, Italy
- PRINGLE, K.L., Department of Entomology and Nematology, University of Stellenbosch, Private Bag XI, Matieland, 7602, South Africa; E-Mail: klp@maties.sun.ac.za
- PUGH, DR. P.J.A., Department of Life Sciences, Anglia Polytechnic University, East Road, Cambridge, CB1 1PT, United Kingdom; E-Mail: p.j.a.pugh@anglia.ac.uk
- QIN, TING-KUI, Landcare Res., Private Bag 92 170, Auckland, New Zealand
- QUINTERO, M.M.T., Facultad de Medicina Veterinaria y Zootecnia, Universidad Nacional Autónoma de México, 04510 México D.F., México
- RASMY, DR. ALY H., Plant Protection Dep., Natl. Res. Centre, El Tahrir Street, Dokki, Cairo 12311, Egypt; E-Mail: aly_rasmy@hotmail.com
- REDING, MICHAEL E., Department of Biology, Utah State University, 5305 Old Main Hill, Logan, UT, 84322, USA; E-Mail: miker@ext.usu.edu
- REIS, DR. PAULO R., EPAMIG-CTSM, Caixa Postal 176, 37200-000 Lavras, MG, Brazil
- REZK, HUSSEIN A., Department of Economic Entomology, Faculty of Agriculture, Elshatby, University of Alexandria, Alexandria, Egypt; E-Mail: husseinrezk@yahoo.com
- RIDSDILL-SMITH, T.J., CSIRO Entomology, Wembley, WA, 6014, Australia; E-Mail: j.ridshall-smith@ccmar.csiro.au
- RIPKA, DR. G., P.O. Box 340, Budaörsi ut 141-145, 1118 Budapest, Hungary; E-Mail: novved@elender.hu
- ROBINSON, M.T., IPM Unit and Centre for Environmental Stress and Adaptation Research, Department of Genetics, La Trobe University, Bundoora, VIC, 3083, Australia

- RODA, A., Department of Entomology, Cornell University, New York State Agric. Exp. Station, Geneva, NY, 14456, USA; E-Mail: alr20@cornell.edu
- RODRIGUEZ, DR. B., Dep. Microbiol. Parasitologia, Facultad Farmacia, Univ. Sevilla, 41012 Sevilla, Spain
- ROLFF, J., AG Oekologie, Zoologisches Institut, Technische Universität Braunschweig, Fasanenstrasse 3, 38092 Braunschweig, Germany
- ROSSO DE FERRADAS, BEATRIZ, Catedra de Diversidad Animal I, Facultad de Ciencias Exactas, Fisicas y Naturales, Universidad Nacional de Cordoba, Avda. V. Sarsfield 299, 5000, Cordoba, Argentina; E-Mail: brosso@gtwing.efn.uncor.edu
- ROTT, A.S., Wye College, Department of Biological Sciences, University of London, Wye Ashford, Kent, TN25 5AH, United Kingdom
- ROY, JACQUES, Centre d'Ecologie Fonctionnelle et Evolutive, Centre National de la Recherche Scientifique, F-34293 Montpellier Cedex 5, France
- SABOORI, ALIREZA, Department of Plant Protection, College of Agriculture, Tehran University, Karaj, Iran; E-Mail: saboori@af.ut.ac.ir
- SAITO, DR. YUTAKA, Graduate School of Agriculture, Hokkaido University, Sapporo, Hokkaido 060-8589, Japan; E-Mail: yutsat@res.agr.hokudai.ac.jp
- SAIZ, FRANCISCO, Ecología, Univ. Católica de Valparaíso, Av. Brasil 2950, Valparaíso, Chile
- SALAZAR, S.F., CRI-INIA Remehue, Casillo 24-O, Osorno, Chile
- SATO, YUKI, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606-8502, Japan; E-Mail: yukiyuki@kais.kyoto-u.ac.jp
- SATOH, YUKIE, Laboratory of Animal Ecology, Department of Ecology and Systematics, Graduate School of Agriculture, Hokkaido University, Sapporo, 060-8589, Japan; E-Mail: yukie@res.agr.hokudai.ac.jp
- SCAMPINI, DR. ELVIRA M., Centro de Geogia de Costas y Cuaterna, Fac. Cs. Ex. y Naturales, UNMdP Funes 3350, 7600 Mar del Plata, Argentina
- SCHAUSBERGER, DR. PETER, Institut für Pflanzenschutz, Peter Jordan-Str. 82, 1190 Wien, Austria; E-Mail: schausbp@edv1.boku.ac.at
- SEVASTIANOV, V.D., Department of Zoology, Odessa State University, Odessa 65026, Ukraine
- SHARANABASAVA, H., Department of Entomology, College of Agriculture, Navile, Navile, Shimoga, 577204, Karnataka, India
- SHARMA, MAHENDRA, Department of Soil Science, College of Agriculture, Jobner-303329 Rajasthan, India
- SHATROV, A.B., Zoological Institute, Russian Academy of Sciences, St. Petersburg, 199034, Russia
- SHEARER, PH. D. PETER W., Rutgers Agric. Res. & Extension Center, 121 Northville Road, Bridgeton, NJ 08302-5919, USA
- SHI, AOXIANG, Department of Applied Entomology, Warsaw Agricultural University, Nowoursynowska 166, 02-787 Warsaw, Poland
- SHIH, DR. CHAIN-ING T., Department of Entomology, Nat. Chung-Hsing-Univ., 205 Kuokuang Road, , Taichung 40227, Taiwan, China; E-Mail:
- SIRCOM, DR. J., Department of Biology, Dalhousie Univ., Halifax, NS, B3H 4J1, Canada; E-Mail: jsircom@chat.carleton.ca
- SKIRVIN, DR. DAVID J., Horticulture Research Internat., Wellesbourne, Warwick, CV35 9EF, United Kingdom; E-Mail: dave.skirvin@hri.ac.uk
- SKORACKI, MACIEJ, Department of Animal Morphology, Insitute of Environmental Biology, A. Mickiewicz University, Szamarzewskiego 91A, 60-569 Poznan, Poland; E-Mail: skoracki@main.amu.edu.pl
- SKORUPSKI, DR. MACIEJ, Akademia Rolnicza, Katedra Ochrony Lasu i Środowiska Przyrod., ul. Wojska Polskiego 71 C, 60-625 Poznan, Polen / Poland; E-Mail: maskorup@owl.au.poznan.pl
- SNONE, DR. D.H., Department of Entomology / Nematology, University of Florida, Gainesville FL 32611, USA; E-Mail: dslone@gnv.ifas.ufl.edu
- SMITH, IAN M., Systematic Acarology Unit, Biodiversity Section, Research Branch, Agric. and Agri-food Canada, ECORC, Central Experimental Farm, Ottawa, Ontario K1A 0C6, Canada; E-Mail: smithi@em.agr.ca
- SOBALA, M., Mathematisches Seminar der Landwirtschaftlichen Fakultät, Nussallee 15, 53 115 Bonn, Germany; E-Mail: maria@msl.uni-bonn.de
- SOELLER, RAINER, Biotechnologie und Molekulare Genetik, FB2-UFT, Universität Bremen, 28359 Bremen, Germany

- SOIKA, GRAZyna, Research Institute of Pomology and Floriculture, Pomologiczna 18, 96-100 Skierniewice, Poland
- STEKOL'NIKOV, A.A., Zoological Institute, Russian Academy of Sciences, St. Petersburg, 199034, Russia
- STOJNIC, BOJAN, Belgrade University, Faculty of Agriculture, Nemanjina 6, P.O.Box 127, 11081 Beograd, Yugoslavia
- STRYJECKI, ROBERT, Katedra Zoologii, Akademia Rolnicza, ul. Akademicka 13, 20-950 Lublin, Poland
- SUMANGALA, K., Department of Zoology, Zamorin's Guruvayurappan College, Calicut - 673 014, Kerala, India
- SWIFT, SABINA F., Department of Entomology, University of Hawaii at Manoa, 3050 Maile Way, Gilmore 310, Honolulu, Hawaii 96822, USA; E-Mail: sabina@hawaii.edu
- TAKABAYASHI, DR. JUNJI, Laboratory of Ecological Inform., Graduate School of Agriculture, Kyoto University, Kitashirakawa, Kyoto, 606-8502, Japan; E-Mail: junji@kais.kyoto-u.ac.jp
- TAKAFUJI, MR. AKIO, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto 606-8502, Japan; E-Mail: takafuji@kais.kyoto-u.ac.jp
- TANZINI, M.R., Dep. Ent., Fitopatologia e Zootecnica Agricola, Escola Superior de Agricultura 'L. de Queiroz', Universidade de Sao Paulo, Av. Padua Dias. n. 11, Piracicaba, SP, 13418-900, Brazil
- TEDESCHI, R., Di.Va.P.R.A., Entomologia e Zootecnica Applicate all'Ambiente, "C. Vidano", Via Leonarda da Vinci 44, I-10095 Grugliasco (TO), Italy
- THONGTAB, T., Department of Entomology, Kasetsart University, Bangkok 10900, Thailand
- TODA, SATOSHI, Persimmon and Grape Research Center, National Institute of Fruit Tree Science, Akitsu, Hiroshima, 729-2494, Japan; E-Mail: toda@akt.affrc.go.jp
- TOLSTIKOV, DR. ANDREJ V., Department of Entomology, Faculty of Biology, Moscow State University, Moscow 119899, Russia
- TOMCZYK, ANNA, Department of Applied Entomology, Faculty of Horticulture and Landscape Architecture, Warsaw Agricultural University, ul. Nowoursynowska 166, PL 02-787 Warsaw, Poland
- TOTSCHNIG, MAG.DR. ULRIKE, Institut für Zoologie u. Limnologie, Univ. Innsbruck, Technikerstr. 25, 6020 Innsbruck, Austria; E-Mail: ulrike.totschnig@uibk.ac.at
- TSOLAKIS, DR. HARALABOS, Istituto di Entomologia agraria, Univ. Palermo, Viale delle Scienze 13, 90128 Palermo, Italy; E-Mail: tsolakis@unipa.it
- TUZOVSKEII, P.V., Russian Academy of Sciences, Institute for Ecology of the Volga River Basin, Toliatti, 445 003, Russia
- TUZOVSKEII, PETR, Institute for Biology of Inland Waters, Russian Academy of Sciences, Nekouz District, Yaroslavl Province, RUS 152 742 Borok, Russia; E-Mail: tuz@ibiw.yaroslavl.ru
- UECKERMANN, DR. EDWARD A., Plant Protection Research Institut, Private Bag X134, Pretoria 0001, South Africa; E-Mail: rietea@plant2.agric.za
- UMAPATHY, G., Regional Research Station, Tamil Nadu Agriculture University, Paiyur Post, Dharmapuri, 635112, India
- VALA, FILIPA, Institute for Biodiversity and Ecosystem Dynamics, University of Amsterdam, Kruislaan 320, 1098 SM, Amsterdam, The Netherlands; E-Mail: vala@bio.uva.nl
- VAN LAERHOVEN, SHERAH, Department of Entomology, A-321, University of Arkansas, Fayetteville, AR, 72701, USA
- WAITE, G.K., Queensland Horticulture Institute, Maroochy Research Station, Nambour, Queensland 4560, Australia
- WALDE, DR. SANDRA J., Department of Biology, Dalhousie University, Halifax, Nova Scotia, B3H 4J1, Canada
- WALTER, DR. DAVID EVANS, Department of Zoology and Entomology, University of Queensland, St. Lucia, Brisbane, QLD, 4072, Australia; E-Mail: d.walter@mailbox.uq.edu.au
- WANG, S.F., Cooperative Research Centre for Legumes in, Mediterranean Agriculture, University of Western Australia, Nedlands, WA 6907, Australia
- WANG, CHAIN-JI, Department of Entomology, National Chung-Hsing University, Taichung, 40227, Taiwan
- WAUTHY, GEORGES, Departement d'Entomologie, Institut Royal des Sciences Naturelles de Belgique, 29 Rue Vautier, 1000 Brussels, Belgium; E-Mail: wauthy@kbinirsnb.be
- WEEKS, A.R., Centre for Environmental Stress, and Adaptation Research, La Trobe University, Bundoora, VIC, 3083, Australia

WEN, TING-HUAN, Medical Acarology Laboratory, Shanghai Medical University, Shanghai 200 032, China;
E-Mail: thwenc@online.sh.cn

WEN, CHUNGEN, Department of Biological Science and Engineering, Nanchang University, Nanchang
330047, China

WILES, P.R., School of Biological and Applied Sciences, University of North London, 166-220 Holloway
Road, London, N7 8DB, United Kingdom

WILKINS, S.K., Howard County Junior College, 1001 Birdwell Lane, Big Spring TX, 79720, USA

WILSON, L.J., CSIRO Division of Plant Industry, Cotton Research Unit, Locked Bag 59, Narrabri, NSW
2390, Australia

WOHLTMANN, DR. ANDREAS, Institut für Zoologie, Freie Universität Berlin, Königin-Luise-Str. 1-3, 14 195
Berlin, Germany; E-Mail: wohlman@zedat.fu-berlin.de

WOOD, BRUCE W., Southeastern Fruit and Tree Nut, Research Laboratory, U.S. Department of Agriculture,
Agricultural Research Service, Byron, GA, 31008, USA

YANG, DR. XI-ZHENG, Res. Inst. Endemic Disease Control of Qinghai Province, Qinghai 811602, China

YAO, HONGREN, Anatomy and Cell Biology, University of Michigan, Medical School, Ann Arbor, MI 48
109, USA

YONG, JEON HEUNG, RDA, National Horticultural Res. Institute, Suwon, 440-310, South Korea

ZACHARDA, DR. MILOSLAV, Institute of Landscape Ecology, Czech Academy Science, Na sádkách 7, 37005
Ceske Budejovice, Czech Republic; E-Mail: Zacharda@dale.uek.cas.cz

ZAWAL, ANDRZEJ, Department of Invertebrate Zoology and Limnology, University of Szczecin, ul. Waska
13, 74-415 Szczecin, Poland

ZHANG, YAN-XUAN, Institute of Plant Protection, Fujian Academy of Agricultural Sciences, Fuzhou
350013, China; E-Mail: zyxlj@pub3.fz.fj.cn

ZHANG, DR. ZHI-QIANG, Landcare Research, Private Bag 92-170, Auckland, New Zealand; E-Mail:
zhangz@landcare.cri.nz

ZHOU, LIANG, College of Life Science, Sichuan University, Chengdu, 610 064, China

Anschrift der Verfasser:

Dr. David Russell

Kerstin Franke

Staatliches Museum für Naturkunde Görlitz

Postfach 300 154

D-02806 Görlitz

Tel.: 0049-3581-4760 502

Fax.: 0049-3581-4760 101

Email: David.Russell@smng.smwk.sachsen.de

Kerstin.Franke@smng.smwk.sachsen.de

HomePage: <http://www.naturkundemuseum-goerlitz.de>

erschienen am: 30.11.2002

Bestellschein / Order form

Ich bestelle hiermit **ACARI** – Bibliographia Acarologica 2003

3 Hefte pro Band und Jahr

I wish to subscribe to ACARI – Bibliographia Acarologica 2003

3 issues per volume and year

Institut, Bibliothek 20 € incl. Porto und Verpackung
Institution, library *20 € incl. postage and handling*



privat 10 € incl. Porto und Verpackung
personal *10 € incl. postage and handling*



Ich kann die Kosten in konvertierbarer Währung nicht bezahlen. Senden Sie mir im Schrifttausch gegen meine Veröffentlichungen über Milben ein Heft pro Jahr zu. (Bitte gewünschtes Heft ankreuzen.)

I cannot cover the costs in convertible currency. I request in publication exchange for my articles about mites one issue per year. (Please indicate the issue chosen by ticking square below.)



Mesostigmata



Oribatida



Actinedida

Bitte geben Sie Ihre **Adresse** exakt und lesbar an! / Please write your **address** exactly and legibly!

Name / name

Adresse / address

Datum / Date

Unterschrift / Signature

Bitte senden Sie diesen Bestellschein an: / Please return this form to:

Dr. A. Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154
D-02806 Görlitz
Deutschland / Germany

Fax.: 0049-3581-4760 101
Email: axel.christian@smng.smwk.sachsen.de

Schriftenreihen aus dem Staatlichen Museum für Naturkunde Görlitz

**Abhandlungen
und
Berichte
des
Naturkundemuseums Görlitz**



Herausgeber: Prof. Dr. Willi Xylander

ISSN 0373-7586

PECKIANA

Staatliches Museum für Naturkunde Görlitz



Herausgeber: Prof. Dr. Willi Xylander

ISSN 1618-1735

ACARI

Bibliographia Acarologica



Herausgeber: Dr. Axel Christian

ISSN 1618-8977

**Berichte der
Naturforschenden
Gesellschaft
der Oberlausitz**



Herausgeber: Prof. Dr. Wolfram Dunger

ISSN 0941-0627

Die Schriftenreihen sind zu beziehen über:

Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, D-02806 Görlitz

Inhalt / Contents**Russell, D. & K. Franke: Actinedida Nr. 1 1-38****Acarologische Literatur / Acarological literature**

- Publikationen 2002 / Publications 2002	3
- Publikationen 2001 / Publications 2001	5
- Publikationen 2000 / Publications 2000	12

Nomina nova

- Neue Arten / New species	21
- Neue Gattungen / New genera	26
- Neue Untergattungen / New subgenera	27
- Neue Familien / New families	27
- Neue Kombination / New combinations	27
- Neue Synonyme / New synonyms	27
- Neue Namen / New names	28
- Neuer Status / New status	28
Adressen / Addresses	29