

ISSN 1618-8977

ACARI

Bibliographia Acarologica



SENCKENBERG
Museum für Naturkunde Görlitz

Actinedida

Volume 11 (3)

2011

Senckenberg Museum für Naturkunde Görlitz

ACARI

Bibliographia Acarologica

Editor-in-chief: Dr Axel Christian
authorised by the Senckenberg Gesellschaft für Naturforschung

Enquiries should be directed to:
ACARI
Dr Axel Christian
Senckenberg Museum für Naturkunde Görlitz
PF 300 154, 02806 Görlitz, Germany

‘ACARI’
may be ordered through:
Senckenberg Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, 02806 Görlitz, Germany

Published by the Senckenberg Museum für Naturkunde Görlitz
All rights reserved
Cover design by: E. Mättig
Printed by MAXROI Graphics GmbH, Görlitz, Germany

Actinedida No. 10

David Russell and Kerstin Franke
Senckenberg Museum of Natural History Görlitz

ACARI - Bibliographia Acarologica endeavours to advance and help disseminate acarological knowledge as broadly as possible. To this end, each year we ascertain and compile all internationally available papers published on Acari worldwide. Two major taxon groups, however, are excluded from this bibliography – the Eriophyidae and the paraphyletic “Hydracarina” - since literature databanks of these groups are available elsewhere.

Approximately 300 papers are listed this year, showing the continued high scientific interest in Actinedida. The present volume also reflects the worldwide interest on Actinedida, with papers from all continents (including papers on Antarctic Actinedida) and 50 countries (Brazil, the USA, China, European and Arabian countries being most common). Systematics and taxonomy of this poorly studied mite group are still the most highly represented topic (>35% of all papers), with almost 130 descriptions of new taxa in over 80 papers. As in previous years, economically important topics such as plant protection, acarine-pest biology as well as chemical and biological mite control are also dominant (~25% of all papers). This volume reflects research on over 40 families. The majority of the papers (>30%) again deal with the economically important Tetranychidae. Strongly represented are also Parasitengona (>15%) with well over 10 families, as well as Syringophilidae, Stigmaeidae, Cunaxidae and heterostigmated families.

Conspicuous in the present volume is again the lack of general ecological research. Faunistical or life-history research mainly concern again the economically important Tetranychidae or the pest/parasite fauna of plants, reptiles, birds etc. Although Actinedida represent one of the most abundant soil-microarthropod groups, only few papers in the present volume deal with this subject. This is most likely due to the deficiency of taxonomic revisions and determination keys for most soil-living families and genera, which are a prerequisite to ecological field research. To be mentioned this year are the Proceedings of the 12th International Congress on Acarology edited by Sabelis and Bruin as well as the overviews of many families occurring in China presented in Volume 4 of Zoosymposia.

The acarological literature collection and databank in Görlitz is now one of the largest in the world. The databank of Actinedida literature cited in ACARI has now accumulated 6,460 papers on 2,171 species of actinedid mites. The databank as well as previous issues of ACARI can be accessed via http://www.senckenberg.de/root/index.php?page_id=8099

. Reprints of the majority of cited papers are present in the Chelicerata Department of the Senckenberg Museum of Natural History in Görlitz. The registration of all recent publications on actinedid mites is a daunting and time-consuming task, which cannot be undertaken without the aid of all acarologists worldwide. We therefore ask for your continued help by sending reprints or copies of all your papers on actinedid mites. We expressly thank all authors who have assisted this goal and sent reprints of their papers. As with any journal, mistakes and omissions are unavoidable. Critique and suggestions are welcome and explicitly called for. Please inform us if we have failed to list any of your publications in the Bibliographia and we will include them in later volumes.

Besides this literature database, the Senckenberg Museum of Natural History in Görlitz maintains an Actinedida collection, not only of type but also of reference material. Type species as well as determined material may be deposited in these collections and are actively called for. The availability of these collections is guaranteed by the numerous scientists and technical personnel presently working with the soil-arthropod collections in Görlitz.

Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "*" were only found as a citation or abstract. All other titles are available as reprints or copies. The addresses of the corresponding authors are given in the section Addresses.

Publications 2011

- ABDEL-KHALEK, A. / AMER, S. / MOMEN, F. (2011):* Repellency and toxicity of extract from *Francoeria crispa* (Forsk.) to *Eutetranychus orientalis* (Klein) (Acari, Tetranychidae). - Arch. Phytopathol. Pflanzenschutz 44,5: 441-450
- AKYOL, M. (2011):* A new record of *Storchia ardabiliensis* and variations in the number of genital, aggenital and external clunal setae in two *Storchia* species (Acari, Stigmaeidae) from the Aegean coast, Turkey. - Syst. Appl. Acarol. 16,2: 59-66
- ANDRÉ, H.M. (2011): *Duges caudatus* is a Tenuipalpidae and not a Tydeidae (Acari). - Acarologia 51,1: 69-85
- BAGHERI, M. / BONAB, R.N. / UECKERMANN, E.A. / GHORBANI, H. / MEHRVAR, A. / SABER, M. (2011):* Description of a new species of the genus *Stigmaeus* Koch (Acari, Prostigmata, Stigmaeidae) from East Azerbaijan Province, Iran. - Syst. Appl. Acarol. 16,2: 181-186
- BAGHERI, M. / SHIRINBEIK MOHAJER, S. / SABOORI, A. / ASADEH, G.A. / UECKERMANN, E.A. (2011): *Storchia yazdani* n. sp., a new species of the genus *Storchia* Oudemans, 1923 (Acari, Prostigmata, Stigmaeidae) from Northern Iran. - Acarologia 51,1: 87-91
- BASHIR, M.H. / AFZAL, M. / ASHFAQ, M. / RAZA, A.M. / KAMRAN, M. (2011): Record of one new species of the genus *Cunaxa* (Acari, Cunaxidae) from rice husk. - Pak. J. Zool. 43,1: 37-40
- BEN CHAABAN, S. / CHERMITI, B. / KREITER, S. (2011):* *Oligonychus afrasiaticus* and phytoseiid predators' seasonal occurrence on date palm *Phoenix dactylifera* (Deglet Noor cultivar) in Tunisian oases. - Bull. Insectol. 64,1: 15-21
- BOCHKOV, A. / SKORACKI, M. / HENDRICKS, S.A. / SPICER, G.S. (2011): Further investigations of the mite genus *Syringophiloides* Kethley, 1970 (Acariformes, Syringophilidae) from North American passerines. - Syst. Parasitol. 79,3: 201-211
- BOCHKOV, A.V. / SKIRNISSON, K. (2011): Description of the life stages of quill mite *Mironovia lagopus* sp. nov. (Acari: Syringophilidae) parasitizing the rock ptarmigan *Lagopus muta* (Phasianidae) from Iceland. - Parasitol. Res. 108,3: 715-722
- BOCHKOV, A.V. / SKORACKI, M. (2011): A new cheyletid mite *Metacheyletia ngaii* n. sp. (Acariformes, Cheyletidae) from quills of *Corythaixoides leucogaster* (Musophagidae) from Tanzania. - Acarologia 51,1: 93-97
- CLOTUCHE, G. / MAILLEUX, A.C. / FERNANDEZ, A.A. / DENEUBOURG, J.L. / DETRAIN, C. / HANCE, T. (2011):* The formation of collective silk balls in the spider mite *Tetranychus urticae* Koch. - Plos One 6,4: e18854
- DAUGHERTY, M.P. (2011): Host plant quality, spatial heterogeneity, and the stability of mite predator-prey dynamics. - Exp. Appl. Acarol. 53: 311-322
- DEN HEYER, J. (2011):* The genus *Coleobonzia* declared synonymous with *Neobonzia* Smiley, 1992 (Bdelloidea: Cunaxidae: Coleoscirinae). - Zootaxa 2817: 59-62
- DEN HEYER, J. / UECKERMANN, E.A. / KHANJANI, M. (2011): Iranian Cunaxidae (Acari, Prostigmata, Bdelloidea). Part I. Subfamily Coleoscirinae. - Internat. J. Acarol. 37,2: 143-160
- DEN HEYER, J. / UECKERMANN, E.A. / KHANJANI, M. (2011): Iranian Cunaxidae (Acari, Prostigmata, Bdelloidea): Part II. Subfamily Cunaxinae. - J. Nat. Hist. 45,27-28: 1667-1678
- DOGAN, S. / DÖNEL, G. / ÖZCELİK, S. (2011): A new eyeless mite species of the genus *Eustigmaeus* Berlese (Acari, Stigmaeidae) from Turkey. - Turk. J. Zool. 35,2: 175-181
- DUNLOP, J.A. / BERTRAND, M. (2011): Fossil labidostomatid mites (Prostigmata, Labidostomatidae) from Baltic amber. - Acarologia 51,2: 191-198
- EDWARDS, D.D. (2011):* Mitochondrial genome sequence of *Unionicola parkeri* (Acari, Trombidiformes, Unionicolidae): molecular synapomorphies between closely-related *Unionicola* gill mites. - Exp. Appl. Acarol. 54,2: 105-117

- FILIMONOVA, S.A. (2011): Comparative analyses of the internal anatomy and functional morphology of the Eleutherengona (Acari, Trombidiformes). - *Acarina* 19,1: 3-34
- FLECHTMANN, C.H.W. / NORONHA, A.C.S. (2011):* A new red spider mite from the African oil palm from Brazil (Acari: Tetranychidae). - *Syst. Appl. Acarol.* 16,2: 67-72
- GALVAO, A.S. / GONDIM, M.G.C. / DE MORAES, G.J. (2011): Life history of *Proctolaelaps bulbosus* feeding on the coconut mite *Aceria guerreronis* and other possible food types occurring on coconut fruits. - *Exp. Appl. Acarol.* 53: 245-252
- GLOWSKA, E. / SKORACKI, M. (2011): New species of quill mites (Acari, Cheyletoidea, Syringophilidae) and the first record of male for the genus *Stibarokris*. - *Zootaxa* 2817: 63-68
- GOTOH, T. (2011): Susceptibility to acaricides in nine strains of the tomato red spider mite *Tetranychus evansi* (Acari: Tetranychidae). - *Internat. J. Acarol.* 37,2: 93-102
- HAITLINGER, R. (2011): A new genus and four new species of erythraeid mites from Indonesia, with new records of the family (Acari, Prostigmata, Erythraeidae). - *Rev. Iber. Aracnol.* 19: 47-54
- HAITLINGER, R. (2011): *Charletonia postojnensis* n. sp. and the first record of *Hauptmannia podorasensis* Haitlinger, 2007 (Acari, Prostigmata, Erythraeidae) from Slovenia. - *Zesz. Nauk. Univ. Przyrod. Wrocławiu, Biol. Hod. Zwier.* 62,580: 27-32
- HAITLINGER, R. (2011): First record of *Abrolophus aitapensis* (Southcott, 1948) and *Leptus (Leptus) cabareticus* Haitlinger, 2004 (Acari, Prostigmata, Erythraeidae) from Guadeloupe. - *Zesz. Nauk. Univ. Przyrod. Wrocławiu, Biol. Hod. Zwier.* 62,580: 33-35
- HAJIQANBAR, H. / JOHARCHI, O. (2011): World distribution and host range of *Podapolipoides* spp. (Acari, Heterostigmata, Podapolipidae), with the description of a new species. - *Syst. Parasitol.* 78,2: 151-162
- HAKIMITABAR, M. / SABOORI, A. (2011): *Charletonia stekolnikovi* sp. n. (Acari, Erythraeidae) from Iran. - *Vestn. zool.* 45,2: e40-e46
- HAMEDI, N. / FATHIPOUR, Y. / SABER, M. (2011): Sublethal effects of abamectin on the biological performance of the predatory mite, *Phytoseius plumifer* (Acari, Phytoseiidae). - *Exp. Appl. Acarol.* 53: 29-40
- HE, H.-G. / JIANG, H.-B. / ZHAO, Z.-M. / WANG, J.-J. (2011): Effects of a sublethal concentration of avermectin on the development and reproduction of citrus red mite, *Panonychus citri* (McGregor) (Acari, Tetranychidae). - *Internat. J. Acarol.* 37,1: 1-9
- HERNANDES, F.A. / BERNARDI, L.F. DE O. / FERREIRA, R.L. (2011): Snout mites from caves in Brazil, with description of a new species (Acari, Trombidiformes, Bdellidae). - *J. Nat. Hist.* 45,13-14: 799-812
- HO, C.-C. / CHANG, S.-C. / CHENG, L.-J. / WANG, S.-C. (2011):* Morphological and molecular characteristics, host plants and natural enemies of the recently recognized *Tetranychus okinawanus* (Acari, Tetranychidae) in Taiwan. - *Syst. Appl. Acarol.* 16,2: 160-168
- HORN, T.B. / JOHANN, L. / FERLA, N.J. (2011):* Ecological interactions between phytophagous and predaceous mites in citrus agroecosystems in Taquari Valley, Rio Grande do Sul, Brazil. - *Syst. Appl. Acarol.* 16,2: 133-144
- HOY, M.A. (ED.) (2011):* Agricultural Acarology. Introduction to integrated mite management. - CRC Press, Taylor & Francis Group: 1-420
- HUSBAND, R.W. / HUSBAND, D.O. (2011): *Eutarsopolipus jamaicensis* n. sp. (Acari, Podapolipidae) from Jamaica, ectoparasite of *Platynus punctus* (Darlington) (Coleoptera, Carabidae). - *Internat. J. Acarol.* 37,3: 228-234
- HUSBAND, R.W. (2011): *Podapolipus kurosai* spec. nov. (Acari, Podapolipidae), parasite of *Phloeonotus humilis* Gerstaecker (Orthoptera, Tetrigidae) in Swaziland, Southern Africa. - *Syst. Appl. Acarol.* 16,2: 51-58
- IRANI-NEJAD, K.H. / LOTFOLLAHI, P. / AKBARI, A. / BAGHERI, M. / UECKERMANN, E.A. (2011): A new species of *Eustigmaeus* Berlese (Acari, Prostigmata, Stigmaeidae) from Northwestern Iran. - *Acarina* 19,1: 87-90
- KALUZ, S. (2011): Two new chigger mites of the genus *Lacertacarus* (Acari, Prostigmata, Trombiculidae). - *Zootaxa* 2922: 15-26
- KANAZAWA, M. / SAHARA, K. / SAITO, Y. (2011):* Silk threads function as an 'adhesive cleaner' for nest space in a social spider mite. - *Proc. Royal Soc. B, Biol. Sci.* 278,1712: 1653-1660

- KASAP, I. / ATLIHAN, R. (2011): Consumption rate and functional response of the predaceous mite *Kampimodromus aberrans* to two-spotted spider mite *Tetranychus urticae* in the laboratory. - Exp. Appl. Acarol. 53: 253-261
- KHANJANI, M. / ASADABADI, A. / IZADI, H. (2011): A false spider mite *Dolichotetranychus kermanicus* sp. nov. (Acari, Tenuipalpidae) from southeast Iran. - Syst. Appl. Acarol. 16: 90-96
- KHANJANI, M. / FAYAZ, B.A. / KHANJANI, M. (2011): Two new species of *Linotetranychus* (Parasitiformes, Tetranychidae, Linotetranychidae) from Iran. - Zootaxa 2834: 47-56
- KHAUSTOV, A.A. (2011): New species and new records of mites of the genus *Pediculaster* (Acari, Heterostigmata, Pygmephoridae) from Ukraine. - Vestn. zool. 45,3: 35-38
- KHAUSTOV, A.A. (2011):* Nomenclature changes in the mite families Neopygmephoridae and Pygmephoridae (Acari, Heterostigmata, Pygmephoridae) with redescription of two little known species. - Zootaxa 2809: 47-57
- KHAUSTOV, A.A. (2011): Synonymy of the genera *Siteropsis* and *Pediculaster* (Acari, Heterostigmata, Pygmephoridae): - Acarina 19,1: 101
- KHAUSTOV, A.A. / ERMILOV, S.G. (2011): A new species of the genus *Siteroptes* (Acari, Heterostigmata, Pygmephoridae) from the European part of Russia. [Orig. Russ.] - Zool. Zh. 90,6: 756-760
- KHAUSTOV, A.A. / POINAR, G. (2011): *Protoresinacarus brevipedis* gen. n., sp. n. from early Cretaceous Burmese amber: the first fossil record of mites of the family Resinacaridae (Acari, Heterostigmata, Pyemotoidea). - Historia Biology 23,2-3: 219-222
- KHAUSTOV, A.A. / ZALOZNAYA, L.M. (2011): A new species and records of mites of the genus *Parapygmephorus* (Acari, Heterostigmata, Neopygmephoridae) from Ukraine. - Acarina 19,1: 83-86
- KOC, K. (2011):* Three new records of Cheyletid mites from Turkey (Acari, Cheyletidae). - Zool. Middle East 52: 126-128
- KUBO, K.S. / NOVELLI, V.M. / BASTIANEL, M. / LOCALI-FABRIS, E.C. / ANTONIOLI-LUIZON, R. / MACHADO, M.A. / FREITAS-ASTÚA, J. (2011): Detection of *Brevipalpus*-transmitted viruses in their mite vectors by RT-PCR. - Exp. Appl. Acarol. 54,1: 33-39
- KUMRAL, N.A. (2011): A comparative evaluation of the susceptibility to insecticides and detoxifying enzyme activities in *Stethorus gilvifrons* (Coleoptera, Coccinellidae) and *Panonychus ulmi* (Acarina, Tetranychidae). - Intern. J. Acarol. 37,3: 255-268
- LIM, E.G. / ROH, H.S. / COUDRON, T.A. / PARK, C.G. (2011):* Temperature-dependent fumigant activity of essential oils against twospotted spider mite (Acari: Tetranychidae). - J. Econ. Entomol. 104,2: 414-419
- LOFEGO, A.C. / HOUNTONDJI, F.C.C. / AL-SHANFARI, A. / DE MORAES, G.J. (2011): Incidence of tarsonemid mites on *Cocos nucifera* L. (Arecaceae) from Oman with description of a new species of *Nasutitarsonemus* Beer and *Nucifora* (Acari: Tarsonemidae). - J. Nat. Hist. 45,7-8: 461-474
- LORENZO-CARBALLA, M.O. / BEATTY, C.D. / HAITLINGER, R. / VALDECASAS, A.G. / UTZERI, C. / VIEIRA, V. / CORDERO-RIVERA, A. (2011): Larval aquatic and terrestrial mites infesting parthenogenetic *Ischnura hastata* (Odonata, Coenagrionidae) from the Azores islands. - Exp. Appl. Acarol. 54: 225-241
- MAYORAL, J.G. / BARRANCO, P. (2011): A new species of larval *Charletonia* (Parasitengona, Erythraeidae) and new records of larval Erythraeidae parasitizing Orthoptera and Phasmida from Costa Rica. - Acarologia 51,2: 219-227
- MEMARIZADEH, N. / GHADAMYARI, M. / SAJEDI, R.H. / SENDI, J.J. (2011): Characterization of esterases from abamectin-resistant and susceptible strains of *Tetranychus urticae* Koch (Acari, Tetranychidae). - Internat. J. Acarol. 37,4: 271-281
- MOMEN, F.M. (2011): Life tables and feeding habits of *Proprioiseiopsis cabonus*, a specific predator of tydeid mites (Acari: Phytoseiidae and Tydeidae). - Acarina 19,1: 103-109
- MORTAZAVI, A. / HAJIQANBAR, H. / SABOORI, A. (2011): A new species of the family Trochometridiidae (Acari, Heterostigmatina) associated with *Paulusiella* sp. (Coleoptera, Elateridae) from Iran. - Zootaxa 2746: 57-68
- NAVIA, D. / MARSARO, A. / DA SILVA, F. / GONDIM, M.G.C. / DE MORAES, G.J. (2011): First report of the red palm mite, *Raoiella indica* Hirst (Acari, Tenuipalpidae), in Brazil. - Neotrop. Entomol. 40,3: 409-411
- NEVES, I.A. / DA CAMARA, C.A.G. (2011):* Acaricidal activity against *Tetranychus urticae* and essential oil composition of four croton species from Caatinga Biome in Northeastern Brazil. - Nat. Prod. Comm. 6,6: 893-899

- NICASTRO, R.L. / SATO, M.E. / DA SILVA, M.Z. (2011):* Fitness costs associated with milbemectin resistance in the two-spotted spider mite *Tetranychus urticae*. - Int. J. Pest Manag. 57,3: 223-228
- OCHOA, R. / BEARD, J.J. / BAUCHAN, G.R. / KANE, E.C. / DOWLING, A.P.G. / ERBE, E.F. (2011):* Herbivore exploits chink in armor of host. - Amer. Ent. 57,1: 26-29
- OHNO, S. / KODAMA, H. / GANAHA-KIKUMURA, T. (2011): Temporal occurrence of the two-spotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae), on Ishigaki Island, Okinawa. - J. Acarol. Soc. Jpn. 20,1: 37-40
- OKIWELU, S. / TAMBEKE, G. / BADEJO, A. (2011): Soil micro-arthropods in a secondary rainforest, Rivers State, Nigeria: Ecosystem health indicators of oil pollution. - J. Ecol. Nat. Environ. 3,1: 29-32
- PAKYARI, H. / FATHIPOUR, Y. / ENKEGAARD, A. (2011):* Effect of temperature on life table parameters of predatory thrips *Scolothrips longicornis* (Thysanoptera, Thripidae) fed on twospotted spider mites (Acari: Tetranychidae). - J. Econ. Entomol. 104,3: 799-805
- POZZEBON, A. / DUSO, C. / TIRELLO, P. / ORTIZ, P.B. (2011):* Toxicity of thiamethoxam to *Tetranychus urticae* Koch and *Phytoseiulus persimilis* Athias-Henriot (Acari, Tetranychidae, Phytoseiidae) through different routes of exposure. - Pest Manag. Sci. 67,3: 352-359
- RAHIMINEJAD, V. / HAJIQANBAR, H. / FATHIPOUR, Y. (2011): Two new species of the genus *Elattona* (Acari, Heterostigmatina, Pygmephoridae) phoretic on *Morimus verecundus* (Coleoptera, Cerambycidae) from Iran. - Zootaxa 2903: 48-56
- SABOORI, A. / BAGHERI, M. (2011): A new species of *Smaris* Lateille, 1796 from Iran (Acari, Smarididae). - Zool. Middle East 52: 105-110
- SABOORI, A. / HAJIQANBAR, H. / HAKIMITABAR, M. (2011): First Iranian species of *Neosilphitrombium* (Acari, Prostigmata, Neothrombiidae) with a key to world species. - Zootaxa 2738: 60-68
- SABOORI, A. / SUNDIC, M. / PESIC, V. / HAKIMITABAR, M. (2011): A new species of *Hauptmannia* (Acari, Erythraeidae) from Montenegro. - Acarologia 51,1: 61-68
- SARMENTO, R.A. / RODRIGUES, D.M. / FARAJI, F. / ERASMO, E.A.L. / LEMOS, F. / TEODORO, A.V. / KIKUCHI, W.T. / RODRIGUES DOS SANTOS, G. / PALLINI, A. (2011): Suitability of the predatory mites *Iphiseiodes zuluagai* and *Euseius concordis* in controlling *Polyphagotarsonemus latus* and *Tetranychus bastosi* on *Jatropha curcas* plants in Brazil. - Exp. Appl. Acarol. 53: 203-214
- SATO, M.M. / DE MORAES, G.J. / HADDAD, M.L. / WEKESA, V.W. (2011): Effect of trichomes on the predation of *Tetranychus urticae* (Acari, Tetranychidae) by *Phytoseiulus macropilis* (Acari, Phytoseiidae) on tomato, and the interference of webbing. - Exp. Appl. Acarol. 54,1: 21-32
- SEEMAN, O.D. / BEARD, J.J. (2011):* A new species of *Aegyptobia* (Acari, Tenuipalpidae) from Myrtaceae in Australia. - Syst. Appl. Acarol. 16,2: 73-89
- SEEMAN, O.D. / PALMER, C.M. (2011):* Parasitism of *Apteroponorpa tasmanica* Carpenter (Mecoptera, Apteroporidae) by larval *Leptus agrotis* Southcott (Acari, Erythraeidae) and *Willungella rufusanus* sp. nov. (Acari, Microtrombidiidae). - Zootaxa 2925: 19-32
- SERGEYENKO, A.L. (2011):* First record and redescription of a little known mite species *Denheyemaxoides brevirostris* (Canestrini, 1886) (Acari, Prostigmata, Cunaxidae) from Ukraine. - Syst. Appl. Acarol. 16,2: 40-50
- SHATROV, A.B. (2011):* Comparative morphology and ultrastructure of the mouthparts in unfed larvae of *Platyrombidium fasciatum* and *Camerotrombidium pexatum* (Acariformes, Microtrombidiidae). - Exp. Appl. Acarol. 53,3: 263-285
- SKORACKI, M. (2011):* Quill mites (Acari, Syringophilidae) of the Palaearctic region. - Zootaxa 2840: 1-414
- SKORACKI, M. / HENDRICKS, S.A. / SPICER, G.S. (2011): Systematics of the genus *Syringophilopsis* Kethley, 1970 (Acari, Prostigmata, Syringophilidae) with description of three new species from North American passerines. - Syst. Appl. Acarol. 2793: 23-34
- SKORACKI, M. / HROMADA, M. / WAMITI, W. (2011): A new species and new host records of syringophilid mites (Acari, Syringophilidae) from passerines from Kenya. - Zootaxa 2922: 34-40
- SKORACKI, M. / SIKORA, B. (2011): Quill mites (Acari, Syringophilidae) associated with galliform birds (Aves: Galliformes). - Zootaxa 2966: 13-30
- SZCZEPANIEC, A. / CREARY, S.F. / LASKOWSKI, K.L. / NYROP, J. / RAUPP, M.J. (2011):* Neonicotinoid insecticide imidacloprid causes outbreaks of spider mites on elm trees in urban landscapes. - Plos One 6,5: e20018
- TIEN, N.S.H. / MASSOURAKIS, G. / SABELIS, M.W. / EGAS, M. (2011): Mate choice promotes inbreeding avoidance in the two-spotted spider mite. - Exp. Appl. Acarol. 54,2: 119-124

- TIEN, N.S.H. / SABELIS, M.W. / EGAS, M. (2011): Ambulatory dispersal in *Tetranychus urticae*: an artificial selection experiment on propensity to disperse yields no response. - *Exp. Appl. Acarol.* 53,4: 349-360
- ULLAH, M.S. / MORIYA, D. / BADI, M.H. / NACHMAN, G. / GOTOH, T. (2011): A comparative study of development and demographic parameters of *Tetranychus merganser* and *Tetranychus kanzawai* (Acari, Tetranychidae) at different temperatures. - *Exp. Appl. Acarol.* 54,1: 1-19
- XIA, B. / KLOMPEN, H. / CHILDERS, C.C. (2011): **A new genus and species of Cheyletidae (Acariformes, Prostigmata) from citrus trees in Florida.** - *Zootaxa* 2796: 29-36
- XIE, R.-R. / CHEN, X.-L. / HONG, X.-Y. (2011):* Variable fitness and reproductive effects of *Wolbachia* infection in populations of the two-spotted spider mite *Tetranychus urticae* Koch in China. - *Appl. Entomol. Zool.* 46,1: 95-102
- YANO, J. / SAITO, Y. / CHITTENDEN, A.R. / SATO, Y. (2011):* Variation in counterattack effect against a phytoseiid predator between two forms of the social spider mite, *Stigmaeopsis miscanthi*. - *J. Ethol.* 29,2: 337-342
- YUKSELBABA, U. / GOCMEN, H. (2011):* Dispersal of the broad mite *Polyhagotarsonemus latus* (Banks) (Acari, Tarsonemidae) by greenhouse pests. - *J. Food Agric. Environ.* 9,2: 593-594
- ZACHARDA, M. / GRAFITTI, G. / PIVA, E. (2011): **New taxa of Rhagidia and Foveacheles (Acari, Prostigmata, Rhagidiidae) from Italian and French caves, with keys to adults of subgenera Deharvengiella and Mediostella.** - *J. Nat. Hist.* 45,11-12: 667-683
- ZACHARDA, M. / ISAILA, M. / PIVA, E. (2011): **New troglobitic species of the genus Troglocheles (Acari, Prostigmata: Rhagidiidae) from caves in northern Italy and Austria, with a key to adult species of the genus.** - *J. Nat. Hist.* 45,11-12: 641-666
- ZHANG, Z.-Q. (2011): Authorship and date of two family-group names in the Trombidiidae (Acariformes, Parasitengona). - *Syst. Appl. Acarol.* 16,2: 192

Publications 2010

- ABO-MOCH, F. / SAADI, I. / HOLLAND, D. / MANSOUR, F. (2010):* The potential of pomegranate peel and heartwood extracts as a source of new bioacaricides to control the carmine spider mite *Tetranychus cinnabarinus*. - *Isr. J. Plant Sci.* 58,1: 13-17
- AFIFI, A.-A.M. / MABROUK, A.M. / ASRAN, A.A. (2010): Effect of the entomopathogenic fungus *Beauveria bassiana* on three acarine pests. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 439-440
- AFIFI, A.-A.M. / EL-LAITHY, A.Y.M. / SHEHATA, S.A. / EL-SAYED, M.A. EL-SAIEDY (2010): Resistance of strawberry plants against the two-spotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae). In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 505-507
- ALBERTI, G. / COINEAU, Y. / FERNANDEZ, N.A. / THERON, P.D. (2010): Fine structure of the male genital systems, spermatophores and unusual sperm cells of Saxidromidae (Acari, Actinotrichida). - *Acarologia* 50,2: 243-256
- AL-JBOORY, I.J. / AL-SUAIDE, T.M. (2010): Effect of temperature on the life history of the old world date mite, *Oligonychus afrasiaticus* (Acari, Tetranychidae). In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 361-363
- ANDRÉ, H.M. / UECKERMANN, E.A. / RAHMANI, H. (2010):* **Description of two new species closely related to *Tydeus spatulatus* (Acari, Tydeidae) from Zimbabwe and Iran.** - *J. Afr. Zool.* 6: 111-116
- ANDRÉ, H.M. / ZACHARDA, M. / N'DRI, J.K. (2010): From parataxonomy to molecular data: the case of Rhagidiidae (Acari) from Belgian soils. - *Acarologia* 50,4: 501-512
- ARROYO, J. / BOLGER, T. (2010): The mite (Arachnida, Acari) fauna inhabiting Irish machair: a European Union priority coastal habitat. - *J. Coast. Conserv.*: DOI 10.1007/s11852-010-0132-1; 1-14
- BADAWY, M.E.I. / EL-ARAMI, S.A.A. / ABDELGALEIL, S.A.M. (2010): Acaricidal and quantitative structure activity relationship of monoterpenes against the two-spotted spider mite, *Tetranychus urticae*. - *Exp. Appl. Acarol.* 52,3: 261-274

- BAGHERI, M. / BONABI, R.N. / GHORBANI, H. / MEHRVAR, A. / SABER, M. / UECKERMANN, E.A. (2010): **The first occurrence of the family Barbutiidae (Acari, Prostigmata, Raphignathoidea) in Iran: *Barbutia iranensis* Bagheri, Navaei & Ueckermann sp. nov.. - Syst. Appl. Acarol. 15,3: 251-256**
- BAGHERI, M. / GHORBANI, H. / BONABI, R.N. / SABER, M. / MEHRVAR, A. / UECKERMANN, E.A. (2010): ***Prostigmaeus khanjani* (Acari, Stigmaeidae), a new species from Northwest Iran. - Syst. Appl. Acarol. 15,2: 123-128**
- BALDAN, E.L.L. / DAL POGETTO, M.H.F.A. / PAVARINI, D.P. / LOPES, N.P. / LOPES, J.L.C. (2010):* Composition and acaricidal activity of the essential oil of *Lychnophora ericoides* Mart. to *Tetranychus urticae* Koch (Acari, Tetranychidae). - Bol. San. Veg. Plagas 36,1: 127-134
- BEARD, J. / WALTER, D.E. (2010): **New spider mite genus (Prostigmata, Tetranychidae) from Australia and New Zealand, with a discussion of *Yezonychus* Ehara. - Zootaxa 2578: 1-24**
- BELLIURE, B. / MONTERRAT, M. / MAGALHAES, S. (2010): Mites as models for experimental evolution studies. - Acarologia 50,4: 513-529
- BELOZEROV, V.N. (2010): Seasonal adaptations in the life cycles of mites and ticks: comparative and evolutionary aspects. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress of Acarology. - Springer Science+Business Media B.V., Dordrecht: 319-326
- BOCHKOV, A.V. / OTTO, J.C. (2010): **Five new species of predaceous cheyletid mites (Acari, Prostigmata, Cheyletidae). - Zootaxa 2727: 1-20**
- CAMERIK, A.M. (2010): *Pediculaster* - host relationships (Acari, Siteroptidae). In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 337-342
- CARRILLO, D. / PENA, J.E. / HOY, M.A. / FRANK, J.H. (2010): Development and reproduction of *Amblyseius largoensis* (Acari, Phytoseiidae) feeding on pollen, *Raoiella indica* (Acari, Tenuipalpidae), and other microarthropods inhabiting coconuts in Florida, USA. - Exp. Appl. Acarol. 52,2: 119-129
- CAVALCANTI, S.C.H. / NICULAU, E. DOS S. / BLANK, A.F. / CAMARA, C.A.G. / ARAUJA, I.N. / ALVES, P.B. (2010):* Composition and acaricidal activity of *Lippia sidoides* essential oil against two-spotted spider mite (*Tetranychus urticae* Koch). - Bioresource Techn. 101,2: 829-832
- CHAUHAN, U. / KUMAR, R. / THAKUR, M. (2010): Winter survival and reproduction of *Amblyseius longispinosus* (Acari, Phytoseiidae), a potential predator of spider mites on roses in Himachal Pradesh, India. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 435-437
- CORRIVEAU, M. / UPPSTROM, K. / KLOMPEN, H. (2010): Effect of eight storage modes on DNA preservation. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 553-556
- DA SILVA, F.R. / DE MORAES, G.J. / GONDIM, M.G.C. / KNAPP, M. / ROUAM, S.L. / PAES, J.L.A. / DE OLIVEIRA, G.M. (2010): Efficiency of *Phytoseiulus longipes* Evans as a control agent of *Tetranychus evansi* Baker & Pritchard (Acari, Phytoseiidae, Tetranychidae) on greenhouse tomatoes. - Neotrop. Entomol. 39,6: 991-995
- DANIEL, M. / STEKOLNIKOV, A.A. / HAKIMITABAR, M. / SABOORI, A. (2010):* Chigger mites (Acari, Trombiculidae) parasitizing small mammals in the Eastern Hindu Kush and some other Afghan areas. - Parasitol. Res. 107,5: 1221-1233
- DE COSS, M. / OTERO-COLINA, G. / PENA, J.E. / MAGALLANES, R. (2010): Demographic and reproductive parameters of *Polyphagotarsonemus latus* in *Carica papaya*. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 357-360
- DE SOUSA, J.M. / GONDIM, M.G.C. / LOFEGO, A.C. (2010): Biology of *Tetranychus mexicanus* (McGregor) (Acari, Tetranychidae) on three species of Annonaceae. [Orig. Port.] - Neotrop. Entomol. 39,3: 319-323
- DE VILLIERS, M. / PRINGLE, K.L. (2010): The presence of *Tetranychus urticae* (Acari, Tetranychidae) and its predators on plants in the ground cover in commercially treated vineyards. - Exp. Appl. Acarol. 53,2: 121-137
- DEMETRAS, N.J. / HOGG, I.D. / BANKS, J.C. / ADAMS, B.J. (2010):* Latitudinal distribution and mitochondrial DNA (COI) variability of *Stereotydeus* spp. (Acari, Prostigmata) in Victoria Land and the central Transantarctic Mountains. - Antarct. Sci. 22,6: 749-756
- DOGAN, S. / DÖNEL, G. (2010): ***Cryptofavognathus*, a new genus of the family Cryptognathidae Oudemans (Acari, Raphignathoidea), with the description of a new species from Turkey. - Zootaxa 2533: 36-42**

- DOWLING, A.P.G. / BAUCHAN, G.R. / OCHOA, R. / BEARD, J.J. (2010): Scanning electron microscopy vouchers and genomic data from an individual specimen: maximizing the utility of delicate and rare specimens. - *Acarologia* 50,4: 479-485
- EDWARDS, D.D. / VIDRINE, M.F. / ERNSTING, B.R. (2010):* Phylogenetic relationships among *Unionicola* (Acari, Unionicolidae) mussels-mites of North America based on mitochondrial cytochrome oxidase I sequences. - *Zootaxa* 2537: 47-57
- EL-SHAPEL, G.M.A. / GOTOH, T. (2010):* Performance of eighteen tetranychid mite species (Acari, Tetranychidae) on borage and strawberry. - *Appl. Entomol. Zool.* 45,4: 579-585
- ESTEVES FILHO, A.B. / DE OLIVEIRA, J.V. / TORRES, J.B. / GONDIM, M.G.C. (2010): Compared biology and behavior of *Tetranychus urticae* Koch (Acari, Tetranychidae) and *Phytoseiulus macropilis* (Banks) (Acari, Phytoseiidae) on BollgardTM and non-Transgenic isolate cotton. [Orig. Port.] - *Neotrop. Entomol.* 39,3: 338-344
- FAN, Q.-H. / CHEN, Y. (2010):* Raphignathoidea of China: a review of research progress. - *Zoosymposia* 4: 120-132
- FENG, C.-Y. / LU, X.-F. / JIE, Y.-Q. (2010):* Observation of transfer habits of *Penthaleus major* on wheat plants. [Orig. Chin.] - *Kunchong Zhishi* 47,1: 197-200
- FILIMONOVA, S.A. / MIRONOV, S.V. (2010):* Functional morphology of the gnathosoma in the quill mite *Syringophilopsis fringilla* Fritsch (Acari, Prostigmata, Syringophilidae). - *Zool. Anz.* 249,3-4: 165-180
- FISHER, J.R. / DOWLING, A.P.G. (2010): Modern methods and technology for doing classical taxonomy. - *Acarologia* 50,3: 395-409
- FOUNTAIN, M.T. / HARRIS, A.L. / CROSS, J.V. (2010):* The use of surfactants to enhance acaricide control of *Phytonemus pallidus* (Acari, Tarsonemidae) in strawberry. - *Crop Prot.* 29,11: 1286-1292
- FUANGARWORN, M. / LEKPRAYOON, C. (2010): ***Adamystis thailandensis* sp. nov. (Acari, Prostigmata, Adamystidae), a new species of soil mites from Thailand with a key to world species of Adamystidae.** - *Zootaxa* 2649: 61-68
- FUANGARWORN, M. / LEKPRAYOON, C. (2010): **Two new species of cheyletid mites (Acari, Prostigmata) from Thailand.** - *Zootaxa* 2494: 59-68
- GABRYS, G. / MAKOL, J. (2010): Taxonomic notes on *Willmanniella* Feider, 1952 (Acari, Actinotrichida, Microtrombidiidae) with redescription of adult *W. racovitzae* (Feider, 1949) from Hungary. - *Ann. Zool.* 60,4: 589-598
- GAO, J.-R. / ZOU, P. (2010):* Dolichocyboidea, Pygmephoroida, Scutacaroida and Trochometridioidea of China: a review of progress, with a checklist. - *Zoosymposia* 4: 165-174
- GERECKE, R. (2010): Book Review. G.W. Krantz and D.E. Walter (Eds.): A manual of acarology (with contributions by V. Belan-Pelletier, D.R. Cook, M.S. Harvey, J.E. Keirans, E.E. Lindquist, R.A. Norton, B.M. O'Connor and I.M. Smith), 3rd edn. - *Exp. Appl. Acarol.* 52: 451-452
- GLOWSKA, E. / SKORACKI, M. (2010):* Anomalous chaetotaxy in the quill mites *Torotrogla merulae* Skoracki et al., 2000 (Acari, Prostigmata, Syringophilidae). - *Acta Parasitol.* 54,4: 364-367
- GLOWSKA, E. / SKORACKI, M. (2010): ***Meitingsunes*, a new genus of quill mites (Acari, Cheyletoidea, Syringophilidae).** - *Zootaxa* 2514: 61-67
- GOTOH, T. / SUGIMOTO, N. / PALLINI, A. / KNAPP, M. / HERNANDEZ-SUAREZ, E. / FERRAGUT, F. / HO, C.-C. / MIGEON, A. / NAVAJAS, M. / NACHMAN, G. ET AL. (2010): Reproductive performance of seven strains of the tomato red spider mite *Tetranychus evansi* (Acari, Tetranychidae) at five temperatures. - *Exp. Appl. Acarol.* 52,3: 239-259
- GREEN, D. (2010): The soil mites of buttongrass moorland (Tasmania) and their response to fire as a management tool. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 179-183
- HAITLINGER, R. (2010): The first record of *Pollux kovalamicus* Haitlinger, 2002 (Acari, Prostigmata, Erythraeidae) from Indonesia. - *Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz.* 61,577: 63-65
- HAITLINGER, R. (2010): **New records of mites (Acari, Prostigmata, Erythraeidae, Trombidiidae) from Turkey, with descriptions of four new species.** - *Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz.* 61, 577: 49-62
- HAITLINGER, R. (2010): New records of mites (Acari, Prostigmata, Calyptostomatidae, Erythraeidae, Johnstoniidae, Microtrombidiidae, Podothrombidiidae, Trombidiidae) from Estonia, Latvia and Lithuania. - *Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz.* 61,579: 49-55
- HAITLINGER, R. (2010): Arthropods (Acari, Anoplura, Siphonaptera) of small mammals of the Swietokrzyskie Province. - *Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz.* 61,577: 31-48

- HAILINGER, R. (2010): Arthropods (Acari, Anoplura, Siphonaptera) of small mammals of Lubelskie Province. - Zesz. Nauk. Univ. Przyrod. Wrocławiu, Biol. Hod. Zwierz. 61,579: 21-48
- HANIFAH, A.L. / ISMAIL, S.H.A. / MING, H.T. (2010):* Laboratory evaluation of four commercial repellents against larval *Leptotrombidium deliense* (Acari, Trombiculidae). - Southeast Asian J. Trop. Medicine Public Health 41,5: 1082-1087
- HERNANDEZ, F.A. / FERES, R.J.F. (2010): Geographical occurrence and host associations of *Aponychus*, *Paraponychus* and *Stylophoronychus* species (Tetranychidae, Tetranychinae). - Acarologia 50,4: 495-499
- HONG, X.-Y. / ZHANG, Z.-Q. / LI, G.-Q. (2010):* Tetranychidae of China: a review of progress, with a checklist. - Zoosymposia 4: 133-150
- IRANI-NEJAD, K.H. / AKBARI, A. / LOTFOLLAHI, P. / BAGHERI, M. / UECKERMANN, E.A. (2010):* *Stigmaeus shendabadiensis* n. sp. (Acari, Trombidiformes, Stigmaeidae) from Northwest of Iran. - Syst. Appl. Acarol. 15,2: 118-122
- IRANI-NEJAD, K.H. / LOTFOLLAHI, P. / AKBARI, A. / BAGHERI, M. / UECKERMANN, E.A. (2010): A new species of stigmaeid mites from East Azarbaijan, Iran (Acari, Prostigmata, Stigmaeidae). - Mun. Ent. Zool. 5,2: 369-373
- ITO, K. (2010): Overwintering survival and postdiapause fecundity in a population of the Kanzawa spider mite *Tetranychus kanzawai* (Acari, Tetranychidae) on *Orixa japonica* (Rutaceae). - Exp. Appl. Acarol. 53,1: 41-49
- ITO, K. (2010): Effects of host plants on diapause induction in immature and adult *Tetranychus kanzawai* (Acari, Tetranychidae). - Exp. Appl. Acarol. 52,1: 11-17
- JAFARI, S. / FATIHOPOUR, Y. / FARAJI, F. / BAGHERI, M. (2010):* Demographic response to constant temperatures in *Neoseiulus barkeri* (Phytoseiidae) fed on *Tetranychus urticae* (Tetranychidae). - Syst. Appl. Acarol. 15,2: 83-99
- JAMES, D.G. / PRISCHMANN, D. (2010): The impact of sulfur on biological control of spider mites in Washington State vineyards and hop yards. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 477-482
- JESIONOWSKA, K. (2010): A morphological study of the genus *Penthalodes* (Acari, Prostigmata, Eupodoidea, Penthalodidae) with description of a new species. - Zootaxa 2672: 29-49
- KASAP, I. (2010): Prey-stage preference and population increase of the predaceous mite *Kampimodromus aberrans* (Oudemans) (Acari, Phytoseiidae) on *Tetranychus urticae* Koch (Acari, Tetranychidae) under laboratory conditions. - Internat. J. Acarol. 36,6: 473-481
- KHAN, B.S. / BASHIR, M.H. / FAROOQ, N. / KHAN, N.A. (2010): A new predatory mite species of the genus *Agistemus* (Stigmaeidae, Acari) from Punjab, Pakistan. - Pak. Entomol. 32,1: 24-28
- KHANJANI, M. / FAYAZ, B.A. / GHANBALANI, G.N. (2010): Two new species of the genus *Neophyllobius* Berlese (Acari: Camerobiidae) from Iran. - Zootaxa 2521: 53-64
- KHANJANI, M. / IZADI, H. / FAYAZ, B.A. / RAISI, H. / ROSTAMI, E. / DOGAN, S. (2010): *Stigmaeus boshroyehensis* sp. nov. (Acari: Stigmaeidae) from eastern Iran, with re-description of *Stigmaeus pilatus* Kuznetsov. - Zootaxa 2727: 34-44
- KHANJANI, M. / MIRMOAYEDI, A.-N. / NAHAD, A.R. / FAYAZ, B.A. (2010): Two new larval species of *Erythraeus* (*Zaracarus*) (Acari, Erythraeidae) from western Iran. - Zootaxa 2537: 19-32
- KHAUSTOV, A.A. (2010): A new species of mites of the genus *Pseudopygmephorus* (Acari: Heterostigmata: Neopygmephoridae) associated with *Aphodius fimetarius* (Coleoptera: Scarabaeidae) from Crimea. - Acarina 18,2: 261-264
- KHAUSTOV, A.A. (2010): Three new species of mites of the genus *Bakerdania* Sasa, 1961 (Acari, Heterostigmata, Neopygmephoridae) from "Cape Martyan" Nature Reserve, Crimea. - Zootaxa 2600: 53-60
- KHAUSTOV, A.A. / ABRAMOV, V.V. (2010): First record of mite family Dasythyreidae (Acari: Raphignathoidea) from Europe with description of a new species of the genus *Dasythyreus* from European part of Russia. - Acarina 18,2: 265-268
- KIKUCHI, A. / TANAKA, M. (2010): Nest microflora in the social spider mite, *Stigmaeopsis longus* (Acari, Tetranychidae). In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 313-315

- KLOMPEN, H. (2010): From sequence to phoresy - molecular biology in acarology. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 1-6
- KOVACIK, J. / KALUZ, S. (2010): **Two new chigger mites of the genus *Aboriginesia* (Acari, Trombiculidae).** - *Zootaxa* 2554: 22-36
- KUDRYASHOVA, N.I. / STEKOLNIKOV, A.A. (2010): ***Kopkatrombicula* nom. n., a new name for the chigger mite genus *Eutonella* Kudryashova, 1988 (Acari, Trombiculidae), with notes on its systematics.** - *Acarina* 18,1: 79-80
- KUMRAL, N.A. / SUSURLUK, H. / COBANOGU, S. (2010): Interactions among populations of predatory mites and insect and mite pests on olive trees in Turkey. - *Internat. J. Acarol.* 36,6: 463-471
- KUZNETSOV, N.N. / KHAUSTOV, A.A. / PERKOVSKY, E.E. (2010): **First record of mites of the family Stigmaeidae (Acari, Raphignathoidea) from Rovno Amber with description of a new species of the genus *Mediolata*.** - *Vestn. Zool.* 44,6: 545-547
- KWON, D.H. / SONG, D.Y. / KANG, S. / AHN, J.J. / LEE, J.H. / CHOI, B.R. / LEE, S.W. / KIM, J.H. / LEE, S.H. (2010):* Residual contact vial bioassay for the on-site detection of acaricide resistance in the two-spotted spider mite. - *J. Asia-Pacific Entomol.* 13,4: 333-337
- LANDEROS, J. / AIL, C.E. / CERNA, E. / OCHOA, Y. / GUEVARA, L. / AGUIRRE, L.A. (2010):* Susceptibility and resistance mechanisms of *Tetranychus urticae* (Acariformes, Tetranychidae) in greenhouse roses. - *Rev. Col. Entomol.* 36,1: 5-9
- LE GOFF, G.J. / MAILLEUX, A.C. / DETRAIN, C. / DENEUBOURG, J.L. / GLOTUCHE, G. / HANCE, T. (2010):* Group effect on fertility, survival and silk production in the web spinner *Tetranychus urticae* (Acari, Tetranychidae) during colony foundation. - *Behaviour* 147,9: 1169-1184
- LEMONS, F. / SARMENTO, R.A. / PALLINI, A. / DIAS, C.R. / SABELIS, M.W. / JANSSEN, A. (2010): Spider mite web mediates anti-predator behaviour. - *Exp. Appl. Acarol.* 52,1: 1-10
- LI, G.-Q. / XUE, X.-F. / ZHANG, K.-J. / HONG, X.-Y. (2010):* Identification and molecular phylogeny of agriculturally important spider mites (Acari, Tetranychidae) based on mitochondrial and nuclear ribosomal DNA sequences, with an emphasis on *Tetranychus*. - *Zootaxa* 2647: 1-15
- LIN, J.-Z. / ZHANG, Z.-Q. (2010):* Tarsonemidae of China: a review of progress on the systematics and biology, with an updated checklist of species. - *Zoosymposia* 4: 175-185
- LIN, J.-Z. / ZHANG, Z.-Q. (2010):* Tydeoidea of China: a review of progress, with a checklist. - *Zoosymposia* 4: 51-56
- LIN, J.-Z. / ZHANG, Z.-Q. (2010):* Bdelloidea of China: a review of progress on systematics and biology, with a checklist of species. - *Zoosymposia* 4: 42-50
- LINDO, Z. / GONZALEZ, A. (2010): The Bryosphere: An integral and influential component of the earth's biosphere. - *Ecosystems* 13: 612-627
- LÓPEZ-CAMPOS, M.G. / VÁZQUEZ-ROJAS, I. (2010): Mites of the family Anystidae and Teneriffiidae from Baja California Sur, Mexico. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 155-159
- LOTFOLLAHI, P. / IRANI-NEJAD, K.H. (2010): New records of tarsonemid mites from Alfalfa fields in northeast of East Azerbaijan Province, Iran (Acari). - *Mun. Ent. Zool.* 5,2: 538-542
- LOTFOLLAHI, P. / IRANI-NEJAD, K.H. / BAGHERI, M. / VALIZADE, M. (2010): Prostigmatid soil mites of Alfalfa fields in Northwest of Iran (East Azarbaijan Province) with one genus, subgenus and four species. - *Mun. Ent. Zool.* 5,2: 1001-1010
- MAKOL, J. (2010): A redescription of *Balaustium murorum* (Hermann, 1804) (Acari, Prostigmata, Erythraeidae) with notes on related taxa. - *Ann. Zool.* 60,3: 439-454
- MAKOL, J. / CICHOCKI, J. / FELSKA, M. / KLOSINSKA, A. / LAYDANOWICZ, J. / LUPICKI, D. / GABRYS, G. (2010): A new data on biology and taxonomy of *Neotrombicula inopinata* (Oudemans, 1909) and *Leptotrombidium ruscicum* (Oudemans, 1902) (Acari, Actinotrichida, Trombiculidae). - *Ann. Zool.* 60,3: 419-428
- MAKOL, J. / LAYDANOWICZ, J. (2010): **A new species of *Valgothrombium* Willmann, 1940, with additional taxonomic data for *Valgothrombiinae* genera known as larvae (Acari, Prostigmata, Microtrombidiidae).** - *Zootaxa* 2647: 16-34
- MAKOL, J. / LAYDANOWICZ, J. / KLOSINSKA, A. (2010): *Myrmecophilus Parasitengona* (Acari, Prostigmata) - accident or adaptation? - *Ann. Zool.* 60,3: 429-438
- MAKOL, J. / WOHLTMANN, A. / GABRYS, G. (2010): First description of the larva of *Trischidothrombium* Feider, 1952 (Acari, Actinotrichidae, Microtrombidiidae). - *Ann. Zool.* 60,3: 455-468

- MALYKH, M. (2010):* Characteristics of the flat-mite population development in the acarocomplex on the commercial vineyard in the southern coast of the Crimea. [Orig. Ukr.] - Visnyk Lvivskoho Univ., Ser. Biol. 52: 137-142
- MARTINS, G.L.M. / VIEIRA, M.R. / BARBOSA, J.C. / DINI, T.A. / MANZANO, A.M. / ALVES, B.M.S. / SILVA, R.M. (2010): Spatial distribution of *Tenuipalpus heveae* Baker (Acari, Tenuipalpidae) on rubber tree plantations. [Orig. Span.] - Neotrop. Entomol. 39,5: 703-708
- MATA, J. / SETAMOU, M. / FRENCH, J.V. / LOUZADA, E. (2010):* Molecular fingerprinting and population dynamics of *Brevipalpus* mites on Texas citrus. - Ann. Entomol. Soc. Amer. 103,6: 898-907
- MEJIA-RECAMIER, B. / CASTANO-MENESES, G. (2010): Stage distributions of cunaxids in soil and litter at Chamela, Jalisco, Mexico. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 193-197
- MENDONCA, R.S. / NAVIA, D. / FLECHTMANN, C.H.W. (2010): **Two new spider mites (Acari, Tetranychidae) from Brazil: a *Monoceronychus* McGregor (Bryobiinae) from fingergrass and an *Oligonychus* Berlese (Tetranychinae) from grape. - Internat. J. Acarol. 36,6: 487-502**
- MESSELINK, G.J. / VAN MAANEN, R. / VAN HOLSTEIN-SAJ, R. / SABELIS, M.W. / JANSSEN, A. (2010): Pest species diversity enhances control of spider mites and whiteflies by a generalist phytoseiid predator. - BioControl 55: 387-398
- MIGEON, A. / NOUGUIER, E. / DORKELD, F. (2010): Spider mites web: A comprehensive database for the Tetranychidae. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 557-560
- MIKUNTHAN, G. / MANJUNATHA, M. (2010): Effect of monocrotophos and the acaropathogen, *Fusarium semitectum*, on the broad mite, *Polyphagotarsonemus latus*, and its predator *Amblyseius ovalis* in the field. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 489-494
- MIKUNTHAN, G. / MANJUNATHA, M. (2010): Compatibility of pesticides with the acaropathogenic fungus, *Fusarium semitectum*. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 493-498
- MORALES-MALACARA, J.B. / COLIN-MARTINEZ, H. / GARCIA-ESTRADA, C. (2010):* **A new species of *Eudusbabekia* (Acari, Prostigmata, Myobiidae) from hart's little fruit bat, *Enchistenes hartii* (Chiroptera: Phyllostomidae), in Southern Mexico. - J. Med. Entomol. 48,2: 140-145**
- MORELL, H.R. / MIRANDA, I. / RAMOS, M. / BADII, M.H. (2010): Functional and numerical responses of *Amblyseius largoensis* (Muma) (Acari, Phytoseiidae) on *Polyphagotarsonemus latus* (Banks) (Acari, Tarsonemidae) in Cuba. - Internat. J. Acarol. 36,5: 371-376
- MURUNGI, L.K. / NYENDE, A. / WESONGA, J. / MASINDE, P. / KNAPP, M. (2010): Effect of African nightshade species (Solanaceae) on developmental time and life table parameters of *Tetranychus evansi* (Acari, Tetranychidae). - Exp. Appl. Acarol. 52,1: 19-27
- NAVIA, D. / SANTOS DE MENDONCA, R. / OCHOA, R. (2010): The rice mite *Steneotarsonemus spinki*, an invasive species in the Americas. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 379-384
- NGUYEN, T.V. / SHIH, C.T. (2010):* Development of *Neoseiulus womersleyi* (Schicha) and *Euseius ovalis* (Evans) feeding on four tetranychid mites (Acari, Phytoseiidae, Tetranychidae) and pollen. - J. Asia-Pacific Entomol. 13,4: 289-296
- NISHIDA, T. / KATAYAMA, N. / IZUMI, N. / OHGUSHI, T. (2010):* Arbuscular mycorrhizal fungi species-specifically affect induced plant responses to a spider mite. - Popul. Ecol. 52,4: 507-515
- NISHIMURA, S. / HINOMOTO, N. / TAKAFUJI, A. (2010): Development of microsatellite markers for *Tetranychus kanzawai* (Acari, Tetranychidae) and analysis of spatio-temporal gene flow among population on different host plants. In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 349-355
- NUSARTIERT, N. / VICHIBANDHA, P. / BAKER, G.T. / CHANDRAPATYA, A. (2010): Pesticide-induced mortality and prey-dependent life history of the predatory mite *Neoseiulus longispinosus* (Acari, Phytoseiidae). In: Sabelis, M.W. / Bruin, J. (Eds.), Trends in Acarology: Proceedings of the 12th International Congress. - Springer Science+Business Media B.V., Dordrecht: 495-498

- OHNO, S. / MIYAGI, A. / GANAHA-KIKUMURA, T. / GOTOH, T. / KIJIMA, K. / OISHI, T. / MOROMIZATO, C. / HARAGUCHI, D. / YONAMINE, K. / UEZATO, T. (2010):* Non-crop host plants of *Tetranychus* spider mites (Acari, Tetranychidae) in the field in Okinawa, Japan: Determination of possible sources of pest species and inference on the cause of peculiar mite fauna on crops. - *Appl. Entomol. Zool.* 45,3: 465-475
- PALEVSKY, E. / LOTAN, A. / GERSON, U. (2010):* Evaluation of *Eutetranychus palmatus* (Acari, Tetranychidae) as a pest of date palms in Israel. - *Isr. J. Plant Sci.* 58,1: 43-51
- PETROVIC, A. / JURISIC, A. / RAJKOVIC, D. (2010): Seasonal distribution and species association among spider mites (Acari: Tetranychidae) and predatory mites (Acari: Phytoseiidae and Acari: Stigmaeidae) in serbian apple orchards. - *Internat. J. Acarol.* 36,6: 519-526
- POZZEBON, A. / DUSO, C. (2010): Pesticide side-effects on predatory mites: the role of trophic interactions. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 465-469
- RAHMANI, H. / KAMALI, K. / FATHIPOUR, Y. (2010):* Spatial distribution and seasonal activity of *Panonychus ulmi* (Acari, Tetranychidae) and its predator *Zetzellia mali* (Acari, Stigmaeidae) in apple orchard of Zanjan, Iran. - *Jour. Agric. Sci. Technol.* 12: 155-165
- REMIC, M. / MILEVOJ, L. / PINTAR, M. (2010):* Influence of some factors on colonization of twospotted spider mite (*Tetranychus urticae* Koch) on *Chrysanthemum* 'Veria Dark' and 'Cassablanca White'. - *Acta Agric. Slov.* 93,3: 345-355
- ROHWER, C.L. / ERWIN, J.E. (2010):* Spider mites (*Tetranychus urticae*) perform poorly on and disperse from plants exposed to methyl jasmonate. - *Entomol. Exp. Appl.* 137,2: 143-152
- ROY, S. / MUKHOPADHYAY, A. / DAS, S. / GURUSUBRAMANIAN, G. (2010):* Bioefficacy of coccinellid predators on major tea pests. - *J. Biopesticides* 3,1: 33-36
- ROY, S. / MUKHOPADHYAY, A. / GURUSUBRAMANIAN, G. (2010): Baseline susceptibility of *Oligonychus coffeae* (Acarina, Tetranychidae) to acaricides in North Bengal Tea plantations, India. - *Internat. J. Acarol.* 36,5: 357-362
- RUSSELL, D.J. / ALBERTI, G. (2010): Actinedid mite community diversity in a succession gradient in continental sand-dune habitats of central Europe. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress of Acarology.* - Springer-Science + Business Media B. V., Dordrecht: 135-142
- SABELIS, M.W. / BRUIN, J. (EDS.) (2010): *Trends in Acarology. Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 1-566
- SABOORI, A. / WOHLTMANN, A. / HAKIMITABAR, M. (2010): **A new family of trombidoid mites (Acari, Prostigmata) from Iran.** - *Zootaxa* 2611: 16-30
- SAFASADATI, V.S. / KHANJANI, M. / RAZMJOU, J. / DOGAN, S. (2010): **A new species of the genus *Storchia* Oudemans (Acari, Stigmaeidae) from northwest Iran.** - *Syst. Appl. Acarol.* 15,2: 129-134
- SAITO, Y. (2010): Spider mites as study objects for evolutionary biology. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 287-293
- SEDGHI, A. / RAVAN, S. / SABOORI, A. / HAKIMITABAR, M. / AKRAMI, M.A. (2010): ***Charletonia talebii* n. sp. from Iran (Acari, Prostigmata, Erythraeidae).** - *Acarologia* 50,3: 335-341
- SEDGHI, A. / SABOORI, A. / AKRAMI, M.A. / HAKIMITABAR, M. (2010): **Second Iranian species of the genus *Abalakeus* Southcott (Acari, Prostigmata, Erythraeidae).** - *Internat. J. Acarol.* 36,5: 431-436
- SEIEDY, M. / SABOORI, A. / ALLAHYARI, H. / TALEI-HASSANLOUI, R. / TORR, M. (2010): Laboratory investigation on the virulence of two isolates of the entomopathogenic fungus *Beauveria bassiana* against the twospotted spider mite *Tetranychus urticae* (Acari, Tetranychidae). - *Internat. J. Acarol.* 36,6: 527-532
- SERTKAYA, E. / KAYA, K. / SOYLU, S. (2010):* Acaricidal activities of the essential oils from several medicinal plants against the carmine spider mite (*Tetranychus cinnabarinus* Bois.) (Acarina, Tetranychidae). - *Industrial Crops and Prod.* 31,1: 107-112
- SHARMA, S. / BHARDWAJ, S.P. (2010): Effect of nitrogen, phosphorus, and potash levels on population fluctuation of European red mite, *Panonychus ulmi*, on apple. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 501-503
- SHATROV, A.B. (2010): Comparative ultrastructure of the integument in adult mites of the Parasitengona and its phylogenetic implication. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 65-69

- SHAW, M. (2010):* Post-larval stages of *Ascoschoengastia (Laurentella) lorius* (Gunther) (Acariformes: Trombiculidae) provide evidence for a nest-based life history. - *Zootaxa* 2680: 55-64
- SHINMEN, T. / YANO, S. / OSAKABE, M. (2010): The predatory mite *Neoseiulus womersleyi* (Acari, Phytoseiidae) follows extracts of trails left by the two-spotted spider mite *Tetranychus urticae* (Acari, Tetranychidae). - *Exp. Appl. Acarol.* 52,2: 111-118
- SKORACKI, M. / BOCHKOV, A.V. (2010): Syringophilid mites (Acari, Syringophilidae) of Kazakhstan. - *Zootaxa* 2546: 52-68
- SKORACKI, M. / GLOWSKA, E. / LONTKOWSKI, J. / STAWARCZYK, T. (2010): *Picobia ictericus* sp. n, an ectoparasite of two icterid bird species from Brazil (Acari, Prostigmata, Syringophilidae). - *Genus* 21,1: 143-148
- SKORACKI, M. / HENDRICKS, S.A. / SPICER, G.S. (2010): Systematics of the ectoparasitic quill mites of the genus *Aulobia* Kethley, 1970 (Acari, Syringophilidae) with the description of a new species. - *Zootaxa* 2399: 31-41
- SKORACKI, M. / HENDRICKS, S.A. / SPICER, G.S. (2010): New species of parasitic quill mites of the genus *Picobia* (Acari, Syringophilidae, Picobiinae) from North American birds. - *J. Med. Entomol.* 47,5: 727-742
- SKORACKI, M. / LONTKOWSKI, J. / STAWARCZYK, T. (2010): New taxa of the parasitic quill mites associated with accipitrid birds indicating close relationship of falconid birds to Psittaci-Columbi clade. - *J. Nat. Hist.* 44,19-20: 1203-1214
- SKORACKI, M. / OCONNOR, B. (2010): New taxa of quill mites (Acari, Cheyletoidea, Syringophilidae). - *Zootaxa* 2341: 1-32
- SOTO, A. / VENZON, M. / OLIVEIRA, R.M. / OLIVEIRA, H.G. / PALLINI, A. (2010): Alternative control of *Tetranychus evansi* Baker & Pritchard (Acari, Tetranychidae) on tomato plants grown in greenhouses. - *Neotrop. Entomol.* 39,4: 638-644
- STAVRINIDES, M.C. / DAANE, K.M. / LAMPINEN, B.D. / MILLS, N.J. (2010):* Plant water stress, leaf temperature, and spider mite (Acari, Tetranychidae) outbreaks in California vineyards. - *Environ. Entomol.* 39,4: 1232-1241
- STAVRINIDES, M.C. / LARA, J.R. / MILLS, N.J. (2010):* Comparative influence of temperature on development and biological control of two common vineyard pests (Acari, Tetranychidae). - *Biol. Contr.* 55,2: 126-131
- STEKOLNIKOV, A.A. / GONZÁLEZ-ACUNA, D. (2010): Four new species of chigger mites (Acari, Trombiculidae) of the genus *Eutrombicola* from Chile. - *Internat. J. Acarol.* 36,4: 313-325
- STEKOLNIKOV, A.A. / KLIMOV, P.B. (2010):* A revision of chiggers of the minuta species-group (Acari, Trombiculidae, *Neotrombicula* Hirst, 1925) using multivariate morphometrics. - *Syst. Parasitol.* 77: 55-69
- THAKUR, M. / DINABANDHO, C.L. / CHAUHAN, U. (2010): Host range, distribution, and morphometrics of predatory mites associated with phytophagous mites of fruit crops in Himachal Pradesh, India. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 431-437
- TOYOSHIMA, S. (2010):* Effects of fertilization status and age of gravid females on the egg size in *Tetranychus urticae* Koch. - *J. Acarol. Soc. Jpn.* 19,2: 107-112
- UJVÁRI, Z. / KONTSCHÁN, J. (2010): Data to the Mesostigmata and Trombidiformes (Acari) fauna of Porva and surroundings. [Orig. Hung.] - *Fol. Mus. Hist.-Nat. Bakonyiensis* 27: 33-38
- UPPSTROM, K.A. (2010): Mites (Acari) associated with the ants (Formicidae) of Ohio and the Harvester Ant, *Messor pergandei*, of Arizona. - M. Sc. Thesis, Ohio State University: 1-248
- VAN LEEUWEN, T. / VONTAS, J. / TSAGKARAKOU, A. / DERMAUW, W. / TIRRY, L. (2010):* Acaricide resistance mechanisms in the two-spotted spider mite *Tetranychus urticae* and other important Acari: A review. - *Insects Biochem. Molec. Biol.* 40,8: 563-572
- VÁZQUEZ-ROJAS, I.M. / ESTRADA-VENEGAS, E.G. (2010): Ereynetid mites (Tydeoidea, Ereynetidae) associated with garlic crops in Guanajuato, Mexico. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 207-210
- VILLANUEVA, R.T. / WALGENBACH, J.F. (2010): Impact of new pesticide chemistry on acarine communities in apple orchards. In: Sabelis, M.W. / Bruin, J. (Eds.), *Trends in Acarology: Proceedings of the 12th International Congress.* - Springer Science+Business Media B.V., Dordrecht: 483-487

- WANG, S.-L. / ZHANG, Y.-J. / QUN, Y. / ZHU, G.-R. (2010):* Population dynamics of carmine spider mite, *Tetranychus cinnabarinus*, under intensive culture in Beijing. [Orig. Chin.] - Kunchong Zhishi 47,1: 72-75
- WANG, Y.-N. / WANG, H.-X. / JIN, Y.-S. / BU, C.-Y. / CHENG, J. / ZHAO, L.L. / SHI, G.-L. (2010):* Assessment of the contact toxicity of methyl palmitate on *Tetranychus viennensis* (Acari, Tetranychidae). - J. Econ. Entomol. 103,4: 1372-1377
- WOHLTMANN, A. (2010): Notes on the taxonomy and biology of Smarididae (Acari, Prostigmata, Parasitengona). - Ann. Zool. 60,3: 355-382**
- XIA, B. (2010):* A review of progress on the systematics and biology of the family Cheyletidae in China, with a checklist of the Chinese cheyletids. - Zoosymposia 4: 158-164
- XIE, R.-R. / ZHOU, L.-L. / ZHAO, Z.-J. / HONG, X.-Y. (2010):* Male age influences the strength of cardinium-induced cytoplasmic incompatibility expression in the carmine spider mite *Tetranychus cinnabarinus*. - Appl. Entomol. Zool. 45,3: 417-423
- XU, H.-L. / LI, A.-H. / ZHONG, L. / XIAO, X.-C. / ZHONG, X.-F. / NI, G.-J. / DAI, W.-J. / XIAO, W.-M. / LUO, H. (2010):* Effect of releasing *Amblyseius barkeri* on controlling *Panonychus citri* on pomelo. [Orig. Chin.] - Kunchong Zhishi 47,1: 102-104
- XU, X.-N. / ENKEGAARD, A. (2010):* Prey preference of the predatory mite *Amblyseius swirskii* between first instar western flower thrips *Frankliniella occidentalis* and nymphs of the twospotted spider mite *Tetranychus urticae*. - J. Insect Sci. 10: 149
- XU, Y. / FAN, Q.-F. (2010):* *Tenuipalpus orilloi* Rimando, a new record to the Chinese fauna (Acari, Tenuipalpidae) - Syst. Appl. Acarol. 15,2: 135-138
- YANG, L.-H. / HUANG, H. / WANG, J.-J. (2010):* Antioxidant responses of citrus red mite, *Panonychus citri* (McGregor) (Acari, Tetranychidae), exposed to thermal stress. - J. Insect Physiol. 56,12: 1871-1876
- YESILAYER, A. / COBANOGLU, S. (2010): Major mite pests of quarantine importance to Turkey. - Intern. J. Acarol. 36,6: 483-486
- YOON, C. / INDIRAGANDHI, P. / ANANDHAM, R. / CHO, S. / SA, T.M. / KIM, G.H. (2010): Bacterial diversity and distribution from the whole mite extracts in Acaricide resistant and susceptible populations of twospotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae). - J. Korean Soc. Appl. Biol. Chem. 53,4: 446-457
- YU, L. / ZHANG, Z.-Q. / HE, L. (2010):* Two new species of Pyemotes closely related to Pyemotes tritici (Acari: Pyemotidae). - Zootaxa 2723: 1-40**
- YUAN, M.-L. / WEI, D.-D. / WANG, B.-J. / DOU, W. / WANG, J.-J. (2010):* The complete mitochondrial genome of the citrus red mite *Panonychus citri* (Acari, Tetranychidae) high genome rearrangement and extremely truncated tRNAs. - BMC Genomics 11,597: 16 pp.
- YUAN, M.-L. / WEI, D.-D. / ZHANG, K. / GAO, Y.-Z. / LIU, Y.-H. / WANG, B.-J. / WANG, J.-J. (2010):* Genetic diversity and population structure of *Panonychus citri* (Acari, Tetranychidae), in China based on mitochondrial COI gene sequences. - J. Econ. Entomol. 103,6: 2204-2213
- ZACHARDA, M. / KUCERA, T. (2010): The Rhagidiidae (Acari, Prostigmata) in NW Lapland: Could their assemblages be climate warming monitors related to environmental and habitat patterns? - Pedobiologia 54,1: 1-56
- ZHANG, Z.-Q. (2010):* Tenuipalpidae of China: a review of progress. - Zoosymposia 4: 151-157
- ZHANG, Z.-Q. (2010):* Terrestrial Parasitengona (except chiggers) of China: a review of progress in systematics and biology, with a checklist of species. - Zoosymposia 4: 94-105
- ZHU, M. / HOU, B.-H. / WU, W.-N. / FANG, X.-D. / GUO, M.-F. (2010):* Mites of tea plantation and releasing of *Amblyseius cucumeris* (Acari, Phytoseiidae) for control of *Brevipalpus obovatus* (Acari, Tenuipalpidae). [Orig. Chin.] - Huanjing Kunchong Xuebao 32,2: 204-209

Publications, additions 2009

- ABOU-AWAD, B.A. / EL-SAWAF, B.M. / ABDEL-KHALEK, A.A. (2009): Four new species of rhagidiid mites from Egypt (Acari, Eupodoidea, Rhagidiidae). - Acarologia 49,3-4: 139-155**
- ADAMSKI, Z. / BLOSZYK, J. / PIOSIK, K. / TOMCZAK, K. (2009): Effects of diflubenzuron and mancozeb on soil microarthropods: a long-term study. - Biol. Lett. 46,1: 3-13
- BRIONES, M.J.I. / OSTLE, N.J. / MCNAMARA, N.P. / POSKITT, J. (2009): Functional shifts of grassland soil communities in response to soil warming - Soil Biol. Biochem. 41: 315-322

- BRITTO, E.P.J. (2009):* Predation and reproductive output of the ladybird beetle *Stathorus tridens* preying on tomato red spider mite *Tetranychus evansi*. - *Biocontrol Dordrecht* 54,3: 369-382
- CASTAGNOLI, M. / LIGUORI, M. / SIMONI, S. / PEVERIERI, S.G. / GOGGIOLI, D. / GUIDI, S. / TARCHI, F. (2009):* *Eotetranychus carpini*: biological control experiments in Tuscan vineyards (Italy). - *Bull. IOBC / WPRS* 50: 1-7
- COLLIER, R. / HANKS, G. / MILLAR, M. (2009):* Integrated control of bulb-scale mite (*Steneotarsonemus laticeps*) in Narcissus. - *Bull. IOBC / WPRS* 50: 9
- DHORA, D. (2009): Register of species of the fauna of Albania. [Orig. Alban.] - *Botimet Camaj - Pipa, Tirana*: 1-130
- DI PALMA, A. / NUZZACI, G. / ALBERTI, G. (2009): Morphological, ultrastructural and functional adaptations of the mouthparts in cheyletid mites (Acari, Actinedida, Cheyletidae). - *Internat. J. Acarol.* 35,6: 521-532
- HAMILTON, H.C. / STRICKLAND, M.S. / WICKINGS, K. / BRADFORD, M.A. / FIERER, N. (2009): Surveying soil faunal communities using a direct molecular approach. - *Soil Biol. Biochem.* 41: 1311-1314
- HARDMAN, J.M. / FRANKLIN, J.L. / BOSTANIAN, N.J. (2009):* Application of a non-selective acaricide aggravates outbreaks of *Tetranychus urticae* on apple by suppressing its predator, *Typhlodromus pyri*, and its competitor, *Panonychus ulmi*. - *Bull. IOBC / WPRS* 55: 1-10
- HOOGERBRUGGE, H. / VAN HOUTEN, Y. / KNAPP, M. / BOLCKMANS, K. (2009):* Comparative effectiveness of *Phytoseiulus persimilis* and *Phytoseiulus longipes* in the control of *Tetranychus urticae* on strawberries and roses. - *Bull. IOBC / WPRS* 50: 29-33
- HUBERT, J. (2009):* Combination of the antifeedant bean flour and the predator *Cheyletus malaccensis* suppresses storage mites under laboratory conditions. - *Biocontrol Dordrecht* 54,3: 403-410
- KALUZ, S. (2009): Monografie Roztoce - Acari (Trombidiformes). In: Masan, P. / Mihal, I. (Eds.), *Pavúkovec cerovej vrchoviny (Arachnida: Araneae, Pseudoscorpiones, Opiliones, Acari)*. [Orig. Slovak.] - *Stat. ochr. prír. SR, Banská Bystrica-Spr. CHKO Cerová vrch., Rimavská Sobota, Ústav zool. SAV, Bratislava*: 231-266
- KIELKIEWICZ, M. / CZARNECKA, M. / ORZECZOWSKI, S. / SZWACKA, M. (2009): The role of thaumatin II in cucumber resistance against *Tetranychus urticae* Koch: laboratory and greenhouse evaluation. - *Biol. Lett.* 46,2: 77-88
- KOÇAK, A.Ö. / KEMAL, M. (2009): **A replacement name in the family Trombiculidae in Acarina. - Misc. Publ. Ctr. Entomol. Stud. Ankara 147-148: 15-16**
- KRAMER, K. / CRANSHAW, W.S. (2009): Effects of supplemental irrigation on populations of clover mite, *Bryobia praetiosa* Koch (Acari, Tetranychidae), and other arthropods in a Kentucky Bluegrass Lawn. - *Southw. Entomol.* 34,1: 69-74
- LORENZON, M. / POZZEBON, A. / DUSO, C. (2009):* Notes on the phenology and the biology of *Tydeus caudatus* (Acari, Tydeidae). - *Bull. IOBC / WPRS* 50: 45-49
- MALAGNINI, V. / GRASSI, A. / MAINES, R. / ANGELI, G. / IORIATTI, C. / DUSO, C. (2009):* The spider mite *Neotetranychus rubi* (Träg.) a potential prey for the predatory mite *Amblyseius andersoni* (Chant). - *Bull. IOBC / WPRS* 50: 53-55
- MAOZ, Y. / PALEVSKY, E. / GAL, S. / ZILBERSTEIN, M. / NOY, M. / IZHAR, Y. / GAN-MOR, J.A.S. / COLL, M. (2009):* Integrated pest management of *Oligonychus perseae*: development action thresholds and the identification and conservation of natural enemies. - *Bull. IOBC / WPRS* 50: 57-60
- MASAN, P. / MIHAL, I. (EDS.) (2009): Monografie Pavúkovec cerovej vrchoviny (Arachnida: Araneae, Pseudoscorpiones, Opiliones, Acari). [Orig. Slovak.] - *Stat. ochr. prír. SR, Banská Bystrica-Spr. CHKO Cerová vrch., Rimavská Sobota, Ústav zool. SAV, Bratislava*: 1-311
- MIRONOV, S.V. / BOCHKOV A.V. (2009): Modern conceptions concerning the macrophylogeny of Acariform mites (Chelicerata, Acariformes). [Orig. Russ.] - *Zool. Zhur.* 88,8: 922-937
- PAKYARI, H. / FATHIOUR, Y. (2009):* Mutual interference of *Scolothrips longicornis* Priesner (Thysanoptera, Thripidae) with *Tetranychus urticae* Koch (Acari, Tetranychidae). - *Bull. IOBC / WPRS* 50: 65-68
- PENA, J.E. / RODRIGUES, J.C.V. / RODA, A. / CARRILLO, D. / OSBORNE, L.S. (2009):* Predator-prey dynamics and strategies for control of the red palm mite (*Raoiella indica*) (Acari, Tenuipalpidae) in areas of invasion in the Neotropics. - *Bull. IOBC / WPRS* 50: 69-79
- SAENZ-DE-CABEZON IRIGARAY, F.J. / ZALOM, F.G. (2009):* Comparative repellent effects of different acaricide residues to predatory and spider mites. Is there a need for including behavior into standardized testing methods? - *Bull. IOBC / WPRS* 50: 95-98

- SCHAUSBERGER, P. (2009):* Spatial refuge use by herbivorous mites poses major challenges for biological control. - Bull. IOBC / WPRS 50: 99-100
- WANG, S. / RUAN, H. / WANG, B. (2009): Effects of soil microarthropods on plant litter decomposition across an elevation gradient in the Wuyi Mountains. - Soil Biol. Biochem. 41,5: 891-897
- ZAMANI, A.A. / VAFAEI, S. / VAFAEI, R. / GOLDASTEH, S. / KHERADMAND, K. (2009):* Effect of host plant on the functional response of *Orius albidipennis* (Hemiptera, Anthocoridae) to *Tetranychus urticae* (Acari, Tetranychidae). - Bull. IOBC / WPRS 50: 125-129

Publications, additions 2008

- BOGDANOWICZ, W. / CHUDZICKA, E. / PILIPIUK, I. / SKOBINSKA, E. (EDS.) (2008): Monografie Fauna Polski. Charakterystyka i wykaz gatunków. - Muzeum i Instytut Zoologii PAN, Warszawa 3: 1-603
- GABRYS, G. / MAKOL, J. / BLOSZYK, J. / GWIAZDOWICZ, D.J. (2008): Mites (Acari) of the Karkonosze Mountains: a review. - Biol. Lett. 45: 43-57
- KAZMIERSKI, A. (2008): Monografie Roztocze Acari. Prostigmata = Actinedida. In: Bogdanowicz, W. / Chudzicka, E. / Pilipiuk, I. / Skobinska, E. (Eds.) Fauna Polski. Charakterystyka i wykaz gatunków. - Muzeum i Instytut Zoologii PAN, Warszawa 3: 94-102
- KOCAK, A.Ö. / KEMAL, M. (2008): Nomenclatural notes on the genus group names of the order Acarina. - Misc. Publ. Ctr. Entomol. Stud. Ankara 145: 1-6
- NIEDBAŁA, W. / OLSZANOWSKI, Z. (2008): Monografie Roztocze Acari. In: Bogdanowicz, W. / Chudzicka, E. / Pilipiuk, I. / Skobinska, E. (Eds.) Fauna Polski. Charakterystyka i wykaz gatunków. - Muzeum i Instytut Zoologii PAN, Warszawa 3: 11-14
- PEREZ-GELABERT, D.E. (2008): Arthropods of Hispaniola (Dominican Republic and Haiti): A checklist and bibliography. - Zootaxa 1831: 1-530
- PERNEK, M. / HRASOVEC, B. / MATOSEVIC, D. / PILAS, I. / KIRISITS, T. / MOSER, J.C. (2008): Phoretic mites of three bark beetles (*Pityokteines* spp.) on silver fir. - J. Pest Sci. 81: 35-42
- RAHMANI, H. / KAMALI, K. / FATHIPOUR, Y. (2008):* A new record for Iranian false spider mites with key to the known species of Tenuipalpidae (Acari: Prostigmata) in Iran. - Turk. J. Entomol. 32,3: 163-175
- RAHMANI, H. / KAMALI, K. / FATHIPOUR, Y. / FARAJI, F. (2008):* First record of phytophagous mite *Tetranychopsis horridus* (Acari: Tetranychidae) from Iran. [Orig. Farsi] - Appl. Entomol. Phytopathol. 75,2: 145-146
- TOWNSEND, V.R. / PROUD, D.N. / MOORE, M.K. / TIBBETTS, J.A. / BURNS, J.A. / HUNTER R.K. / LAZAROWITZ, S.R. / FELGENHAUER, B.E. (2008): Parasitic and phoretic mites associated with neotropical harvestmen from Trinidad, West Indies. - Ann. Entomol. Soc. Amer. 101,6: 1026-1032
- XIONG, Y. / SHAO, Y. / XIA, H. / LI, Z. / FU, S. (2008): Selection of selective biocides on soil microarthropods. - Soil Biol. Biochem. 40: 2706-2709

Publications, additions 2007

- CARUSO, T. / BORGHINI, F. / BUCCI, C. / COLACEVICH, A. / BARGAGLI, R. (2007): Modelling local-scale determinants and the probability of microarthropod species occurrence in Antarctic soils. - Soil Biol. Biochem. 39: 2949-2956
- DE VIS, R.M.J. / SANTOS SILVA, E. / BELLINI, M.R. / DE MORAES, G.J. (2007): Life cycle of *Metaseiulus camelliae* and *Zetzellia malviniae*, predators of the rubber tree pest mite, *Tenuipalpus heveae* (Acari, Phytoseiidae, Stigmaeidae, Tenuipalpidae). - Acarologia 47,3-4: 109-114
- KOC, K. / AKYOL, M. (2007): Morphometric & intraspecific variations between specimens of *Tycherobius stramenticola* and *Tycherobius polonicus* (Acari, Camerobiidae) from Turkey. - Acarologia 47,3-4: 139-142
- PAOLETTI, M.G. / THOMSON, L.J. / HOFFMANN, A.A. (2007): Using invertebrate bioindicators to assess agricultural sustainability in Australia: proposals and current practices. - Aust. J. Exp. Agric. 47: 379-383
- UECKERMANN, E.A. / RASTEGAR, J. / SABOORI, A. / OSTOVAN, H. (2007): Some mites of the superfamily Bdelloidea (Acari, Prostigmata) of Karaj (Iran), with descriptions of two new species and redescription of *Bdellodes kazeruni*. - Acarologia 47,3-4: 127-138

Publications, additions 2006

DEMSAR, D. / DZEROSKI, S. / LARSEN, T. / STRUYF, J. / AXELSEN, J. / PEDERSEN, M.B. / KROGH, P.H. (2006): Using multi-objective classification to model communities of soil microarthropods. - *Ecol. Modell.* 191: 131-143

KHARADOV, A.V. / CHIROV, P.A. (2006): Krasnotelkovye Kleshchei (Acariformes, Leeuwenhoekiiidae, Trombiculidae) Kirgызstana. - *Iim:* 1-182

Nomina Nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material information as follows:

Podapolipus kurosai Husband, 2011 (Page: 52¹) – TYPES: HT² + PT² - UMMZ³

¹ – first page of the description

² – holotypes (HT), paratypes (PT) or syntypes (ST)

³ – Abbreviations of the locations of storage of new species, as far as they were cited in the publications

Abbreviations of the location of storage of new types

ACAC - Adrian College Acarology Collection, Biology Department, Adrian, Michigan, USA

AETMU - Faculty of Agriculture, Department of Entomology, Acarological Collection, Tarbiat Modares University, Tehran, Iran

ALUM - Acarology Laboratory, University of Maragheh, Maragheh, Iran

ANIC - Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

AMU - Adam Mickiewicz University, Department of Animal Morphology, Poznan, Poland

ARC-PPRI - Agricultural Research Council - Plant Protection Research Institute, Pretoria, South Africa

ARLUAF - Acarology Research Laboratory, Department of Agricultural Entomology, University of Agriculture, Faisalabad, Pakistan

BAC - Buckley Amber Collection, Florence, Kentucky, USA

BASU - Bu-Ali Sina University, Acarology Laboratory, Hamedan, Iran

CATU - College of Agriculture, Tehran University, Department of Plant Protection, Karaj, Iran

CJGM - Collection Jaime G. Mayoral, Miami, Florida, USA

CUMZ - Chulalongkorn University Museum of Zoology, Bangkok, Thailand

DATE - Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznan, Poland

DEIAU - Department of Entomology, College of Agriculture, Science and Research Campus, Islamic Azad University, Tehran, Iran

DZSIRP - Departamento de Zoologia, Campus de S.J. do Rio Preto, Universidade Estadual Paulista, Sao Paulo, Brazil

ESALQ/USP - Escola Superior de Agricultura "Luiz de Queiroz" / Universidade de Sao Paolo, Departamento de Entomologia, Fitopatologia e Zoologia Agricola, Piracicaba, Brazil

FMNH - Field Museum of Natural History, Chicago, USA

FSCA - Florida State Collection Arthropods, Division of Plant Industry, Gainesville, USA

IEP - Institute for Experimental Pathology, Keldur, University of Iceland, Reykjavik, Iceland

IRSNB - L'Institut Royal des Sciences Naturelles, Bruelles, Belgium

JAZM - Jalal Afsar Zoological Museum, Tehran University, Acarological Collection, Karaj, Iran

LGBB - Laboratório Genéticos e Biotecnologia, Brasilia, Brazil

MNB - Museum für Naturkunde der Humboldt-Universität zu Berlin, Berlin, Germany

MNCN - Museo Nacional de Ciencias Naturales, Madrid, Spain

MNHP - Museum of Natural History, Podgorica, Montenegro

MNHWU - Museum of Natural History, Wroclaw University, Wroclaw, Poland

NBG - Nikita Botanical Gardens, Department of Agroecology, Yalta, Crimea, Ukraine
 NCA-PPRI - South Africa National Collection of Arachnida (Acari) - Plant Protection Research Institute,
 Pretoria, South Africa
 NMK - National Museums of Kenya, Nairobi, Kenya
 NMNH - National Museum of Natural History, Smithsonian Institution, Washington, USA
 OSAL - Ohio State University, Museum of Biological Diversity, Acarology Laboratory, Columbus, Ohio,
 USA
 SFSU - San Francisco State University, San Francisco, USA
 SIZK - I.I. Schmalhausen Institute of Zoology, National Academy of Sciences of Ukraine, Kiev, Ukraine
 SNM - Slovak National Museum, Bratislava, Slovakia
 TUAC - Tabriz University, Department of Plant Protection, Acarological Collection, Tabriz, Iran
 UMMZ - University of Michigan, Museum of Zoology, Ann Arbor, USA
 UNESP - Universidade Estadual Paulista, Sao Paulo, Brazil
 USNM - United States National Museum of Natural History, Washington, USA
 ZISP - Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia
 ZMAU - Zoological Museum of Atatürk University, Erzurum, Turkey
 ZMUH - Biozentrum Grindel und Zoologisches Museum, Zoologisches Institut, Universität Hamburg,
 Hamburg, Germany
 ZSM - Zoologische Staatsmuseen, München, Germany

New species

Abalakeus jahromiensis Sedghi, Saboori & Hakimitabar, 2010 (Page: 432) – TYPES: HT + PT - JAZM
Aboriginesia ludmilae Kovacik & Kaluz, 2010 (Page: 24) – TYPES: HT + PT - SNM
Aboriginesia obuchi Kovacik & Kaluz, 2010 (Page: 30) – TYPES: HT - SNM
Achaemenothrombium cyrusi Saboori, Wohltmann & Hakimitabar, 2010 (Page: 19) – TYPES: HT - JAZM,
 PT - ZMUH
Adamystis thailandensis Fuangarworn & Lekprayoon, 2010 (Page: 62) – TYPES: HT + PT - CUMZ, PT -
 OSAL
Agistemus rawalpindiensis Khan, Bashir, Farooq & Khan, 2010 (Page: 25) – TYPES: HT - ARLUAF
Apodisyringophilus collocalius Skoracki & OConnor, 2010 (Page: 5) – TYPES: HT + PT - UMMZ
Aulobia cardueli Skoracki, Hendricks & Spicer, 2010 (Page: 36) – TYPES: HT + PT - AMU, PT - NMNH
Aulonastus emberizicus Skoracki, Hendricks & Spicer, 2010 (Page: 132) – TYPES: HT + PT - AMU, PT -
 NMNH
Aulonastus euphagus Skoracki, Hendricks & Spicer, 2010 (Page: 134) – TYPES: HT + PT - AMU, PT -
 NMNH
Aulonastus pirangus Skoracki, Hendricks & Spicer, 2010 (Page: 138) – TYPES: HT + PT - AMU
Aulonastus sturnellus Skoracki, Hendricks & Spicer, 2010 (Page: 141) – TYPES: HT + PT - AMU
Bak indonesiensis Bochkov & Otto, 2010 (Page: 17) – TYPES: HT + PT - ANIC
Bakerdania latissimosetosa Khaustov, 2010 (Page: 53) – TYPES: HT + PT - NBG
Bakerdania martyaniensis Khaustov, 2010 (Page: 59) – TYPES: HT + PT - NBG
Bakerdania undulata Khaustov, 2010 (Page: 56) – TYPES: HT + PT - NBG
Barbutia iranensis Bagheri, Navaei & Ueckermann, 2010 (Page: 252) – TYPES: HT - ARC-PPRI, PT -
 ALUM
Bdella karajiensis Ueckermann, Rastegar, Saboori & Ostovan, 2007 (Page: 133) – TYPES: HT - DEIAU, PT
 - JAZM
Bdellodes iraniensis Ueckermann, Rastegar, Saboori & Ostovan, 2007 (Page: 129) – TYPES: HT - DEIAU,
 PT - JAZM
Bochkovia phalaropi Skoracki & OConnor, 2010 (Page: 8) – TYPES: HT + PT - UMMZ
Charadriophilus re Skoracki & OConnor, 2010 (Page: 18) – TYPES: HT + PT - UMMZ, PT - AMU, ZISP
Charadriophilus ralli Skoracki & Bochkov, 2010 (Page: 57) – TYPES: HT + PT - ZISP, PT - AMU, UMMZ
Charletonia postojenensis Haitlinger, 2011 (Page: 28) – TYPES: HT + PT - MNHWU
Charletonia salazari Mayoral & Barranco, 2011 (Page: 223) – TYPES: HT + PT - MNCN, PT - CJGM
Charletonia stekolnikovii Hakimitabar & Saboori, 2011 (Page: 40) – TYPES: HT + PT - JAZM
Chelacheles indra Bochkov & Otto, 2010 (Page: 16) – TYPES: HT + PT - ANIC
Chelacheles thomasi Bochkov & Otto, 2010 (Page: 12) – TYPES: HT - ANIC

- Cheletomimus (Philippicheyla) crowei* Bochkov & Otto, 2010 (Page: 9) – TYPES: HT + PT - ANIC
- Ciconichenophilus phoeniconaias* Skoracki & OConnor, 2010 (Page: 13) – TYPES: HT + PT - UMMZ
- Columbiphilus odontophoridus* Skoracki & Sikora, 2011 (Page: 27) – TYPES: HT + PT - AMU, PT - ZSM
- Corvitorotrogus alpha* Skoracki & Bochkov, 2010 (Page: 54) – TYPES: HT + PT - ZISP, PT - AMU, UMMZ
- Cryptofavognathus anaticus* Dogan & Dönel, 2010 (Page: 37) – TYPES: HT + PT - ZMAU
- Cunaxa nankanaensis* Bashir, Afzal, Ashfaq, Raza & Kamran, 2011 (Page: 38) – TYPES: HT - ARLUAF
- Cyta troglodyta* Hernandez, Bernardi & Ferreira, 2011 (Page: 801) – TYPES: HT + PT - DZSJRP
- Dasythyreus polytrichus* Khaustov & Abramov, 2010 (Page: 266) – TYPES: HT - ZISP, PT - NBG
- Dolichotetranychus kermanicus* Khanjani, Asadabadi & Izadi, 2011 (Page: 92) – TYPES: HT - BASU, PT - NCA-PPRI
- Elattoma abeskoun* Rahiminejad & Hajiqanbar, 2011 (Page: 52) – TYPES: HT + PT - AETMU, PT - ZMUH, USNM, NBG, CATU
- Elattoma cerambycidum* Rahiminejad & Hajiqanbar, 2011 (Page: 49) – TYPES: HT + PT - AETMU, PT - ZMUH, USNM, NBG, CATU
- Erythraeus (Erythraeus) elmalicus* Haitlinger, 2010 (Page: 53) – TYPES: HT - MNHWU
- Erythraeus (Erythraeus) hilariae* Haitlinger, 2010 (Page: 50) – TYPES: HT - MNHWU
- Erythraeus (Zaracarus) bibadakiensis* Haitlinger, 2011 (Page: 48) – TYPES: HT - MNHWU
- Erythraeus (Zaracarus) hamedanicus* Khanjani, Mirmoayedi, Nahad & Fayaz, 2010 (Page: 27) – TYPES: HT + PT - NCA-PPRI
- Erythraeus (Zaracarus) soleimani* Khanjani, Mirmoayedi, Nahad & Fayaz, 2010 (Page: 21) – TYPES: HT + PT - NCA-PPRI
- Eustigmaeus anophthalmus* Dogan, Dönel & Özcelik, 2010 (Page: 176) – TYPES: HT + PT - ZMAU
- Eustigmaeus azerbaijanensis* Haddad, Lotfollahi & Akbari, 2011 (Page: 88) – TYPES: HT + PT - TUAC, PT - ARC-PPRI
- Eutarsopolipus jamaicaensis* Husband & Husband, 2011 (Page: 229) – TYPES: HT + PT - UMMZ, PT - USNM
- Eutrombicula araucanensis* Stekolnikov & Gonzalez-Acuna, 2010 (Page: 315) – TYPES: HT + PT - ZISP
- Eutrombicula chillanensis* Stekolnikov & Gonzalez-Acuna, 2010 (Page: 314) – TYPES: HT + PT - ZISP
- Eutrombicula liolaemi* Stekolnikov & Gonzalez-Acuna, 2010 (Page: 319) – TYPES: HT + PT - ZISP
- Eutrombicula paula* Stekolnikov & Gonzalez-Acuna, 2010 (Page: 323) – TYPES: HT - ZISP
- Filieupodes filiformis* Jesionowska, 2010 (Page: 645) – TYPES: HT + PT - AMU
- Filieupodes filistellatus* Jesionowska, 2010 (Page: 651) – TYPES: HT + PT - AMU
- Foveacheles (Foveacheles) lemoni* Abou-Awad, El-Sawaf & Abdel-Khalek, 2009 (Page: 147) – TYPES: HT – no information
- Foveacheles (Mediostella) carnichensis* Zacharda, 2011 (Page: 676) – TYPES: HT - OSAL
- Galliphilopsis colinus* Skoracki & Sikora, 2011 (Page: 20) – TYPES: HT + PT - AMU, PT - ZISP, ZSM
- Galliphilopsis szeptyckii* Skoracki & Sikora, 2011 (Page: 20) – TYPES: HT + PT - AMU, PT - ZISP, ZSM
- Grandjeanella emanueli* Haitlinger, 2010 (Page: 56) – TYPES: HT - MNHWU
- Grandjeanella londaensis* Haitlinger, 2011 (Page: 50) – TYPES: HT - MNHWU
- Hauptmannia amilberti* Haitlinger, 2010 (Page: 55) – TYPES: HT - MNHWU
- Hauptmannia striata* Saboori, Sundic & Pestic, 2011 (Page: 64) – TYPES: HT + PT - JAZM, PT - MNHP
- Kalamotrypetes cracidus* Skoracki & Sikora, 2011 (Page: 16) – TYPES: HT + PT - AMU, PT - ZISP, ZSM
- Labidostomma paleoluteum* Dunlop & Bertrand, 2011 (Page: 193) – TYPES: HT + PT - MNB
- Lavertacarus graecus* Kaluz, 2011 (Page: 16) – TYPES: HT + PT - SNM
- Lavertacarus turcicus* Kaluz, 2011 (Page: 22) – TYPES: HT - SNM
- Lanceacheyla whartoni* Xia, Klompen & Childers, 2011 (Page: 30) – TYPES: HT + PT - FSCA, PT - OSAL, ZISP
- Leptus (Leptus) sulawesicus* Haitlinger, 2011 (Page: 53) – TYPES: HT - MNHWU
- Linotetrans astragalusi* Khanjani, Fayaz & Khanjani, 2011 (Page: 52) – TYPES: HT + PT - BASU, PT - ARC-PPRI
- Linotetrans iraniensis* Khanjani, Fayaz & Khanjani, 2011 (Page: 48) – TYPES: HT + PT - BASU, PT - ARC-PPRI
- Marantelophus alaperti* Haitlinger, 2011 (Page: 50) – TYPES: HT - MNHWU
- Mediolata eocenica* Kuznetsov, Khaustov & Perkovsky, 2010 (Page: 545) – TYPES: HT - SIZK

- Megasyringophilopsis aquilus* Skoracki, Lontkowski & Stawarczyk, 2010 (Page: 1204) – TYPES: HT + PT - AMU, PT - ZISP
- Meitingsunes aldwellis* Glowka & Skoracki, 2010 (Page: 65) – TYPES: HT + PT - AMU
- Metacheyletia ngaii* Bochkov & Skoracki, 2011 (Page: 94) – TYPES: HT + PT - ZISP
- Mexecheles thailandensis* Fuangarworn & Lekprayoon, 2010 (Page: 60) – TYPES: HT + PT - CUMZ, PT - OSAL
- Mironovia lagopus* Bochkov & Skirnisson, 2011 (Page: 716) – TYPES: HT + PT - ZISP, PT - UMMZ, DATE, IEP, FMNH, OSAL, NMNH, IRSNB
- Monoceronychus tchecensis* Mendonca, Navia & Flechtmann, 2010 (Page: 488) – TYPES: HT + PT - LGBB, PT - ESALQ/USP
- Nasutitarsonemus omani* Lofego & De Moraes, 2011 (Page: 463) – TYPES: HT + PT - ESALQ/USP, PT - UNESP
- Neoaulonastus chrysocolaptes* Skoracki & OConnor, 2010 (Page: 22) – TYPES: HT + PT - UMMZ
- Neonidulus tereotus* Beard & Walter, 2010 (Page: 8) – TYPES: HT + PT - QM, PT - USNM
- Neophyllobius kamalii* Khanjani, Fayaz & Ghanbalani, 2010 (Page: 58) – TYPES: HT + PT - BASU, PT - NCA-PPRI
- Neophyllobius zolfigolii* Khanjani, Fayaz & Ghanbalani, 2010 (Page: 54) – TYPES: HT + PT - BASU, PT - NCA-PPRI
- Neoscirula sepasgosariani* Den Heyer, Ueckermann & Khanjani, 2011 (Page: 145) – TYPES: HT + PT - NCA-PPRI
- Neosilphitrombium tenebrionidum* Saboori, Hajiqanbar & Hakimitabar, 2011 (Page: 61) – TYPES: HT + PT - JAZM, PT - AETMU
- Neothoria zacharda* Abou-Awad, El-Sawaf & Abdel-Khalek, 2009 (Page: 141) – TYPES: HT – no information
- Oconnoricheylus speciosus* Bochkov & Otto, 2010 (Page: 3) – TYPES: HT + PT - ANIC
- Oligonychus fileno* Mendonca, Navia & Flechtmann, 2010 (Page: 495) – TYPES: HT + PT - LGBB, PT - ESALQ/USP
- Parapygmephorus magnisetosus* Khaustov & Zaliznaya, 2011 (Page: 83) – TYPES: HT - SIZK, PT - NBG
- Pediculaster dudinskyi* Khaustov, 2011 (Page: 35) – TYPES: HT + PT - NBG
- Penthalodes polonicus* Jesionowska, 2010 (Page: 32) – TYPES: HT + PT - AMU
- Peristerophila accipitridicus* Skoracki, Lontkowski & Stawarczyk, 2010 (Page: 1207) – TYPES: HT + PT - AMU, PT - ZISP
- Picisyringophilus kratos* Skoracki & OConnor, 2010 (Page: 15) – TYPES: HT + PT - UMMZ
- Picobia cardinalis* Skoracki, Hendricks & Spicer, 2010 (Page: 733) – TYPES: HT + PT - AMU, PT - NMNH
- Picobia carpodacus* Skoracki, Hendricks & Spicer, 2010 (Page: 737) – TYPES: HT - AMU
- Picobia ictericus* Skoracki & OConnor, 2010 (Page: 144) – TYPES: HT + PT - AMU
- Picobia leucophaeus* Skoracki, Hendricks & Spicer, 2010 (Page: 731) – TYPES: HT + PT - AMU, PT - NMNH
- Picobia psaltriparus* Skoracki, Hendricks & Spicer, 2010 (Page: 738) – TYPES: HT - NMNH, PT - AMU
- Picobia pteroclesi* Skoracki & OConnor, 2010 (Page: 27) – TYPES: HT + PT - UMMZ, PT - ZISP, AMU
- Picobia troglodytes* Skoracki, Hendricks & Spicer, 2010 (Page: 731) – TYPES: HT + PT - AMU, PT - NMNH
- Podapolipoides anacridii* Hajiqanbar & Joharchi, 2011 (Page: 152) – TYPES: HT + PT - AETMU, PT - ACAC
- Podapolipus kurosai* Husband, 2011 (Page: 52) – TYPES: HT + PT - UMMZ
- Prostigmaeus khanjanii* Bagheri & Ghorbani, 2010 (Page: 124) – TYPES: HT - ALUM, PT - ARC-PPRI
- Protesinacarus brevipedis* Khaustov & Poinar, 2011 (Page: 220) – TYPES: HT + PT - BAC
- Pseudopygmephorus aphodii* Khaustov, 2010 (Page: 262) – TYPES: HT - NBG
- Rhagidia (Deharvengiella) paralleloseta* Zacharda, 2011 (Page: 669) – TYPES: HT + PT - OSAL
- Rhagidia (Deharvengiella) serpentiforma* Zacharda, 2011 (Page: 672) – TYPES: HT - OSAL
- Rhagidia (Rhagidia) qaliubiensis* Abou-Awad, El-Sawaf & Abdel-Khalek, 2009 (Page: 150) – TYPES: HT – no information
- Robustocheles (Robustocheles) deltacus* Abou-Awad, El-Sawaf & Abdel-Khalek, 2009 (Page: 145) – TYPES: HT – no information

- Samsinakia charanasriae* Fuangarworn & Lekprayoon, 2010 (Page: 64) – TYPES: HT + PT - CUMZ, PT - OSAL
- Stigmaeus bishroyehensis* Khanjani, Izadi, Fayaz, Raisi, Rostami & Dogan, 2010 (Page: 36) – TYPES: HT + PT - BASU, PT - NCA-PPRI
- Siteroptes longisetissimus* Khaustov & Ermilov, 2011 (Page: 756) – TYPES: HT - ZISP
- Smaris maragheadiensis* Saboori & Bagheri, 2011 (Page: 105) – TYPES: HT + PT - JAZM
- Stibarokris dastychi* Glowska & Skoracki, 2011 (Page: 64) – TYPES: HT + PT - AMU
- Stibarokris phoeniconaias* Skoracki & OConnor, 2010 (Page: 25) – TYPES: HT + PT - UMMZ
- Stigmaeus shabestariensis* Haddad, Lotfollahi & Akbari, 2010 (Page: 370) – TYPES: HT + PT - TUAC, PT - ARC-PPRI
- Storchia ardabiliensis* Khanjani, Izadi, Fayaz, Raisi, Rostami & Dogan, 2010 (Page: 130) – TYPES: HT + PT - BASU, PT - NCA-PPRI
- Storchia yazdaniani* Bagheri, Shirinbeik Mohajer, Saboori, Asadeh & Ueckermann, 2011 (Page: 90) – TYPES: HT + PT - ARC-PPRI, PT - ALUM, JAZM
- Syringophiloides agelaius* Bochkov, Skoracki, Hendricks & Spicer, 2011 (Page: 209) – TYPES: HT - NMNH
- Syringophiloides jackowiaki* Bochkov, Skoracki, Hendricks & Spicer, 2011 (Page: 208) – TYPES: HT + PT - NMNH, PT - AMU, ZISP
- Syringophiloides klimovi* Skoracki & Bochkov, 2010 (Page: 61) – TYPES: HT + PT - ZISP, PT - AMU
- Syringophiloides xanthocephalus* Bochkov, Skoracki, Hendricks & Spicer, 2011 (Page: 208) – TYPES: HT + PT - NMNH, PT - AMU, SFSU, ZISP
- Syringophiloides zonotrichia* Bochkov, Skoracki, Hendricks & Spicer, 2011 (Page: 203) – TYPES: HT + PT - NMNH, PT - AMU, SFSU, UMMZ, ZISP
- Syringophilopsis certhiae* Skoracki, Hendricks & Spicer, 2011 (Page: 6) – TYPES: HT + PT - NMNH, PT - AMU
- Syringophilopsis dicruri* Skoracki, Hromada & Wamiti, 2011 (Page: 35) – TYPES: HT + PT - AMU, PT - NMK
- Syringophilopsis sittae* Skoracki, Hendricks & Spicer, 2011 (Page: 9) – TYPES: HT + PT - NMNH, PT - AMU
- Syringophilopsis sturnellus* Skoracki, Hendricks & Spicer, 2011 (Page: 13) – TYPES: HT + PT - NMNH, PT - AMU
- Troglocheles christiani* Zacharda, 2011 (Page: 656) – TYPES: HT + PT - OSAL
- Troglocheles lanai* Zacharda, 2011 (Page: 649) – TYPES: HT + PT - OSAL
- Troglocheles quinquesolenidiata* Zacharda, 2011 (Page: 643) – TYPES: HT + PT - OSAL
- Valgothrombium mariae* Makol & Laydanowicz, 2010 (Page: 18) – TYPES: HT + PT - ZMUH

New families

- Achaemenothrombiidae* Saboori, Wohltmann & Hakimitabar, 2010 (Page: 17)
Typ. gen.: *Achaemenothrombium* Saboori, Wohltmann & Hakimitabar, 2010
- Cocceupodidae* Jesionowska, 2010 (Page: 639)
Typ. gen.: *Cocceupodes* Thor, 1934

New genera

- Achaemenothrombium* Saboori, Wohltmann & Hakimitabar, 2010 (Page: 17)
Typ. sp.: *Achaemenothrombium cyrusi* Saboori, Wohltmann & Hakimitabar, 2010
- Apodisyringophilus* Skoracki & OConnor, 2010 (Page: 5)
Typ. sp.: *Apodisyringophilus collocaius* Skoracki & OConnor, 2010
- Bochkovia* Skoracki & OConnor, 2010 (Page: 6)
Typ. sp.: *Bochkovia phalaropi* Skoracki & OConnor, 2010
- Ciconichenophilus* Skoracki & OConnor, 2010 (Page: 12)
Typ. sp.: *Ciconichenophilus phoeniconaias* Skoracki & OConnor, 2010
- Corvitorotrogulus* Skoracki & Bochkov, 2010 (Page: 54)
Typ. sp.: *Corvitorotrogulus alpha* Skoracki & Bochkov, 2010
- Cryptofavognathus* Dogan & Dönel, 2010 (Page: 37)

- Typ. sp.: *Favognathus afyonensis* Koc & Akyol, 2004
Filieupodes Jesionowska, 2010 (Page: 641)
 Typ. sp.: *Filieupodes filiformis* Jesionowska, 2010
Lanceacheyla Xia, Klompen & Childers, 2011 (Page: 30)
 Typ. sp.: *Lanceacheyla whartoni* Xia, Klompen & Childers, 2011
Oconnoricheylus Bochkov & Otto, 2010 (Page: 2)
 Typ. sp.: *Oconnoricheylus speciosus* Bochkov & Otto, 2010
Marantelophus Haitlinger, 2011 (Page: 50)
 Typ. sp.: *Marantelophus alaperti* Haitlinger, 2011
Meitingsunes Glowska & Skoracki, 2010 (Page: 62)
 Typ. sp.: *Syringophilus zenadourae* Clark, 1964
Neomidulus Beard & Walter, 2010 (Page: 3)
 Typ. sp.: *Schizotetranychus cornus* Pritchard & Baker, 1955
Picisyringophilus Skoracki & OConnor, 2010 (Page: 13)
 Typ. sp.: *Picisyringophilus kratos* Skoracki & OConnor, 2010
Protoresinacarus Khaustov & Poinar, 2011 (Page: 219)
 Typ. sp.: *Protoresinacarus brevipedis* Khaustov & Poinar, 2011

New combinations

- Achaemenothrombium talebii* (Karimi Irvanlou & Kamali, 2001) – [Saboori, Wohltmann, & Hakimitabar, 2010: 25]
Augeriflechtmannia penisinuosus (Auger & Flechtmann, 2003) – [Kocak & Kemal, 2008: 4]
Aulobia sylviettae (Fain, Bochkov & Mironov, 2000) – [Skoracki, Hendricks & Spicer, 2010: 39]
Cryptofavognathus afyonensis (Koc & Akyol, 2004) – [Dogan & Dönel, 2010: 37]
Fessonnia glacialis (Schmölzer, 1956) – [Wohltmann, 2010: 357]
Filieupodes aegypticus (Abou-Awad & El-Bagoury, 1984) – [Jesionowska, 2010: 642]
Filieupodes fusiformis (Olivier & Theron, 2003) – [Jesionowska, 2010: 642]
Filieupodes paradoxus (Weis-Fogh, 1948) – [Jesionowska, 2010: 642]
Filieupodes sharkiensis (Abou-Awad, El-Sawaf & Abdel-Khalek, 2006) – [Jesionowska, 2010: 642]
Filieupodes shepardi (Strandtmann, 1971) – [Jesionowska, 2010: 642]
Filieupodes strandtmanni (Abou-Awad & El-Bagoury, 1984) – [Jesionowska, 2010: 642]
Filieupodes trisetatus (Strandtmann & Prasse, 1977) – [Jesionowska, 2010: 642]
Henzua fukiensis (Fan & Chen, 1996) – [Kocak & Kemal, 2008: 5]
Hirstiosoma copiolarum (Southcott, 1948) – [Wohltmann, 2010: 358]
Hirstiosoma furtadoi (Shiba, 1976) – [Wohltmann, 2010: 358]
Indonesia chani (Nadchatram, 1989) – [Kocak & Kemal, 2008: 5]
Indonesia parviseta (Nadchatram, 1989) – [Kocak & Kemal, 2008: 5]
Kepkatrombicula armeniensis (Schluger, 1966) – [Kudryashova & Stekolnikov, 2010: 79]
Kepkatrombicula blanfordi (Kudryashova, 1977) – [Kudryashova & Stekolnikov, 2010: 79]
Kepkatrombicula boomium (Khadarov, 1996) – [Kudryashova & Stekolnikov, 2010: 79]
Kepkatrombicula brevis (Schluger & Amanguliev, 1975) – [Kudryashova & Stekolnikov, 2010: 79]
Kepkatrombicula brevisetigera (Schluger, 1957) – [Kudryashova & Stekolnikov, 2010: 79]
Kepkatrombicula crinita (Schluger, 1966) – [Kudryashova & Stekolnikov, 2010: 79]
Kepkatrombicula darskayae (Kudryashova, 1988) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula desaleri (Methlagl, 1928) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula horti (Kudryashova, 1977) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula iolderiensis (Amanguliev, 1973) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula kudryashovae (Stekolnikov, 2001) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula kugitangica (Amanguliev, 1984) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula magnus (Amanguliev, 1973) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula muljarskajae (Kudryashova, 1988) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula odessana (Simonovich, 1958) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula sciuricola (Kolebinova, 1970) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula serbovae (Kolebinova, 1972) – [Kudryashova & Stekolnikov, 2010: 80]
Kepkatrombicula storkani (Daniel, 1956) – [Kudryashova & Stekolnikov, 2010: 80]

- Kepkatrombicula tadjikistanica* (Kudryashova & Abou-Taka, 1987) – [Kudryashova & Stekolnikov, 2010: 79]
- Kepkatrombicula tumida* (Schluger, 1957) – [Kudryashova & Stekolnikov, 2010: 80]
- Linopodes iwatensis* (Morikawa, 1963) – [Jesionowska, 2010: 642]
- Meitingsunes tympanistria* (Skoracki & Daberti, 2002) – [Głowska & Skoracki, 2010: 65]
- Meitingsunes zenadourae* (Clark, 1964) – [Głowska & Skoracki, 2010: 62]
- Mironovia pavodaptus* (Casto, 1980) – [Skoracki & Sikora, 2011: 19]
- Neonidulus brevipilus* (Zhang & Martin, 2001) – [Beard & Walter, 2010: 8]
- Neonidulus cornus* (Pritchard & Baker, 1955) – [Beard & Walter, 2010: 4]
- Neonidulus falsicornus* (Zhang & Martin, 2001) – [Beard & Walter, 2010: 6]
- Oconnoricheylus chimaera* (Bochkov & Ochoa, 2005) – [Bochkov & Otto, 2010: 3]
- Pseudopygmephorus allmanni* (Krczal, 1964) – [Khaustov, 2010: 262]
- Pseudopygmephorus argentiniensis* (Mahunka, 1969) – [Khaustov, 2010: 262]
- Pseudopygmephorus bulbitarsus* (Mahunka, 1969) – [Khaustov, 2010: 262]
- Pseudopygmephorus chelatus* (Mahunka, 1969) – [Khaustov, 2010: 262]
- Pseudopygmephorus madanlarae* (Ramaraju & Madanlar, 1997) – [Khaustov, 2010: 261]
- Pseudopygmephorus peritrematus* (Mahunka, 1979) – [Khaustov, 2010: 262]
- Pseudopygmephorus urlaensis* (Ramaraju & Madanlar, 1997) – [Khaustov, 2010: 261]
- Ripiaspichia (Suzukicesa) hayashi* (Suzuki, 1975) – [Kocak & Kemal, 2008: 5]
- Ripiaspichia (Suzukicesa) khunyingi* (Suzuki, 1975) – [Kocak & Kemal, 2008: 5]
- Ripiaspichia (Suzukicesa) sawaii* (Suzuki, 1975) – [Kocak & Kemal, 2008: 5]
- Setoptus (Orienticesa)* Kocak & Kemal, 2008 pro *Orientis* Huang, 1996 nec Va & Kashy, 1992 – [Kocak & Kemal, 2008: 3]
- Setoptus (Orienticesa) inaequalis* (Huang, 1996) – [Kocak & Kemal, 2008: 4]
- Setoptus (Orienticesa) inusitatus* (Boczek, 1996) – [Kocak & Kemal, 2008: 4]
- Setoptus (Orienticesa) thunbergi* (Hong, 1988) – [Kocak & Kemal, 2008: 3]
- Setoptus (Orienticesa) undatus* (Boczek, 1996) – [Kocak & Kemal, 2008: 4]
- Setoptus (Orienticesa) viator* (Flechtmann & Navia, 1998) – [Kocak & Kemal, 2008: 4]
- Taiwanocesa lanyuensis* (Huang, 2001) – [Kocak & Kemal, 2008: 2]
- Trombicula (Grandjeana) asiatica* (Wen & Corpuz-Raros, 1997) – [Kocak & Kemal, 2009: 16]
- Trombicula (Grandjeana) manjuyodensis* (Brown, 1997) – [Kocak & Kemal, 2009: 16]
- Trombicula (Grandjeana) reticulata* (Vercammen-Grandjean & Nadchatram, 1963) – [Kocak & Kemal, 2009: 16]
- Trombicula (Grandjeana) sinensis* (Zhao & Qiu, 1979) – [Kocak & Kemal, 2009: 16]
- Trombicula (Grandjeana) wenuana* (Wen & Xiang, 1984) – [Kocak & Kemal, 2009: 16]
- Valgothrombium andreae* (Saboori, Ueckermann & van Harten, 2007) – [Makol & Laydanowicz, 2011: 27]

New synonyms

- Boletitrombium* Saboori, Ueckermann & van Harten, 2007 – [Makol & Laydanowicz, 2010: 27]
= *Valgothrombium* (Willmann, 1940)
- Clipeosoma* Southcott, 1948 – [Wohltmann, 2010: 357]
= *Hirstiosoma* Womersley, 1934
- Clipeosoma jupiter* Southcott, 1948) – [Wohltmann, 2010: 361]
= *Hirstiosoma latreillei* (Grandjean, 1947)
- Pilosoma* Southcott, 1961 – [Wohltmann, 2010: 358]
= *Fessonnia* von Heyden, 1826

New names

- Arizonia* Magowski, Lindquist & Moser, 2005 pro *Giselia* Magowski, Lundquist & Moser, 2005 nec Haupt, 1956 – [Kocak & Kemal, 2008: 4]
- Augeriflechtmannia* Kocak & Kemal, 2008 pro *Diplonychus* Auger & Flechtmann, 2003 – [Kocak & Kemal, 2008: 4]
- Henzua* Kocak & Kemal, 2008 pro *Echinopsis* Fan & Chen, 1996 nec Agassiz, 1838 – [Kocak & Kemal, 2008: 5]

- Indonesia* Kocak & Kemal, 2008 pro Parvisetia Wen & Gui, 2000 nec Monterosato, 1884 – [Kocak & Kemal, 2008: 2]
Kepkatrombicula Kudryashova & Stekolnikov, 2010 pro Eutonella Kudryashova, 1988 – [Kudryashova & Stekolnikov, 2010: 79]
Penthalodes alaskaensis Jesionowska, 2010 pro P. ovalis Strandtmann, 1971 – [Jesionowska, 2010: 31]
Penthalodes hawaiiensis Jesionowska, 2010 pro P. ovalis Strandtmann & Goff, 1978 – [Jesionowska, 2010: 32]
Ripiaspichia (Suzukicesa) Kocak & Kemal, 2008 pro Ripiaspichia (Suzukia) Wen, 1999 nec Matsumura, 1920 – [Kocak & Kemal, 2008: 5]
Taiwanocesa Kocak & Kemal, 2008 pro Norma Huang, 2001 nec Heinrich, 1923 – [Kocak & Kemal, 2008: 2]
Trombicula (Grandjeana) Kocak & Kemal, 2009 pro Trombicula (Grandjeana) Vercammen-Grandjean, 1967 nec Enderlein, 1939 – [Kocak & Kemal, 2009: 15]

Addresses

- ABDELGALEIL, SAMIR A.M., Department of Pesticide Chemistry, Faculty of Agriculture, Alexandria University, 21545-El-Shatby, Alexandria, Egypt; **E-Mail: samir1969us@yahoo.com**
 ABOU-AWAD, BADAWI A., National Research Centre, Plant Protection Department, Dokki, 12622 Cairo, Egypt; **E-Mail: badawi_abou_awad@hotmail.com**
 ADAMSKI, ZBIGNIEW, Dept. Anim. Physiol. and Devel. Biol., Adam Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail: ed@amu.edu.pl**
 AFIFI, ABD-ALLAH M., Agric. Zoology Dept., Fac. Agriculture, Cairo University, Giza, Egypt; **E-Mail: amaffi51@gmail.com**
 AKYOL, MUSTAFA, Celal Bayar University, Faculty of Sciences and Arts, Department of Biology, 45140 Muradiye, Turkey; **E-Mail: makyol77@gmail.com**
 ALBERTI, GERD, E.-Moritz-Arndt Univ., Zool. Inst. und Museum, J.-Seb.-Bach-Str. 11/12, 17489 Greifswald, Germany; **E-Mail: alberti@uni-greifswald.de**
 AL-JBOORY, IBRAHIM J., University of Baghdad, College of Agriculture, Plant Protection Department, Baghdad, Iraq; **E-Mail: ijboory@yahoo.com**
 ANDRÉ, HENRI M., Musée royal de l'Afrique centrale & Université Catholique de Louvain, place Croix du Sud, 1348 Louvain-la-Neuve, Belgium; **E-Mail: henri.andre@africamuseum.be**
 ARROYO, JULIO, School of Biology and Environmental Science, University College Dublin, Belfield, Dublin 4, Ireland; **E-Mail: juahcuatro@gmail.com**
 BADII, MOHAMMAD H., Autonomous Universidad de Nuevo Leon, Fac. de Ciencias Biologicas, AP. 141, San Nicolas, NL, 66450, México; **E-Mail: mhbadii@yahoo.com.mx**
 BAGHERI, MOHAMMED, University of Maragheh, Faculty of Agriculture, Dept. Plant Protect., Maragheh, Iran; **E-Mail: mbagheri20022002@yahoo.com**
 BALDAN, E.L.L., FCA / UNESP de Botucatu, Dep. de Prod. Vegetal / Defesa Fitossanitaria, Caixa Postal 237, CEP: 18610-307, Botucatu, SP, Brazil; **E-Mail: ebaldino@fca.unesp.br**
 BASHIR, MUHAMMAD H., Department of Agri. Entomology, University of Agriculture, Faisalabad, Pakistan; **E-Mail: hamid_uaf@yahoo.com**
 BEARD, JENNY J., Queensland Museum, PO Box 3300, South Brisbane, QLD 4101, Australia; **E-Mail: jenny.beard@qm.qld.gov.au**
 BELLINI, MARCOS R., Univ. Estadual Paulista, Programa Posgrad Entomol. Agr., Via Acesso Prof. P.D. Castellane, 14884-900 Jaboticabal, SP, Brazil; **E-Mail: mrbellini@yahoo.com.br**
 BELOZEROV, VALENTIN N., Biological Research Institute, Dept. of Entomology, St. Petersburg State University, Stary Peterhof, 198504 St. Petersburg, Russia; **E-Mail: val.belozarov@mail.ru**
 BOCHKOV, ANDRE V., Zoological Institute, Russian Academy of Sciences, Universitetskaya embankment 1, 199034 St. Petersburg, Russia; **E-Mail: prostigmata@zin.ru**
 BOSTANIAN, NOUBAR J., Horticultural Research and Devel. Centre, Agric. Agri-Food Canada, 430 Gouin Blvd., St-Jean-sur-Richelieu PQ, J3B 3E6, Canada; **E-Mail: bostaniannj@agr.gc.ca**
 BRIONES, MARIA J.L., Departamento de Ecología y Biología Animal, Universidad de Vigo, 36310 Vigo, Spain; **E-Mail: mbriones@uvigo.es**

- BRITTO, ERIKA P.J., Univ. Sao Paulo, Dept. Entomol. & Acarol., ESALQ, 13418900 Piracicaba, Brazil; **E-Mail: erikabritto82@gmail.com**
- CAMERIK, ANNE M., Plant & Environm. Science, School of Animal, Univ. Witwatersrand, 1 Jan Smuts Avenue, Wits, 2050, Johannesburg, South Africa; **E-Mail: Anne.Camerik@wits.ac.za**
- CARRILLO, DANIEL, Department of Entomology and Nematology, Tropical Research and Education Center, University of Florida Ed, Homestead, FL 33031, USA; **E-Mail: dancar@ufl.edu**
- CARUSO, TANCREDI, Department of Environmental Sciences "G. Sarfatti", University of Siena, via P.A. Mattioli n°4, 53100 Siena, Italy; **E-Mail: tancredicaruso@unisi.it**
- CASTAGNOLI, MARISA, CRA-ABP, Agricultural Research Council, Research Centre for Agrobiolgy and Pedology, Via Lanciola 12/A, 50125 Firenze, Italy; **E-Mail: marisa.castagnoli@tin.it**
- CAVALCANTI, S.C.H., Dept. de Fisiologia, Univ. Federal de Sergipe, Av. Marechal Rondon S/N, CEP 49100-000 Sao Cristóvão-SE, Brazil
- CHANDRAPATYA, ANGSUMARN, Department of Entomology, Kasertsart University, Bangkok, 10900, Thailand; **E-Mail: chandrapatya@yahoo.com**
- CHEN, XIAO-LIN, Department of Entomology, Nanjing Agricultural University, Nanjing, Jiangsu, China; **E-Mail: chenxl1115@163.com**
- CHERMETI, BEN C., Inst. Super. Sci. Agron. Chott Mariem, Dept. Protect. Plantes, Lab. Zool. Agr., Sousse 4042, Tunisia; **E-Mail: chermeti.ibrahim@iresa.agrinet.tn**
- CHOH, YASUYUKI, Center for Ecological Research, Kyoto University, Otsuka 2-509-3, Hirano, Kamitanakami, Otsu, 520-2113, Japan; **E-Mail: choh@ecology.kyoto-u.ac.jp**
- CLOTUCHE, GWENDOLINE, Catholic Univ. Louvain, Earth & Life Inst., Biodivers. Res. Ctr., 1348 Louvain, Belgium; **E-Mail: Gwendoline.clotuche@uclouvain.be**
- COBANOGU, SULTAN, Agricultural Faculty, Plant Protection Dept., University of Ankara, 06110 Ankara, Turkey; **E-Mail: coban@agri.ankara.edu.tr**
- CROSS, J.V., Horticulture Research Internat., East Malling, West Malling, Kent, ME19 6BJ, United Kingdom; **E-Mail: jerry.cross@hri.ac.uk**
- DA SILVA, FERNANDO R., Depto. Entomol., Fitopatol. e Zoologia Agricola, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, SP, Brazil; **E-Mail: silvafr@yahoo.com.br**
- DANIEL, MILAN, School of Public Health, Institute for Postgraduate Medical Education, Ruská 85, 100 05 Prague 10, Czech Republic
- DAUGHERTY, M.P., Department of Integrative Biology, Univ. of California, Berkeley, CA, 94720, USA; **E-Mail: matt.daugherty@ucr.edu**
- DE SOUSA, JOSELINE M., Univ. Fed. Rural Pernambuco, Area Fitossanidade, Dept. Agron., Av Dom Manoel de Medeiros S-N, 52171-900 Recife, PE, Brazil; **E-Mail: mguedes@depa.ufrpe.br**
- DE VILLIERS, MARELIZE, Department of Conservation Ecol. and Entomology, Fac. of AgriScience, Univ. of Stellenbosch, Private Bag XI, Matieland 7602, South Africa; **E-Mail: dev@sun.ac.za**
- DEMETRAS, N.J., Univ. Waikato, Dept. Biol. Sci., Private Bag 3105, Hamilton, New Zealand; **E-Mail: nd31@waikato.ac.nz**
- DEMSAR, DAMJAN, Department of Knowledge Technologies, Jozef Stefan Institute, Jamova Ljubljana, Slovenia; **E-Mail: damjan.demsar@ijs.si**
- DEN HEYER, JACOB, Department of Zoology and Entomology, University of the Free State, PO Box 339, Bloemfontein 9300, South Africa; **E-Mail: jacob.den.heyer@gmail.com**
- DHORA, DHIMITER, Universiteti i Shkodrës "Luigj Gurakuqi", Fakulteti i Shkencave të Natyrës, Departamenti i Biologji-Kimisë, Shkoder, Albania; **E-Mail: dh-dhora@unishk.edu.al**
- DI PALMA, ANTONELLA, Università degli studi di Foggia, Dipartimento di Scienze Agro-ambientali, Chimica e Difesa Vegetale, Via Napoli 25, 71100 Foggia, Italy; **E-Mail: a.dipalma@unifg.it**
- DOGAN, SALIH, Department of Biology, Kazim Karabekir Education Faculty, Atatürk University, 25240 Erzurum, Turkey; **E-Mail: sadogan@atauni.edu.tr**
- DOWLING, ASHLEY P.G., Dept. Entomol., University of Arkansas, Fayetteville, Arkansas, 72701 USA; **E-Mail: adowling@uark.edu**
- DUNLOP, JASON, Museum für Naturkunde der Humboldt-Univ., Institut für Systematische Zoologie, Invalidenstr. 43, 10115 Berlin, Germany; **E-Mail: jason.dunlop@museum.hu-berlin.de**
- DUSO, CARLO, Dept. Environ. Agron. and Crop Sci., University of Padova, Viale dell'Università 16, 35020 Legnaro (PD), Italy; **E-Mail: carlo.duso@unipd.it**
- EDWARDS, DALE D., Department of Biology, University of Evansville, Evansville, IN 47722, USA; **E-Mail: de3@evansville.edu**

- EGAS, MARTIJN, Inst. voor Biodiversiteit en Ecosyst. Dyn., Dept. Popul. Biol., Univ. Amsterdam, Science Park 904, P.O. Box 94240, 1090 GE, Amsterdam, The Netherlands; **E-Mail: C.J.M.Egas@uva.nl**
- ELMER, MICHAEL, Brandenburg University of Technology Cottbus, FZLB, Konrad-Wachsmann-Allee 6, 03946 Cottbus, Germany; **E-Mail: elmer@tu-cottbus.de**
- ENKEGAARD, ANNIE, Univ. of Aarhus, Faculty of Agricultural Sciences, Dept. of Integrated Pest Manag., Research Centre Flakkebjerg, 4200 Slagelse, Denmark; **E-Mail: annie.enkegaard@agrsci.dk**
- ESTEVEZ FILHO, ALBERTO B., Univ. Fed. Rural Pernambuco, Area Fitossanidade, Dept. Agron., Av. Dom Manoel de Medeiros S-N, 52171-900 Recife, PE, Brazil
- FAN, QING-HAI, Plant Health & Environment Laboratory, MAF Biosecurity New Zealand, 231 Morrin Road, St. Johns, PO Box 2095, Auckland 1072, New Zealand; **E-Mail: qinghai.fan@maf.govt.nz**
- FARAJI, FARID, MITOX Consultants, P.O. Box 92260, 1090 AG, Amsterdam, Netherlands; **E-Mail: farid.faraji@mitox.org**
- FATHIPOUR, YAGHOUB, Dept. of Entomology, Faculty of Agriculture, Tarbiat Modares University, P.O. Box 14115-336, Tehran, Iran; **E-Mail: fathi@modares.ac.ir**
- FENG, CHEN-YU, Hai'an Cty. Agric. Husb. Fishery Bureau, Hai'an, Jiangsu, China; **E-Mail: fcy0126@yahoo.com.cn**
- FERES, REINALDO J.F., Dept. de Zoologia e Botânica, Univ. Est. Paulista, Rua Cristovao Colombo, 2265, Sao Paulo, 15054-000 Sao Jose do Rio Preto, Brazil; **E-Mail: reinaldo@ibilce.unesp.br**
- FIERER, NOAH, Dept. Ecol. Evol. Biol., Univ. Colorado, Campus Box 334, Boukler, CO 80309-0216, USA; **E-Mail: Noah.Fierer@colorado.edu**
- FILIMONOVA, SVETLANA A., Zoological Institute, Russian Academy of Sciences, Universitetskaya emb. 1, 199034 St. Petersburg, Russia; **E-Mail: filimosa@mail.ru**
- FLECHTMANN, CARLOS H.W., CNPq-Brazil Researchers, Universidade de Sao Paulo / ESALQ, Caixa Postal 9, Sao Paulo, 13418-900 Piracicaba, SP, Brazil; **E-Mail: chwflech@carpa.ciagri.usp.br**
- FOUNTAIN, MICHELLE T., E. Malling Res., New Rd., E. Malling ME19 6BJ, Kent, England; **E-Mail: michelle.fountain@emr.ac.uk**
- FREITAS-ASTÚA, J., Centro de Citricultura Sylvio Moreira / IAC, Rod. Anhanguera Km 158, CP 4, Cordeirópolis, SP 13490-970, Brazil; **E-Mail: juliana@cnpmf.embrapa.br**
- FU, SHENGLI, Institute of Ecology, South China Botanical Garden, The Chinese Academy of Sciences, Guangzhou 510650, China; **E-Mail: sfu@scbg.ac.cn**
- FUANGARWORN, MARUT, Chulalongkorn Univ., Faculty of Sciences, Dept. of Biology, Bangkok, 10330, Thailand; **E-Mail: marut.f@chula.ac.th**
- GABRYS, PROF. DR. GRZEGORZ, Department of Biology, Inst. Biotechnol. and Environ. Sciences, Univ. of Zielona Góra, Monte Cassino 21B, 65-561 Zielona Góra, Poland; **E-Mail: g.gabrys@ibos.uz.zgora.pl**
- GAO, JIAN-RONG, 17 Wolcott Street, Malden, MA 02148, USA; **E-Mail: jrgao2002@yahoo.com**
- GERECKE, DR. REINHARD, Biesinger Str. 11, 72070 Tübingen, Germany; **E-Mail: reinhard.gerecke@uni-tuebingen.de**
- GLOWSKA, ELIZA, Adam Mickiewicz University, Faculty of Biology, Department of Animal Morphology, Umultowska 89, 61-614 Poznan, Poland; **E-Mail: glowska@amu.edu.pl**
- GONDIM, MANOEL G.C., Departamento de Agronomia, Universidade Federal Rural de Pernambuco, Rua Dom Manuel de Medeiros s/n., 52171-900 Recife, PE, Brazil; **E-Mail: mguedes@depal.ufrpe.br**
- GOTOH, DR. TETSUO, Lab. Appl. Entomol. and Zool., Faculty of Agriculture, Ibaraki University, Ami, Ibaraki, 300-0393, Japan; **E-Mail: gotoh@mx.ibaraki.ac.jp**
- GREEN, DAVID, School of Geography and Environm. Stud., University of Tasmania, Private Bag 78, Hobart, Tasmania 7001, Australia; **E-Mail: d.green@utas.edu.au**
- HAITLINGER, PROF. DR. RYSZARD, Wrocław Univ. Environ. and Life Sci., Dept. of Systematic and Ecology of Invertebr., ul. Kozuchowska 5b, 51-631 Wrocław, Poland; **E-Mail: ryszard.haitlinger@up.wroc.pl**
- HAIJQANBAR, HAMIDREZA, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, 14115-336, Tehran, Iran; **E-Mail: hajiqanbar@modares.ac.ir**
- HAKIMITABAR, M., College of Agriculture, University of Tehran, Karaj, Iran; **E-Mail: hakimitabar@yahoo.com**
- HANIFAH, AZIMA LAILI, Inst. Med. Res., Infect Dis. Res. Ctr., Acarol. Unit, Kuala Lumpur 50588, Malaysia; **E-Mail: azima@imr.gov.my**
- HARDMAN, JOHN M., Atlantic Food and Horticulture Res. C., Agric. and Agri-Food Canada, 32 Main Street, Kentville, NS, B4N 1J5, Canada; **E-Mail: HardmanM@agr.gc.ca**

- HE, LIN, College of Plant Protection, Southwest Agric. Univ., Chongqing 400716, China; **E-Mail:** epcl@swau.edu.cn
- HERNANDES, FABIO A., Univ. Est. Paulista, Inst. de Biociencias, Rua Cristovao Colombo, 2265, J. Nazareth, Sao Jose de Rio Preto, 15054-000 Sao Paulo, SP, Brazil; **E-Mail:** fabio_akashi@yahoo.com.br
- HINOMOTO, NORIHIDE, Insect Interaction Research Unit, Division of Insect Sciences, National Inst. of Agrobiol. Sciences, Tsukuba, Ibaraki, 305-8634, Japan; **E-Mail:** hinomoto@affrc.go.jp
- HO, CHYI-CHEN, Dept. Appl. Zool., Taiwan Agric. Res. Inst., 189 Chungcheng Road, Wufeng, Taichung 41301, Taiwan; **E-Mail:** mtho2005@yahoo.com.tw
- HONG, XIAO-YUE, Department of Entomology, Nanjing Agric. Univ., Nanjing, 210 095, China; **E-Mail:** xyhong@njau.edu.cn
- HOQUE, M.F., Institute of Biological Sciences, University of Rajshahi, Rajshahi, Bangladesh
- HORN, TAMARA B., Laboratory of Acarology, UNIVATES University Center1, Lajeado, Brazil; **E-Mail:** tamara_horn@universo.univates.br
- HORVÁTH, EDIT, Magyar Természettudományi Múzeum Állattára, Baross utca 13, 1088 Budapest, Hungary; **E-Mail:** edit.horvath@gmail.com
- HOU, BO-HUA, Guangdong Entomological Institute, Guangzhou 510260, China; **E-Mail:** houbohua@gdei.gd.cn
- HOY, DR. MARJORIE A., Dept. Entomology & Nematology, Univ. of Florida, P.O. Box 110620, Gainesville, FL 32611-0620, USA; **E-Mail:** mahoy@mail.ifas.ufl.edu
- HUBERT, JAN, Crop Research Institute, Drnovská 507, 61 06 Praha 6, Czech Republic; **E-Mail:** hubert@vurv.cz
- HUSBAND, ROBERT W., Biology Department, Adrian College, 1035 Scottsdale Drive, Adrian, MI 49221, USA; **E-Mail:** husbandadrian@aol.com
- IORIATTI, CLAUDIO, Istituto Agraria, di S. Michele a/Adige, (Trento), 38010 Michele a/Adige, Italy
- IRANI-NEJAD, KARIM H., Department of Plant Protection, Faculty of Agriculture, University of Tabriz, Tabriz, Iran; **E-Mail:** Khaddad@tabrizu.ac.ir
- ITO, KATSURA, Kochi Univ., Appl. Entomol. Lab., Fac. Agr., JST Innovat Satellite Kochi, Nanko Ku, Kochi 783-8502, Japan; **E-Mail:** ktr@kochi-u.ac.jp
- JAFARI, SHAHRIAR, Dept. of Entomol., Tarbiat Modares Univ., PO Box 14115-336, Tehran, Iran; **E-Mail:** shahreargafari@yahoo.com
- JAMES, DAVID G., Dept. Entomol., Washington State Univ., 24106 North Bunn Road, Prosser, WA 99350, USA; **E-Mail:** david_james@wsu.edu
- JESIONOWSKA, KATARZYNA, Department of Invertebrate Zoology and Limnology, University of Szczecin, Waska 13, 71-415 Szczecin, Poland; **E-Mail:** katarzyna.jesionowska@univ.szczecin.pl
- KALUZ, STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 845 06 Bratislava, Slovakia; **E-Mail:** stanislav.kaluz@savba.sk
- KASAP, ISMAIL, Canakkale Onsekiz Mart Univ., Fac. Agr., Dept Plant Protector, 17020 Canakkale, Turkey; **E-Mail:** ikasap@comu.edu.tr
- KATAYAMA, HARUKI, Kyoto Univ., Ctr. Ecol. Res., 509-3 Hirano 2 Chome, Shiga 5202113, Japan; **E-Mail:** n-kata@ecology.kyoto-u.ac.jp
- KAZMIERSKI, ANDRZEJ, Inst. Environ. Biol., Adam Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail:** amirski@amu.edu.pl
- KHAN, BILAL SAEED, Dept. Agric. Entomol., Univ. Agric. Faisalbad, Faisalabad, Pakistan; **E-Mail:** bsk_1703@yahoo.com
- KHANJANI, MOHAMMAD, Department of Plant Protection, College of Agriculture, Bu-Ali Sina University, Hamedan, 65174, Iran; **E-Mail:** mkhanjani@gmail.com
- KHARADOV, A.V., Nat. Acad. Sci., Inst. Biol. & Pedol., Dept. Arthropod Zool., 265 Chui Ave, Bishkek 720071, Kyrgyzstan; **E-Mail:** alex-kh53@mail.ru
- KHAUSTOV, ALEXANDR. A., Nikita Botanical Gardens, National Scientific Center, Yalta, Crimea 98648, Ukraine; **E-Mail:** alkhaustov@mail.ru
- KIELKIEWICZ, MALGORZATA, Department of Applied Entomology, Warsaw Agricultural University, ul. Nowoursynowska 166, 02-787 Warsaw, Poland; **E-Mail:** malgorzata_kielkiewicz@sggw.pl
- KIKUCHI, AYUMI, Lab. Animal Ecology, Graduate School of Agriculture, Hokkaido University, Sapporo, Hokkaido, 060-8589, Japan; **E-Mail:** kikuayumm21@yahoo.co.jp
- KIM, GIL-HAH, Chungbuk Natl. Univ., Dept. Plant Med., Cheongju 361-763, South Korea; **E-Mail:** khkim@chungbuk.ac.kr

- KLOMPEN, HANS, Ohio State University Acarology Collection, Museum of Biological Diversity, 1315 Kinnear Rd., Columbus, OH 43212-1192, USA; **E-Mail: klompen.1@osu.edu**
- KOC, KAMIL, Department of Biology, Faculty of Arts and Sciences, Celal Bayar University, 45140 Muradiye, Manisa, Turkey; **E-Mail: kamil.koc@bayar.edu.tr**
- KOCAK, AHMET Ö., c/o Gazi Üniversitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 06500 Ankara, Turkey; **E-Mail: cesa_tr@yahoo.com.tr**
- KRAMER, KAREN, 160 Naples Ct., Kalamazoo, MI 49009, USA
- KREITER, SERGE, Montpellier SupAgro, UMR 1062 CBGP, Campus Int. Baillaguet, CS 30016, 34988 Montpellier sur Lez Cedex, France; **E-Mail: kreiter@supagro.inra.fr**
- KUMRAL, NABI A., Uludag Univ., Fac. Agr., Dept. Plant Protect., Gorukle Campus, 16059 Bursa, Turkey; **E-Mail: akumral@uludag.edu.tr**
- LANDEROS, JERONIMO, Dept. Parasitol., Univ. Autonoma Agr. Antonio Narro, Buenavista Saltillo, Coahuila, 25315, Mexico; **E-Mail: jlanflo@uaaan.mx**
- LE GOFF, GUILLAUME J., Catholic Univ. Louvain, Unite Ecol. & Biogeog., Biodivers Res. Ctr., 4-5 Pl. Croix du Sud, 1348 Louvain, Belgium; **E-Mail: guillaume.legoff@uclouvain.be**
- LEE, JOON-HO, Seoul National University, Dept. Agric. Biotechnol., Entomol Program, Seoul 151 921, South Korea; **E-Mail: jh7lee@snu.ac.kr**
- LEE, HYEOK, Res. Institute for Agric. and Life Sciences, Seoul National University, Seoul 151-921, Korea; **E-Mail: shlee22@snu.ac.kr**
- LIN, JIAN-ZHEN, Institute of Plant Protection, Fujian Academy of Agricultural Sciences, Fuzhou, Fujian 350 013, China; **E-Mail: jianzhenlin@126.com.cn**
- LINDO, ZOE, Department of Biology, McGill University, 1205 Docteur Penfield, Montreal, QC, H3A 1B1, Canada; **E-Mail: zoe.lindo@mcgill.ca**
- LOFEGO, ANTONIO C., UNESP - Universidade Estadual Paulista, Laboratório de Acarologia, Departamento de Zoologia e Botanica, Rua Cristóvão Colombo, 2265, 15054-000 Sao Jose de Rio Preto, SP, Brazil; **E-Mail: aclofego@ig.com.br**
- LÓPEZ-CAMPOS, MERCEDES G., Facultad de Ciencias, UNAM, Laboratorio de Acarologia, México, DF 04510, Mexico; **E-Mail: mauro112003@yahoo.com.mx**
- LORENZO-CARBALLA, M.O., Grupo ECOEVO, Dept. de Ecología e Biología Anim., Univ. de Vigo EUET Forestal, Campus Univ. A Xunqueira s/n, 36005 Pontevedra, Spain; **E-Mail: olalla.lorenzo@uvigo.es**
- LOTFOLLAHI, PARISA, Department of Plant Protection, Faculty of Agriculture, University of Tabriz, Tabriz, Iran; **E-Mail: prslofollahy@yahoo.com**
- MAEDA, TARO, Natural Enemies Laboratory, Insect Interaction Research Unit, Ohwashi 1-2, Tsukuba, Ibaraki 305-0851, Japan; **E-Mail: tarom@affrc.go.jp**
- MAKOL, JOANNA, Department of Zoology and Ecology, University of Environ. and Life Sciences, Kozuchowska 5b, 51-631 Wrocław, Poland; **E-Mail: joanna.makol@up.wroc.pl**
- MALYKH, M., Nat. Inst. of Grape and Wine "Magarach", 31, Kirov St., Yalta 98600, Crimea, Ukraine; **E-Mail: frog_marisha@list.ru**
- MANSOOR-UL-HASSAN, PROF. Department of Agric. Entomology, University of Agriculture, Faisalabad, Pakistan; **E-Mail: mansoorsahi2000@yahoo.com**
- MANSOUR, FADEL, Agr. Res. Org., Dept. Entomol., Neue Yaar Res. Ctr., POB 1021, 30095 Ramat Yishay, Israel; **E-Mail: fadel@volcani.agri.gov.il**
- MARTINS, G.L.M., Univ. Estadual Paulista UNESP, Fac. Engn., Dept. Fitossanidade Engn. Rural. & Solos., Av Brasil 56, CP 31, 15385000 Ilha Solteira SP, Brazil; **E-Mail: gustavomamore@yahoo.com.br**
- MARTINS-HATANO, F., Univ. Fed. Rural Amazonia, Campus Parauapebas, Rua A SN Quadra Especial, BR-68515000 Cidade Nova, Brazil; **E-Mail: martins.hatano@ufra.edu.br**
- MASAN, PETER, Institute of Zoology, Slovak Acad. of Sciences, Dúbravská cesta 9, 845 06 Bratislava, Slovakia; **E-Mail: Peter.Masan@savba.sk**
- MAYORAL, JAIME G., Florida Internat. Univ., Dept. of Biological Sciences. OE-167, 11200 S.W. 8th St., Miami, FL 33199, USA; **E-Mail: mayoralj@fiu.edu**
- MEJIA-RECAMIER, BLANCA E., Ecología y Sistemática de Microartrópodos, Dpto. Ecología y Recursos Naturales, Fac. Ciencias, UNAM, 04510 México, DF, México; **E-Mail: tellarecamier@yahoo.com.mx**
- MEMARIZADEH, NARGESS, Univ. Guilan, Fac. Agr., Dept Plant Protect, Rasht, Iran; **E-Mail: nmemarizadeh@yahoo.com**
- MESSELINK, G.J., Wageningen UR Greenhouse Horticulture, PO Box 20, 2265 ZG Bleiswijk, The Netherlands; **E-Mail: Gerben.Messelink@wur.nl**

- MIGEON, ALAIN, Centre de Biologie et de Gestion des Populations, INRA, Campus Intern. de Baillarguet CS30016, 34988 Montferrier sur Lez Cedex, France; **E-Mail: migeon@supagro.inra.fr**
- MIKUNTHAN, GUNASINGHAM, Department of Agricultural Biology, Faculty of Agriculture, University of Jaffna, Jaffna, Sri Lanka; **E-Mail: gmikunthan@gmail.com**
- MIRONOV, S.V., Zoological Institute, Russian Academy of Sciences, Universitetskaya nab. 1, St. Petersburg 199034, Russia; **E-Mail: astigmata@zin.ru**
- MOMEN, FAT M., Pests & Plant Protection Department, National Research Centre, El Tahrir Street, Dokki, Cairo 12311, Egypt; **E-Mail: fatmomen@yahoo.com**
- MONTERRAT, MARTA, E.E. La Mayora, C.S.I.C., 29750 Algarrobo-Costa, Malaga, Spain; **E-Mail: mmontserrat@eelm.csic.es**
- MORALES-MALACARA, JUAN B., Laboratorio de Acarologia, Departamento de Biología, Facultad de Ciencias, Univ. Nacional Autónoma México, Distrito Federal, Coyoacán, DF, 04960, México; **E-Mail: jbmm@hp.fciencias.unam.mx**
- MORELL, HECTOR R., Grupo Plagas Agrícolas, Centro Nacional de Sanidad Agropecuaria, Autopista Nac. y Carretera de Jamaica, Apdo. 10, San Jose de las Lajas, CP. 32700 La Habana, Cuba; **E-Mail: morell_66@ensa.edu.cu**
- MORTAZAVI, ABDOLAZIM, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, 14115-336, Tehran, Iran; **E-Mail: azim.mortazavi@yahoo.com**
- MUKHOPADHYAY, ANANDA, Entomology Research Unit, Department of Zoology, University of North Bengal, 734013 Darjeeling, West Bengal, India; **E-Mail: am_nbu@yahoo.co.in**
- MURUNGI, LUCY K., International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, GPO, 00100 Nairobi, Kenya; **E-Mail: lucykananu@yahoo.com**
- NAVIA, DENISE, Embrapa Recursos Genéticos e Biotecnologia, Cx. Postal 02372, 70.770-900 Brasília, DF, Brazil; **E-Mail: navia@cenargen.embrapa.br**
- NGUYEN, THANH V., Natl. Chung Hsing Univ., Dept. Entomol., 250 Kuo Kuang Rd., Taichung 40227, Taiwan; **E-Mail: ntvinhthk@yahoo.com**
- NIEDBALA, WOJCIECH, Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail: wojciech.niedbala@amu.edu.pl**
- NISHIDA, TAKAYOSHI, Lab. Insect Ecol., Sakyo Ku, Grad Sch. Agr., Kyoto Univ., Kyoto, 6068502, Japan; **E-Mail: nishida@kais.kyoto-u.ac.jp**
- NORONHA, A.C.S., Embrapa Mandioca e Fruticultura, Caixa Postal 007, 44380-000 Cruz das Almas, Brazil
- NOVELLI, VALDENICE M., Citros Sylvio Moreira IAC, Ctr APTA, POB 04, 13490-970 Cordeiropolis, SP, Brazil; **E-Mail: valdenice@centrodecitricultura.br**
- OCHOA, RONALD, Systematic Entomology, Laboratory USDA, ARS, BA PS, Building 005, Room 137 Barc-West, 10300 Baltimore Av., Beltsville, Maryland 20750, USA; **E-Mail: ron.choa@ars.usda.gov**
- OHNO, SUGURU, Okinawa Prefectural Agricultural Research Center, Okinawa 9010336, Japan; **E-Mail: oonosugr@pref.okinawa.lg.jp**
- OKIWELU, SAMUEL, Department of Animal and Environmental Biology, University of Port Harcourt, Port Harcourt Po, Nigeria; **E-Mail: okiwelu2003@yahoo.com**
- OTERO-COLINA, GABRIEL, Colegio de Postgraduados Campus Montecillo, km 36,5 Carr. Mexico - Texcoco, Montecillo, 56230 Edo. de México, Mexico; **E-Mail: gotero@colpos.mx**
- PALEVSKY, ERIC, Dept. Entomol., Agricultural Research Organization, Ministry of Agriculture, PO Box 1021, Ramat Yishay 30095, Israel; **E-Mail: palevsky@volcani.agri.gov.il**
- PAOLETTI, MAURIZIO G., Agroecology and Ethnobiology, Department of Biology, Padova University, 35100 Padova, Italy; **E-Mail: paoletti@bio.unipd.it**
- PARK, C.G., Division of Entomology, Dept. Plant Protection, Agricult. Science Technol. Inst., Suwon 441-707, South Korea
- PENA, J.E., University of Florida, I.F.A.S. Trop. Res. Educ. Cent., 18905 S.W. 280th St., Homestead, FL 33031, USA
- PEREZ-GELABERT, DANIEL E., ITIS and Dept. Entomol., U.S. Nat. Mus. Nat. Hist., Smithsonian Institution, P.O. Box 37012, Washington, DC 20013-7021, USA; **E-Mail: perezd@si.edu**
- PERNEK, MILAN, Forest Research Institute, Jastrebarsko, Cvjetno naselje 41, Jastrebarsko, Croatia; **E-Mail: milanp@sumins.hr**
- PETROVIC, ALEKSANDRA, Dept. for Environm. and Plant Protection, Faculty of Agriculture, University of Novi Sad, Trg Dositeja Obradovica 8, 21000 Novi Sad, Serbia; **E-Mail: petra@polj.uns.ac.rs**

- POZZEBON, ALBERTO, Univ. Padua, Dept. Environm. Agron. & Crop Sci., Viale dell'Università 16, 35020 Legnaro, PD, Italy; **E-Mail: alberto.pozzebon@unipd.it**
- RAHMANI, HASAN, Dept. of Plant Protection, Fac. of Agric., Zanjan University, P.O. Box 313, Zanjan, Iran; **E-Mail: rahmani_hsn@yahoo.com**
- REMIC, MOJCA, Biotehniška fakulteta, Oddelek za agronomijo, Jamnikarjeva 101, 1111 Ljubljana, Slovenia
- ROHWER, CHARLES L., Univ. Minnesota, So. Res. & Outreach Ctr., 35838 120th St., Waseca, MN 56093, USA; **E-Mail: rohwo009@umn.edu**
- ROY, SOMNATH, Entomology Research Unit, Department of Zoology, University of North Bengal, Darjeeling-734 430, West Bengal, India; **E-Mail: entosommath@yahoo.co.in**
- RUAN, HONGHUA, Key Lab. For. Ecol. Engineering Jiangsu Prov., Nanjing Forestry University, Longpan road 159, Nanjing, 210037, Jiangsu, China; **E-Mail: hruan1690@yahoo.com**
- RUSSELL, DAVID J., Senckenberg Museum für Naturkunde Görlitz, Am Museum 1, 02826 Görlitz, Germany; **E-Mail: david.russell@senckenberg.de**
- SABELIS, MAURICE W., Institute for Biodiversity and Ecosystem Dynamics, Section Population Biology, University of Amsterdam, Kruislaan 320, 1090 GB, Amsterdam, The Netherlands; **E-Mail: sabelis@bio.uva.nl**
- SABOORI, ALIREZA, Zoological Museum, Dept. Plant Protection, College of Agriculture, University Tehran, P.O. Box 4111, Karaj 31587-11167, Iran; **E-Mail: saboori@ut.ac.ir**
- SAITO, YUTAKA, Laboratory of Anim. Ecol., Research Faculty of Agriculture, Hokkaido University, Sapporo, Hokkaido, 060-8589, Japan; **E-Mail: yutsat@res.agr.hokudai.ac.jp**
- SATO, MONICA M., Dept. Entomol. e Acarologia, ESALQ-USP, Piracicaba, SP 13418-900, Brazil; **E-Mail: monicamayumisato@yahoo.com**
- SATO, MÁRIO E., Laboratory of Economic Entomology, Biological Institute, APTA, Caixa Postal 70, 13001-970 Campinas, SP, Brazil; **E-Mail: mesato@biologico.sp.gov.br**
- SCHAUSBERGER, PETER, Universität für Bodenkultur, Institut für Pflanzenschutz, Peter Jordan-Str. 82, 1190 Wien, Austria; **E-Mail: peter.schausberger@boku.ac.at**
- SEDGHI, ALI, Dept. of Plant Protection, College of Agriculture, University of Zabol, Zabol, Iran; **E-Mail: ali_Sedghi_1143@yahoo.com**
- SEEMAN, OWEN D., Queensland Museum, PO Box 3300, South Brisbane, QLD 4101, Australia; **E-Mail: owen.seeman@qm.qld.gov.au**
- SERGEYENKO, ALEXEY L., Nikita Botanical Gardens, National Scientific Center, Yalta, Crimea, UA 98648, Ukraine; **E-Mail: al_sergeyenko@mail.ru**
- SHARMA, SANGITA, Regional Horticultural Research Station, Dr. Y.S. Parmar Univ. of Hortic. & Forestry, Mashobra, Shimla - 171 007, India; **E-Mail: bhardwajspdr@yahoo.co.in**
- SHATROV, ANDREY B., Zoological Institute, Russian Academy of Sciences, Department of Electron Microscopy, 199034 St. Petersburg B-34, Russia; **E-Mail: chigger@mail.ru**
- SHAW, MATTHEW D., Queensland Museum, P.O. Box 3300, South Brisbane QLD 4101, Australia; **E-Mail: matthew.shaw@qm.qld.gov.au**
- SKORACKI, MACIEJ, Adam Mickiewicz University, Faculty of Biology, Department of Animal Morphology, Umultowska 89, 61-614 Poznan, Poland; **E-Mail: skoracki@amu.edu.pl**
- SOTO, ALBERTO, Depto. de Fitotecnia, Univ. de Caldas, Calle 65 No 26-10, Manizales, Caldas, Colombia; **E-Mail: asotog@hotmail.com**
- SOYLU, SONER, Mustafa Kemal University, Department of Plant Protection, Agriculture Faculty, 31034 Antakya, Hatay, Turkey; **E-Mail: soylu@mku.edu.tr**
- STAVRINIDES, MENELAOS C., Agricultural Research Institute, Nicosia, Cyprus; **E-Mail: m.stavrinides@arinet.ari.gov.cy**
- STEKOLNIKOV, ALEXANDR A., Zoological Institute, Russian Academy of Sciences, Universitetskaya embankment 1, St. Petersburg, 199034, Russia; **E-Mail: acari@zin.ru**
- SZCZEPANIEC, A., Texas A & M Univ., Dept. Entomol., College Stn., TX 77843, USA; **E-Mail: ada.s@tamu.edu**
- THAKUR, MEENA, Department of Entomology and Apiculture, Dr. Y.S. Parmar University of Hortic. and Forestry, Nauni, Solan-173 230, India; **E-Mail: uchauhan97@rediffmail.com**
- TOWNSEND, VICTOR R., Department of Biology, Virginia Wesleyan College, 1584 Wesleyan Dr., Norfolk, VA 23502, USA; **E-Mail: vtownsend@vwc.edu**
- TOYOSHIMA, SHINGO, Apple Research Station, National Institute of Fruit Tree Science, Shimokuriyagawa, Morioka, Iwate 020-0123, Japan; **E-Mail: toyosin@affrc.go.jp**

- TSAGKARAKOU, A., National Agric. Res. Foundation, Labor. Entomol. and Agric. Zool., Plant Protection Institute, Heraklion, Greece; **E-Mail: tsagkarakou@nagref.gr**
- UECKERMANN, EDWARD A., ARC-Plant Protection Research Institut, Private Bag X134, Queenswood, Pretoria 0121, South Africa; **E-Mail: ueckermanne@arc.agric.za**
- UJVÁRI, ZSOLT, Systematic Zoology Research Group, Hungarian Academy of Sciences, Department of Zoology, Baross u. 13, 1088 Budapest, Hungary; **E-Mail: zs_ujvari@yahoo.com**
- VAN HOUTEN, YVONNE M., Glasshouse Crops Res. Station, Postbus 8, 2670 AA, Naaldwijk, The Netherlands
- VÁZQUEZ-ROJAS, IGNACIO M., Facultad de Ciencias, UNAM, Laboratorio de Acarologia, México, DF 04510, Mexico; **E-Mail: mauro112003@yahoo.com.mx**
- VILLANUEVA, RAUL T., North Carolina State University, Dep. of Plant Pathology, Don Ellies Laboratories, 1320 Varsity Drive, Raleigh, NC 27695, USA; **E-Mail: rtvillanueva@ag.tamu.edu**
- WALTER, DAVID E., Invertebrate Zoology, Royal Alberta Museum, 12845-102 Ave, Edmonton, Alberta T5N 0M6, Canada; **E-Mail: david.walter@gov.ab.ca**
- WANG, JIN-JUN, Key Labor. of Entomol. and Pest Contr. Engineering, College of Plant Protection, Southwest University, Chongqing 400716, China; **E-Mail: jjwang7008@yahoo.com**
- WANG, SHAO-LI, Chinese Acad. Agr. Sci., Minist. Agr., Beijing, China; **E-Mail: wangshl@caas.net.cn**
- WANG, JIN-JUN, College of Plant Protection, Southwest University, Chongqing 400716, China; **E-Mail: jjwang7008@yahoo.com**
- WANG, Y.N., Key Laboratory of Urban Agriculture (North), Ministry of Agric. People's Rep. of China, Beijing Univ. of Agric., Beijing 102206, China
- WOHLTMANN, ANDREAS, Finndorffstrasse 11, 27721 Ritterhude, Germany; **E-Mail: wohltman@uni-bremen.de**
- XIA, BIN, College of Life Science, Nanchang University, 999 Xuefu Road, Nanchang 330031, China; **E-Mail: xiabin9@163.com**
- XIONG, YANMEI, Institute of Ecology, South China Botanical Garden, The Chinese Academy of Sciences, Guangzhou 510650, China
- XU, HAI-LIAN, Jian Plant Protect & Plant Quarantine Bur., Jian, Jiangxi, China; **E-Mail: jaszbjz@163.com**
- XU, XUENONG, Key Labor. for Biol. Contr. of Ministry of Agric., Inst. Plant Prot., Chin. Acad. of Agric. Sci., Beijing, 100193, China; **E-Mail: xuxn_99@yahoo.com**
- YANO, SHUICHI, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto 606-8502, Japan; **E-Mail: yano@kais.kyoto-u.ac.jp**
- YUAN, M.-L., Key Labor. of Entomol. and Pest Contr. Engineering, College of Plant Protection, Southwest University, Chongqing 400716, China
- YUKSELBABA, U., Akdeniz Univ., Fac. Agr., Dept. Plant Protect., 07058 Antalya, Turkey; **E-Mail: uyukselbaba@akdeniz.edu.tr**
- ZACHARDA, MILOSLAV, Institute of Systems Biology and Ecology, Acad. Sci. Czech Rep., Na Sádkách 7, 370 05 České Budejovice, Czech Republic; **E-Mail: zacharda@usbe.cas.cz**
- ZALOM, FRANK G., Department of Entomology, University of California, One Shields Avenue, Davis, CA 95615, USA; **E-Mail: fgzalom@ucdavis.edu**
- ZHANG, ZHI-QIANG, Landcare Research, Private Bag 92-170, Auckland, New Zealand; **E-Mail: ZhangZ@landcareresearch.co.nz**

Address of the authors:

Dr. David Russell

Kerstin Franke

Senckenberg Museum für Naturkunde Görlitz

Postfach 300 154

02806 Görlitz, Germany

Tel.: 0049-3581-4760 5502

Fax.: 0049-3581-4760 5101

E-Mail: David.Russell@senckenberg.de

Kerstin.Franke@senckenberg.de

Homepage: Acari – Bibliographia Acarologica:

http://www.senckenberg.de/root/index.php?page_id=8101

published: 11.11.2011

Subscription form

I wish to subscribe to **ACARI** – Bibliographia Acarologica
3 issues per volume and year

Institution and library 20 €(incl. 7% VAT = 1,31 €),
incl. postage and handling

personal 10 €(incl. 7% VAT = 0,65 €)
incl. postage and handling

I cannot cover the costs in convertible currency. I request in publication
exchange for my articles about mites one issue per year. (Please indicate
the issue chosen by ticking square below.)

Mesostigmata

Oribatida

Actinedida

Please write your **address** exactly and legibly!

name _____

address _____

Date

Signature

Please return this form to:

Dr A. Christian
Senckenberg Museum für Naturkunde Görlitz
Am Museum 1
02826 Görlitz
Germany

Fax.: 0049-3581-4760 5101

E-Mail: axel.christian@senckenberg.de

Contents

Russell, D. & K. Franke: *Actinedida* No. 10 1-31

Acarological literature

- Publications 20112
- Publications 20106
- Publications, additions 2009 14
- Publications, additions 2008 16
- Publications, additions 2007 16
- Publications, additions 2006 17

Nomina nova

- New species 18
- New families 21
- New genera 21
- New combinations 22
- New synonyms 23
- New names 23

Addresses 24