


ISSN 1618-8977

# ACARI

Bibliographia Acarologica



**Actinedida**

 senckenberg  
museum für naturkunde görlitz

Volume 9 (3)

2009

**Senckenberg Museum für Naturkunde Görlitz**

**ACARI**

Bibliographia Acarologica

Editor-in-chief: Dr Axel Christian  
authorised by the Senckenberg Museum für Naturkunde Görlitz

Enquiries should be directed to:

ACARI  
Dr Axel Christian  
Senckenberg Museum für Naturkunde Görlitz  
PF 300 154, 02806 Görlitz, Germany

‘ACARI’  
may be ordered through:  
Senckenberg Museum für Naturkunde Görlitz – Bibliothek  
PF 300 154, 02806 Görlitz, Germany

Published by the Senckenberg Museum für Naturkunde Görlitz  
All rights reserved  
Cover design by: E. Mättig  
Printed by MAXROI Graphics GmbH, Görlitz, Germany

## Actinedida No. 8

David Russell and Kerstin Franke  
Senckenberg Museum of Natural History Görlitz

Since its conception in 2002 and including this volume, the databank of literature cited in the Actinedida volumes of the series ACARI – Bibliographia Acarologica has accumulated 5,281 papers on 1,894 species of actinedid mites. As in past volumes, two major taxon groups are excluded from the database: Eriophyidae and the paraphyletic group “Hydracarina”, since these are available elsewhere. Since 2006, the Bibliographia Actinedida and the Bibliographia Tarsonemidologica - formerly published by RACK and MAHUNKA – have been united, so that the databank has since then also included Tarsonemidae.

The publications cited in the present volume reflect the worldwide research interest on Actinedida, with papers by researchers from all continents and 43 countries (with Europe, Brazil, Japan, the USA as well Arabian countries being most strongly represented). Of the over 370 publications listed this year, approximately 40% again concern economically important topics such as plant protection, acarine-pest biology as well as chemical and biological mite control. Systematics and taxonomy of this still poorly studied group are also highly important topics (28% of all papers), with over 200 descriptions of new taxa in 90 papers. This volume reflects research on almost 50 families. The majority of the papers (>40%) again deal with the economically important Tetranychidae, Tarsonemidae or Tenuipalpidae. Strongly represented are also Parasitengona (15%) with almost 15 families, as well as Stigmaeidae, Syringophilidae, Cunaxidae and many heterostigmatid families.

Except for groups such as Tetranychidae, a majority of the families are dealt with by only single authors. Besides the taxonomic specialisation of these authors, this reflects the worldwide low number of taxonomists researching actinedid mites. The lack of actinedid specialists may also be the reason why only a minority of the papers in this volume (12%) concern themes such as general ecology, faunistics, life history or bionomy of Actinedida. Conspicuously underrepresented are studies on soil acarofauna, although Actinedida represents one of the major soil-dwelling microarthropod groups. This may also be due to the deficiency of taxonomic revisions and determination keys for most families and genera.

The literature collection as well as the literature databank for Acari is now one of the largest in the world. The databank as well as previous issues of ACARI can be accessed via <http://www.naturkundemuseum-goerlitz.de/acarologie/>. Reprints of the majority of papers cited here are present in the Chelicerata Department of the Senckenberg Museum of Natural History in Görlitz. “ACARI” intends to advance and help disseminate acarological knowledge as broadly as possible. However, the registration and publication of all recent publications on actinedid mites is a daunting and time-consuming task, and cannot happen without the help of all acarologists worldwide. We therefore ask for your continued help by sending reprints or copies of all your papers on actinedid mites, or, at the least, complete reference citations. We expressly thank all authors who have helped this goal and sent reprints of their papers. As with any journal, mistakes and omissions are unavoidable. Critique and suggestions are welcome and explicitly called for. Please inform us if we have failed to list any of your publications and we will include them in later volumes.

Besides the literature database, the Senckenberg Museum of Natural History maintains an active Actinedida collection, not only of type but also of reference material. Type species as well as determined material may be deposited in these collections and are actively called for. Their availability is guaranteed by the numerous scientists and technical personnel presently working with the collections.

## Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "\*" were only found as a citation or abstract. All other titles are available as reprints or copies. The addresses of the corresponding authors are given in the section Addresses.

### Publications 2009

- AKSOY, H.M. / OZMAN-SULLIVAN, S.K. / OCAL, H. / CELIK, N. / SULLIVAN, G.T. (2009):\* The effects of *Pseudomonas putida* biotype B on *Tetranychus urticae* (Acari, Tetranychidae). In: Bruin, J. / Van der Geest, L.P.S. (Eds.) Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 223-230
- BAGHERI, M. / KHANJANI, M. (2009): A new species of the genus *Eupalopsellus* Sellnick (Acari, Prostigmata, Eupalopsellidae) from Central Iran. - Internat. J. Acarol. 35,1: 53-57
- BEARD, J.J. / GERSON, U. (2009):\* A new flat mite genus, *Acaricis* (Prostigmata, Tenuipalpidae), from australian sedges (Cyperaceae). - Zootaxa 2073: 31-44
- BOCHKOV, A.V. / FLANNERY, M.E. / SPICER, G.S. (2009):\* Mites of the genus *Torotroglia* (Prostigmata, Syringophilidae) from North American passerines. - J. Med. Entomol. 46,2: 183-197
- BRUIN, J. / VAN DER GEEST, L.P.S. (EDS.) (2009):\* Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 1-347
- BUGEME, D.M. / MANIANIA, N.K. / KNAPP, M. / BOGA, H.I. (2009):\* Effect of temperature on virulence of *Beauveria bassiana* and *Metarrhizium anisopliae* isolates to *Tetranychus evansi*. In: Bruin, J. / Van der Geest, L.P.S. (Eds.) Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 275-285
- CHENG, L.L. / NECHOLS, J.R. / MARGOLIES, D.C. / CAMPBELL, J.F. / YANG, P.S. / CHEN, C.C. / LU, C.T. (2009):\* Foraging on and consumption of two species of Papaya pest mites, *Tetranychus kanzawai* and *Panonychus citri* (Acari, Tetranychidae), by *Mallada basalis* (Neuroptera, Chrysopidae). - Environ. Entomol. 38,3: 715-722
- CHEN, Z.-Y. / RAN, C. / ZHANG, L. / DOU, W. / WANG, J.-J. (2009): Susceptibility and esterase activity in citrus red mite *Panonychus citri* (McGregor) (Acari, Tetranychidae) after selection with Phoxim. - Internat. J. Acarol. 35,1: 33-40
- COCCO, A. / HOY, M.A. (2009):\* Feeding, reproduction, and development of the red palm mite (Acari, Tenuipalpidae) on selected palms and banana cultivars in quarantine. - Fla. Entomol. 92,2: 276-291
- DANIEL, M. / STEKOL'NIKOV, A.A. (2009):\* Chigger Mites (Acari, Trombiculidae) from Makalu Region in Nepal Himalaya, with a description of three new species. - J. Med. Entomol. 46,4: 753-765
- DEN HEYER, J. (2009): Order Prostigmata, family Cunaxidae. - Arthropod fauna of the UAE 2: 17-25
- DEN HEYER, J. / DE CASTRO, T.M.M.G. (2009): Four new cunaxoidine genera (Acari, Prostigmata, Cunaxidae) and the description of two new neotropical species. - Zootaxa 2140: 1-15
- DEN HEYER, J. / SERGEYENKO, A.L. (2009):\* Neotype designation for *Cunaxa setirostris* (Herman, 1804) (Acari, Prostigmata, Cunaxidae). - Zootaxa 2106: 61-68
- DOGAN, S. / DÖNEL, G. (2009): The first occurrence of the uncommon family Barbutiidae (Acari, Actinedida) in Turkey: *Barbutia anguineus* (Berlese). - Turk. J. Zool. 33: 231-235
- EAMSOBHANA, P. / YOOLEK, A. / KONGKAEW, W. (2009):\* Laboratory evaluation of aromatic essential oils from thirteen plant species as candidate repellents against *Leptotrombidium* chiggers (Acari, Trombiculidae), the vector of scrub typhus. - Exp. Appl. Acarol. 47,3: 179-190
- EL-ZEMITY, S.R. / REZK, H.A. / ZAITOON, A.A. (2009):\* Acaricidal potential of some essential oils and their monoterpenoids against the two-spotted spider mite *Tetranychus urticae* (Koch.) - Arch. Phytopathol. Plant Prot. 42,4: 334-339
- FADAMIRO, H.Y. / XIAO, Y. / NESBITT, M. / CHILDERS, C.C. (2009):\* Diversity and seasonal abundance of predacious mites in Alabama Satsuma citrus. - Ann. Entomol. Soc. Amer. 102,4: 617-628
- FATHI, S.A.A. / NOURI-GANBALANI, G. (2009):\* Prey preference of *Orius niger* (Wolf.) and *O. minutus* (L.) from *Thrips tabaci* (Lind.) and *Tetranychus urticae* (Koch.). - J. Entomol. 6,1: 42-48
- FRAULO, A.B. / COHEN, M. / LIBURD, O.E. (2009):\* Visible / Near infrared reflectance (VNIR) spectroscopy for detecting two-spotted spider mite (Acari, Tetranychidae) damage in strawberries. - Environ. Entomol. 38,1: 137-142

- GENT, D.H. / JAMES, D.G. / WRIGHT, L.C. / BROOKS, D.J. / BARBOUR, J.D. / DREVES, A.J. / FISHER, G.C. / WALTON, V.M. (2009):\* Effects of powdery mildew fungicide programs on twospotted spider mite (Acari, Tetranychidae), hop aphid (Hemiptera, Aphididae), and their natural enemies in hop yards. - *J. Econ. Entomol.* 102,1: 274-286
- GHADAMYARI, M. / SENDI, J.J. (2009):\* Resistance mechanisms to oxydemeton-methyl in *Tetranychus urticae* Koch (Acari, Tetranychidae). - *Mun. Ent. Zool.* 4,1: 103-113
- HAITLINGER, R. (2009): New records of mites (Acari, Prostigmata, Erythraeidae) from Nepal, with a description of *Leptus (Leptus) kattikus* sp. nov.. - *Syst. Appl. Acarol.* 14,1: 60-64
- HE, L. / XUE, C.H. / WANG, J.J. / LI, M. / LU, W.C. / ZHAO, Z.M. (2009):\* Resistance selection and biochemical mechanism of resistance to two acaricides in *Tetranychus cinnabarinus* (Boiduval). - *Pest. Biochem. Physiol.* 93,1: 47-52
- IMANI, Z. / SHISHEHBOR, P. (2009):\* Effect of temperature on life history and life tables of *Eutetranychus orientalis* (Klein) (Acari, Tetranychidae). - *Syst. Appl. Acarol.* 14,1: 11-18
- JUDSON, M.L.I. / MAKOL, J. (2009): A mite of the family Tanaupodidae (Arachnida, Acari, Parasitengona) from the lower cretaceous of France. - *Geodiversitas* 31,1: 41-48
- KAVOUSI, A. / CHI, H. / TALEBI, K. / BANDANI, A. / ASHOURI, A. / NAVEH, V.H. (2009):\* Demographic traits of *Tetranychus urticae* (Acari, Tetranychidae) on leaf discs and whole leaves. - *J. Econ. Entomol.* 102,2: 591-601
- KAZMIERSKI, A. (2009):\* Three new Tydeinae species (Acari, Actinedida, Tydeidae) from Poland. - *Ann. Zool.* 59,1: 107-117
- KHANJANI, M. / GOTOH, T. / KITASHIMA, Y. (2009):\* A new species of the genus *Bryobia* Koch (Acari, Tetranychidae) from Iran. - *Internat. J. Acarol.* 35,1: 5-11
- KHAUSTOV, A.A. (2009): A new genus and three new species of the mite family Microdispidae (Acari, Heterostigmata) from Crimea. - *Acarina* 17,1: 65-73
- KHAUSTOV, A.A. (2009): A new species of the genus *Neositeroptes* (Acari, Heterostigmata, Pygmephoridae) from Crimea. - *Acarina* 17,1: 85-87
- KLINGEN, I. / WOERSTED, G. / WESTRUM, K. (2009):\* Overwintering and prevalence of *Neozygites floridana* (Zygomycetes, Neozygitaceae) in hibernating females of *Tetranychus urticae* (Acari, Tetranychidae) under cold climatic conditions in strawberries. - In: Bruin, J. / Van der Geest, L.P.S. (Eds.) Diseases of mites and ticks. - *Exp. Appl. Acarol.* 46,1-4: 231-245
- KRAMER, K. / CRANSHAW, W.S. (2009):\* Effects of supplemental irrigation on populations of clover mite, *Bryobia praetiosa* Koch (Acari, Tetranychidae), and other arthropods in a Kentucky Bluegrass Lawn. - *Southw. Ent.* 34,1: 69-74
- KUNIMOTO, Y. / NAKAMA, T. / AMANO, H. / TAKAFUJI, A. (2009):\* Species composition of predators of spider mites in persimmon orchards in Nara prefecture with reference to the effect of weed management. [Orig. Jpn.] - *J. Acarol. Soc. Jpn.* 18,1: 7-16
- KUROSA, K. (2009): A new genus and two new species of Pygmephoridae (Acari, Heterostigmata) phoretic on *Lasioglossum* (Hymenoptera, Halictidae) in Japan. - *J. Acarol. Soc. Jpn.* 18,1: 17-28
- LI, T. / CHEN, X.-L. / HONG, X.-Y. (2009):\* Population genetic structure of *Tetranychus urticae* and its sibling species *Tetranychus cinnabarinus* (Acari, Tetranychidae) in China as inferred from microsatellite data. - *Ann. Entomol. Soc. Amer.* 102,4: 674-683
- MAHANI, M.K. / INOMATA, N. / SABOORI, A. / TABATABAEL, S.B.E. / ISHIYAMA, H. / ARIANA, A. / SZMIDT, A.E. (2009):\* Genetic variation in populations of *Allothrombium pulvinum* (Acari, Trombidiidae) from northern Iran revealed by mitochondrial coxI and nuclear rDNA ITS2 sequences. - *Exp. Appl. Acarol.* 48,4: 273-289
- MAKETON, M. / OROSZ-COGHLAN, P. / SINPRASET, J. (2009):\* Evaluation of *Metarhizium anisopliae* (Deuteromycota, Hyphomycetes) for control of broad mite *Polyphagotarsonemus latus* (Acari, Tarsonemidae) in mulberry. In: Bruin, J. / Van der Geest, L.P.S. (Eds.) Diseases of mites and ticks. - *Exp. Appl. Acarol.* 46,1-4: 157-167
- MANIANIA, N.K. / BUGEME, D.M. / WEKESA, V.W. / DELALIBERA, I. / KNAPP, M. (2009):\* Role of entomopathogenic fungi in the control of *Tetranychus evansi* and *Tetranychus urticae* (Acari, Tetranychidae), pests of horticultural crops. In: Bruin, J. / Van der Geest, L.P.S. (Eds.) Diseases of mites and ticks. - *Exp. Appl. Acarol.* 46,1-4: 259-274
- MATIOLI, A.L. / PALLINI, A. / TAVARES, M.G. (2009):\* Genetic similarity among *Agistemus pallini* Matioli et al. (Acari, Stigmaciidae) found in citrus orchards in Viçosa, Minas Gerais State, Brazil. - *Neotrop. Entomol.* 38,2: 262-266

- MESA, N.C. / OCHOA, R. / WELBOURN, W.C. / EVANS, G.A. / DE MORAES, G.J. (2009):\* A catalog of the Tenuipalpidae (Acari) of the world with a key to genera. - Zootaxa 2098: 1-185
- MIGEON, A. / FERRAGUT, F. / ESCUADERO-COLOMAR, A. / FIABOE, K. / KNAPP, M. / DE MORAES, G.J. / UECKERMAN, E. / NAVAJAS, M. (2009):\* Modelling the potential distribution of the invasive tomato red spider mite, *Tetranychus evansi* (Acari, Tetranychidae). - Exp. Appl. Acarol. 48,3: 183-271
- NATTRESS, B. / SKORACKI, M. (2009):\* A new species and further records of quill mites (Acari, Cheyletoidea, Syringophilidae) parasitic on birds (Aves) in England. - Zootaxa 2133: 49-54
- OPIT, G.P. / PERRET, J. / HOLT, K. / NECHOLS, J.R. / MARGOLIES, D.C. / WILLIAMS, K.A. (2009):\* Comparing chemical and biological control strategies for twospotted spider mites (Acari, Tetranychidae) in commercial greenhouse production of bedding plants. - J. Econ. Entomol. 102,1: 336-346
- PALYVOS, N. / EMMANOUEL, N. (2009):\* Temperature-dependent development of the predatory mite *Cheyletus malaccensis* (Acari, Cheyletidae). - Exp. Appl. Acarol. 47,2: 147-158
- PAREDES-LEON, R. / MORALES-MALACARA, J.B. (2009):\* A new species of the genus *Hirstiella* (Acari, Prostigmata, Pterygosomatidae) parasitic on *Phyllodactylus bordai* (Reptilia, Squamata, Gekkonidae) in Mexico. - J. Med. Entomol. 46,3: 442-450
- PHILIPS, J.R. (2009): The mite (Acarina) fauna of trogid beetles (Coleoptera, Trogidae). - Internat. J. Acarol. 35,1: 1-17
- PRASAD, V.M.D. (2009): Survey for *Bharatoliaphilus punjabensis* Prasad, 1975 (Prostigmata, Pterygosomatidae). - Internat. J. Acarol. 35,1: 41-45
- RAZMJOU, J. / TAVAKKOLI, H. / NEMATI, M. (2009):\* Life history traits of *Tetranychus urticae* Koch on three legumes (Acari, Tetranychidae). - Mun. Ent. Zool. 4,1: 204-211
- ROS, V.I.D. / FLEMING, V.M. / FEIL, E.J. (2009):\* How diverse is the genus *Wolbachia*? Multiple-gene sequencing reveals a putatively new *Wolbachia* supergroup recovered from spider mites (Acari, Tetranychidae). - Appl. Environ. Microbiol. 75,4: 1036-1043
- RUBIO, A.V. / SIMONETTI, J.A. (2009):\* Ectoparasitism by *Eutrombicula alfreddugesi* larvae (Acari, Trombiculidae) on *Liolaemus tenuis* Lizard in a chilean fragmented temperate forest. - J. Parasitol. 95,1: 244-245
- SAKAGAMI, T. / SAITO, Y. / KONGCHUENSIN, M. / SAHARA, K. (2009):\* Molecular phylogeny of *Stigmaeopsis*, with special reference to speciation through host plant shift. - Ann. Entomol. Soc. Amer. 102,3: 360-366
- SHI, W.-B. / FENG, M.-G. / LIU, S.-S. (2009):\* Sprays of emulsifiable *Beauveria bassiana* formulation are ovicidal towards *Tetranychus urticae* (Acari, Tetranychidae) at various regimes of temperature and humidity. In: Bruun, J. / Van der Geest, L.P.S. (Eds.) Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 247-257
- SKORACKI, M. / ANTCZAK, M. / RIEGERT, J. / FAINOVA, D. / MIKES, V. (2009): New species and new records of quill mites (Acari, Syringophilidae) inhabiting african passerines (Aves, Passeriformes). - Acta zool. hung. 55,2: 123-137
- VAN POTTELBERGE, S. / VAN LEEUWEN, T. / NAUEN, R. / TIRRY, L. (2009):\* Resistance mechanisms to mitochondrial electron transport inhibitors in a field-collected strain of *Tetranychus urticae* Koch (Acari, Tetranychidae). - Bull. Entomol. Res. 99,1: 23-31
- XUE, Y. / MEATS, A. / BEATTIE, G.A.C. / SPOONER-HART, R. / HERRON, G.A. (2009):\* The influence of sublethal deposits of agricultural mineral oil on the functional and numerical responses of *Phytoseiulus persimilis* (Acari, Phytoseiidae) to its prey, *Tetranychus urticae* (Acari, Tetranychidae). - Exp. Appl. Acarol. 48,4: 291-302
- ZAWAL, A. (2009):\* Larval morphology distinguishes *Arrenurus truncatellus* (O.F. Müller, 1776) and *A. castaneus* Neuman, 1880 (Acari, Parasitengona, Arrenuridae). - Syst. Appl. Acarol. 14,1: 68-76
- ZHANG, Z.-Q. (2009):\* Nomenclatural notes on *Rhinothrombium* Berlese, 1910 (Acari, Tanaupodidae). - Syst. Appl. Acarol. 14,1: 65-67

## Publications 2008

- ABOU-AWAD, A. / EL-SAWAF, B.M. / HASSAN, M.M. / ABDEL-KHALEK, A.A. (2008): Comparative morphological and biological studies of two eupodid mites: *Benoinyssus momeni* and *Eupodes bakeri*. - Acarologia 48,1-2: 47-54

- AFZAL, M. / BASHIR, M.H. / SAEED KHAN, B. (2008): Comparison of life cycle parameters of *Phytoseius gleba* (Acari, Mesostigmata) on three phytophagous host species. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 415-418
- AKSOY, H. / OZMAN-SULLIVAN, S. / OCAL, H. / CELIK, N. / SULLIVAN, G. (2008):\* The effects of *Pseudomonas putida* biotype B on *Tetranychus urticae* (Acari, Tetranychidae). - Exp. Appl. Acarol. 46,1-4: 223-230
- ALBERTI, G. (2008): On corniculi, rutella and pseudorutella - some ultrastructural details of key-characters in Acari (Arachnida). - Ann. Zool. 58,2: 239-250
- ALZOUBLI, S. / COBANOGLU, S. (2008):\* Evaluation of the different control methods for the two-spotted spider mites by computer software and percentage efficacy. - J. Entomol. 5,4: 290-294
- ANONYMOUS (2008):\* *Tydeus* Koch, 1836 (Arachnida, Acari): *Tydeus spathulatus* Oudemans, 1928 designated as the type species. - Bull. Zool. Nomencl. 65,1: 68
- ASAHARA, M. / OSAKABE, M.H. (2008):\* Linkage between one of the polygenic hexythiazox resistance genes and an etoxazole resistance gene in the two-spotted spider mite (Acari, Tetranychidae). - J. Econ. Entomol. 101,5: 1704-1710
- ASTUDILLO FERNANDEZ, A. / HANCE, T. / VAN IMPE, G. / DENEUBOURG, J.L. (2008): Population dynamics of the two-spotted spider mite: an age-structured model. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 341-347
- ATKINS, A. / HEARD, D.J. / MERTINS, J.W. / KIMBRO, J. / GREINER, E.C. (2008):\* Hyperplastic dermatitis associated with ariasis in a siamang (*Sympthalangus syndactylus*). - J. Zoo. Wildlife Medicine 39,4: 638-641
- AUGER, P. / MIGEON, A. / FLECHTMANN, C.H.W. (2008): Description of a new *Tetranychus* (Acarina, Prostigmata, Tetranychidae) pest of Musa from French Guiana. - J. Nat. Hist. 42,27-28: 1885-1892
- AY, R. / YORULMAZ, S. (2008): The evaluation of the esterase and glutathion s-transferase on two-spotted spider mite *Tetranychus urticae* Koch (Acari, Tetranychidae) selected with bifenthrin. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 419-425
- BAGHERI, M. / IRANI-NEJAD, K.H. / KAMALI, K. / KHANJANI, M. / SABOORI, A. / LOTFOLLAHI, P. (2008):\* A new species of *Linotetranus* (Acari, Prostigmata, Linotetranidae) from Iran. - Zootaxa 1914: 65-68
- BASHIR, M.H. / AFZAL, M. / KHAN, B.S. (2008):\* Genus *Armaseirus* (Acari, Prostigmata, Cunaxidae) from Pakistan. - Belg. J. Zool. 138,2: 115-127
- BELLINI, M.R. / FERES, R.J.F. / BUOSI, R. (2008):\* Mites (Acari) from rubber trees (*Hevea brasiliensis* Muell. Arg., Euphorbiaceae) and spontaneous euphorbiaceous in rubber trees cultivation. [Orig. Port.] - Neotrop. Entomol. 37,4: 463-471
- BELOZEROV, V.N. (2008):\* Calyptostasy: its role in the development and life histories of the Parasitengone mites (Acari, Prostigmata, Parasitengona). - Acarina 16,1: 3-19
- BEN-CHAABAN, S. / CHERMITI, B. / LEBDI-GRISSE, K. (2008): Comparison of the susceptibility of several alimentary supports to the old world mite *Oligonychus afrasiaticus* (Acari, Tetranychidae). In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 341-347
- BERTAND, M. / KREITER, S. / MCCOY, K.D. / MIGEON, A. / NAVAJAS, M. / TIXIER, M.S. / VIAL, L. (EDS.) (2008): Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 1-492
- BERTRAND, M. / COLE, N. / MOODRY, D. (2008): Adaptation in parasitic mites: spread by the host or stay with the host? In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 137-146
- BOCHKOV, A.V. (2008): A review of the mite family Stigmocheylidae Berlese (Acari, Prostigmata). - Ann. Zool. 58,2: 311-325

- BOCHKOV, A.V. / LITERAK, I. (2008): Description of the life stages of *Harpyrhynchoides rubeculinus* (Cerny and Sixl, 1971) (Prostigmata, Harpirhynchidae). - Internat. J. Acarol. 34,3: 227-236
- BOCHKOV, A.V. / OCONNOR, B.M. (2008): A new mite superfamily Cloacaroidea and its position within the Prostigmata (Acariformes).** - J. Parasitol. 94,2: 335-344
- BOULFEKHAR, H. / SAHEB, D. (2008): Chemical composition and acaricidal activity of 4 essential oils against *Tetranychus urticae* Koch (Acari, Tetranychidae). In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.): Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 435-442
- BROWN, W.A. (2008): Aboriginesia imlilica sp. nov. (Acari, Trombiculidae) from small mammal hosts from Marrakech Sector, Morocco.** - Syst. Appl. Acarol. 13: 145-149
- CHENG, H. / FAN, Q.-H. (2008): A catalogue of the chinese Raphignathoidea (Acari, Prostigmata). - Syst. Appl. Acarol. 13,3-4: 256-278
- CHMIELEWSKI, W. / BAKER, R.A. (2008): Mites (Acarina) phoretic on some common bumblebee species (*Bombus* spp.) from the Pulawy area (south-eastern Poland). - J. Apic. Sci. 52,1: 37-47
- COBANOGLU, S. (2008): Mites (Acari) associated with stored apricots in Malatya, Elazig and Izmir provinces of Turkey. - Türk. entomol. derg. 32,1: 3-20
- CORPUZ-RAROS, L.A. (2008): Additional species of Cunaxinae and first report of the subfamily Neobonziinae (Cunaxidae, Acari) from the Philippines.** - Asia Life Sci. 17,1: 71-89
- DA SILVA, F.R. / DE MORAES, G.J. / KNAPP, M. (2008):\* Distribution of *Tetranychus evansi* and its predator *Phytoseiulus longipes* (Acari, Tetranychidae, Phytoseiidae) in southern Brazil. - Exp. Appl. Acarol. 45,3-4: 137-145
- DE CARVALHO MINEIRO, J. / SATO, M.E. / RAGA, A. / ARTHUR, V. (2008):\* Population dynamics of phytophagous and predaceous mites on coffee in Brazil, with emphasis on *Brevipalpus phoenicus* (Acari, Tenuipalpidae). - Exp. Appl. Acarol. 44,4: 277-291
- DEMIREL, N. / CABUK, F. (2008):\* Evaluation population density of *Tetranychus urticae* Koch on cotton fields planted nearby dirt and asphalt roads. - J. Entomol. 5,4: 284-289
- DEMIREL, N. / CABUK, F. (2008):\* Population trends of two spotted spider mite, *Tetranychus urticae* Koch (Acari, Tetranychidae) on cotton nearby soil and asphalt roads. - J. Entomol. 5,2: 122-127
- DEMITE, P.R. / FERES, R.J.F. (2008): Influencia de fragmentos de cerrado na distribuicao de acaros em Seringal. - Neotrop. Entomol. 37,2: 196-204
- DEN HEYER, J. / GOMES DE CASTRO, T.M.M. (2008): A new neotropical genus of the family Cunaxidae (Acari, Prostigmata, Bdelloidea).** - Zootaxa 1843: 35-46
- DOGAN, S. (2008): A catalogue of cryptognathid mites (Acari, Prostigmata, Cryptognathidae) with the descriptions of a new species of *Favognathus* Luxton and a newly discovered male of *F. amygdalus* Dogan and Ayyildiz from Turkey.** - J. Nat. Hist. 42,23-24: 1665-1686
- DOGAN, S. (2008): The first of *Eupalopsis* (Acari, Eupalopsellidae) in Turkey: *Eupalopsis maseriensis* (Canestrini & Fanzago). - Syst. Appl. Acarol. 13: 155-158
- DOWLING, A.P.G. / OCHOA, R. / BEARD, J.J. (2008): Preliminary results on phylogeographic patterns of the invasive red palm mite, *Raoiella indica* (Prostigmata, Tenuipalpidae). In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.): Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 147-154
- DUNLOP, J.A. / ALBERTI, G. (2008): The affinities of mites and ticks: a review. - J. Zool. Syst. Evol. Res. 46: 1-18
- DUSO, C. / MALAGNINI, V. / POZZEBON, A. / CASTAGNOLI, M. / LIGUORI, M. / SIMONI, S. (2008):\* Comparative toxicity of botanical and reduced-risk insecticides to mediterranean populations of *Tetranychus urticae* and *Phytoseiulus persimilis* (Acari, Tetranychidae, Phytoseiidae). - Biol. Contr. 47,1: 16-21
- EBERMANN, E. (2008): First record of the genus *Thaumatopelvis* Mahunka (Acari, Heterostigmata, Scutacaridae) from Europe.** - Ann. Zool. 58,2: 333-336
- EHARA, S. / GOTOH, T. / HONG, X.-Y. (2008): Two new species of *Tetranychus* (Acari, Tetranychidae) infesting corn in inner Mongolia, China.** - Internat. J. Acarol. 34,4: 339-345

- EL-LAITHY, A.Y.M. / AFIFI, A.M. / SHEHATA, S.A. / ELSAIDY, E.M. (2008): Influence of different control practices on the two-spotted spider mite *Tetranychus urticae* (Koch) on strawberry under low tunnels in Egypt. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 451-460
- FENG, Y.-L. / MA, Y. / BAI, X.-L. (2008):\* A new species of the genus *Leptotrombidium* from Ningxia, China (Acari, Trombiculidae). - *Acta Zootaxon. Sinica* 33,4: 753-755
- FUENTES, L. / VASQUEZ, C. / PALMA, W. / BARI, C. (2008): Acaros Prostigmata y Mesostigmata asociados a la hojarasca en el bosque de galería del parque universitario de la UCLA, Estado Lara, Venezuela. - *Neotrop. Entomol.* 37,5: 591-596
- GERSON, U. (2008): The Tenuipalpidae: An under-explored family of plant-feeding mites. - *Syst. Appl. Acarol.* 13: 83-101
- GHADAMYARI, M. / SENDI, J.J. (2008):\* Resistance mechanism to oxydemeton-methyl in *Tetranychus urticae* Koch (Acari, Tetranychidae). - *Invertebr. Surv.* 5,2: 97-102
- GOTOH, T. / KORENAGA, T. / IKEJIMA, S. / HOSHINO, T. (2008): Acaricide-mediated suppression of *Panonychus citri* (McGregor) (Acari, Tetranychidae) in pear orchards in Japan. - *Internat. J. Acarol.* 34,4: 393-402
- GRBIC, M. / NAVAJAS, M. / GRBIC, V. (2008): Whole genome sequencing of *Tetranychus urticae*: novel genomic tools in acarological research. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 16-21
- GUANILO, A.D. / FLECHTMANN, C.H.W. / DE MORAES, G.J. (2008): Two new species of *Tetranychus* Dufour (Acari, Tetranychidae) from Peru. - *Internat. J. Acarol.* 34,3: 293-300
- GWIAZDOWICZ, D.J. (Ed.) (2008): Selected problems of acarological research in forests. - Wydawnictwo Uniwersytetu Przyrodniczego w Poznaniu: 1-125
- HAITLINGER, R. (2008): *Caeculisoma carmenae* n. sp. from Republic of South Africa (Acari, Prostigmata, Erythraeidae). - *Genus* 19,1: 139-142
- HAITLINGER, R. (2008): *Lasioerythraeus cardonensis* sp. n., a new larval mite from Venezuela (Acari, Prostigmata, Erythraeidae). - *Zesz. Nauk. UP Wrocław., Biol. Hod. Zwierz.* 56,566: 45-49
- HAITLINGER, R. (2008): New records of mites (Acari, Prostigmata, Erythraeidae, Johnstonianidae, Trombidiidae) from West and North Europe, with the description of *Abrolphus nymindegabicus* sp. n. - *Zesz. Nauk. UP Wrocław., Biol. Hod. Zwierz.* 56,566: 51-64
- HAITLINGER, R. (2008): New species and records of mites (Acari, Prostigmata, Erythraeidae, Johnstonianidae, Microtrombidiidae, Trombidiidae) from Moldova and Ukraine. - *Biologia* 63,3: 383-394
- HAITLINGER, R. / LUPICKI, D. (2008): Arthropods (Acari, Siphonaptera, Heteroptera, Psocoptera) associated with *Nyctalus noctula* (Schreber, 1774) (Chiroptera, Vespertilionidae) in Southern Poland. - *Wiad. Parazytol.* 54,2: 123-130
- HAITLINGER, R. / SABOORI, A. (2008): *Charletonia behbahanensis* sp. n. and *C. bojnordensis* sp. n. from Iran (Acari, Prostigmata, Erythraeidae). - *Zesz. Nauk. UP Wrocław., Biol. Hod. Zwierz.* 56,566: 73-80
- HAJIQANBAR, H. / KHAUSTOV, A. / KAMALI, K. / SABOORI, A. / KAMALI, H. (2008): A new genus and species of the family Caraboacaridae (Acari, Heterostigmata) associated with carabid beetles (Coleoptera, Carabidae) from Iran. - *Zootaxa* 1788: 57-65
- HATILINGER, R. (2008): Mites associated with insects in Poland. In: Gwiazdowicz, D.J. (Ed.) Selected problems of acarological research in forests. - Wydawnictwo Uniwersytetu Przyrodniczego w Poznaniu: 113-125
- HEDDERGOTT, M. / CLAUBEN, A. (2008): Nachweise von Milben der Gattung *Psorergatoides* Fain, 1956 in Thüringen (Acari, Prostigmata, Psorergatidae). - *Thür. Faun. Abh.* 13: 135-138
- HERNANDES, F.A. / DAUD, R.D. / FERES, R.J.F. (2008): Two new species of Bdellidae (Acari, Prostigmata) from Brazil. - *Internat. J. Acarol.* 34,3: 259-266
- HUSBAND, R.W. (2008): The genus *Tetrapolipus* (Acari, Podapolipidae), parasites of tropical and semitropical Cerambycidae (Coleoptera), new distribution records and descriptions of four new species. - *Internat. J. Acarol.* 34,4: 373-384

- HUSBAND, R.W. / HUSBAND, D.O. (2008): The biunguis species group of *Eutarsopolipus* (Acari, Podapolipidae), redescription of the larval female of *Eutarsopolipus lindquisti* Husband and new distribution records from the United States. - Internat. J. Acarol. 34,3: 301-305
- INSUNG, A. / PUMNUAN, J. / CHANDRAPATYA, A. (2008): Acaricidal activities of wild plant extracts against *Luciaphorus perniciosus* Rack (Acari, Pygmephoridae) and *Formicomotes heteromorphus* Magowski (Acari, Dolichocybidae). - Syst. Appl. Acarol. 13,3-4: 188-194
- INSUNG, A. / PUMNUAN, J. / CHANDRAPATYA, A. (2008): Acaricidal activities of wild plant extracts against *Luciaphorus perniciosus* Rack (Acari, Pygmephoridae) and *Formicomotes heteromorphus* Magowski (Acari, Dolichocybidae). - Syst. Appl. Acarol. 13: 188-194
- JESIONOWSKA, K. (2008): Redescription of *Hawaiieupodes thermophilus* Strandtmann et Goff, 1978 (Acari, Prostigmata, Eupodoidea, Penthalodidae) from Hawaii, with a discussion of the systematic status of the taxon. - Ann. Zool. 58,2: 337-346
- KABIRI, H. / SABOORI, A. / ALLAHYARI, H. (2008): Effect of five cotton cultivars on life table parameters of *Tetranychus urticae* (Acari, Tetranychidae). In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 469-471
- KAFIL, M. / MOEZPOUR, M. / NOEI, S. / ALLAHYARI, H. / NOZARI, J. (2008): Functional response of predatory mite: *Phytoseius plumifer* (Canestrini & Fanzago) on different densities of *Amphitetranychus viennensis* (Zacher) and *Tetranychus urticae* (Koch) on apple. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 47-51
- KAIMAL, S.G. / RAMANI, N. (2008):\* Effect of temperature and relative humidity on oviposition and fecundity of *Tetranychus neocaledonicus* (Andre) (Acari, Tetranychidae) - a pest of *Moringa oleifera* Lam. - J. Exp. Zool. 11,2: 279-282
- KAIMAL, S.G. / RAMANI, N. (2008):\* Embryonic development of *Tetranychus neocaledonicus* (Andre) (Acari, Tetranychidae) infesting *Moringa oleifera* Lam. - J. Exp. Zool. India 11,1: 25-27
- KALUZ, S. (2008): A new chigger mite (Acari, Prostigmata, Trombiculidae) from Central Europe. - Zootaxa 1875: 32-38
- KAMRAN, M. / AFZAL, M. / RAZA, A.B.M. / BASHIR, M.H. / SAEED KHAN, B. (2008): Discovery of a new species of genus *Pollux* (Erythraeidae) from Pakistan. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 47-51
- KAZAK, C. (2008): The development, predation, and reproduction of *Phytoseiulus persimilis* Athias-Henriot (Acari, Phytoseiidae) from hatay fed *Tetranychus cinnabarinus* Boisduval (Acari, Tetranychidae) larvae and protonymphs at different temperatures. - Turk. J. Zool. 32,4: 407-413
- KAZMIERSKI, A. (2008): Three new tydein species of the genus *Brachytydeus* Thor, 1931 sensu André 2005 (Acari, Actinedida, Tydeidae) from Siberia. - Ann. Zool. 58,2: 347-355
- KAZMIERSKI, A. (2008): Description of two new species of Tydeinae (Acari, Actinedida, Tydeidae) from Spain with the remarks about the iberian species of subfamily. - Ann. Zool. 58,2: 357-363
- KAZMIERSKI, A. / SIKORA, B. (2008): On the morphological anomalies in Tydeoidea (Actinedida). In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 82-88
- KHAN, B.S. / AFZAL, M. / BASHIR, M.H. (2008):\* Effects of some morphological leaf characters of some vegetables with incidence of predatory mites of the genus *Agistemus* (Stigmeidae, Acarina). - Pak. J. Bot. 40,3: 1113-1119
- KHANJANI, M. / GOTOH, T. / KITASHIMA, Y. (2008): A new species of the genus *Bryobia* Koch (Acari, Tetranychidae) from Iran. - Internat. J. Acarol. 34,3: 243-249
- KHANJANI, M. / GOTOH, T. / VARANDI, H.B. (2008): A new species of the genus *Aegyptobia* Sayed (Acari, Prostigmata, Tenuipalpidae) from Iran. - Syst. Appl. Acarol. 13,1: 65-69
- KHANJANI, M. / UECKERMAN, E.A. (2008): A new species of *Zetziella* Oudemans (Acari, Stigmeidae) from West Iran. - Internat. J. Acarol. 34,3: 237-241

- KHARADOV, A.V. (2008):\* Localization of larvae of chigger mite *Multisetosa rybini* (Acariformes, Leeuwenhoekiidae) on bodies of small vertebrates in Kyrgyzstan. - Acta Zool. Bulg. 60,2: 143-153
- KHAUSTOV, A.A. / ERMILOV, S.G. (2008): Two new species of mites of the superfamily Pygmephoroidae (Acari, Heterostigmata, Pygmephoridae, Neopygmephoridae) from the european part of Russia. - Acarina 16,1: 39-43
- KHAUSTOV, A.A (2008): Four new species of mites of the genus *Bakerdania* (Acari, Heterostigmata, Pygmephoridae) from Crimea. - Vestn. zool. 42,1: 3-10
- KHAUSTOV, A.A. (2008): A new mite genus of the family Pygmephoridae (Acari, Heterostigmata) from Russia. [Orig. Russ.] - Zool. Zh. 87,7: 891-896
- KHAUSTOV, A.A. (2008): A review of the genus *Pediculaster* Vitzthum, 1927 (Acari, Pygmephoridae) from Ukraine. - Acarina 16,2: 159-175
- KHAUSTOV, A.A. (2008): Mites of the family Scutacaridae of Eastern Palaearctic. - Akademperiodyka : 1-290
- KHAUSTOV, A.A. (2008): Synonymy of the genera *Pseudobakerdania* and *Ultrasiteroptes* (Acari, Heterostigmata, Pygmephoridae) with first record and redescription of *Ultrasiteroptes adamisi* from Ukraine. - Vestn. Zool. 42,6: 555-558
- KHAUSTOV, A.A. / ERMILOV, S.G. (2008): A new species of mites of the genus *Bakerdania* (Acari, Heterostigmata, Neopygmephoridae) from European Russia. [Orig. Russ.] - Zool. Zh. 87,11: 1406-1408
- KHODAYARI, S. / KAMALI, K. / FATHIPOUR, Y. (2008):\* Biology, life table, and predation of *Zetzellia mali* (Acari, Stigmacidae) on *Tetranychus urticae* (Acari, Tetranychidae). - Acarina 16,2: 191-196
- KHODAYARI, S. / KAMALI, K. / FATHIPOUR, Y. (2008): A new *Sonotetranychus* (Acari, Tetranychidae) from Iran, with key to the known species. - Syst. Appl. Acarol. 13: 150-154
- KLINGEN, I. / WAERSTED, G. / WESTRUM, K. (2008):\* Overwintering and prevalence of *Neozygites floridana* (Zygomycetes, Neozygitaceae) in hibernating females of *Tetranychus urticae* (Acari, Tetranychidae) under cold climatic conditions in strawberries. - Exp. Appl. Acarol. 46,1-4: 231-245
- KNEE, W. / PROCTOR, H. / GALLOWAY, T. (2008):\* Survey of nasal mites (Rhinonyssidae, Ereynetidae, and Turbinoptidae) associated with birds in Alberta and Manitoba, Canada. - Can. Ent. 140,3: 364-379
- KOEHLER, H. / WOHLTMANN, A. / WEIGMANN, G. / GERECKE, R. (2008): Zur Milbenfauna der Ostfriesischen Inseln (Arachnida, Acari). In: Niedringhaus, R. / Haeseler, V. / Janiesch, P. (Eds.) Die Flora und Fauna der Ostfriesischen Inseln - Artenverzeichnisse und Auswertungen zur Biodiversität. - Schriftenr. Nationalpark Niedersächs. Wattenmeer 11: 113-122
- LABRZYCKA, A. / DABERT, J. (2008): Two new species of mites (Acari, Myobiidae and Myocoptidae) from skin and fur of small mammals in Poland. - Ann. Zool. 58,2: 383-390
- LAYDANOWICZ, J. / MAKOL, J. (2008): Species diversity of *Parasitengona terrestria* (Acari, Actinotrichida, Prostigmata) in a habitat influenced by Anthropopressure. - Ann. Zool. 58,2: 303-309
- LITERAK, I. / STEKOL'NIKOV, A.A. / SYCHRA, O. / DUBSKA, L. / TARAGELOVA, V. (2008):\* Larvae of chigger mites *Neotrombicula* spp. (Acari, Trombiculidae) exhibited *Borrelia* but no *Anaplasma* infections: a field study including birds from the Czech Carpathians as hosts of chiggers. - Exp. Appl. Acarol. 44,4: 307-314
- MAGOWSKI, W. / LABEDZKI, A. (2008): Roztocza (Acari) z kohorty Heterostigmata związane z owadami ksylofagijnymi i kambiofagijnymi w Karkonoskim Parku Narodowym - wstępne wyniki badań. In: Mazur, A. / Raj, A. / Knapik, R. (Eds.) Monitoring ekosystemów leśnych w Karkonoskim Parku Narodowym. - Karkonoski Park Narodowy, Jelenia Góra: 167-170
- MAHATO, S. / KUNDU, S.S.. / SOMCHOUDHURY, A.K. / SARKAR, P.K. (2008):\* Damage of two spotted spider mite (*Tetranychus urticae* Koch) (Acari, Tetranychidae) in marigold and their management with bio-rationals: West Bengal perspective. - J. Entomol. Res. 32,1: 31-34
- MAKETON, M. / OROSZ-COGHLAN, P. / SINPRASERT, J. (2008):\* Evaluation of *Metarhizium anisopliae* (Deuteromycota, Hyphomycetes) for control of broad mite *Polyphagotarsonemus latus* (Acari, Tarsonemidae) in mulberry. - Exp. Appl. Acarol. 46,1-4: 157-167
- MAKOL, J. / WOHLTMANN, A. / GABRYS, G. (2008): A redescription of *Echinothrombium spinosum* (Canestrini, 1885) (Acari, Actinotrichida, Prostigmata, Microtrombidiidae) with notes on biology and life cycle. - Ann. Zool. 58,2: 289-301
- MANIANIA, N.K. / BUGEME, D.M. / WEKESA, V.W. / DELALIBERA, I. / KNAPP, M. (2008):\* Role of entomopathogenic fungi in the control of *Tetranychus evansi* and *Tetranychus urticae* (Acari, Tetranychidae), pests of horticultural crops. - Exp. Appl. Acarol. 46,1-4: 259-274

- MAZUR, A. / RAJ, A. / KNAPIK, R. (Eds.) (2008): Monitoring ekosystemów lesnych w Karkonoskim Parku Narodowym. - Karkonoski Park Narodowy, Jelenia Góra: 1-334
- MEHRKHOU, F. / FATHIPOUR, Y. / TALEBI, A.A. / KAMALI, K. / NASERI, B. (2008):\* Population density and spatial distribution patterns of *Tetranychus urticae* (Acari, Tetranychidae) and its predator *Stethorus gilvifrons* (Coleoptera, Coccinellidae) on different agricultural crops. - J. Entomol. Res. Soc. 10,2: 23-26
- MIGEON, A. / DORKELD, F. (2008): Spider mites web: a database dedicated to the knowledge of an acarine pest family, the Tetranychidae. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 208-215
- MIGEON, A. / FERRAGUT, F. / KNAPP, M. / ESCUDERO-COLOMAR, L.A. / FIABOE, K.K.M. / DE MORAES, G.J. / UECKERMAN, E. / NAVAJAS, M. (2008): Potential distribution of the invasive mite *Tetranychus evansi* (Tetranychidae) in the mediterranean region. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 155-163
- MINEIRO, J.L.C. / SATO, M.E. / RAGA, A. / ARTHUR, V. (2008):\* Population dynamics of phytophagous and predaceous mites on coffee in Brazil, with emphasis on *Brevipalpus phoenicis* (Acari, Tenuipalpidae). - Exp. Appl. Acarol. 44,4: 277-291
- MIRANDA, R. / BERMUDEZ, S. (2008):\* Mites (Arachnida, Acari) associated with Calliphoridae flies (Diptera, Oestroidea) at three localities in Panama. - Rev. Col. Entomol. 34,2: 192-196
- MOORE, R.C. / DEKEYSER, M.A. / McDONALD, P.T. / ANGLE, G.W. (2008): Acramite-TM - a novel selective acaricide. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 547-553
- NAVIDPOUR, SH. / VAZIRIANZADEH, B. / BAKER, A.S. (2008):\* New record of a parasitic mite, *Allothrombium neapolitanum* Oudemans, 1910 (Acari, Trombidiidae) from *Scorpio maurus* (Scorpionida, Scorpionidae) body from Booshehr, South Iran. - J. Exp. Zool. India 11,1: 141-142
- NOVELLI, V.M. / FREITAS-ASTUA, J. / SEGATTI, N. / MINEIRO, J.L.C. / ARTHUR, V. / BASTIANEL, M. / HILF, M.E. / GOTZWALD, T.R. / MACHADO, M.A. (2008):\* Effects of radiation (Cobalt-60) on the elimination of *Brevipalpus phoenicis* (Acari, Tenuipalpidae) Cardinium endosymbiont. - Exp. Appl. Acarol. 45,3-4: 147-153
- OHZORA, Y. / YANO, S. (2008):\* Fertilization of two-spotted spider mite mothers changes sons. - J. Acarol. Soc. Jpn. 17,2: 87-92
- OKU, K. (2008): Role of excreta in predator avoidance by the Kanzawa spider mite, *Tetranychus kanzawai* (Acari, Tetranychidae). - Eur. J. Entomol. 105: 619-623
- OLIVIER, P.A.S. (2008): *Dendrochaetidae, a new family of mites (Acari, Prostigmata), with descriptions of a new genus and species from South Africa*. - Afr. Zool. 43,1: 16-24
- PAPPAS, M.L. / BROUFAS, G.D. / KOVEOS, D.S. (2008):\* The two-spotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae), alternative prey for the lacewing *Dichochrysa prasina* (Neuroptera, Chrysopidae). - Eur. J. Entomol. 105,3: 461-466
- PAREDES-LEÓN, R. / PÉREZ, T.M. (2008): Pterygosomatid mites (Acari, Prostigmata) of Mexico. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.): Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 229-236
- PARIS, C.I. / POLO, M.G. / GARBAGNOLI, C. / MARTINEZ, P. / DE FERRÉ, G.S. / FOLGARAIT, P.J. (2008): Litter decomposition and soil organisms within and outside of *Camponotus punctulatus* nests in sown pasture in Northeastern Argentina. - Appl. Soil. Ecol. 40: 271-282
- ROS, V.I.D. / BREEUWER, J.A.J. / MENKE, S.B.J. (2008):\* Origins of asexuality in *Bryobia* mites (Acari, Tetranychidae). - BMC Evolutionary Biology Article No.: 153
- ROSSI-ZALAF, L.S. / ALVES, S.B. / VIEIRA, S.A. (2008):\* Effect of culture media on virulence of *Hirsutella thompsonii* (Fischer) (Deuteromycetes) to control *Brevipalpus phoenicis* (Geijsses) (Acari, Tenuipalpidae). - Neotrop. Entomol. 37,3: 312-320

- SABOORI, A. / LAZARBONI, H. (2008): A new genus and species of Trombidiidae (Acari, Trombidioidea) described from larvae ectoparasitic on *Cicadatra ochreata* Melichar (Homoptera, Cicadidae) from Iran. - Zootaxa 1852: 50-58
- SABOORI, A. / LOTFOLLAHI, P. / IRANI-NEJAD, K.H. (2008): A new species of the genus *Trombidium* (Acari, Prostigmata, Trombidiidae) from Iran. - Syst. Appl. Acarol. 13,3-4: 237-243
- SABOORI, A. / SHIROODBAKHSHI, M. / AGHAJANZADEH, S. (2008): New morphological data for the larva of *Allothrombium neapolitanum* Oudemans, 1910 (Acari, Prostigmata, Trombidiidae). - Syst. Appl. Acarol. 13,1: 75-80
- SABOORI, A. / UECKERMAN, E.A. / VAN HARTEN, A. (2008): A new genus of Neothrombidiidae (Acari, Trombidioidea) from Yemen. - Zootaxa 1925: 21-30
- SAEED KHAN, B. / AFZAL, M. / BASHIR, H. (2008): Predatory efficency of *Agistemus yunusi* Chaudhri (Stigmaeidae, Acarina) and *Amblyseius deductus* Chaudhri (Phytoseiidae, Acarina) feeding on three phytophagous mite species. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.): Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 478-481
- SAHU, B. / NAIR, N. / DHAR, P.P. / SEKH, K. / SOMCHOUDHURY, A.K. (2008):\* Relative toxicity of some acaricides to tea red spider mite, *Oligonychus coffeae* (Nietner) and its predator *Amblyseius longispinosus* Evans. - J. Entomol. Res. 32,1: 53-56
- SAITO, Y. / CHITTENDEN, A.R. / MORI, K. / KATSURA, I. / YAMAUCHI, A. (2008):\* An overlooked side effect of nest-scattering behavior to decrease predation risk (Acari, Tetranychidae, Stigmaeidae). - Behav. Ecol. Sociobiol. 63,1: 33-42
- SATO, Y. / SAITO, Y. / CHITTENDEN, A.R. (2008):\* The parapatric distribution and contact zone of two forms showing different male-to-male aggressiveness in a social spider mite, *Stigmeopsis miscanthi* (Acari, Tetranychidae). - Exp. Appl. Acarol. 44,4: 265-276
- SEKI, K. / TOYOSHIMA, G. (2008):\* Carnation cultivar susceptibility to the green form of two-spotted spider mite *Tetranychus urticae* Koch (Acari, Tetranychidae). - Appl. Entomol. Zool. 43,3: 347-350
- SHATROV, A.B. (2008): Anatomy and ultrastructure of genital papillae in the Parasitengona (Acariformes). - Internat. J. Acarol. 34,4: 347-358
- SHATROV, A.B. (2008): Comparative ultrastructure and probable functions of genital papillae in the Parasitengona (Acariformes). In: : Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 114-122
- SHATROV, A.B. / KUDRYASHOVA, N.I. (2008): Taxonomic ranking of major trombiculid subtaxa with remarks on the evolution of host-parasite relationships (Acariformes, Parasitengona, Trombiculidae). - Ann. Zool. 58,2: 279-287
- SHI, W.B. / FENG, M.G. / LIU, S.S. (2008):\* Sprays of emulsifiable *Beauveria bassiana* formulation are ovicidal towards *Tetranychus urticae* (Acari, Tetranychidae) at various regimes of temperature and humidity. - Exp. Appl. Acarol. 46,1-4: 247-257
- SHI, W.-B. / ZHANG, L. / FENG, M.-G. (2008):\* Time-concentration-mortality responses of carmine spider mite (Acari, Tetranychidae) females to three hypocrealean fungi as biocontrol agents. - Biol. Contr. 46,3: 495-501
- SKORACKI, M. (2008): *Crotophagisyringophilus* n. g. (Acari, Syringophilidae), a new genus of parasitic quill mites. - Syst. Parasitol. 71,1: 75-80
- SKORACKI, M. (2008): Description of two new quill mite species (Acari, Syringophilidae). - Acarina 16,1: 45-50
- SKORACKI, M. (2008):\* A new genus of syringophilid mites (Acari, Cheyletoidea, Syringophilidae) from cuculiform birds (Aves, Cuculiformes). - Fol. parasitol., C. Budejovice 55,2: 155-158
- SKORACKI, M. / GLOWSKA, E. (2008): Quill mites associated with columbiform birds (Acari, Syringophilidae). - Genus 19,1: 151-160
- SKORACKI, M. / GLOWSKA, E. (2008): Two new species of the genus *Picobia* Haller (Acari, Syringophilidae) from australian and indonesian passeriform birds. - N.Z. J. Zool. 35: 281-286
- SKORACKI, M. / GLOWSKA, E. (2008): Two new species of the quill mite genus *Aulobia* Kethley, 1970 (Acari, Syringophilidae) associated with sunbirds (Passeriformes, Nectariniidae). - Acta Parasitol. 53,2: 179-185

- SKORACKI, M. / GŁOWSKA, E. / SIKORA, B. (2008): Four new species of the quill mite genus *Picobia* Heller, 1880 (Acari, Syringophilidae) parasitizing birds in the australian region. - Zootaxa 1961: 58-68
- SKORACKI, M. / SIKORA, B. (2008): *Blaszakia*, a new genus of quill mites (Acari, Syringophilidae) parasitizing turacos (Aves, Musophagiformes). - Ann. Zool. 58,2: 327-332
- SKORACKI, M. / SIKORA, B. (2008): *Terratosyringophilus reichholzi*, a new species of quill mites parasitizing the black-capped lory *Lorius lory* (L.) in New Guinea. - Spixiana 31,2: 195-198
- SOHRABI, F. / SHISHEHBOR, P. (2008):\* Effects of host plant and temperature on growth and reproduction of the strawberry spider mite *Tetranychus turkestanii* Ugarov & Nikolski (Acari, Tetranychidae) - Syst. Appl. Acarol. 13,1: 26-32
- STEKOL'NIKOV, A.A. (2008): Two new species of chigger mites (Acari, Trombiculidae) close to *Neotrombicula minuta*, application of nonlinear multivariate statistics. - Acarina 16,1: 21-29
- SUZUKI, T. / FUKUNAGA, Y. / AMANO, H. / TAKEDA, M. / GOTO, E. (2008):\* Effects of light quality and intensity on diapause induction in the two-spotted spider mite, *Tetranychus urticae*. - Appl. Entomol. Zool. 43: 213-218
- TAKAFUJI, A. / HINOMOTO, N. (2008):\* The distribution and geographic variation in diapause capacity among populations of two *Tetranychus* species (Acari, Tetranychidae) in east and southeast Asia. - J. Acarol. Soc. Jpn. 17,1: 1-16
- TAKAHASHI, M. / TAKANO, A. / MISUMI, H. / KIKUCHI, H. (2008): *Neotrombicula nogamii* (Acari, Trombiculidae): a new species of chigger mite collected from Japanese deer *Cervus nippon Temminck, 1838* (Artiodactyla, Cervidae), in Japan. - Acarologia 48,1-2: 55-59
- UECKERMANN, E.A. (2008): A new species of *Pilonychiopus* Meyer, 1969 and *Farajimaeus* n. gen. (Acari, Stigmaeidae) from South Africa. - Internat. J. Acarol. 34,3: 251-258
- UEFUNE, M. / NAKASHIMA, Y. / TAGASHIRA, E. / NAGAI, K. / HIROSE, Y. / TAKAGI, M. (2008):\* Prey suitability of *Thrips palmi* (Thysanoptera, Thripidae) and *Tetranychus kanzawai* (Acari, Tetranychidae) for the development and reproduction of *Wollastoniella rotunda* (Hemiptera, Anthocoridae). - Jpn. J. Appl. Ent. Zool. 52,1: 7-12
- URBANEJA, A. / PASCUAL-RUIZ, S. / PINA, T. / ABAD-MOYANO, R. / VANACLOCHA, P. / MONTON, H. / DEMBILIO, O. / CASTANERA, P. / JACAS, J.A. (2008):\* Efficacy of five selected acaricides against *Tetranychus urticae* (Acari, Tetranychidae) and their side effects on relevant natural enemies occurring in citrus orchards. - Pest Manag. Sci. 64,8: 834-842
- URHAN, R. / KATILMIS, Y. / KAHVECİ, A.Ö. (2008): Vertical distribution of soil mites (Acari) on Dalaman (Mugla Prov. - Turkey). - Mun. Ent. Zool. 3,1: 333-341
- VAN POTTELBERGE, S. / VAN LEEUWEN, T. / VAN AMERMAET, K. / TIRRY, L. (2008):\* Induction of cytochrome P450 monooxygenase activity in the two-spotted spider mite *Tetranychus urticae* and its influence on acaricide toxicity. - Pest. Biochem. Physiol. 91,2: 128-133
- VASQUEZ, C. / APONTE, O. / MORALES, J. / SANABRIA, M.E. / GARCIA, G. (2008):\* Biological studies of *Oligonychus punicae* (Acari, Tetranychidae) on grapevine cultivars. - Exp. Appl. Acarol. 45,1-2: 56-69
- VASQUEZ, C. / QUIROS DE G., M. / APONTE, O. / SANDOVAL, D.M.F. (2008):\* First report of *Raoiella indica* Hirst (Acari, Tenuipalpidae) in South America. - Neotrop. Entomol. 37,6: 739-740
- VENZON, M. / CONSOLCAO ROSADO, M. / JOSE MOLINA-RUGAMA, A. / SILVEIRA DUARTE, V. / DIAS, R. / PALLINI, A. (2008):\* Acaricidal efficacy of neem against *Polyphagotarsonemus latus* (Banks) (Acari, Tarsonemidae). - Crop Prot. 27,3-5: 869-872
- VILLA, J.D. / RINDERER, T.E. (2008):\* Inheritance of resistance to *Acarapis woodi* (Acari, Tarsonemidae) in crosses between selected resistant Russian and selected susceptible US honey bees (Hymenoptera, Apidae). - J. Econ. Entomol. 101,6: 1756-1759
- WANG, J.-J. / ZHANG, J.-P. / DOU, W. / ZHAO, Z.-M. (2008): Influence of simulated acid rain on population dynamics of carmine spider mite, *Tetranychus cinnabarinus* (Boisduval) (Acari, Tetranychidae) and its host plant. - Internat. J. Acarol. 34,4: 427-434
- WEKESA, V.W. / DELALIBERA, I. (2008):\* Long-term preservation of *Neozygites tanajoae* (Entomophthorales, Neozygitaceae) in cadavers of *Mononychellus tanajoae* (Acari, Tetranychidae). - Biocontrol Sci. Technol. 18,6: 621-627
- XUE, X.-F. / ZHANG, Z.-Q. (2008): An analysis of and index to new Acari described in Systematic & Applied Acarology (1996-2007). - Syst. Appl. Acarol. 13,3-4: 279-304
- YANO, S. (2008):\* Collective and solitary behaviors of two-spotted spider mite (Acari, Tetranychidae) are induced by trail following. - Ann. Entomol. Soc. Amer. 101,1: 247-252

- YONEDA, M. / FURUTA, H. / KANBE, Y. / TSUCHIDA, K. / OKABE, K. / GOKA, K. (2008):\* Reproduction and transmission within a colony of bumblebee tracheal mite *Locustacarus buchneri* (Acari, Podapolipidae) in *Bombus terrestris* (Hymenoptera, Apidae). - Appl. Entomol. Zool. 43,3: 391-395
- YONEDA, M. / FURUTA, H. / TSUCHIDA, K. / OKABE, K. / GOKA, K. (2008):\* Commercial colonies of *Bombus terrestris* (Hymenoptera, Apidae) are reservoirs of the tracheal mite *Locustacarus buchneri* (Acari, Podapolipidae). - Appl. Entomol. Zool. 43,1: 73-76
- ZAHEDI-GOLPAYEGANI, A. / SABOORI, A. / KHARRAZI PAKDEL, A. / KAMALI, K. / SABELIS, M.W. (2008): Olfactory response of the stigmeid predator *Zetziella mali* (Ewing) to prey patch occupied by conspecific or /and heterospecific predators. In: Bertand, M. / Kreiter, S. / McCoy, K.D. / Migeon, A. / Navajas, M. / Tixier, M.S. / Vial, L. (Eds.) Integrative Acarology. Proceedings of the 6th European Congress, European Association of Acarologists, Montpellier, France, 21-25 July 2008. - Creative Commons-BY-NC-ND: 385-389

## Publications 2007, additions 2007

- AHMADI, M. / FATHIPOUR, Y. / KAMALI, K. (2007):\* Population growth parameters of *Tetranychus urticae* (Acari, Tetranychidae) on different bean varieties. - J. Entomol. Soc. Iran 26,2: 1-10
- AKYOL, M. / KOC, K. (2007): Four new species of the genus *Stigmaeus* (Acari, Stigmeidae) from Turkey. - Arch. Sci. 60: 41-50
- AL-JBOORY, I.J. / JAMIDAH, R.E. / AL-SAMMARIE, A.I. (2007): Cross resistance of a bromopropylate resistant strain of *Tetranychus urticae* (Acari, Tetranychidae). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 517-520
- ALMAGUEL, L. / SANTOS, A. / DE LA TORRE, P. / HERNANDEZ, J. / CACERES, I. / GINARTE, A. / BOTTA, E. / ESTRADA-VENEGAS, E.G. (2007): Population dynamics and ecological indicators of *Steneotarsonemus spinki* (Acari, Tarsonemidae) on irrigated rice in Cuba. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 397-405
- ALVES, L.F.A. / ROHDE, C. / BRESSAN, D.F. / VENDRAMIM, J.D. (2007):\* Non-preference of the red mite *Oligonychus yorthesi* McGregor (Acari, Tetranychidae) for oviposition on leaves of Paraguay tea progenies (*Ilex paraguariensis*). - Semina-Ciencias Agrarias 28,2: 179-185
- BADII, M.H. / FLORES, A.E. / PONCE, G. / LANDEROS, J. / GONZALEZ, M. (2007): Site preference of and the influence of temperature and rainfall on citrus mites. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 505-510
- BADII, M.H. / FLORES, A.E. / PONCE, G. / LANDEROS, J. / QUIROZ, H. (2007): Design of a sequential sampling program and the association rates among citrus mites. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 511-516
- BLOSZYK, J. / KONWERSKI, S. / NAPIERALA, A. / GOLDYN, B. / GAWRONSKA, K. (2007):\* Spatial distribution and habitat preferences of *Labidostomma denticulata* (Acari, Prostigmata) in the Gorce National Park (southern Poland). - Biol. Lett. 44,2: 115-125
- BOTTA, E. / ALMAGUEL, L. / HERNÁNDEZ, J. / GONZÁLEZ, T.A. / ARTEAGA, I. (2007): Behavior of *Steneotarsonemus spinki* (Acari, Tarsonemidae) on different rice varieties. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 407-411

- CAMERIK, A.M. (2007): Ecological studies on phoretic females of dung-inhabiting *Pediculaster* (Heterostigmata, Pygmephoridae) species in South Africa: emigration patterns from cow and horse dung. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 649-655
- CARBONNELLE, S. / HANCE, T. / MIGEON, A. / BARET, P. / CROS-ARTEIL, S. / NAVAJAS, M. (2007):\* Microsatellite markers reveal spatial genetic structure of *Tetranychus urticae* (Acari, Tetranychidae) populations along a latitudinal gradient in Europe. - Exp. Appl. Acarol. 41,4: 225-241
- CASTANO-MENESES, G. / MEJIA-RECAMIER, B.E. (2007): Community structure of mites in *Tillandsia violacea* (Bromeliaceae) from a temperate forest of Central Mexico. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 657-664
- CHEON, G.S. / PAIK, C.H. / LEE, G.H. / KIM, S.S. (2007):\* Toxicity of spirodiclofen to the predatory mite, *Amblyseius womersleyi* (Acari, Phytoseiidae), and its prey, *Tetranychus urticae* (Acari, Tetranychidae). - J. Entomol. Sci. 42,1: 44-51
- CHOI, Y.J. / LEE, E.M. / PARK, J.M. / LEE, K.M. / HAN, S.H. / KIM, J.K. / LEE, S.H. / SONG, H.J. / CHOI, M.S. / KIM, I.S. / PARK, K.H. / JANG, W.J. (2007):\* Molecular detection of various rickettsiae in mites (Acari, Trombiculidae) in southern Jeolla Province, Korea. - Microbiol. Immunol. 51,3: 307-312
- CLOYD, R.A. / GALLE, C.L. / KEITH, S.R. (2007):\* Greenhouse pesticide mixtures for control of silverleaf whitefly (Homoptera, Aleyrodidae) and twospotted spider mite (Acari, Tetranychidae). - J. Entomol. Sci. 42,3: 375-382
- CORPUZ-RAROS, L.A. (2007): Additional species of Bonziinae and Cunaxoidinae and description of the male of *Coleoscirrus horridus* (Tseng) (Coleosciriniae) from the Philippines (Cunaxidae, Acari). - Asia Life Sci. 16,2: 153-173
- CORPUZ-RAROS, L.A. / GRUEZO, W.S. (2007): Two new species of predatory mites of the family Cunaxidae (Acari) from Java, Indonesia. - Asia Life Sci. 16,2: 175-181
- DABROWSKI, Z.T. / SEREDYNSKA, U. (2007):\* Characterisation of the two-spotted spider mite (*Tetranychus urticae* Koch, Acari, Tetranychidae) response to aqueous extracts from selected plant species. - J. Plant Prot. Res. 47,2: 113-124
- DE GOUVEA, A. / BERTOLDO, G. / ALVES, L.F.A. (2007):\* Presence-absence sampling plan for *Oligonychus yotharsi* (McGregor) (Acari, Tetranychidae) on mate-tea orchard. - Neotrop. Entomol. 36,4: 583-586
- DE MORAES, G.J. / FLECHTMANN, C.H.W. (2007): Phytophagous mites of tropical crops in eastern South Africa. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 279-288
- DE MORAIS, R.M. / OTT, R. / OTT, A.P. / REDAElli, L.R. (2007): Aranhas e acaros predadores em copas de tangerineiras Montenegrina, mantidas sob manejo orgânico, em Montenegro, RS. - Neotrop. Entomol. 36,6: 939-948
- DE OLIVEIRA, C.R.F. / FARONI, L.R.A. / GUEDES, R.N.C. / GONCALVES, J.R. / GARCIA, F.M. (2007):\* Biology of *Acarophenax lacunatus* (Cross & Krantz) (Prostigmata, Acarophenacidae) on *Tribolium castaneum* (Herbst) (Coleoptera, Tenebrionidae) and *Cryptolestes ferrugineus* (Stephens) (Coleoptera, Cucujidae). - Neotrop. Entomol. 36,3: 459-464
- DUTCHER, J.D. (2007):\* Impact of predatory mite releases on the abundance of pecan leaf scorch mite (Acari, Tetranychidae). - J. Entomol. Sci. 42,4: 517-524
- EBINA, T. / OHTO, K. (2007):\* ATP assay for determining the viability of the two-spotted spider mite (*Tetranychus urticae* Koch) and the european red mite (*Panonychus ulmi* (Koch)) (Acari, Tetranychidae) during diapause. - Appl. Entomol. Zool. 42,2: 291-296
- EL-KAMMAH, K.M. / OYOUN, L.M.I. (2007): Taxonomic records of mite species associated with animal and poultry farms in the Nile Delta Valley and N. Sinai Egypt. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 223-232

- ESTRADA-VENEGAS, E.G. (2007): Mites associated to garlic crop in Guanajuato, Mexico. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress.* - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 495-503
- ESTRADA-VENEGAS, E.G. / VÁZQUEZ, I.M. / MORENO-MORENO, J.A. (2007): Prostigmata mites (Acarida, Prostigmata) in decaying wood from "La Mancha" Veracruz, Mexico. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress.* - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 691-695
- FABER, B.A. / YEE, W.L. / PHILLIPS, P.A. (2007): Effect of Abamectin treatments for avocado thrips (*Scirtothrips perseae* Nakahara) on perseae mite (*Oligonychus perseae* Tuttle, Baker and Abbatiello) and avocado bud mite (*Tegelophthus myresi* Keifer) populations and on their associated damage to leaves and fruit of Avocado (*Persea americana*). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress.* - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 521-527
- FLORES, A. / SILVA, G. / TAPIA, M. / CASALS, P. (2007):\* Susceptibility of *Tetranychus urticae* Koch (Acari, Tetranychidae) collected in *Primula obconica* Hance and *Convolvulus arvensis* L. to acaricides. - Agric. Tecn. 67,2: 219-224
- FRANCO, C.R. / CASARIN, N.F.B. / DOMINGUES, F.A. / OMOTO, C. (2007):\* Resistance of *Brevipalpus phoenicis* (Geijsskes) (Acari, Tenuipalpidae) to acaricides that inhibit cellular respiration in citrus: Cross-resistance and fitness. - Neotrop. Entomol. 36,4: 565-576
- GENESOYLU, I. (2007):\* A new species of ectoparasite, *Erythraeus ankaraicus* Saboori, Cobanoglu and Bayram, on *Asymmetrascea* (=*Empoasca*) *decedens* in cotton. - *Phytoparasitica* 35,5: 433-435**
- GOTOH, T. / KITASHIMA, Y. / GOKA, K. / NAGATA, T. (2007): Miticide susceptibility of the red spider mite, *Oligonychus coffeae* (Acari, Tetranychidae). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress.* - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 529-533
- GROOT, T. (2007):\* Cause and consequence of haploid females in *Brevipalpus* mites. - Entomol. Ber. 67: 165-169
- GUANILO, A.D. / MARTINEZ, N. (2007):\* Predators associated to *Panonychus ciri* McGregor (Acari, Tetranychidae) in the central coast of Peru. - Ecol. Aplicada 6,1-2: 117-129
- GUICHOU, S. / AUGER, P. / KREITER, S. (2007): The acaricidal effect of sulfur on *Tetranychus urticae* (Acari, Tetranychidae) under laboratory conditions. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress.* - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 535-545
- GULVIK, M.E. (2007):\* Mites (Acari) as indicators of soil biodiversity and land use monitoring: A review. - Pol. J. Ecol. 55: 415-440
- GUPTA, S.K. / SANYAL, A.K. / SARKAR, B.J. (2007):\* Plant mites (Acari). In: Zoological Survey of India Source: Fauna of Andhra Pradesh. Part - 3: Insects. - State Fauna Series 5: 1-24
- HAITLINGER, R. (2007): A new larval Neothrombiid, *Giftitrombium skalaensis* gen. n., sp. n. (Acari, Prostigmata, Neothrombiidae) from Greece. - Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz. 55,559: 17-22**
- HAITLINGER, R. (2007): Arthropods (Siphonaptera, Anoplura, Acari) of small mammals of Karkonosze Mts. (Sudetes). - Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz. 55,559: 23-43
- HAITLINGER, R. (2007): New records of mites (Acari, Prostigmata, Erythraeidae) from Africa with descriptions of four new species. - Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz. 55,559: 55-69**
- HAITLINGER, R. (2007): New records of mites (Acari, Prostigmata, Erythraeidae, Johnstonianidae, Microtrombidiidae, Tanaupodidae, Trombidiidae) from Austria, Hungary, Italy and San Marino. - Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz. 55,559: 45-54
- HAITLINGER, R. (2007): Three new species of larval (Acari, Prostigmata, Erythraeidae) and the new records of *Charletonia lankensis* Southcott, 1988, *C. shiroyama* Yaita, Kato & Toriyama, 1961 and *C. volzi* (Oudemans, 1910) from Asia. - Zesz. Nauk. UP Wroc., Biol. Hod. Zwierz. 55,559: 71-84**

- HAITLINGER, R. / SABOORI, A. (2007): Two new larval ectoparasitic *Charletonia Oudemans* (Acari, Prostigmata, Erythraeidae) found on Orthoptera (Insecta), and the first record of *Charletonia krendowskyi* (Feider) in Iran. - *Pol. Pis. Entomol.* 76: 61-71
- HINOMOTO, N. / NISHIMURA, S. / TAKAFUJI, A. (2007):\* DNA sequence variation in the *Tetranychus kanzawai* complex in Northern Hokkaido, Japan. - *J. Acarol. Soc. Jpn.* 16,2: 97-108
- HO, C.-C. (2007): Crop mite pests of southeast Asia and tropical far east. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 259-266
- JAMES, D.G. / PRICE, T.S. / WRIGHT, L.C. (2007): Biological control of mites on hops: the assemblage approach. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 357-364
- JUNG, C. / KIM, D.-S. / PARK, Y.-S. / LEE, J.-H. (2007): Stage-structured population dynamics model of Korean twospotted spider mite. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 433-442
- KAFIL, M. / ALLAHYARI, H. / SABOORI, A. (2007):\* Effect of host plants on developmental time and life table parameters of *Amphitetranychus viennensis* (Acari, Tetranychidae). - *Exp. Appl. Acarol.* 42,4: 273-281
- KASAP, I. / COBANOGLU, S. (2007):\* Mite (Acari) fauna in apple orchards of around the Lake Van basin of Turkey. - *Türk. entomol. derg.* 31,2: 97-109
- KHARADOV, A.V. / CHIROV, P.A. (2007):\* Localisation of *Neotrombicula sympatrica* (Acariformes, Trombiculidae) on small rodents of Kyrgyzstan. - *Fol. Entomol. Hung.* 68: 181-194
- KHAUSTOV, A.A. (2007): Two new species of mites of the family Acarophenacidae (Acari, Heterostigmata) from Crimea (Ukraine). - *Vestn. Zool.* 41,6: 549-553
- KHYDYROV, P.R. (2007):\* New species of mites of the cohort Tarsonemina (Trombiformes, Acarina) from Turkmenistan fauna. - *Zool. Zh.* 86: 1011-1018
- KLINGEN, I. / WESTRUM, K. (2007):\* The effect of pesticides used in strawberries on the phytophagous mite *Tetranychus urticae* (Acari, Tetranychidae) and its fungal natural enemy *Neozygites floridana* (Zygomycetes, Entomophthorales). - *Biol. Contr.* 43: 222-230
- KNAPP, M. (2007): Important mite crop pests in Africa. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 267-277
- KUMRAL, N.A. / KOVANCI, B. (2007):\* Susceptibility of female populations of *Panonychus ulmi* (Koch) (Acari, Tetranychidae) to some acaricides in apple orchards. - *J. Pest Sci.* 80,3: 131-137
- LIBURD, O.E. / WHITE, J.C. / RHODES, E.M. / BROWDY, A.A. (2007):\* The residual and direct effect of reduced-risk and conventional miticides on twospotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae) and predatory mite (Acari, Phytoseiidae). - *Fla. Entomol.* 90,1: 249-257
- LITERAK, I. / KOCIANOVA, E. / DUSBABEK, F. / MARTINU, J. / PODZEMNY, P. / SYCHRA, O. (2007):\* Winter infestation of wild birds by ticks and chiggers (Acari, Ixodidae, Trombiculidae) in the Czech Republic. - *Parasitol. Res.* 101,6: 1709-1711
- LIU, X.-H. / LI, Z.-X. / YIN, S.-Y. / PEI, Y.-H. / KONG, F. / SUN, X.-G. (2007):\* The development and fecundity of *Tetranychus urticae* Koch (Acariformes, Tetranychidae) on four different plants and their relationship with the chemical components of plant leaves. [Orig. Chin.] - *Acta Entomol. Sinica* 50,11: 1135-1139
- LOPES, M.V. / OLIVEIRA, C.A.L. / BARRETO, M. / BARBOSA, J.C. / ROSSI, F.M. (2007):\* Measurement of samples for monitoring the acarid of leprosy *Brevipalpus phoenicis* (Geijskes, 1939) in citrus. [Orig. Port.] - *Rev. Bras. Frut.* 29,3: 671-676
- MAGOWSKI, W.L. / DIDUSZKO, D. / AHADİYAT, A. (2007): A new species of the genus *Tarsonemus Canestrini et Fanzago, 1876* (Acari, Tarsonemidae) associated with *Scolytus amygdali* (Coleoptera, Scolytidae) a pest of fruit trees in Iran. - *Pol. J. Entomol.* 76,3: 225-237

- MATERNA, J. / GWIAZDOWICZ, D.J. (2007): Pudni Organismy. In: Flousek, J. / Hartmanová, O. / Stursa, J. / Potocki, J. (Eds.), Krkonose, prirody, historie, zivot. - Baset: 227-228
- MATIOLI, A.L. / DE OLIVEIRA, C.A.L. (2007):\* Biology of *Agistemus brasiliensis* Matioli, Ueckermann & Oliveira (Acari, Stigmaeidae) and its predation potential on *Brevipalpus phoenicis* (Geijskes) (Acari, Tenuipalpidae). - Neotrop. Entomol. 36,4: 577-582
- MEJIA-RECAMIER, B.E. / CASTANO-MENESES, G. (2007):\* Community structure of edaphic cunaxids (Acarina) from a lowland dry forest in Chamela, Mexico. - Rev. Biol. Trop. 55,3-4: 911-930
- MIRANDA, L.C. / NAVIA, D. / RODRIGUES, J.C.V. (2007):\* *Brevipalpus* mites Donnadieu (Prostigmata, Tenuipalpidae) associated with ornamental plants in Distrito Federal, Brazil. [Orig. Port.] - Neotrop. Entomol. 36,4: 587-592
- MORALES-MALACARA, J.B. / BEHAN-PELLETIER, V. / UECKERMANN, E. / PEREZ, T.M. / ESTRADA-VENEGAS, E.G. / BADII, M. (2007): Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 1-726
- NAVIA, D. / DE MORAES, G.J. / FLECHTMANN, C.H.W. (2007): Phytophagous mites as invasive alien species: quarantine procedures. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 307-316
- NIEMCZYK, E. (2007): Species, occurrence and role of tydeid mites (Acari, Tydeidae) in apple orchards. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 365-372
- NISHIMURA, S. / HINOMOTO, N. / TAKAFUJI, A. (2007):\* The genetic variation among populations of *Tetranychus kanzawai* complex (Acari, Tetranychidae) indicated by using mitochondrial, ribosomal and microsatellite DNA markers. - J. Acarol. Soc. Jpn. 16,2: 109-120
- NORAMBUENA, H. / MARTINEZ, G. / CARILLO, R. / NEIRA, M. (2007):\* Host specificity and establishment of *Tetranychus lintearius* (Acari, Tetranychidae) for biological control of gorse, *Ulex europaeus* (Fabaceae) in Chile. - Biol. Contr. 40,2: 204-212
- OLIVEIRA, H. / JANSSEN, A. / PALLINI, A. / VENZON, M. / FADINI, M. / DUARTE, V. (2007):\* A phytoseiid predator from the tropics as potential biological control agent for the spider mite *Tetranychus urticae* Koch (Acari, Tetranychidae). - Biol. Contr. 42,2: 105-109
- PARK, Y.L. / LEE, J.H. (2007):\* Seasonal dynamics of economic injury levels for *Tetranychus urticae* Koch (Acari, Tetranychidae) on *Cucumis sativus* L. - J. Appl. Entomol. 131,8: 588-592
- POLETTI, M. / MAIA, A.H.N. / OMOTO, C. (2007):\* Toxicity of neonicotinoid insecticides to *Neoseiulus californicus* and *Phytoseiulus macropilis* (Acari, Phytoseiidae) and their impact on functional response to *Tetranychus urticae* (Acari, Tetranychidae). - Biol. Contr. 40,1: 30-36
- PONTES, W.J.T. / DE OLIVEIRA, J.C.S. / DA CAMARA, C.A.G. / GONDIM, M.G.C. / DE OLIVEIRA, J.V. / SCHWARTZ, M.O.E. (2007):\* Acaricidal activity of the essential oils of leaves and fruits of *Xylopia sericea* St. Hill. on the two spotted spide mite (*Tetranychus urticae* Koch). [Orig. Port.] - Quimica Nova 30,4: 838-841
- PONTES, W.J.T. / DE OLIVEIRA, J.C.S. / DA CAMARA, C.A.G. / LOPES, A.C.H.R. / GONDIM, M.G.C. / DE OLIVEIRA, J.V. / SCHWARTZ, M.O.E. (2007):\* Composition and acaricidal activity of the Resin's essential oil of *Protium bahianum* Daly against two spotted spider mite (*Tetranychus urticae*). - Essential Oil Res. 19,4: 379-383
- PREZOTTI, L. / PARREIRA, D.S. / MOURA, A.P. / SILVA, M.B. / RUFINI, J.C.M. / RIBEIRO, H.C.B. (2007):\* Ocorrência de *Aceria guerreronis* Keifer e *Steneotarsonemus furcatus* De Leon (Acari, Eriophyidae, Tarsomidae) em coqueiro na região do Vale do Rio Doce. - Arq. Inst. Biol. 74,1: 43-45
- PRICE, T.S. / JAMES, D.G. (2007): Pesticide stimulation of egg production in twospotted spider mite, *Tetranychus urticae*. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 373-379

- RAGUSA DI CHIARA, S. / TSOLAKIS, H. / RAGUSA, E. / ALONZO, G. / SAIANO, F. (2007): Effects of some botanical pesticides on *Tetranychus urticae* Koch (Tetranychidae) and its predator *Cydnodromus californicus* (McGregor) (Phytoseiidae) in laboratory trials. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 347-354
- RAJASHEKHARAPPA, K. / MALLIK, B. (2007):\* Management of spider mite, *Tetranychus urticae* Koch. (Acari, Tetranychidae) on carnation using phytoseiid predator *Neoseiulus longispinosus* Evans (Acari, Phytoseiidae). - Environ. Ecol., Kalyani 25S: 1356-1359
- RAMOS, M. / DE MORAES, G.J. (2007): Predatory mites associated with *Steneotarsonemus spinki* (Acari, Tarsonemidae) on rice in Cuba. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 459-462
- RAMOS, M. / RODRIGUEZ, H. / ALMAGUEL, L. (2007): Qualitative and quantitative description of predatory mite biodiversity in different agroecosystems in Cuba. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 463-469
- RAWORTH, D.A. (2007):\* Initiation of oviposition after winter diapause in the spider mite *Tetranychus urticae* (Acari, Tetranychidae): prediction and historical patterns. - Popul. Ecol. 49,3: 201-210
- RODRIGUES, J.C.V. / ACHOR, D. / KITAJIMA, E.W. / NOGUEIRA, N.L. / CHILDERS, C.C. (2007): Plant diseases and injuries associated with *Brevipalpus* mites. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 381-390
- SANTOS, A. / ALMAGUEL, L. / DE LA TORRE, P. / CORTINAS, J. / CÁCERES, I. (2007): Biological cycle of the mite *Steneotarsonemus spinki* Smiley (Acari, Tarsonemidae) in rice (*Oriza sativa* L.) in Cuba. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 471-474
- SCHMIDT, K.-H. / SKORACKI, M. (2007): A new name for *Syringonomus* Kethley, 1970 not Hope et Murphy, 1969 (Acari, Prostigmata, Syringophilidae). - Genus 18,3: 545
- STEKOL'NIKOV, A.A. / LITERAK, I. / CAPEK, M. / HAVLICEK, M. (2007): Chigger mites (Acari, Trombiculidae) from wild birds in Costa Rica, with a description of three new species. - Fol. Parasitol. 54,1: 59-67
- SWARTS, D.J. / KINNEAR, A. (2007): The impact of irrigation on the soil mite communities of Eucalyptus globulus plantations in south western Australia. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 169-176
- TAJIMA, R. / OHASHI, K. / OSAKABE, M. / TAKAFUJI, A. (2007):\* Host plants utilized during the immature development of *Tetranychus kanzawai* (Acari, Tetranychidae) determine the preference of the adult females for the plants. [Orig. Jpn.] - J. Acarol. Soc. Jpn. 16,2: 121-128
- TAKAFUJI, A. / SANTOSO, S. / HINOMOTO, N. / SHIH, C.-I.T. / HO, C.-C. / GOTOH, T. (2007): Comparison between Taiwanese and Japanese populations of *Tetranychus kanzawai* Kishida (Acari, Tetranychidae) in diapause characteristics and DNA sequences. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.) Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 705-714
- THIND, B.B. / FORD, H.L. (2007):\* Maintaining *Psoroptes ovis* (Acari, Psoroptidae) off-host in the laboratory. - Exp. Appl. Acarol. 53: 205-211

- VALIM, M.P. / GAZETA, G.S. (2007):\* Phoretic association of the mites *Myialges anchora* Sergent & Trouessart (Acarida, Epidermoptidae) and *Ornithochyleletia hallae* Smiley (Actinedida, Cheyletiellidae) with *Pseudolynchia canariensis* (Macquart) (Diptera, Hippoboscidae). - Rev. Bras. Entomol. 51,4: 518-519
- VASQUEZ, C. / SANCHEZ, C. / VALERA, N. (2007):\* Mite diversity (Acari, Prostigmata, Mesostigmata, Astigmata) associated to soil litter from two vegetation zones at the University Park UCLA . - Iheringia, Sér. Zool. 97,4: 466-471
- WEKESA, V.W. / DE MORAES, G.J. / KNAPP, M. / DELALIBERA, I. (2007):\* Interactions of two natural enemies of *Tetranychus evansi*, the fungal pathogen *Neozygites floridana* (Zygomycetes, Entomophthorales) and the predatory mite, *Phytoseiulus longipes* (Acari, Phytoseiidae). - Biol. Contr. 41,3: 408-414
- WOHLTMANN, A. / DU PREEZ, L. / RÖDEL, M.-O. / KÖHLER, J. / VENCES, M. (2007): Endoparasitic mites of the genus *Endotrombicula* Ewing, 1931 (Acari, Prostigmata, Parasitengona, Trombiculidae) from African and Madagascar anurans, with description of a new species. - Fol. Parasitol. 54: 225-235
- WOHLTMANN, A. / MAKOL, J. / GABRY, G. (2007): Description of the larva of *Cutteria* Southcott, 1961 (Acari, Parasitengona, Erythraeidae) with notes on biology and life cycle. - Biologia 62,5: 573-580
- ZALOZNAYA, L.M. / KHAUSTOV, A.A. (2007):\* First find of the mite *Imparipes (Imparipes) rafalskii* (Acari, Scutacaridae) in Ukraine. - Vestn. Zool. 41,3: 266

## Publications, additions 2006

- ABOU-AWAD, A. / EL-SAWAF, B.M. / ABDEL-KHALEK, A.A. (2006):\* Four new species of eupodid mites from Egypt (Acari, Eupodioidea, Eupodiidae). - Acarologia 46,1/2: 43-52
- ANDRE, H.M. / UUSITALO, M. (2006):\* The genus *Coccalicus* Willmann, 1952 belongs to the family Iolinidae (Acari, Tydeoidea). - Acarologia 46,1/2: 29-36
- AKYOL, M. / KOC, K. (2006):\* Türkiye faunası için üç yeni *Raphignathus* türü. - XVIII. Ulusal Biyoloji Kongresi, Aydin Z1550: 276
- BASHIR, M.H. / AFZAL, M. / KHAN, B.S. (2006): A new species *Coleoscirrus trudus* (Acari, Cunaxidae) from Pakistan. - Pak. Entomol. 28,2: 73-77
- CHOU, G.-S. / ZHANG, P. / ZHANG, H.-J. / LIU, C.-L. / ZHENG, Y.-C. (2006):\* Experiment of using 20% Bida emulsion for control of apple mites and aphids. - China Fruits 5: 26-28
- DE CARVALHO, A.L.G. / DE ARAUJO, A.F.B. / DA SILVA, H.R. (2006): Patterns of parasitism by *Eutrombicula alfreddugesi* (Oudemans) (Acari, Trombiculidae) in three species of *Tropidurus* Wied (Squamata, Tropiduridae) from Cerrado habitat of Central Brazil. - Rev. Bras. Zool. 23,4: 1010-1015
- DEN HEYER, J. (2006):\* *Riscus*, a new cunaxid genus from Thailand (Acari, Actinedida, Cunaxidae). - Acarologia 46,3-4: 195-201
- DOGAN, S. (2006):\* A hygrophilic mite species: *Eustigmaeus collarti* (Cooreman, 1955) (Acari, Stigmeidae). - J. Arts Sci. 6: 87-96
- EHARA, S. / UECKERMAN, E.A. (2006): A new genus of Stigmeidae (Acari, Prostigmata) from Okinawa Island. - Zootaxa 1160: 29-36
- EL-SAWI, S. / MOMEN, F. (2006):\* *Agistemus exsertus* Gonzalez (Acari, Stigmeidae) as predator of two scale insects of the family Diaspididae (Homoptera, Diaspididae). - Arch. Phytopath. Plant Prot. 39,6: 421-427
- FURTADO, I.P. / DE MORAES, G.J. / KREITER, S. / KNAPP, M. (2006): Search for effective natural enemies of *Tetranychus evansi* in south and southeast Brazil. - Exp. Appl. Acarol. 40: 157-174
- HAITLINGER, R. (2006): Arthropods (Siphonaptera, Anoplura, Acari, Coleoptera) of small mammals of east Sudetes and east part of middle Sudetes. - Zesz. Nauk. Uniw. Przyrod. Wroclawiu, Biologia 54,548: 7-34
- HAITLINGER, R. (2006): New records of mites (Acari, Prostigmata, Erythraeidae, Eutrombidiidae, Trombidiidae, Chyzeriidae, Leeuwenhoekidae) from Greece. - Zesz. Nauk. Uniw. Przyrod. Wroclawiu, Biologia 54,548: 35-42
- HAITLINGER, R. / TUREK, M. (2006): Arthropods occurring on *Mus musculus* Linnaeus, 1758 (Mammalia, Rodentia, Muridae) in Poland. - Zesz. Nauk. Uniw. Przyrod. Wroclawiu, Biologia 54,548: 43-57

- HUSSEIN, H. / ABOU-ELELA, M. / AMER, S.A.A. / MOMEN, F.M. (2006):\* Repellency and toxicity of extracts from *Capparis aegyptia* to *Tetranychus urticae* Koch (Acari, Tetranychidae). - *Acarologia* 46,3/4: 221-229
- IMAZ, A. / GALICIA, D. / MORAZA, M.L. / STEKOL'NIKOV, A.A. (2006): Contribution to the knowledge of chigger mites (Acari, Trombiculidae) parasitizing *Apodemus sylvaticus* (L.) (Rodentia, Muridae) on the Iberian Peninsula. - *Acarologia* 46,1/2: 53-64
- JASMINE, R.S. / KUTTALAM, S. / STANLEY, J. (2006):\* Acute toxicity of Abamectin to two-spotted spider mite *Tetranychus urticae* Koch and thrips, *Rhipiphorothrips cruentatus* Hood on rose. - *J. Plant Prot. Environ.* 3,2: 46-49
- KHAUSTOV, A.A. (2006): A new species of the mite genus *Dolichocybe* (Acari, Heterostigmata, Dolichocybidae) from the Crimea. - *Zool. Zh.* 85,6: 772-773
- KHAUSTOV, A.A. (2006): A review of the genera *Premicrodispus* Cross, 1965 and *Dolichodispus* gen. nov. (Acari, Microdispidae) of Crimea. - *Acarina* 14,2: 155-174
- KHAUSTOV, A.A. / HAJIQANBAR, H. (2006): Redefinition of the genus *Allopygmephorus* (Acari, Heterostigmata, Neopygmephoridae), with description of a new species from Iran. - *Acarina* 14,2: 191-194
- KHAUSTOV, A.A. / SEVASTIANOV, V.D. (2006): New species of mites of the genus *Bakerdania* (Acari, Heterostigmata, Pygmephoroidae) from Black Sea Shore of Russia. - *Acarina* 14,1: 109-111
- KOHNIC, A. / OSTOJIC, I. / KARIC, N. (2006):\* Vegetable pests in greenhouses in territory of Herzegovina. [Orig. Croat.] - Works Fac. Agric. Univ. Sarajevo 57,2: 139-140
- MAGOWSKI, W.L. / KHAUSTOV, A.A. (2006): Two new species of *Tarsonemus* (Acari, Tarsonemidae) associated with bark beetles (Coleoptera, Scolytidae) from Crimea, Ukraine. - *Zootaxa* 1359: 31-55
- MATSUSHIMA, R. / OZAWA, R. / UEFUNE, M. / GOTOH, T. / TAKABAYASHI, J. (2006): Intraspecific variation in the Kanzawa spider mite differentially affects induced defensive response in lima bean plants. - *J. Chem. Ecol.* 32,11: 2501-2512
- MOHAMMADI, M. / YARMAND, H. (2006):\* Study of the important insect pests of conifers in Tehran landscapes. - *Iran J. For. Range Prot. Res.* 3,2: 219-223, 237
- MOMEN, F.M. / EL-SAWI, S.A. (2006):\* *Agistemus exsertus* (Acari, Stigmeidae) predation on insects: life history and feeding habits on three different insect eggs (Lepidoptera, Noctuidae and Gelechiidae). - *Acarologia* 46,3/4: 203-209
- PRASAD, R. / KUMAR, S. / PRASAD, D. (2006):\* An account of mite pest fauna associated with common vegetables grown in Ranchi. - *J. Plant Prot. Environ.* 3,1: 149-151
- PRASAD, S.S. / YADAV, U.S. (2006):\* Reaction of capsularis jute genotypes against insect and mite pests. - *J. Plant Prot. Environ.* 3,2: 39-42
- RAZDOBURDIN, V.A. (2006):\* Influence of the spider mite, *Tetranychus urticae* Koch (Acarina, Tetranychidae) population density on its dynamics on different cucumber cultivars. - *Entomol. Rev.* 86,4: 398-408
- SABOORI, A. / PESIC, V. (2006):\* Report of terrestrial Parasitengone mites (Acari, Prostigmata, Parasitengona) new to the fauna of Montenegro. - *Proc. 2nd Intern. Symp. of Ecologists of the Rep. of Montenegro*, Kotor: 21-23
- SARKAR, J. / DAS, J. / CHAKRABARTI, S. (2006):\* Estimation of foliar pigments and phenol concentrations to assess red spider mite (*Tetranychus urticae* Koch) tolerance in *Cymbidium* orchids. - *Entomon* 31,3: 159-164
- SERGEYENKO, A.L. (2006): New species and new record of mites of the genus *Rubroseius* Den Heyer, 1979 (Acarina, Prostigmata, Cunaxidae) from Ukraine. - *Acarina* 14,1: 103-107
- SOLANKI, V.Y. / RAI, A.B. (2006):\* Histological changes associated with Chili leaf curl. - *Veget. Sci.* 33,2: 209-211
- SUWA, A. / GOTOH, T. (2006):\* Geographic variation in diapause induction and mode of diapause inheritance in *Tetranychus pueraricola*. - *J. Appl. Entomol.* 130,5: 329-335
- SUZUKI, J. / TANJI, I. / OTA, Y. / TODA, K. / NAKAGAWA, Y. (2006):\* QSAR of 2,4-diphenyl-1,3-oxazolines for ovicidal activity against the two-spotted spider mite *Tetranychus urticae*. - *J. Pest. Sci.* 41,4: 409-416
- TOYOSHIMA, S. (2006):\* Development, prey consumption and fecundity of *Orirus minutus* (Heteroptera, Anthocoridae) when fed on *Tetranychus urticae* (Acari, Tetranychidae). - *J. Acarol. Soc. Jpn.* 15,2: 151-156

- VILLANUEVA, R.T. / WALGENBACH, J. (2006):\* Acaricidal properties of spinosad against *Tetranychus urticae* and *Panonychus ulmi* (Acari, Tetranychidae). - J. Econ. Entomol. 99: 843-849
- ZHANG, Y. / LI, X.-J. / QU, J.-L. (2006):\* Experiment of field control of apple two-spotted red mite. - China Fruits 4: 37-39

## Publications, additions 2005

- BASHIR, H.M. / AFZAL, M. / SHAUKAT, A. (2005): Description of a new cunaxid mite *Cunaxa reticulatus* (Acari) from Pakistan. - Pak. Entomol. 27,2: 57-59
- DAUD, R.D. / FERES, R.J.F. (2005):\* Diversidade e flutuacao populacional de ácaros (Acari) em *Mabea fistulifera* Mart. (Euphorbiaceae) de dois fragmentos de mata estacional semidecidua em São José do Rio Preto, SP. - Neotrop. Entomol. 34,2: 191-201
- DE SOUSA, J.M. / GONDIM, M.G.C. / BARROS, R. / DE OLIVEIRA, J.V. (2005): Acaros em produtos armazenados comercializados em supermercados e feiras livres da cidade do Recife. - Neotrop. Entomol. 34,2: 303-309
- DEMITE, P.R. / FERES, R.J.F. (2005): Influencia de vegetacao vizinha na distribuicao de ácaros em Seringal (*Hevea brasiliensis* Muell. Arg., Euphorbiaceae) em São José do Rio Preto, SP. - Neotrop. Entomol. 34,5: 829-836
- MAGALHAES, B.P. / RODRIGUES, J.C.V. / BOUCIAS, D.G. / CHILDERS, C.C. (2005):\* Pathogenicity of *Metarhizium anisopliae* var. *acridum* to the false spider mite *Brevipalpus phoenicis* (Acari, Tenuipalpidae). - Fla. Entomol. 88: 195-198
- MAKOL, J. / GABRYS, G. (2005):\* Intuition or fixed criteria - bout standards in species description. - Genus 16,4: 503-511
- PANG, B.-P. / LIU, J.-X. / LIU, M.-R. / GAO, S.-J. (2005):\* Population dynamics of *Tetranychus truncatus* in corn fields. [Orig. Chin.] - Chinese J. Ecol. 24: 1115-1119
- QUIRÓS, M. / PETIT, Y. / POLEO, N. / GÓMEZ, A. (2005):\* Distribución de *Brevipalpus phoenicis* (Geijsskes) (Acari, Tenuipalpidae) en la planta del guayabo (*Psidium guajava* L.) en La Coruba, municipio Mara, estado Zulia, Venezuela. - Entomotropica 20: 39-47

## Publications, additions 2004

- BAILLY, X. / MIGEON, A. / NAVAJAS, M. (2004):\* Analysis of microsatellite variation in the spider mite pest *Tetranychus turkestanii* (Acari, Tetranychidae) reveals population genetic structure and raises questions about related ecological factors. - Biol. J. Linn. Soc. 82,1: 69-78
- GRECO, N.M. / TETZLAFF, G.T. / LILJESTROM, G.G. (2004):\* Presence-absence sampling for *Tetranychus urticae* and its predator *Neoseiulus californicus* (Acari, Tetranychidae, Phytoseiidae) on strawberries. - Int. J. Pest Manag. 50,1: 23-27
- IZDEBSKA, J.N. (2004):\* *Demodex* spp. (Acari, Demodecidae) in brown rat (Rodentia, Muridae) in Poland. - Wiad. Parazyt. 50,2: 333-335
- KESHAVARZ JAMSHIDIAN, M. / HATAMI, B. / SABOORI, A. (2004):\* Biology of brown mite, *Bryobia rubrioculus* (Acari, Tetranychidae) in Baraghan region of Karaj (Iran). - Acarologia 45,4: 287-289
- KURMAL, N.A. / KOVANCI, B. (2004):\* Seasonal population dynamics of the two-spotted spider mite, *Tetranychus urticae* Koch (Acari, Tetranychidae) under acaricide constraint on eggplant in Bursa Province (Turkey). - Acarologia 45,4: 295-301
- MACIAS-MACIAS, J.O. / OTERO-COLINA, G. (2004):\* Infestation of *Pyemotes britici* (Acari, Pyemotidae) on *Melipona colimana* (Hymenoptera, Apidae, Meliponinae): A case study. - Agrociencia 38,5: 525-528
- MASAKI, M. / KITAMURA, H. (2004):\* A list of intercepted tetranychoid mites (Acari, Tetranychidae) on imported plants at the plant quarantine of Narita Airport. - Res. Bull. Plant Prot. Serv. Jpn. 40: 119-125
- NUCIFORA, A. / VACANTE, V. (2004):\* Citrus mites in Italy. IV. Family Tarsonemidae present list of tarsonemid mites species. - Atti del Congr. Naz. Ital. di Entomol. 19,2: 1337-1343
- PEKAR, S. / ZD'ARKOVA, E. (2004):\* A model of the biological control of *Acarus siro* by *Cheyletus eruditus* (Acari, Acaridae, Cheyletidae) on grain. - J. Pest Sci. 77,1: 1-10
- PETROVA, V. / SALMANE, I. / CUDARE, Z. (2004):\* The predatory mite (Acari, Parasitiformes: Mesostigmata (Gamasina); Acariformes: Prostigmata) community in strawberry agroecosystem. - Latv. Univ. Zinatniskie Raksti 676: 87-95

- REBOLLEDO, R.R. / HORMAZABAL, O.R. / AGULERA, A.P. / KLEIN, C.K. (2004):\* Infestaciones de la aranita roja europea *Panonychus ulmi* (Acari, Tetranychidae) en manzanos de la Región de La Araucania durante la temporada 1996-1997. - Rev. Chil. Entomol. 30,1: 65-69
- SHI, W.B. / FENG, M.G. (2004):\* Lethal effect of *Beauveria bassiana*, *Melarhizium anisopliae*, and *Paecilomyces fumosoroseus* on the eggs of *Tetranychus cinnabarinus* (Acari, Tetranychidae) with a description of a mite egg bioassay system. - Biol. Contr. 30,2: 165-173
- TAKAHASHI, M. / MISUMI, H. / URAKAMI, H. / NOGAMI, S. / KADOSAKA, T. / MISUMI, M. / MATSUMOTO, I. (2004):\* Trombiculosis in cats caused by the bite of the larval trombiculid mite *Helenicula miyagawai* (Acari, Trombiculidae). - Vet. Rec. 154,15: 471-472
- WEIHLAUCH, F. (2004):\* A new monitoring approach for the two-spotted spider mite *Tetranychus urticae* Koch (Acari, Tetranychidae) in hop culture. - Z. Pflanzenkr. Pflanzenschutz 111,2: 197-205
- ZUMAQUERO R.J.L. / RICARDO, A.A. / GLADYS, L.F. / CEDILLO, R.M.L. / JESUS FRANCISCO, L.O. / CAICEDO R.R. (2004):\* *Pimeliaphilus triatomae* (Acari, Pterygosomidae) used as biological control of *Meccus pallidipennis* (Hemiptera, Reduviidae) in laboratory conditions. - Rev. Col. Entomol. 30,2: 131-135

## Nomina Nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material information as follows:

*Allopygmephorus bakaninae* Khaustov & Ermilov, 2008 (Page: 42<sup>1</sup>) – TYPES: HT<sup>2</sup> - SIZ<sup>3</sup>, PT<sup>2</sup> - NBG<sup>3</sup>

<sup>1</sup> – first page of the description

<sup>2</sup> – holotypes (HT), paratypes (PT) or syntypes (ST)

<sup>3</sup> – Abbreviations of the locations of storage of new species, as far as they were cited in the publications

Abbreviations of the location of storage of new types

Acarological Collection, Department of Entomology, Tarbiat Modares University, Tehran, Iran

Adam Mickiewicz University, Department of Animal Morphology, Poznan, Poland

Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

Agricultural Research Council - Plant Protection Research Institute, Pretoria, South Africa

Acarology Research Laboratory, University of Agriculture, Faisalabad, Pakistan

Academy of Sciences of the Czech Republic, Institute of Parasitology, Ceske Budejovice, Czech Republic

Bu-Ali Sina University, Acarology Laboratory, Hamedan, Iran

British Museum of Natural History, Department of Entomology, London, United Kingdom

Bernice P. Bishop Museum, Honolulu, Hawaii

Collection Alexander A. Khaustov, Yalta, Ukraine

California Academy of Sciences, San Francisco, California, USA

Collection Andreas Wohltmann, Bremen, Germany

Celal Bayar University, Zoological Museum, Manisa, Turkey

A.J. Cook Entomology Museum, Michigan State University, East Lansing, USA

Collection Stanislav Kaluz, Bratislava, Slovakia

Collection Wayne A. Brown, Honolulu, Hawaii, USA

Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznan, Poland

Department of Plant Protection, Science and Research Branch, Islamic Azad University, Tehran, Iran

Departamento de Zoologia, Campus de S.J. do Rio Preto, Universidade Estadual Paulista, Sao Paulo, Brazil

Escola Superior de Agricultura "Luiz de Queiroz", Universidade de Sao Paulo, Piracicaba, Brazil

Field Museum of Natural History, Chicago, USA

Institut National de la Recherche Agronomique, Montferrier-sur-Lez, France

Istituto Sperimentale per la Zoologia Agraria di Firenze, Firenze, Italy

Institute of Zoology, National Academy of Sciences of the Ukraine, Kiev, Ukraine

- Museum of Biological Diversity, Ohio State University, Columbus, USA  
Museo de Ciencias Naturales de Alava, Vitoria-Gasteiz, Spain  
Museo de Historia Natural "Javier Prado", Lima, Peru  
Muséum d'Histoire Naturelle, Geneva, Switzerland  
Muséum National d'Histoire Naturelle, Laboratoire de Zoologie (Arthropodes), Paris, France  
Museum of Natural History, Wroclaw University, Wroclaw, Poland  
Musée Royal de l'Afrique Centrale, Tervuren, Belgium  
Museu de Zoologia da Escola Superior de Agricultura "Luiz de Queiroz", Piracicaba, Brazil  
Nikita Botanical Gardens, Department of Agroecology, Yalta, Crimea, Ukraine  
Natural History Museum, Department of Entomology, London, United Kingdom  
NanJing Agricultural University, Department of Entomology, Nanjing, China  
Smithsonian Institution National Museum of Natural History, Washington, USA  
National Science Museum, Tokyo, Japan  
Ohio State University, Acarology Laboratory, Columbus, Ohio, USA  
Queensland Museum, South Brisbane, Queensland, Australia  
I.I. Schmalhausen Institute of Zoology, National Academy of Sciences of Ukraine, Kiev, Ukraine  
Slovak National Museum, Bratislava, Slovakia  
Tamil Nadu Agricultural University, Departement of Entomology, Coimbatore, India  
University of Michigan, Museum of Zoology, Ann Arbor, USA  
University of Philippines, National Acarological Collection, Los Banos, Philippinen  
University of Queensland Institut Collection, St. Lucia, Queensland, Australia  
United States National Museum of Natural History, Washington, USA  
United States National Museum of Natural History, Beltsville, Maryland, USA  
Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia  
Zoological Museum of Atatürk University, Erzurum, Turkey  
Zoological Museum, Acarological Collection, Tehran University, Karaj, Iran  
Zoologisches Museum und Zoologisches Institut der Universität Hamburg, Hamburg, Germany  
Zoologische Staatssammlung, München, Germany

## New species

- Aboriginea imlilica* Brown, 2008 (Page: 146) – TYPES: HT + PT - SNM, PT - CWB  
*Abrolophus crimensis* Haitlinger, 2008 (Page: 384) – TYPES: HT - MNHWU  
*Abrolophus nymindegabicus* Haitlinger, 2008 (Page: 53) – TYPES: HT + PT - MNHWU  
*Adactylidium absurdum* Khaustov, 2007 (Page: 552) – TYPES: HT + PT - SIZ  
*Aegyptobia iranensis* Khanjani, Gotoh & Varandi, 2008 (Page: 66) – TYPES: HT + PT - BASU, PT - ARC-PPRI  
*Allocunaxa heveae* Den Heyer & Gomes de Castro, 2008 (Page: 37) – TYPES: HT + PT - ESALQ/USP, PT - DZSJRP  
*Allopygmephorus bakaninae* Khaustov & Ermilov, 2008 (Page: 42) – TYPES: HT - SIZ, PT - NBG  
*Archidispus conciliatus* Khaustov, 2008 (Page: 57) – TYPES: HT - CAK  
*Archidispus longisolenididatus* Khaustov, 2008 (Page: 64) – TYPES: HT + PT - CAK  
*Archidispus makarovae* Khaustov, 2008 (Page: 64) – TYPES: HT - CAK  
*Archidispus pseudocurtonoti* Khaustov, 2008 (Page: 74) – TYPES: HT + PT - CAK  
*Archidispus quietus* Khaustov, 2008 (Page: 78) – TYPES: HT + PT - CAK  
*Armascirus apoensis* Corpuz-Raros, 2008 (Page: 73) – TYPES: HT - UPLB  
*Armascirus javanus* Corpuz-Raros & Gruizo, 2007 (Page: 176) – TYPES: HT - UPLB  
*Atanaupodus bakeri* Judson & Makol, 2009 (Page: 43) – TYPES: HT - MNHN  
*Aulobia nathreptes* Skoracki, 2008 (Page: 184) – TYPES: HT + PT - AMU, PT - ZISP  
*Aulobia nectariniae* Skoracki, 2008 (Page: 179) – TYPES: HT + PT - AMU  
*Austrostigmaeus walteri* Fan & Beard, 2006 (Page: 38) – TYPES: HT + PT - QM, PT - UQIC  
*Autonastus galbulicus* Skoracki, 2008 (Page: 48) – TYPES: HT - AMU  
*Bakerdania brevicauda* Khaustov, 2008 (Page: 7) – TYPES: HT + PT - SIZ  
*Bakerdania canabae* Khaustov & Ermilov, 2008 (Page: 1407) – TYPES: HT - IZNASU  
*Bakerdania cavernicola* Khaustov, 2008 (Page: 3) – TYPES: HT + PT - SIZ  
*Bakerdania taurica* Khaustov, 2008 (Page: 5) – TYPES: HT + PT - SIZ

- Bakerdania yaltaensis* Khaustov, 2008 (Page: 9) – TYPES: HT + PT - SIZ
- Bdella ueckermannii* Hernandes, Daud & Feres, 2008 (Page: 262) – TYPES: HT + PT - DZSJRP
- Blaszakia rossae* Skoracki & Sikora, 2008 (Page: 330) – TYPES: HT + PT - AMU, PT - MRAC, ZISP, ZSM
- Blaszakia tauracos* Skoracki & Sikora, 2008 (Page: 328) – TYPES: HT + PT - AMU, PT - MRAC, ZISP, ZSM
- Brachytydeus comaliatus* Kazmierski, 2008 (Page: 350) – TYPES: HT - AMU
- Brachytydeus fernando* Kazmierski, 2008 (Page: 357) – TYPES: HT + PT - AMU
- Brachytydeus karoli* Kazmierski, 2008 (Page: 352) – TYPES: HT + PT - AMU
- Brachytydeus matador* Kazmierski, 2008 (Page: 360) – TYPES: HT + PT - AMU
- Brachytydeus stebayevi* Kazmierski, 2008 (Page: 347) – TYPES: HT - AMU
- Bryobia mirmoayedii* Khanjani, Gotoh & Kitashima, 2008 (Page: 243) – TYPES: HT + PT - BASU, PT - ARC-PPRI
- Caeculisoma carmenae* Haitlinger, 2008 (Page: 139) – TYPES: HT - MNHWU
- Caminacarus dawsoni* Bochkov & OConnor, 2008 (Page: 340) – TYPES: HT + PT - UMMZ, OSAL, USNM, ZISP
- Castosyringophilus claravis* Skoracki & Glowska, 2008 (Page: 155) – TYPES: HT + PT - AMU, PT - ZISP, ZSM
- Charletonia adellae* Haitlinger, 2007 (Page: 59) – TYPES: HT + PT - MNHWU
- Charletonia ahwazensis* Haitlinger & Saboori, 2007 (Page: 68) – TYPES: HT + PT - MNHWU
- Charletonia behbahanensis* Haitlinger & Saboori, 2008 (Page: 74) – TYPES: HT - MNHWU
- Charletonia bojnordensis* Haitlinger & Saboori, 2008 (Page: 77) – TYPES: HT - MNHWU
- Charletonia ewelinae* Haitlinger, 2007 (Page: 66) – TYPES: HT + PT - MNHWU
- Charletonia kovalamensis* Haitlinger, 2007 (Page: 76) – TYPES: HT + PT - MNHWU
- Charletonia mehranensis* Haitlinger & Saboori, 2007 (Page: 62) – TYPES: HT + PT - MNHWU
- Charletonia milenae* Haitlinger, 2007 (Page: 57) – TYPES: HT + PT - MNHWU
- Charletonia rajmundi* Haitlinger, 2007 (Page: 62) – TYPES: HT + PT - MNHWU
- Charletonia ramoni* Haitlinger, 2007 (Page: 78) – TYPES: HT + PT - MNHWU
- Charletonia villingensis* Haitlinger, 2007 (Page: 73) – TYPES: HT - MNHWU
- Cicaditrombium weni* Saboori & Lazarboni, 2008 (Page: 53) – TYPES: HT + PT - ZMTU, PT - BMNH
- Crotophagisyringophilus io* Skoracki, 2008 (Page: 76) – TYPES: HT + PT - AMU
- Cunaxa reticulatus* Bashir, Afzal & Shaukat, 2005 (Page: 58) – TYPES: HT - ARLUAF
- Cunaxoides philippinensis* Corpuz-Raros, 2007 (Page: 158) – TYPES: HT - UPLB
- Dactyloscirus bifidus* Corpuz-Raros, 2008 (Page: 78) – TYPES: HT - UPLB
- Dactyloscirus discocondylus* Corpuz-Raros, 2008 (Page: 81) – TYPES: HT + PT - UPLB
- Dactyloscirus trifidus* Corpuz-Raros, 2008 (Page: 83) – TYPES: HT + PT - UPLB
- Dendrodus acarus* Olivier, 2008 (Page: 19) – TYPES: HT + PT - ARC-PPRI
- Diversipes lvovenensis* Khaustov, 2008 (Page: 44) – TYPES: HT - CAK
- Dolichodispus rarus* Khaustov, 2009 (Page: 66) – TYPES: HT - SIZ, PT - NBG
- Dunaxeus duosetosus* Den Heyer & Castro, 2009 (Page: 7) – TYPES: HT + PT - ESALQ/USP
- Endotrombicula ptychadenae* Wohltmann, Du Preez, Rödel, Köhler & Vences, 2007 (Page: 230) – TYPES: HT + PT - BMNH, PT - ZMUH, CAW
- Eupalopussellus prasadi* Bagheri & Khanjani, 2009 (Page: 54) – TYPES: HT - BASU, PT - ARC-PPRI
- Eutrombicula costaricensis* Stekol'nikov, Literak, Capek & Havlicek, 2007 (Page: 60) – TYPES: HT + PT - ZISP, PT - ASCR
- Eutrombicula hectochaeta* Stekol'nikov, Literak, Capek & Havlicek, 2007 (Page: 64) – TYPES: HT + PT - ZISP, PT - ASCR
- Eutrombicula passerinorum* Stekol'nikov, Literak, Capek & Havlicek, 2007 (Page: 62) – TYPES: HT + PT - ZISP, PT - ASCR
- Favognathus bafranus* Dogan, 2008 (Page: 1681) – TYPES: HT - ZMAU
- Gifitrombium skalaensis* Haitlinger, 2007 (Page: 18) – TYPES: HT + PT - MNHWU
- Heterodispus (Heterodispus) severus* Khaustov, 2008 (Page: 163) – TYPES: HT - CAK
- Heterodispus (Heterodispus) temperatus* Khaustov, 2008 (Page: 164) – TYPES: HT + PT - CAK
- Heterodispus (Heterodispus) villicus* Khaustov, 2008 (Page: 166) – TYPES: HT - CAK
- Imparipes (Imparipes) bisetus* Khaustov, 2008 (Page: 90) – TYPES: HT - CAK
- Imparipes (Imparipes) charkoviensis* Khaustov, 2008 (Page: 95) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) cunicularius* Khaustov, 2008 (Page: 97) – TYPES: HT + PT - CAK

- Imparipes (Imparipes) gagati* Khaustov, 2008 (Page: 101) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) intentatus* Khaustov, 2008 (Page: 109) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) kuznetsovi* Khaustov, 2008 (Page: 117) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) lasii* Khaustov, 2008 (Page: 117) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) lautus* Khaustov, 2008 (Page: 119) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) lentus* Khaustov, 2008 (Page: 120) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) longicaudus* Khaustov, 2008 (Page: 123) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) malus* Khaustov, 2008 (Page: 125) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) meditatus* Khaustov, 2008 (Page: 127) – TYPES: HT - CAK
- Imparipes (Imparipes) merens* Khaustov, 2008 (Page: 128) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) moderatus* Khaustov, 2008 (Page: 129) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) mordax* Khaustov, 2008 (Page: 132) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) morosus* Khaustov, 2008 (Page: 133) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) nescius* Khaustov, 2008 (Page: 135) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) nugax* Khaustov, 2008 (Page: 139) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) obstinatus* Khaustov, 2008 (Page: 140) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) paucus* Khaustov, 2008 (Page: 143) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) potens* Khaustov, 2008 (Page: 145) – TYPES: HT - CAK
- Imparipes (Imparipes) quaesitus* Khaustov, 2008 (Page: 147) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) sebastianovi* Khaustov, 2008 (Page: 150) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) sklyari* Khaustov, 2008 (Page: 151) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) stepposus* Khaustov, 2008 (Page: 152) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) ursus* Khaustov, 2008 (Page: 155) – TYPES: HT + PT - CAK
- Imparipes (Imparipes) yaltaensis* Khaustov, 2008 (Page: 157) – TYPES: HT + PT - CAK
- Insensilla duplicitis* Kurosa, 2009 (Page: 24) – TYPES: HT + PT - NSMT
- Insensilla lasioglossi* Kurosa, 2009 (Page: 20) – TYPES: HT + PT - NSMT
- Kayella pannonica* Kaluz, 2008 (Page: 32) – TYPES: HT + PT - SNM, PT - CSK
- Lasioerythraeus cardonensis* Haitlinger, 2008 (Page: 46) – TYPES: HT - MNHWU
- Leptus (Leptus) kattikus* Haitlinger, 2009 (Page: 61) – TYPES: HT - MNHWU
- Minicaraboacarus quadridiscalis* Hajiqanbar & Khaustov, 2008 (Page: 59) – TYPES: HT - AETMU, PT - ZMUH, USNM, NBG, ZMTU
- Moldoustium baltiensis* Haitlinger, 2008 (Page: 388) – TYPES: HT + PT - MNHWU
- Neoaulonastus zosterops* Skoracki, Antczak & Riegert, 2009 (Page: 129) – TYPES: HT + PT - AMU, PT - ZISP, MRAC
- Neobonzia clavata* Corpuz-Raros, 2008 (Page: 87) – TYPES: HT + PT - UPLB
- Neocunaxoides biramus* Corpuz-Raros, 2007 (Page: 160) – TYPES: HT - UPLB
- Neocunaxoides ornatus* Corpuz-Raros & Gruezo, 2007 (Page: 178) – TYPES: HT - UPLB
- Neoscirula laboensis* Corpuz-Raros, 2007 (Page: 154) – TYPES: HT - UPLB
- Neoscirula taclabanensis* Corpuz-Raros, 2007 (Page: 156) – TYPES: HT - UPLB
- Neositeroptes euxinus* Khaustov, 2009 (Page: 85) – TYPES: HT - SIZ, PT - NBG
- Neosyringophilopsis lonchurus* Skoracki, 2008 (Page: 45) – TYPES: HT + PT - AMU, PT - MRAC, ZISP
- Neotrombicula kubanensis* Stekol'nikov, 2008 (Page: 24) – TYPES: HT + PT - ZISP
- Neotrombicula nogamii* Takahashi, Takano, Misumi & Kikuchi, 2008 (Page: 57) – TYPES: HT + PT - NSMT, PT - OSAL
- Neotrombicula urartensis* Stekol'nikov, 2008 (Page: 22) – TYPES: HT + PT - ZISP
- Paradactylidium pyemotoformis* Khaustov, 2007 (Page: 549) – TYPES: HT - SIZ
- Pediculaster camerikae* Khaustov, 2008 (Page: 166) – TYPES: HT + PT - NBG
- Pediculaster chistyakovi* Khaustov & Ermilov, 2008 (Page: 39) – TYPES: HT - SIZ, PT - NBG
- Pediculaster confusus* Khaustov, 2008 (Page: 168) – TYPES: HT + PT - NBG
- Pediculaster martyani* Khaustov, 2008 (Page: 159) – TYPES: HT + PT - NBG
- Pediculaster montanus* Khaustov, 2008 (Page: 162) – TYPES: HT + PT - NBG
- Pediculaster tauricus* Khaustov, 2008 (Page: 166) – TYPES: HT + PT - NBG
- Picobia corcoracis* Skoracki, 2008 (Page: 64) – TYPES: HT + PT - AMU
- Picobia epithianura* Skoracki, 2008 (Page: 62) – TYPES: HT + PT - AMU
- Picobia glossopsitta* Skoracki, 2008 (Page: 67) – TYPES: HT + PT - AMU
- Picobia indonesiae* Skoracki & Glowska, 2008 (Page: 281) – TYPES: HT + PT - AMU, PT - ZISP

- Picobia lemi* Skoracki, 2008 (Page: 60) – TYPES: HT + PT - AMU
- Picobia oritis* Skoracki, Antczak & Riegert, 2009 (Page: 133) – TYPES: HT + PT - AMU, PT - ZISP, MRAC
- Picobia pyrrholaeus* Skoracki & Glowska, 2008 (Page: 284) – TYPES: HT + PT - AMU
- Pilonychioides hallidayi* Ueckermann, 2008 (Page: 254) – TYPES: HT + PT - ANIC, PT - ARC-PPRI
- Podothrombium dbrenitum* Haitlinger, 2008 (Page: 390) – TYPES: HT - MNHWU
- Premicrodispus acutisetus* Khaustov, 2009 (Page: 70) – TYPES: HT - SIZ, PT - NBG
- Premicrodispus karadagensis* Khaustov, 2009 (Page: 69) – TYPES: HT - SIZ, PT - NBG
- Pseudopygmephorellus reducitus* Khaustov, 2008 (Page: 891) – TYPES: HT - IZNASU
- Pulaeus cubensis* Corpuz-Raros, 2007 (Page: 162) – TYPES: HT - UPLB
- Pulaeus palawensis* Corpuz-Raros, 2007 (Page: 164) – TYPES: HT - UPLB
- Pulaeus polilloensis* Corpuz-Raros, 2007 (Page: 166) – TYPES: HT - UPLB
- Pulaeus samarensis* Corpuz-Raros, 2007 (Page: 168) – TYPES: HT - UPLB
- Qunaxella triasetosa* Den Heyer & Castro, 2009 (Page: 11) – TYPES: HT + PT - ESALQ/USP
- Scutacaropsis spinisetus* Khaustov, 2008 (Page: 276) – TYPES: HT + PT - CAK
- Scutacarus amoenus* Khaustov, 2008 (Page: 179) – TYPES: HT + PT - CAK
- Scutacarus avarus* Khaustov, 2008 (Page: 183) – TYPES: HT - CAK
- Scutacarus chatyrdagiensis* Khaustov, 2008 (Page: 189) – TYPES: HT + PT - CAK
- Scutacarus delicatus* Khaustov, 2008 (Page: 191) – TYPES: HT + PT - CAK
- Scutacarus hilaris* Khaustov, 2008 (Page: 199) – TYPES: HT + PT - CAK
- Scutacarus iugosus* Khaustov, 2008 (Page: 205) – TYPES: HT + PT - CAK
- Scutacarus liber* Khaustov, 2008 (Page: 209) – TYPES: HT + PT - CAK
- Scutacarus longignatus* Khaustov, 2008 (Page: 209) – TYPES: HT + PT - CAK
- Scutacarus novellus* Khaustov, 2008 (Page: 221) – TYPES: HT + PT - CAK
- Scutacarus obvius* Khaustov, 2008 (Page: 221) – TYPES: HT + PT - CAK
- Scutacarus pandus* Khaustov, 2008 (Page: 227) – TYPES: HT + PT - CAK
- Scutacarus pilatus* Khaustov, 2008 (Page: 233) – TYPES: HT - CAK
- Scutacarus pseudoindistinctus* Khaustov, 2008 (Page: 240) – TYPES: HT + PT - CAK
- Scutacarus pseudospinosus* Khaustov, 2008 (Page: 242) – TYPES: HT + PT - CAK
- Scutacarus quae situs* Khaustov, 2008 (Page: 245) – TYPES: HT + PT - CAK
- Scutacarus remissus* Khaustov, 2008 (Page: 246) – TYPES: HT + PT - CAK
- Scutacarus sosninae* Khaustov, 2008 (Page: 255) – TYPES: HT - CAK
- Scutacarus suavis* Khaustov, 2008 (Page: 260) – TYPES: HT + PT - CAK
- Scutacarus tacitus* Khaustov, 2008 (Page: 267) – TYPES: HT + PT - CAK
- Scutacarus tutus* Khaustov, 2008 (Page: 269) – TYPES: HT + PT - CAK
- Solistrus mitrae* Saboori, Ueckermann & Harten, 2008 (Page: 24) – TYPES: HT + PT - ZMTU, PT - BMNH
- Sonotetranychus kermanensis* Khodayari, Kamali & Fathipour, 2008 (Page: 150) – TYPES: HT + PT - AETMU, PT - ARC-PPRI
- Spinibdella denheyeri* Hernandes, Daud & Feres, 2008 (Page: 265) – TYPES: HT + PT - DZSJRP
- Stigmaeus dazkiriensis* Akyol & Koc, 2007 (Page: 43) – TYPES: HT + PT - CBZM
- Stigmaeus devlethanensis* Akyol & Koc, 2007 (Page: 45) – TYPES: HT + PT - CBZM
- Stigmaeus karabagiensis* Akyol & Koc, 2007 (Page: 47) – TYPES: HT + PT - CBZM
- Stigmaeus kumalariensis* Akyol & Koc, 2007 (Page: 41) – TYPES: HT + PT - CBZM
- Stigmochelylus americanus* Bochkov, 2008 (Page: 315) – TYPES: HT + PT - FMNH
- Stigmochelylus oberon* Bochkov, 2008 (Page: 314) – TYPES: HT + PT - FMNH
- Syringophilopsis veselovskyi* Skoracki, Antczak & Riegert, 2009 (Page: 125) – TYPES: HT + PT - AMU, PT - ZISP
- Terratosyringophilus geotrygonus* Skoracki & Glowska, 2008 (Page: 152) – TYPES: HT + PT - AMU, PT - ZISP, ZSM
- Terratosyringophilus reichholfi* Skoracki & Sikora, 2008 (Page: 196) – TYPES: HT + PT - ZSM, PT - AMU, ZISP
- Tetranychus (Tetranychus) musae* Auger, Migeon & Flechtmann, 2008 (Page: 1887) – TYPES: HT + PT - INRA, PT - MNHN
- Tetranychus amazonensis* Guanilo, Flechtmann & Moraes, 2008 (Page: 296) – TYPES: HT + PT - ESALQ/USP, PT - MHN

- Tetranychus amygdali* Magowski, Diduszko & Ahadiyat, 2007 (Page: 226) – TYPES: HT + PT - DATE, PT - DPPIAU, ZMUH, CNCI, USNMB
- Tetranychus huhotensis* Ehara, Gotoh & Hong, 2008 (Page: 339) – TYPES: HT + PT - NJAU, PT - NSMT
- Tetranychus singularis* Guanilo, Flechtmann & Moraes, 2008 (Page: 293) – TYPES: HT + PT - ESALQ/USP, PT - MHN
- Tetranychus ziae* Ehara, Gotoh & Hong, 2008 (Page: 343) – TYPES: HT + PT - NJAU, PT - NSMT
- Tetrapolipus afrobatoocerae* Husband, 2008 (Page: 378) – TYPES: HT - MRAC
- Tetrapolipus diastocerae* Husband, 2008 (Page: 377) – TYPES: HT - UMMZ, PT - ZMUH, MBD/OSU, USNM
- Tetrapolipus ramarajui* Husband, 2008 (Page: 378) – TYPES: HT + PT - CAS, PT - QM, NHML, TNAU, CEM, UMMZ, MBD/OSU
- Tetrapolipus seemani* Husband, 2008 (Page: 381) – TYPES: HT + PT - BPBM, PT - QM, UMMZ, MBD/OSU, NHML
- Thaumatopelvis blaszaki* Ebermann, 2008 (Page: 333) – TYPES: HT - ISZA, PT - MHNG
- Trombidium payamiensis* Saboori, Lotfollahi & Irani-Nejad, 2008 (Page: 237) – TYPES: HT - ZMTU
- Valgothrombium melindae* Haitlinger, 2008 (Page: 391) – TYPES: HT - MNHWU
- Zetziella pourmirzai* Khanjani & Ueckermann, 2008 (Page: 237) – TYPES: HT + PT - BASU, PT - BMNH

## New genera

- Allocunaxa* Den Heyer & Gomes de Castro, 2008 (Page: 36)  
Typ. spec.: *Allocunaxa heveae* Den Heyer & Gomes de Castro, 2008
- Atanaupodus* Judson & Makol, 2009 (Page: 43)  
Typ. spec.: *Atanaupodus bakeri* Judson & Makol, 2009
- Austrostigmaeus* Fan & Beard, 2006 (Page: 36)  
Typ. spec.: *Austrostigmaeus walteri* Fan & Beard, 2006
- Blaszakia* Skoracki & Sikora, 2008 (Page: 328)  
Typ. spec.: *Blaszakia tauracos* Skoracki & Sikora, 2008
- Bunaxella* Den Heyer & Castro, 2009 (Page: 5)  
Typ. spec.: *Cunaxoides orbensis* Den Heyer, 1981
- Cicaditrombium* Saboori & Lazarboni, 2008 (Page: 51)  
Typ. spec.: *Cicaditrombium weni* Saboori & Lazarboni, 2008
- Crotophagisyringophilus* Skoracki, 2008 (Page: 76)  
Typ. spec.: *Crotophagisyringophilus io* Skoracki, 2008
- Dendrodus* Olivier, 2008 (Page: 19)  
Typ. spec.: *Dendrodus acarus* Olivier, 2008
- Dunaxeus* Den Heyer & Castro, 2009 (Page: 7)  
Typ. spec.: *Dunaxeus duosetosus* Den Heyer & Castro, 2009
- Farajimaeus* Ueckermann, 2008 (Page: 257)  
Typ. spec.: *Pilonychiopus tutus* Meyer, 1969
- Funaxopsis* Den Heyer & Castro, 2009 (Page: 13)  
Typ. spec.: *Cunaxoides passerinae* Den Heyer, 1981
- Giftitrombium* Haitlinger, 2007 (Page: 18)  
Typ. spec.: *Giftitrombium skalaensis* Haitlinger, 2007
- Insensilla* Kurosa, 2009 (Page: 18)  
Typ. spec.: *Insensilla lasioglossi* Kurosa, 2009
- Minicaraboacarus* Hajiqanbar & Khaustov, 2008 (Page: 58)  
Typ. spec.: *Minicaraboacarus quadridiscalis* Hajiqanbar and Khaustov, 2008
- Moldoustium* Haitlinger, 2008 (Page: 387)  
Typ. spec.: *Moldoustium baltiensis* Haitlinger, 2008
- Paramicrodispus* Khaustov, 2009 (Page: 65)  
Typ. spec.: *Brennandania crenulata* Savulkina, 1978
- Pseudopygmephorellus* Khaustov, 2008 (Page: 891)  
Typ. spec.: *Pseudopygmephorellus reductus* Khaustov, 2008
- Solistrus* Saboori, Ueckermann & Van Harten, 2008 (Page: 24)  
Typ. spec.: *Solistrus mitrae* Saboori, Ueckermann & Van Harten, 2008

*Qunaxella* Den Heyer & Castro, 2009 (Page: 11)  
 Typ. spec.: *Qunaxella triasetosa* Den Heyer & Castro, 2009

## New families

Dendrochaetidae Olivier, 2008 (Page: 17)

## New combinations

- Archidispus carabidophilus* (Sebastianov, 1974) – [Khaustov, 2008: 55]  
*Brachytydeus draciformis* (Kazmierski, 1998) – [Kazmierski, 2008: 363]  
*Brachytydeus ferulus* (Baker, 1944) – [Kazmierski, 2008: 363]  
*Brachytydeus formosus* (Cooreman, 1958) – [Kazmierski, 2008: 363]  
*Brachytydeus mali* (Oudemans, 1929) – [Kazmierski, 2008: 363]  
*Brachytydeus reticulatus* (Oudemans, 1928) – [Kazmierski, 2008: 363]  
*Brachytydeus stellatus* (Carmona, 1972) – [Kazmierski, 2008: 363]  
*Brachytydeus teresae* (Carmona, 1970) – [Kazmierski, 2008: 363]  
*Bunaxella oribensis* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 5]  
*Bunaxella quini* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 5]  
*Bunaxella zebdielensis* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 5]  
*Cunaxa otiosus* (Muhammad & Chaudhri, 1993) – [Bashir, Afzal & Shaukat, 2005: 57]  
*Cunaxa rasile* (Muhammad & Chaudhri, 1993) – [Bashir, Afzal & Shaukat, 2005: 57]  
*Cunaxa valentis* (Muhammad, Chaudhri & Akbar, 1989) – [Bashir, Afzal & Shaukat, 2005: 57]  
*Dunaxeus capensis* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 11]  
*Dunaxeus elongates* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 9]  
*Funaxopsis passerinae* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 13]  
*Funaxopsis vanedeni* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 13]  
*Funaxopsis visci* (Den Heyer, 1981) – [Den Heyer & Castro, 2009: 13]  
*Imparipes (Imparipes) brevibasis* (Sebastianov, 1983) – [Khaustov, 2008: 93]  
*Paramicrodispus crenulatus* (Savulkina, 1978) – [Khaustov, 2009: 65]  
*Pediculaster ensifer* (Savulkina, 1978) – [Khaustov, 2008: 174]  
*Ultrasiteropes adamisi* (Mahunka, 1968) – [Khaustov, 2008: 555]

## New synonyms

- Archidispus subintermissus* Kurosa, 1983 – [Khaustov, 2008: 61]  
 = *Archidispus intermissus* (Karafiat, 1959)  
*Archidispus truncatus* Delfinado & Baker, 1976 – [Khaustov, 2008: 53]  
 = *Archidispus bembidii* (Karafiat, 1959)  
*Archidispus quadriguttatus* Mahunka, 1973 – [Khaustov, 2008: 76]  
 = *Archidispus pterostichi* (Rack, 1973)  
*Austrostigmæus* Fan & Beard, 2006 – [Ueckermann, 2008: 251]  
 = *Pilonychiopus* Meyer, 1969  
*Campicathrombium* Haitlinger, 2003 – [Haitlinger, 2008: 391]  
 = *Valgothrombium* Willmann, 1940  
*Imparipes kossensis* Sebastianov, 1975 – [Khaustov, 2008: 61]  
 = *Archidispus intermissus* (Karafiat, 1959)  
*Imparipes taurensis* Sebastianov, 1975 – [Khaustov, 2008: 46]  
 = *Lophodispus irregularis* Mahunka, 1971  
*Pedroerythraeus* Haitlinger, 2004 – [Wohltmann, Makol & Gabrys, 2007: 573]  
 = *Curteria* Southcott, 1961  
*Scutacarus bambusus* Sebastianov, 1983 – [Khaustov, 2008: 254]  
 = *Scutacarus shusteri* Ebermann, 1980  
*Scutacarus brennani* Momen & Curry, 1988 – [Khaustov, 2008: 179]  
 = *Scutacarus angustus* Mahunka, 1970  
*Scutacarus caespitosus* Sebastianov, 1983 – [Khaustov, 2008: 186]

- = *Scutacarus bursula* (Berlese, 1903)  
*Scutacarus diversisetus* Sevastianov & Chydyrov, 1992 – [Khaustov, 2008: 253]  
= *Scutacarus shivicki* Lazauskene & Sevastianov, 1974  
*Scutacarus eucomus clonsasti* Momen & Curry, 1987 – [Khaustov, 2008: 195]  
= *Scutacarus eucomus* (Berlese, 1908)  
*Scutacarus furatensis* Sevastianov & Zahida Al Douri, 1988 – [Khaustov, 2008: 253]  
= *Scutacarus shivicki* Lazauskene & Sevastianov, 1974  
*Scutacarus frumentaceus* Sevastianov, 1983 – [Khaustov, 2008: 253]  
= *Scutacarus shivicki* Lazauskene & Sevastianov, 1974  
*Scutacarus iharosi* Mahunka & Zaki, 1985 – [Khaustov, 2008: 253]  
= *Scutacarus shivicki* Lazauskene & Sevastianov, 1974  
*Scutacarus impar lioni* Momen & Curry, 1988 – [Khaustov, 2008: 227]  
= *Scutacarus palustris* Rack, 1966  
*Scutacarus ovuideoesimilis* Metwali, 1981 – [Khaustov, 2008: 225]  
= *Scutacarus ovoideus* Karafiat, 1959  
*Scutacarus paraeucomus* Solodukha, 1993 – [Khaustov, 2008: 195]  
= *Scutacarus eucomus* (Berlese, 1908)  
*Scutacarus rusticus* Sevastianov, 1983 – [Khaustov, 2008: 187]  
= *Scutacarus carsticus* Mahunka & Mahunka-Papp, 1980  
*Scutacarus sinacarorum* Dobrev & Mahunka, 1990 – [Khaustov, 2008: 222]  
= *Scutacarus occultatus* Sevastianov, 1975  
*Scutacarus tanjae* Dobrev & Mahunka, 1990 – [Khaustov, 2008: 218]  
= *Scutacarus muscociola* Sevastianov, 1983  
*Scutacarus turfosus* Sevastianov, 1983 – [Khaustov, 2008: 187]  
= *Scutacarus echidna* (Berlese, 1905)

## New names

*Procellariisyringophilus* Schmidt & Skoracki, 2007 – pro *Syringonomus* Kethley, 1970 not Hope & Murphy, 1969 [Page: 545]

## Addresses

- ABOU-AWAD, DR. B.A., National Research Centre, Plant Protection Department., Dokki, Cairo 12511, Egypt
- AHN, YOUNG-JOON, School of Agricultural Biotechnology, Seoul National University, Seoul 151742, South Korea; **E-Mail:** [yjahn@snu.ac.kr](mailto:yjahn@snu.ac.kr)
- AKYOL, DR. MUSTAFA, Celal Bayar University, Faculty of Sciences and Arts, Department of Biology, 45140 Muradiye, Turkey; **E-Mail:** [makyol77@gmail.com](mailto:makyol77@gmail.com)
- ALBERTI, PROF. DR. GERD, E.-Moritz-Arndt Univ., Zool. Inst. und Museum, J.-Seb.-Bach-Str. 11/12, 17489 Greifswald, Germany; **E-Mail:** [alberti@uni-greifswald.de](mailto:alberti@uni-greifswald.de)
- ALMAGUEL, DR. LÉRIDA, Instituto de Investigaciones de Sanidad Vegetal, División de Biología 110 y 5ta B#514, Gaceta 63, 11300 Playa Ciudad de la Habana, Cuba; **E-Mail:** [lalmaguel@inisav.cu](mailto:lalmaguel@inisav.cu)
- AMANO, PROF. HIROSHI, Laboratory of Appl. Entomol. and Zoology, Faculty of Horticulture, Chiba University, 648 Matsuda, Matsuda, Chiba, 271-8510, Japan; **E-Mail:** [amano@faculty.chiba-u.jp](mailto:amano@faculty.chiba-u.jp)
- ATHANASSIOU, C.G., Lab. Agric. Zool. and Entomol., Fac. of Plant Science and Production, Agricultural University of Athens, 11855, Athens, Greece; **E-Mail:** [xathanas@uth.gr](mailto:xathanas@uth.gr)
- ATKINS, A., Univ. Florida, Coll. Vet. Med., Dept. Small Anim. Clin. Sci., Gainesville, FL 32610, USA; **E-Mail:** [atkinsa@vetmed.ufl.edu](mailto:atkinsa@vetmed.ufl.edu)
- AUGER, DR. PHILIPPE, Department of Plant Protection, ENSA-M/INRA, Laboratory of Acarology, 2 Place Pierre Viala, 34060 Montpellier Cedex 01, France; **E-Mail:** [auger@supagro.inra.fr](mailto:auger@supagro.inra.fr)
- BADII, DR. MOHAMMAD H., Autonomous Univ. of Nuevo Leon, Fac. de Ciencias Biológicas, AP. 141, San Nicolas, NL, 66450, México; **E-Mail:** [mhbadii@yahoo.com.mx](mailto:mhbadii@yahoo.com.mx)
- BAGHERI, M., Univ. Maragheh, Faculty of Agriculture, Dept. of Plant Protection, Maragheh, Iran; **E-Mail:** [mbagheri20022002@yahoo.com](mailto:mbagheri20022002@yahoo.com)

- BASHIR, MUHAMMAD H., Department of Agri. Entomology, University of Agriculture, Faisalabad, Pakistan;  
**E-Mail:** hamid\_uaf@yahoo.com
- BAYRAM, DR. SERIFA, Agricultural Faculty, Plant Protection Department, University of Ankara, 06110 Ankara, Turkey
- BEARD, DR. JENNY J., Dept. of Zool. and Entomol., The University of Queensland, Brisbane, QLD, 4072, Australia; **E-Mail:** jbeard@zen.uq.edu.au
- BEAULIEU, DR. FRÉDÉRIC, Can. National Collection of Insects, Arachnids and Nematodes, Agric. and Agri-Food Can., 960 Carling Avenue, Ottawa, ON, K1Z7P2, Canada; **E-Mail:** frederic.beaulieu@agr.gc.ca
- BELLINI, MARCOS R., Univ. Estadual Paulista, Programa Posgrad Entomol. Agr., Via Acesso Prof. P.D. Castellane, 148 849 00 Jaboticabal, Brazil; **E-Mail:** mrbellini@yahoo.com.br
- BERTRAND, DR. MICHEL, Laboratoire de Zoogeografie, Université Montpellier III, Route de Mende, 34199 Montpellier Cedex 5, France; **E-Mail:** michel.bertrand@univ-montp3.fr
- BOCHKOV, DR. ANDRE V., Zoological Institute, Russian Academy of Sciences, Universitetskaya nab. 1, St. Petersburg 199034, Russia; **E-Mail:** prostigmata@zin.ru
- BROWN, WAYNE A., College of Tropical Agriculture and Human Res., University of Hawaii, 2030 Maile Way, Rm. 310, Honolulu, Hawaii 96822, USA; **E-Mail:** waynebrown@hawaii.rr.com
- BRUIN, DR. JAN, Section Population Biology, Institute of Biodiversity and Ecosystem Dynamics, University of Amsterdam, Kruislaan 302, 1098 SM Amsterdam, The Netherlands; **E-Mail:** bruin@science.uva.nl
- CAMERIK, DR. ANNE M., School of Animal, Plant and Environmental Sciences, Univ. of the Witwatersrand, Wits 2050, Johannesburg, South Africa; **E-Mail:** camerik@gecko.biol.wits.ac.za
- CARBONNELLE, SABINE, Lab. Ecol and Biogeogr., Ctr. Rech. Biodivers., Univ. Catholique Louvain, Pl. Croix Sud 5, 1348 Louvain, Belgium; **E-Mail:** carbonnelle@ecol.ul.ac.be
- CHI, HSIN, Natl. Chung Hsing Univ., Dept. Entomol., Lab. Theoret. & Appl. Ecol., Taichung 402, Taiwan; **E-Mail:** hsinch@dragon.nchu.edu.tw
- CHILDERS, MR. CARL C., Entomol. and Nemat. Dept., Citrus Research and Education Center, University of Florida, 700 Experiment Station Road, Lake Alfred, FL, 33850, USA; **E-Mail:** ccc@crec.ifas.ufl.edu
- CHMIELEWSKI, DR. WIT, Apiculture Division, Res. Inst. Pomol. & Floriculture, Kazimierska 2, 24-100 Pulawy, Poland; **E-Mail:** wit.chmielewski@man.pulawy.pl
- CLOYD, RAYMOND A., Dept. Nat. Resources and Environ. Sci., Univ. Illinois, Champaign, IL, 61820, USA; **E-Mail:** rcloyd@uiuc.edu
- COBANOGLU, PROF. DR. SULTAN, Agricultural Faculty, Plant Protection Dept., University of Ankara, 06110 Ankara, Turkey; **E-Mail:** sultan.cobanoglu@agri.ankara.edu.tr
- CORPUZ-RAROS, PROF. DR. LEONILA A., Pest Biology and Biodiversity Division, College of Agriculture, University of the Philippines Los Banos, Laguna 4031, Philippines; **E-Mail:** lacraros@yahoo.com
- DA SILVA, FERNANDO R., Depto. Entomol., Fitopatol. e Zoologia Agricola, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, Brazil; **E-Mail:** silvafr@yahoo.com.br
- DANIEL, MILAN, School of Public Health, Institute for Postgraduate Medical Education, Ruská 85, 100 05 Prague 10, Czech Republic
- DE CARVALHO MINEIRO, JEFERSON LUIZ, Depto. Fitossanidade, Faculdade de Ciencias Agrarias e Veterinarias, UNESP/Jaboticabal, 14870-000 Jacoticabal, Brazil; **E-Mail:** jefmin@hotmail.com
- DE MORAES, DR. GILBERTO JOSE, Depto. Entomol., Fitopatol. e Zoologia Agricola, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, Brazil; **E-Mail:** gjmoraes@carpa.ciagri.usp.br
- DE MORAIS, ROSANA M., PPG Biologia Animal, Depto. Zoologia, UFRGS, Av. Bento Goncalves 9500, 91501-970 Porte Alegre, Brazil; **E-Mail:** entomorais@yahoo.com.br
- DE OLIVEIRA, CARLOS R.F., Depto. Biologia Animal, Universidade Federal de Vicos, 36571-000 Vicos, Brazil; **E-Mail:** crfoluteira@bol.com.br
- DELALIBERA, DR. ITALO, ESALQ Univ. Sao Paulo, Dept. Entomol. Plant Pathol. and Agr. Zool., Piracicaba 13418-900, SP, Brazil; **E-Mail:** italo@esalq.usp.br
- DEN HEYER, JACOB, Setor de Zoologia, Dep. de Entomol., Fitopatol. e Zool. Agric., ESALQ-USP, Piracicaba,, Sao Paulo, 13418-900, Brazil; **E-Mail:** jacob.den.heyer@gmail.com
- DOGAN, SALIH, Department of Biology, Kazim Karabekir Education Faculty, Ataturk University, 25240 Erzurum, Turkey; **E-Mail:** sadogan@atauni.edu.tr
- DOWLING, ASHLEY P.G., Dept. Entomol., University of Kentucky, S-225 Agriculture Sciences Bldg. North, Lexington, KY, 40546-0091, USA; **E-Mail:** ashley.dowling@uky.edu
- DUNLOP, DR. JASON, Museum für Naturkunde der Humboldt-Univ., Institut für Systematische Zoologie, Invalidenstr. 43, 10115 Berlin, Germany; **E-Mail:** jason.dunlop@museum.hu-berlin.de

- DUSO, DR. CARLO, Dept. Environ. Agron. and Crop Sci., University of Padova, Viale Univ. 16, 35020 Padua, Italy; **E-Mail:** carlo.duso@unipd.it
- EBERMANN, AO.-PROF. DR. ERNST, Karl-Franzens-Univ., Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail:** ernst.ebermann@uni-graz.at
- EL-KAMMAH, DR. KAWTHER, Department of Zoology, Faculty of Agriculture, Cairo University, Giza, Egypt; **E-Mail:** kkammah@link.net
- EL-LAITHY, DR. AHMED Y.M., Dept. of Plant Protection, National Research Centre, Dokki, Cairo 12311, Egypt
- ESTRADA-VENEGAS, DR. EDITH. G., Instituto de Fitosanidad, Colegio de Postgraduados, Km 36.5 Carr. Mexico-Texcoco, 56230 Montecillo, México; **E-Mail:** estrado@colpos.mx
- FABER, DR. BEN A., Cooperative Extension, University of California, 669 County Square Drive #100, Ventura, CA 93003, USA
- FAN, DR. QING-HAI, Landcare Research, Private Bag 92170, Auckland, New Zealand; **E-Mail:** fanqh@acarology.org
- FEN, YUN-LING, Ningxia Hui Autonomous Reg. Ctr., Dis. Prevent and Cont., Yinchuan 750004, China
- FENG, MING-GUANG, Zhejiang Univ., Inst. Microbiol., Coll. Life Sci., Kaixuan Rd. 268, Hangzhou 310058, Zhejiang, China; **E-Mail:** mgfeng@zju.edu.cn
- FERES, PROF. REINALDO J.F., Univ. Estadual Paulista, Dept. de Zoologia e Botânica, rua Cristovao Colombo, 2265, São Paulo, 15054-000 São Jose do Rio Preto, Brazil; **E-Mail:** reinaldo@ibilce.unesp.br
- FILIMONOVA, SVETLANA A., Zoological Institute, Russian Academy of Sciences, Universitetskaya emb. 1, 199034 St. Petersburg, Russia
- FLORES, DR. ADRIANA E., Ap. Postal 391, San Nicolás de los Garza, N.L., CP. 66450, México; **E-Mail:** adflores@ccr.dsi.uanl.mx
- FRAULIO, AIMEE B., MacArthur Agro-Ecology Research Center, 300 Buck Island Ranch Rd., Lake Placid, FL 33852, USA
- GABRYS, PROF. DR. GRZEGORZ, Dept. of Biology, Institute of Biotechnology and Environ. Sci., Univ. of Zielona Góra, Monte Cassino 21B, 65-561 Zielona Góra, Poland; **E-Mail:** g.gabrys@ibos.uz.zgora.pl
- GERECKE, DR. REINHARD, Biesinger Str. 11, 72070 Tübingen, Germany; **E-Mail:** reinhard.gerecke@uni-tuebingen.de
- GERSON, URI, Department of Entomology, Fac. of Agricultural, Food and Environ. Sciences, Hebrew University, Rehovot, 76100, Israel; **E-Mail:** gerson@agri.huji.ac.il
- GHADAMYARI, MOHAMMAD, Dep. Plant Prot., Coll. Agric., Guilan Univ., Rasht, Iran
- GOLDSCHMIDT, DR. TOM, Zoologische Staatsammlung, Sektion Arthropoda varia, Münchhausenstr. 21, 81247 München, Germany; **E-Mail:** tomgoldschmidt@web.de
- GOMES DA CAMARA, CLAUDIO A., Univ. Fed. Pernambuco, Dept. Quim., Av. Dom Manoel Medeiros S-N, 52171900 Recife, Brazil; **E-Mail:** camara@ufrpe.br
- GONCALVES, JOSE R., Dept. Biol. Anim., Univ. Fed. Vicos, 36571 Vicos, MG, Brazil; **E-Mail:** goncalves\_mip@hotmail.com
- GONDIM, MANOEL G.C., Departamento de Agronomia, Universidade Federal Rural de Pernambuco, Rua Dom Manuel de Medeiros s/n, 52171-900 Recife, PE, Brazil; **E-Mail:** manoguedes@hotmail.com
- GOTOH, DR. TETSUO, Lab. Appl. Entomol. and Zool., Faculty of Agriculture, Ibaraki University, , 300-0393 Ibaraki, Japan; **E-Mail:** gotoh@mx.ibaraki.ac.jp
- GRBIC, MIODRAG, Department of Biology, University of Western Ontario, London, ON, N6A 5B7, Canada; **E-Mail:** mgrbic@uwo.ca
- GRECO, DR. N.M., Centro de Estudios Parasitol. Y de Vectores, CONICET-UNLP, Calla 2 N 584, 1900 La Plata, Argentina; **E-Mail:** ngreco@museo.fcnym.unlp.edu.ar
- GUANILO, A.D., Univ. Sao Paulo, ESALQ, Dept. Ent. Fitop. & Zool. Agr., 13418900 Piracicaba, SP, Brazil; **E-Mail:** a\_guanilo@yahoo.co.uk
- GULVIK, MARIA, Sogn og Fjordane University College, Departement of Landscape Ecology, P.O. Box 133, 6851 Sogndal, Norway; **E-Mail:** maria.gulvik@hisf.no
- GUPTA, DR. S.K., IC/10, Anandam Housing Complex, 7, K.B. Sarani, Kolkata-700 080, India
- GWIAZDOWICZ, DR. DARIUSZ J., A. Cieszkowski Agric. Univ., Depart. Forest and Environment Protection, ul. Wojska Polskiego 71C, 60-625 Poznan, Poland; **E-Mail:** dagwiazd@owl.au.poznan.pl
- HAITLINGER, PROF. DR. RYSZARD, Wroclaw University of Environmental and Life Sci., Department of Zoology and Ecology, ul. Kozuchowska 5b, 51-631 Wroclaw, Poland; **E-Mail:** ryszard.haitlinger@up.wroc.pl

HAJIQANBAR, MR. HAMIDREZA, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, 14115-336 Tehran, Iran; **E-Mail:** hajiqanbar1360@yahoo.com

HANCE, DR. T., Unite Ecol. Biogeographie, Univ. Catholique Louvain, Place Croix du Sud 5, 1348 Louvain-la-Neuve, Belgium

HEDDERGOTT, MIKE, Göttinger Str. 28, 37308 Heilbad Heiligenstadt, Germany; **E-Mail:** mike-heddergott@web.de

HERNANDES, FABIO A., Univ. Estadual Paulista, Instituto de Biociencias, Rua Cristovao Colombo, 2265, J. Nazareth, Sao Jose de Rio Preto, Sao Paulo, 15054-000, Brazil; **E-Mail:** fabio\_akashi@yahoo.com.br

HINOMOTO, NORIHIDE, Nation. Inst. of Sericultural and Entomol. Science, Tsukuba, Ibaraki, 305-8634, Japan; **E-Mail:** hinomoto@affrc.go.jp

HO, CHYI-CHEN, Dept. Appl. Zool., Taiwan Agric. Res. Inst., 189 Chungcheng Road, Wufeng, Taichung, 41301, Taiwan; **E-Mail:** ccho@wufeng.tari.gov.tw

HOY, DR. MARJORIE A., Dept. Entomology & Nematology, Univ. of Florida, P.O. Box 110620, Gainesville, FL 32611-0620, USA; **E-Mail:** mahoy@mail.ifas.ufl.edu

HUSBAND, PROF. DR. ROBERT W., Biology Department, Adrian College, 1035 Scottsdale Drive, Adrian, MI 49221, USA; **E-Mail:** husbandadrian@aol.com

JAMES, PROF. DR. DAVID G., Dept. Entomol., Washington State Univ., 24106 N. Bunn Road, Prosser, WA 99350, USA; **E-Mail:** djames@tricity.wsu.edu

JESIONOWSKA, DR. KATARZYNA, Department of General Zoology, Tech. University Szczecin, ul. Felczaka 3a, 71-412 Szczecin, Poland; **E-Mail:** katarzyna.jesionowska@univ.szczecin.pl

JUNG, DR. CHULEUI, School of Bioresource Sciences, Andong National University, Andong 760-749, Korea; **E-Mail:** cjung@andong.ac.kr

KAIMAL, SANGEETHA G., Univ. Calicut, Dept. Zool., Div. Acarol., Calicut 673635, India; **E-Mail:** sangeethakaimal@gmail.com

KALUZ, RNDR. STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 845 06 Bratislava, Slovakia; **E-Mail:** stanislav.kaluz@savba.sk

KAMALI, KARIM, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, P.O. Box 14115-336, Tehran, Iran; **E-Mail:** kamali\_k@modares.ac.ir

KASAP, ISMAIL, Canakkale Onsekiz Mart Univ., Fac. Agr., 17020 Canakkale, Turkey; **E-Mail:** ikasap@comu.edu.tr

KATAYAMA, HARUKI, Shizuoka Agricultural Experiment Station, Iwata 438-0803, Japan; **E-Mail:** haruki1\_katayama@pref.shizuoka.lg.jp

KAZAK, DR. CENGIZ, Department of Plant Protection, Agriculture Faculty, Cukurova University, 01330 Adana, Turkey; **E-Mail:** ckazak@mail.cu.edu.tr

KAZMIERSKI, DR. ANDRZEJ, Department of Animal Morphology, A. Mickiewicz University, Umultowska 89, 61 614 Poznan, Poland; **E-Mail:** amirscki@amu.edu.pl

KHAN, BILAL SAEED, Dept. of Agric. Entomol., Univ. Agric. Faisalabad, Faisalabad, Pakistan; **E-Mail:** bsk\_1703@yahoo.com

KHANJANI, PH.D. MOHAMMAD, Department of Plant Protection, College of Agriculture, Bu-Ali Sina University, Hamedan, 65174, Iran; **E-Mail:** khanjani@basu.ac.ir

KHARADOV, A.V., Nat. Acad. Sci., Inst. Biol. & Pedol., Dept. Arthropod Zool., 265 Chui Ave, Bishkek 720071, Kyrgyzstan; **E-Mail:** alex-kh53@mail.ru

KHAUSTOV, ALEXANDR. A., State Nikita Botanical Gardens, Ctr. Nat. Sci., Yalta, Crimea 98648, Ukraina; **E-Mail:** alkhaustov@mail.ru

KHYDYROV, P.R., Turkmen State Pedag. Institut, Turkmenabat 746 100, Turkmenistan; **E-Mail:** tgpi@online.tm

KLINGEN, INGEBORG, Norw. Inst. Agr. & Environ. Res. Bioforsk, Dept. Entomol. & Nematol., Plant Hlth. & Plant Protect Div., Hogskoleveien 7, 1432 As, Norway; **E-Mail:** ingeborg.klingen@bioforsk.no

KNAPP, MARKUS, International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, 00100 Nairobi, Kenya; **E-Mail:** mknapp@icipe.org

KOEHLER, PD DR. HARTMUT, Univ. Bremen, FB 2 (Biologie/Chemie), Zentr. f. Umweltforsch. u. Umwelttechn., Leobener Str. - UFT, 28359 Bremen, Germany; **E-Mail:** a13r@uni-bremen.de

KUROSA, KAZUYOSHI, Nishi-Ikebukuro 5-21-15, Tokyo, 171-0021, Japan

LABRZYCKA, ANNA, Fac. Biol., Mol. Biol. Tech. Lab., A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail:** anna.labrzycka@amu.edu.pl

- LEE, PROF. JOON-HO, Seoul National University, Dept. Agric. Biotechnol., Entomol Program, Seoul, 151 921, South Korea; **E-Mail:** jh7lee@snu.ac.kr
- LIBURD, OSCAR E., Dep. Entomol. and Nematol., Univ. of Florida, Gainesville, FL 32611, USA
- LITERAK, IVAN, Dept. Biol. & Wildlife Dis., Fac. Vet. Hyg. & Ecol., Univ. Vet. & Pharmaceut. Sci., Palackeho 1-3, 612 42 Brno, Czech Republic; **E-Mail:** literaki@vfu.cz
- MA, YING, Institute for Endemic Disease Prevention & Contr., Qinghai Province, Xining 811602, China
- MAGOWSKI, DR. WOJCIECH L., Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail:** magowski@amu.edu.pl
- MAKETON, MONCHAN, Zoology Dept., Fac. Sci., Kasetsart University, Bangkok, 10900, Thailand; **E-Mail:** fscimcm@ku.ac.th
- MAKOL, DR. JOANNA, Department of Zoology and Ecology, University of Environ. and Life Sciences, Kozuchowska 5b, 51-631 Wroclaw, Poland; **E-Mail:** joanna.makol@up.wroc.pl
- MANIANIA, N.K., Intern. Ctr. Insect Physiol. & Ecol., POB 30772, Nairobi, Kenya; **E-Mail:** nmaniania@icipe.org
- MASAKI, MAKOTO, Chemical and Physical Control Laboratory, Research Division, Yokohama Plant Protection Station, 1-16-10, Shinyamashita, Naka-ku, Yokohama, 231-0801, Japan
- MATIOLI, ANDRE L., Inst. Biol., Lab. Entomol. Econ., Rod Heitor Penteado km 3, 13001970 Campinas, SP, Brazil; **E-Mail:** amatioli@biológico.sp.gov.br
- MEHRKHOU, FARIBA, Tarbiat Modares University, Fac. Agric., Department of Entomology, P.O. Box: 14115-336, Tehran, Iran; **E-Mail:** mehrkhou@modares.ac.ir
- MEJIA-RECAMIER, DR. BLANCA E., Lab. Ecología y Sistemática, de Microartrópodos, Dpto. Biología, Fac. Ciencias, UNAM, 04510 México, D.F., México; **E-Mail:** bemr@hp.ciencias.unam.mx
- MESA, NORA C., Univ. Nacion. de Colombia sede Palmira, Fac. de Ciencias Agropecuarias, A.A. 273, Palmira, Colombia; **E-Mail:** ncmesac@palmira.ual.edu.co
- MIGEON, ALAIN, Centre de Biologie et de Gestion des Populations, INRA, Campus Intern. de Baillarguet CS30016, 34988 Montferrier sur Lez Cedex, France; **E-Mail:** migeon@supagro.inra.fr
- MINERO, JEFERSON L.C., Depto. de Fitossanidade, Faculdade de Ciencias Agrarias e Veterinarias, UNESP/Jacoticalbal, CAPES, 14870-000 Jacoticalbal, Brazil
- MOORE, DR. RICHARD C., Crompton Corporation, Middlebury, 5 Jones Road, Wallingford, CT 06492, USA; **E-Mail:** rcmstm@msn.com
- MORALES-MALACARA, DR. JUAN B., Laboratorio de Acarología, Departamento de Biología, Facultad de Ciencias, Univ. Nacional Autónoma Mexico, Distrito Federal, Coyoacán 04510, México; **E-Mail:** jbmm@hp.ciencias.unam.mx
- NAVIA, DENISE, Embrapa Recursos Genéticos e Biotecnología, Cx. Postal 02372, 70.770-900 Brasilia, DF, Brazil; **E-Mail:** navia@cenargen.embrapa.br
- NECHOLS, J.R., Department of Entomology, Kansas State University, 123 West Waters Hall, Manhattan, KS, 66506-4004, USA; **E-Mail:** jnechols@oznet.ksu.edu
- NIEMCZYK, DR. EDMUND, Research Institute of Pomology and Floriculture, Pomologiczna 18, 96-100 Skierkiewice, Poland; **E-Mail:** eniemczyk@insad.pl
- NORAMBUENA, H., INIA CRI Carillanca, Casilla 58-D, Temuco, Chile; **E-Mail:** hnorambu@inia.cl
- NOVELLI, VALDENICE M., Citros Sylvio Moreira IAC, Ctr APTA, POB 04, 13490970 Cordeiropolis, SP, Brazil; **E-Mail:** valdenice@centrodecitricultura.br
- OKU, KEIKO, Laboratory of Evolutionary Ecology, Graduate School of Environ. Sciece, Okayama University, Okayama, 700-8530, Japan; **E-Mail:** okeiko@affrc.go.jp
- OLIVEIRA, HAMILTON, Univ. Fed. Vícosa, Dept. Anim. Biol. Entomol., 36570000 Vícosa, MG, Brazil; **E-Mail:** hamilton@insecta.ufv.br
- OLIVIER, PIETER A.S., School of Molecular and Life Sciences, University of the North, Private Bag X1106, Sovenga 0727, South Africa; **E-Mail:** olivierp@ul.ac.za
- OMOTO, CELSO, Departamento de Entomología, Fitopatología e Zoología Agrícola, ESALQ/USP, 13419-900 Piracicaba, SP, Brazil; **E-Mail:** celomoto@carpa.ciagri.usp.br
- OPIT, DR. GEORGE P., Department of Entomology, Kansas State University, 123 West Waters Hall, Manhattan, KS, 66506-4004, USA; **E-Mail:** gopit@oznet.ksu.edu
- OSAKABE, M.H., Laboratory of Ecological Information, Graduate School of Agric., Kyoto University, Kyoto, 606-8502, Japan; **E-Mail:** mhosaka@kais.kyoto-u.ac.jp
- OZMAN-SULLIVAN, S., Ondokuz Mayıs Univ., Fac. Agr., Dept. Plant Protect., 55139 Samsun, Turkey; **E-Mail:** sozman@omu.edu.tr

- PAIK, DR. C.H., Dept. Agrobiol., Sunchon Natl. Univ., Sunchon 540-742, South Korea
- PALYVOS, NICKOLAS E., Laboratory of Agricultural Zoology and Entomology, Agricultural University of Athens, Iera Odos 75, 11855 Votanikos, Athens, Greece; **E-Mail:** palyvos@in.gr
- PANG, BAO-PING, College of Agriculture, Inner Mongolia Agric. Univ., Huhhot, 010010, China; **E-Mail:** pangbp@imau.edu.cn
- PAPPAS, MARIA L., Aristotle Univ. Thessaloniki, Fac. Agric., Lab. Appl. Zool. and Parasitol., Thessaloniki 54124, Greece
- PARIS, CAROLINA I., Centro de Estudios e Investigaciones, Universidad Nacional de Quilmes, Roque Saenz Pena 352, Bernal B1876 BXD, Argentina
- PETROVA, DR. VALENTINA, Institute of Biology, University of Latvia, Miera iela 3, 2169 Salaspils, Latvia; **E-Mail:** vpetrova@hotmail.com
- PREZOTTI, L., Faculdade de Ciencias Agrarias, Universidade Vale do Rio Doce, Rua Israel Pinheiro 2000, CEP 35020-220, Governador Valadares, MG, Brazil; **E-Mail:** lusinerio@univale.br
- PROCTOR, DR. HEATHER C., Department of Biological Sciences, University of Alberta, Edmonton, Alberta T6G 3E9, Canada; **E-Mail:** hproctor@ualberta.ca
- RAGUSA DI CHIARA, PROF. SALVATORE, Istituto di Entomologia agraria, University of Palermo, Viale delle Scienze 13, 90128 Palermo, Italy; **E-Mail:** ragusa@unipa.it
- RAJASHEKHARAPPA, K., Dep. Entomol., Univ. of Agric. Sci., Bangalore 560 065, India
- RAMOS, DR. MAYRA, Centro Nacional de Seguridad Biológica, 38 No 502, Miramar, Playa Ciudad de La Habana 11300, Cuba; **E-Mail:** mayramos@cnsn.cu
- RAWORTH, D.A., Agr. & Agri. Food Canada, Pacific Agri. Food Res. Ctr., POB 1000, Agassiz, BC V0M 1A0, Canada; **E-Mail:** raworthd@agr.gc.ca
- RAZMJOU, JABRAEIL, Fac. Agric., Univ. Mohaghegh Ardabili, Ardabili, Iran; **E-Mail:** razmjou@uma.ac.ir
- REZK, HUSSEIN A., Department of Economic Entomology, Faculty of Agriculture, Elshatby, University of Alexandria, Alexandria, Egypt; **E-Mail:** husseinrezk@yahoo.com
- RODRIGUES, DR. JOSÉ C.V., University of Florida, CREC, 700 Experiment Station Road, Lake Alfred 33850-2299, FL, USA; **E-Mail:** jcvrodr@bol.com.br
- ROS, VERA I.D., Evolutionary Biology, Inst. Biodivers. and Ecosyst. Dynam., University of Amsterdam, P.O. Box 94062, Amsterdam, 1090 GB, The Netherlands; **E-Mail:** vidros@science.uva.nl
- ROSSI-ZALAF, LUCIANA S., Inst. Super. Ciencias Aplicadas, Via 147, Rod Limeira Piracicaba Km 4, 13482383 Limeira, SP, Brazil; **E-Mail:** lsrzalaf@gmail.com
- SABOORI, PROF. ALIREZA, Department of Plant Protection, College of Agriculture, Tehran University, P.O. Box 4111, Karaj 31587-11167, Iran; **E-Mail:** saboori@ut.ac.ir
- SAITO, YUTAKA, Graduate School of Agriculture, Dept. Systemat. and Ecol., Lab. Anim. Ecol., Hokkaido University, Sapporo, Hokkaido, 060-8589, Japan; **E-Mail:** yutsat@res.agr.hokudai.ac.jp
- SANTOS, DR. ADRID, Instituto de Sanidad Vegetal 5ta b y 110, Miramar Playa, 11300 Cuidad de La Habana, Brazil
- SARKAR, P.K., Bidhan Chandra Krishi Viswavidyalaya, Dept. Agr. Entomol., Acarol. Lab., Nadia 741235, W Bengal, India; **E-Mail:** pijushkly@gmail.com
- SATO, YUKIE, Natl. Inst. Agroenvironm Sci., 3-1-3 Kannondai, Tsukuba, Ibaraki 3058604, Japan; **E-Mail:** satoyuky@affrc.go.jp
- SATO, DR. MARIO E., Inst. Biol., Rodovia Heitor Penteado km 3-5, 13092543 Campinas, Brazil; **E-Mail:** mesato@biologico.sp.gov.br
- SATOH, YUKIE, Laboratory of Animal Ecology, Department of Ecology and Systematics, Graduate School of Agriculture, Hokkaido University, Sapporo, 060-8589, Japan; **E-Mail:** yukie@res.agr.hokudai.ac.jp
- SCHMIDT, KARL-HEINZ, Hintere Dorfstrasse 29, 02791 Oderwitz, Germany; **E-Mail:** miteresearch@freenet.de
- SEKI, KOOSUKE, Nagano Vegetable & Ornamental Crops Expt. Stn., Nagano 3811211, Japan; **E-Mail:** seki-kosuke@pref.nagano.jp
- SERGEYENKO, A.L., Nikita Botanical Gardens, Ctr. Nat. Sci., Yalta, Crimea, UA, 98648, Ukraine; **E-Mail:** capemartyan@ukr.net
- SHATROV, DR. ANDREY B., Zoological Institute, Russian Academy of Sciences, Department of Electron Microscopy, 199034 St. Petersburg B-34, Russia; **E-Mail:** chigger@mail.ru
- SKORACKI, DR. MACIEJ, Department of Animal Morphology, A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail:** skoracki@amu.edu.pl

- SOMCHOUDHURY, A.K., Bidhan Chandra Krishi Viswavidyalaya, Dept. Agr. Entomol., Nadia 741252, W Bengal., India; **E-Mail:** [aksomchoudhury@gmail.com](mailto:aksomchoudhury@gmail.com)
- STEKOL'NIKOV, ALEXANDR A., Zoological Institute, Russian Academy of Sciences, St. Petersburg, 199034, Russia; **E-Mail:** [acari@zin.ru](mailto:acari@zin.ru)
- SUN, XU-GEN, Shanxi Agr. Univ., Coll. Plant Protect., Shandong 271018, China; **E-Mail:** [xgsun@sdau.edu.cn](mailto:xgsun@sdau.edu.cn)
- SWARTS, DR. DEREK J., Centre for Ecosystem Management, School of Natural Sciences, Edith Cowan University, Perth Western Australia, Australia; **E-Mail:** [d.swarts@ecu.edu.au](mailto:d.swarts@ecu.edu.au)
- TAJIMA, RYUSEN, Graduate School of Agriculture, Kyoto University, Kyoto 606-8501, Japan
- TAKAFUJI, DR. AKIO, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606-8502, Japan; **E-Mail:** [takafuji@kais.kyoto-u.ac.jp](mailto:takafuji@kais.kyoto-u.ac.jp)
- TAKAHASHI, MAMORU, Kawagoe Sogo Senior High School, Kosenba-machi, Kawagoe, 350-0036, Japan
- THIND, B.B., Dept. Environm. Food & Rural Affairs, Cent. Sci. Lab., York, YO41 1LZ, N Yorkshire, United Kingdom; **E-Mail:** [b.thind@csl.gov.uk](mailto:b.thind@csl.gov.uk)
- UECKERMAN, DR. EDWARD A., Plant Protection Research Institut, Private Bag X134, Pretoria 0001, South Africa; **E-Mail:** [Ueckermann@arc.agric.za](mailto:Ueckermann@arc.agric.za)
- UEFUNE, MASAYOSHI, Kyushu Univ., Lab. Insect Nat. Enemies, Dept. Appl. Genet. and Pest Management, Grad Sch. Biores. Bioenviron. Sci., Fukuoka 8128581, Japan
- URBANEJA, ALBERTO, Inst. Valenciano Invest. Agr., Ctr. Protecc. Vegetal and Biotecnol., Unidad Entomol., Carretera Moncada, Naquera Km 4,5, 46113 Moncada, Valencia, Spain; **E-Mail:** [urbaneja@ivia.es](mailto:urbaneja@ivia.es)
- URHAN, DR. RASIT, Department of Biology, Faculty of Science and Arts, Pamukkale University, Kinikli, P.O. Box 286, 20100 Denizli, Turkey; **E-Mail:** [rurhan@pamukkale.edu.tr](mailto:rurhan@pau.edu.tr)
- VALIM, MICHEL P., Inst. Oswaldo Cruz, Dept. Entomol., Lab. Ixodides, Brasil 4365, 21045900 Rio De Janeiro, RJ, Brazil; **E-Mail:** [mpvalim@hotmail.com](mailto:mpvalim@hotmail.com)
- VAZIRIANZADEH, B., Jounyshapour Med. Sci. Univ., Sch. Med., Ctr. Trop. Med. and Infect., Dept. Med. Parasitol. and Mycol., Ahwaz, Iran
- VAZQUEZ, CARLOS, Univ. Centroccidental Lisandro Alvarado, Dept. Ciencias Biol., Unidad Invest. Entomol. and Zool., Cabudare, Estado Lara, Venezuela; **E-Mail:** [carlosvasquez@ucla.edu.ve](mailto:carlosvasquez@ucla.edu.ve)
- VILLA, JOSEPH D., Honey Bee Breeding,, Genetics and Physiology Laboratory, ARS, USDA, 1157 Ben Hur Road, Baton Rouge, LA 70820-5502, USA; **E-Mail:** [Jose.Villa@ars.usda.gov](mailto:Jose.Villa@ars.usda.gov)
- WANG, JIN-JUN, College of Plant Protection, Southwest University, Chongqing, 400716, China; **E-Mail:** [jjwang7008@yahoo.com](mailto:jjwang7008@yahoo.com)
- YANO, SHUICHI, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606-8502, Japan; **E-Mail:** [yano@kais.kyoto-u.ac.jp](mailto:yano@kais.kyoto-u.ac.jp)
- YONEDA, MASAHIRO, Natl. Inst. Environmental Studies, 16-2 Onogawa, Tsukuba, Ibaraki 3050053, Japan; **E-Mail:** [yoneda.masahiro@nies.go.jp](mailto:yoneda.masahiro@nies.go.jp)
- ZAWAL, ANDRZEJ, Department of Invertebrate Zoology and Limnol., University of Szczecin, ul. Waska 13, 74-415 Szczecin, Poland
- ZHANG, DR. ZHI-QIANG, Landcare Research, Private Bag 92-170, Auckland, New Zealand; **E-Mail:** [zhangz@landcare.cri.nz](mailto:zhangz@landcare.cri.nz)

Address of the authors:

Dr. David Russell  
Kerstin Franke  
Senckenberg Museum für Naturkunde Görlitz  
Postfach 300 154  
02806 Görlitz, Germany

Tel.: 0049-3581-4760 5502  
Fax.: 0049-3581-4760 5101  
E-Mail: [David.Russell@senckenberg.de](mailto:David.Russell@senckenberg.de)  
[Kerstin.Franke@senckenberg.de](mailto:Kerstin.Franke@senckenberg.de)  
Homepage: <http://www.naturkundemuseum-goerlitz.de/acarologie/>

published: 30.10.2009

## Subscription form

I wish to subscribe to **ACARI** – Bibliographia Acarologica  
3 issues per volume and year

Institution and library      20 € incl. postage and handling     

personal      10 € incl. postage and handling     

I cannot cover the costs in convertible currency. I request in publication exchange for my articles about mites one issue per year. (Please indicate the issue chosen by ticking square below.)

Mesostigmata     

Oribatida     

Actinedida     

Please write your **address** exactly and legibly!

name \_\_\_\_\_

address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Signature

Please return this form to:

**Dr. A. Christian**  
**Senckenberg Museum für Naturkunde Görlitz**  
**PF 300 154**  
**02806 Görlitz**  
**Germany**

Fax.: 0049-3581-4760 5101  
E-Mail: [axel.christian@senckenberg.de](mailto:axel.christian@senckenberg.de)

**Contents****Russell, D. & K. Franke: Actinedida No. 8 ..... 1-35****Acarological literature**

- Publications 2009 .....	2
- Publications 2008 .....	4
- Publications, additions 2007 .....	13
- Publications, additions 2006 .....	19
- Publications, additions 2005 .....	21
- Publications, additions 2004 .....	21

**Nomina nova**

- New species .....	23
- New genera .....	27
- New families .....	28
- New combinations .....	28
- New synonyms .....	28
- New names .....	29

<b>Addresses</b> .....	29
------------------------	----