


ISSN 1618-8977

ACARI

Bibliographia Acarologica



Actinedida

 senckenberg
museum für naturkunde görlitz

Volume 10 (3)

2010

Senckenberg Museum für Naturkunde Görlitz

ACARI

Bibliographia Acarologica

Editor-in-chief: Dr Axel Christian
authorised by the Senckenberg Museum für Naturkunde Görlitz

Enquiries should be directed to:

ACARI
Dr Axel Christian
Senckenberg Museum für Naturkunde Görlitz
PF 300 154, 02806 Görlitz, Germany

'ACARI'
may be ordered through:
Senckenberg Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, 02806 Görlitz, Germany

Published by the Senckenberg Museum für Naturkunde Görlitz
All rights reserved
Cover design by: E. Mättig
Printed by MAXROI Graphics GmbH, Görlitz, Germany

Actinedida No. 10

David Russell and Kerstin Franke
Senckenberg Museum of Natural History Görlitz

ACARI - Bibliographia Acarologica endeavours to advance and help disseminate acarological knowledge as broadly as possible. To this end, each year we ascertain and compile all internationally available papers published on Acari worldwide. Two major taxon groups, however, are excluded from this bibliography – the Eriophyidae and the paraphyletic “Hydracarina” – since literature databanks of these groups are available elsewhere.

With approximately 170 papers listed this year, publications on Actinedida were clearly fewer than in previous years. Nonetheless, the present volume reflects the worldwide interest on Actinedida, with papers from all continents and 34 countries (Brazil, the USA, Japan and Arabian countries being most common). Systematics and taxonomy of this poorly studied mite group are still the most highly represented topic (>40% of all papers), with almost 100 descriptions of new taxa in over 60 papers. As in previous years, economically important topics such as plant protection, acarine-pest biology as well as chemical and biological mite control are also dominant (~30% of all papers). This volume reflects research on almost 40 families. The majority of the papers (>40%) again deal with the economically important Tetranychidae. Strongly represented are also Parasitengona (20%) with 10 families, as well as Syringophilidae, Cheyletidae, Cunaxidae and heterostigmated families.

Conspicuous in the present volume is again the lack of general ecological research. Faunistical or life-history research concern again the economically important Tetranychidae or the pest/parasite fauna of plants, reptiles, birds etc. Although Actinedida represent one of the most abundant soil-microarthropod groups, only two papers in the present volume deal with this subject. This is most likely due to the deficiency of taxonomic revisions and determination keys for most families and genera, which are a prerequisite to ecological field research. Thus, beyond species descriptions, we expressly call for more readily available species-level determination aids so that this important mite group becomes more available to population, community and field ecologists.

The acarological literature collection and databank in Görlitz is now one of the largest in the world. The databank of Actinedid literature cited in ACARI has now accumulated 5,459 papers on 2,015 species of actinedid mites. The databank as well as previous issues of ACARI can be accessed via <http://www.naturkundemuseum-goerlitz.de/acarologie/>. Reprints of the majority of cited papers are present in the Chelicerata Department of the Senckenberg Museum of Natural History in Görlitz. The registration of all recent publications on actinedid mites is a daunting and time-consuming task, which cannot be undertaken without the aid of all acarologists worldwide. We therefore ask for your continued help by sending reprints or copies of all your papers on actinedid mites. We expressly thank all authors who have assisted this goal and sent reprints of their papers. As with any journal, mistakes and omissions are unavoidable. Critique and suggestions are welcome and explicitly called for. Please inform us if we have failed to list any of your publications in the Bibliographia and we will include them in later volumes.

Besides this literature database, the Senckenberg Museum of Natural History in Görlitz maintains an Actinedida collection, not only of type but also of reference material. Type species as well as determined material may be deposited in these collections and are actively called for. The availability of these collections is guaranteed by the numerous scientists and technical personnel presently working with the soil-arthropod collections in Görlitz.

Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "*" were only found as a citation or abstract. All other titles are available as reprints or copies. The addresses of the corresponding authors are given in the section Addresses.

Publications 2010

- ABAD-MOYANO, R. / URBANEJA, A. / SCHAUSBERGER, P. (2010):* Intraguild interactions between *Euseius stipulatus* and the candidate biocontrol agents of *Tetranychus urticae* in Spanish clementine orchards: *Phytoseiulus persimilis* and *Neoseiulus californicus*. - Exp. Appl. Acarol. 50,1: 23-34
- AKYOL, M. / KOC, K. (2010): Contributions to the raphignathoid fauna of Turkey, with a description of a new species of *Cryptognathus* Kramer (Acari, Actinedida, Raphignathoidea).** - Turk. J. Zool. 34: 159-167
- AY, R. / YORULMAZ, S. (2010):* Inheritance and detoxification enzyme levels in *Tetranychus urticae* Koch (Acari, Tetranychidae) strain selected with chlorpyrifos. - J. Pest Sci. 83,2: 85-93
- BAGHERI, M. / DOGAN, S. / IRANII-NEJAD, K.H. / KAMAL, K. / KHANJANI, M. / SABOORI, A. (2010): A new species of the genus *Neognathus* Willmann (Acari, Prostigmata, Caligonellidae) from northwestern Iran. - Syst. Appl. Acarol. 15,1: 65-68
- BASHIR, M.H. / AFZAL, M. / ASHFAQ, M. / AKBAR, S. / ALI, S. (2010):* Two new species of the genus *Cunaxa* (Acari, Cunaxidae) from District Nankana. - Pak. J. Zool. 42,3: 217-222
- BEARD, J. / OCHOA, R. (2010): Ontogenetic modification in the Tuckerellidae (Acari, Tetranychoidea). - Internat. J. Acarol. 36,2: 169-173
- BEHAN-PELLETIER, V.M. / KANASHIRO, D. (2010): Chapter 7: Acari in grassland soils of Canada. In: Shorthouse, J.D. / Floate, K.D. (Eds.), Ecology and interactions in grassland habitats. - Biological Survey of Canada: 137-166
- BOCHKOV, A.V. / OCONNOR, B.M. (2010): *Nidocheyletus kennedyae* n. gen., n. sp. (Prostigmata, Cheyletidae) from nests of passerine birds in Michigan, USA. - Internat. J. Acarol. 36,1: 59-71
- CAMERIK, A.M. / KHERADMAND, K. (2010): New species of *Pediculaster* (Acari, Siteroptidae) from Belgium and Rwanda. - Internat. J. Acarol. 36,2: 91-99
- CATING, R.A. / HOY, M.A. / PALMATEER, A.J. (2010):* Silwet L-77 improves the efficacy of horticultural oils for control of boisduval scale *Diaspis boisduvalii* (Hemiptera, Diaspididae) and the flat mite *Tenuipalpus pacificus* (Arachnida, Acari, Tenuipalpidae) on orchids. - Fla. Entomol. 93,1: 100-106
- CHENG, L.-L. (2010):* Assessment of prey preference by the mass-produced generalist predator, *Mallada basalis* (Walker) (Neuroptera, Chrysopidae), when offered two species of spider mites, *T. kanzawai* Kishida and *P. citri* (McGregor) (Acari, Tetranychidae), on Papaya. - Biol. Contr. 53,3: 267-272
- CHOH, Y. / UEFUNE, M. / TAKABAYASHI, J. (2010):* Predation-related odours reduce oviposition in a herbivorous mite. - Exp. Appl. Acarol. 50,1: 1-8
- CHUECA, P. / GARCERÁ, C. / MOLTÓ, E. / JACAS, J.A. / URBANEJA, A. / PINA, T. (2010):* Spray deposition and efficacy of four petroleum-derived oils used against *Tetranychus urticae* (Acari, Tetranychidae). - J. Econ. Entomol. 103,2: 386-393
- DE ANDRADE, D.J. / DE OLIVEIRA, C.A.L. / DOS SANTOS, N.C. / DE MORAIS, M.R. (2010):* Differential toxicity of Abamectin based products over *Brevipalpus phoenicis* (Geijskes, 1939) (Acari, Tenuipalpidae) mite in citrus. [Orig. Port.] - Rev. Bras. Frut. 32,1: 82-89
- DE CASTRO, T.M.M.G. / DE MORAES, G.J. (2010): Life cycle and behaviour of the predaceous mite *Cunaxatricta tarsospinosa* (Acari, Prostigmata, Cunaxidae). - Exp. Appl. Acarol. 50,2: 133-139
- DOGAN, S. / DÖNEL, G. / BAL, D.A. / SEZEK, F. (2010): The first occurrence of the mite family Linotetranidae (Acari, Tetranychoidea) in Turkey: *Linotetranus anatolicus* n. sp.** - Internat. J. Acarol. 36,1: 27-34
- FLECHTMANN, C.H.W. (2010): Description of two new tetranychoid mite species (Acari, Prostigmata) from Guadeloupe, French Antilles. - Acarologia 50,1: 5-11
- FRANCO, R.A. / REIS, P.R. / ZACARIAS, M.S. / OLIVEIRA, D.C. (2010):* Influence of the webbing produced by *Oligonychus ilicis* (McGregor) (Acari, Tetranychidae) on associated predatory Phytoseiids. - Neotrop. Entomol. 39,1: 97-100

- GATARAYIHA, M.C. / LAING, M.D. / MILLER, R.M. (2010):* Effects of adjuvant and conidial concentration on the efficacy of *Beauveria bassiana* for the control of the two spotted spider mite, *Tetranychus urticae*. - Exp. Appl. Acarol. 50,3: 217-229
- GUANILLO, A.D. / DE MORAES, G.J. / TOLEDO, S. / KNAPP, M. (2010):* New records of *Tetranychus evansi* and associated natural enemies in northern Argentina. - Syst. Appl. Acarol. 15,1: 3-20
- HAJIQANBAR, H. / KHAUSTOV, A. (2010): A new species group and five new species of the genus *Pavania* (Acari, Dolichocybidae) associated with insects, with notes on leg chaetotaxy and the distribution of genera. - Eur. J. Entomol. 107: 441-453
- HUSBAND, R.W. / HUSBAND, D.O. (2010): *Dorsipes balli* spec. nov. (Acari, Podapolipidae), subelytral parasite of *Carabus taedatus* (Coleoptera, Carabidae), first record of the dorsipes group of the genus *Dorsipes* in the Western Hemisphere. - Syst. Appl. Acarol. 15,1: 47-57
- KHANJANI, M. / RAISII, H. / IZADI, H. / UEKERMANN, E.A. (2010): A new species of the genus *Cheylostigmaeus* Willmann (Acari, Stigmaeidae) from Eastern Iran. - Internat. J. Acarol. 36,1: 7-13
- KHAUSTOV, A.A. (2010): A new species of *Eutarsopolipus* Berlese (Acari, Heterostigmata, Podapolipidae) from *Chlaenius coeruleus* (Coleoptera, Carabidae) from Western Caucasus. - Syst. Appl. Acarol. 15,1: 58-64
- KHAUSTOV, A.A. / CHYDYROV, P.R. (2010): Five new species and a new subgenus of *Premicrodispus* mites (Acari, Heterostigmata, Microdispididae) from Turkmenistan. [Orig. Russ.] - Zool. Zh. 89,5: 545-558
- KHAUSTOV, A.A. / PERKOWSKY, E.E. (2010): The first fossil record of mites of the family Pyemotidae (Acari, Heterostigmata), with description of a new species of the genus *Pyemotes* from Rovno amber. - Paleontol. J. 44,4: 418-421
- KUMRAL, N.A. / COBANOGLU, S. / YALCIN, C. (2010):* Acaricidal, repellent and oviposition deterrent activities of *Datura stramonium* L. against adult *Tetranychus urticae* (Koch). - J. Pest Sci. 83,2: 173-180
- LAYDANOWICZ, J. / MAKOL, J. (2010):* Correlation of heteromorphic life instars in terrestrial Parasitengona mites and its impact on taxonomy - the case of *Leptus molochinus* (C.L. Koch, 1837) and *Leptus ignotus* (Oudmans, 1903) (Acari, Trombidiformes, Prostigmata, Erythraeidae). - J. Nat. Hist. 44,11-12: 669-697
- MANSOOR-UL-HASSAN / SAGHEER, M. / GOTOH, T. (2010): A new *Brevipalpus* mite (Acari, Tenuipalpidae) from fruit trees in Jaranwala (Punjab), Pakistan. - Pak. J. Zool. 42,5: 529-531
- MARCIC, D. / OGURLIC, I. / MUTAVDZIC, S. / PERIC, P. (2010):* The effects of spiromesifen on life history traits and population growth of two-spotted spider mite (Acari, Tetranychidae). - Exp. Appl. Acarol. 50,3: 255-267
- MAYORAL, J.G. / BARRANCO, P. (2010): The little known genus *Forania* (Acari, Prostigmata, Erythraeidae). - Zootaxa 2408: 59-68
- MAKOL, J. (2010): Redescription of *Erythraeus tonsus* (L. Koch, 1879) (Acari, Trombidiformes, Erythraeoidea) with record on an unusual case of polymely in adult Erythraeidae collected in Alaska (USA). - Internat. J. Acarol. 36,3: 221-232
- NAMAGHI, H.S. (2010): Mites (Acari, Prostigmata, Mesostigmata) inhabiting green plantings in urban environment of north-eastern Iran, including six new records. - Mun. Ent. Zool. 5,1: 123-130
- NAVARRO, M.J. / GEA, F.J. / ESCUDERO-COLOMAR, L.A. (2010):* Abundance and distribution of *Microdispus lambi* (Acari, Microdispidae) in Spanish mushroom crops. - Exp. Appl. Acarol. 50,4: 309-316
- NAVIA, D. / MARSARO, A.L. (2010):* First report of the citrus hindu mite, *Schizotetranychus hindustanicus* (Hirst) (Prostigmata, Tetranychidae), in Brazil. - Neotrop. Entomol. 39,1: 140-143
- NICASTRO, R.L. / DSTO, M.E. / DA SILVA, M.Z. (2010):* Milbemectin resistance in *Tetranychus urticae* (Acari, Tetranychidae): selection, stability and cross-resistance to abamectin. - Exp. Appl. Acarol. 50,3: 231-241
- OHASHI, K. / EHARA, S. (2010):* Correction to dorsal setal lengths of spider mites (Acari, Tetranychidae, *Schizotetranychus*) from Malaysia described by Ehara. - Syst. Appl. Acarol. 15,1: 69-70
- OKU, K. (2010):* Males of the two-spotted spider mite attempt to copulate with mated females: effects of double mating on fitness of either sex. - Exp. Appl. Acarol. 50,2: 107-113
- PERUMALSAMY, K. / SELVASUNDARAM, R. / ROOBAKKUMAR, A. / RAHMAN, V.J. / MURALEEDHARAN, N. (2010):* Life table and predatory efficiency of *Stethorus gilvifrons* (Coleoptera, Coccinellidae), an important predator of the red spider mite, *Oligonychus coffeae* (Acari, Tetranychidae), infesting tea. - Exp. Appl. Acarol. 50,2: 141-150

- PUMNUAN, J. (2010):* Acaricidal activities of plant essential oils from three plants on the mushroom mite, *Luciaphorus perniciosus* Rack (Acari, Pygmephoridae). - Pak. J. Zool. 42,3: 247-252
- RHULE, E.L. / MAJERUS, M.E.N. / JIGGINS, F.M. (2010):* Potential role of the sexually transmitted mite *Coccipolipus hippodamiae* in controlling populations of the invasive ladybird *Harmonia axyridis*. - Biol. Contr. 53,2: 243-247
- RIVERO, G. (2010):* Population fluctuation and distribution of *Brevipalpus phoenicis* (Geijskes) (Acari, Tenuipalpidae) on peduncle, sepals and exocarp of Guava (*Psidium guajava* L.) fruits of different ages. - Acta Horticult. 849: 277-282
- RUSSELL, D.J. / HOHBERG, K. / ELMER, M. (2010): Primary colonisation of newly formed soils by actinedid mites. - Soil Organisms 82,2: 237-252
- SABER, S.A. (2010):* Influence of plant leaf surface on the development, reproduction and life table parameters of the predacious mite, *Agistemus exsertus* Gonzalez (Acari, Stigmeidae). - Crop Prot. 29,8: 789-792
- SABOORI, A. (2010): A new species of larval *Erythraeus* and a new record of larval *Grandjeanella* (Acari, Erythraeidae) from Turkey. - Internat. J. Acarol. 36,3: 249-253**
- SABOORI, A. / PESIC, V. / HAKIMITABAR, M. (2010): A new species of the genus *Allothrombium* (Acari, Trombidiidae) from Montenegro. - Biologia 65,3: 515-519**
- SAGLAM, H.D. / COBANOGLU, S. (2010):* Determination of Tenuipalpidae (Acari, Prostigmata) species in parks and ornamental plants of Ankara, Turkey. - Türk. entomol. derg. 34,1: 37-52
- SEDGHI, A. / SABOORI, A. / AKRAMI, M.A. / HAKIMITABAR, M. (2010): A new genus and species of larval mites (Acari, Prostigmata, Microtrombidiidae) from Iran. - Zootaxa 2504: 61-68**
- SHIMODA, T. (2010):* A key volatile infochemical that elicits a strong olfactory response of the predatory mite *Neoseiulus californicus*, an important natural enemy of the two-spotted spider mite *Tetranychus urticae*. - Exp. Appl. Acarol. 50,1: 9-22
- SKORACKI, M. / GLOWSKA, E. / LONTKOWSKI, J. / STAWARCZYK, T. (2010):* *Picobia ictericus* sp. n., an ectoparasite of two icterid bird species from Brazil (Acari, Prostigmata, Syringophilidae). - Genus 21,1: 143-148**
- SKORACKI, M. / HENDRICKS, S.A. / SPICER, G.S. (2010):* Four new species of *Aulonastus* Kethley, 1970 (Acari, Syringophilidae) from North American passerines. - Syst. Parasitol. 76,2: 131-144**
- SKORACKI, M. / HENDRICKS, S.A. / SPICER, G.S. (2010):* Systematics of the ectoparasitic quill mites of the genus *Aulobia* Kethley, 1970 (Acari, Syringophilidae) with the description of a new species. - Zootaxa 2399: 31-41**
- SKORACKI, M. / LONTKOWSKI, J. / STAWARCZYK, T. (2010):* New taxa of the parasitic quill mites associated with accipitrid birds indicating close relationship of falconid birds to Psittaci-Columbi clade. - J. Nat. Hist. 44,19-20: 1203-1214**
- SKORACKI, M. / MICHALIK, J. / SIKORA, B. (2010):* Prevalence and habitat preference of quill mites (Acari, Syringophilidae) parasitizing forest passerine birds in Poland. - Acta Parasitol. 55,2: 188-193
- STAVRINIDES, M.C. / VAN NIEUWENHUYSE, P. / VAN LEEUWEN, T. / MILLS, N.J. (2010):* Development of acaricide resistance in Pacific spider mite (*Tetranychus pacificus*) from California vineyards. - Exp. Appl. Acarol. 50,3: 243-254
- UECKERMAN, E.A. (2010): A new species of *Coptocheles* Summers and Schlinger, 1955 from Iran (Acari, Caligonellidae). - Internat. J. Acarol. 36,3: 243-248**
- UECKERMAN, E.A. / THERON, P.D. / TIEDT, L.R. (2010): Revision of the genus *Obuloides* Baker and Tuttle, 1975 (Acari, Tenuipalpidae), with the description of five new species. - Internat. J. Acarol. 36,2: 151-167**
- XIAO, Y. / FADAMIRO, H.Y. (2010):* Functional responses and prey-stage preferences of three species of predaceous mites (Acari, Phytoseiidae) on citrus red mite, *Panonychus citri* (Acari, Tetranychidae). - Biol. Contr. 53,3: 345-352
- ZABLUDOVSKAYA, S.A. / BADANIN, I.V. (2010): The slug mite *Riccardoella* (*Proriccardoella*) *oudemansi* (Prostigmata, Ereynetidae) from Ukraine. - Vestn. zool. 44,2: 19-22
- ZACHARDA, M. / FONG, D. / HOBBS III, H.H. / PIVA, E. / SLAY, M.E. / TAYLOR, S.J. (2010): A review of the genus *Traegaardhia* (Acari, Prostigmata, Rhagidiidae) with descriptions of new species and a key to species. - Zootaxa 2474: 1-64**
- ZENG, C.X. / WANG, J.-J. (2010):* Influence of exposure to imidacloprid on survivorship, reproduction and vitellin content of the carmine spider mite, *Tetranychus cinnabarinus*. - J. Insect Sci.: <http://www.insectscience.org/10.20>

Publications 2009

- ABE, H. / AOKI, J. / GOTOH, T. / OKABE, K. / SHIBA, M. / SHIMANO, S. / TAKAKU, G. (2009): Japanese names for the higher taxa of subclass Acari. [Orig. Jpn.] - J. Acarol. Soc. Jpn. 18,2: 99-104
- ABOU-AWAD, B.A. / EL-SAWAF, B.M. / ABDEL-KHALEK, A.A. (2009):* Four new species of Rhagidiid mites from Egypt (Acari, Eupodoidea, Rhagidiidae). - Acarologia 49,3-4: 139-155
- AKIMOV, I.A. / ZABLUDOVSKA, S.A. (2009):* Host-parasite coevolutionary relationships of mites of the genus *Riccardoella* (Prostigmata, Erynenidae) and terrestrial molluscs. - Vestn. zool. 43,6: 517-524
- ALAGARMALAI, J. / GRINBERG, M. / PERL-TREVES, R. / SOROKER, V. (2009):* Host selection by the herbivorous mite *Polyphagotarsonemus latus* (Acari, Tarsonemidae). - J. Insect Behav. 22,5: 375-387
- AUGER, P. / CHAABAN, S.B. / GRILLA, K.L. / KHOUALDIA, O. / FLECHTMANN, C.H.W. (2009): Five new species of Tetranychidae (Acarina, Prostigmata) from south Tunisian oasis areas. - Zootaxa 2232: 29-49
- BAGHERI, M. / KHANJANI, M. (2009): A new species of the genus *Eupalopsellus* Sellnick (Acari, Prostigmata, Eupalopsellidae) from Central Iran. - Internat. J. Acarol. 35,1: 53-57
- BOCHKOV, A.V. (2009): Mites of the family Myobiidae (Acari, Prostigmata) parasitizing rodents of the former USSR. - Acarina 17,2: 109-169
- BOCHKOV, A.V. / MELNIKOV, D.A. / NAZAROV, R.A. (2009): *Pterygosoma (Pterygosoma) pseudotrapelus* sp. nov. (Acariformes, Pterygosomatidae) - ectoparasite of *Pseudotrapelus sinaitus* (Squamata, Agamidae) from Jordan. - Zootaxa 2232: 61-68
- BRENNAN, A.M. / CENSKY, E.J. / POWELL, R. (2009):* Effects of chigger mite (Acari, Trombiculidae) infections on *Ameiva* (Squamata, Teiidae) from the Anguilla bank. - Contemporary Herpetology 2009,1: 1-3
- BROWN, W.A. (2009):* *Anasuscuta*, a new genus of chigger (Acari, Leeuwenhoekiidae, Apoloniinae) described to accommodate *Liuelia monosetosa* Brown. - Syst. Appl. Acarol. 14,3: 248-250
- BUENO, A.D. / BUENO, R.C.O.D. / NABITY, P.D. / HIGLEY, L.G. / FERNANDES, O.A. (2009):* Photosynthetic response of soybean to twospotted spider mite (Acari, Tetranychidae) injury. - Braz. Arch. Biol. Techn. 52,4: 825-834
- BUSSAMAN, P. / SOBANBOA, S. / GREWAL, P.S. / CHANDRAPATYA, A. (2009):* Pathogenicity of additional strains of *Photorhabdus* and *Xenorhabdus* (Enterobacteriaceae) to the mushroom mite *Luciaphorus perniciosus* (Acari, Pygmephoridae). - Appl. Entomol. Zool. 44,2: 293-299
- BUSTOS, A. / CANTOR, F. / CURE, J.R. / RODRIGUEZ, D. (2009):* Standardization of a rearing procedure of *Tetranychus urticae* Koch (Acari, Tetranychidae) on bean (*Phaseolus vulgaris*): plant age and harvest time. [Orig. Port.] - Neotrop. Entomol. 38,5: 653-659
- CABRERA, A.R. / DONOHUE, K.V. / KHALIL, S.M.S. / SONENSHINE, D.E. / ROE, R.M. (2009):* Characterization of vitellin protein in the twospotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae). - J. Insect Physiol. 55,7: 655-661
- CEBOLLA, R. / PEKAR, S. / HUBERT, J. (2009):* Prey range of the predatory mite *Cheyletus malaccensis* (Acari, Cheyletidae) and its efficacy in the control of seven stored-product pests. - Biol. Contr. 50,1: 1-6
- CHEN, X.-L. / XIE, R.-R. / LI, G.-Q. / HONG, X.-Y. (2009): Simultaneous detection of endosymbionts *Wolbachia* and *Cardinium* in spider mites (Acari, Tetranychidae) by Multiplex-PCR. - Internat. J. Acarol. 35,5: 397-403
- CHEN, Z.-Y. / RAN, C. / ZHANG, L. / DOU, W. / WANG, J.-J. (2009): Susceptibility and esterase activity in citrus red mite *Panonychus citri* (McGregor) (Acari, Tetranychidae) after selection with phoxim. - Internat. J. Acarol. 35,1: 33-40
- CHENG, L.-L. / NECHOLS, J.R. / MARGOLIES, D.C. / CAMPBELL, J.F. / YANG, P.S. / CHEN, C.-C. / LU, C.-T. (2009):* Foraging on and consumption of two species of papaya pest mites, *Tetranychus kanzawai* and *Panonychus citri* (Acari, Tetranychidae), by *Mallada basalis* (Neuroptera, Chrysopidae). - Environ. Entomol. 38,3: 715-722
- DA SILVA, M.Z. / DE OLIVEIRA, C.A.L. / SATO, M.E. (2009):* Selectivity of the pesticides to the predaceous mite *Agistemus brasiliensis* Matioli, Ueckermann and Oliviera (Acari, Stigmaeidae). - Rev. Bras. Frut. 31,2: 388-396
- DARBEMAMIEH, M. / KAMALI, K. / FATHIPOUR, Y. (2009):* Bionomics of *Cenopalpus irani*, *Bryobia rubrioculus* and their egg predator *Zetzellia mali* (Acari, Tenuipalpidae, Tetranychidae, Stigmaeidae) in natural conditions. - Munis Entomol. & Zool. 4,2: 378-391

- DE CASTRO, T.M.M.G. / DEN HEYER, J. (2009): A revision of the genus *Pulaeus* Den Heyer, with descriptions of a new genus and four new Brazilian species (Acari, Prostigmata, Cunaxidae). - Zootaxa 2141: 20-36**
- DEHGHAN, M.S. / ALLAHYARI, H. / SABOORI, A. / NOWZARI, J. / NAVEH, V.H. (2009): Fitness of *Tetranychus urticae* Koch (Acari, Tetranychidae) on different soybean cultivars: biology and fertility life-tables. - Internat. J. Acarol. 35,4: 341-347
- DEMITE, P.R. / FERES, R.J.F. / LOFEGO, A.C. / OLIVEIRA, A.R. (2009): Plant inhabiting mites (Acari) from the Cerrado biome of Mato Grosso State, Brazil. - Zootaxa 2061: 45-60
- FERES, R.J.F. / VIEIRA, M.R. / DAUD, R.D. / PEREIRA, E.G. / OLIVEIRA, G.F. / DOURADO, C.L. (2009):* Mites (Arachnida, Acari) on ornamental plants in northwestern São Paulo, Brazil: occurrence and injury caused by phytophagous species. - Rev. Bras. Entomol. 53,3: 466-474
- FILIMONOVA, S.A. (2009):* The ultrastructural investigation of the midgut in the quill mite *Syringophilopsis fringilla* (Acari, Trombidiformes, Syringophilidae). - Arthropod Structure & Devel. 38,4: 303-313
- GLOWSKA, E. / SKORACKI, M. (2009):* Anomalous chaetotaxy in the quill mites *Torotroglia merulae* Skoracki et al., 2000 (Acari, Prostigmata, Syringophilidae). - Acta Parasitol. Pol. 54,4: 364-367
- GOTOH, T. / ARAKI, R. / BOUBOU, A. / MIGEON, A. / FERRAGUT, F. / NAVAJAS, M. (2009): Evidence of co-specificity between *Tetranychus evansi* and *Tetranychus takafuji* (Acari, Prostigmata, Tetranychidae): comments on taxonomic and agricultural aspects. - Internat. J. Acarol. 35,6: 485-501
- GOULART, C. / CIA, E. / FUZATTO, M.G. / LUDERS, R.R. / LOURENCAO, A.L. (2009):* Evaluation of cotton genotypes injury caused by *Polyphagotarsonemus latus* Banks (Acari, Tarsonemidae). [Orig. Port.] - Arq. Inst. Biol. 76,1: 61-65
- HAITLINGER, R. (2009): Arthropods recorded from small mammals in Opole Silesia. [Orig. Poln.] - Przegl. Śląska Opols. 15: 24-34
- HAITLINGER, R. (2009): Arthropods (Acari, Anoplura, Siphonaptera) of small mammals of the Lubuskie province. - Zesz. Nauk. UP Wrocław., Biol. Hod. Zwierz. 49,575: 19-38
- HAITLINGER, R. (2009): Four new species of *Leptus* Latreille, 1796 (Acari, Prostigmata, Erythraeidae) from the Canary Islands. - Syst. Appl. Acarol. 14,2: 140-152**
- HAITLINGER, R. (2009): Three new species of mites (Acari, Prostigmata, Erythraeidae) from the Republic of Cape Verde. - Biologia 64,6: 1150-1156
- HAITLINGER, R. (2009): *Valgothrombium paroense* sp. n. (Acari, Prostigmata, Microtrombidiidae) from Bhutan. - Rev. Iber. Aracnol. 17: 53-56
- HAITLINGER, R. (2009): A new genus and two new species of mites (Acari, Microtrombidiidae, Trombidiidae), with new records of *Lomboktrombium kutanum* Haitlinger, 2005 from Indonesia. - Zesz. Nauk. UP Wrocław., Biol. Hod. Zwierz. 49,575: 11-17
- HAITLINGER, R. (2009): A new genus and two new species of mites (Acari, Prostigmata, Erythraeidae) from Macedonia and the Republic of Cape Verde. - Zesz. Nauk. UP Wrocław., Biol. Hod. Zwierz. 58,572: 39-48
- HAITLINGER, R. (2009): New records of mites (Acari, Prostigmata, Erythraeidae, Eutrombidiidae, Microtrombidiidae, Podothrombiidae, Trombidiidae) from Bulgaria, Macedonia and Romania. - Zesz. Nauk. UP Wrocław., Biol. Hod. Zwierz. 58,572: 49-60
- HAJINQANBAR, H. / KHAUSTOV, A. / KAMALI, K. / SABOORI, A. / KAMALI, H. (2009): New taxa of the family Trochometridiidae (Acari, Heterostigmata) associated with insects from Iran. - J. Nat. Hist. 43,43-44: 2701-2722
- HAMEDI, N. / FATHIPOUR, Y. / SABER, M. / GARJAN, A.S. (2009):* Sublethal effects of two common acaricides on the consumption of *Tetranychus urticae* (Prostigmata, Tetranychidae) by *Phytoseius plumifer* (Mesostigmata, Phytoseiidae). - Syst. Appl. Acarol. 14,3: 197-205
- HINOMOTO, N. / HIGAKI, T. / OSAKABE, M. / TAKAFUJI, A. (2009):* Development and evaluation of microsatellite markers in *Tetranychus truncatus* Ehara (Acari, Tetranychidae). - J. Acarol. Soc. Jpn. 18,2: 91-98
- HUSBAND, R.W. / HUSBAND, D.O. (2009): A review of the Pterostichi group of *Eutarsopolipus* and a description of a new species of *Eutarsopolipus* (Acari, Podapolipidae), parasite of *Platynus teter* (Coleoptera, Carabidae) in Chiapas, Mexico. - Ann. Entomol. Soc. Amer. 102,6: 1062-1067**
- ITO, K. / FUKUDA, T. (2009):* Molecular phylogeny of *Stigmeopsis* spider mites (Acari, Tetranychidae) based on the cytochrome oxidase subunit I (COI) region of mitochondrial DNA. - Appl. Entomol. Zool. 44,3: 343-355

- KALUZ, S. (2009): Two new palearctic mite species of the family Cunaxidae (Acari, Prostigmata). - *Zootaxa* 2198: 27-40
- KAMRAN, M. / AFZAL, M. / BASHIR, M.H. / RAZA, A.M. / KHAN, B.S. (2009):* A new species of the genus *Leptus* Latreille (Acari, Erythraeidae) parasitizing aphids in Pakistan. - *Pak. J. Zool.* 41,1: 17-20
- KAMRAN, M. / AFZAL, M. / RAZA, A.M. / IRFANULLAH, M. / BASHIR, M.H. / AHMAD, S. (2009):* Discovery of a new larval erythraeid mite (Acari, Erythraeidae, Erythraeinae) from Punjab, Pakistan. - *Pak. J. Zool.* 41,6: 357-361
- KAZMIERSKI, A. (2009): *Brachytydeus szeptyckii* sp n. (Acari, Actinedida, Tydeidae); a new tydein mite from Poland. - *Acta Zool. Cracov.* 52,1-2: 79-85
- KAZMIERSKI, A. (2009):* Three new Tydeinae species (Acari, Actinedida, Tydeidae) from Poland. - *Ann. Zool.* 59,1: 107-118
- KHAN, I. / KHALIL, S.K. / FAZAL-L-WAHID / KHATTAK, S.U.K. / SAEED, A. (2009):* Efficacy of miticides against two-spotted spider mite, *Tetranychus urticae*, infesting three almond varieties. - *Pak. J. Zool.* 41,6: 445-453
- KHARADOV, A.V. (2009):* Localization of species of the genus *Neotrombicula* (Acariformes, Trombiculidae) on vertebrates of Kyrgyzstan. - *Acarologia* 49,3-4: 163-174
- KHAUSTOV, A.A. (2009): A description of new genus, *Kerdabania* gen. n., with four new species (Acari, Heterostigmata, Neopygmephoridae). - *Acarina* 17,2: 171-188
- KHAUSTOV, A.A. (2009): New and little known species of mites of the genus *Caesarodispus* (Acari, Heterostigmata, Microdispidae) associated with ants (Hymenoptera, Formicidae) from Ukraine. - *Vestn. zool.* 43,5: 387-393
- KUCEROVA, Z. / HRONADKOVA, J. (2009):* Egg morphology of the predatory mite, *Cheyletus malaccensis* (Acarina, Cheyletidae). - *Entomol. Gener.* 32,1: 35-40
- KUROSA, K. (2009): The scutacarid mites of Japan. XIV. A new species of *Archidispus* phoretic on stenolophine carabid beetles. - *J. Acarol. Soc. Jpn.* 18,2: 85-90
- LI, D. / TIAN, J. / GUO, Y. / ZHANG, J. (2009):* Effect of peach cultivars on developmental time and life table parameters of *Amphitetranychus viennensis* (Acari, Tetranychidae). - *Syst. Appl. Acarol.* 14,3: 206-212
- LIN, C.Y. / WU, D.C. / YU, J.Z. / CHEN, B.H. / WANG, C.L. / KO, W.H. (2009):* Control of silverleaf whitefly, cotton aphid and kanzawa spider mite with oil and extracts from seeds of sugar apple. - *Neotrop. Entomol.* 38,4: 531-536
- LIN, J.-Z. / CHEN, J.-W. / ZHANG, Y.-X. (2009): A new species of *Steneotarsonemus* Beer from sugarcane in Guangdong, China (Acari, Tarsonemidae). - *Syst. Appl. Acarol.* 14,3: 225-235
- MA, Y. (2009):* A new sand-mite of the genus *Shunsennia* in Qinghai Province, China (Acari, Leeuwenhoekidae). - *Syst. Appl. Acarol.* 14,3: 243-247
- MAKOL, J. / LAYDANOWICZ, J. / KLOSINSKA, A. (2009): A redescription of *Neothrombium neglectum* (Bruyant, 1909) with revision of *Neothrombium* (Acari, Neothrombiidae) and notes on the biology of species. - *Internat. J. Acarol.* 35,4: 275-301
- MATOS, C.H.C. / PALLINI, A. / VENZON, M. / DE FREITAS, R.C.P. / REZENDE, D.D.M. / SCHOEREDER, J.H. (2009):* Do *Capsicum* spp. trichomes influence the biological aspects of the broad mite, *Polyphagotarsonemus latus* Banks (Acari, Tarsonemidae)? [Orig. Port.] - *Neotrop. Entomol.* 38,5: 589-594
- MATTOS, V.M. / FERES, R.J.F. (2009):* Morphological pattern and life cycle of *Eutetranychus banksi* (Acari, Tetranychidae) from different localities and hosts. - *Zoologia* 26,3: 427-442
- MAYORAL, J.G. / BARRANCO, P. (2009): Description of the larva *Balaustium bisculatae* sp. n. (Acari, Erythraeidae) from the southeast of Spain. - *Biología* 64,6: 1161-1164
- MECK, E.D. / WALGENBACH, J.F. / KENNEDY, G.G. (2009):* Effect of vegetation management on autumn dispersal of *Tetranychus urticae* (Acari, Tetranychidae) from tomato. - *J. Appl. Entomol.* 133,9-10: 742-748
- MENEZES, C. / COLETO-SILVA, A. / GAZETA, G.S. / KERR, W.E. (2009):* Infestation by *Pyemotes tritici* (Acari, Pyemotidae) causes death of stingless bee colonies (Hymenoptera: Meliponina). - *Gen. Molec. Res.* 8,2: 630-634
- MERTINS, J.W. / HANSON, B.A. / CORN, J.L. (2009): *Whartonacarus floridensis* sp. nov. (Acari, Trombiculidae), with a taxonomic review and the first record of *Whartonacarus* chiggers in the continental United States. - *J. Med. Entomol.* 46,6: 1260-1268

- NATTRESS, B. / SKORACKI, M. (2009):* A new species and further records of quill mites (Acari, Cheyletoidea, Syringophilidae) parasitic on birds (Aves) in England. - *Zootaxa* 2133: 49-54
- OHASHI, K. / EHARA, S. / KUNIMOTO, Y. / AMANO, H. / TAKAFUJI, A. (2009):* The occurrence of *Schizotetranychus baltazari* Rimando (Acari, Tetranychidae) in Japan. - *J. Acarol. Soc. Jpn.* 18,1: 29-31
- OHNO, S. / MIYAGI, A. / GANAHA-KIKUMURA, T. / GOTOU, T. / KITASHIMA, Y. / OOISHI, T. / ANDO, T. / KIJIMA, K. / FUTAGAMI, K. / UESATO, T. / YASUDA, K. (2009):* Species composition of spider mites (Acari, Tetranychidae) on vegetables in Okinawa, southwestern Japan. - *Appl. Entomol. Zool.* 44,4: 627-633
- OKU, K. / MAGALHAES, S. / DICKE, M. (2009):* The presence of webbing affects the oviposition rate of two-spotted spider mites, *Tetranychus urticae* (Acari, Tetranychidae). - *Exp. Appl. Acarol.* 49,3: 167-172
- OLIVIER, P.A.S. (2009): A replacement name for *Dendrodus* Olivier, 2008, and validation of *Dendrochaetidae* Olivier, 2008 nomen nudum (Acari, Prostigmata). - *Zootaxa* 2293: 68
- PEIXOTO, M.F. / BARBOSA, R.V. / OLIVEIRA, R.R.D. / FERNANDES, P.M. / DA COSTA, R.B. (2009):* Sampling and acaricide effectiveness on the control of twospotted spider mite *Tetranychus urticae* Koch (Acari, Tetranychidae) in irrigated cotton crop. - *Biosci. J.* 25,2: 24-32
- PHASOMKUSOLSIL, S. / TANSKUL, P. / RATANATHAM, S. / WATCHARAPICAHT, P. / PHULSUKSOMBATI, D. / FRANCES, S.P. / LERDTHUSNEE, K. / LINTHICUM, K.J. (2009):* Transstadial and transovarial transmission of *Orientia tsutsugamushi* in *Leptotrombidium imphalum* and *Leptotrombidium chiangraiensis* (Acari, Trombiculidae). - *J. Med. Entomol.* 46,6: 1442-1445
- PHILIPS, J.R. (2009): The mite (Acarina) fauna of trogic beetles (Coleoptera, Trogidae). - *Internat. J. Acarol.* 35,1: 1-17
- PRASAD, V. (2009): Holotype of *Bharatoliaphilus punjabensis* Prasad, 1975 (Prostigmata, Pterygosomatidae) after 35 years: some comments. - *Internat. J. Acarol.* 35,5: 377-383
- PRASAD, V. (2009): Survey for *Bharatoliaphilus punjabensis* Prasad, 1975 (Prostigmata, Pterygosomatidae). - *Internat. J. Acarol.* 35,1: 41-45
- RACHANA, R.R. / MANJUNATHA, M. / GAYATHRI DEVI, S. / NAIK, M.I. (2009):* Seasonal incidence of red spider mite *Tetranychus neocaledonicus* Andre and its natural enemies. - *Karnataka J. Agric. Sci.* 22,1: 213-214
- RAN, C. / CHEN, Y. / WANG, J.-J. (2009): Susceptibility and carboxylesterase activity of five field populations of *Panonychus citri* (McGregor) (Acari, Tetranychidae) to four acaricides. - *Internat. J. Acarol.* 35,2: 115-121
- RAZMJOU, J. / VORBURGER, C. / TAVAKKOLI, H. / FALLAHI, A. (2009):* Comparative population growth parameters of the two-spotted spider mite, *Tetranychus urticae* Koch (Acari, Tetranychidae), on different common bean cultivars. - *Syst. Appl. Acarol.* 14,2: 83-90
- RIVERO, E. / VASQUEZ, C. (2009):* Biology and life table of *Tetranychus desertorum* (Acari, Tetranychidae) on leaves of kidney bean (*Phaseolus vulgaris*). - *Zoologia* 26,1: 38-42
- RUSSELL, D.J. / ALBERTI, G. (2009): Actinedid mite community diversity in a succession gradient in continental sand-dune habitats of central Europe. In: Sabelis, M.W./ Bruun, J. (Eds.), Trends in Acarology. (Proc. of the 12th Intern. Congress of Acarology, Amsterdam 2006). - Springer-Science + Business Media B. V., Dordrecht: 135-142
- SABOORI, A. / GOLPAYEGANI, A.Z. / HAKIMITABAR, M. / KABIRI, H. / DEHGHAN, M.S. / TORK, M. (2009): First non-american species of *Empitrombium* Southcott (Acari, Microtrombidiidae) from Iran, with a key to world species. - *Internat. J. Acarol.* 35,3: 235-244
- SABOORI, A. / KHAUSTOV, A.A. / HAKIMITABAR, M. / HAJIQANBAR, H. (2009): A new genus and species of larval Erythraeinae (Acari, Prostigmata, Erythraeidae) from Ukraine and the taxonomic state of *Zhangiella*. - *Zootaxa* 2203: 22-30
- SABOORI, A. / SHOJAEI, M.S. / HAKIMITABAR, M. / SHAKARAMI, J. / GOLPAYEGANI, A.Z. (2009): First asian species of *Enemothrombium* Berlese (Acari, Microtrombidiidae) from Iran, with a key to world larval species. - *Internat. J. Acarol.* 35,4: 349-355
- SARWAR, M. / WU, K. / XU, X. (2009): Evaluation of biological aspects of the predacious mite, *Neoseiulus cucumeris* (Oudemans) (Acari, Phytoseiidae) due to prey changes using selected arthropods. - *Internat. J. Acarol.* 35,6: 503-509
- SEIEDY, M. / SABOORI, A. / HAKIMITABAR, M. (2009): A new species of *Pteridopus* (Acari, Prostigmata, Chyzeriidae) ectoparasitic on grasshoppers from Iran. - *Internat. J. Acarol.* 35,4: 335-339
- SEIEDY, M. / SABOORI, A. / KAMALI, K. / PAKDEL, A.K. (2009): Mites (Acari) found in flour mills in the Karaj region of Iran. - *Syst. Appl. Acarol.* 14,3: 191-196

- SERGEYENKO, A.L. (2009): New mite species of the genus *Cunaxa* (Acari, Prostigmata, Cunaxidae) from the Crimea, Ukraine. - Zootaxa 2161: 1-19**
- SHATROV, A.B. (2009): Stylostome formation in trombiculid mites (Acariformes, Trombiculidae). - Exp. Appl. Acarol. 49,4: 261-280
- SILVA, E.A. / REIS, P.R. / CARVALHO, T.M.B. / ALTOE, B.F. (2009): *Tetranychus urticae* (Acari, Tetranychidae) on *Gerbera jamesonii* Bolus and Hook (Asteraceae). - Braz. J. Biol. 69,4: 1121-1125
- TELLO, V. / VARGAS, R. / ARAYA, J. (2009):* Life history parameters of *Tetranychus cinnabarinus* (Acari, Tetranychidae) on leaves of carnation, *Dianthus caryophyllus*. - Rev. Col. Entomol. 35,1: 47-51
- TOROITICH, F.J. / UECKERMAN, E.A. / THERON, P.D. / KNAPP, M. (2009): The tetranychid mites (Acari, Tetranychidae) of Kenya and a redescription of the species *Peltanobia erasmusi* Meyer (Acari, Tetranychidae) based on males. - Zootaxa 2176: 33-47
- TSAGKARAKOU, A. / VAN LEEUWEN, T. / KHAJEHALI, J. / ILLIAS, A. / GRISPOU, M. / WILLIAMSON, M.S. / TIRRY, L. / VONTAS, J. (2009):* Identification of pyrethroid resistance associated mutations in the para sodium channel of the two-spotted spider mite *Tetranychus urticae* (Acari, Tetranychidae). - Insect Mol. Biol. 18,5: 583-593
- UNDERWOOD, R.M. / CURRIE, R.W. (2009):* Indoor winter fumigation with formic acid for control of *Acarapis woodi* (Acari, Tarsonemidae) and Nosema Disease, *Nosema* sp.. - J. Econ. Entomol. 102,5: 1729-1736
- WALZER, A. / MODER, K. / SCHAUSSBERGER, P. (2009):* Spatiotemporal within-plant distribution of the spider mite *Tetranychus urticae* and associated specialist and generalist predators. - Bull. Entomol. Res. 99,5: 457-466
- WOHLTMANN, A. / MAKOL, J. (2009): A redescription of *Allothrombium meridionale* Berlese, 1910 (Acari, Trombidiformes, Trombidioidea) with notes on biology and developmental malformations. - Ann. Zool. 59,3: 397-413
- YORULMAZ, S. / AY, R. (2009):* Multiple resistance, detoxifying enzyme activity, and inheritance of abamectin resistance in *Tetranychus urticae* Koch (Acarina, Tetranychidae). - Turk. J. Agric. For. 33,4: 393-402
- ZACHARDIA, M. (2009): A guide to the predatory soil mites of the family Rhagidiidae (Acari, Prostigmata) of the Ötztal Alps, North Tyrol, Austria. - Contr. Nat. Hist. 12,3: 1415-1424
- ZENG, X.-N. / ZHU, C.-Y. / GAO, Y. (2009): Solubility, stability, and synergistic acaricidal activity of rotenone in mandarin oil. - Internat. J. Acarol. 35,2: 169-173
- ZHANG, Z.-Q. (2009): A review of a new catalog and illustrated key to facilitate identification of and research on flat mites (Acariformes, Tenuipalpidae). - Syst. Appl. Acarol. 14,3: 251-253
- ZHANG, Z.-Q. / BENNETT, S.J. (2009): Filling the gap in distribution of the genus *Sonotetranychus* (Acari, Tetranychidae) with a description of a new species from New Zealand. - Syst. Appl. Acarol. 14,2: 161-170**

Publications, additons 2008

- AKBAR, S. / JAHAN, N. / MUGHAL, M.S. (2008): Two new species of the genus *Acaropsella* Volgin (Prostigmata, Cheyletidae) from Punjab Pakistan. - Acarologia 48,3-4: 187-190**
- BERON, P. (2008): High-altitude Isopoda, Arachnida and Myriapoda in the old world. In: Beron, P. / Popov, A. / Stoev, P. (Eds.), Bureschiana - Series of Monographs. - Pensoft Publishers, Sofia 1: 1-556
- BOCHKOV, A.V. (2008): New observations on phylogeny of cheyletoid mites (Acari, Prostigmata, Cheyletoidea). - Proc. Zool. Inst. Russ. Acad. Sci. 312,1/2: 54-73
- DIMETRY, N.Z. / AMER, S.A.A. / SABER, S.A. (2008): Laboratory evaluation of neem formulations with and without additive against the two spotted spider mite, *Tetranychus urticae* Koch. - Acarologia 48,3-4: 171-176
- EHARA, S. / GOTOH, T. (2008): A new species of *Eotetranychus* spider mite (Arachnida, Acari, Tetranychidae) from *Tilia* (Tiliaceae) in Hokkaido. - Species Diversity 13,2: 189-193
- KALUZ, S. (2008): Soil mites (Acari) of the forests in floodplain areas of the rivers Danube and Morava. - Peckiana 5: 89-103
- KHANJI, M. / UECKERMAN, E.A. (2008): New species of the genus *Favognathus* Luxton (Acari, Cryptognathidae) from Iran. - Acarologia 48,3-4: 177-186
- KONTSCHÁN, J. (2008): Lapidostommatid mites (Acari, Prostigmata, Labidostommatidae) from Maramures (Romania). - Studia Univ. Vasile Goldis, Seria St. Vietii 18,Suppl.: 359-364

MAYORAL, J.G. / BARRANCO, P. (2008): A new species of the genus *Erythraeus* Latreille, 1806 (Acari, Erythraeidae) from Gypsum Karst of Sorbas in the south of Spain. - Rev. Iber. Aracnol. 16: 113-117

SHATROV, A.B. / KUDRYASHOVA, N.I. (2008):* Taxonomic ranking of major trombiculid subtaxa with remarks on the evolution of host-parasite relationships (Acariformes, Parasitengona, Trombiculidae). - Ann. Zool. 58,2: 279-287

Publications, additions 2007

AHMADI, M. / FATHIPOUR, Y. / KAMALI, K. (2007):* Population growth parameters of *Tetranychus urticae* (Acari, Tetranychidae) on different bean varieties. - J. Entomol. Soc. Iran 26,2: 1-10

HAITLINGER, R. (2007): A new genus and nine larval species (Acari, Prostigmata, Erythraeidae, Eutrombiidae) from Benin, Ghana and Togo. - Rev. Iber. Aracnol. 14: 109-127

HAITLINGER, R. (2007): New records of larval mites (Acari, Prostigmata, Erythraeidae, Eutrombiidae, Trombidiidae) from Portugal and Spain. - Rev. Iber. Aracnol. 14: 105-108

SHATROV, A.B. (2007):* Ultrastructure of coxal glands in the adult microtrombidiid mite *Platytrumbidium fasciatum* (C.L. Koch, 1836) (Acariformes, Microtrombidiidae). - Acarologia 47,1-2: 63-78

WOHLMANN, A. / GABRYS, G. / MAKOL, J. (2007): Acari - Terrestrial Parasitengona inhabiting transient biotopes. In: Gerecke, R. (Eds.), Chelicerata: Araneae, Acari I. Süßwasseraufauna Mitteleuropas. - Spektrum Elsevier, München 7/2-1: 158-237

Publications, additions 2005

DE LA TORRE, P. (2005):* Nueva especie del género *Steneotarsonemus* (Acari, Heterostigmata, Tarsonemidae) en Cuba. - Rev. Iber. Aracnol. 12: 91-97

Nomina Nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material information as follows:

Kerdabania elongata Khaustov, 2009 (Page: 174¹) – TYPES: HT² - SIZK³, PT² - NBG³
¹ – first page of the description

² – holotypes (HT), paratypes (PT) or syntypes (ST)

³ – Abbreviations of the locations of storage of new species, as far as they were cited in the publications

Abbreviations of the location of storage of new types

AETMU - Acarological Collection, Department of Entomology, Tarbiat Modares University, Tehran, Iran
 AMU - Adam Mickiewicz University, Department of Animal Morphology, Poznan, Poland

ARC-PPRI - Agricultural Research Council - Plant Protection Research Institute, Pretoria, South Africa

ARLUAF - Acarology Research Laboratory, Department of Agri. Entomology, University of Agriculture, Faisalabad, Pakistan

BMNH - British Museum of Natural History, Department of Entomology, London, United Kingdom

CATU - College of Agriculture, Tehran University, Department of Plant Protection, Karaj, Iran

CBZM - Celal Bayar University, Zoological Museum, Manisa, Turkey

CJGM - Collection Jaime G. Mayoral, Miami, USA

CRH - Collection Ryszard Haitlinger, Wroclaw, Poland

DATE - Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznan, Poland

- ESALQ/USP - Escola Superior de Agricultura "Luiz de Queiroz", Universidade de São Paulo, Departamento de Entomologia, Fitopatologia e Zoologia Agrícola, Piracicaba, Brazil
- FAAS - Fujian Academy of Agricultural Sciences, Plant Protection Research Institute, Fuzhou, China
- FMNH - Field Museum of Natural History, Chicago, USA
- GCU - Government College University, Museum, Department of Zoology, Lahore, Pakistan
- IRSNB - L'Institut Royal des Sciences Naturelles, Bruxelles, Belgium
- KUM - Kyoto University Museum, Kyoto, Japan
- MNCN - Museo Nacional de Ciencias Naturales, Madrid, Spain
- MNHN - Muséum National d'Histoire Naturelle, Laboratoire de Zoologie (Arthropodes), Paris, France
- MNHP - Museum of Natural History, Podgorica, Montenegro
- MNHWU - Museum of Natural History, Wrocław University, Wrocław, Poland
- MSUC - Michigan State Utter, A.J. Cook, Entomology Department, East Lansing, Michigan, USA
- NBG - Nikita Botanical Gardens, Department of Agroecology, Yalta, Crimea, Ukraine
- NKME - NaturKundeMuseum Erfurt, Erfurt, Germany
- NMNH - National Museum of Natural History, Smithsonian Institution, Washington, USA
- NSMT - National Science Museum, Tokyo, Japan
- NZAC - New Zealand Arthropod Collection, Auckland, New Zealand
- OSAL - Ohio State Utter, Museum of Biological Diversity, Acarology Laboratory, Columbus, Ohio, USA
- SIZK - I.I. Schmalhausen Institute of Zoology, National Academy of Sciences of Ukraine, Kiev, Ukraine
- SNM - Slovak National Museum, Bratislava, Slovakia
- UASM - University of Alberta E.K. Strickland Entomological Museum, Edmonton, Alberta, Canada
- UBAS - University of Bu-Ali Sina, Collection of the Acarology Laboratory, Hamadan, Iran
- UMAL - University of Maragheh, Acarology Laboratory, Maragheh, Iran
- UMMZ - University of Michigan, Museum of Zoology, Ann Arbor, USA
- USNM - United States National Museum of Natural History, Washington, USA
- ZISP - Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia
- ZMAU - Zoological Museum of Atatürk Utter, Erzurum, Turkey
- ZMKU - Zoological Museum of National Academy of Science of Ukraine, Kiev, Ukraine
- ZMTU - Jalal Afshar Zoological Museum, Acarological Collection, Tehran Utter, Karaj, Iran
- ZMUH - Zoologisches Museum und Zoologisches Institut der Universität Hamburg, Hamburg, Germany

New species

- Abrolophus basumtwiensis* Haitlinger, 2007 (Page: 113) – TYPES: HT + PT - MNHWU
- Acaropsella shazai* Akbar, Jahan & Mughal, 2008 (Page: 188) – TYPES: HT + PT - GCU
- Acaropsella walii* Akbar, Jahan & Mughal, 2008 (Page: 189) – TYPES: HT + PT - GCU
- Allothrombium clavatum* Saboori, Pesic & Hakimitabar, 2010 (Page: 515) – TYPES: HT - ZMTU, PT - MNHP
- Aplonobia crispipilis* Auger & Flechtmann, 2009 (Page: 34) – TYPES: HT + PT - CBGP, PT - MNHN
- Armascirus cerris* Kaluz, 2009 (Page: 32) – TYPES: HT - SNM
- Armascirus cyaneus* Kaluz, 2009 (Page: 28) – TYPES: HT + PT - SNM
- Balaustium biscutalae* Mayoral & Barranco, 2009 (Page: 1161) – TYPES: HT + PT - MNCN
- Brachytydeus szeptyckii* Kazmierski, 2009 (Page: 80) – TYPES: HT - AMU, PT - ZMUH
- Brevipalpus etiennei* Flechtmann, 2010 (Page: 5) – TYPES: HT + PT - ESALQ/USP
- Bryobia alveolata* Auger & Flechtmann, 2009 (Page: 30) – TYPES: HT + PT - CBGP, PT - MNHN
- Caesarodispus pusillus* Khaustov, 2009 (Page: 391) – TYPES: HT + PT - NBG
- Charletonia beninensis* Haitlinger, 2007 (Page: 119) – TYPES: HT + PT - MNHWU
- Charletonia ghanensis* Haitlinger, 2007 (Page: 116) – TYPES: HT - MNHWU
- Charletonia grandpopensis* Haitlinger, 2007 (Page: 116) – TYPES: HT + PT - MNHWU
- Cheylostigmaeus ferdowsii* Khanjani, Raisi, Izadi & Ueckermann, 2010 (Page: 8) – TYPES: HT + PT - ARC-PPRI
- Coptocheles farsiensis* Ueckermann, Khademi & Saboori, 2010 (Page: 243) – TYPES: HT - ZMTU
- Cryptognathus ayyildizi* Akyol & Koc, 2010 (Page: 160) – TYPES: HT + PT - CBZM
- Cunaxa gordeeva* Sergeyenko, 2009 (Page: 2) – TYPES: HT + PT - NBG, PT - SIZK, ZMKU
- Cunaxa guantoleranta* Sergeyenko, 2009 (Page: 4) – TYPES: HT + PT - NBG, PT - SIZK, ZMKU

- Cunaxa maculata* Sergeyenko, 2009 (Page: 9) – TYPES: HT + PT - NBG
- Cunaxa papuliphora* Sergeyenko, 2009 (Page: 9) – TYPES: HT + PT - NBG, PT - SIZK, ZMKU
- Cunaxa violaphila* Sergeyenko, 2009 (Page: 13) – TYPES: HT + PT - NBG, PT - SIZK, ZMKU
- Cunaxa yaylensis* Sergeyenko, 2009 (Page: 14) – TYPES: HT - NBG
- Dorsipes balli* Husband & Husband, 2010 (Page: 48) – TYPES: HT + PT - UASM, PT - MSUC, OSAC, ZMUH, UMMZ, NMNH
- Empitrombium pesici* Saboori & Hakimitabar, 2009 (Page: 235) – TYPES: HT + PT - ZMTU, PT - NKME
- Enomothrombium wohltmanni* Saboori, Shojaei & Hakimitabar, 2009 (Page: 349) – TYPES: HT + PT - ZMTU, PT - NKME
- Eotetranychus tiliaecola* Ehara & Gotoh, 2008 (Page: 190) – TYPES: HT + PT - NSMT, PT - KUM
- Erythraeus (Erythraeus) capeverdensis* Haitlinger, 2009 (Page: 1154) – TYPES: HT - MNHWU, PT - CRH
- Erythraeus (Zaracarus) ruizporterae* Mayoral & Barranco, 2008 (Page: 114) – TYPES: HT - MNCN, PT - CJGM
- Erythraeus (Erythraeus) smolyanensis* Haitlinger, 2009 (Page: 52) – TYPES: HT + PT - MNHWU
- Eupalopeltus prasadi* Bagheri & Khanjani, 2009 (Page: 54) – TYPES: HT + PT - ARC-PPRI
- Eutarsopolipus steveni* Khaustov, 2010 (Page: 59) – TYPES: HT + PT - NBG
- Eutarsopolipus teteri* Husband & Husband, 2009 (Page: 1062) – TYPES: HT + PT - UMMZ
- Eutrombidium pelebinum* Haitlinger, 2007 (Page: 122) – TYPES: HT + PT - MNHWU
- Favognathus mirazii* Khanjani & Ueckermann, 2008 (Page: 179) – TYPES: HT - ARC-PPRI, PT - UBAS
- Forania sendrai* Mayoral & Barranco, 2010 (Page: 62) – TYPES: HT - MNCN
- Foveacheles thaleri* Zacharda, 2010 (Page: 58) – TYPES: HT + PT - OSAL
- Javatrombium surakartense* Haitlinger, 2009 (Page: 12) – TYPES: HT - MNHWU
- Kerdabania elongata* Khaustov, 2009 (Page: 174) – TYPES: HT - SIZK, PT - NBG
- Kerdabania magnifica* Khaustov, 2009 (Page: 172) – TYPES: HT - SIZK, PT - NBG
- Kerdabania minuta* Khaustov, 2009 (Page: 176) – TYPES: HT - SIZK, PT - NBG
- Kerdabania variabilis* Khaustov, 2009 (Page: 179) – TYPES: HT - SIZK, PT - NBG
- Leptus (Leptus) abrafoicus* Haitlinger, 2007 (Page: 113) – TYPES: HT - MNHWU
- Leptus (Leptus) canaricus* Haitlinger, 2009 (Page: 148) – TYPES: HT + PT - MNHWU
- Leptus (Leptus) edwini* Haitlinger, 2009 (Page: 145) – TYPES: HT + PT - MNHWU
- Leptus (Leptus) elminius* Haitlinger, 2007 (Page: 110) – TYPES: HT - MNHWU
- Leptus (Leptus) korneli* Haitlinger, 2009 (Page: 1152) – TYPES: HT - MNHWU, PT - CRH
- Leptus (Leptus) maxorata* Haitlinger, 2009 (Page: 141) – TYPES: HT + PT - MNHWU
- Leptus (Leptus) pelebinus* Haitlinger, 2007 (Page: 110) – TYPES: HT - MNHWU
- Leptus (Leptus) salicus* Haitlinger, 2009 (Page: 1150) – TYPES: HT - MNHWU
- Leptus (Leptus) tenerificus* Haitlinger, 2009 (Page: 147) – TYPES: HT + PT - MNHWU
- Linetotetranychus anatolicus* Dogan & Dönel, 2010 (Page: 28) – TYPES: HT + PT - ZMAU
- Lomeustium togoensis* Haitlinger, 2007 (Page: 121) – TYPES: HT + PT - MNHWU
- Lupaeus lectus* De Castro & Den Heyer, 2009 (Page: 29) – TYPES: HT + PT - ESALQ/USP
- Lupaeus lobidorsalis* De Castro & Den Heyer, 2009 (Page: 32) – TYPES: HT + PT - ESALQ/USP
- Makolia crimeaensis* Saboori, Khaustov & Hakimitabar, 2009 (Page: 24) – TYPES: HT + PT - ZMTU
- Nagoricanella arabellae* Haitlinger, 2009 (Page: 46) – TYPES: HT - MNHWU
- Nagoricanella egoni* Haitlinger, 2009 (Page: 41) – TYPES: HT - MNHWU
- Neognathus ueckermannii* Bagheri, Dogan & Haddad, 2010 (Page: 66) – TYPES: HT - UMAL, PT - ARC-PPRI
- Neotrochometridium sensillum* Hajiqanbar & Khaustov, 2009 (Page: 2710) – TYPES: HT - AETMU, PT - ZMUH, USNM, NBG, CATU
- Nidocheyletus kennedyae* Bochkov & OConnor, 2010 (Page: 65) – TYPES: HT + PT - UMMZ, PT - ZISP, FMNH, NMNH, IRSNB
- Obuloides flavae* Ueckermann, Theron & Tiedt, 2010 (Page: 165) – TYPES: HT + PT - ARC-PPRI, PT - BMNH, NMNH
- Obuloides inquilinus* Ueckermann, Theron & Tiedt, 2010 (Page: 162) – TYPES: HT + PT - ARC-PPRI, PT - BMNH, NMNH
- Obuloides namibiensis* Ueckermann, Theron & Tiedt, 2010 (Page: 153) – TYPES: HT + PT - ARC-PPRI, PT - BMNH, NMNH
- Obuloides occidentalis* Ueckermann, Theron & Tiedt, 2010 (Page: 157) – TYPES: HT + PT - ARC-PPRI, PT - BMNH, NMNH

- Obuloides ruginosus* Ueckermann, Theron & Tiedt, 2010 (Page: 157) – TYPES: HT + PT - ARC-PPRI, PT - BMNH, NMNH
- Pavania gymnopleuri* Hajiqanbar & Khaustov, 2010 (Page: 442) – TYPES: HT - AETMU, PT - ZMUH, NMNH, NBG, DATE, ZMTU
- Pavania sabzvarensis* Hajiqanbar & Khaustov, 2010 (Page: 444) – TYPES: HT - AETMU, PT - ZMUH, NMNH, NBG, DATE, ZMTU
- Pavania onthophagi* Hajiqanbar & Khaustov, 2010 (Page: 446) – TYPES: HT - AETMU, PT - ZMUH, NMNH, NBG, DATE, ZMTU
- Pavania kamalii* Hajiqanbar & Khaustov, 2010 (Page: 447) – TYPES: HT - AETMU, PT - ZMUH, NMNH, NBG, DATE, ZMTU
- Pavania elongata* Hajiqanbar & Khaustov, 2010 (Page: 449) – TYPES: HT - AETMU, PT - ZMUH, NMNH, NBG, DATE, ZMTU
- Pediculaster coproxdontalis* Camerik, 2010 (Page: 95) – TYPES: HT - IRSNB
- Pediculaster ectoptomeralis* Camerik, 2010 (Page: 92) – TYPES: HT - IRSNB
- Persianthrombium farajii* Sedghi, Saboori & Hakimitabar, 2010 (Page: 62) – TYPES: HT + PT - ZMTU
- Petrobia (Petrobia) carthagensis* Auger & Flechtmann, 2009 (Page: 36) – TYPES: HT + PT - CBGP, PT - MNHN
- Petrobia (Petrobia) pseudotetranychina* Auger & Flechtmann, 2009 (Page: 40) – TYPES: HT + PT - CBGP, PT - MNHN
- Premicrodispus (Premicrodispus) reductus* Khaustov & Chydyrov, 2010 (Page: 557) – TYPES: HT + PT - SIZK
- Premicrodispus (Premicrodispus) heterocaudatus* Khaustov & Chydyrov, 2010 (Page: 548) – TYPES: HT + PT - SIZK
- Premicrodispus (Premicrodispus) incisus* Khaustov & Chydyrov, 2010 (Page: 553) – TYPES: HT + PT - SIZK
- Premicrodispus (Premicrodispus) obtusisetosus* Khaustov & Chydyrov, 2010 (Page: 549) – TYPES: HT + PT - SIZK
- Premicrodispus (Premicrodispus) paradoxus* Khaustov & Chydyrov, 2010 (Page: 545) – TYPES: HT + PT - SIZK
- Pteridopus alivaensis* Seiedy, Saboori & Hakimitabar, 2009 (Page: 335) – TYPES: HT + PT - ZMTU
- Pterygosoma pseudotrapelus* Bochkov, Melnikov & Nazarov, 2009 (Page: 62) – TYPES: HT + PT - ZISP, PT - UMMZ, IRSNB
- Pulaeus myrtaceus* De Castro & Den Heyer, 2009 (Page: 23) – TYPES: HT + PT - ESALQ/USP
- Pyemotes primus* Khaustov & Perkowsky, 2010 (Page: 419) – TYPES: HT - SIZK
- Radfordia (Graphiurobia) selevinia* Bochkov, 2009 (Page: 143) – TYPES: HT + PT - ZISP
- Scutacaridae (Archidispus) acupalpi* Kurosa, 2009 (Page: 86) – TYPES: HT + PT - NSMT
- Sonotetranychus tawhairauriki* Zhang & Bennett, 2009 (Page: 162) – TYPES: HT + PT - NZAC
- Steneotarsonemus (Steneotarsonemus) saccharum* Lin, Chen & Zhang, 2009 (Page: 226) – TYPES: HT - FAAS, PT - NZAC
- Tetranychus (Tetranychus) atriplexi* Auger & Flechtmann, 2009 (Page: 45) – TYPES: HT + PT - CBGP, PT - MNHN
- Tetranychus palmidectes* Flechtmann, 2010 (Page: 8) – TYPES: HT + PT - ESALQ/USP
- Traegaardhia cavernarum* Zacharda, 2010 (Page: 26) – TYPES: HT + PT - OSAL
- Traegaardhia cavernicola* Zacharda, 2010 (Page: 13) – TYPES: HT + PT - OSAL
- Traegaardhia distosolenidia* Zacharda, 2010 (Page: 36) – TYPES: HT + PT - OSAL
- Traegaardhia gracilis* Zacharda, 2010 (Page: 31) – TYPES: HT + PT - OSAL
- Traegaardhia nasuta* Zacharda, 2010 (Page: 21) – TYPES: HT - OSAL
- Traegaardhia similis* Zacharda, 2010 (Page: 40) – TYPES: HT + PT - OSAL
- Traegaardhia subterranea* Zacharda, 2010 (Page: 52) – TYPES: HT + PT - OSAL
- Trochometridium iranicum* Hajiqanbar & Khaustov, 2009 (Page: 2711) – TYPES: HT - AETMU, PT - ZMUH, USNM, NBG, CATU
- Valgothrombium paroense* Haitlinger, 2009 (Page: 54) – TYPES: HT + PT - MNHWU
- Whartonacarus floridensis* Mertins, 2009 (Page: 1261) – TYPES: HT + PT - USNM

New genera

- Javatrombium* Haitlinger, 2009 (Page: 12)
Typ.sp.: *Javatrombium surakartense* Haitlinger, 2009
Lupaeus De Castro & Den Heyer, 2009 (Page: 28)
Typ. sp.: *Pulaeus martini* Den Heyer, 1981
Kerdabania Khaustov, 2009 (Page: 171)
Typ. sp.: *Kerdabania magnifica* Khaustov, 2009
Lomeustium Haitlinger, 2007 (Page: 120)
Typ. sp.: *Lomeustium togoensis* Haitlinger, 2007
Longisetacarus Mertins, Hanson & Corn, 2009 (Page: 1265)
Typ. sp.: *Trombicula palenquensis* Hoffmann, 1965
Makolia Saboori, Khaustov & Hakimitabar, 2009 (Page: 23)
Typ. sp.: *Makolia crimeaensis* Saboori, Khaustov & Hakimitabar, 2009
Nagoricanella Haitlinger, 2009 (Page: 40)
Typ. sp.: *Nagoricanella egoni* Haitlinger, 2009
Neotrochometridium Hajiqanbar & Khaustov, 2009 (Page: 2703)
Typ. sp.: *Neotrochometridium sensillum* Hajiqanbar & Khaustov, 2009
Persianthrombium Sedghi, Saboori & Hakimitabar, 2010 (Page: 62)
Typ. sp.: *Persianthrombium farajii* Sedghi, Saboori & Hakimitabar, 2010

New subgenera

- Premicrodispus* (*Premicrodispus*) Khaustov & Chydyrov, 2010 (Page: 556)
Typ. sp.: *Premicrodispus reductus* Khasutov & Chydyrov, 2010

New combinations

- Brachytydeus filiformis* (Momen & Lundquist, 1996) – [Kazmierski, 2009: 80]
Caesarodispus minutus (Sebastianov, 1981) – [Khaustov, 2009: 390]
Kerdabania kochi (Krczal, 1959) – [Khaustov, 2009: 181]
Kerdabania longiclavata (Savulkina, 1977) – [Khaustov, 2009: 185]
Lupaeus clarae (Den Heyer, 1981) – [De Castro & Den Heyer, 2009: 28]
Lupaeus martini (Den Heyer, 1981) – [De Castro & Den Heyer, 2009: 29]
Traegaardhia holsingeri (Zacharda, 1980) – [Zacharda, 2010: 45]
Traegaardhia paralleloseta (Zacharda, 1985) – [Zacharda, 2010: 50]

New synonyms

- Neothrombium danangensis* Haitlinger, 1998 – [Makol, Laydanowicz & Klosinska, 2009: 277]
= *Neothrombium neglectum* (Bruyant, 1909)
Neothrombium mojdehii Saboori & Ostovan, 2001 – [Makol, Laydanowicz & Klosinska, 2009: 277]
= *Neothrombium neglectum* (Bruyant, 1909)

New names

- Dendrochaetus* Olivier, 2009 – pro *Dendrodus* Olivier, 2008 [Page: 68]

Addresses

- ABAD-MOYANO, RAQUEL, Centro de Protección Vegetal y Biotecnología, Inst. Valenciano de Invest. Agr. (IVIA), Unidad de Entomología, Apart. Oficial, Carretera de Moncada, Náquera Km.4.5, 46113 Moncada, Valencia, Spain; **E-Mail:** aurbaneja@ivia.es
- ABE, HIROSHI, Biological Laboratory, College of Bioresource Sciences, Nihon University, 1866 Kameino, 252-8510 Fujisawa, Kanagawa, Japan; **E-Mail:** acari@brs.nihon-u.ac.jp
- ABOU-AWAD, DR. B.A., National Research Centre, Plant Protection Department., Dokki, Cairo 12511, Egypt
- AKBAR, SHAMSHAD, Department of Zoology, Government College University, Lahore 54000, Pakistan
- AKIMOV, DR. I.A., I. I. Schmalhausen Institute of Zoology, B. Chmielnicky Str. 15, 01601 Kiev-30, Ukraine; **E-Mail:** akimov@izan.kiev.ua
- AKYOL, DR. MUSTAFA, Celal Bayar University, Faculty of Sciences and Arts, Department of Biology, 45140 Muradiye, Turkey; **E-Mail:** makyol77@gmail.com
- AMANO, PROF. HIROSHI, Graduate School of Agriculture, Kyoto University, Kyoto 606-8502, Japan; **E-Mail:** amano@kais.kyoto-u.ac.jp
- AUGER, DR. PHILIPPE, Montpellier Supagro, CIRAD, IRD, INRA, UMR CBGP, Campus Int. Baillarguet, CS 30016, 34988 Montferrier Sur Lez, France; **E-Mail:** auger@supagro.inra.fr
- AY, RECEP, Suleyman Demirel Univ., Fac. Agr., Dept. Plant Protect., 32260 Isparta, Turkey; **E-Mail:** recepay@ziraat.sdu.edu.tr
- BADANIN, I.V., I.I. Schmalhausen Institute of Zoology, B. Khmelnitskogo 15, 01601 Kiev-30, Ukraine
- BAGHERI, DR. MOHAMMED, University of Maragheh, Faculty of Agriculture, Dept. Plant Protect., Maragheh, Iran; **E-Mail:** mbagheri20022002@yahoo.com
- BEARD, DR. JENNY J., Queensland Museum, PO Box 3300, South Brisbane, QLD, 4101, Australia; **E-Mail:** jenny.beard@qm.qld.gov.au
- BEHAN-PELLETIER, DR. VALERIE M., Systematic Acarology, Invertebrate Biodiversity, Agriculture and Agri-Food Canada, K.W. Neatby Bldg., 960 Carling Ave., Ottawa, Ontario K1A 0C6, Canada; **E-Mail:** Valerie.behan-pelletier@agr.gc.ca
- BERON, DR. PETAR, National Museum of Natural History, Tsar Osvoboditel Blvd. 1, 1000 Sofia, Bulgaria; **E-Mail:** beron@mail.bg
- BOCHKOV, DR. ANDRE V., Zoological Institute, Russian Academy of Sciences, Universitetskaya nab. 1, St. Petersburg 199034, Russia; **E-Mail:** prostigmata@zin.ru
- BRENNAN, APRIL M., Environmental Works Inc., Springfield, MO 65807, USA; **E-Mail:** april@environmentalworks.com
- BROWN, WAYNE A., College of Tropical Agriculture and Human Res., University of Hawaii, 2030 Maile Way, Rm. 310, Honolulu, Hawaii 96822, USA; **E-Mail:** waynebrown@hawaii.rr.com
- BUENO, ADENEY D., Centro Nacional de Pesquisa de Soja, Embrapa-Soja, CP 231, 86001-970 Londrina PR, Brazil; **E-Mail:** adeney@cnpsso.embrapa.br
- BUSTOS, A., Facultad de Ciencias, Univ. Militar Nuevo Granada, Bogotá, Colombia
- CAMERIK, DR. ANNE M., Dept. Plant & Environm. Science, School Animal, Univ. Witwatersrand, 1 Jan Smuts Avenue, Gauteng 2050, South Africa; **E-Mail:** Anne.Camerik@wits.ac.za
- CANTOR, FERNANDO, Univ. Militar Nueva Granada, Programa Biol. Aplicada, Fac. Ciencias, Carrera 11 101-80, Of 206D, Bogota, Colombia; **E-Mail:** fernando.cantor@unimilitar.edu.co
- CARUSO, TANCREDI, Department of Environmental Sciences "G. Sarfatti", University of Siena, via P.A. Mattioli n°4, 53100 Siena, Italy; **E-Mail:** tancredicaruso@unisi.it
- CATING, ROBERT A., Dept. of Entomology and Nematology, P.O. Box 110620, Building 970, University of Florida, Gainesville, FL 32611, USA
- CHANDRAPATYA, ANGSUMARN, Department of Entomology, Kasetsart University, Bangkok 10900, Thailand; **E-Mail:** agramc@ku.ac.th
- CHEN, XIAO-LIN, Department of Entomology, Nanjing Agricultural University, Nanjing, Jiangsu, China; **E-Mail:** chenxl1115@163.com
- CHENG, LING LAN, Department of Entomology, Kansas State University, Manhattan, KS 66506, USA; **E-Mail:** lcheng@tari.gov.tw
- CHOH, YASUYUKI, Center for Ecological Research, Kyoto University, 2-509-3, Hirano, Otsu 520-2113, Japan; **E-Mail:** choh@ecology.kyoto-u.ac.jp

- CURRIE, DR. ROB W., Department of Entomology, University of Manitoba, Winnipeg, Manitoba, R3T 2N2, Canada; **E-Mail:** rob.currie@umanitoba.ca
- DA SILVA, MARCOS Z., UNESP, FCAV, Dept. Fitossanidade, Via Acesso Prof. P.D. Castellane, S-N, 14874-900 Jaboticabal, Brazil; **E-Mail:** makdsil@ig.com.br
- DE ANDRADE, D.J., UNESP, FCAV, Dept Fitossanidade, Via Acesso Prof. P.D. Castellane, S-N, 14874-900 Jaboticabal, Brazil; **E-Mail:** danieldw@yahoo.com.br
- DE CASTRO, TATIANE M.M.G., Departamento de Fitossanidade, FCAV/UNESP, Campus de Jaboticabal, Sao Paulo 14884-900, Brazil; **E-Mail:** tatanemarie@yahoo.com.br
- DEHGHAN, MEHDI SAEI, Department of Plant Protection, College of Agriculture, Tehran University, P.O. Box 4111, Karaj 31587-11167, Iran; **E-Mail:** saei.mehdi@gmail.com
- DIMETRY, PROF. DR. NADIA Z., Dept. Pests & Plant Protection, National Research Centre, El-Tahrir Street, Dokki, Cairo 12311, Egypt
- DOGAN, SALIH, Department of Biology, Kazim Karabekir Education Faculty, Ataturk University, 25240 Erzurum, Turkey; **E-Mail:** sadogan@atauni.edu.tr
- ESCUDERO-COLOMAR, L.A., Inst. Agroforestal Mediterraneo, Dept. Ecosistemas Agroforestales, Univ. Politecn Valencia, Camino Vera 14, 46022 Valencia, Spain; **E-Mail:** adriana.escudero@irta.es
- FADAMIRO, HENRY Y., Dept. Entomol. and Nematology, Mid-florida REC, University of Florida, Apapka, FL 32703, USA; **E-Mail:** fadamhy@auburn.edu
- FATHIPOUR, YAGHOUB, Dept. of Entomology, Fac. of Agriculture, Tarbiat Modares University, P.O. Box, 14115-336 Tehran, Iran; **E-Mail:** fathi@modares.ac.ir
- FERES, PROF. REINALDO J.F., Departamento de Zoologia e Botanica, Universidade Estadual Paulista, rua Cristovao Colombo, 2265, Sao Paulo, 15054-000 Sao Jose do Rio Preto, Brazil; **E-Mail:** reinaldo@ibilce.unesp.br
- FILIMONOVA, MRS. SVETLANA A., Zoological Institute, Russian Academy of Sciences, Universitetskaya emb. 1, 199034 St. Petersburg, Russia; **E-Mail:** filimosa@mail.ru
- FLECHTMANN, DR. CARLOS H.W., CNPq-Brazil Researchers, Universidade de Sao Paulo / ESALQ, Caixa Postal 9, Sao Paulo, 13418-900 Piracicaba, Brazil; **E-Mail:** chwflech@carpa.ciagri.usp.br
- FRANCES, MAJOR STEPHEN P., Australian Army Malaria Institute, Gallipoli Barracks, Enoggera, Queensland, 4051, Australia; **E-Mail:** steve.frances@defence.gov.au
- GATARAYIHA, MUTIMURA C., School of Agricultural Sciences and Agribusiness, University of KwaZulu-Natal, Private Bag X01, Scottsville, Pietermaritzburg, 3200, South Africa; **E-Mail:** celemutimura@gmail.com
- GERECKE, DR. REINHARD, Biesinger Str. 11, 72070 Tübingen, Germany; **E-Mail:** reinhard.gerecke@uni-tuebingen.de
- GOTOH, DR. TETSUO, Lab. Appl. Entomol. and Zool., Faculty of Agriculture, Ibaraki University, Ami, Ibaraki, 300-0393, Japan; **E-Mail:** gotoh@mx.ibaraki.ac.jp
- GOURLART, CARLOS, Instituto Agronomico, Ctr. de Pesquisa e Desenvolvimento de Graos e Fibras, CP 28, CEP 13001-970, Campinas, SP, Brazil; **E-Mail:** goulart_carlos07@yahoo.com.br
- GUANILLO, A.D., Univ. Sao Paulo, ESALQ, Dept. Entomol. Fitop. & Zool. Agr., 13418900 Piracicaba, SP, Brazil; **E-Mail:** a_guanillo@yahoo.co.uk
- HAITLINGER, PROF. DR. RYSZARD, Wroclaw Univ. of Environ. and Life Sci., Dept. of Systematic and Ecol. of Invertebr., ul. Kozuchowska 5b, 51-631 Wroclaw, Poland; **E-Mail:** ryszard.haitlinger@up.wroc.pl
- HAIQANBAR, MR. HAMIDREZA, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, 14115-336 Tehran, Iran; **E-Mail:** hajiqanbar1360@yahoo.com
- HINOMOTO, NORIHIDE, Insect Interaction Research Unit, Division of Insect Sciences, National Inst. of Agrobiol. Sciences, Tsukuba, Ibaraki, 305-8634, Japan; **E-Mail:** hinomoto@affrc.go.jp
- HUBERT, DR. JAN, Crop Research Institute, Drnovská 507, 161 06 Praha 6, Czech Republic; **E-Mail:** hubert@vurv.cz
- HUSBAND, PROF. DR. ROBERT W., Biology Department, Adrian College, 1035 Scottdale Drive, Adrian, MI 49221, USA; **E-Mail:** husbandadrian@aol.com
- ITO, KATSURA, Kochi Univ., Appl. Entomol. Lab., Fac. Agr., JST Innovat Satellite Kochi, Nankoku, Kochi 7838502, Japan; **E-Mail:** jm-itouka@kochi-u.ac.jp
- KALUZ, RNDR. STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 845 06 Bratislava, Slovakia; **E-Mail:** stanislav.kaluz@savba.sk
- KAMALI, KARIM, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, P.O. Box 14115-336, Tehran, Iran; **E-Mail:** kamali_k@modares.ac.ir

- KAMRAN, MUHAMMAD, University of Sargodha, University College of Agriculture, Sargodha, Pakistan; **E-Mail:** kamran1513@gmail.com
- KAZMIERSKI, DR. ANDRZEJ, Inst. Environm. Biol., A. Mickiewicz University, Umultowska 89, 61 614 Poznan, Poland; **E-Mail:** amirski@amu.edu.pl
- KHAN, IMTIAZ ALI, Fac. Crop Protect, Dept. Entomol., Agr. Univ. Peshawar, NWFP, Pakistan; **E-Mail:** imtiazkhan100@hotmail.com
- KHAN, DR. INAMULLAH, NW Frontier Prov. Agr. Univ., Dept. Plant Protect., Peshawar, Pakistan; **E-Mail:** dr.inamullah@gmail.com
- KHANJANI, DR. MOHAMMAD, Department of Plant Protection, College of Agriculture, Bu-Ali Sina University, Hamedan, 65174, Iran; **E-Mail:** khanjani@basu.ac.ir
- KHAUSTOV, ALEXANDR. A., Nikita Botanical Gardens, National Scientific Center, Yalta, Crimea 98648, Ukraine; **E-Mail:** alkhaustov@mail.ru
- KONTSCHÁN, DR. JENÖ, MTA-ELTE, Zootaxonómiai Kutatócsoport, Magyar Termésszettudományi Múzeum Állattára, Baross u. 13, 1088 Budapest, Hungary; **E-Mail:** kontscha@zool.nhmus.hu
- KUCEROVA, ZUZANA, Crop Research Institute, Dept. Stored Prod. Pest Control, Drnovska 507, 16106 Prague 6, Czech Republic; **E-Mail:** kucerova@hb.vurv.cz
- KUMRAL, NABI A., Uludag Univ., Fac. Agr., Dept. Plant Protect., Gorukle Campus, 16059 Bursa, Turkey; **E-Mail:** akumral@uludag.edu.tr
- KUROSA, KAZUYOSHI, Nishi-Ikebukuro 5-21-15, Tokyo, 171-0021, Japan; **E-Mail:** CQW35713@nifty.com
- LIN, CHIEN-YIH, Asia Univ., Coll. Hlth. Sci., Taichung, Taiwan; **E-Mail:** yihih@asia.edu.tw
- LIN, DR. JIANZHEN, Institute of Plant Protection, Fujian Academy of Agricultural Sciences, Fuzhou, Fujian 350 013, China; **E-Mail:** jianzhenlin@126.com
- MA, YING, Institute for Endemic Disease Prevention & Contr., Qinghai Province, Xining 811602, China
- MAKOL, DR. JOANNA, Department of Zoology and Ecology, University of Environ. and Life Sciences, Kozuchowska 5b, 51-631 Wroclaw, Poland; **E-Mail:** joanna.makol@up.wroc.pl
- MANSOOR-UL-HASSAN, PROF., Department of Agric. Entomology, University of Agriculture, Faisalabad, Pakistan; **E-Mail:** mansoorsahi2000@yahoo.com
- MARCIĆ, DEJAN, Laboratory of Applied Entomology, Inst. of Pesticide and Environ. Research Centre, Banatska 31B, P.O. Box 163, 11080 Belgrade-Zemun, Serbia; **E-Mail:** marcion@bitsyu.net
- MATTOS, VIVIANE M., Univ. Cuiaba, Campus Primavera Leste, Ave Gutierrez 241, 78850000 Primavera Do Leste MG, Brazil; **E-Mail:** vivianemattos@yahoo.com.br
- MAYORAL, DR. JAIME G., Florida Internat. Univ., Dept. Biol. Sci. OE-167, 11200 S.W. 8th St., Miami, FL 33199, USA; **E-Mail:** mayoralj@fiu.edu
- MECK, E.D., North Carolina State Univ., Dept. Entomol., Res. Annex W., Campus Box 7630, Raleigh, NC 27695, USA; **E-Mail:** edmeck@ncsu.edu
- MENEZES, C., Univ. Sao Paulo, Fac. Filosofia Ciencias & Letras Ribeirao Preto, Dept. Biol., 14049 Ribeirao Preto, Brazil; **E-Mail:** menezes.cristiano@gmail.com
- MERTINS, JAMES W., National Veterinary Services Laboratories, USDA, Anim. & Plant Hlth. Inspect Serv., 1800 Dayton Ave, Ames, IA, 50010, USA; **E-Mail:** James.W.Mertins@aphis.usda.gov
- NAMAGHI, HUSSEIN S., Department of Plant Protection, College of Agriculture, Ferdowsi University of Mashhad, Mashhad, Iran; **E-Mail:** Sadeghin@ferdowski.um.ac.ir
- NATTRESS, BARRY, 25 W. Lea Dr., Wakefield, WF3 1DH, West Yorkshire, United Kingdom; **E-Mail:** barrynattress@googlemail.com
- NAVIA, DENISE, Embrapa Recursos Genéticos e Biotecnologia, Cx. Postal 02372, 70.770-900 Brasilia, DF, Brazil; **E-Mail:** navia@cenagen.embrapa.br
- OHASHI, KAZUNORI, Graduate School of Agriculture, Kyoto University, Kyoto 606-8502, Japan; **E-Mail:** oohasikznr@yahoo.co.jp
- OKU, KEIKO, Laboratory of Evolutionary Ecology, Graduate School of Environ. Science, Okayama University, Okayama, 700-8530, Japan; **E-Mail:** okeiko@affrc.go.jp
- OLIVIER, PROF. PIETER A.S., Univ. Limpopo (Turfloop Campus), School of Molecular and Life Science, Private Bag X1106, Sovenga 0727, South Africa; **E-Mail:** olivierp@ul.ac.za
- PERUMALSAMY, KANDASAMY, UPASI Tea Res. Foundation, Tea Res. Institute, Nirar Dam BPO, Valparai, Coimbatore District, Tamil Nadu, 642127, India; **E-Mail:** insectakperumalsamy@gmail.com
- PHILIPS, JAMES R., Math and Science Dept., Babson College, Babson Park, MA, USA; **E-Mail:** philips@babson.edu

- PINA, TATIANA, Unitat Associada d'Entomol Agric. UJI-IVIA, Univ. Jaume I (UJI), Dept. de Ciencias Agr. i del Medi Natural, Campus del Riu Sec, 12071 Castelló de la Plana, Spain; **E-Mail:** pina@camn.uji.es
- PRASAD, DR. VIKRAM M.D., 7247 Village Square Drive, West Bloomfield, MI 48322, USA; **E-Mail:** v.prasad@ix.netcom.com
- RACHANA, R.R., Department of Agricultural Entomology, College of Agriculture, Shimoga - 577 201, Karnataka, India
- RAN, CHUN, Key Labor. of Entomol. and Pest Control, Engineering, College of Plant Protection, Southwest University, Chongqing, China; **E-Mail:** ranchun7930@yahoo.com.cn
- RAZMJOU, JABRAEIL, Faculty of Agriculture, University of Mohaghegh Ardabili, Ardabili, Iran; **E-Mail:** razmjou@uma.ac.ir
- REIS, DR. PAULO R., EPAMIG-CTSM, Caixa Postal 176, 37200-000 Lavras, MG, Brazil; **E-Mail:** paulo.rebelles@epamig.uflla.br
- RHULE, EMMA L., Department of Genetics, Downing Street, Cambridge CB2 3EH, United Kingdom; **E-Mail:** e.rhule@gen.cam.ac.uk
- RIVERO, E., Oficina Arroz ALBA, Empresa Mixta Socialista Arroz, Edificio INTI, , Barquisimeto Estado Lara, Venezuela
- ROE, R. MICHAEL, N. Carolina State Univ., Dept. Entomol., Campus Box 7613, Raleigh, NC 27695, USA; **E-Mail:** michael_roe@ncsu.edu
- RUSSELL, DAVID J., Senckenberg Museum für Naturkunde Görlitz, PF 300 154, 02806 Görlitz, Germany; **E-Mail:** david.russell@senckenberg.de
- SABER, S.A., Plant Protection Department, National Research Centre, Dokki, Cairo, Egypt
- SABOORI, PROF. ALIREZA, Zoological Museum, Dept. Plant Protection, College of Agriculture, University Tehran, P.O. Box 4111, Karaj 31587-11167, Iran; **E-Mail:** saboori@ut.ac.ir
- SAGLAM, H. DİDEM, Ankara University, Faculty of Agriculture, Dept. Plant Protect., 06110 Ankara, Turkey; **E-Mail:** saglamhds@gmail.com
- SARWAR, MUHAMMAD, Inst. of Plant Protection, Chinese Academy of Agric. Sci., Beijing 100094, China; **E-Mail:** drmsarwar64@yahoo.com
- SATO, MÁRIO EIDI, Laboratory of Economic Entomology, Biological Institute, APTA, Caixa Postal 70, Campinas, SP, CEP 13001-970, Brazil; **E-Mail:** mesato@biologico.sp.gov.br
- SERGEYENKO, ALEXEY L., Nikita Botanical Gardens, National Scientific Center, Yalta, Crimea, UA, 98648, Ukraine; **E-Mail:** al_sergeyenko@mail.ru
- SHATROV, DR. ANDREY B., Zoological Institute, Russian Academy of Sciences, Department of Electron Microscopy, 199034 St. Petersburg B-34, Russia; **E-Mail:** chigger@mail.ru
- SHIMODA, TAKESHI, Insect Biocontrol Laboratory, Department of Entomology and Nematology, National Agric. Res. Ctr., Kannon Dai 3-1-1, Tsukuba, Ibaraki, 305-8666, Japan; **E-Mail:** oligota@affrc.go.jp
- SILVA, E.A., Univ. Estadual Maranhao, Dept. Fitossanidade, Ctr. Ciencias Agr., CP 09, 65055310 Sao Luis, MA, Brazil; **E-Mail:** paulo.rebelles@epamig.uflla.br
- SKORACKI, DR. MACIEJ, Department of Animal Morphology, A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail:** skoracki@amu.edu.pl
- SOROKER, VICTORIA, Dept. of Entomology, Institute of Plant Protection, Agric. Res. Organization, Volcani Center, POB 6, Bet Dagan, 50250, Israel; **E-Mail:** sorokerv@volcani.agri.gov.il
- STAVRINIDES, MENELAOS. C., Department of Environmental Science, Policy and Management, University of California, Mulford Hall, Berkeley, CA 94720-3114, USA; **E-Mail:** mstav@berkeley.edu
- TELLO, VICTOR, Univ. Arturo Prat., Dept. Agr. Desierto, Ave Arturo Prat 2120, Casilla 121, Iquique, Chile; **E-Mail:** vtello@unap.cl
- TIAN, DR. JIE, Yunnan Institute of Epidemic Disease, Dali, Yunnan 611000, China
- TOROITICH, FAITH J., School of Environmental Science and Development, North-West University, Potchefstroom, 2520, South Africa; **E-Mail:** ftoroitich@icipe.org
- TSAGKARAKOU, A., National Agric. Res. Foundation, Labor. Entomol. and Agric. Zool., Plant Protection Institute, Heraklion, Greece; **E-Mail:** tsagkarakou@nagref.gr
- UECKERMAN, PROF. DR. EDWARD A., ARC-Plant Protection Research Institut, Private Bag X134, Queenswood, Pretoria 0121, South Africa; **E-Mail:** UeckermannE@arc.agric.za
- UNDERWOOD, ROBYN M., Pennsylvania State Univ., Dept. Entomol., 501 ASI Bldg., University Park, PA 16802, USA; **E-Mail:** underwoodrm@yahoo.com
- VASQUEZ, CARLOS, Univ. Centroccidental Lisandro Alvarado, Dept. Ciencias Biol., Edif Rectorado, Carrera 19, Barquisimeto 9, Estado Lara, Venezuela; **E-Mail:** carlosvaosquez@ucla.edu.ve

- WALZER, MAG. ANDREAS, Univ. f. Bodenkultur, Institut für Pflanzenschutz, Department für Angew. Pflanzenwiss. u. Pflanzenbiotechnologie (DAPP), Peter Jordan Str. 82, 1190 Wien, Austria; **E-Mail:** andreas.walzer@boku.ac.at
- WOHLTMANN, DR. ANDREAS, Finndorffstrasse 11, 27721 Ritterhude, Germany; **E-Mail:** wohltman@uni-bremen.de
- ZACHARDA, DR. MILOSLAV, Institute of Systems Biology and Ecology, Acad. Sci. Czech Rep., Na Sádkách 7, 370 05 České Budějovice, Czech Republic; **E-Mail:** zacharda@usbe.cas.cz
- ZENG, XIN-NIAN, Key Labor. of Natural Pesticide and Chemical Biol. of the Ministry of Educ. of China, South China Agric. Univ., Guangzhou 510642, China; **E-Mail:** zengxn@scau.edu.cn
- ZHANG, DR. ZHI-QIANG, Landcare Research, Private Bag 92-170, Auckland, New Zealand; **E-Mail:** ZhangZ@landcareresearch.co.nz

Address of the authors:

Dr David Russell
Kerstin Franke
Senckenberg Museum für Naturkunde Görlitz
Postfach 300 154
02806 Görlitz, Germany

Tel.: 0049-3581-4760 5502
Fax.: 0049-3581-4760 5101
E-Mail: David.Russell@senckenberg.de
Kerstin.Franke@senckenberg.de
Homepage: <http://www.naturkundemuseum-goerlitz.de/acarologie/>

published: 30.09.2010

Subscription form

I wish to subscribe to **ACARI** – Bibliographia Acarologica
3 issues per volume and year

Institution and library 20 €incl. postage and handling

personal 10 €incl. postage and handling

I cannot cover the costs in convertible currency. I request in publication exchange for my articles about mites one issue per year. (Please indicate the issue chosen by ticking square below.)

Mesostigmata

Oribatida

Actinedida

Please write your **address** exactly and legibly!

name _____

address _____

Date

Signature

Please return this form to:

Dr A. Christian
Senckenberg Museum für Naturkunde Görlitz
PF 300 154
02806 Görlitz
Germany

Fax.: 0049-3581-4760 5101
E-Mail: axel.christian@senckenberg.de

SOIL ORGANISMS


Volume 82 (2) August 2010

Contains contributions of the

7th Colloquium on Mites

held from 16 – 20 September 2009

at the Collegium Biologicum of the Adam Mickiewicz University in Poznań, Poland



- Alberti, G.: **On predation in Epicriidae (Gamasida, Anactinotrichida) and fine-structural details of their forelegs**
- Bergmann, P., M. Laumann & M. Heethoff: **Ultrastructural aspects of vitellogenesis in *Archeogozetes longisetosus* Aoki, 1965** (Acari, Oribatida, Trhypochthoniidae)
- Christian, A.: **Tick infestation (*Ixodes*) on feral mink (*Neovison vison*) in central Germany**
- Laumann, M., R. A. Norton & M. Heethoff: **Acarine embryology: Inconsistencies, artificial results and misinterpretations**
- Russell, D. J., K. Hohberg & M. Elmer: **Primary colonisation of newly formed soils by actinedid mites**
- Schmelzle, S., L. Helfen, R. A. Norton & M. Heethoff: **The ptychoid defensive mechanism in *Phthiracarus longulus* (Acari, Oribatida, Phthiracaroidea): Exoskeletal and muscular elements**

SOIL ORGANISMS

Published by Senckenberg Museum für Naturkunde Görlitz
may be ordered through:

Senckenberg Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, 02806 Görlitz; Ilse.Grosche@senckenberg.de

Contents

Russell, D. & K. Franke: Actinedida No. 9 1-19

Acarological literature

- Publications 2010	2
- Publications 2009	5
- Publications, additions 2008	9
- Publications, additions 2007	10
- Publications, additions 2005	10

Nomina nova

- New species	11
- New genera	14
- New subgenera	14
- New combinations	14
- New synonyms	14
- New names	14
Addresses	15