


ISSN 1618-8977

ACARI

Bibliographia Acarologica



Mesostigmata

Band 7 (1)

2007

Staatliches Museum für Naturkunde Görlitz

ACARI

Bibliographia Acarologica

Herausgeber: Dr. Axel Christian
im Auftrag des Staatlichen Museums für Naturkunde Görlitz

Anfragen erbeten an:

ACARI
Dr. Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, 02806 Görlitz

„ACARI“

ist zu beziehen über:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, 02806 Görlitz

Eigenverlag Staatliches Museum für Naturkunde Görlitz
Alle Rechte vorbehalten
Titelgrafik: E. Mättig
Druck: MAXROI Graphics GmbH, Görlitz

*Editor-in-chief: Dr Axel Christian
authorised by the Staatliches Museum für Naturkunde Görlitz*

*Enquiries should be directed to:
ACARI
Dr Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, 02806 Görlitz, Germany*

*‘ACARI’
may be ordered through:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, 02806 Görlitz, Germany*

*Published by the Staatliches Museum für Naturkunde Görlitz
All rights reserved
Cover design by: E. Mättig
Printed by MAXROI Graphics GmbH, Görlitz, Germany*

Mesostigmata Nr. 18

Axel Christian und Kerstin Franke
Staatliches Museum für Naturkunde Görlitz

Jährlich werden in der Bibliographie die neuesten Publikationen über mesostigmatische Milben veröffentlicht, soweit sie uns bekannt sind. Das aktuelle Heft enthält 316 Titel von Wissenschaftlern aus 42 Ländern. In den Arbeiten werden 92 neue Arten und Gattungen beschrieben. Sehr viele Artikel beschäftigen sich mit ökologischen Problemen (30%), mit der Taxonomie (20%), mit der Faunistik (10%) und der Bienen-Milbe Varroa (10%).

Bitte helfen Sie bei der weiteren Vervollständigung der Literaturdatenbank durch unaufgeforderte Zusendung von Sonderdrucken bzw. Kopien. Wenn dies nicht möglich ist, bitten wir um Mitteilung der vollständigen Literaturzitate zur Aufnahme in die Datei. Stellen Sie fest, dass in der Bibliographie Titel Ihrer Publikationen oder anderer Autoren fehlen, wären wir Ihnen für eine Information dankbar.

Die Datenbank über mesostigmatische Milben enthält gegenwärtig 13 034 Datensätze zur Literatur und 14 100 Datensätze zu den Taxa. Recherchen zur Literatur und zu den Taxa werden auf Wunsch nach Stichwörtern durchgeführt und die Abfrageergebnisse zugeschickt. **Die Literatur der Jahre 1995 bis 2004 ist in unserer Internetdatenbank frei recherchierbar. Die Bände 1 bis 5 der ACARI können als pdf kostenfrei heruntergeladen werden.**
<http://www.naturkundemuseum-goerlitz.de/acarologie/>

Wir bemühen uns, die Referenzsammlungen der Milbengruppen zu erweitern und sind interessiert an der Übernahme von determiniertem Milbenmaterial. Selbstverständlich können in den acarologischen Sammlungen des Staatlichen Museums für Naturkunde Görlitz auch weiterhin Typen und Paratypen hinterlegt werden. Durch die ständige wissenschaftliche und präparatorische Betreuung der umfangreichen Sammlungen durch derzeit 3 Wissenschaftler und technische Mitarbeiter ist ein hoher Bearbeitungsstand und eine gute Zugänglichkeit gewährleistet. **Die Typen sind mit ihren Originalbeschreibungen im Internet zugänglich. (<http://www.naturkundemuseum-goerlitz.de/acarologie/>)**

In the bibliography, the latest works on mesostigmatic mites - as far as they have come to our knowledge - are published yearly. The present volume includes 316 titles by researchers from 42 countries. In these publications, 92 new species and genera are described. The majority of articles concern ecological problems (30%), taxonomy (20%), faunistics (10%) and the bee-mite Varroa (10%).

Please help us keep the literature database as complete as possible by sending us reprints or copies of all your papers on mesostigmatic mites, or, if this is not possible, complete references so that we can include them in the list. Please inform us if we have failed to list all your publications in the Bibliographia.

The database on mesostigmatic mites already contains 13 034 papers and 14 100 taxa. Every scientist who sends keywords for literature researches can receive a list of literature or taxa. The literature from 1995 to 2004 is searchable on the Internet. The issues 1 to 5 of ACARI can be downloaded free of charge. <http://www.naturkundemuseum-goerlitz.de/acarologie/>

We are endeavouring to expand the reference collections on mites and are interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the State Museum of Natural History Görlitz is also possible. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. **Types and the original descriptions are presented on the Internet.** <http://www.naturkundemuseum-goerlitz.de/acarologie/>

Acarologische Literatur / Acarological literature

Literaturzitate in fett gedruckter Schrift enthalten Beschreibungen neuer Arten. Mit „*“ markierte Titel liegen nur als Zitat oder Kurzfassung vor. Die Adressen der Autoren sind im Teil Adressen zusammengestellt.

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "" were only found as a citation or abstract. The addresses of the corresponding authors are given in the section Addresses.*

Publikationen 2007 / Publications 2007

- AMRINE, J.W. / NOEL, R.C. / WEBB, D. (2007): Results of 50% formic acid fumigation of honey bee hives [*Apis mellifera ligustica* (Hymenoptera: Apidae)] to control *Varroa* mites (Acari, Varroidae) in brood combs in Florida, USA. - Internat. J. Acarol. 33,2: 99-109
- CHANT, D.A. / McMURTRY, J.A. (2007): Illustrated keys and diagnoses for the genera and subgenera of the Phytoseiidae of the world (Acari, Mesostigmata). - Indira Publishing House: 1-219
- DE ROJAS, M. / UBEDA, J.M. / CUTILLAS, C. / MORA, M.D. / ARIZA, C. / GUEVARA, D. (2007): Utility of ITS1-5.8S-ITS2 and 16S mitochondrial DNA sequences for species identification and phylogenetic inference within the *Rhinonyssus coniventris* species complex (Acari, Rhinonyssidae). - Parasitol. Res. 100: 1041-1046
- EHARA, S. / KISHIMOTO, H. (2007): Description of a new species of *Phytoscutus* (Acari, Phytoseiidae) from Kyushu, Japan. - Internat. J. Acarol. 33,2: 111-113
- GWIAZDOWICZ, D.J. (2007): Ascid mites (Acari, Mesostigmata) from selected forest ecosystems and microhabitats in Poland. - Wydawnictwo Akademii Rolniczej, A. Cieszkowskiego w Poznaniu: 1-248
- HECKMANN, L.-H. / RUF, A. / NIENSTEDT, K.M. / KROGH, P.H. (2007): Reproductive performance of the generalist predator *Hypoaspis aculeifer* (Acari, Gamasida) when foraging on different invertebrate prey. - Appl. Soil Ecol.: im Druck / in press
- JUVARA-BALS, I. / WITALINSKI, W. (2007): Two new species of the genus *Holoparasitus* Oudemans from mediterranean basin - Algeria and Sardinia (Acari, Gamasida, Parasitidae). - Genus 17,3: 437-448
- KARG, W. (2007): New taxonomic knowledge of soil-inhabiting predatory mites (Acarina, Gamasina, Rhodacaroidea, Dermányssoida, Ascoidea). - Abh. Ber. Naturkundemus. Görlitz 78,2: 113-139
- KLOMPEN, H. / AUSTIN, C.C. (2007): A new species of *Ophiomegistus* Banks (Acari, Paramegistidae) from Papua New Guinea. - Zootaxa 1387: 47-57
- NIOGRET, J. / NICOT, A. / DE STORDEUR, E. / BERTRAND, M. (2007): Combination of morphological characters and ITS-sequence to characterize a new species of *Macrocheles* (Acari, Macrochelidae). - Zootaxa 1386: 19-29
- SOKOŁOWSKA, M. / SKUBALA, P. (2007): Assessing of microarthropods number in dead wood in Polish forests. [Orig. Pol.] - Zesz. Nauk., Polud.-Wschodni Odd. Polsk. Towar. Inżynierii Ekol. z siedzibą w Rzeszowie olskie Towarzystwo Gleboznawcze, Oddział w Rzeszowie 9: 85-90
- WITALINSKI, W. / SKORUPSKI, M. (2007): Two new species of *Holoparasitus* Oudemans, 1936 from Italy - Tuscany and Trentino (Acari, Gamasida, Parasitidae). - Genus 18,1: 125-138

WITALINSKI, W. / SKORUPSKI, M. (2007): Two new species of *Holoparasitus* Oudemans, 1936 from Italy - Tuscany and Trentino (Acari, Gamasida, Parasitidae). - Genus 18,1: 125-138

Publikationen 2006 / Publications 2006

- ADDISON, J.A. / OTVOS, I.S. / BATTIGELLI, J.P. / CONDER, N. (2006):* Does aerial spraying of *Bacillus thuringiensis* subsp. *kurstaki* (Btk) pose a risk to nontarget soil microarthropods? - Can. J. Forest Res. 36,6: 1610-1620
- ALATTAL, Y. / ROSENKRANZ, P. / ZEBITZ, C.P. (2006): Infestation levels of *Varroa destructor* in local honey bees of Jordan. - Mitt. Dtsch. Ges. Allg. Angew. Entomol. 15: 321-325
- ALATTAL, Y. / ROSENKRANZ, P. / ZEBITZ, C.P. (2006): Reproduction of *Varroa destructor* in sealed worker bee brood cells of *Apis mellifera carnica* and *Apis mellifera syriaca* in Jordan. - Mitt. Dtsch. Ges. Allg. Angew. Entomol. 15: 315-319
- ALIANO, N.P. / ELLIS, M.D. / SIEGFRIED, B.D. (2006): Acute contact toxicity of oxalic acid to *Varroa destructor* (Acari, Varroidae) and their *Apis mellifera* (Hymenoptera, Apidae) hosts in laboratory bioassays. - J. Econ. Entomol. 99,5: 1579-1582
- BAATRUP, E. / BAYLEY, M. / AXELSEN, J.A. (2006):* Predation of the mite *Hypoaspis aculeifer* on the springtail *Folsomia fimetaria* and the influence of sex, size, starvation, and poisoning. - Entomol. exp. appl. 118,1: 61-70
- BAI, X.-L. / MA, Y. (2006):* A new species of the genus *Antennoseius* from Ningxia (Acari, Ascidae). - Acta Zootaxon. Sinica 31,3: 555-556
- BAJERLEIN, D. / BŁOSZYK, J. / GWIAZDOWICZ, D.J. / PTASZYK, J. / HALLIDAY, B. (2006): Community structure and dispersal of mites (Acari, Mesostigmata) in nests of the white stork (*Ciconia ciconia*). - Biologia, Bratislava 61,5: 525-530
- BAKER, A.S. / BECCALONI, J. (2006): *Macronyssus macroscutatus* (Mesostigmata, Macronyssidae), a new mite species from bats of the genus *Nyctalus* (Chiroptera, Vespertilionidae) in England. - Syst. Appl. Acarol. 11,2: 167-174
- BAL, D.A. (2006): New species of mites in the genera *Uropoda*, *Crinitodiscus* and *Uroobovella* from Turkey (Acari, Mesostigmata, Uropodidae, Urodinychidae). - Zootaxa 1368: 19-40
- BAL, D.A. / ÖZKAN, M. (2006): Three new *Dinychus* species (Acari, Uropodina, Urodinychidae) for Turkey and Asian continent. - Erzincan Egitim Fak. Derg. 8,2: 113-143
- BAL, D.A. / ÖZKAN, M. (2006): A new genus of the genus *Oplitis* (Acarina, Mesostigmata, Uropodina) from Turkey. - Biologia, Bratislava 61,2: 121-124
- BARRATT, B.I.P. / TOZER, P.A. / WIEDEMER, R.L. / FERGUSON, C.M. / JOHNSTONE, P.D. (2006):* Effect of fire on microarthropods in New Zealand indigenous grassland. - Rangeland Ecol. Manag. 59,4: 383-391
- BAYAN, A. / MERHEB, B. (2006):* Descriptions of two new phytoseiid mites (Acari, Mesostigmata, Gamasina) found in a grapevine orchard from Lebanon. - Syst. Appl. Acarol. 11,1: 51-56
- BAYUBAY, A.L.G. / CORPUZ-RAROS, L.A. (2006):* Taxonomic survey of mites and sap-sucking insects associated with cassava especially in commercial plantations in Isabela Province, Philippines. - Philipp. Entomol. 20,2: 102-125
- BHATTACHARYYA, A.K. (2006):* Two new species of *Veigaia* Oudemans (Acari, Veigaiidae) from India. - Zootaxa 1329: 29-37
- BLASZAK, C. / EHRNSBERGER, R. / SKORUPSKI, M. (2006): European mites of the genus *Veigaia* Oudemans, 1905 (Acari, Gamasida, Veigaiaidae). - Abh. Ber. Naturkundemus. Görlitz 78,1: 3-9
- BŁOSZYK, J. / BAJERLEIN, D. / GWIAZDOWICZ, D.J. / HALLIDAY, R.B. / DYLEWSKA, M. (2006): Uropodina mite communities (Acari, Mesostigmata) in birds' nests in Poland. - Belg. J. Zool. 136,2: 145-153
- BŁOSZYK, J. / GWIAZDOWICZ, D.J. (2006): Acarofauna of nests of the white stork *Ciconia ciconia*, with special attention to mesostigmatid mites. In: Tryjanowski, P. / Sparks, T.H. / Jerzak, L. (Eds.), The white stork in Poland: studies in biology, ecology and conservation. - Bogucki Wydawnictwo Naukowe, Poznań: 407-414
- BŁOSZYK, J. / KLIMCZAK, J. / LESNIEWSKA, M. (2006): Phoretic relationships between Uropodina (Acari, Mesostigmata) and Centipedes (Chilopoda) as an example of evolutionary adaptation of mites to temporary microhabitats. - Eur. J. Entomol. 103,3: 699-707

- BOSTANIAN, N.J. / HARDMAN, J.M. / RACETTE, G. / FRANKLIN, J. / LASNIER, J. (2006): Inventory of predacious mites in Quebec commercial apple orchards where integrated pest management programs are implemented. - Ann. Entomol. Soc. Amer. 99,3: 536-544
- BROUFAS, G.D. / PAPPAS, M.L. / KOVEOS, D.S. (2006): Effect of cold exposure and photoperiod on diapause termination of the predatory mite *Euseius finlandicus* (Acari, Phytoseiidae). - Environ. Entomol. 35,5:1216-1221
- CANLAS, L.J. / AMANO, H. / OCHIAI, N. / TAKEDA, M. (2006): Biology and predation of the Japanese strain of *Neoseiulus californicus* (Acari, Phytoseiidae). - Syst. Appl. Acarol. 11,2: 141-157
- CHANTAWANNAKUL, P. / WARD, L. / BOONHAM, L. / BROWN, M. (2006):* A scientific note on the detection of honeybee viruses using real-time PCR (TaqMan) in *Varroa* mites collected from a Thai honeybee (*Apis mellifera*) apiary. - J. Inverteb. Pathol. 91,1: 69-73
- DE MORAES, G.J. / McMURTRY, J.A. / LOPES, P.C. (2006): Redefinition of *Metaseiulus Muma* (Acari, Phytoseiidae) and description of a new species from Brazil. - Internat. J. Acarol. 32,4: 351-354
- DE VIS, R.M.J. / DE MORAES, G.J. / BELLINI, M.R. (2006):* Initial screening of little known predatory mites in Brazil as potential pest control agents. - Exp. Appl. Acarol. 39,2: 115-125
- DUSBABEK, F. / LITERAK, I. (2006): *Lasioseius aquilarum* n. sp. (Acari, Ascidae) from the nares of Costa Rican hummingbirds (Trochilidae). - Internat. J. Acarol. 32,3: 293-296
- EHARA, S. (2006): New records of phytoseiid mite species (Acari, Gamasida, Phytoseiidae) from Malaysia with description of a new species. - Syst. Appl. Acarol. 11,2: 175-180
- EHARA, S. / TOYOSHIMA, S. / AMANO, H. (2006): Three new species of phytoseiid mites (Acari, Phytoseiidae) from Japan. - Internat. J. Acarol. 32,4: 345-350
- FAN, Q.-H. (2006): Bibliographic analysis of acarological papers published in Zootaxa from 2001 to 2005, with a catalogue of described new taxa. - Zootaxa 1385: 53-66
- FARAJI, F. / KARG, W. (2006): A new species of *Chelaseius Muma* & Denmark from France (Acari, Phytoseiidae), with a key to the known species of *Chelaseius*. - Mitt. Mus. Nat.kd. Berl., Zool. Reihe 82,2: 264-267
- FARAJI, F. / KARG, W. (2006): A new species of *Lasioseius* Berlese from Spain (Acari, Podocinidae). - Mitt. Mus. Nat.kd. Berl., Zool. Reihe 82,2: 239-242
- FARAJI, F. / CORNEJO, X. (2006): A new *Hattena Domrow* (Acari, Ameroseiidae) from Ecuadorian mangroves and a new generic record for South America. - Internat. J. Acarol. 32,3: 287-291
- FERLA, N.J. / DE MORAES, G.J. (2006):* Seletividade de acaricidas e insecticidas a acaros predadores (Acari, Phytoseiidae) encontrados em seringueira no centro-oeste do Brasil. - Ciencia Rural 36,2: 357-362
- FISK, M.C. / KESSLER, W.R. / GOODALE, A. / FAHEY, T.J. / GROFFMAN, P.M. / DRISCOLL, C.T. (2006): Landscape variation in microarthropod response to calcium addition in a northern hardwood forest ecosystem. - Pedobiologia 50,1: 69-78
- GOMAA, W.O. (2006):* Three mite species associated with the red palm weevil, *Rhynchophorus ferrugineus* (Oliv.) in Egypt. - Bull. Fac. Agric. Cairo Univ. 57,3: 543-548
- GWIAZDOWICZ, D.J. / BŁOSZYK, J. / BAJERLEIN, D. / HALLIDAY, R.B. / MIZERA, T. (2006): Mites (Acari, Mesostigmata) inhabiting nests of the white-tailed sea eagle *Haliaeetus albicilla* (L.) in Poland. - Entomol. Fenn. 17: 366-372
- GWIAZDOWICZ, D.J. / OLSZOWSKA, G. / ROBAKOWSKI, P. (2006): Preliminary research on gamasid mite and the activity of selected soil enzymes in the Karkonosze National Park. - Acta Sci. Pol., Silv. Colendar. Rat. Ind. Lignar. 5,2: 51-61
- HARTINI, S. / TAKAKU, G. (2006): Mites of the genus *Macrocheles* (Acari, Gamasida, Macrochelidae) associated with dung beetles in Papua, Indonesia. - J. Acarol. Soc. Jpn. 15,1: 29-46
- IBRAHIM, A. / SPIVAK, M. (2006):* The relationships between hygienic behavior and suppression of mite reproduction as honey bee (*Apis mellifera*) mechanisms of resistance to *Varroa destructor*. - Apidologie 37,1: 31-40
- IVAN, O. / CALUGAR, A. / VASILIU, N. (2006): A survey of the edaphic mites fauna (Acari, Oribatida, Gamasina) from the main types of forest ecosystems in the Danube Delta Biosphere Reserve. - Sc. Annals of DDI 12: 45-54
- KAMCZYK, J. (2006): The population structure of *Gamasellus montanus* (Willmann, 1936) in three different forest groups in the Szczeliniec Wielki Nature Reserve. - Abh. Ber. Naturkundemus. Görlitz 78,1: 11-17

- KAWASHIMA, M. / AMANO, H. (2006): Overwintering phenology of a predacious mite, *Typhlodromus vulgaris* (Acari, Phytoseiidae), on Japanese pear trees, observed with *Phyto traps*. - Exp. Appl. Acarol. 39,2: 105-114
- KAWASHIMA, M. / KADONO, F. / SHIOTA, A. / AMANO, H. (2006): Can the population size of *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae) on Japanese pear trees be estimated by *Phyto traps* attached to the twigs? - Appl. Entomol. Zool. 41,1: 145-150
- KOLODOCHKA, L.A. / OMERI, I.D. (2006):* Predatory mites of the family Phytoseiidae (Acari, Parasitiformes) in the park plant communities of the central wood-and-steppe of Ukraine. [Orig. Russ.] - Vestn. zool. 40,5: 463-467
- KONGCHUENSIN, M. / TAKAFUJI, A. (2006): Effects of some pesticides on the predatory mite, *Neoseiulus longispinosus* (Evans) (Gamasina, Phytoseiidae). - J. Acarol. Soc. Jpn. 15,1: 17-27
- KONTSCHÁN, J. (2006): Uropodina species from East Africa III. A new genus and five new species of Uropodina (Acari, Mesostigmata) from Shimba Hills (Kenya). - Ann. hist. nat. Mus. Hung. 98: 159-171
- KONTSCHÁN, J. (2006): Uropodina mites of East-Africa (Acari, Mesostigmata) I. - Opusc. Zool. 35[2004]: 53-62
- KONTSCHÁN, J. (2006): Checklist of the hungarian mesostigmatid mites. I-II. Zerconidae and Macrochelidae. - Fol. Hist. Nat. Mus. Matr. 30: 129-136
- KONTSCHÁN, J. (2006): *Celaenopsis badius* (C.L. Koch, 1836) (Acari, Mesostigmata, Celaenopsidae) in Hungary. - Fol. Hist. Nat. Mus. Matr. 30: 137-138
- KONTSCHÁN, J. (2006): Mesostigmatid mites from Maramures (Romania) (Acari, Mesostigmata, Uropodina et Gamasina, Zerconidae, Macrochelidae, Epicriidae, Eviphidiidae et Parasitidae). - Studia Univ. Vasile Goldis, Seria St. Vietii 17: 53-57
- KONTSCHÁN, J. (2006): Some zerconid mites (Acari, Mesostigmata, Zerconidae) from Kosovo (Serbia-Montenegro) with description of *Zercon kosovina* sp. nov.. - Zootaxa 1276: 47-53
- KREITER, S. / TIXIER, M.S. (2006): A new genus and species of phytoseiid mites (Acari, Mesostigmata) from southern Tunisia, with discussion of its phylogenetic position. - Zootaxa 1237: 1-18
- KREITER, S. / TIXIER, M.S. / ETIENNE, J. (2006): New records of phytoseiid mites (Acari, Mesostigmata) from the French Antilles, with description of *Neoseiulus cecileae* sp. nov.. - Zootaxa 1294: 1-27
- KUPERMAN, R.G. / PHILLIPS, C.T. / CHECKAI, R.T. (2006): Toxicity of chemical warfare agent HD (mustard) to the soil microinvertebrate community in natural soils with contrasting properties. - Pedobiologia 50,6: 535-542
- LARESCHI, M. / GETTINGER, D. / VENZAL, J.M. / ARZUA, M. / NIERI-BASTOS, F.A. / BARROS-BATTESTI, D.M. / GONZALEZ, E.M.(2006): First report of mites (Gamasida, Laelapidae) parasitic on wild rodents in Uruguay, with new host records. - Neotrop. Entomol. 35,5: 596-601
- LI, D.-Y. / HE, Y.-F. / LI, H.-D. (2006): Biology and life table of the predatory mite *Euseius aizawai* (Acari, Phytoseiidae). - Syst. Appl. Acarol. 11,2: 159-165
- LOFEGO, A.C. / DE MORAES, G.J. (2006): Ácaros (Acari) associados a mirtáceas (Myrtaceae) em Áreas de Cerrado no Estado de São Paulo com análise faunística das famílias Phytoseiidae e Tarsonemidae. - Neotrop. Entomol. 35,6: 731-746
- MA, L.-M. (2006): New synonyms of gamasid mites (Acari, Mesostigmata). [Orig. Chin.] - Acta Arachnol. Sinica 15,1: 23-26
- MA, L.-M. (2006): Three new species of the family Aceosejidae (Acari, Gamasina) from China. [Orig. Chin.] - Acta Arachnol. Sinica 15,2: 70-74
- MA, L.-M. (2006): Description of male *Ameroseius cuiqishengi* Ma (Acari, Gamasina, Ameroseiidae). [Orig. Chin.] - Acta Arachnol. Sinica 15,2: 78-79
- MA, L.-M. / LIN, J.-Z. (2006): On a new species of the genus *Gamasholaspis* and a new species of the genus *Holaspulus* (Acari, Mesostigmata, Parholaspidae). [Orig. Chin.] - Acta Arachnol. Sinica 15,2: 75-77
- MA, Y. (2006):* A new species of the genus *Haemolaelaps* from Qinghai Province (Acari, Laelapidae). - Acta Zootaxon. Sinica 31,3: 553-554
- MA, Y. / BAI, X.-L. (2006):* A new species of the genus *Lasioseius* (Acari, Aceosejidae). - Acta Zootaxon. Sinica 31,3: 557-558

- MAHGOOB, A.E.A. / THARWAT, M.E. / KILANY S.O. / HAFEZ, T.S. (2006):* Mites fauna associated with some domestic and wild agricultural animals and their habitat in Egypt. - Arab Univ. J. Agric. Sci. 14,1: 475-490
- MEDEL M., V. / REBOLLEDO R., R. / KLEIN K., C. / AGUILERA P., A. (2006): Fluctuación poblacional de ácaros asociados a manzano y peral en el Llano Central de la IX Región de la Araucanía, Chile. - Idesia 24,2: 25-33
- MONDRAGON, L. / MARTIN, S. / VANDAME, R. (2006):* Mortality of mite offspring: a major component of *Varroa destructor* resistance in a population of africanized bees. - Apidologie 37,1: 67-74
- MORAZA, M.L. (2006): New records of zeronid mites from the Iberian Peninsula and the Macaronesian region (Acari, Mesostigmata, Zerconidae). - Boln. Asoc. esp. Ent. 30,3-4: 97-113
- MORAZA, M.L. (2006):* New species of zeronid mites from southern Europe and the Macaronesian region (Acari, Mesostigmata, Zerconidae). - Zootaxa 1255: 1-15
- MORAZA, M.L. / PENA ESTEVEZ, M.A. (2006): A new species of *Neoseiulella* (Acari, Phytoseiidae) from the Macaronesian Region, Canary Islands. - Zootaxa 1366: 55-59
- MORAZA, M.L. / PENA, M.A. (2006): Two new taxa of *Parholaspidae* Evans, 1956 (Acari, Mesostigmata) from Tenerife (Canary Islands). - Graellsia 62,1: 75-86
- MORDKOVICH, V.G. / BEREZINA, O.G. / LYUBECHANSKII, I.I. / ANDRIEVSKII, V.S. / MARCHENKO, I.I. (2006):* Transformation of soil organic matter in microarthropod community from the northern Taiga of West Siberia. - Biology Bull. Russ. Acad. Sci. 33,1: 81-86
- MORETTO, G. / GUERRA, J.C.V. / BITTENCOURT, C.V. (2006): Uncapping activity of *Apis mellifera* L. (Hymenoptera, Apidae) towards worker brood cells infested with the mite *Varroa destructor* Anderson & Treuman (Mesostigmata, Varroidae). - Neotrop. Entomol. 35,3: 299-301
- NAKAMURA, Y. / ISHIKAWA, K. / SHIBA, M. / FUJIKAWA, T. / ONO, H. / TAMURA, H. / MORIKAWA, K. (2006): Soil animals of the 88 Buddhist temples in Shikoku Island. - Mem. Fac. Agr., Ehime Univ. 51: 25-48
- NAPIERALA, A. / BLOSZYK, J. / KOZAK, J. / BRUIN, J. (2006):* Spatial distribution of mites of the suborder Uropodina (Acari, Mesostigmata) in a small isolated forest area. - Exp. Appl. Acarol. 39,3-4: 289-295
- NIOGRET, J. / LUMARET, J.-P. / BERTRAND, M. (2006): Semiochemicals mediating host-finding behaviour in the phoretic association between *Macrocheles saceri* (Acari, Mesostigmata) and *Scarabaeus* species (Coleoptera, Scarabaeidae). - Chemoecology 16: 129-134
- OSLER, G.H.R. / KORYCINSKA, A. / COLE, A. (2006):* Differences in litter mass change mite assemblage structure on a deciduous forest floor. - Ecogeography 29,6: 811-818
- PERNIN, C. / CORRET, J. / JOFFRE, R. / LE PETIT, J. / TORRE, F. (2006):* Sewage sludge effects on mesofauna and cork oak (*Quercus super* L.) leaves decomposition in a mediterranean forest firebreak. - J. Environ. Quality 35,6: 2283-2292
- PESCHEL, K. / NORTON, R.A. / SCHEU, S. / MARAUN, M. (2006): Do oribatid mites live in enemy-free space? Evidence from feeding experiments with the predatory mite *Pergamasus septentrionalis*. - Soil Biol. Biochem. 38: 2985-2989
- PRISCHMANN, D.A. / JAMES, D.G. / WRIGHT, L.C. / SNYDER, W.E. (2006): Effect of generalist phytoseiid mites and grapevine canopy structure on spider mite (Acari, Tetranychidae) biocontrol. - Environ. Entomol. 35,1: 56-67
- PUKALL, R. / SCHUMANN, P. / SCHÜTTE, C. / GOLS, R. / DICKE, M. (2006): *Acaricomes phytoseiuli* gen. nov., sp. nov., isolated from the predatory mite *Phytoseiulus persimilis*. - Int. J. Syst. Evol. Microbiol. 56,2: 465-469
- QIN, S.-Y. / LIU, H. (2006):* Studies on the life history and predatory capacity of *Tetranychus cinnabarinus* on *Euseius nicholsi* (Ehara & Lee). - Xinan Nongye Daxue Xuebae 28,1: 87-88
- REIHER, W. / GERDEMAN, B.S. / ALBERTI, G. (2006): Feinstruktur der Spermatogenese und Spermien von *Antennophorus* sp. (Antennophorina, Trigynaspida, Gamasida, Anactinotrichida). - Abh. Ber. Naturkundemus. Görlitz 78,1: 47-54
- RHODES, E.M. / LIBURD, O.E. / KELTS, C. / RONDON, S.I. / FRANCIS, R.R. (2006): Comparison of single and combination treatments of *Phytoseiulus persimilis*, *Neoseiulus californicus*, and Acramite (bifenazate) for control of two-spotted spider mites in strawberries. - Exp. Appl. Acarol. 39,3-4: 213-225
- RIPKA, G. (2006): Checklist of the Phytoseiidae of Hungary (Acari, Mesostigmata). - Fol. Entomol. Hung. 67: 229-260

- SADANANDAN, M.A. (2006):* A new species of predatory mite (Acarina, Phytoseiidae, Amblyseius) from Kerala. - *J. Entomol. Res.* 30,2: 179-181
- SADANANDAN, M.A. / RAMANI, N. (2006): Two new species of predatory mites (Acari, Phytoseiidae) from Kerala, India. - *Zoos' Print J.* 21,6: 2267-2269
- SALMANE, I. (2006): New Mesostigmata (Acarini, Parasitiformes) species in the fauna of Latvia. - *Latv. Entomol.* 43: 52-56
- SCHÜTTE, C. / POITEVIN, O. / NEGASH, T. / DICKE, M. (2006):* A novel disease affecting the predatory mite *Phytoseiulus persimilis* (Acari, Phytoseiidae): 2. Disease transmission by adult females. - *Exp. Appl. Acarol.* 39,2: 85-103
- ST. JOHN, M.G. / WALL, D. / BEHAN-PELLETIER, V.M. (2006): Does plant species co-occurrence influence soil mite diversity? - *Ecology* 87,3: 625-633
- TENTCHEVA, D. / GAUTHIER, L. / BAGNY, L. / FIEVET, J. / DAINAT, B. / COUSSERANS, F. / COLIN, M.E. / BERGOIN, M. (2006):* Comparative analysis of deformed wing virus (DWV) RNA in *Apis mellifera* and *Varroa destructor*. - *Apidologie* 37,1: 41-50
- THOEMING, G. / POEHLING, H.-M. (2006):* Integrating soil applied azadirachtin with *Amblyseius cucumeris* (Acari, Phytoseiidae) and *Hypoaspis aculeifer* (Acari, Laelapidae) for the management of *Frankliniella occidentalis* (Thysanoptera, Thripidae). - *Environ. Entomol.* 35,3: 746-756
- TIXIER, M.S. / KREITER, S. / BARBAR, Z. / RAGUSA, S. / CHEVAL, B. (2006): Status of two cryptic species, *Typhlodromus exhilaratus* Ragusa and *Typhlodromus phialatus* Athias-Henriot (Acari, Phytoseiidae): consequences for taxonomy. - *Zool. Scr.* 35: 115-122
- TIXIER, M.S. / KREITER, S. / CHEVAL, B. / GUICHOU, S. / AUGER, P. / BONAFOS, R. (2006): Immigration of phytoseiid mites from surrounding uncultivated areas into a newly planted vineyard. - *Exp. Appl. Acarol.* 39,3-4: 227-242
- TSOLAKIS, H. / RAGUSA, S. / CONTI, F. / TUMMINELLI, R. / PERROTTA, G. / RACITI, E. (2006):* Population dynamics and specific composition of phytoseiid mites (Parasitiformes, Phytoseiidae) associated with lemon trees in three differently managed orchards in eastern Sicily. - *Bulletin OILB / SROP* 29,3: 295-302
- TSOUKANAS, V.I. / PAPADOPOULOS, G.D. / FANTINOU, A.A. / PAPADOULIS, G.T. (2006):* Temperature-dependent development and life table of *Iphiseius degenerans* (Acari, Phytoseiidae). - *Environ. Entomol.* 35,2: 212-218
- VILLANUEVA, R.T. / CHILDERS, C.C. (2006):* Evidence for host plant preference by *Iphiseiodes quadripilis* (Acari, Phytoseiidae) on Citrus. - *Exp. Appl. Acarol.* 39,3-4: 243-256
- WALZER, A. / PAULUS, H.F. / SCHÄUSBERGER, P. (2006):* Oviposition behavior of interacting predatory mites: response to the presence of con- and heterospecific eggs. - *J. Insect Behav.* 19,3: 305-320
- WARRIT, N. / SMITH, D.R. / LEKPRAYOON, C. (2006):* Genetic subpopulations of *Varroa* mites and their *Apis cerana* hosts in Thailand. - *Apidologie* 37,1: 19-30
- WEGENER, A. (2006): The influence of different age stages of forests in the Müritz National Park (Mecklenburg-Vorpommern) on the gamasid fauna (Acari, Arachnida). - *Abh. Ber. Naturkundemus. Görlitz* 78,1: 77-91
- WITALINSKI, W. (2006): New mites of the genus *Holoparasitus* Oudemans, 1936 from northern Austria and Karavanke (Acari, Parasitidae). - *Zootaxa* 1320: 15-27
- ZANNOU, I.D. / DE MORAES, G.J. / UECKERMAN, E.A. / OLIVEIRA, A.R. / YANINEK, J.S. / HANNA, R. (2006): Phytoseiid mites of the genus *Neoseiulus* Hughes (Acari, Phytoseiidae) from sub-saharan Africa. - *Internat. J. Acarol.* 32,3: 241-276
- ZHI, J.-R. / REN, S.-X. (2006):* The functional response and numerical response of *Amblyseius cucumeris* (Acari, Phytoseiidae) on *Frankliniella occidentalis* (Thysanoptera, Thripidae). - *J. South China Agric. Univ.* 27,3: 35-38

Publikationen, Ergänzungen 2005 / Publications, additions 2005

AFZAL, M. / AKBAR, S. (2005):* Two new species of the subgenus *Phytoseius* Ribaga (Phytoseius, Phytoseiidae, Acarina) from hilly areas of Pakistan. - *Acarologia* 45,4: 253-256

AFZAL, M. / AKBAR, S. / QAYYUM, S. (2005):* Species of the subgenus *Pennaseius* Pritchard and Baker (Phytoseius, Phytoseiidae, Acarina) from Pakistan. - *Acarologia* 45,4: 247-252

- AMER, S.A.A. / MOMEM, F.M. (2005):* Effect of French lavender essential oil on some predacious mites of the family Phytoseiidae (Acari, Phytoseiidae). - Acta Phytopathol. Entomol. Hungarica 40,3-4: 409-415
- ANITHALATHA, M. (2005): **Two new species of predatory mites (Acarina, Phytoseiidae) from Kerala (India).** - Uttar Pradesh J. Zool. 25,1: 81-84
- BAI, X.-L. / QIN, J. (2005):* **Two new species of the genus *Veigaia* from Shaanxi, China (Acari, Veigaiidae).** - Acta Zootaxon. Sinica 30,4: 755-758
- BAI, X.-L. / WANG, B.-S. (2005):* **A new species of the genus *Cosmolaelaps* from China (Acari, Laelapidae).** - Difangbing Tongbao 20,4: 26-28
- BARBAR, Z. / TIXIER, M.-S. / KREITER, S. / CHEVAL, B. (2005):* Diversity of phytoseiid mites in uncultivated area adjacent to vineyards: a case study in the south of France. - Acarologia 45,2-3: 145-154
- BAYRAM, S. / COBANOGLU, S. (2005):* Mesostigmata (Acari) of bulaceous ornamental plants in Turkey. - Acarologia 45,4: 257-266
- BRODSGAARD, H.F. / ENKEGAARD, A. (2005): Intraguild predation between *Orius majusculus* (Reuter) (Hemiptera, Anthocoridae) and *Iphiseius degenerans* Berlese (Acarina, Phytoseiidae). - IOBC / WPRS Bull. 28,1: 19-22
- CALDERONE, N.W. (2005): Evaluation of drone brood removal for management of *Varroa destructor* (Acari, Varroidae) in colonies of *Apis mellifera* (Hymenoptera, Apidae) in the northeastern United States. - J. Econ. Entomol. 98,3: 645-650
- CAO, S.-L. / MA, L.-M. (2005):* New record of Phytoseiidae in Jilin Province. - Sichuan J. Zool. 24,2: 174
- CORPUZ-RAROS, L.A. / GARCIA, R.C. / NAVASERO, M.M. (2005):* New host and geographic records of Philippine plant mites (Acari), mainly on ornamental plants: I. Gamasida and Actinedida. - Asia Life Sci. 14,1: 23-41
- CRUZ, M.D.S. / ROBLES, M.C.V. / JESPERSEN, J.B. / KILPINEN, O.B. (2005):* Scanning electron microscopy of foreleg tarsal sense organs of the poultry red mite, *Dermanyssus gallinae* (De Geer) (Acari, Dermanyssidae). - Micron 36,5: 415-421
- DE LEON-FACUNDO, J.B. (2005):* **Nine new species and key to all known Philippine species of *Asca von Heyden* (Acari, Ascidae).** - Asia Life Sci. 14,2: 111-131
- DE MINEIRO, J.L. / LOFEGO, A.C. / RAGA, A. / DE MORAES, G.J. (2005): Primeiros registros dos ácaros *Amblyseiella setosa* Muma (Phytoseiidae) e *Tuckerella pavoniformis* (Ewing) (Tucherellidae) no Brasil. - Arq. Inst. Biol., Sao Paulo 72,3: 395-396
- DE SILVA, F.R. / VASCONCELOS, G.J.N. / GONDIM, M.G.C. / OLIVEIRA, J.V. (2005): Exigencias térmicas e tabela de vida de fertilidade de *Phytoseiulus macropilis* (Banks) (Acari, Phytoseiidae). - Neotrop. Entomol. 34,2: 291-296
- DRIJFHOUT, F.P. / KOCHANSKY, J. / LIN, S. / CALDERONE, N.W. (2005):* Components of honeybee royal jelly as deterrents of the parasite *Varroa* mite, *Varroa destructor*. - J. Chem. Ecol. 31,8: 1747-1764
- EDEN, T.M. / WILSON, D.J. / HACKELL, D.L. (2005):* Assays to determine the predatory ability of *Pergamasus* against cliver flea. - N.Z. Plant Prot. 58: 131-134
- EHARA, S. (2005): **A collection of phytoseiid mites (Acari, Phytoseiidae) from Java, with a description of a new species.** - Acta Arachnol. 54,1: 31-39
- ENIGL, M. / SCHAUSSBERGER, P. (2005):* Persistence of *Wolbachia* in the guts of the predatory mite *Phytoseiulus persimilis*. - IOBC / WPRS Bull. 28,1: 79-82
- FEDOROVA, S.Z. / TRANBAEV, Z.M. (2005):* Gamasid mites (Gamasina) of rodents in the natural biotopes of Tchui Valley. - Parazitologija 39,3: 191-203
- FIEDLER, Z. (2005):* A predatory midge *Therodiplosis persicae* a factor supporting effectiveness of *Phytoseiulus persimilis* (Athias-Henriot) in reduction of *Tetranychus urticae* (Koch) on tomato plants in the greenhouse. [Orig. Poln.] - Progr. Plant Prot. 45,2: 650-654
- FISCHER, S. / KLOETZLI, F. / FALQUET, L. / CELLE, O. (2005):* An investigation on biological control of the tomato russet mite *Aculops lycopersici* (Massee) with *Amblyseius andersoni* (Chant). - IOBC / WPRS Bull. 28,1: 99-102
- FURTADO, I. / KREITER, S. / DE MORAES, G.J. / TIXIER, M.-S. / FLECHTMANN, C.H.W. / KNAPP, M. (2005): **Plant mites (Acari) from northeastern Brazil, with descriptions of two new species of the family Phytoseiidae (Mesostigmata).** - Acarologia 45,2-3: 131-143

- FURUICHI, H. / OKU, K. / SHIUCHI, Y. / TAKAFUJI, A. / OSAKABE, M. (2005): Why does the predatory mite *Neoseiulus womersleyi* Schicha (Acari, Phytoseiidae) prefer spider mite eggs to adults? - Appl. Entomol. Zool. 40,4: 675-678
- FURUICHI, H. / YANO, S. / TAKAFUJI, A. / OSAKABE, M. (2005):* Prey preference of the predatory mite *Neoseiulus womersleyi* Schicha is determined by spider mite webs. - J. Appl. Entomol. 129,6: 336-339
- GARDINER, M.M. / ELGENBRODE, S.D. / CERVANTES, D.E. / BARBOUR, J.D. (2005):* Response of *Neoseiulus fallacis* Garman and *Galendromus occidentalis* Nesbitt (Acari, Phytoseiidae) to *Tetranychus urticae* Koch (Acari, Tetranychidae) - damaged hop *Humulus lupulus* (L.) (Urticales, Cannabaceae). - Agric. Forest Entomol. 7,3: 245-251
- GETTINGER, D. / MARTINS, H.F. / LARESCHI, M. / MALCOLM, J.R. (2005): Laelapine mites (Acari, Laelapidae) associated with small mammals from Amazonas, Brazil, including a new species from marsupials. - J. Parasitol. 91,1: 45-48
- GETTINGER, R. / GARDNER, S.L. (2005): Bolivian ectoparasites: a new species of laelapine mite (Acari, Parasitiformes, Laelapidae) - J. Parasitol. 91,1: 49-52
- GNANVOSSOU, D. / HANNA, R. / YANINEK, J.S. / TOKO, M. (2005):* Comparative life history traits of three neotropical phytoseiid mites maintained on plant-based diets. - Biol. Contr. 35,1: 32-39
- GREGORY, P.G. / EVANS, J.D. / RINDERER, T. / DE GUZMAN, L. (2005): Conditional immune-gene suppression of honeybees parasitized by *Varroa* mites. - J. Insect Sci. 5,7: 1-5
- GUILLERMO, D. / BECERRA, A.N. (2005): Efecto de la temperatura en la capacidad depredadora de *Neoseiulus californicus* (McGregor) sobre tres especies de ácaros fitófagos en laboratorio. - Univ. de Chile, Fac. Cienc. Agron., Esc. Agron., Santiago: 1-45
- GWIAZDOWICZ, D.J. / STANESCU, M. (2005): Description of deutonymph of *Pachyseius humeralis* Berlese, 1910 (Acari, Pachylaelapidae) from Romania. - Trav. Mus. Hist. Nat. "Gr. Antipa" 48: 21-24
- HALOTI, S. / GLIDA, H. / NIOGRET, J. / JANATI-IDRISSI, A. / BERTRAND, M. / LUMARET, J.P. (2005): Acariens Macrochelidae (Acari, Mesostigmata) phorétiques d'Adrique: Macrochelides coprophages du Maroc. - Acarologia 45,2-3: 155-159
- HARDMAN, J.M. / JENSEN, K.I.N. / FRANKLIN, J.L. / MOREAU, D.L. (2005):* Effects of dispersal predators (Acari, Phytoseiidae), wather, and ground cover treatments on populations of *Tetranychus urticae* (Acari, Tetranychidae) in apple orchards. - J. Econ. Entomol. 98,3: 862-874
- HARTINI, S. / TAKAKU, G. / KOJIMA, J.-I. / KATAKURA, H. (2005): Macrochelid mite fauna in the eastern part of the Lesser Sunda Islands, with description of two new species. - Entomol. Sci. 8: 201-209
- HECKMANN, L.-H. / MARALDO, K. / KROGH, P.H. (2005): Life stage specific impact of dimethoate on the predatory mite *Hypoaspis aculeifer* Canestrini (Gamasida, Laelapidae). - Environ. Sci. Technol. 39,18: 7154-7157
- HOOGERBRUGGE, H. / CALVO, J. / VAN HOUTEN, Y. / BOLCKMANS, K. (2005): Biological control of the tobacco whitefly *Bemisia tabaci* with the predatory mite *Ambylyseius swirskii* in sweet pepper crops. - IOBC / WPRS Bull. 28,1: 119-122
- ISHIKAWA, K. (2005):* Gamasid mites of the Tokiwamatsu Imperial Villa, Tokyo. - Mem. Nat. Sci. Mus. 39: 485-489
- KALUZ, S. / FENDA, P. (2005): Mites (Acari, Mesostigmata) of the family Ascidae of Slovakia. - Inst. Zool., Slovak Acad. Sci., Bratislava: 1-166
- KANBAR, G. / ENGELS, W. (2005): Communal use of integumental wounds in honey bee (*Apis mellifera*) pupae multiply infested by the ectoparasitic mite *Varroa destructor*. - Genet. Molec. Res. 4,3: 465-472
- KASAP, I. (2005): Life-history traits of the predaceous mite *Kampimodromus aberrans* (Oudemans) (Acarina, Phytoseiidae) on four different types of food. - Biol. Contr. 35,1: 40-45
- KHAN, I.A. / FENT, M. (2005):* Prey preference and consumption by two polyphagous predators *Typhlodromus pyri* Scheuten (Acari, Phytoseiidae) and *Chrysoperla carnea* (Stephens) (Neuroptera, Chrysopidae) of different mite pest species of apple orchards. - Sarhad J. Agric. 21,1: 89-96
- KILPINEN, O. (2005):* How to obtain a bloodmeal without being eaten by a host: the case of poultry red mite, *Dermanyssus gallinae*. - Physiol. Entomol. 30,3: 232-240
- KIM, S.S. / SEO, S.G. / PARK, J.D. / KIM, S.G. / KIM, D.I. (2005):* Effects of selected pesticides on the predatory mite, *Ambylyseius cucumeris* (Acari, Phytoseiidae). - J. Entomol. Sci. 40,2: 107-114

- KONG, C. / HU, F. / XU, X. / ZHANG, M. / LIANG, W. (2005):* Volatile allelochemicals in the Ageratum conyzoides intercropped citrus orchard and their effects on mites *Amblyseius newsami* and *Panonychus citri*. - J. Chem. Ecol. 31,9: 2193-2203
- KOTEJO, J. / POINAR, G.O. (2005): Scale insects (Coccoidea) associated with mites (Acari) in the fossil record. - Pol. Pis. Entomol. 74: 287-298
- KRYUKOV, A.V. (2005):* A new record of gamasid mite *Androlaelaps glasgowi* (Ewing, 1925) (Acari, Laelaptidae) found on darkling beetles (Coleoptera, Tenebrionidae) in Cis-Caucasus. - Evraziatskii Entomol. Zh. 4,2: 171-172
- LOFEGO, A.C. / DE MORAES, G.J. (2005): Taxa de oviposicao dos predadores *Amblyseius acalyphus* e *Amblyseius neoichiapensis* (Acari, Phytoseiidae) com diferentes tipos de Alimento. - Arq. Inst. Biol., Sao Paulo 72,3: 379-382
- MA, L.-M. (2005):* Descriptions of male and deutonymph of *Cosmolaelaps hrdyi* Samsinak (Acari, Gamasina, Laelapidae). - Sichuan J. Zool. 24,4: 535-536
- MESSELINK, G. / VAN STEENPAAL, S. / VAN WENSVEN, W. (2005):* *Typhlodromips swirskii* (Athias-Henriot) (Acari, Phytoseiidae): a new predator for thrips control in greenhouse cucumber. - IOBC / WPRS Bull. 28,1: 183-186
- MIZOBE, M. / KASHIO, T. / MORITA, S. / TAKAGI, M. (2005):* Predation rate of *Neoseiulus californicus* (McGregor) on three species of greenhouse thrips. - Kyushu Byogaichu Kenkyukaiho 51: 73-77
- MORAZA, M.L. (2005): **A new genus and species of Epicriidae (Acari, Mesostigmata) from eastern North America.** - Can. Entomol. 137: 539-550
- MORAZA, M.L. / PENA, M.A. (2005): Ácaros Mesostigmata (Acari, Mesostigmata) en hábitats seleccionados de la Gomera (Islas Canarias, Espana). - Graellsia 61,1: 109-114
- MORAZA, M.L. / PENA, M.A. (2005): **The family Pachylaelapidae Vitzthum, 1931 on Tenerife Island (Canary Islands) with description of seven new species of the genus Pachylaelaps (Acari, Mesostigmata, Pachylaelapidae).** - Acarologia 45,2-3: 103-129
- NEMKOVA, S.N. (2005):* The season dynamics of the extensity of varroatosis invasion in adult bees *Apis mellifera* by mite *Varroa* (Parasitiformes, Varroidae). - Vestn. Zool. 39,4: 73-78
- NIOGRET, J. (2005):* *Macrocheles vernalis* Berlese, 1887: supplement to the description of the male from Moroccan population. - Acarologia 45,4: 267-272
- ONZO, A. / HANNA, M. / SABELIS, M.W. / YANINEK, J.S. (2005): Temporal and spatial dynamics of an exotic predatory mite and ist herbivorous mite prey on cassava in Benin, West Africa. - Environ. Entomol. 34,4: 866-874
- OTERO, R.P. / VAZQUEZ, P.M. / VILLARREAL, M.J.L. (2005):* Primer inventario de acaros fitoseidos sobre cultivos horticos en la comarca de O Salnes (Pontevedra). - Bol. San. Veg. Plagas 31,3: 343-351
- PAPPAS, M.L. / BROUFAS, G.D. / KOVEOS, D.S. (2005):* Mating behavior of the predatory mite *Kampimodromus aberrans* (Acari, Phytoseiidae). - Exp. Appl. Acarol. 36,3: 187-197
- PECK, R.W. / NIWA, C.G. (2005):* Longer-term effects of selective thinning on microarthropod communities in a late-successional coniferous forest. - Environ. Entomol. 34,3: 646-655
- RACHNA, G. / KUMKUM, W. / RANJANA, R. (2005):* Acarines as biocontrol agents of plant parasitic nematodes. In: Crop protection: management strategies. - Daya Publ House, Delhi: 526-534
- RAZA, A.B.M. / AFZAL, M. / BASHIR, M.H. (2005): Biology of *Euseius septicus* Chaudhri (Acari, Phytoseiidae) preying on two-spotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae) at different temperatures. - Pak. Entomol. 27,1: 85-88
- RIPKA, G. / FAIN, A. / KAZMIERSKI, A. / KREITER, S. / MAGOWSKI, W.L. (2005): New data to the knowledge of the mite fauna of Hungary (Acari, Mesostigmata, Prostigmata and Astigmata). - Acta Phytopathol. Entomol. Hungarica 40,1-2: 159-176
- ROVENSKA, G.Z. / ZEMEK, R. / SCHMIDT, J. / HILBECK, A. (2005):* Altered host plant preference of *Tetranychus urticae* and prey preference of its predator *Phytoseiulus persimilis* (Acari, Tetranychidae, Phytoseiidae) on transgenic Cry3Bb-eggplants. - Biol. Contr. 33,3: 293-300
- ROY, M. / BRODEUR, J. / CLOUTIER, C. (2005):* Seasonal activity of the spider mite predators *Stethorus punctillum* (Coleoptera, Coccinellidae) and *Neoseiulus fallacis* (Acarina, Phytoseiidae) in raspberry, two predators of *Tetranychus mcdanieli* (Acarina, Tetranychidae). - Biol. Contr. 34,1: 47-57
- RUIZ, M.G. / SOSA, D.H. / SPERANZA, C. / LOFEGO, A.C. / DE MORAES, G.J. / FERNANDES, O.A. (2005):* Phytoseiid mites (Acari, Phytoseiidae) from apple trees in Rio Negro, Argentina. - Span. J. Agric. Res. 3,4: 437-438

- SABER, S.A. / MOMEN, F.M. (2005):* Influence of plant leaf texture on the development, reproduction and life table parameters of the predacious mite *Cydnoseius zaheri* (Acari, Phytoseiidae). - Acta Phytopathol. Entomol. Hungarica 40,1-2: 177-184
- SALMANE, I. / KONTSCHÁN, J. (2005): Soil Mesostigmata mites (Acari, Parasitiformes) from Hungary II. - Latv. Entomol. 43: 14-17
- SANDERSON, J.P. / BRODGAARD, H.F. / ENKEGAARD, A. (2005): Preference assessment of two *Orius* spp. for *Neoseiulus cucumeris* vs. *Frankliniella occidentalis*. - IOBC / WPRS Bull. 28,1: 221-224
- SAZO, L. / ASTORGA, I. / ARAYA, J.E. (2005):* Efecto en laboratorio de dioctil sulfosuccinato sodico sobre la aranita roja europea, *Panonychus ulmi* (Koch), y su depredador *Neoseiulus californicus* (McGregor). - Bol. San. Veg. Plagas 31,1: 11-20
- SHARMINA, R. / SRIVASTAV, A.K. / ROY, M.M. (2005):* Abundance of collembolans and mites in Albizia amara based silvopasture in Bundelkhand. - Indian J. Forest. 28,2: 150-155
- SHIMODA, T. / OZAWA, R. / SANO, K. / YANO, E. / TAKABAYASHI, J. (2005):* The involvement of volatile infochemicals from spider mites and from food-plants in prey location of the generalist predatory mite *Neoseiulus californicus*. - J. Chem. Ecol. 31,9: 2019-2032
- SKUBALA, P. / MADEJ, G. / SOLARZ, K. / KLYS, H. (2005): Old mine underground galleries as the habitat for mites (Acari). In: Tajovsky, I. / Schlaghamerský, K. / Pizl, V. (Eds.), Contributions to soil zoology in Central Europe. - ISB AS CR, Ceske Budejovice : 141-147
- SPONGOSKI, S. / REIS, P.R. / ZACARIAS, M.S. (2005): Acarofauna of cerrado's coffee crops in Patrocínio, Minas Gerais. [Orig. Port.] - Ciencia e Agrotecn., Univ. Fed. de Lavras 29,1: 9-17
- STANESCU, M. / JUVARA-BALS, I. (2005): Biogeographical distribution of gamasina mites from Romania (Acari, Mesostigmata). - Rev. Roum. Biol., Biol. Anim. 50,1-2: 57-74
- STANIMIROVIC, Z. / JEVROSIMA, S. / CIRKOVIC, D. (2005):* Behavioural defenses of the honey bee ecotype from Sjenica-Pester against *Varroa destructor*. - Acta Vet., Belgrade 55,1: 69-82
- STANYUKOVICH, M. / IOHANSSEN, L. (2005):* Observations on the gamasid mites (Parasitiformes, Gamasina, Macrolyssidae, Laelapidae) parasitizing reptiles (Reptilia) from Russia and adjacent countries (ex-USSR). - Russ. J. Herpetol. 12, Suppl.: 310-311
- TAO, J.-W. / LIU, Y.-R. / YANG, Z.-Q. (2005):* Analysis on fauna of gamasid mites in Hubei Province, China. - Zhongguo Meijeshengwuxue Ji Kongzhi Zazhi 16,4: 294-296
- TUCCI, E.C. / PRADO, A.P. / ARAUJO, R.P. (2005): Fecundidade de *Dermanyssus gallinae* (De Geer, 1778) (Acari, Dermanyssidae) em laboratório. - Arq. Inst. Biol., Sao Paulo 72,1: 29-32
- VALIENTE, M.C. / CHAUVE, C. / ZENNER, L. (2005):* Vectorial role of some dermanyssoid mites (Acari, Mesostigmata, Dermanyssoidea). - Parasite 12,2: 99-109
- VAN HOUTEN, Y.M. / OSTLIE, M.L. / HOOGERBRUGGE, H. / BLOCKMANS, K. (2005): Biological control of western flower thrips on sweet pepper using the predatory mites *Amblyseius cucumeris*, *Iphiseius degenerans*, *A. andersoni* and *A. swirskii*. - IOBC / WPRS Bull. 28,1: 283-286
- VILLANUEVA, R.T. / WALGENBACH, J.F. (2005): Development, oviposition, and mortality of *Neoseiulus fallacis* (Acari, Phytoseiidae) in response to reduced-risk insecticides. - J. Econ. Entomol. 98,6: 2114-2120
- WALZER, A. / SCHAUSSBERGER, P. (2005):* Are two better than one? Combined effects of the predatory mites *Phytoseiulus persimilis* and *Neoseiulus californicus* (Acari, Phytoseiidae) on spider mite control. - IOBC / WPRS Bull. 28,1: 309-312
- WEINTRAUB, P. / KLEITMAN, S. / PALEVSKY, E. (2005):* Diel movement of predatory mites (*Neoseiulus cucumeris*), reared in light or dark, on greenhouse sweet pepper. - IOBC / WPRS Bull. 28,1: 313-316
- WIGGERS, M.S. / PRATT, P.D. / TIPPING, P.W. / WELBOURN, C. / CUDA, J.P. (2005):* Within-plant distribution and diversity of mites associated with the invasive plant *Schinus terebinthifolius* (Sapindales, Anacardiaceae) in Florida. - Environ. Entomol. 34,4: 953-962
- YUE, C. / GENERSCH, E. (2005):* RT-PCR analysis of deformed wing virus in honeybees (*Apis mellifera*) and mites (*Varroa destructor*). - J. Gener. Virol. 86,12: 3419-3424
- ZEMEK, R. (2005): The effect of powdery mildew on the number of prey consumed by *Typhlodromus pyri* (Acari, Phytoseiidae). - J. Appl. Entomol. 129,4: 211-216
- ZHANG, F. / TANG, B. / TAO, S.-X. / XIONG, J.-W. / GENG, X.-L. (2005):* Recent advances on phytoseiid mass rearing and conservation in China. - Kunchong Zhishi 42,2: 139-143

ZHANG, Y.-X. / LIN, J.-Z. / JIE, J. / CHEN, X. / KANG, Y.-M. (2005):* Analyses of numerical responses and main life parameters for determining the suppression of *Amblyseius cucumeris* on *Panonychus citri*. - Agric. Sci. China 4,5: 368-375

Publikationen, Ergänzungen 2004 / Publications, additions 2004

- AFZAL, M. / ALI, M.A. / AKBAR, R. (2004):* A new species of the genus *Amblyseius* from Lahore. - Biologia, Lahore 50,1: 59-62
- AFZAL, M. / BASHIR, M.H. / AKBAR, R. (2004):* Two new species of subgenus *Phytoseius* Ribaga (Phytoseiidae, Acarina) from apple in Kalam, Swat, Pakistan. - Pak. Entomol. 26,2: 37-40
- AHN, K.-S. / LEE, S.-Y. / LEE, K.-Y. / LEE, Y.-S. / KIM, G.-H. (2004):* Selective toxicity of pesticides to the predatory mite, *Phytoseiulus persimilis* and control effects of the two-spotted spider mite, *Tetranychus urticae* by predatory mite and pesticide mixture on rose. - Korean J. Appl. Entomol. 43,1: 71-79
- ALSTON, D.G. / THOMSON, S.V. (2004): Effects of fungicide residues on the survival, fecundity, and predation of the mites *Tetranychus urticae* (Acari, Tetranychidae) and *Galendromus occidentalis* (Acari, Phytoseiidae). - J. Econ. Entomol. 97,3: 950-956
- ANITHALATHA, M. / RAMANI, N. (2004): Two new species of predatory mites (Acarina, Phytoseiidae) from Kerala, India. - J. Adv. Zool. 25,1-2: 58-60
- AVDONIN, V.V. / STRIGANOVA, B.R. (2004): Temperature as a factor of niche separation in free-living mesostigmatid mites (Mesostigmata, Arachnida, Parasitiformes) of storm detritus. - Izv. Ross. Akad. Nauk Ser. Biol. 5: 589-596
- BARRETO, M. / BURBANO, M.E. / BARRETO, P. (2004): The bee mite *Melittiphis alvearius* (Berlese) (Acari, Laelapidae) in Colombia, South America. - Neotrop. Entomol. 58,5: 223-224
- BHATTACHARYYA, A.K. (2004):* Two new species of ascid mites (Acarina, Mesostigmata) from the thar Desert of Rajasthan, India. - Rec. Zool. Surv. India 103,1-2: 91-98
- CABRERA, A.R. / CLOYD, R.A. / ZABORSKI, E.R. (2004): Effects of greenhouse pesticides on the soil-dwelling predatory mite *Statiolaels scimitus* (Acari, Mesostigmata, Laelapidae) under laboratory conditions. - J. Econ. Entomol. 97,3: 793-799
- CALUGAR, A. (2004/06): Some new data on the sexual dimorphism of zeronids (Acari, Gamasina, Zerconidae Canestrini, 1891). - An. Compl. Muz. Bucovina 17-19: 195-198
- CALUGAR, A. (2004/06): Taxonomic and coenotic diversity of zeronids (Acari, Gamasina, Zerconidae) from some Moldavian (Romania) beech forests. - An. Compl. Muz. Bucovina 17-19: 185-193
- CALUGAR, A. / IVAN, O. / MIHAI, V. / NICULAI, V. (2004/06): Diversity and distribution of the oribatid and gamasid (Acari, Oribatida, Gamasina) fauna in the forest and ecosystems of the Siret meadow. - An. Compl. Muz. Bucovina 17-19: 157-173
- CEDOLA, C.V. (2004):* Predacion de *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae) y *Feltiella insularis* Felt (Diptera, Cecidomyiidae) sobre *Tetranychus urticae* Koch (Acari, Tetranychidae), en tomate. - Bol. San. Veg. Plagas 30,1: 163-169
- CHEN, Y. / PETTIS, J.S. / EVANS, J.D. / KRAMER, M. / FELDLAUFER, M.F. (2004): Transmission of Kashmir bee virus by the ectoparasitic mite *Varroa destructor*. - Apidologie 35,4: 441-448
- CHMIELEWSKI, W. (2004):* Preliminary studies on mites (Acarina) infesting stored grain and other buckwheat products. - Fagopyrum 21: 117-121
- COBANOGLU, S. (2004): Phytoseiid mites (Mesostigmata, Phytoseiidae) of Thrace, Turkey. - Isr. J. Entomol. 34: 83-107
- COLFER, R.G. / ROSENHEIM, J.A. / GODFREY, L.D. / HSU, C.L. (2004): Evaluation of large-scale releases of western predatory mite for spider mite control in cotton. - Biol. Contr. 30: 1-10
- CORREA-MARQUES, M.H. (2004):* Reproducao do acaro *Varroa jacobsoni* em Colonias de abelhas africanizadas (*Apis mellifera*) no Brasil. - Genet. Molec. Res. 3,4: 463-464
- DE BOER, J. / DICKE, M. (2004):* The role of methyl salicylate in prey searching behavior of the predatory mite *Phytoseiulus persimilis*. - J. Chem. Ecol. 30,2: 255-271
- DE LA TORRE, P.E. / MOREJON, R.C. (2004):* *Phyllodromus leiodis* De Leon, 1959 (Acari, Phytoseiidae), nuevo registro para Cuba. - Fitosanidad 7,4: 41
- EL-HALIM, S.M.A. / HANNA, M.A. / RAMADAN, M.F. (2004):* Some factors affecting reproduction of the predaceous mite, *Typhlodromus mangiferus* Zaher & El Borolossy (Gamasida, Phytoseiidae). - Egypt. J. Biol. Pest Contr. 14,2: 323-326

- ESKOV, E.K. / MASLENNIKOVA, V.L. (2004):* Geographic variation in the seasonal reproductive strategy of the mite *Varroa jacobsoni* in the honeybee nest. - *Ekologija* (Moscow) 2: 121-126
- GARVIN, M.C. / SCHEIDLER, L.C. / CANTOR, D.G. / BELL, K.E. (2004):* Abundance and temporal distribution of *Ornithonyssus sylviarum* Canestrini and Fanzago (Acarina, Mesostigmata) in gray catbird (*Dumatella carolinensis*) nests. - *J. Vector Ecol.* 29,1: 62-65
- GONZALEZ, V. / GOMEZ, V.E. / MESA, L.A. / CRISTINA, N. (2004):* Observaciones sobre la biología y comportamiento del acaro *Macrodinychus sellnicki* (Mesostigmata, Uropodidae) ectoparasitoide de la hormiga loca *Paratrechina fulva* (Hymenoptera, Formicidae). - *Rev. Col. Entomol.* 30,2: 143-149
- GOODWIN, M. (2004):* Introduction and spread of *Varroa* in New Zealand. - *Bee World* 85,2: 26-28
- GOSHAL, S. / GUPTA, S.K. / CHOUDHURY, A. (2004):* Life cycle of *Amblyseius multidentatus* (Swirski & Shechter) at room temperature feeding upon *Eotetranychus fremonti* Tuttle & Baker on *Avicennia alba* Blume. - *Rec. zool. Surv. India* 102,3-4: 47-52
- GUPTA, A. / CHATTERJEE, M. (2004):* Some new records of mites infesting stored grains in Kolkata and its neighbourhood. - *Rec. zool. Surv. India* 102,1-2: 77-82
- GUPTA, S.K. / GHOSHAL, S. / CHOUDHURY, A. / MUKERJEE, B. (2004):* Phytophagous and predatory mite fauna of Sundarbans Biosphere Reserve: II. Some predatory mite occurring on mangrove vegetation and agri-horticultural crops. - *Rec. Zool. Surv. India* 103,3-4: 33-45
- GUPTA, S.K. / SANYAL, A.K. (2004):* Some new records of mites (Acari) from Bangladesh. - *Rec. zool. Surv. India* 102,3-4: 17-24
- HIRAMATSU, F. (2004):* Uropodidae of Japan (10). - *Trans. Nagasaki Biol. Soc.* 57: 20-29
- JESS, S. / BINGHAM, J.F.W. (2004):* Biological control of sciarid and phorid pests of mushroom with predatory mites from the genus *Hypoaspis* (Acari, Hypoaspidae) and the entomopathogenic nematode *Steinernema feltiae*. - *Bull. Entomol. Res.* 94,2: 159-167
- KAKIMOTO, K. / IGUCHI, T. / INOUE, H. / KUSIGEMATI, K. (2004):* Predatory ability of *Amblyseius eharai* Amitai & Swirski (Acari, Phytoseiidae) on thrips. - *Kyushu Byogaichu Kenkyukaiho* 50: 82-87
- KANBAR, G. / ENGELS, W. (2004): Number and position of wounds on honey bee (*Apis mellifera*) pupae infested with a single *Varroa* mite. - *Eur. J. Entomol.* 101,2: 323-326
- LINDER, C. / CARLEN, C. / MITTAZ, C. (2004):* Sampling of two-spotted spider mite *Tetranychus urticae* Koch and its predators *Amblyseius andersoni* (Chant) and *Phytoseiulus persimilis* Athias-Henriot in protected Swiss raspberry. - *IOBC / WPRS Bull.* 27,4: 79-84
- LIU, H. / ZHAO, Z. / DENG, Y. / XU, X. / LI, Y. (2004):* Temperature effect on development and reproduction of experimental population of *Typhlodromus bambusae* (Acari, Phytoseiidae). - *Scientia Silvae Sinicae* 40,1: 117-122
- LIU, Y.-R. / YANG, Z.-Q. (2004):* A preliminary list of gamasid mites in Hubei Province. - *Acta Arachnol. Sinica* 13,1: 57-63
- MA, Y. / YANG, X.-Z. / ZHANG, Q.-F. (2004):* A new species of the genus *Cosmolaelaps* from Qinghai, China (Acari, Laelapidae). - *Acta Zootaxon. Sinica* 29,1: 93-95
- MAKAROVA, O.L. (2004): Gamasid mites (Parasitiformes, Mesostigmata) dwelling in bracket fungi of Pechoro-Ilychskii Reserve (Komi Republic). - *Entomol. Rev.* 84,6: 667-672
- MANRIQUE, A.J. / SOARES, A.E.E. (2004):* Relacion entre la produccion de propoleos y la tasa de infestacion de varroas (*Varroa destructor*) en abejas africanizadas (*Apis mellifera*) en Brasil. - *Zootecnia Trop.* 22,3: 289-297
- MATOS, C.H.C. / PALLINI, A. / CHAVES, F.F. / GALBIATI, C. (2004): Domácias do cafeiro beneficiam a ácaro predador *Iphiseiodes zuluagai* Denmark & Muma (Acari, Phytoseiidae)? - *Neotrop. Entomol.* 33,1: 57-63
- MILANI, R. / DELLA VEDOVA, G. / NAZZI, F. (2004):* (Z)-8-heptadecane reduced the reproduction of *Varroa destructor* in brood cells. - *Apidologie* 35,3: 265-273
- MIZOBE, M. / TAMURA, I. (2004):* Biological control of the broad mite *Polyphagotarsonemus latus* (Banks) by *Amblyseius cucumeris* (Oudemans) on greenhouse sweet pepper. - *Kyushu Byogaichu Kenkyukaiho* 50: 62-65
- MORAZA, M.L. (2004): The phoretic genus *Neopodocinum* (Oudemans, 1902) in the Iberian Peninsula (Acari, Mesostigmata, Macrochelidae). - *Rev. Iber. Aracnol.* 10: 261-269
- MORAZA, M.L. (2004): Ontogeny in mesostigmatid mites (Acari). - *Rev. Iber. Aracnol.* 9: 333-337

- NICOTINA, M. / DI MATTEO, A. (2004):* Gli acari fitoseidi (Acarina, Phytoseiidae) della vite e la loro interazione con l'ambiente pedoclimatico ed edafico in vigneti della regione Campania. - Atti del Congr. Naz. Ital. Entomol. 19,2: 1351-1357
- PERSANO ODDO, L. / MARINELLI, E. (2004):* Impiego di prodotti emeopatici nella lotta contro *Varroa destructor* Anderson & Trueman. - Atti del Congr. Naz. Ital. Entomol. 19,2: 1319-1324
- QAYYUM, S. / PERVEZ, I. / AFZAL, M. (2004):* New species of the genus *Euseius* (Acarina, Phytoseiidae) from northern areas of Pakistan. - Pak. J. Agric. Sci. 41,3-4: 146-151
- RIUDAVETS, J. / QUERO, R. (2004):* Effect of relative humidity on the preimaginal development of *Blattisocius tarsalis* (Acari, Ascidae). - IOBC / WPRS Bull. 27,9: 177-180
- SANDHU, R. / PUTATUNDA, B.N. / JAIN, A.K. (2004):* Seasonal occurrence of mesostigmatid mites in gain stores at Hisar, Haryana, India. - Pest Manag. Econ. Zool. 12,2: 209-211
- SANYAL, A.K. / GUPTA, S.K. / MAJUMDER, M.Z.R. / CHOUDHURY, N. (2004):* Some hitherto unknown mites (Acari) from Bangladesh. - Rec. zool. Surv. India 102,3-4: 11-16
- SMITH, I.M. / LINDQUIST, E.E. / BEHAN-PELLETIER, V. (2004): Mites (Acari). In: Smith, I.M. (Ed.), Assessment of species diversity in the mixedwood plains ecozone. - Ecological Monitoring and Assessment Network, Burlington: 1-38
- SOULIOTIS, C. / PAPAIOANNOU-SOULIOTIS, P. / MARKOYIANNAKI-PRINTZIOU, D. / RUMBOS, I. (2004):* Aspects on collateral effects of microbial insecticide preparations of *Bacillus thuringiensis* and other compounds on *Phytoseius finitimus* (Ribaga) (Parasitiformes, Phytoseiidae). - Boll. Zool. agr. Bachic. 36,3: 345-353
- STANYUKOVICH, M. / IOHANSEN, L. (2004): Mites (Acari, Parasitiformes, Mesostigmata) parasitizing reptiles (Reptilia). [Orig. Russ.] - Aktual. Probl. Herpetologii i Toksinologii, RAN, Toljatti 7: 122-128
- STOJNIC, B.P. / PAPADOULIS, H. / PETANOVIC, G. / EMMANUEL, R. (2004):* The present knowledge and new records of phytoseiid and tydeid mites (Acari, Phytoseiidae, Tydeidae) for the fauna of Serbia and Montenegro. - Acta Entomol. Serbica 7,1-2: 111-117
- SULLIVAN, S.K.O. (2004):* Studies on biology of *Kampimodromus aberrans* (Oudemans) (Acarina, Phytoseiidae) under laboratory conditions. [Orig. Turk.] - Proc. 1st Plant Protection Congr. Turkey, Samsun : 26
- TANG, B. / ZHANG, F. / TAO, S.-X. / XIONG, J.-W. (2004):* The recent advances on resources and biology of phytoseiid mites. - Kunchong Zhishi 41,6: 527-531
- TENTCHEVA, D. / GAUTHIER, L. / ZAPPULLA, N. / DAINAT, B. / COUSERANS, F. / COLIN, M.E. / BERGOIN, M., (2004):* Prevalence and seasonal variations of six bee viruses in *Apis mellifera* L. and *Varroa destructor* mite populations in France. - Appl. Environ. Microbiol. 70,12: 7185-7191
- THAKUR, M. / SHARMA, S. / DINABANDHOO, C.L. (2004):* Phytophagous mites associated with temperate and subtropical fruit trees in Himachal Pradesh. - Pest Manag. Econ. Zool. 12,1: 83-87
- TOMCZYK, A. (2004):* Response of predatory mite *Phytoseiulus persimilis* (A.-H.) to plant growth promoting *Rhizobacteria* (PGPR) in root system of cucumber. - Progr. Plant Prot. 44,2: 1165-1168
- UNDERWOOD, R.M. / CURRIE, R.W. (2004): Indoor winter fumigation of *Apis mellifera* (Hymenoptera, Apidae) colonies infested with *Varroa destructor* (Acari, Varroidae) with formic acid is a potential control alternative in northern climates. - J. Econ. Entomol. 97,2: 177-186
- VILLANUEVA, R.T. / CHILDERS, C.C. (2004):* Phytoseiidae increase with pollen deposition on citrus leaves. - Fla. Entomol. 87,4: 609-611
- WADA, T. (2004):* *Amblyseius degenerans*, a predator of thrips registered in Japan in 2003 - thripans from Koppert / Arysta. - Shokubutsu Boeki 58,5: 223-224
- WALTER, D.E. (2004): From the subantarctic to the subtropics: a revision of the Davacaridae Kethley, 1977 (Acarai, Trigynaspida, Mesostigmata) with the description of a new genus and three new species. - J. Nat. Hist. 38,16: 2033-2049
- WEEKS, A.R. / STOUTHAMER, R. (2004): Increased fecundity associated with infection by a Cytophaga-like intracellular bacterium in the predator mite, *Metaseiulus occidentalis*. - Proc. Roy. Soc. Biol. Ser. B 271, Suppl. 4: 193-195
- ZHANG, Y. / LIN, J. / JI, J. / SAITO, Y. / ZHANG, Z. (2004):* Studies on the potential of *Typhlodromus bambusae* (natural) and *Amblyseius cucumeris* (introduced) (Acari, Phytoseiidae) as a biocontrol agent against pest mites of moso bamboo. - Scientia Silvae Sinicae 40,5: 132-137

Publikationen, Ergänzungen 2003 / Publications, additions 2003

- AKYAZ, F. / ECEVIT, O. (2003):* Determination of mite species in hazelnut orchards in Samsun, Ordu and Siresun provinces. [Orig. Turk.] - Ondokuz Mays Universitesi, Ziraat Fak. Derg., Samsun 18,3: 39-45
- ARROYO, J. / ITURRONDOBEITIA, J.C. / CABALLERO, A.I. / GONZALEZ-CARCEDO, S. (2003): Una aproximación al uso de taxones de artrópodos como bioindicadores de condiciones edáficas en agrosistemas. - Bol. S.E.A. 32: 73-79
- ARROYO, J. / ITURRONDOBEITIA, J.C. / CABALLERO, A.I. / GONZALEZ-CARCEDO, S. (2003): Las comunidades de micro y mesoartrópodos de parcelas experimentales de cultivo de secano en un muestro de invierno. - Boln. Asoc. esp. Ent. 27,1-4: 41-51
- BAKKER, F. / VAN STRATUM, P. (2003):* Testing *Hypoaspis aculeifer* (Acari, Laelapidae) on standard soils: notes on testing methodology and species sensitivity. - IOBC / WPRS Bull. 26: 99-105
- BLAESER, P. / LEONART I SITJAR, M. / SENGONCA, C. (2003):* Laboruntersuchungen zur Entwicklung, Lebensdauer und Reproduktion von vier *Amblyseius*-Raubmilbenarten bei Ernährung mit *Tetranychus urticae* Koch (Acari, Tetranychidae) und *Frankliniella occidentalis* (Pergande) (Thysanoptera, Thripidae). - Nachr.-blatt Deut. Pflanzenschutzd. 54,12: 307-311
- CALUGAR, A. (2003):* Studiul faunistic si ecologic al familiei Zerconidae Canestrini, 1891 (Acari, Gamasida) din Moldova. - Doctorate thesis, "Al. I. Cuza" University, Iasi: x-xxx
- CAVACO, M. / GONCALVES, M. / NAVES, A. / SANTOS, J. / SILVINO, P. / VEIGA, C. / RODRIGUES, R. (2003):* Evaluation of the side effects of five insecticides on predatory mites (Acari, Phytoseiidae) in apple orchards in two different regions of Portugal. - IOBC / WPRS Bull. 26,5: 1-8
- COLFER, R.G. / ROSENHEIM, J.A. / GODFREY, L.D. / IISU, C.L. (2003): Interactions between the augmentatively released predaceous mite *Galendromus occidentalis* (Acari, Phytoseiidae) and naturally occurring generalist predators. - Environ. Entomol. 32,4: 840-852
- CULLNEY, T.W. (2003):* Survey for parasitic honey bee mites in Hawaii (Acariformes, Tarsonemidae, Parasitiformes, Laelapidae, Varroidae). - Proc. Hawaiian Entomol. Soc. 36: 103-109
- DUSO, C. / MALAGNINI, V. / DRAGO, A. / POZZEBON, A. / GALBERO, G. / CASTAGNOLI, M. / DE LILLO, E. (2003):* The colonization of phytoseiid mites (Acari, Phytoseiidae) in a vineyard and the surrounding hedgerows. - IOBC / WPRS Bull. 26,4: 37-42
- GUANILO, A. / CORDERO, J. (2003):* Comportamiento depredador de *Macrocheles muscaedomesticae* (Scopoli) (Acarina, Macrochelidae) sobre huevos de *Musca domestica* Linnaeus (Diptera, Muscidae). - Rev. Peruana Entomol. 43: 137-142
- GUPTA, S.K. / GHOSHAL, S. / CHOUDHURY, A. (2003):* Life cycle of *Amblyseius alstoniae* Gupta, at room temperature feeding upon *Eotetranychus hickoriae* McGregor on guava (*Psidium guajava*). - Rec. Zool. Surv. India 101,1-2: 93-99
- HASSAN, A.R. / MOHAMED, A.A. (2003):* Studies on some factors affecting *Varroa* mite reproduction. - Shashpa 10,2: 115-122
- HEGYI, T. / JENSER, G. (2003):* Phytoseiid mites in apple orchards on sandy soils in Hungary. - IOBC / WPRS Bull. 26,11: 51-57
- KOLODOCHKA, L.A. (2003):* A new species of the genus *Typhlodromus* (Parasitiformes, Phytoseiidae) from South-East Crimea. - Vestn. Zool. 37,2: 77-79
- KOLODOCHKA, L.A. / KHAUSTOV, A.A. (2003):* An addition to the list of mites of the family Phytoseiidae (Parasitiformes) from north-eastern Ukraine, with redescription of rare *Amblyseius filixis*. - Vestn. zool. 16, Suppl.: 53-58
- LEQUET, A. / FAUCHEUX, M.J. (2003):* Morphologie d'un ectoparasite de l'Abeille mellifique, l'acarien *Varroa jacobsoni* (Oudemans, 1904) (Acari, Varroidae). - Bull. Soc. Sci. Nat. l'Quest Franc. 25,4: 214-224
- LI, J. / LU, J. / QU, Y. / YANG, Y. / WU, Q. (2003):* Effect of temperature on development duration of *Amblyseius cucumeris*. - Yingyong Shengtai Xuebao 14,12: 2255-2257
- LI, J. / YANG, Y. / QU, Y. / WU, Q. (2003):* Experimental population life table of *Amblyseius cucumeris* with *Polyphagotarsonemus latus* as prey. - Acta Phytophyacica Sinica 30,4: 389-395
- LINDER, C. / MITTAZ, C. / CARLEN, C. (2003):* Biological control of *Tetranychus urticae* on plastic covered raspberries with native and introduced phytoseiids. - IOBC / WPRS Bull. 26,2: 113-118
- LIU, J.-Y. / MA, L.-M. (2003):* Three new species of Gamasina from western Hubei Province, China (Acari, Mesostigmata). - Acta Zootaxon. Sinica 28,4: 651-656

- MA, Y. / NING, G. / WEI, Y.-W. (2003):* A new species of the genus *Hypoaspis* Qinghai, China (Acari, Laelapidae). [Orig. Chin.] - Acta Zootaxon. Sinica 28,2: 256-257**
- MARCANGELI, J.A. / GARCIA, M. DEL C. (2003):* Control del acaro *Varroa destructor* (Mesostigmata, Varroidae) en colmenas de *Apis mellifera* (Hymenoptera, Apidae) mediante la aplicacion de distintos principios activos. - Rev. Soc. Entomol. Argent. 62,3-4: 69-74
- MERTINS, J.W. / HARTDEGEN, R.W. (2003):* The gound skink, *Scincella lateralis*, an unusual host for phoretic deutonymphs of a uropodine mite, *Fuscuropoda marginata*, with a review of analogous mite-host interactions. - Texas J. Sci. 55,1: 33-42
- MILES, M. / DUTTON, R. (2003):* Testing the effects of spinosad to predatory mites in laboratory, extended laboratory, semi-field and field studies. - IOBC / WPRS Bull. 26,5: 9-20
- NICOTINA, M. (2003):* Side effects of some fungicides on the population of *Typhlodromus exhilaratus* Ragusa and *Phytoseius finitimus* Ribaga sensu Denmark (1966) (Parasitiformes, Phytoseiidae) on grapevines in Tuscany. - Adv. Hortic. Sci. 17,2: 72-76
- NICOTINA, M. / CAPONE, G.C. / CIOFFI, E. (2003):* Influence of surrounding trees on the populations of phytoseiid mites (Acari, Phytoseiidae) in a vineyard of the Lazio region (Central Italy). - Boll. Zool. agr. Bachic. 35,2: 176-189
- REIS, P.R.S. / ELBER, O.T. / ADENIR, V.P. / NETO, M. (2003): Effect of prey density on the functional and numerical responses of two species of predaceous mites (Acari, Phytoseiidae). - Neotrop. Entomol. 32,3: 461-467
- RIGAMONTI, I.E. / RENA, S. (2003):* Survey on aerial dispersal of phytoseiids (Acarina, Phytoseiidae) in a vineyard in northern Italy. - IOBC / WPRS Bull. 26,8: 269-272
- SERAFINI, P.S. DOS ANJOS / ARZUA, L. / VOLPATO, G. / VARGAS, E. / POLLETO, F. (2003):* First report of *Ornithonyssus sylviarum* (Acari, Macronyssidae) on black vulture (*Coragyps atratus*) nestlings from Brazil. - Rev. Bras. Parasit. Vet. 12,2: 92-93
- STANYUKOVICH, M.K. / BUTENKO, O.M. (2003): New species of rhinonyssid mites of the genus *Ptilonyssus* (Gamasina, Rhinonyssidae) from Passeriformes of Russia and neighbouring countries. [Orig. Russ.] - Parazitologija 37,1: 31-46**
- STANYUKOVICH, M. (2003): The gamasid mites of the family Macronyssidae (Parasitiformes, Gamasina) from Russia and adjacent countries (Ex-USSR). [Orig. Russ.] - Probl. Sovremennoj Parazitologii, RAN, St. Petersburg 2: 123
- STANYUKOVICH, M. / IOHANSEN, L. (2003): Observations on the gamasid mites (Parasitiformes, Gamasina, Macronyssidae, Laelapidae) parasitizing reptiles (Reptilia) from Russia and adjacent countries (Ex-USSR). [Orig. Russ.] In: Ananjeva, N. / Tsinenko, O. (Eds.), Herpetologia Petropolitana. - Proc. 12th Ord. Gen. Meet. Soc. Eur. Herpetol., St. Petersburg, Russ. J. Herpetol. 12 (Suppl.): 310-311
- STEENBERG, T. / KILPINEN, O. (2003):* Fungus infection of the chicken mite *Dermanyssus gallinae*. - IOBC / WPRS Bull. 26,1: 23-25
- STOCH, F. / ZOIA, S. (2003):* Aggiornamenti alla checklist delle specie della fauna italiana X. contributo. - Boll. Soc. Entomol. Ital. 98,1-4: 193-207
- URBANEJO, A. / LEON, F.J. / GIMENEZ, A. / ARAN, A. / VAN DER BLOOM, J. (2003):* Interaccion de *Neoseiulus (Amblyseius) cucumeris* (Oudemans) (Acarina, Phytoseiidae) en la instalacion de *Orius laevigatus* (Fieber) (Hem., Anthocoridae) en invernaderos de pimiento. - Bol. San. Veg. Plagas 29,3: 347-357
- WANG, R. / HUANG, Z.Y. / DONG, K. (2003):* Molecular characterization of an arachnid sodium channel gene from the *Varroa* mite (*Varroa destructor*). - Insect. Biochem. Molec. Biol. 33,7: 733-739
- WEINTRAUB, P. / PALEVSKY, E. (2003):* Distribution and diel movement of the predatory mite, *Neoseiulus cucumeris*, on greenhouse sweet pepper - preliminary study. - IOBC / WPRS Bull. 26,10: 89-94
- ZHANG, Y. / LIN, J. / JI, J. / SAITO, Y. / ZHANG, Z. (2003):* Studies on parameters experiment population life table to estimate the potential of *Amblyseius cucumeris* (Acari, Phytoseiidae) as a biocontrol agent against the mite pests of moso bamboo. - Nat. Enem. Insects 25,1: 1-9
- ZHOU, T. / WANG, Q. / YAO, J. (2003):* Advances in research of flualinate resistance in *Varroa destructor*: sodium channels involved. - Entomol. Knowl. 40,6: 491-495

Publikationen, Ergänzungen 2002 / Publications, additions 2002

- HUSSEIN, A.M. / ALI, F.S. / NAWAR, M.S. / ALLAM, S.A. (2002):* Biological and ecological studies on the soil predatory mite *Holaspina solimani* (Metwali) (Parholaspidae, Gamasida). - Egypt. J. Agric. Res. 80,3: 1117-1131
- ORTIZ-SANCHEZ, F.J. / HERNANDEZ, J.E. / MONTESDEOCA, M. / CARNERO, A. (2002):* *Parasitellus fucorum* (De Geer, 1778) (Mesostigmata, Parasitidae), phoretic mite associated with the Canarian bumblebee, *Bombus canariensis* Perez, 1895 (Hymenoptera, Apidae). - Vieraea 30: 161-166
- SHEREEF, G.M. / HUSSEIN, A.M. / ALLAM, S.A. (2002):* Biological and ecological studies on the soil predatory mite *Holostaspella solimani* Afifi, Hassan and Nawar (Macrochelidae, Gamasida). - Egypt. J. Agric. Res. 80,4: 1597-1611
- STOJNIC, B. / PANOU, H. / PAPADOULIS, G. / PETANOVIC, R. / EMMANOUEL, N. (2002):* The present knowledge and new records of phytoseiid and tydeid mites (Acari, Phytoseiidae, Tydeidae) from the fauna of Serbia and Montenegro. - Acta Entomol. Serbica 7: 111-117

Nomina Nova

Die Namen neuer Taxa werden hier veröffentlicht, sofern uns die Publikationen vorliegen. Eine Überprüfung ihrer Validität erfolgte nicht. Die Autoren von neuen Kombinationen und neuen Synonymen stehen in [eckigen Klammern].

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Typen-Informationen / Type-material information as follows:

Uropoda abantica Bal & Özkan, 2007 (Seite / Page: 43¹) – TYPEN / TYPES: HT² - EEF³, PT²- AUZM³

1 – erste Seite der Beschreibung / first page of the description

2 – Holotypus (HT), Paratypen (PT) oder Syntypen (ST) / holotype (HT), paratypes (PT) or syntypes (ST)

3 – Abkürzungen der Aufbewahrungsorte der neuen Arten, sofern sie in den Publikationen zitiert sind / Abbreviations of the places of storage of new species, as far as they were cited in the publications

Abkürzungen der Aufbewahrungsorte der neuen Arten / Abbreviations of the places of storage of new species

Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

Academy of Sciences of the Czech Republic, Institute of Parasitology, Ceske Budejovice, Czech Republic

Atatürk University, Zoology Museum, Atatürk, Turkey

British Museum of Natural History, Department of Entomology, London, United Kingdom

Department of Zoology, University of Calicut, Kerala, India

Erzincan Education Faculty, Erzincan, Turkey

Ecole Nationale Supérieure Agronomique de Montpellier, Montpellier, France

Escola Superior de Agricultura "Luiz de Queiroz", Universidade de São Paulo, Departamento de Entomologia, Fitopatologia e Zoologia Agrícola, Piracicaba, Brazil

Field Museum of Natural History, Chicago, USA

Forest Research Institute of Malaysia, Entomological Division, Kepong, Selangor, Malaysia

Hungarian Natural History Museum, Budapest, Hungary

Instituto Butantan, São Paulo, Brazil

International Institute of Tropical Agriculture Insect Museum, Cotonou, Benin

Instituto Nacional de Pesquisas da Amazonia, Manaus, Brazil

L'Institut Royal des Sciences Naturelles, Bruxelles, Belgium
Kyoto University Museum, Kyoto, Japan
Harold W. Manter Laboratory of Parasitology, University of Nebraska-Lincoln, Lincoln, Nebraska, USA
Laboratoire de Zoogéographie, Université Montpellier, Montpellier, France
Museum of Biological Diversity, The Ohio State University, Columbus, USA
Medical Entomological Specimen Hall, Institute of Microbiology and Epidemiology, Academy of Military Medical Sciences, Beijing, China
Muséum d'Histoire Naturelle, Geneva, Switzerland
Muséum National d'Histoire Naturelle, Laboratoire de Zoologie (Arthropodes), Paris, France
Museum Zoologicum Bogoriense, Bogor, Indonesia
Museum of Zoology, University of Navarra, Pamplona, Spain
Museu Zoologia, Universidade de São Paulo, São Paulo, Brazil
National Base of Plague and Brucellosis Control, Baicheng City, Jilin Province, China
National Collection of Arachnida, Pretoria, South Africa
Natural History Museum, Department of Entomology, London, United Kingdom
National Museum of Natural Sciences, Madrid, Spain
National Science Museum, Tokyo, Japan
Ohio State University, Acarology Laboratory, Columbus, Ohio, USA
Quito Católica Zoológica, Museo de Zoología de la Pontificia Universidad Católica del Ecuador, Quito, Ecuador
RijksMuseum van Natuurlijke Historie, Leiden, The Netherlands
Staatliches Museum für Naturkunde Görlitz, Görlitz, Germany
University of Queensland Institut Collection, Department of Zoology and Entomology, St. Lucia, Queensland, Australia
United States National Museum of Natural History, Washington, USA
Zoological Institute, Graduate School of Science, Hokkaido University, Sapporo, Japan
Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia
Zoological Museum, Jagiellonian University, Kraków, Poland

Neue Arten / New species

Acanthodacarus klompeni Walter, 2004 (Seite / Page: 2041) – TYPEN / TYPES: HT + PT - UQIC, PT - ANIC, OSAL
Africoseiulella flechtmanni Kreiter, 2006 (Seite / Page: 3) – TYPEN / TYPES: HT + PT - MNHNP, PT - ENSAM
Afrotrachytes longicaudatus Kontschán, 2006 (Seite / Page: 53) – TYPEN / TYPES: HT - HNHM
Amblyseius (Amblyseius) amorphalae Sadanandan & Ramani, 2006 (Seite / Page: 2267) – TYPEN / TYPES: HT + PT - DZUC
Amblyseius (Amblyseius) bhadraskhae Sadanandan & Ramani, 2006 (Seite / Page: 2267) – TYPEN / TYPES: HT + PT - DZUC
Amblyseius (Amblyseius) koothaliensis Anithalatha, 2005 (Seite / Page: 83) – TYPEN / TYPES: HT + PT - DZUC
Amblyseius (Amblyseius) mohanasundarami Anithalatha, 2005 (Seite / Page: 81) – TYPEN / TYPES: HT + PT - DZUC
Amblyseius leai Tixier & Kreiter, 2005 (Seite / Page: 132) – TYPEN / TYPES: HT - ESALQ/USP, PT - ENSAM
Androlaelaps bergalloi Gettinger, Martins, Lareschi & Malcolm, 2005 (Seite / Page: 45) – TYPEN / TYPES: HT + PT - INPA, PT - IBS, MZUSP, LPUN, FMNH
Blattisocius dolichus Ma, 2006 (Seite / Page: 70) – TYPEN / TYPES: HT - NBPBC
Cheiroseius pustulus Karg, 2007 (Seite / Page: 132) – TYPEN / TYPES: HT + PT - SMNG
Chelaseius arnei Faraji & Karg, 2006 (Seite / Page: 264) – TYPEN / TYPES: HT - MNHNP
Crinitodiscus ayvildizi Bal, 2006 (Seite / Page: 26) – TYPEN / TYPES: HT + PT - EEF, PT - AUZM
Davacarus lindquisti Walter, 2004 (Seite / Page: 2047) – TYPEN / TYPES: HT + PT - UQIC, PT - ANIC, OSAL
Davacarus reginaldo Walter, 2004 (Seite / Page: 2045) – TYPEN / TYPES: HT + PT - UQIC

- Euseius barreti* Kreiter, 2005 (Seite / Page: 135) – TYPEN / TYPES: HT - ESALQ/USP, PT - ENSAM
- Gamasholaspis imitakimotoi* Ma & Lin, 2006 (Seite / Page: 75) – TYPEN / TYPES: HT - MESH
- Gamasholaspis gamasoides* Moraza & Pena, 2006 (Seite / Page: 80) – TYPEN / TYPES: HT + PT - MZUNAV
- Gamasiphis silvestris* Karg, 2007 (Seite / Page: 124) – TYPEN / TYPES: HT + PT - SMNG
- Hololaelaps antarcticus* Karg, 2007 (Seite / Page: 134) – TYPEN / TYPES: HT + PT - SMNG
- Hattenia rhizophorae* Faraji & Cornejo, 2006 (Seite / Page: 287) – TYPEN / TYPES: HT + PT - QCAZ, PT - ANIC, RMNH, BMNH, USNM
- Holaspina canariensis* Moraza & Pena, 2006 (Seite / Page: 76) – TYPEN / TYPES: HT + PT - MZUNAV
- Holaspula fujianensis* Ma & Lin, 2006 (Seite / Page: 76) – TYPEN / TYPES: HT - MESH
- Holoparasitus amiatus* Witalinski & Skorupski, 2007 (Seite / Page: 130) – TYPEN / TYPES: HT + PT - ZMJU
- Holoparasitus annulus* Juvara-Bals & Witalinski, 2007 (Seite / Page: 438) – TYPEN / TYPES: HT + PT - MHNG
- Holoparasitus fovealis* Witalinski & Skorupski, 2007 (Seite / Page: 131) – TYPEN / TYPES: HT + PT - ZMJU
- Holoparasitus rhombogynialis* Witalinski, 2006 (Seite / Page: 22) – TYPEN / TYPES: HT + PT - ZMJU
- Holoparasitus sardensis* Juvara-Bals & Witalinski, 2007 (Seite / Page: 443) – TYPEN / TYPES: HT + PT - ZMJU, PT - MHNG
- Indoseiulus santosoi* Ehara, 2005 (Seite / Page: 36) – TYPEN / TYPES: HT - MZB
- Laelaps neacomysidis* Gettinger & Gardner, 2005 (Seite / Page: 49) – TYPEN / TYPES: HT + PT - LPUN, PT - IBS, FMNH
- Lasioseius aquilarum* Dusbabek & Literak, 2006 (Seite / Page: 294) – TYPEN / TYPES: HT + PT - ASCR, PT - MBD, BMNH
- Lasioseius barbensis* Faraji & Karg, 2006 (Seite / Page: 239) – TYPEN / TYPES: HT - NMNS
- Latotutulioptilis kenyensis* Kontschán, 2006 (Seite / Page: 165) – TYPEN / TYPES: HT + PT - HNNM
- Leioseius eusetosus* Karg, 2007 (Seite / Page: 132) – TYPEN / TYPES: HT + PT - SMNG
- Macrocheles entetiensis* Hartini & Takaku, 2005 (Seite / Page: 204) – TYPEN / TYPES: HT + PT - MZB
- Macrocheles erniae* Hartini & Takaku, 2006 (Seite / Page: 33) – TYPEN / TYPES: HT + PT - MZB, PT - ZIHU
- Macrocheles kojimai* Hartini & Takaku, 2006 (Seite / Page: 35) – TYPEN / TYPES: HT + PT - MZB, PT - ZIHU
- Macrocheles kolimai* Hartini & Takaku, 2006 (Seite / Page: 35) – TYPEN / TYPES: HT + PT - MZB, PT - ZIHU
- Macrocheles manokwariensis* Hartini & Takaku, 2006 (Seite / Page: 37) – TYPEN / TYPES: HT - MZB
- Macrocheles seraphim* Niogret & Nicot, 2007 (Seite / Page: 21) – TYPEN / TYPES: HT - MNHNP, PT - IRSNB, LZUM
- Macrocheles sumbaensis* Hartini & Takaku, 2005 (Seite / Page: 206) – TYPEN / TYPES: HT + PT - MZB
- Macrocheles timikaensis* Hartini & Takaku, 2006 (Seite / Page: 39) – TYPEN / TYPES: HT + PT - MZB, PT - ZIHU
- Macrocheles woroae* Hartini & Takaku, 2006 (Seite / Page: 43) – TYPEN / TYPES: HT - MZB
- Macrodinychus alveolaris* Kontschán, 2006 (Seite / Page: 60) – TYPEN / TYPES: HT + PT - HNNM
- Macronyssus macroscutatus* Baker & Beccaloni, 2006 (Seite / Page: 169) – TYPEN / TYPES: HT + PT - HNNM
- Metaseiulus ferlai* De Moraes, McMurtry & Lopes, 2006 (Seite / Page: 352) – TYPEN / TYPES: HT + PT - ESALQ/USP
- Nenteria shimbaensis* Kontschán, 2006 (Seite / Page: 168) – TYPEN / TYPES: HT - HNNM
- Neoseiulella ferraguti* Moraza & Pena Estevez, 2006 (Seite / Page: 56) – TYPEN / TYPES: HT + PT - MZUNAV
- Neoseiulus angolaensis* Ueckermann, De Moraes & Zannou, 2006 (Seite / Page: 244) – TYPEN / TYPES: HT - NCA
- Neoseiulus asperisetatus* Zannou, De Moraes & Oliveira, 2006 (Seite / Page: 245) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Neoseiulus cecileae* Kreiter, 2006 (Seite / Page: 12) – TYPEN / TYPES: HT + PT - ENSAM

- Neoseiulus conicus* Zannou, De Moraes & Oliveira, 2006 (Seite / Page: 254) – TYPEN / TYPES: HT - ESALQ/USP
- Neoseiulus constricticervix* Zannou, De Moraes & Oliveira, 2006 (Seite / Page: 255) – TYPEN / TYPES: HT - ESALQ/USP
- Neoseiulus knappi* Zannou, De Moraes, Ueckermann, Oliveira, Yaninek & Hanna, 2006 (Seite / Page: 257) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - IITAIM, NCA
- Neoseiulus mebeloi* Zannou, De Moraes & Oliveira, 2006 (Seite / Page: 262) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Neoseiulus neobaraki* Zannou, De Moraes & Oliveira, 2006 (Seite / Page: 263) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Neoseiulus onzoi* Zannou, De Moraes & Oliveira, 2006 (Seite / Page: 265) – TYPEN / TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Neoseiulus smithmeyerae* Ueckermann, De Moraes & Zannou, 2006 (Seite / Page: 267) – TYPEN / TYPES: HT + PT - NCA
- Neoseiulus tridenticus* Ueckermann, De Moraes & Zannou, 2006 (Seite / Page: 271) – TYPEN / TYPES: HT + PT - NCA
- Ophiomegistus spectabilis* Klompen & Austin, 2007 (Seite / Page: 48) – TYPEN / TYPES: HT + PT - OSAL, PT - ANIC
- Oplitis turcica* Bal & Özkan, 2006 (Seite / Page: 121) – TYPEN / TYPES: HT + PT - AUZM
- Pachylaelaps auricularis* Moraza & Pena, 2005 (Seite / Page: 112) – TYPEN / TYPES: HT + PT - MZUNAV
- Pachylaelaps canariensis* Moraza & Pena, 2005 (Seite / Page: 121) – TYPEN / TYPES: HT + PT - MZUNAV
- Pachylaelaps glandularis* Moraza & Pena, 2005 (Seite / Page: 119) – TYPEN / TYPES: HT + PT - MZUNAV
- Pachylaelaps intermedius* Moraza & Pena, 2005 (Seite / Page: 117) – TYPEN / TYPES: HT + PT - MZUNAV
- Pachylaelaps mandibularis* Moraza & Pena, 2005 (Seite / Page: 110) – TYPEN / TYPES: HT + PT - MZUNAV
- Pachylaelaps minutus* Moraza & Pena, 2005 (Seite / Page: 124) – TYPEN / TYPES: HT + PT - MZUNAV
- Pachylaelaps silviae* Moraza & Pena, 2005 (Seite / Page: 106) – TYPEN / TYPES: HT + PT - MZUNAV
- Paragarmania changjiangensis* Ma, 2006 (Seite / Page: 71) – TYPEN / TYPES: HT - NBPBC
- Phytoscutus japonicus* Ehara & Kishimoto, 2007 (Seite / Page: 111) – TYPEN / TYPES: HT + PT - NSMT
- Phytoseius (Phytoseius) malaysianus* Ehara, 2006 (Seite / Page: 177) – TYPEN / TYPES: HT + PT - FRIM, PT - NSMT
- Polyaspis africanus* Kontschán, 2006 (Seite / Page: 56) – TYPEN / TYPES: HT - HNHM
- Proctolaelaps jiangxiensis* Ma, 2006 (Seite / Page: 72) – TYPEN / TYPES: HT - NBPBC
- Protogamasellus americanus* Karg, 2007 (Seite / Page: 119) – TYPEN / TYPES: HT - SMNG
- Pseudoparasitus rencornis* Karg, 2007 (Seite / Page: 127) – TYPEN / TYPES: HT + PT - SMNG
- Ptilonyssus ammonani* Stanyukovich & Butenko, 2003 (Seite / Page: 32) – TYPEN / TYPES: HT + PT - ZISP
- Shimbulla afra* Kontschán, 2006 (Seite / Page: 161) – TYPEN / TYPES: HT + PT - HNHM
- Trachyuropoda marginalia* Kontschán, 2006 (Seite / Page: 168) – TYPEN / TYPES: HT - HNHM
- Transeius fulvus* Ehara & Toyoshima, 2006 (Seite / Page: 345) – TYPEN / TYPES: HT + PT - NSMT, PT - KUM
- Trigonuropoda gerei* Kontschán, 2006 (Seite / Page: 57) – TYPEN / TYPES: HT + PT - HNHM
- Trigonuropoda shimaensis* Kontschán, 2006 (Seite / Page: 163) – TYPEN / TYPES: HT + PT - HNHM
- Trigonuropoda takacsi* Kontschán, 2006 (Seite / Page: 59) – TYPEN / TYPES: HT + PT - HNHM
- Typhlodromus (Anthoseius) kishimotoi* Ehara & Amano, 2006 (Seite / Page: 348) – TYPEN / TYPES: HT + PT - NSMT, PT - KUM
- Typhlodromus (Typhlodromus) moricola* Ehara & Toyoshima, 2006 (Seite / Page: 348) – TYPEN / TYPES: HT - NSMT
- Urobovella anatolica* Bal, 2006 (Seite / Page: 32) – TYPEN / TYPES: HT + PT - EEF, PT - AUZM
- Uropoda abantica* Bal & Özkan, 2007 (Seite / Page: 43) – TYPEN / TYPES: HT - EEF, PT - AUZM
- Uropoda turcica* Bal, 2006 (Seite / Page: 21) – TYPEN / TYPES: HT + PT - EEF, PT - AUZM

Zercon kosovina Kontschán, 2006 (Seite / Page: 49) – TYPEN / TYPES: HT + PT - HNHM

Neue Gattungen / New genera

- Acanthodavacarus* Walter, 2004 (Seite / Page: 2041)
 TYPUSART/ - SPECIES: *Acanthodavacarus klompeni* Walter, 2004
Adenoepicrius Moraza, 2005 (Seite / Page: 539)
 TYPUSART/ - SPECIES: *Adenoepicrius magnus* Moraza, 2005
Africoseiulella Kreiter, 2006 (Seite / Page: 3)
 TYPUSART/ - SPECIES: *Africoseiulella flechtmanni* Kreiter, 2006
Protofurcatus Karg, 2007 (Seite / Page: 119)
 TYPUSART/ - SPECIES: *Protogamasellus bifurcalis* Genis, Loots & Ryke, 1967
Shimbulla Kontschán, 2006 (Seite / Page: 159)
 TYPUSART/ - SPECIES: *Shimbulla afra* Kontschán, 2006

Neue Kombinationen / New combinations

- Protofurcatus ascleronodus* (Shcherbak & Pertova, 1987) – [Karg, 2007: 119]
Protofurcatus bicirratus (Karg, 1977) – [Karg, 2007: 119]
Protofurcatus bifurcalis (Genis, Loots & Ryke, 1967) – [Karg, 2007: 119]

Neue Synonyme / New synonyms

- Ameroseius crassisetosus* Ye & Ma, 1993 – [Ma, 2006: 24]
 = Ameroseius qinghaiensis Li & Yang, 2000
Coleolaelaps liui Samsinak, 1962 – [Ma, 2006: 23]
 = Hypoaspis spinaperaffinis Ma & Cui, 2002
Eulaelaps voronovi Petrova & Taskaeva, 1974
 = Eulaelaps dremomydis Gu & Wang, 1984
 = Eulaelaps linggangis Wen & Yan, 1985
Eviphis drepanogaster (Berlese, 1882) – [Ma, 2006: 24]
 = Eviphis cryptognathus Gu & Bai, 1990
Eviphis imparisetus Petrova & Tascaeva, 1968 – [Ma, 2006: 24]
 = Eviphis acatus Tao & Gu, 1996
Gamasholaspis subgamasoides Petrova & Tascaeva, 1968 – [Ma, 2006: 24]
 = Gamasholaspis concavus Gu & Guo, 1996
Gamasholaspis sinicus Yin, Cheng & Chang, 1964 – [Ma, 2006: 24]
 = Gamasholaspis communis Petrova, 1967
Gamasodes marmotae Ma, 1992 – [Ma, 2006: 24]
 = Gamasodes guoluoensis Gu & Liu, 1995
Gymnolaelaps sinensis Wang, Zhou & Ji, 1991 – [Ma, 2006: 23]
 = Gymnolaelaps weishanensis Gu & Guo, 1997
Haemogamasus macrodentalis Piao & Ma, 1980 – [Ma, 2006: 23]
 = Haemogamasus tangkeensis Zhou, 1981
 = Haemogamasus qinghaiensis Yang & Gu, 1985
Haemogamasus trifurcisetus Zhou & Jiang, 1987 – [Ma, 2006: 23]
 = Haemogamasus daliensis Tian, 1990
Haemolaelaps angustiscutis Bregetova, 1952 – [Ma, 2006: 23]
 = Haemolaelaps fragilis Chen, Bai & Gu, 1995
Hirstionyssus zaisanica Senotrussova, 1973 – [Ma, 2006: 24]
 = Hirstionyssus phodopi Bai & Gu, 1989
Holoparasitus hemisphaericus (Vitzthum, 1923) – [Witalinski, 2006: 17]
 = Holoparasitus absoluti (Willmann, 1940)
Hypoaspis chianensis Gu, 1990 – [Ma, 2006: 23]
 = Hypoaspis (Cosmolaelaps) hefeiensis Xu & Liang, 1996

- Hypoaspis diomphalia* Yin & Qin, 1984 – [Ma, 2006: 23]
 = *Hypoaspis weni* Bai, Gu & Chen, 1994
- Hypoaspis hrdyi* Samsinak, 1961 – [Ma, 2006: 23]
 = *Hypoaspis shenyangensis* Bei, Shi & Yin, 2003
- Hypoaspis hyatti* Evans & Till, 1966 – [Ma, 2006: 23]
 = *Qinghailaelaps gui* Bai, 1992
- Hypoaspis praesternalis* Willmann, 1949 – [Ma, 2006: 23]
 = *Hypoaspis postreticulatus* Xu & Liang, 1996
- Laelaps* C.L. Koch, 1835 – [Ma, 2006: 23]
 = *Dianolaelaps* Gu & Duan, 1990
- Laelaps echidninus* Berlese, 1887 – [Ma, 2006: 23]
 = *Dianolaelaps gryllus* Gu & Duan, 1990
- Laelaspis sinicus* Chang, Cheng & Yin, 1963 – [Ma, 2006: 23]
 = *Laelaspis sinensis* Bai & Gu, 1993
- Neogamasus amurensis* Volonikhina, 1993 – [Ma, 2006: 24]
 = *Parasitus mengyangchunae* Ma, 1995
- Pachylaelaps siculus* Berlese, 1892 – [Ma, 2006: 24]
 = *Pachylaelaps xinghaiensis* Ma, 1985
- Parasitus beta* Oudemans & Voigts, 1904 – [Ma, 2006: 24]
 = *Parasitus imitofragilis* Ma, 1990
- Pneumolaelaps* Berlese, 1920 – [Ma, 2006: 23]
 = *Qinghailaelaps* Gu & Yang, 1984
- Proctolaelaps fiseri* Samsinak, 1960 – [Ma, 2006: 24]
 = *Proctolaelaps yinchuanensis* Bai, Yin & Gu, 1993
- Proctolaelaps pygmaeus* (Müller, 1859) – [Ma, 2006: 24]
 = *Hypoaspis ovatus* Ma, Ning & Wie, 2003
- Vulgarogamasus burchanensis* (Oudemans, 1903) – [Ma, 2006: 24]
 = *Vulgarogamasus haiyuanensis* Bai, Fang & Yin, 1995
- Vulgarogamasus trifidus* Ma, 1987 – [Ma, 2006: 24]
 = *Vulgarogamasus ningxiaensis* Bai, Gu & Chen, 1991

Adressen / Addresses

- ALBERTI, PROF. DR. GERD, E.-Moritz-Arndt Univ., Zool. Institut und Museum, J.-Seb.-Bach-Str. 11-12, 17489 Greifswald, Germany; E-Mail: alberti@uni-greifswald.de
- AMANO, PROF. HIROSHI, Laboratory of Appl Entomol. and Zoology, Faculty of Horticulture, Chiba University, 648 Matsuda, Matsuda, Chiba, 271-8510, Japan; E-Mail: amano@faculty.chiba-u.jp
- AMER, DR. S.A.A., National Research Center, Plant Protection Department, Dokki, Cairo 12311, Egypt
- ANITHALATHA, DR. MARY, Malabar Christian College, PG and Res. Dept. Zool., Calicut, 673 001, Kerala, India
- BAATRUP, DR. ERIK, Institute of Biological Sciences, Department of Zoophysiology, Building 131, University of Aarhus, 8000 Aarhus C, Denmark; E-Mail: erik.baatrup@biology.au.dk
- BAI, DR. XUE-LI, Inst. Endemic Disease Contr., Ningxia Hui Autonom. Region, Yinchuan 750004, China
- BAJERLEIN, DR. DARIA, Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Szamarzecoskiego 91A, 60-569 Poznan, Poland; E-Mail: bajer@amu.edu.pl
- BAKER, DR. ANNE S., Department. of Entomology, The Natural History Museum, Cromwell Road, London, SW7 5BD, United Kingdom; E-Mail: asb@nhm.ac.uk
- BAKKER, DR. FRANK M., MITOX Trial Management BV, PO BOX 92260, 1090 AG Amsterdam, The Netherlands; E-Mail: frank.bakker@mitox.org
- BAL, DR. DURMUS ALI, Education Faculty, Ataturk University, 24030 Erzincan, Turkey; E-Mail: bal@atauni.edu.tr
- BASHIR, DR. M. HAMID, Department of Agric. Entomology, University of Agriculture, Faisalabad, Pakistan; E-Mail: hamid_uaf@yahoo.com

- BAYAN, DR. A., American University of Beirut, Faculty of Agriculture and Food Science, Entomology Lab., Beirut, Lebanon
- BAYRAM, DR. SERIFA, Agricultural Faculty, Plant Protection Department, University of Ankara, 06110 Ankara, Turkey
- BEHAN-PELLETIER, DR. VALERIE M., Systematic Acarology, Invertebrate Biodiversity, Agriculture and Agri-Food Canada, K.W. Neatby Bldg., 960 Carling Ave., Ottawa, Ontario K1A 0C6, Canada; E-Mail: behanpv@agr.gc.ca
- BERTRAND, DR. MICHEL, Laboratoire de Zoogeografie, Université Montpellier III, Route de Mende, 34199 Montpellier Cedex 5, France; E-Mail: michel.bertrand@univ-montp3.fr
- BHATTACHARYYA, DR. A.K., Desert Regional Station, Zool. Survey of India, New Pali Road, PO., Krishn Upaj Mandi, Jodhpur 342 004, Rajastahn, India; E-Mail: asitzsi@yahoo.com
- BLAESER, DR. P., Abt. Entomologie und Pflanzenschutz, Institut für Pflanzenkrankheiten, Universität Bonn, Nussallee 9, 53115 Bonn, Germany; E-Mail: p.blaeser@uni-bonn.de
- BLASZAK, PROF. DR. Czeslaw, Department of Animal Morphology, A. Mickiewicz University, 28 Czerwca 1956 r. nr. 198, 61-485 Poznan, Poland; E-Mail: blaszak@amu.edu.pl
- BLOSZYK, DR. JERZY A., Dept. of Animal Taxonomy and Ecology, A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; E-Mail: bloszyk@main.amu.edu.pl
- BOSTANIAN, DR. NOUBAR J., Horticultural Research and Devel. Centre, Agric. Agri-Food Canada, 430 Gouin Blvd, St-Jean-sur-Richelieu PQ, J3B 3E6, Canada; E-Mail: bostaniannj@agr.gc.ca
- BRODSGAARD, DR. H.F., Dept. Plant Pathol. Pest Manag., Danish Inst. Plant Soil Sci., Lottenborgvej 2, 2800 Lyngby, Denmark; E-Mail: henrik.brodsgaard@agrsci.dk
- BROUFAIS, DR. G.D., Laboratory of Applied Zoology and Parasitology, Aristotle University of Thessaloniki, 540 06 Thessaloniki, Greece
- CALDERONE, DR. NICHOLAS W., Dept. Entomol., 6130 Comstock Hall, Cornell Univ., Ithaca, NY 14853, USA; E-Mail: nwc4@cornell.edu
- CALUGAR, DR. ADINA, Institute of Biological Researches, Bd. Carol I, 20 A, 700 505 Iasi, Romania; E-Mail: cadina_2004@yahoo.com
- CEDOLA, DR. CLAUDIA V., Centro de Estudios Parasitologicos y de Vectores (CEPAVE), calle 2 nro. 584, 1900 La Plata, Argentina; E-Mail: cepave@cepave.com.ar
- CHILDERS, DR. CARL C., Entomol. and Nemat. Dept., Citrus Research and Education Center, University of Florida, 700 Experiment Station Road, Lake Alfred, FL, 33850, USA; E-Mail: ccc@crec.ifas.ufl.edu
- CHMIELEWSKI, DR. WIT, Apiculture Division, Research Inst. of Pomology, and Floriculture, Kazimierska 2, 24-100 Pulawy, Poland
- COBANOGLU, PROF. DR. SULTAN, Agricultural Faculty, Plant Protection Dept., University of Ankara, 06110 Ankara, Türkei / Turkey; E-Mail: sultan.cobanoglu@agr.ankara.edu.tr
- COLFER, DR. R.G., Department of Entomology, University of California, One Shields Avenue, Davis, CA, 95616, USA
- CORPUZ-RAROS, DR. LEONILA A., UPLB, Museum Hist. Nat., Coll. Agr. and Curator, Dept. Entomol., Laguna 4031, Philippines; E-Mail: lacratos@yahoo.com
- CURRIE, DR. ROB W., Department of Entomology, University of Manitoba, Winnipeg, MB, R3T 2N2, Canada; E-Mail: Rob_Currie@Umanitoba.ca
- DE BOER, DR. JETSKE G., Univ. Wageningen and Research Center, Entomol. Laboratory, POB 8031, 6700 EH Wageningen, The Netherlands; E-Mail: jetske@remjet.nl
- DE MINEIRO, DR. J.L., Depto. Fitossanidade, Faculdade de Ciencias Agrarias e Veterinarias, UNESP/Jaboticabal, 14870-000 Jacoticalbal, Brazil; E-Mail: jefmin@hotmail.com
- DE MORAES, DR. GILBERTO J., Depto. Zoologia, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, Brazil; E-Mail: gjmoraes@carpa.ciagri.usp.br
- DE ROJAS, DR. M., Department of Microbiology and Parasitology, Faculty of Pharmacy, Sevilla University, Prof. Garcia Gonzalez s/n, Sevilla, 41012, Spain; E-Mail: derojas@us.es
- DI PALMA, DR. ANTONELLA, Univ. degli studi di Foggia, Dipartimento di Scienze Agro-ambientali, Chimica e Difesa Vegetale, Via Napoli 25, 71100 Foggia, Italy; E-Mail: antonella.dipalma@agr.uniba.it
- DICKE, DR. MARCEL, Laboratory of Entomology, Wageningen Agric. Univ., P.O. Box 8031, 6700 EH Wageningen, The Netherlands; E-Mail: marcel.dicke@wur.nl
- DUSBABEK, DR. FRANTISEK, Institute of Parasitology, Academy of Sciences of the Czech Republic, Branisovska 31, 37005 Ceske Budejovice, Czech Republic; E-Mail: dusf@paru.cas.cz

- DUSO, DR. CARLO, Dept. Environ. Agron. and Crop Sci., University of Padova, Viale Univ. 16, 35020 Padua, Italy; E-Mail: carlo.duso@unipd.it
- EHARA, DR. SHOZO, Hamasaka 2-15-7, Tottori, 680-0001, Japan; E-Mail: eharash@ncn-t.net
- EL-BOROLOSSY, DR. MAHER, Dept. Plant Protection, National Research Centre, Dokki, Cairo 12311, Egypt
- ENGELS, PROF. DR. WOLF, Universität Tübingen, Zoologisches Institut, LS Entwicklungsphysiologie, Auf der Morgenstelle 28, 72076 Tübingen, Germany; E-Mail: wolf.engels@uni-tuebingen.de
- ENIGL, DR. MONIKA, Institut für Pflanzenschutz, Peter Jordan Str. 82, 1190 Wien, Österreich / Austria; E-Mail: monika.enigl@boku.ac.at
- ENKEGAARD, DR. A., University of Aarhus, Fac. of Agric. Sci., Dept. of Integr. Pest Manag., Research Centre Flakkebjerg, 4200 Slagelse, Denmark; E-Mail: annie.enkegaard@agrsci.dk
- ESKOV, DR. E.K., Russian State Agrarian Correspondence University, Balashikha, Moscow oblast, Moscow, 143900, Russia
- FAN, DR. QING-HAI, Landcare Research, Private Bag 92170, Auckland, New Zealand; E-Mail: fanqh@acarology.org
- FARAJI, DR. FARID, MITOX Consultants, P.O. Box 92260, 1090 AG Amsterdam, The Netherlands; E-Mail: farid.faraji@mitox.org
- FERLA, DR. NOELI J., Museu de Ciencias Naturais, Centro Universitario UNIVATES, 95900-000 Lajeado, RJ, Brasilien / Brazil; E-Mail: njferla@fates.tche.br
- GERDEMAN, DR. BEVERLY S., Acarology Laboratory, Department of Entomology, Ohio State University, Columbus, Ohio, USA; E-Mail: mitehunter1@hotmail.com
- GETTINGER, DR. DONALD, University of Nebraska, Harold W. Manter Lab. Parasitol., Lincoln, NE, 68588, USA; E-Mail: donaldg@alltel.net
- GLIDA, DR. HABIBA, Laboratoire de Zoogéographie, Univerisité Montpellier III, 34199 Montpellier cedex 5, France
- GONDIM, DR. MANOEL G.C., Depto. de Agronomia, Univ. Federal Rural de Pernambuco, Rua Dom Manuel de Medeiros s/n, 52171-900 Recife, PE, Brazil; E-Mail: manoguedes@hotmail.com
- GUPTA, DR. S.K., IC/10, Anandam Housing Complex, 7, K.B. Sarani, Kolkata-700 080, India
- GWIĄZDOWICZ, DR. DARIUSZ J., A. Cieszkowski Agric. Univ., Dept. Forest and Environment Protection, , ul. Wojska Polskiego 71C, 60-625 Poznan, Poland; E-Mail: dagwiazd@owl.au.poznan.pl
- HANNA, DR. RACHID, Biological Control Centre of Africa, Internat. Institute of Tropical Agriculutre, BP 08-0932 Cotonou, Benin; E-Mail: r.hanna@cgiar.org
- HARDMAN, DR. JOHN M., Atlantic Food and Horticulture Res. Ctr., Agric. and Agri-Food Canada, 32 Main Street, Kentville, NS, B4N 1J5, Canada; E-Mail: HardmanM@agr.gc.ca
- HARTINI, DR. SRI, Zoology Division (Museum Zool. Bogoriense), Res. Ctr. Biology - LIPI, Jl. Raya Jakarta Bogor, Km. 46, Cibinong, Bogor 16911, Indonesia; E-Mail: takakug@sap.hokkyodai.ac.jp
- HECKMANN, DR. LARS-HENDRIK, National Environ. Research Institute, Department of Terrestrial Ecology, Vejlsvej 25, P.O. Box 314, 8600 Silkeborg, Denmark
- HUANG, DR. ZACHARY-Y., Dept. Entomol., China Agric. Univ., Beijing, 100 094, China; E-Mail: bees@msu.edu
- ISHIKAWA, PROF. DR. KAZUO, Biological Laboratory, Matsuyama Shinonome Coll., Kuwabara-Cho, Matsuyama, 790-8531, Japan; E-Mail: ishikawa@shinonome.ac.jp
- IVAN, DR. OTILIA, Institute of Biological Researches, Bd. Carol I, 20 A, 700 505 Iasi, Romania; E-Mail: otivan@yahoo.com
- JENSER, DR. GABOR, Plant Prot. Inst., Hungarian Acad. of Sci., Herman Otto ut 15., Pf. 102, 1525 Budapest II, Hungary
- JUVARA-BALS, DR. ILINCA, Muséum d'Histoire Naturelle, Depart. invertebres, Case postale 6434, 1211 Genève 6, Switzerland; E-Mail: ibals@bluewin.ch
- KALUZ, DR. STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 842 06 Bratislava, Slovak Republic; E-Mail: uzaekalu@savba.sk
- KARG, PROF. DR. WOLFGANG, Hohe Kiefer 152, 14532 Kleinmachnow, Germany
- KASAP, DR. ISMAIL, Faculty of Agriculture, Dept. of Plant Protection, Yuzuncu Yil University, 65080 Van, Turkey; E-Mail: ikasap@hotmail.com
- KHAN, M.SC.ING.AGR. IMTIAZ ALI, Fac. Crop Protect, Dept. Entomol., Agr. Univ. Peshawar, NWFP, Pakistan; E-Mail: imtiazkhan100@hotmail.com

- KILPINEN, OLE, Danish Inst. Agr. Sci., Danish Pest Infestat. Lab., Skovbrynet 14, DK-2800 Kongens Lyngby, Denmark; E-Mail: Ole.Kilpinen@agrsci.dk
- KIM, DR. SANG-SOO, Faculty of Appl. Biol. and Horticult., Sunchon Natl. Univ., Maegok-Dong 315, Sunchon-Si 540-742, South Corea; E-Mail: kimss@sunchon.sunchon.ac.kr
- KLOMPEN, DR. HANS, Acarology Laboratory, Dep. Entomol., Museum of Biological Divers, Ohio State University, 1315 Kinnear Rd., Columbus, OH 43212-1192, USA; E-Mail: klompen.1@osu.edu
- KOLODOCHKA, PROF. L. A., I. I. Schmalhausen Institute of Zoology, Bogdan Khmelnitsky str. 15, Kiev, 01601, Ukraina; E-Mail: leon@izan.kiev.ua
- KONTSCHÁN, DR. J., MTA-ELTE, Zootaxonómiai Kutatócsoport, Magyar Termésszettudományi Múzeum Állattára, Baross u. 13, 1088 Budapest, Hungary; E-Mail: kontscha@zoo.zoo.nhmus.hu
- KREITER, PROF. SERGE, Departement Ecologie et Santé des Plantes, UMR 1062 CBGP, Centre de Biologie et de Gestion des Populations, 2 Place Pierre Viala - Bat. 16, 34060 Montpellier Cedex 1, France; E-Mail: kreiter@supagro.inra.fr
- KROGH, PH. D. PAUL H., Department of Terrestrial Ecology, National Environmental Research Institute, University of Aarhus, P.O. Box 314, Vejlsoevej 25, 8600 Silkeborg, Denmark; E-Mail: phk@dmu.dk
- LARESCHI, DR. MARCELA, Univ. Nac. de La Plata, Centro de Estudios Parasitológicos, y de Vextores, Calle 5 No. 208, 1900 La Plata, Argentina; E-Mail: ferpao@netverk.com.ar
- LEQUET, ANDRE, 12 rue de Malandré, 44119 Treillières, France
- LIU, DR. HUAI, Key Labor. Entomol. and Pest Contr. Engineering, Southwest Agriculture University, Chongqing 400 716, China
- LOFEGO, DR. ANTONIO C., UNORP-Centro Universitário do Norte Paulista, Rua Iparanga 3460, Sao Paulo, 15020-040 Sao Jose de Rio Preto, Brazil
- MA, DR. LI-MING, National Base of Plague and, Brucellosis Control, 85 Haiming West Road, Baicheng City, Jilin Province 137000, China ; E-Mail: lmmabs@msn.com
- MA, YING, Institute for Endemic Disease Prevention & Contr., Qinghai Province, Xining 811602, China
- MAKAROVA, DR. OLGA L., Laboratory of Sinecology, Russian Acad. of Sciences, 33 Leninskij prosp., Moscow 119071, Russia; E-Mail: lsdc@geneome.eimb.relarn.ru
- MANRIQUE, DR. ANTONIO J., Department de Genetica, Universidade de Sao Paulo (USP), Sao Paulo, SP, Brazil; E-Mail: manrique@rgm.fmrp.usp.br
- MARCANGELI, DR. JORGE A., Laboratorio de Artropodos, Fac. Cienc. Exactas y Naturales, Univ. de Mar del Plata, Funes 3350, 7600 Mar del Plata, Argentina; E-Mail: jamarca@mdp.edu.ar
- MERTINS, DR. JAMES W., APHIS, VS, National Veterinary Services Laboratories, USDA, Ames, IA, 50010, USA; E-Mail: James.W.Mertins@aphis.usda.gov
- MILES, DR. MARK, Dow AgroSciences, Letcombe Laboratoy, Wantage, OX12 9JT, United Kingdom
- MOMEN, DR. F.M., Plant Protection Department, National Research Center, El Tahrir Street, Dokki, Cairo 12311, Egypt; E-Mail: fatmomem@yahoo.com
- MORAZA, DR. MARIA LOURDES, Departamento de Zoologia y Ecología, Universidad de Navarra, Apdo. 177, 31080 Pamplona, Spain; E-Mail: mlmoraza@unav.es
- MORDKOVICH, DR. V.G., Siberian Division, Institute of Animal Systematics and Ecology, Russian Academy of Sciences, Novosibirsk, 630091, Russia
- MORETTO, MR. GERALDO, Departamento de Ciencias Naturais, Universidade Regional de Blumenau, CEP 89010-971 Blumenau, SC, Brazil; E-Mail: gmoretto@furb.rct-sc.br
- NEMKOVA, DR. S.N., Institute for Exper. and Clinic. Veter. Medicine, ul. Puschkinskaja 83, Kharkov, 61023, Ukraine; E-Mail: bee-lab@vet.kharkov.ua
- NICOTINA, DR. M., Dipartimento di Entomologia e Zoologia Agr., Universita degli Studi di Napoli "Federico II", Via Universita 100, 80055 Portici, Napoli, Italy; E-Mail: nicotina@unina.it
- NIOGRET, DR. J., UMR 5175 CEFE, Laboratoire de Zoogéographie, Université Paul Valéry-Montpellier 3, route de Mende, 34199 MONTPELLIER cedex 5, France; E-Mail: jeromeniogret@yahoo.fr
- NORTON, PROF. DR. ROY A., One Forestry Drive, Coll. Environ. Sci. & Forestry, State University of New York, 1 Forestry Drive, Syracuse, NY 13210-2778, USA; E-Mail: ranorton@esf.edu
- OKU, DR. KEIKO, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606-8502, Japan; E-Mail: koku@kais.kyoto-u.ac.jp
- ONZO, DR. ALEXIS, Biological Control Centre for Africa, Internat. Institute of Tropical Agriculture, 08 B.P. 0932, Cotonou, Benin, West Africa; E-Mail: a.onzo@cgiar.org

- OSLER, DR. GRAHAM H.R., Macauley Land Use Res. Inst., Aberdeen AB15 8QH, United Kingdom; E-Mail: g.osler@macaulay.ac.uk
- PAPADOULIS, DR. GEORGE T., Agriculture University of Athens, Lab. Agric. Zool. Entomol., Iera Odos 75, 118 55 Athens, Greece; E-Mail: gpapadoulis@hua.gr
- PRASAD, DR. VIKRAM, P.O. Box 250 456, West Bloomfield, MI, 48325-0456, USA; E-Mail: v.prasad@ix.netcom.com
- PRATT, DR. P.D., USDA-ARS, Invasive Plant Research Laboratory, 3205 College Avenue, Ft. Lauderdale, FL, 33314, USA; E-Mail: pratt@saa.ars.usda.gov
- PRISCHMANN, DR. DEIRDRE A., WSU Entomology Dept., FSHN 166, PO Box 646382, Pullman, WA, 99164-6382, USA; E-Mail: deirdre-prischmann@earthlink.net
- PUKALL, DR. RÜDIGER, DSMZ - Deut. Samml. Mikroorganismen und Zellkulturen, Mascheroder Weg 1b, 38124 Braunschweig, Deutschland; E-Mail: rpu@dsmz.de
- PUTATUNDA, DR. B.N., Department of Entomology, Haryana Agricultural University, Field Bee Mite Lab., Hisar, HR, 125 004, India
- REIS, DR. PAULO R., EPAMIG-CTSM, Caixa Postal 176, 37200-000 Lavras, MG, Brazil
- RHODES, DR. ELENA M., Department of Entomology and Nematology, University of Florida, Gainesville, FL, 32611, USA; E-Mail: Erhodes0731@yahoo.com
- RIGAMONTI, I.E., Istituto di Entomologia Agraria, Universita degli Studi di Milano, Via Celoria 2, 20133 Milano, Italy; E-Mail: ivo.rigamonti@unimi.it
- RINDERER, DR. THOMAS E., ARS Honey Bee Breeding, Genetics and Physiology Laboratory, USDA, 1157 Ben Hur Road, Baton Rouge, LA, 70820-5502, USA; E-Mail: trinderer@ars.usda.gov
- RIPKA, PH. D. GÉZA, Central Serv. for Plant Prot. and Soil Conservat., Plant Prot. Development Dept., Budaörsi út 141-145, 1118 Budapest, Hungary; E-Mail: Ripka.Geza@ntksz.ontsz.hu
- RODRIGUES, DR. SERGIO R., Univ. Estadual de Mato Grosso do Sul, Rod. Aquidauana/Cera, Km 12, 79200-000 Aquidauana, MS, Brazil
- ROSENKRANZ, DR. PETER, Universität Hohenheim, Landesamt für Bienenkunde (730), August-von-Hartmann-Str. 13, 70599 Stuttgart, Germany; E-Mail: bienero@uni-hohenheim.de
- RUIZ, DR. MARCELO G., Fac. de Ciencias Agrarias, Univ. Nacional del Comahue, Casilla de Correo N 85, (8303) Cinco Saltos, Rio Negro, Argentina
- RYU, DR. MYON-OK, Faculty of Biological Sciences, Chonbuk National Univ., Chonju, Chonbuk, 561-756, Corea; E-Mail: ryu5857@hanmail.net
- SADANANDAN, DR. MARY A., P.G. & Research Department of Zoology, Malabar Christian College, Kozhikode, Kerala-673 001, India
- SAITO, DR. YUTAKA, Graduate School of Agriculture, Dept. Systemat. and Ecol., Lab. Anim. Ecol., Hokkaido University, Sapporo, Hokkaido, 060-8589, Japan; E-Mail: yutsat@res.agr.hokudai.ac.jp
- SALMANE, DR. INETA, Institute of Biology, University of Latvia, Miera iela 3, 2169 Salaspils, Latvia; E-Mail: incis@email.lubi.edu.lv
- SANDERSON, DR. J.P., Dept. Entomol., Insectary Building, Cornell Univ., Ithaca, NY, 14853, USA
- SANYAL, DR. ASOH K., Zoological Survey of India, M Block, New Alipore, Calcutta 700 053, West Bengal, India
- SHIMODA, DR. TAKESHI, Insect Biocontrol Laboratory, Dept. of Entomology and Nematology, National Agric. Res. Ctr., Kannon Dai 3-1-1, Tsukuba, Ibaraki, 305-8666, Japan; E-Mail: oligota@affrc.go.jp
- SKUBALA, DR. PIOTR, University of Silesia, Department of Ecology, ul. Bankowa 9, 40-007 Katowice, Poland; E-Mail: pskubala@us.edu.pl
- SMITH, DR. I.M., Systematic Acarology Unit, Biodiversity Section, Research Branch, Agric. and Agri-food Canada, ECORC, Centr. Exp. Farm, Ottawa, Ontario K1A 0C6, Canada; E-Mail: smithi@em.agr.ca
- SOKOŁOWSKA, DR. MAGDALENA, Katedra Ekologii, Wydział Biologii i Ochrony Środowiska, Uniwersytet Śląski, ul. Bankowa 9, 40-007 Katowice, Poland; E-Mail: magdalena.sokolowska@gmail.com
- SPIVAK, DR. MARLA, Department of Entomology, 219 Hodson Hall, Univ. Minnesota, 1980 Folwell Avenue, St. Paul, MN 55108-6125, USA; E-Mail: spiva001@tc.umn.edu
- ST. JOHN, DR. MARK G., Natural Resource Ecology Laboratory, Colorado State University, Fort Collins, Colorado 80523-11499, USA; E-Mail: mstjohn@laurentian.ca
- STANESCU, DR. MINODORA, Institute of Biology, 296 Splaiul Independentei, P.O. Box 56-53, Bucharest 060031, Romania; E-Mail: stanescumina@hotmail.com

- STANYUKOVICH, DR. MARIA K., Lab. Parasitol., Zool. Inst., Russian Acad. Sci. Univ., University Embankment 1, fl. 5, 199034 St. Petersburg B-34, Russia
- STOJNIC, DR. BOJAN, Belgrade University, Faculty of Agriculture, Nemanjina 6, P.O.Box 127, 11081 Beograd, Yugoslavia
- TAKAFUJI, DR. AKIO, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606-8502, Japan; E-Mail: takafuji@kais.kyoto-u.ac.jp
- TAKAKU, DR. GEN, Biological Laboratory, Hokkaido University of Education Sapporo, 5-3-1 Ainosato, Kita-ku, Sapporo, 002-8502, Japan; E-Mail: takakug@sap.hokkyodai.ac.jp
- TXIER, DR. M.-S., ENSA/INRA, UFR d'Ecologie animale et de Zoologie agricole, Lab. d'Acarologie, 2 Place Pierre Viala, 34060 Montpellier Cedex 1, France; E-Mail: garcin@ensam.inra.fr
- TOMCZYK, DR. ANNA, Dept. Appl. Entomol., Fac. Hortic. and Landscape Architect., Warsaw Agric. Univ., ul. Nowoursynowska 166, 02-787 Warsaw, Poland; E-Mail: tomczyk@alpha.swwg.waw.pl
- TSOLAKIS, DR. HARALABOS, Istituto di Entomologia agraria, Univ. Palermo, Viale delle Scienze 13, 90128 Palermo, Italy; E-Mail: tsolakis@unipa.it
- TUCCI, DR. E.C., Secao de Parasitoses, Inst. Biol., Av. Conselheiro Rodrigues Alves 1252, 01064-970 Sao Paulo, Brazil
- VAN HOUTEN, DR. YVONNE M., Glasshouse Crops Research Station, Postbus 8, 2670 AA Naaldwijk, The Netherlands
- WALTER, DR. DAVID EVANS, Department of Biological Sciences, University of Alberta Edmonton, Alberta Edmonton, AB, T6G 2E9, Canada; E-Mail: dew@ualberta.ca
- WALZER, MAG. ANDREAS, Inst. Plant Protect., Dept. Appl. Plant Sci. and Plant Biotechnol., Univ. Nat. Resources and Appl. Life Sci., Peter Jordan Str. 82, 1190 Wien, Austria
- WEEKS, DR. ANDREW R., Ctr. Environ. Stress and Adaptation Res., Dept. of Biological Sciences, Monash University, Clayton, VIC, 3168, Australia; E-Mail: Andrew.Weeks@sci.monash.edu.au
- WEGENER, DIPL.LAÖK. ANNELL, Zool. Institut und Museum, E.-Moritz-Arndt-Universität, J.-S.-Bach-Str. 11/12, 17489 Greifswald, Germany; E-Mail: AnnettWegener@gmx.net
- WEINTRAUB, DR. PHYLLIS G., Department of Entomology, Gilat Research Center, Agricultural Research Organization, D.N. Negev, 85280, Israel; E-Mail: phyllisw@volcani.agri.gov.il
- WITALINSKI, DR. WOJCIECH, Jagiellonian University, Department of Comparative Anatomy, ul. Romana Ingardena 6, 30 060 Krakow, Poland; E-Mail: wwital@zuk.iz.uj.edu.pl
- ZANNOU, DR. IGNACE D., Depto. Zoologia, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, Brazil; E-Mail: zannouignace@yahoo.fr
- ZEMEK, DR. ROSTISLAV, Institute of Entomology, Czechosl. Acad. of Sciences, Branisovska 31, 370 05 Ceske Budejovice, Czech Republic; E-Mail: rosta@entu.cas.cz
- ZHOU, DR. TING, Institute of Apicultural Research, Chinese Acad. Agr. Sciences, Beijing, 100093, China; E-Mail: ztapis@263.net

Anschrift der Verfasser / Address of the authors:

Dr. Axel Christian
Kerstin Franke
Staatliches Museum für Naturkunde Görlitz
Postfach 300 154
02806 Görlitz
Germany

Tel.: 0049-3581-4760 201
Fax.: 0049-3581-4760 101
E-mail: Axel.Christian@smng.smwk.sachsen.de
Kerstin.Franke@smng.smwk.sachsen.de
Homepage <http://www.naturkundemuseum-goerlitz.de/acarologie/>

erschienen am / published: 25.08.2007

Inhalt / Contents**Christian, A. & K. Franke: Mesostigmata Nr. 18 1-27****Acarologische Literatur / Acarological literature**

- Publikationen 2007 / Publications 2007	2
- Publikationen 2006 / Publications 2006	3
- Publikationen, Ergänzungen 2005 / Publications, additions 2005	7
- Publikationen, Ergänzungen 2004 / Publications, additions 2004	12
- Publikationen, Ergänzungen 2003 / Publications, additions 2003	15
- Publikationen, Ergänzungen 2002 / Publications, additions 2002	17

Nomina nova

- Neue Arten / New species	18
- Neue Gattungen / New genera	21
- Neue Kombinationen / New combinations	21
- Neue Synonyme / New synonyms	21
Adressen / Addresses	22