


ISSN 1618-8977

# ACARI

Bibliographia Acarologica



**Mesostigmata**

Volume 9 (1)

 senckenberg  
museum für naturkunde görlitz

2009

**Senckenberg Museum für Naturkunde Görlitz**

**ACARI**

**Bibliographia Acarologica**

Editor-in-chief: Dr Axel Christian  
authorised by the Senckenberg Museum für Naturkunde Görlitz

Enquiries should be directed to:

ACARI  
Dr Axel Christian  
Senckenberg Museum für Naturkunde Görlitz  
PF 300 154, 02806 Görlitz, Germany

‘ACARI’  
may be ordered through:  
Senckenberg Museum für Naturkunde Görlitz – Bibliothek  
PF 300 154, 02806 Görlitz, Germany

Published by the Senckenberg Museum für Naturkunde Görlitz  
All rights reserved  
Cover design by: E. Mättig  
Printed by MAXROI Graphics GmbH, Görlitz, Germany

## Mesostigmata No. 20

Axel Christian & Kerstin Franke  
Senckenberg Museum für Naturkunde Görlitz

In the bibliography, the latest works on mesostigmatic mites - as far as they have come to our knowledge - are published yearly. The present volume includes 352 titles by researchers from 44 countries. In these publications, 166 new species and genera are described. The majority of articles concern ecological problems (33%), taxonomy (29%), faunistics (15%), the poultry red mite *Dermanyssus* (7%) and the bee-mite *Varroa* (6%).

Please help us keep the literature database as complete as possible by sending us reprints or copies of all your papers on mesostigmatic mites, or, if this is not possible, complete references so that we can include them in the list. Please inform us if we have failed to list all your publications in the Bibliographia.

The database on mesostigmatic mites already contains 13 803 papers and 14 771 taxa. Every scientist who sends keywords for literature researches can receive a list of literature or taxa. **The literature from 1995 to 2004 is searchable on the Internet. The issues 1 to 8 of ACARI can be downloaded free of charge. <http://www.naturkundemuseum-goerlitz.de/acarologie/>**

We are endeavouring to expand the reference collections on mites and are interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the Senckenberg Museum of Natural History Görlitz is also possible. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. **Types and the original descriptions are presented on the Internet. <http://www.naturkundemuseum-goerlitz.de/acarologie/>**

### Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "\*" were only found as a citation or abstract. The addresses of the corresponding authors are given in the section Addresses.

### Publications 2009

- ALBERTI, G. (2009): On fine structure and evolutionary history of arthropods with special emphasis on arachnids. - Challenges for Contemporary Biology, Biotechn. Environ. Prot.: 12
- ALIANO, N.P. / ELLIS, M.D. (2009):\* Oxalic acid: a prospective tool for reducing *Varroa* mite populations in package bees. - Exp. Appl. Acarol. 48,4: 303-309
- ARTHURS, S. / MCKENZIE, C.L. / CHEN, J.J. / DOGRAMACI, M. / BRENNAN, M. / Houben, K. / OSBORNE, L. (2009):\* Evaluation of *Neoseiulus cucumeris* and *Amblyseius swirskii* (Acarina, Phytoseiidae) as biological control agents of chilli thrips, *Scirtothrips dorsalis* (Thysanoptera, Thripidae) on pepper. - Biol. Contr. 49,1: 91-96
- BAL, D.A. / ÖZKAN, M. (2009): A new uropodine mite of the genus *Urodiaspis* Berlese, 1906 (Acarina, Mesostigmata) from Turkey. - Mun. Ent. Zool. 4,2: 333-336

- BEAULIEU, F. (2009): Review of the mite genus *Gaeolaelaps* Evans & Till (Acari, Laelapidae), and description of a new species from North America, *G. gillespiei* n. sp.. - Zootaxa 2158: 33-49**
- BEERS, E.H. / MARTINEZ-ROCHA, L. / TALLEY, R.R. / DUNLEY, J.E. (2009):\* Lethal, sublethal, and behavioral effects of sulfur-containing products in bioassays of three species of orchard mites. - J. Econ. Entomol. 102,1: 324-335
- BIJORNSON, S. (2009):\* Natural enemies of mass-reared predatory mites (family Phytoseiidae) used for biological pest control. In: Bruin, J. / Van der Geest, L.P.S. (Eds.), Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 299-306
- BOURGEOIS, A.L. / RINDERER, T.E. (2009):\* Genetic characterization of russian honey bee stock selected for improved resistance to *Varroa destructor*. - J. Econ. Entomol. 102,3: 1233-1238
- BRUIN, J. / VAN DER GEEST, L.P.S. (EDS.) (2009):\* Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 1-350
- CASTILHO, R.C. / DE MORAES, G.J. / SILVA, E.S. / SILVA, L.O. (2009):\* Predation potential and biology of *Protogamasellopsis posnaniensis* Wisniewski & Hirschmann (Acari, Rhodacaridae). - Biol. Contr. 48,2: 164-167
- DANTES-TORRES, F. / SOARES, F.A.M. / RIBEIRO, C.E.B.P. / DAHER, M.R.M. / VALENCA, G.C. / VALIM, M.P. (2009): Mites (Mesostigmata, Spinturnicidae and Spelaeorhynchidae) associated with bats in northeast Brazil. - J. Med. Entomol. 46,3: 712-715
- DA S. MELO, J.W. / DOMINGOS, C.A. / GONDIM, M.G.C./ DE MORAES, G.J. (2009): Pode *Euseius alatus* De Leon (Acari, Phytoseiidae) predar *Aceria guerreronis* Keifer (Acari, Eriophyidae) em Coqueiro? - Neotrop. Entomol. 38,1: 139-143
- DE LUNA, C.J. / MORO, C.V. / GUY, J.H. / ZENNER, L. / SPARAGANO, O.A.E. (2009):\* Endosymbiotic bacteria living inside the poultry red mite (*Dermanyssus gallinae*). - Exp. Appl. Acarol. 48,1-2: 105-113
- DEMITE, P.R. / FERES, R.J.F. / LOFEGO, A.C. / OLIVEIRA, A.R. (2009):\* Plant inhabiting mites (Acari) from the Cerrado biome of Mato Grosso State, Brazil. - Zootaxa 2061: 45-60
- DI PALMA, A. / WEGENER, A. / ALBERTI, G. (2009): On the ultrastructure and functional morphology of the male chelicerae (gonopods) in Parasitina and Dermanyssina mites (Acari, Gamasida). - Arthropods Structure & Development 38: 329-338
- ELLIOT, S.L. / DE MORAES, G.J. / MUMFORD, J.D. (2009):\* Failure of the mite-pathogenic fungus *Neozygites tanajoae* and the predatory mite *Neoseiulus idaeus* to control a population of the cassava green mite, *Mononychellus tanajoa*. In: Bruin, J. / Van der Geest, L.P.S. (Eds.), Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 211-222
- ELLIS, A.M. / HAYES, G.W. / ELLIS, J.D. (2009):\* The efficacy of small cell foundation as a *Varroa* mite (*Varroa destructor*) control. - Exp. Appl. Acarol. 47,4: 311-316
- FADAMIRO, H.Y. / XIAO, Y. / NESBITT, M. / CHILDERS, C.C. (2009):\* Diversity and seasonal abundance of predacious mites in Alabama Satsuma citrus. - Ann. Entomol. Soc. Amer.102,4: 617-628
- FOULY, A.H. / AL-DEHHAIRI, M.A. (2009): Evaluation of infestation levels of the ectoparasitic mite *Varroa destructor* infesting honeybee *Apis mellifera* and its control using essential oil in Qassim Region, Saudi Arabia. - J. Entomol. 6,3: 135-144
- MADIDI, H. / ENEKGAAARD, A. / BRODSGAARD, H.F. / KHARRAZI-PAKDEL, A. / ASHOURI, A. / MOHAGHEGH-NEISHABOURI, J. (2009): Interactions between *Orius albipennis* (Heteroptera, Anthocoridae) and *Neoseiulus cucumeris* (Acari, Phytoseiidae): Effects of host plants under microcosm condition. - Biol. Contr. 50,2: 137-142
- MAGGI, M.D. / RUFFINENGO, S.R. / DAMIANI, N. / SARDELLA, N.H. / EGUARAS, M.J. (2009):\* First detection of *Varroa destructor* resistance to coumaphos in Argentina. - Exp. Appl. Acarol. 47,4: 317-320
- GEORGE, D.R. / MASIC, D. / SPARAGANO, O.A.E. / GUY, J.H. (2009):\* Variation in chemical composition and acaricidal activity against *Dermanyssus gallinae* of four eucalyptus essential oils. - Exp. Appl. Acarol. 48,1-2: 43-50
- GOTOH, T. / TSUCHIYA, A. (2009):\* Food scarcity reduces female longevity of *Neoseiulus californicus* (Acari, Phytoseiidae). - Exp. Appl. Acarol. 47,3: 249-256
- GWIĄZDOWICZ, D.J. / KAMCZYK, J. (2009): *Arctoseius wisniewskii* sp. nov. (Acari, Ascidae) from Poland. - Ann. Zool. 59,1: 119-123
- HAITLINGER, R. / LUPICKI, D. (2009): Arthropods (Acari, Mallophaga, Siphonaptera) collected from *Procyon lotor* (Linnaeus, 1758) (Mammalia, Carnivora, Procyonidae) in Poland. - Wiad. Parazyty. 55,1: 59-60

- HOY, M.A. / JEYAPRAKASH, A. (2009):\* Symbionts, including pathogens, of the predatory mite *Metaseiulus occidentalis*: current and future analysis methods. In: Bruin, J. / Van der Geest, L.P.S. (Eds.), Diseases of mites and ticks. - Springer Netherlands: 329-347
- JEYAPRAKASH, A. / HOY, M.A. (2009): The nuclear genome of the phytoseiid *Metaseiulus occidentalis* (Acaria, Phytoseiidae) is among the smallest known in arthropods. - Exp. Appl. Acarol. 47,4: 263-273
- KARG, W. / SCHORLEMMER, A. (2009): New insights into predatory mites (Acarina, Gamasina) from tropical rain forests with special reference to distribution and taxonomy. - Zoosyst. Evol. 85,1: 57-91
- KASAP, I. (2009): Influence of temperature on life table parameters of the predaceous mite *Euseius flilandicus* (Oudemans) (Acaria, Phytoseiidae). - Turk. J. Agric. For. 33,1: 29-36
- KAWASAKI, T. / YANO, S. / OSAKABE, M. (2009): Effects of wall structure and light intensity on the settlement of a predatory mite, *Euseius sojaensis* (Ehara) (Acaria, Phytoseiidae). - Appl. Entomol. Zool. 44,1: 81-84
- KILPINEN, O. (2009):\* Inert dusts and their effects on the poultry red mite (*Dermanyssus gallinae*). - Exp. Appl. Acarol. 48,1-2: 51-62
- KIM, T. / AHN, J. / LEE, J.H. (2009):\* Temperature-dependent developmental model of *Neoseiulus californicus* (McGregor) (Acaria, Phytoseiidae). - J. Appl. Entomol. 133,4: 284-291
- KLANN, A.E. / BIRD, T. / PERETTI, A.V. / GROMOV, A.V. / ALBERTI, G. (2009): Ultrastructure of spermatozoa of solifuges (Arachnida, Solifugae): Possible characters for their phylogeny? - Tissue and Cell 41: 91-103
- KORALLO, N.P. (2009): Host-parasite relationships in gamasid mites of the genus *Hirstionyssus* (Acaria, Parasitiformes, Gamasina) in the south of the West Siberian Plain. [Orig. Russ.] - Sibirskii Ekol. Zh. 16,3: 359-364
- KRASNOV, B.R. / VINARSKI, M.V. / KORALLO-VINARSKAYA, N.P. / MOUILLOT, D. / POULIN, R. (2009):\* Inferring associations among parasitic gamasid mites from census data. - Oecologia 160,1: 175-185
- KRANTZ, G.W. (2009): A new genus of the family Macrochelidae (Acaria, Mesostigmata) based on *Macrocheles mycotrupetes* Krantz and Mellott and *M. peltotrupetes* K. and M., phoretic associates of beetles (Coleoptera, Geotrupidae, Geotrupinae) in southeastern USA. - Internat. J. Acarol. 35,1: 47-51
- KRANTZ, G.W. / WALTER, D.E. (Eds.) (2009): A manual of Acarology. -3rd edition Texas Tech University Press: 1-807
- LESNA, I. / WOLFS, P. / FARAJI, F. / ROY, L. / KOMDEUR, J. / SABELIS, M.W. (2009):\* Candidate predators for biological control of the poultry red mite *Dermanyssus gallinae*. - Exp. Appl. Acarol. 48,1-2: 63-80
- LINDQUIST, E.E. / KRANTZ, G.W. / WALTER, D.E. (2009): Mesostigmata. In: Krantz, G.W. / Walter, D.E. (Eds.) (2009): A manual of Acarology. -3rd edition Texas Tech University Press: 142-232
- MAKAROVA, O.L. / BÖCHER, J. (2009):\* Diversity and geographical ranges of Greenland mites (Acaria: Oribatida and Mesostigmata). In: Golovatch, S.I. / Makarova O.L. / Babenko A.B. / Penev L.D. (Eds.), Species and communities in extreme environments. - Festschrift, 75th Anniversary and a Laudatio in Honour of Academ. Y.I. Chernov, Pensoft Sofia-Moscow: 165-186
- MARANGI, M. / CAFIERO, M.A. / CAPELLI, G. / CAMARDA, A. / SPARAGANO, O.A.E. / GIANGASPERO, A. (2009):\* Evaluation of the poultry red mite, *Dermanyssus gallinae* (Acaria, Dermanyssidae) susceptibility to some acaricides in field populations from Italy. - Exp. Appl. Acarol. 48,1-2: 11-18
- MARANGI, M. / DE LUNA, C.J. / CAFIERO, M.A. / CAMARDA, A. / LE BOUQUIN, S. / HUONNIC, D./ GIANGASPERO, A. / SPARAGANO, O.A.E. (2009):\* Molecular phylogenetic assessment of host range in five *Dermanyssus* species. - Exp. Appl. Acarol. 48,1-2: 143-155
- MASAN, P. / HALLIDAY, B. (2009): Three new genera of the mite family Eviphididae (Acaria, Mesostigmata). - Zootaxa 2013: 43-57
- MATTHEE, S. / UECKERMAN, E.A. (2009): Ectoparasites of rodents in Southern Africa: two new species of *Laelaps* Koch, 1836 (Acaria, Laelapidae) ectoparasitic on *Rhabdomys pumilio* (Sparrman) (Rodentia, Muridae). - Syst. Parasitol. 73,1: 27-35
- MAUERER, V. / PERLER, E. / HECKENDORN, F. (2009):\* In vitro efficacies of oils, silicas and plant preparations against the poultry red mite *Dermanyssus gallinae*. - Exp. Appl. Acarol. 48,1-2: 31-41

- MEIKLE, W.G. / MERCADIER, G. / HOLST, N. / GIROD, V. (2009):\* Impact of two treatments of a formulation of *Beauveria bassiana* (Deuteromycota, Hyphomycetes) conidia on *Varroa* mites (Acari, Varroidae) and on honeybee (Hymenoptera, Apidae) colony health. - In: Bruin, J. / Van der Geest, L.P.S. (Eds.), Diseases of mites and ticks - Exp. Appl. Acarol. 46,1-4: 105-117
- MINEIRO, J.L. DE C. / LINDQUIST, E.E. / DE MORAES, G.J. (2009): Edaphic ascid mites (Acari, Mesostigmata, Ascidae) from the state of São Paulo. - Zootaxa 2024: 1-32
- MORAZA, M.L. / ARROYO, J. / BOLGER, T. (2009): Three new species of mites (Acari, Zerconidae) from canopy habitats in Irish forests. - Zootaxa 2019: 29-39
- MORAZA, M.L. / IRAOLA, V. / ALEMANY, C. (2009): A new species of *Ljunghia* Oudmans, 1932 (Arachnida, Acari, Laelapidae) from a mygalomorph spider. - Zoosystema 31,1: 117-126
- MORAZA, M.L. / IRWIN, N.R. / GODINHO, R. / BAIRD, S.J.E. / DE BELLOCQ, J.G. (2009): A new species of *Ophionyssus* Megnin (Acari, Mesostigmata, Macronyssidae) parasitic on *Lacerta schreiberi* Bedriaga (Reptilia, Lacertidae) from the Iberian Peninsula, and a world key to species. - Zootaxa 2007: 58-68
- MORAZA, M.L. / KAZEMI, S. (2009): A new species of *Antennoseius (Vitzthumia)* Thor (Acari, Mesostigmata, Ascidae), associated with carabid beetles in Iran and a key to species. - Internat. J. Acarol. 35,1: 59-65
- MORO, C.V. / DE LUNA, C.J. / TOD, A. / GUY, J.H. / SPARAGANO, O.A.E. / ZENNER, L. (2009):\* The poultry red mite (*Dermanyssus gallinae*): a potential vector of pathogenic agents. - Exp. Appl. Acarol. 48,1-2: 93-104
- MUL, F.M. / KOENRAADT, C.J.M. (2009):\* Preventing introduction and spread of *Dermanyssus gallinae* in poultry facilities using the HACCP method. - Exp. Appl. Acarol. 48,1-2: 167-181
- NAPIERALA, A. / BŁOSZYK, J. / BRUIN, J. (2009):\* Communities of uropodine mites (Acari, Mesostigmata) in selected oak-hornbeam forests of the Wielkopolska region (Poland). - Exp. Appl. Acarol.: DOI 10.1007/s10493-009-9262-2
- OLIVEIRA, H. / FADINI, M.A.M. / VENZON, M. / REZENDE, D. / REZENDE, F. / PALLINI, A. (2009):\* Evaluation of the predatory mite *Phytoseiulus macropilis* (Acari, Phytoseiidae) as a biological control agent of the two-spotted spider mite on strawberry plants under greenhouse conditions. - Exp. Appl. Acarol. 47,4: 275-283
- PALEVSKY, E. / GAL, S. / UECKERMANN, E.A. (2009):\* Phytoseiidae from date palms in Israel with descriptions of two new taxa and a key to the species found on date palms worldwide (Acari, Mesostigmata). - J. Nat. Hist. 43,27-28: 1715-1747
- PHILIPS, J.R. (2009): The mite (Acarina) fauna of trogid beetles (Coleoptera, Trogidae). - Internat. J. Acarol. 35,1: 1-17
- PLUMARI, M. (2009): New records of Ascidae and Blattisociidae species from Italy (Acarina, Mesostigmata). - Atti Soc. Ital. Sci. Nat. Civ. Stor. nat. Milano 150,1: 77-90
- POTENZA, L. / CAFIERO, M.A. / CAMARDA, A. / LA SALANDRA, G. / CUCCiarini, L. / DACHA, M. (2009): Characterization of *Dermanyssus gallinae* (Acarina, Dermanyssidae) by sequence analysis of the ribosomal internal transcribed spacer regions. - Veter. Res. Comm. 33,7: 611-618
- RAZA, A.B.M. / AFZAL, M. / BASHIR, M.H. / KAMRAN, M. (2009):\* Two new species of genus *Neoseiulus* (Acarina, Phytoseiidae) from Punjab, Pakistan. - Pak. J. Zool. 41,4: 297-303
- ROY, L. / CHAUVE, C. / DELAPORTE, J. / INIZIAN, G. / BURONFOSSE, T. (2009):\* Exploration of the susceptibility of AChE from the poultry red mite *Dermanyssus gallinae* (Acari, Mesostigmata) to organophosphates in field isolates from France. - Exp. Appl. Acarol. 48,1-2: 19-30
- ROY, L. / DOWLING, A.P.G. / CHAVE, C.M. / LESNA, I. / SABELIS, M.W. / BURONFOSSE, T. (2009):\* Molecular phylogenetic assessment of host range in five *Dermanyssus* species. - Exp. Appl. Acarol. 48,1-2: 115-142
- SCHUETTE, C. / DICKE, M. (2009):\* Verified and potential pathogens of predatory mites (Acari, Phytoseiidae). In: Bruin, J. / Van der Geest, L.P.S. (Eds.), Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 307-328
- SEEMAN, O.D. (2009): Two new species of Fedrizziidae (Acari, Mesostigmata) from Australian passalid beetles (Coleoptera, Passalidae). - Syst. Appl. Acarol. 14,1: 51-59
- SHAW, M.D. / SEEMAN, O.D. (2009): Two new species of *Myrmozercon* (Acari, Laelapidae) from Australian ants (Hymenoptera, Formicidae). - Zootaxa 2025: 43-55

- SPARAGANO, O.A.E. (2009):\* Control of poultry mites: where do we stand? - *Exp. Appl. Acarol.*: 48,1-2: 1-2
- SPARAGANO, O.A.E. / PAVLICEVIC, A. / MURANO, T. / CAMARDA, A. / SAHIBI, H. / KILPINEN, O. / MUL, M. / VAN EMOUS, R. / LE BOUQUIN, S. / HOEL, K. / CAFIERO, M.A. (2009):\* Prevalence and key figures for the poultry red mite *Dermanyssus gallinae* infections in poultry farm systems. *Exp. Appl. Acarol.*: 48,1-2: 3-10
- SZLENDAK, E. / LEWANDOWSKI, M. (2009):\* Development and reproductive capacity of the predatory mite *Parasitus consanguineus* (Acari, Parasitidae) reared on the larval stages of *Megaselia halterata* and *Lycoriella ingenua*. - *Exp. Appl. Acarol.* 47,4: 285-292
- TEODORO, A.V. / PALLINI, A. / OLIVEIRA, C. (2009):\* Sub-lethal effects of fenbutatin oxide on prey location by the predatory mite *Iphiseiodes zuluagai* (Acari, Phytoseiidae). - *Exp. Appl. Acarol.* 47,4: 293-299
- TOYOSHIMA, S. / MICHALIK, P. / TALARICO, G. / KLANN, A.E. / ALBERTI, G. (2009): Effects of starvation on reproduction of the predacious mite *Neoseiulus californicus* (Acari, Phytoseiidae). - *Exp. Appl. Acarol.* 47,3: 235-247
- VAN DER GEEST, L.P.S. / BRUIN, J. (2009):\* Diseases of mites and ticks: from basic pathology to microbial control - an introduction. In: Bruin, J. / Van der Geest, L.P.S. (Eds.), *Diseases of mites and ticks*. - *Exp. Appl. Acarol.* 46,1-4: 3-6
- WRIGHT, H.W. / BARTLEY, K. / NISBET, A.J. / MCDEVITT, R.M. / SPARKS, N.H.C. / BROCKLEHURST, S. / HUNTLEY, J.F. (2009):\* The testing of antibodies raised against poultry red mite antigens in an in vitro feeding assay; preliminary screen for vaccine candidates. - *Exp. Appl. Acarol.* 48,1-2: 81-91
- XUE, Y. / MEATS, A. / BEATTIE, G.A.C. / SPOONER-HART, R. / HERRON, G.A. (2009): The influence of sublethal deposits of agricultural mineral oil on the functional and numerical responses of *Phytoseiulus persimilis* (Acari, Phytoseiidae) to its prey, *Tetranychus urticae* (Acari, Tetranychidae). - *Exp. Appl. Acarol.*: 48,4: 291-302
- YANO, S. / OSKABE, M. (2009): Do spider mite-infested plants and spider mite trails attract predatory mites? - *Ecol. Res.*: DOI 10.1007/s11284-009-0598-1
- ZENNER, L. / BON, G. / CHAUVE, C. / NEMOZ, C. / LUBAC, S. (2009):\* Monitoring of *Dermanyssus gallinae* in free-range poultry farms. - *Exp. Appl. Acarol.* 48,1-2: 157-166

## Publications 2008

- ABOU-AWAD, B.A. / AL-AZZAZY, M.M. / EL-SAWI, S.A. (2008):\* Effect of different eriophyid and tetranychid mango mite species on development, longevity, fecundity and predation of *Typhlodromus mangiferus* Zaher and El-Borolossy (Acari, Phytoseiidae). - *Arch. Phytopathol. Plant Prot.* 41: DOI 10.1080/03235400701806435
- AFZAL, M. / BASHIR, M.H. (2008): A new species of phytoseiid mite *Phytoseius gleba* (Phytoseiidae, Acarina). - Pak. Entomol.** 30,1: 93-97
- AKIMOV, I.G. / KIRYUSHIN, V.E. (2008): Possible ways of adaptation of *Apis mellifera* (Hymenoptera, Apidae) to parasitizing of mite *Varroa destructor*. - *Vestn. zool.* 42,3: 237-247
- AKYOL, E. / YENINAR, H. (2008):\* Controlling *Varroa destructor* (Acari: Varroidae) in honeybee *Apis mellifera* (Hymenoptera: Apidae) colonies by using Thymovar (R) and BeeVital (R). - *Ital. J. Anim. Sci.* 7,2: 237-242
- ALBERTI, G. (2008): On Corniculi, Rutella and Pseudorutella - some ultrastructural details of key-characters in Acari (Arachnida). - *Ann. Zool.* 58,2: 239-250
- AMOSOVA, L. / STANYUKOVICH, M. (2008):\* Ultrastructure of salivary glands of the chicken red mite *Dermanyssus gallinae* (Acarina, Gamasina, Dermanyssidae). - *J. Evol. Biochem Physiol.* 44,5: 627-633
- ARROYO, J. / MORAZA, M.L. / BOLGER, T. (2008): First records of *Leptogamasus* (*Leptogamasus*) *obesus* (Holzmann, 1969) and *Leptogamasus* (*Valligamasus*) *pannonicus* (Willmann, 1951) (Acari, Gamasida, Parasitidae) in Ireland. - *Bull. Ir. biogeogr. Soc.* 32: 212-215
- BAI, X.-L. / YAN, L.-M. / WEI, H. / QI, R.-J. (2008): Two new gamasid species from Ningxia, China (Acaria, Gamasina). - Acta Zootaxon. Sinica** 33,4: 756-760
- BAKER, M.R. / SEEMAN, O.D. (2008): Mites and millipedes: a new *Neomegistus* (Acari, Mesostigmata, Paramegastidae) from Australia. - *Syst. Appl. Acarol.* 13,3-4: 204-213

- BEAULIEU, F. / DECHENE, A.D. / WALTER, D.E. (2008): Phase morphs and phoresy: New species of *Antennoseius (Vitzthumia)* mites (Acari, Mesostigmata, Ascidae) associated with pyrophilous carabids (Carabidae: *Sericoda* spp.) in Alberta, Canada.** - *Zootaxa* 1961: 37-57
- BERON, P. (ED.) (2008): High-altitude Isopoda, Arachnida and Myriapoda in the Old World. - Bureschiana Series of Monographs, Pensoft Publishers, Sofia, Moscow 1: 1-556
- BONAFOS, R. / AUGER, P. / GUICHOU, S. / KREITER, S. (2008): Suitability of two laboratory testing methods to evaluate the side effects of pesticides on *Typhlodromus pyri* Scheuten (Acari, Phytoseiidae). - *Pest Manag. Sci.* 64,2: 178-184
- CHEN, W.-P. / BEI, N.-X. / SHI, C.-M. / GU, L.-Q. / YIN, S.-G. (2008):\* New records of mesostigmatic mites (Acari, Gamasina) from China. - *Acta Arachnol. Sinica* 17,1: 13-15
- CHMIELEWSKI, W. / BAKER, R.A. (2008): Mites (Acarina) phoretic on some common bumblebee species (*Bombus* spp.) from the Pulawy area (south-eastern Poland). - *J. Apic. Sci.* 52,1: 37-47
- COBANOGLU, S. (2008): Mites (Acari) associated with stored apricots in Malatya, Elazig and Izmir provinces of Turkey. - *Türk. entomol. derg.* 32,1: 3-20
- CURRIE, R.W. / TAHMASBI, G.H. (2008):\* The ability of high- and low-grooming lines of honey bees to remove the parasitic mite *Varroa destructor* is affected by environmental conditions. - *Can. J. Zool.* 86,9: 1059-1067
- DA SILVA, F.R. / DE MORAES, G.J. / KNAPP, M. (2008):\* Distribution of *Tetranychus evansi* and its predator *Phytoseiulus longipes* (Acari, Tetranychidae, Phytoseiidae) in southern Brazil. - *Exp. Appl. Acarol.* 45,3-4: 137-145
- DE ALBUQUERQUE, F.A. / DE MORAES, G.J. (2008): Perspectivas para a criacao massal de *Iphiseiodes zuluagai* Denmark & Muma (Acari, Phytoseiidae). - *Neotrop. Entomol.* 37,3: 328-333
- DE MORAES, G.J. / REIS, A.C. / GONDIM, M.G.C. (2008): A new species of *Proctolaelaps* Berlese (Acari, Ascidae) from northeastern Brazil. - *Internat. J. Acarol.* 34,3: 267-272
- DEMITE, P.R. / FERES, R.F.J. / GUANILLO, A.D. / DE MORAES, G.J. (2008): Rediscovery and redescription of *Silvaseius barretoae* (Yoshida-Shaul and Chant) (Acari, Phytoseiidae). - *Internat. J. Acarol.* 34,3: 273-276
- DEMITE, P.R. / FERES, R.F.J. (2008): Influencia de fragmentos de cerrado na distribuicao de acaros em seringal. - *Neotrop. Entomol.* 37,2: 196-204
- DEMITE, P.R. / LOFEGO, A.C. / FERES, R.J.F. (2008): A new species of *Galendromus* (Acari, Phytoseiidae): a case of intraspecific variation and redefinition of carinulatus species group. - *Ann. Entomol. Soc. Amer.* 101,5: 804-807
- DEMITE, P.R. / LOFEGO, A.C. / FERES, R.J.F. (2008): Three new species of *Phytoseius* Ribaga (Acari, Phytoseiidae) and a new record from Brazil. - *Zootaxa* 1909: 16-26
- DI PALMA, A. / GERDEMAN, B.S. / ALBERTI, G. (2008): Fine structure and functional morphology of the spermatodactyl in males of Heterozerconidae (Gamasida). - *Internat. J. Acarol.* 34,4: 359-366
- DUNLOP, J.A. / ALBERTI, G. (2008): The affinities of mites and ticks: a review. - *J. Zool. Syst. Evol. Res.* 46: 1-18
- DUSO, C. / MALAGNINI, V. / POZZEBON, A. / BUZZETTI, F.M. / TIRELLO, P. (2008):\* A method to assess the effects of pesticides on the predatory mite *Phytoseiulus persimilis* (Acari, Phytoseiidae) in the laboratory. - *Biocontrol Sci. Technol.* 18,10: 1027-1040
- DUSO, C. / MALAGNINI, V. / POZZEBON, A. / CASTAGNOLI, M. / LIQUORI, M. / SIMONI, S. (2008):\* Comparative toxicity of botanical and reduced-risk insecticides to mediterranean populations of *Tetranychus urticae* and *Phytoseiulus persimilis* (Acari, Tetranychidae, Phytoseiidae). - *Biol. Contr.* 47,1: 16-21
- EMMERT, C.J. / MIZELL, R.F. / ANDERSEN, P.C. / FRANK, J.H. / STIMAC, J.L. (2008): Diet effects on intrinsic rate of increase and rearing of *Proprioseiopsis asetus* (Acari, Phytoseiidae). - *Ann. Entomol. Soc. Amer.* 101,6: 1033-1040
- FARAJI, F. (2008): A new species of *Cheiroseius* Berlese (Acari, Gamasina, Ascidae) from Iran with a key to the species of necorniger species-complex. - *Zoosyst. Evol.* 84,2: 211-214
- FARAJI, F. (2008): A new species of *Hypoaspis* Canestrini from Iran with a key to the iranian species of *Hypoaspis* (Acari, Gamasina, Hypoaspidae). - *Zoosyst. Evol.* 84,2: 205-209
- FARAJI, F. / BAKKER, F. (2008): A modified method for clearing, staining and mounting plant-inhabiting mites. - *Eur. J. Entomol.* 105: 793-795

- FARAJI, F. / HAJIZADEH, J. / SABOORI, A. / RAFATIFARD, M. (2008): Three new records and a key to the iranian species of Macrochelidae (Acari, Mesostigmata). - *Syst. Appl. Acarol.* 13,3-4: 231-236
- FARAJI, F. / SAKENIN-CHELAV, H. / KAMALI, K. / MCMURTRY, J.A. (2008): Four new species records of Phytoseiidae (Acari, Mesostigmata) from Iran, and description of variability in the spermatheca of *Typhlodromus bakeri*. - *Syst. Appl. Acarol.* 13: 123-132
- FRAULY, A.B. / MCSORLEY, R. / LIBURD, O.E. (2008): Effect of the biological control agent *Neoseiulus californicus* (Acari, Phytoseiidae) on arthropod community structure in North Florida strawberry fields. - *Fla. Entomol.* 91,3: 436-445
- FUENTES, L. / VASQUEZ, C. / PALMA, W. / BARI, C. (2008): Acaros Prostigmata y Mesostigmata asociados a la hojarasca en el bosque de galería del parque universitario de la UCLA, Estado Lara, Venezuela. - *Neotrop. Entomol.* 37,5: 591-596
- GARCIA-FERNANDEZ, P. / SANTIAGO-ALVAREZ, C. / QUESADA-MORAGA, E. (2008):\* Pathogenicity and thermal biology of mitosporic fungi as potential microbial control agents of *Varroa destructor* (Acari, Mesostigmata), an ectoparasitic mite of honey bee, *Apis mellifera* (Hymenoptera, Apidae). - *Apidologie* 39,6: 662-673
- GEORGE, D.R. / CALLAGHAN, K. / GUY, J.H. / SPARAGANO, O.A.E. (2008):\* Lack of prolonged activity of lavender essential oils as acaricides against the poultry red mite (*Dermanyssus gallinae*) under laboratory conditions. - *Res. Veter. Sci.* 85,3: 540-542
- GORJI, M.K. / KAMALI, K. / FATHIPOUR, Y. / AGHDAM, H.R. (2008): Temperature-dependent development of *Phytoseius plumifer* (Acari, Phytoseiidae) on *Tetranychus urticae* (Acari, Tetranychidae). - *Syst. Appl. Acarol.* 13,3-4: 172-181
- GUANILO, A.D. / DE MORAES, G.J. / KNAPP, M. (2008): Phytoseiid mites (Acari, Phytoseiidae) of the subfamily Amblyseiinae Muma from Peru, with descriptions of four new species. - *Zootaxa* 1880: 1-47
- GUANILO, A.D. / DE MORAES, G.J. / TOLEDO, S. / KNAPP, M. (2008): Phytoseiid mites (Acari, Phytoseiidae) from Argentina, with description of a new species. - *Zootaxa* 1884: 1-35
- GWIAZDOWICZ, D.J. (2008): Mesostigmatid mites (Acari) associated with Scolytidae in Poland. In: Gwiazdowicz, D.J. (Ed.), Selected problems of acarological research in forests. - Wydawnictwo Uniwersytetu Przyrodniczego w Poznaniu: 59-95
- GWIAZDOWICZ, D.J. (2008): Mesostigmatid mites (Acari) associated in nests of Formicidae in Poland. In: Gwiazdowicz, D.J. (Ed.), Selected problems of acarological research in forests. - Wydawnictwo Uniwersytetu Przyrodniczego w Poznaniu: 97-112
- GWIAZDOWICZ, D.J. (2008): Monitoring roztoczy z rzedu Gamasida w Karkonoskim Parku Narodowym. In: Mazur, A. / Raj, A. / Knapik, R. (Eds.), Monitoring ekosystemów leśnych w Karkonoskim Parku Narodowym. - Karkonoski Park Narodowy, Jelenia Góra: 171-183
- GWIAZDOWICZ, D.J. (Ed.) (2008): Selected problems of acarological research in forests. - Wydawnictwo Uniwersytetu Przyrodniczego w Poznaniu: 1-125
- GWIAZDOWICZ, D.J. / GULVIK, M.E. (2008): Badania akarologiczne na Spitsbergenie. - 32nd Internat. Polar Symposium, Uniwersytet Wrocławski: 34-35
- GWIAZDOWICZ, D.J. / GULVIK, M.E. (2008): Mesostigmatid mites (Acari, Mesostigmata) in Svalbard. - 32nd Internat. Polar Symposium, Uniwersytet Wrocławski: 32-34
- GWIAZDOWICZ, D.J. / HALLIDAY, R.B. (2008): The australian species of *Iphidozercon* (Acari, Ascidae). - *Zootaxa* 1921: 47-68
- HAITLINGER, R. (2008): Mites associated with insects in Poland. In: Gwiazdowicz, D.J. (Ed.), Selected problems of acarological research in forests. - Wydawnictwo Uniwersytetu Przyrodniczego w Poznaniu: 113-125
- HALLIDAY, B. / MASAN, P. (2008): *Pachydellus hades* (Halliday) (Acari, Pachylaelapidae), a european mite species described from Australia. - *Aust. J. Entomol.* 47: 225-226
- HALLIDAY, R.B. (2008): Two new species of littoral mites from Australia (Acari, Halolaelapidae). - *Syst. Appl. Acarol.* 13,3-4: 214-230
- HEDDERGOTT, M. (2008): *Saprolaelaps muelleri* sp. nov., a new mite species of the genus *Saprolaelaps* (Leitneria, 1946) from the Rhön region of Germany (Acari, Gamasida, Halolaelapidae). - *Beitr. Naturk. Osthessen* 45: 73-76

- HEDDERGOTT, M. (2008): Two new species of *Parichoronyssus* Radovsky, 1966 (Acari, Dermanysoidea, Macronyssidae) from bats of the genus *Phyllostomus* (Mammalia, Chiroptera, Phyllostomidae) in Paraguay and Cuba. - Spixiana 31,2: 183-193**
- HUSSEIN, H. / MOMEN, F. (2008):\* Fertilization and prey deprivation affecting reproduction, life history and life table of the predacious mite *Paraseiulus talbii* (Athias-Henriot) (Acari, Phytoseiidae). - Arch. Phytopathol. Plant Prot. 41: DOI 10.1080/03235400701722210
- KABICEK, J. (2008): Faunistic records from the Czech Republic. - Klapalekiana 44: 42
- KACZMAREK, S. (2008): *Epicrosejus blaszaki* sp. nov. (Acari, Mesostigmata, Sejidae). A new mite species from Korean Peninsula. - Ann. Zool. 58,2: 261-265**
- KARG, W. / SCHORLEMMER, A. (2008): Origin and classification of the Ixodidae (ticks) within the Parasitiformes Reuter 1909 (Acarina). - Acarologia 58,3-4: 123-134
- KAZAK, C. (2008): The development, predation, and reproduction of *Phytoseiulus persimilis* Athias-Henriot (Acari, Phytoseiidae) from hatay fed *Tetranychus cinnabarinus* Boisduval (Acari, Tetranychidae) larvae and protonymphs at different temperatures. - Turk. J. Zool. 32,4: 407-413
- KAZEMI, S. / KLOMPEN, H. / MORAZA, M.L. / KAMALI, K. / SABOORI, A. (2008): A new species of *Weiseronyssus* Samsinak, 1962 (Acari, Mesostigmata, Diplogyniidae) from Iran, with a key for genera. - Zootaxa 1824: 17-27**
- KAZEMI, S. / MORAZA, M.L. / KAMALI, K. / SABOORI, A. (2008): A new genus and three new species of Eiphidiidae (Acari, Mesostigmata) associated with scarab beetles in Iran. - Zootaxa 1852: 1-20**
- KHAN, A.S. / ASHFAQ, M. (2008): Description of a new mite species of the genus *Amblyseius* (Acarina, Phytoseiidae) from Punjab, Pakistan. - Pak. Entomol. 30,2: 179-183**
- KIM, C.-M. (2008): Euphysalozerconidae, a new mesostigmatid mite family (Acari, Mesostigmata, Trigynaspida, Aenictoquidea). - Acarologia 48,1-2: 33-38**
- KNEE, W. (2008): Five new species of Rhinonyssidae (Mesostigmata) and one new species of *Dermanyssus* (Mesostigmata, Dermanyssidae) from birds of Alberta and Manitoba, Canada. - J. Parasitol. 94,2: 348-374**
- KNEE, W. / PROCTOR, H. / GALLOWAY, T. (2008): Survey of nasal mites (Rhinonyssidae, Ereyetidae, and Turbinoptidae) associated with birds in Alberta and Manitoba, Canada. - Can. Ent. 140,3: 364-379
- KOEHLER, H. / WOHLTMANN, A. / WEIGMANN, G. / GERECKE, R. (2008): Zur Milbenfauna der Ostfriesischen Inseln (Arachnida, Acari). In: Niedringhaus, R. / Haeseler, V. / Janiesch, P. (Eds.), Die Flora und Fauna der Ostfriesischen Inseln - Artenverzeichnisse und Auswertungen zur Biodiversität. - Schriftenr. Nationalpark Niedersächs. Wattenmeer, Wilhelmshaven 11: 113-122
- KOMI, K. / ARAKAWA, R. / AMANO, H. (2008): Native phytoseiid mites (Acari, Phytoseiidae) occurring on greenhouse vegetable crops under the pest control programs with natural enemies in Kochi prefecture, Japan. [Orig. Jpn.] - J. Acarol. Soc. Jpn. 17,1: 23-28
- KOMI, K. / ARAKAWA, R. / AMANO, H. (2008): Predatory potential against *Thrips palmi* Karny of some native phytoseiid mites (Acari, Phytoseiidae) occurring on greenhouse vegetable crops in Kochi prefecture, Japan. [Orig. Jpn.] - J. Acarol. Soc. Jpn. 17,1: 29-35
- KONTCHAN, J. (2008): A review of the neotropical family Tetrasejaspidae (Acari, Uropodina) with descriptions of three new species. - Opusc. Zool. Budapest 37 [2006]: 29-42**
- KONTCHAN, J. (2008): Adatok Komárom-Esztergom megye Zerconidae faunájához (Acari, Mesostigmata). - Mitt. d. Museen d. Komitats Komárom-Esztergom 13-14: 425-433
- KONTCHAN, J. (2008): Four new species of *Rotundabaloghia* Hirschmann, 1975 from East Africa (Acari, Uropodidae). - Zootaxa 1853: 18-30**
- KONTCHAN, J. (2008): Magyarország korongatkái (Acari, Mesostigmata, Uropodina). - Állattani Közlemények 93,1: 3-15
- KONTCHAN, J. (2008): New and rare *Rotundabaloghia* species (Acari, Uropodina) from the tropics. - Opusc. Zool. Budapest 39: 15-41**
- KONTCHAN, J. (2008): *Rotundabaloghia korsosi* sp. nov. (Acari, Uropodina) from Taiwan. - Coll. and Res. 21: 45-50**
- KONTCHAN, J. (2008): *Trigonuropoda (Baloghiatrigon) dominicana* sp. nov. from the Dominican Republic, with notes on the subgenus *Baloghiatrigon* Hirschmann, 1979 (Acari, Uropodina, Trigonuropodidae). - Zootaxa 1856: 55-66**
- KONTCHAN, J. / SALMANE, I. (2008): New records of the Uropodina mites of Latvia and description of two new species (Acari, Mesostigmata). - Genus 19,2: 335-341**

- KUANG, Y. / MA, L.-M. / LIN, J.-Z. (2008): Discovery of *Pergamasus pampinatus* from Mainland of China (Acari, Mesostigmata, Parasitidae). [Orig. Chin.] - Acta Arachnol. Sinica 17,2: 103-105
- LAWSON-BALAGBO, L.M. / GONDIM, M.G.C. / DE MORAES, G.J. / HANNA, R. (2008):\* Exploration of the acarine fauna on coconut palm in Brazil with emphasis on *Aceria guerreronis* (Acari, Eriophyidae) and its natural enemies. - Bull. Entomol. Res. 98,1: 83-96
- LIN, J.-Z. / ZHANG, Y.-X. / JI, J. / CHEN, X. / MA, L.-M. (2008): Investigation of free living gamasid mite in China (II) (Acari, Gamasina). [Orig. Chin.] - Wuyi Sci. J. 24: 28-40
- LING, P. / XIA, B. / LI, P.-X. / SHU, C. / ZHONG, L. (2008):\* Functional response of *Amblyseius barkeri* (Acarina, Phytoseiidae) on *Panonychus citri* (Acari, Tetranychidae). - Acta Arachnol. Sinica 17,1: 29-34
- LUCZYNSKI, A. / NYROP, J.P. / SHI, A. (2008):\* Pattern of female reproductive age classes in mass-reared populations of *Phytoseiulus persimilis* (Acari, Phytoseiidae) and its influence on population characteristics and quality of predators following cold storage. - Biol. Contr. 47,2: 159-166
- MA, L.-M. (2008): A new species of the genus *Leioseius* from China (Acari, Mesostigmata, Aceosejidae). [Orig. Chin.] - Acta Zootaxon. Sinica 33,4: 751-752
- MA, L.-M. (2008): Descriptions of a new species and nymphs of two known species on the genus *Neogamasus* Tichomirov (Acari, Mesostigmata, Parasitidae). [Orig. Chin.] - Acta Arachnol. Sinica 17,1: 6-9
- MA, L.-M. (2008): Studies of four new species and supplementary descriptions of two known species on the genus *Amblygamasus* Berlese (Acari, Mesostigmata, Parasitidae). [Orig. Chin.] - Acta Arachnol. Sinica 17,2: 83-94
- MA, L.-M. (2008): Three new species of the genera *Rhodacarellus*, *Dendrolaelaps* and *Gamasellobodes* (Acari, Mesostigmata, Rhodacaridae). [Orig. Chin.] - Acta Zootaxon. Sinica 33,1: 127-132
- MA, L.-M. / LIN, J.-Z. (2008): On a new species of the genus *Androlaelaps* and supplementary descriptions of three known species of the family Laelapidae (Acari, Mesostigmata, Laelapidae). [Orig. Chin.] - Acta Arachnol. Sinica 17,2: 95-100
- MA, L.-M. / LIN, J.-Z. / ZHANG, Y.-X. (2008): A new species of the genus *Parasitus* and a new species of the genus *Vulgarogamasus* (Acari, Mesostigmata, Parasitidae). [Orig. Chin.] - Acta Arachnol. Sinica 17,1: 2-5
- MA, L.-M. / LIN, J.-Z. / ZHANG, Y.-X. (2008): Descriptions of five new species of the genus *Asca* (Acari, Mesostigmata, Rhodacaridae) from China. [Orig. Chin.] - Acta Zootaxon. Sinica 33,3: 580-586
- MA, Y. (2008): A new species of the genus *Ameroseius* from Qinghai, China (Acari, Ameroseiidae). - Acta Zootaxon. Sinica 33,4: 748-750
- MADADI, H. / ENKEGAARD, A. / BRODSGAARD, H.F. / KHARRAZI-PAKDEL, A. / ASHOURI, A. / MOHAGHEGH-NEISHABOURI, J. (2008): *Orius albipennis* (Heteroptera, Anthocoridae): intraguild predation of and prey preference for *Neoseiulus cucumeris* (Acari, Phytoseiidae) on different host plants. - Entomol. Fenn. 19,1: 32-40
- MADEJ, G. (2008): Ecological succession of mites (Acari) with particular reference to the predatory mites Gamasina (Mesostigmata). In: Gwiazdowicz, D.J. (Ed.), Selected problems of acarological research in forests. - Wydawnictwo Uniwersyteetu Przyrodniczego w Poznaniu: 7-22
- MADEJ, G. / STODOLKA, A. (2008): Successional changes and diversity of mesostigmatid mite communities (Acari, Mesostigmata) on reclaimed power plant waste dumps. - Ann. Zool. 58,2: 267-278
- MASAN, P. (2008): *Pachyseius friedrichi*, spec. nov., a new pachylaelapid mite from Bavarian Prealps Mts., Germany. - Spixiana 31,2: 177-182
- MASAN, P. (2008): The family Epicriidae in Slovakia: annotated faunal synopsis and description of a new species of *Epicrius* (Acari, Mesostigmata, Epicriidae). - Zootaxa 1880: 48-68
- MASAN, P. / FENDA, P. / MIHAL, I. (2008): New edaphic mites of the genus *Veigaea* from Slovakia and Bulgaria, with a key to the european species (Acari, Mesostigmata, Veigaiidae). - Zootaxa 1897: 1-19
- MATTHEE, S. / UECKERMAN, E.A. (2008): Ectoparasites of rodents in Southern Africa: a new species of *Androlaelaps* Berlese, 1903 (Acari, Parasitiformes, Laelapidae) from *Rhabdomys pumilio* (Sparrman) (Rodentia, Muridae). - Syst. Parasitol. 70,3: 185-190
- MAZUR, A. / RAJ, A. / KNAPIK, R. (EDS.) (2008): Monitoring ekosystemów lesnych w Karkonoskim Parku Narodowym. - Karkonoski Park Narodowy, Jelenia Gora: 1-334

- MEIKLE, W.G. / MERCADIER, G. / HOLST, N. / GIROD, V. (2008):\* Impact of two treatments of a formulation of *Beauveria bassiana* (Deuteromycota, Hyphomycetes) conidia on *Varroa* mites (Acari, Varroidae) and on honeybee (Hymenoptera, Apidae) colony health. - *Exp. Appl. Acarol.* 46,1-4: 105-107
- MEIKLE, W.G. / MERCADIER, G. / HOLST, N. / NANSEN, C. / GIROD, V. (2008):\* Impact of a treatment of *Beauveria bassiana* (Deuteromycota, Hyphomycetes) on honeybee (*Apis mellifera*) colony health and on Varroa destructor mites (Acari, Varroidae). - *Apidologie* 39,2: 247-259
- MIRANDA, R. / BERMUDEZ, S. (2008):\* Mites (Arachnida, Acari) associated with Calliphoridae flies (Diptera, Oestroidea) at three localities in Panama. - *Rev. Col. Entomol.* 34,2: 192-196
- MOMEN, F.M. (2008):\* Life history of predatory mites *Typhlodromus athiasae* and *Amblyseius cabonus* (Acari, Phytoseiidae) on two pest mites as prey, with special reference to *Eriophyes dioscoridis* (Acari, Eriophyidae). - *Arch. Phytopathol. Plant Prot.* 41: DOI 10.1080/03235400701622204
- MONTSERRAT, M. / DE LA PENA, F. / HORMAZA, J.I. / GONZALEZ-FERNANDEZ, J.J. (2008):\* How do *Neoseiulus californicus* (Acari, Phytoseiidae) females penetrate densely webbed spider mite nests? - *Exp. Appl. Acarol.* 44,2: 101-106
- MOSTINI, L. (2008):\* Breeding failure of barn swallows, *Hirundo rustica* due to an infestation by *Ornithonyssus sylviarum* (Acarina, Gamasidae). - *Picus* 34,1-2: 53-54
- NADIMI, A. / KAMALI, K. / ARBABI, M. / ABDOLI, F. (2008): Side-effects of three acaricides on the predatory mite, *Phytoseiulus persimilis* Athias-Henriot (Acari, Phytoseiidae) under laboratory conditions. - *Mun. Ent. Zool.* 3,2: 556-566
- NIOGRET, J. / NICOT, A. (2008):\* Combined approach using morpholoy and ITS-sequences for description of three new species of *Macrocheles* (Acari, Macrochelidae). - *Zootaxa* 1873: 39-49
- OGAWA, Y. / OSAKABE, M. (2008):\* Development, long-term survival, and the maintenance of fertility in *Neoseiulus californicus* (Acari, Phytoseiidae) reared on an artificial diet. - *Exp. Appl. Acarol.* 45,3-4: 123-136
- OKU, K. (2008): Role of excreta in predator avoidance by the Kanzawa spider mite, *Tetranychus kanzawai* (Acari, Tetranychidae). - *Eur. J. Entomol.* 105: 619-623
- PAPADOPOULOS, G.D. / PAPADOURIS, G.T. (2008):\* Effect of seven different pollens on bio-ecological parameters of the predatory mite *Typhlodromus foenilis* (Acari, Phytoseiidae). - *Environ. Entomol.* 37,2: 340-347
- PARIS, C.I. / POLO, M.G. / GARBAGNOLI, C. / MARTINEZ, P. / DE FERRÉ, G.S. / FOLGARAIT, P.J. (2008): Litter decomposition and soil organisms within and outside of *Camponotus punctulatus* nests in sown pasture in northeastern Argentina. - *Appl. Soil Ecol.* 40: 271-282
- PAVLICEVIC, A. / PAVLOVIC, I. / DOTLIC, M. / NEMET, A. (2008): House fly *Musca domestica* like transmpter of red poultry mite *Dermanyssus gallinae*? - *World's Poultry Sci. J.* 64,1: 72-73
- PLUMARI, M. (2008):\* New records of Celaenopsidae, Parasitidae, Digamellidae and Ascidae from Italy (Acarina, Mesostigmata). - *Boll. Soc. Entomol. Ital.* 140,2: 75-90
- POPOV, S.Y. / KONDYRAKOV, A.V. (2008):\* Reproductive tables of predatory phytoseiid mites (*Phytoseiulus persimilis*, *Galendromus occidentalis* and *Neoseiulus cucumeris*). - *Entomol. Rev.* 88,6: 658-665
- SALEEM, M. / SHAFIQ, M. / IZHAR-UL-HAQ, M. / SABIR, A.M. / MANSOOR-UL-HASSAN (2008): Evaluation of some miticides against *Varroa destructor* (Varroidae, Acari) in colonies of honeybee, *Apis mellifera* L.. - *Pak. Entomol.* 30,2: 133-134
- SAMMATARO, D. / FINLEY, J. / UNDERWOOD, R. (2008):\* Comparing oxalic acid and sucrocide treatments for *Varroa destructor* (Acari, Varroidae) control under desert conditions. - *J. Econ. Entomol.* 101,4: 1057-1061
- SATTA, A. / FLORIS, I. / CABONI, P. / CABRAS, P. / EGUARAS, M. / VELIS, G (2008):\* New experimental data on use of rotenone as an acaricide for control of *Varroa destructor* in honey bee colonies. - *J. Econ. Entomol.* 101,4: 1075-1080
- SCHUETTE, C. / DICKE, M. (2008):\* Verified and potential pathogens of predatory mites (Acari, Phytoseiidae). - *Exp. Appl. Acarol.* 46,1-4: 307-328
- SCHUETTE, C. / GOLS, R. / KLEEPSIES, R.G. / POITEVIN, O. / DICKE, M. (2008):\* Novel bacterial pathogen *Acaricomes phytoseiuli* causes severe disease symptoms and histopathological changes in the predatory mite *Phytoseiulus persimilis* (Acari, Phytoseiidae). - *J. Inverteb. Pathol.* 98,2: 127-135
- SHIRDEL, D. / KAMALI, K. / FARAJI, F. (2008): Redescription of *Typhloseiulus carmonae* (Chant et Yoshida-Shaul) (Mesostigmata, Phytoseiidae) new species for Iran. - *Acarina* 16,1: 51-56

- SIKORA, B. / SKORACKI, M. (2008): *Blaszakiella americana* gen. et sp. nov. a new zeronid mite (Acari, Zerconidae) from North America. - Ann. Zool. 58,2: 251-254
- SILVA, D.P.H. / FERNANDO, L.C. (2008):\* Rearing of coconut mite *Aceria guerreronis* and the predatory mite *Neoseiulus baraki* in the laboratory. - Exp. Appl. Acarol. 44,1: 37-42
- SKUBALA, P. (2008): Dead wood as the richest habitat in a healthy forest and mite (Acari) fauna living in it. In: Gwiazdowicz, D.J. (Ed.), Selected problems of acarological research in forests. - Wydawnictwo Uniwersytetu Przyrodniczego w Poznaniu: 23-39
- STACHOWIAK, M. / HALLIDAY, B. / BLOSZYK, J. (2008): Review of the genus *Cilliba* von Heyden (Acari, Uropodina, Cillibiidae). - Zootaxa 1881: 1-42
- STANESCU MANU, M. (2008): The influence of some abiotic factors on the structural dynamics of the predatory mite populations (Acari, Mesostigmata) from an ecosystem with *Myricaria germanica* from Doftana Valley (Romania). - Trav. Mus. Hist. Nat. "Gr. Antipa" 51: 463-471
- TIXIER, M.-S. / GUICHOU, S. / KREITER, S. (2008): Morphological variation in the biological control agent *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae): consequences for diagnostic reliability and synonymies. - Invertebr. Syst. 22,4: 453-469
- TIXIER, M.-S. / KREITER, S. / CROFT, B.A. / CHEVAL, B. (2008): *Kampimodromus aberrans* (Acari, Phytoseiidae) from the USA: morphological and molecular assessment of its density. - Bull. Entomol. Res. 98: 125-134
- TOYOSHIMA, S. / IHARA, F. / AMANO, H. (2008): Diversity and abundance of phytoseiid mites in natural vegetation in the vicinity of apple orchards in Japan. - Appl. Entomol. Zool. 43,3: 443-450
- TRACH, V.A. / MAKAROVA, O.L. (2008):\* A new gamasid mite species of the genus *Antennoseius* (Parasitiformes, Ascidae) from the southwest of Ukraine. - Vestn. zool. 42: 181-184
- TUCCI, E.C. / PRADO, A.P. / ARAUJO, R.P. (2008): Thermal requirements of *Dermanyssus gallinae* (De Geer, 1778) (Acari, Dermanyssidae). - Rev. Bras. Parasit. Vet. 17,2: 67-72
- TUCCI, E.C. / PRADO, A.P. / ARAUJO, R.P. (2008):\* Development of *Dermanyssus gallinae* (Acari, Dermanyssidae) at different temperatures. - Vet. Parasitol. 155,1-2: 127-132
- UECKERMANN, E.A. / ZANNOU, I.D. / DE MORAES, G.J. / OLIVEIRA, A.R. / HANNA, R. / YANINEK, J.S. (2008): Phytoseiid mites of the tribe Typhlodromini (Acari, Phytoseiidae) from sub-Saharan Africa. - Zootaxa 1901: 1-122
- UJVARI, Z. (2008): New records of the family Zerconidae (Acari, Mesostigmata) from the Transdanubian (Western- and Southern-Hungary). - Fol. Hist. Nat. Mus. Matr. 32: 77-85
- UJVARI, Z. (2008): New records of zeronid mites (Acari, Mesostigmata) from Mts. Papuk, Croatia, with description of *Zercon kontschani* sp. n.. - Opusc. Zool. Budapest 37 [2006]: 63-70
- URHAN, R. (2008): Two new species of *Zercon* (Acari, Zerconidae) from Turkey. - Biologia, Bratislava 63,3: 395-401
- URHAN, R. (2008): Two new species of *Zercon* C.L. Koch (Acari, Mesostigmata, Zerconidae) from Turkey: *Zercon longisetosus* sp.n. and *Zercon osmanelinensis* sp. n.. - Turk. J. Zool. 32,2: 217-224
- URHAN, R. (2008): *Zercon anatolicus*, a new species of zeronid mites (Acari, Mesostigmata, Zerconidae) from Turkey. - Ann. Zool. 58,2: 255-260
- URHAN, R. (2008): *Zercon foveolatus* Halaskova, 1969, a new record of a zeronid mite (Acari, Zerconidae) for the Turkish fauna. - Turk. J. Zool. 32,2: 213-215
- URHAN, R. (2008): Contributions to the genus *Prozercon* Sellnick, 1943 (Acari, Zerconidae) from Turkey, with the description of two new species and a key to species. - Zoology in the Middle East 45: 97-104
- URHAN, R. / KATILMIS, Y. / KAHVECI, A.Ö. (2008): Vertical distribution of soil mites (Acari) on Dalaman (Mugla Prov. - Turkey). - Mun. Ent. Zool. 3,1: 333-341
- VAN ENGELSDORP, D. / UNDERWOOD, R.M. / COX-FOSTER, D.L. (2008): Short-term fumigation of honey bee (Hymenoptera, Apidae) colonies with formic and acetic acids for the control of *Varroa destructor* (Acari, Varroidae). - J. Econ. Entomol. 101,2: 256-264
- PRASAD, M.D. (2008): Donald A. Chant (1928-2007) - a personal farewell. - Internat. J. Acarol. 34,3: 317-322
- SEIFOORI, M. / GLIDA, H. / SABOORI, A. / BERTRAND, M. (2008): Iranian macrochelids II short description of four new species. What about the genus *Macrocheles*? - Acarologia 48,1-2: 41-45

- VILLA, J.D. / BUSTAMANTE, D.M. / DUNKLEY, J.P. / ESCOBAR, L.A. (2008):\* Changes in honey bee (Hymenoptera, Apidae) colony swarming and survival pre- and postarrival of *Varroa destructor* (Mesostigmata, Varroidae) in Louisiana. - Ann. Entomol. Soc. Amer. 101,5: 867-871
- VILLANUEVA, R.T. / RODRIGUES, J.C.V. / WELBOURN, W.C. / DENMARK, H.A. / CHILDERS, C.C. (2008): *Amblyseius filcae* Denmark and Villanueva, n. sp. (Acari, Phytoseiidae) found on *Viburnum* in Florida: description, life cycle and feeding studies.** - Internat. J. Acarol. 34,4: 385-387
- XUE, X.-F. / ZHANG, Z.-Q. (2008): An analysis of and index to new Acari described in Systematic & Applied Acarology (1996–2007). - Syst. Appl. Acarol. 13,3-4: 279-304

### Publications, additions 2007

- ALBERTI, G. / DI PALMA, A. (2007): Fine structure of male reproductive system in *Phytoseiulus persimilis* (Phytoseiidae, Gamasida, Acari). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 561-569
- ALBERTI, G. / GERDEMAN, B. / KLOMPEN, H. (2007): Fine structure of spermiogenesis and sperm in a heterozerconid mite (Heterozerconidae, Heterozerconina, Gamasida). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 557-560
- ALBERTI, G. / KRANTZ, G.W. (2007): Some ultrastructural observations on a species of Arctacaridae (Arctacarina, Gamasida), with remarks on their phylogenetic significance. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 571-579
- ALVES, P.S. / BITTENCOURT, A.J. / FACCINI, J.L.H. (2007):\* Association between *Stomoxys calcitrans* and *Macrocheles muscaedomesticae* in the county of Espírito Santo do Pinhal - SP - Brazil. [Orig. Port.] - Rev. Univ. Rual Ser. Ciencias da Vida 27, Suppl.: 170-172
- ARIORI, S.L. / DARA, S.K. (2007): Predation of *Neozygites tanajoae*-infected cassava green mites by the predatory mite, *Typhlodromus aripo* (Acari, Phytoseiidae). - Agric. Conspec. Sci. 72,2: 169-172
- ARROYO, J. / BOLGER, T. (2007):\* Oribatid (Acari, Oribatida) and gamasid (Acari, Gamasida) mite communities in an Irish sitka spruce *Picea sitchensis* (Bong.) Carr. stand with three first records for Ireland. - Irish Nat. J. 28,11: 452-458
- BADII, M.H. / FLORES, A.E. / PONCE, G. / LANDEROS, J. / GONZALEZ, M. (2007): Design of a sequential sampling program and the association rates among citrus mites. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 511-516
- BADII, M.H. / FLORES, A.E. / PONCE, G. / LANDEROS, J. / GONZALEZ, M. (2007): Site preference of and the influence of temperature and rainfall on citrus mites. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 505-510
- BAL, D.A. / ÖZKAN, M. (2007): Re-description of *Urodiaspis tecta* (Kramer, 1876) (Acarina, Mesostigmata, Uropodina). - Mun. Ent. Zool. 2,1: 15-24
- BAL, D.A. / ÖZKAN, M. (2007): Some biological and ecological remarks on *Trichouropoda orbicularis*, a pest of harvested maize grains and a larviparous uropodid mite (Acari, Mesostigmata, Uropodina). - Mun. Entomol. Zool. 2,1: 119-128
- BEAULIEU, F. / WALTER, D.E. (2007): Habitat specificity and predatory mites: diversity and distribution of the genus *Athiasella* (Mesostigmata, Ologamasidae) in forest floor and suspended soils in Australian rainforests. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 129-135

- BEAULIEU, F. / WALTER, D.E. (2007): Predation in suspended and forest floor soils: observations on australian mesostigmatic mites. - *Acarologia* 47,1-2: 43-54
- BEAULIEU, F. / WEEKS, A.R. (2007): Free-living mesostigmatic mites in Australia: their roles in biological control and bioindication. - *Aust. J. Exp. Agric.* 47: 460-478
- BEI, N.-X. / ZHAO, Y.-Y. / GAO, P. / SHI, C.-M. / YIN, S.-G. (2007): Four new record species of the genus *Pachylaelaps* Berlese (1886) (Acari, Pachylaelapidae) from China. - *Entomotaxonomia* 29,2: 157-160
- BLACKWOOD, J.S. / CROFT, B.A. / SCHAUSSBERGER, P. (2007): Consequences of prey-stage preference in the specialist predator *Phytoseiulus persimilis*. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 675-681
- BOSTANIAN, N.J. / RACETTE, G. / LAROCQUE, N. (2007): The toxicity of several pesticides to predacious mites found in Quebec apple orchards. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 319-324
- CASTANO-MENESES, G. / MEJIA-RECAMIER, B.E. (2007): Community structure of mites in *Tillandsia violacea* (Bromeliaceae) from a temperate forest of Central Mexico. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 657-664
- CHEN, Z. / YANG, X.-J. / LIU, J.-Z. (2007):\* Discussion on partial basic problems in Acari systematics and classification. - *Entomotaxonomia* 29,3: 235-240
- CHEON, G.S. / PAIK, C.H. / LEE, G.H. / KIM, S.S. (2007):\* Toxicity of spirodiclofen to the predatory mite, *Amblyseius womersleyi* (Acari, Phytoseiidae), and its prey, *Tetranychus urticae* (Acari, Tetranychidae). - *J. Entomol. Sci.* 42,1: 44-51
- CONSTANTINESCU, I.C. / CRISTESCU, C. (2007): Studies on the trophic preferences of certain Uropodina mites (Acarina, Anactinotrichida, Uropodina) for some taxa of imperfect fungi. - *An. Stiint. Univ. "Al. I. Cuza", Sect. II, Biol.* 53: 83-87
- DE LA IGLESIAS, L. / SANTIOGA, Y. / MORENO, C.M. / PEREZ, A. / PALEZ, H. / DE PRADO, N. / CEPEDA, S. / FERRAGUT, F. (2007):\* Phytoseiid mites (Acari, Phytoseiidae) associated to fruit trees, apple and pear trees and vineyard from El Bierzo, Leon (north-west of Spain). - *Bol. San. Veg. Plagas* 33,1: 3-14
- DE MORAIS, R.M. / OTT, R. / OTT, A.P. / REDAElli, L.R. (2007): Aranhas e acaros predadores em copas de tangerineiras Montenegrina, mantidas sob manejo orgânico, em Montenegro, RS. - *Neotrop. Entomol.* 36,6: 939-948
- DEMITE, P.R. / FERES, R.J.F. (2007): Ocorrencia e flutuacao populacional de acaros associados a seringais vizinhos de fragmentos de Cerrado. - *Neotrop. Entomol.* 36,1: 117-127
- DUSO, C. / ANGELI, G. / CASTAGNOLI, M. / LIGUORI, M. / FACCHIN, P. / MALAGNINI, V. / POZZEBON, A. (2007): Pesticides and phytoseiid mites: a synopsis of research carried out on grapes, apples and vegetables in Northern and Central Italy. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 319-324
- EHARA, S. (2007):\* A guide to the phytoseiid mites of Japan (Acari, Phytoseiidae). [Orig. Jpn.] - *Plant Prot.* 10, Suppl.: 78-120
- EHARA, S. / KISHIMOTO, H. (2007): The occurrence of *Typhlodromus (Anthoseius) transvaalensis* (Nesbitt) (Acari, Phytoseiidae) in Japan. - *J. Acarol. Soc. Jpn.* 16,2: 139-143
- EL-KAMMAH, K.M. / OYOUN, L.M.I. (2007): Taxonomic records of mite species associated with animal and poultry farms in the Nile Delta, Valley and N. Sinai Egypt. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), *Acarology XI: Proceedings of the International Congress*. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 223-232

- ESTRADA-VENEGAS, E.G. (2007): Mites associated to garlic crop in Guanajuato, Mexico. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 495-503
- GALVAO, A.S. / GONDIM, M.G.C. / DE MORAES, G.J. (2007):\* Biology of *Amblyseius largoensis* (Muma) (Acari, Phytoseiidae), a potential predator of *Aceria guerreronis* Keifer (Acari, Eriophyidae) on coconut trees. [Orig. Port.] - Neotrop. Entomol. 36,3: 465-470
- GERDEMAN, B. / ALBERTI, G. (2007): First ultrastructural observations on the paired suckers of a heterozerconid mite (Heterozerconidae, Gamasida). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 581-584
- GWIAZDOWICZ, D.J. (2007): Description and the key to males of the genus *Zerconopsis*. - Acta Sci. Pol., Biologia 6,1-2: 53-58
- GWIAZDOWICZ, D.J. / GULVIK, M.E. (2007): The first records of five mite species (Acari, Mesostigmata) in Norway. - Norw. J. Entomol. 54: 129-131
- GWIAZDOWICZ, D.J. / MAZURCZAK, M. (2007): Mesostigmatid mites occurring in the park-arboretum of the forest culture centre in Goluchów. [Orig. Poln.] - Stud. Mater. Osr. Kult. Lesn. 6: 79-86
- HAITLINGER, R. (2007): Arthropods (Siphonaptera, Anoplura, Acari) of small mammals of Karkonosze Mts. (Sudetes). - Zesz. Nauk. UP Wrocław. Biol. Hod. Zwierz. 55,559: 23-43
- HARDMAN, J.M. / FRANKLIN, J.L. / BEAULIEU, F. / BOSTANIAN, N.J. (2007): Effects of acaricides, pyrethroids and predator distributions on populations of *Tetranychus urticae* in apple orchards. - Exp. Appl. Acarol. 43: 235-253
- HARTINI, S. / DWIBADRA, D. / TAKAKU, G. (2007): Macrochelid mites (Acari, Gamasina, Macrochelidae) associated with dung beetles in Sulawesi, Indonesia. - J. Acarol. Soc. Jpn. 16,2: 73-96
- IRIGARAY, F.J.S.D. / ZALOM, F.G. (2007):\* Selectivity of acaricide exposure on *Galendromus occidentalis* reproductive potential. - Biocontr. Sci. Technol. 17,5-6: 541-546
- IRIGARAY, F.J.S.D. / ZALOM, F.G. / THOMPSON, P.B. (2007):\* Residual toxicity of acaricides to *Galendromus occidentalis* and *Phytoseiulus persimilis* reproductive potential. - Biol. Contr. 40,2: 153-159
- JAMES, D.G. (2007): Toxicity of imidacloprid and selectivity of bifenazate and pymetrozine of three Phytoseiids (Acari, Phytoseiidae). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 339-346
- JIANG, S.-L. / ZHOU, T.-L. (2007):\* Predation of *Euseius finlandicus* (Oudemans) (Acari, Phytoseiidae) on *Panonychus ulmi* (Koch) (Acari, Tetranychidae) orchard trees. - Acta Arachnol. Sinica 16,1: 16-20
- KANG, M.-K. / KANG, E.-J. / LEE, H.-J. / LEE, D.-H. / SEOK, H.-B. / KIM, D.-A. / GIL, M.-L. / SEO, M.-J. / YU, Y.-M. / YOUN, Y.-N. (2007):\* Effects of environment friendly agricultural materials to *Phytoseiulus persimilis* (Acari, Phytoseiidae) in the laboratory. - Korean J. Appl. Entomol. 16,1: 87-95
- KASAP, I. / COBANOGLU, S. (2007): Mite (Acari) fauna in apple orchards of around the Lake Van Basin of Turkey. [Orig. Turk.] - Türk. entomol. derg. 31,2: 97-109
- KIBRITCI, C. / KAZAK, C. / KARUT, K. (2007): Determination of biology of predatory mite *Typhlodromips (Amblyseius) enab* El-Badry (Acari, Phytoseiidae) at different temperatures. [Orig. Turk.] - Türk. entomol. derg. 31,2: 129-138
- KISHIMOTO, H. / TESHIBA, M. / KONDOH, T. / MIYAZAKI, N. / SUGIURA, S. / TODA, R. / YAMASAKI, H. / WAKATSUKI, H. / MOTUYAMA, H. / HORIE, H. (2007): Occurrence of *Neoseiulus californicus* (Acari, Phytoseiidae) on citrus in Kyushu district, Japan. [Orig. Jpn.] - J. Acarol. Soc. Jpn. 16,2: 129-137
- KOMI, K. / ARAKAWA, R. / AMANO, H. (2007): Native phytoseiid mites (Acari, Phytoseiidae) occurring on greenhouse vegetable crops under the pest control programs with natural enemies in Kochi prefecture, Japan. [Orig. Jpn.] - J. Acarol. Soc. Jpn. 17,1: 23-28
- KOMI, K. / ARAKAWA, R. / AMANO, H. (2007): Predatory potential against *Thrips palmi* Karny of some native phytoseiid mites (Acari, Phytoseiidae) occurring on greenhouse vegetable crops in Kochi prefecture, Japan. [Orig. Jpn.] - J. Acarol. Soc. Jpn. 17,1: 29-35

- KRANTZ, G.W. / GÓMEZ, L.A. / GONZALEZ, V.E. (2007): Parasitism in the Uropodina: a case history from Colombia. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 29-38
- KRISTOFIK, J. / MASAN, P. / SUSTEK, Z. (2007): Arthropods (Pseudoscorpionidea, Acarina, Coleoptera, Siphonaptera) in nests of the bearded tit (*Panurus biarmicus*). - Biologia 62,6: 749-755
- KRSIAK, B. / ZACH, P. (2007): On the occurrence and ecology of some species in the genus *Trichouropoda* (Acarina, Mesostigmata, Uropodina) in Slovakia. [Orig. Slovak.] - Entomofauna carpathica 19,1-2: 32-34
- KUANG, Y. / MA, L.-M. / LIN, J.-Z. (2007):\* Discovery of *Neogamasus cervicornis* (Van Daele) from mainland of China (Acari, Mesostigmata, Parasitidae). [Orig. Chin.] - Acta Arachnol. Sinica 16,2: 89-91
- LARA-MARTINEZ, R. / JIMENEZ-GARCIA, L.F. / MORALES-MALACARA, J.B. (2007): Ultrastructural morphology of digestive cells of *Periglischrus leptosternus* (Mesostigmata, Spinturnicidae) and the finding of possible symbiotic bacteria in the midgut. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 585-588
- LARESCHI, M. (2007): Seasonal occurrence of ectoparasites associated with the water rat *Scapteromys aquaticus* (Muridae, Sigmodontinae) from Punta Lara, Argentina. In: In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 233-240
- LASH, H.E. / WARNOCK, D.F. / CLOYD, R.A. (2007):\* Effect of pesticide mixtures on the survival of the predatory mite *Neoseiulus cucumeris* (Acarina, Phytoseiidae). - J. Entomol. Sci. 42,3: 311-319
- LEONOVICH, S.A. (2007):\* Palpal sensory organ in the chicken mite *Dermanyssus gallinae* (Acari, Dermanyssidae). - Parazitologiya 41,3: 218-222
- LI, X.-Z. / MA, Y. / BAI, X.-L. (2007): A new species of the genus *Veigaia* from Ningxia, China (Acari, Veigaiaidae). [Orig. Chin.] - Acta Zootaxon. Sinica 32,4: 924-925
- LIBURD, O.E. / WHITE, J.C. / RHODES, E.M. / BOWDY, A.A. (2007): The residual and direct effects of reduced-risk and conventional miticides on twospotted spider mites, *Tetranychus urticae* (Acari, Tetranychidae) and predatory mites (Acari, Phytoseiidae). - Fla. Entomol. 90,1: 249-257
- LIPINSKI, Z. / SZUBSTARSKI, J. (2007):\* Resistance of *Varroa destructor* to most commonly used synthetic acaricides. - Pol. J. Veter. Sci. 10,4: 289-294
- LIU, Y.-F. / TADASHI, M. (2007): Effects of methidathion resistance obtaining on developmental duration and reproductive capacity of the predacious mite *Amblyseius womersleyi* Schicha (Acari, Phytoseiidae). [Orig. Chin.] - Acta Entomol. Sinica 50,11: 1181-1184
- LIU, Y.-F. / TADASHI, M. (2007): Effects of temperature on reproduction fitness of methidathion resistance predacious mites *Amblyseius womersleyi* Schicha (Acari, Phytoseiidae). [Orig. Chin.] - Life Sci. Res. 11,4: 338-341
- LUO, L.-P. / GUO, X.-G. / QIAN, T.-J. / WU, D. / MEN, X.-Y. / DONG, W.-G. (2007): Similarity of ectoparasitic gamasid mite (Acari, Parasitiformes, Mesostigmata) communities on small mammals in Yunnan, China. - Acta Zool. Sinica 53,2: 208-214
- MANGINI A.C. / HAIN F.P. (2007):\* Phytoseiidae (Acari, Mesostigmata) from cover crops in western North Carolina. - J. Entomol. Sci. 42,3: 415-420
- MARCANGELI, J.A. / DAMIANI, N. (2007):\* Infestation levels of the mite *Varroa destructor* (Acari, Varroidae) in new and old honeybee brood combs of *Apis mellifera* (Hymenoptera, Apidae). - Rev. Soc. Entomol. Argent. 66,1-2: 147-152
- MATERNA, J. / GWIAZDOWICZ, D.J. (2007): Pudni Organizmy. In: Flousek, J. / Hartmanová, O. / Stursa, J. / Potocki, J. (Eds.), Krkonose. prírody, historie, zivot. - Baset: 226-227
- MORALES-MALACARA, J.B. / BEHAN-PELLETIER, V. / UECKERMAN, E. / PEREZ, T.M. / ESTRADA-VENEGAS, E.G. / BADI, M. (2007): Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 1-726

- NAHER, L. / HAQUE, M. (2007):\* Biological control of *Tetranychus urticae* (Acari, Tetranychidae) using *Phytoseiulus persimilis* (Acari, Phytoseiidae). - Res. J. Agric. Biol. Sci. 3,6: 550-553
- PAVLICEVIC, A. / PAVLIVIC, I. / STAJKOVIC, N. (2007): Method for early detection of poultry red mite *Dermanyssus gallinae* (De Geer, 1778). - Biotechnol. in Anim. Husbandry 23,3-4: 119-127
- PAVLICEVIC, A. / PAVLOVIC, I. / DOTLIC, M. (2007): A contribution to information on starvation survival capacity of poultry red mite *Dermanyssus gallinae*. In: Simpozion Stiintific Cu Participare Internationala "Progrese si Perspective in Medicina Veterinara". - Lucrari Stiintifice, Iasi 50,9: 485-491
- RAGUSA DI CHIARA, S. / TSOLAKIS, H. / RAGUSA, E. / ALONZO, G. / SAIANO, F. (2007): Effects of some botanical pesticides on *Tetranychus urticae* Koch (Tetranychidae) and its predator *Cydnodromus californicus* (McGregor) (Phytoseiidae) in laboratory trials. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 347-354
- RAJASHEKHARAPPA, K. / MALLIK, B. (2007):\* Management of spider mite, *Tetranychus urticae* Koch. (Acari, Tetranychidae) on carnation using phytoseiid predator *Neoseiulus longispinosus* Evans (Acari, Phytoseiidae). - Environ. Ecol., Kalyani 25S,4A: 1356-1359
- RAMOS, M. / DE MORAES, G.J. (2007): Predatory mites associated with *Steneotarsonemus spinki* (Acari, Tarsonemidae) on rice in Cuba. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 459-462
- RAMOS, M. / RODRIGUEZ, H. / ALMAGUEL, L. (2007): Qualitative and quantitative description of predatory mite biodiversity in different agroecosystems in Cuba. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 463-469
- REIS, P.R. / TEODOR, A.V. / NET, M.A.P. / DA SILVA, E.A. (2007):\* Life history of *Amblyseius herbicolus* (Chant) (Acari, Phytoseiidae) on coffee plants. [Orig. Port.] - Neotrop. Entomol. 36,2: 282-287
- ROY, L. / CHAUVE, C.M. (2007):\* Historical review of the genus *Dermanyssus* Duges, 1834 (Acari , Mesostigmata, Dermanyssidae). - Parasite 14,2: 87-100
- ROY, L. / CHAUVE, C.M. (2007):\* Historical review of the genus *Dermanyssus* Duges, 1834 (Acari , Mesostigmata, Dermanyssidae) (Vol. 14, pg. 87, 2007). - Parasite 14,4: 341
- SABBATINI PEVERIERI, G. / GWIAZDOWICZ, D.J. / SAMMARONE, L. (2007): 459 - *Iphidosoma razumovae*

SABBATINI PEVERIERI, G. / GWIAZDOWICZ, D.J. / SAMMARONE, L. (2007): 458 - *Crassicheles holsaticus* (Willmann, 1937) (Gamasida, Eviphididae). In: Segnalazioni Faunistiche Italiana N. 457-471. - Boll. Soc. Entomol. Ital.: 173

**SADANANDAN, M.A. / RAMANI, N. (2007):\* A new species of predatory mite of the genus *Amblyseius* (Acarina, Phytoseiidae) from Kerala, India. - J. Ecobiol. 20,3: 215-218**

SATTERLEE, S.M. / FASHING, N.J. (2007): A preliminary investigation of cues used by mesostigmatic mites to locate their passalid beetle hosts. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 241-248

**SEEMAN, O.D. (2007): A new species of *Paradiplogynium* (Acari, Diplogyniidae) from *Titanolabis colossea* (Dohrn) (Dermaptera, Anisolabididae), Australia's largest earwig. - Zootaxa 1386: 31-38**

SILVA, M.Z. / DE OUVEIRA, C.A.L. (2007):\* Residual toxicity of some pesticides recommended for citrus orchards on the predaceous mite *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae). - Rev. Bras. Frut. 29,1: 85-90

SKIRVIN, D.J. / KRAVAR-GARDE, L. / REYNOLDS, K. / JONES, J. / MEAD, A. / FENLON, J. (2007):\* Supplemental food affects thrips predation and movement of *Orius laevigatus* (Hemiptera, Anthocoridae) and *Neoseiulus cucumeris* (Acari, Phytoseiidae). - Bull. Entomol. Res. 97,3: 309-315

- SKORUPSKI, M. (2007): Influence of species composition of tree stands for soil inhabiting mites from the family Parasitidae and suborder Uropodina (Acari, Mesostigmata). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 193-196
- SWARTS, D.J. / KINNEAR, A. (2007): The impact of irrigation on the soil mite communities of *Eucalyptus globulus* plantations in south western Australia. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 169-178
- THIND, B.B. / FORD, H.L. (2007):\* Assessment of susceptibility of the poultry red mite *Dermanyssus gallinae* (Acari, Dermanyssidae) to some acaricides using an adapted filter paper based bioassay. - Veter. Parasitol. 144,3-4: 344-348
- TIXIER, M.-S. / KREITER, S. / CHEVAL, B. (2007): Vineyard colonisation by predaceous mites (Acari, Phytoseiidae) living in surrounding vegetation, a three year study in the South of France. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 475-487
- TIXIER, M.-S. / KREITER, S. / CHEVAL, B. / AUGER, P. (2007): Morphometric variation between populations of *Kampimodromus aberrans* (Oudemans) (Acari, Phytoseiidae). Implications for the taxonomy of the genus. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 595-606
- TOMCZYK, A. / PILKO, A. / SULICKA, D. (2007): Some aspects of interaction between spider mites, cucumber plants, *Phytoseiulus persimilis* (A.-H.) and plant growth promoting *Rhizobacteria* (PGRP). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 475-487
- TOYOSHIMA, S. (2007):\* Phytoseiid mites on *Magnolia hypoleuca* and its efficacy as a predator resource. [Orig. Jpn.] - Plant Prot. 61,1: 27-30
- URHAN, R. (2007): *Zercon carpathicus* Sellnick, 1958 (Acari, Zerconidae), a species of mite for the Turkish fauna. - Zoology in the Middle East 41: 105-108
- URHAN, R. (2007): *Zercon inonunensis* n. sp. (Acari, Zerconidae) from Turkey. - Zoology in the Middle East 42: 117-120**
- URHAN, R. / IPEK, Z. (2007): Türkiye faunası için iki yeni *Alliphis* Halbert, 1923 (Acari, Eviphididae) türü. - J. Arts Sci., Cankaya 7: 163-170
- VASQUEZ, C. / SANCHEZ, C. / VALERA, N. (2007): Diversidad de ácaros (Acari, Prostigmata, Mesostigmata, Astigmata) asociados a la hojarasca de formaciones vegetales del Parque Universitario de la UCLA, Venezuela. - Iheringia, Sér. Zool. 97,4: 466-471
- VAZQUEZ, M.M. / KLOMPEN, H. / CHARGOY, C.I. (2007): Study of the Uropodina (Acari, Mesostigmata) in tropical forests of the Yucatan Peninsula, Mexico and Belize. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 43-50
- WALTER, D.E. (2007): A plethora of questions, but only a modicum of answers: Australian Parasitiformes of tropical forests. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 43-50
- WALTER, D.E. / PROCTOR, H. (2007): Using your genetic system to win friends and obfuscate theorists: patterns in the distribution of genetic sex determination in the Parasitiformes. In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 637-643

- WALZER, A. / SCHAUSBERGER, P. (2007): Key factors of intraguild predation among *Phytoseiulus persimilis*, *Neoseiulus californicus* (Acari, Phytoseiidae) and *Frankliniella occidentalis* (Thysanoptera, Thripidae). In: Behan-Pelletier, V. / Ueckermann, E. / Perez, T.M. / Estrada-Venegas, E.G. / Badii, M. (Eds.), Acarology XI: Proceedings of the International Congress. - Instituto de Biología and Facultad de Ciencias, Universidad Nacional Autónoma de México Sociedad Latinoamericana de Acarología, México: 645-648
- WU, D.-H. / YIN, W.-Y. / YANG, Z.-M. (2007): Difference in soil mite community characteristics among different vegetation restoration practices in the moderately degraded pasture of Songnen grassland. - Acta Zool. Sinica 53,4: 607-615

## Publications, additions 2006

- ALBERTI, G. (2006): Functional morphology of accessory structures involved in reproduction among gamasid mites (Acari, Anactinotrichida): a review. - Atti della Accad. Naz. Ital. di Entomol. 53 [2005]: 361-378
- ALBERTI, G. (2006): On some fundamental characteristics in acarine morphology. - Atti della Accad. Naz. Ital. di Entomol. 53 [2005]: 315-360
- ALBERTI, G. / THALER, K. / WEYGOLDT, P. (2006): Chelicerata. - Acari, Milben. In: Westheide, W. / Rieger, R. (Hrsg.) Spezielle Zoologie. Teil 1: Einzeller und Wirbellose Tiere. - Spektrum - Akademischer Verlag, 2. Auflage: 521-529
- CAKMAK, I. / COBANOGLU, S. (2006): *Amblyseius californicus* (McGregor, 1954) (Acari, Phytoseiidae), a new record for the Turkish fauna. - Turk. J. Zool. 30: 55-58
- CASTAGNOLI, M. / NANNELLI, R. / TARCHI, F. / SIMONI, S. (2006):\* Screening of astigmatid mites for mass-rearing *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae). - Redia 89: 55-58
- CHMIELEWSKI, W. (2006): Occurrence of *Hemipteroseius adleri* (Acari, Mesostigmata, Otopheidomenidae) infesting *Pyrrhocoris apterus* (Insecta, Heteroptera, Pyrrhocoridae) in Pulawy and other localities in Poland and Lithuania. - Biol. Lett. 43,2: 157-161
- DAMIANI, N. / MARCANGELI, J.A. (2006):\* Control of the parasite *Varroa destructor* (Acari, Varroidae) in honeybee colonies of *Apis mellifera* (Hymenoptera, Apidae) applying brood trap combs. - Rev. Soc. Entomol. Argent. 65,1-2: 33-42
- KACZMAREK, S. / MARQUARDT, T. (2006): Gamasida (Acari) of the 'Niebieskie Zrodla' Nature Reserve. - Biol. Lett. 43,2: 187-192
- KACZMAREK, S. / MARQUARDT, T. (2006): Parasitidae (Acari, Gamasida) of the Stolowe Mts. National Park. - Biol. Lett. 43,2: 179-185
- KATAYAMA, H. / MASUI, S. / TSUCHIYA, M. / TATARA, A. / DOI, M. / KANEKO, S. / SAITO, T. (2006): Density suppression of the citrus red mite *Panonychus citri* (Acari, Tetranychidae) due to the occurrence of *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae) on Satsuma mandarin. - Appl. Entomol. Zool. 41,4: 679-684
- NANNELLI, S. / SABBATINI PEVERIERI, G. / DUTTO, M. (2006):\* 442. *Poecilocirus subterraneus* (Müller, 1860) (Gamasida, Parasitidae). In: Segnalazioni Faunistiche Italiane. - Boll. Soc. Entomol. Ital. 138,1: 73
- RAGUSA, S. (2006):\* Phytoseiid mites (Parasitiformes, Phytoseiidae) of some Eptanissian Islands (Greece) I. - Redia 89: 1
- SABBATINI PEVERIERI, G. / SIMONI, S. / LIGUORI, M. (2006):\* Suitability of *Quercus ilex* pollen for rearing four species of phytoseiid mites (Acari, Phytoseiidae). - Redia 89: 65-71
- SIKORA, B. (2006):\* The mites of the genus *Laelaps* C.L. Koch, 1836 (Acari, Gamasida, Laelapidae) of Europe. - Ph. D. Thesis, A. Mickiewicz Univ., Poznan: 1-277
- SIMONI, S. / NANNELLI, R. / GOGGIOLI, D. / GUIDI, S. / CASTAGNOLI, M. (2006):\* Biological and demographic parameters of *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae), reared on two astigmatid mites. - Redia 89: 59-64
- TIXIER, M.-S. / KREITER, S. / FERRAGUT, F. / CHEVAL, B. (2006):\* The suspected synonymy of *Kampimodromus hmiminai* and *Kampimodromus adrianae* (Acari, Phytoseiidae): morphological and molecular investigations. - Can. J. Zool. 84,8: 1216-1222

## Publications, additions 2005

- DE SOUSA, J.M. / GONDIM, M.G.C. / BARROS, R. / DE OLIVEIRA, J.V. (2005): Acaros em produtos armazenados comercializados em supermercados e feiras livres da cidade do Recife. - *Neotrop. Entomol.* 34,2: 303-309
- EHARA, S. (2005): A guide to the phytoseiid mites of Japan (Acari, Phytoseiidae). [Orig. Jpn.] - *Plant Prot.* 59,10: 427-431
- FEDEROVA, S.Z. / TRANBAEV, Z.M. (2005):\* Gamasid mites (Gamasina) of rodents in the natural biotopes of Tchui Valley. [Orig. Russ.] - *Parazitologija* 39,3: 191-203
- GONZALEZ-ACUNA, D. / ABARCA CANDIA, D. / MARCANGELI, SUAREZ, J. / MORENO SALAS, L. / AGUAYO QUILODRAN, O. (2005):\* Comparison of formic acid and fluvalinate effectiveness, as control methods of *Varroa destructor* (Acari, Varroidae) in *Apis mellifera* (Hymenoptera, Apidae), in Nuble, southcentral Chile. - *Rev. Soc. Entomol. Argent.* 64,3: 35-42
- KISHIMOTO, H. (2005):\* A new method for simple and efficient rearing of phytoseiid mites (Acari, Phytoseiidae). [Orig. Jpn.] - *Plant Prot.* 59,9: 396-399
- MA, Y. / YANG, X.-Z. / ZANG, X.-Y. (2005): A new species of the genus *Eulaelaps* from Qinghai Province, China (Acari, Mesostigmata, Laelapidae). - *Acta Zootaxon. Sinica* 30,2: 355-357
- MARCANGELI, J. / GARCIA, M. DEL CARMEN / VEGA, C. / QUIROGA, A. / MARTIN, M.L. / DISTEFANO, L. / CANO, G. (2005):\* Research on Amivar® efficacy against *Varroa destructor* (Mesostigmata, Varroidae) in honey bee colonies of *Apis mellifera* (Hymenoptera, Apidae). - *Rev. Soc. Entomol. Argent.* 64,1-2: 29-33
- MORO, C.V. / CHAUVE, C. / ZENNER, L. (2005):\* Vectorial role of some dermanyssoid mites (Acari, Mesostigmata, Dermanyssoidae). - *Parasite* 12,2: 99-109
- MOWAFI, M.H. (2005):\* Biological studies and feeding habits of the mite species *Chiropturopoda bakeri* Zaher and Affifi (Acarina, Uropodidae). - *Egypt. J. Biol. Pest Contr.* 15,1-2: 97-98
- PRIETO TRUEBA, D. / TCHERVA, T. (2005):\* First record of phoretic mites on *Rhinocricus duvernoyi* Karsch, 1881 (Diplopoda, Rhinocricidae) and the first record of the family Heterozerconidae (Acari, Mesostigmata) from Cuba. - *Rev. Iber. Aracnol.* 12: 117-118
- WU, D.-H. / ZHANG, B. / CHEN, P. (2005): Characteristics of soil mite community structures in the mid-west plain, Jilin Province. - *Acta Zool. Sinica* 51,3: 401-412

## Publications, additions 2004

- ADINA, C. (2004/06):\* Some new data on the sexual dimorphism of zeronids (Acari, Gamasina, Zeronidae Canestrini, 1891). - *An. Compl. Muz. Bucovina* 18-19: 195-198
- BAYRAM, S. / COBANOGLU, S. (2004):\* Mesostigmata (Acari) of bulaceous ornamental plants in Turkey. - *Acarologia* 45,4: 257-265
- CASTAGNOLI, M. / SIMONI, S. (2004):\* *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae): survey of biological and behavioural traits of a versatile predator. - *Redia* 86: 153-164
- MÜLLER-MÖTZFELD, G. / ALBERTI, G. / RINGEL, H. / HAMPEL, J. / KREIBICH, E. / LOCH, R. / MATHIAK, G. / RUSSELL, D. / WEGENER, A. / WACHLIN, V. (2004): Bodenbiologische und ökofaunistische Untersuchungen zur Beurteilung des Waldumbaus im nordostdeutschen Tiefland. - *Beitr. Forstwirtsch. u. Landsch.ökol.* 38: 95-101
- OMERI, I.D. / KOLODOCHKA, L.A. (2004):\* Predatory mites of family Phytoseiidae (Parasitiformes, Gamasina) on plants of the Dendrological Park 'Alexandria'. - *Izv. Kharkov. Entomol. Obshchaya* 12,1-2: 174-180
- SINKOC, A.L. / BRUM, J.G.W. (2004):\* Occurrence of *Pellonyssus reedi* (Zump & Patterson, 1952) (Acari, Mesostigmata) in nest of southern house wren *Troglodytes aedon* (Passeriformes, Troglodytidae) in Pelotas, RS, Brazil. - *Arq. Inst. Biol., Sao Paulo* 71,3: 377-378
- STANESCU, M. / GWIAZDOWICZ, D.J. (2004):\* Structure and dynamics of the Gamasina mites (Acari, Mesostigmata) from a forest with *Picea abies* from the Bucegi Massif. - *Rev. Roum. Biol., Biol. Anim.* 49,1-2: 79-88
- VELLA, A. (2004):\* An unusual abnormality of the limbs in a gamasid mite (Mesostigmata, Laelapidae). - *Phytophaga* 14: 97-102

## Nomina Nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material information as follows:

*Amblygamasus anhuiensis* Ma, 2008 (Page: 86<sup>1</sup>) – TYPES: HT<sup>2</sup> + PT<sup>2</sup> - MEG<sup>3</sup>

1 – first page of the description

2 – holotype (HT), paratypes (PT) or syntypes (ST)

3 – abbreviations of the places of storage of new species, as far as they were cited in the publications

Abbreviations of the places of storage of new types

August Cieszkowski Agricultural University, Department of Forest and Environment Protection, Poznan, Poland

Faculty of Agriculture, Department of Entomology, Tarbiat Modares University, Tehran, Iran

American Museum of Natural History, New York, USA

Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

Acarology Research Laboratory, University of Agriculture, Faisalabad, Pakistan

Atatürk University, Zoology Museum, Ankara, Turkey

British Museum of Natural History, Department of Entomology, London, United Kingdom

California Insect Survey, University of California, Berkeley, USA

Collection Mike Heddergott, Heiligenstadt, Germany

Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada

Collection of Wayne Knee, Edmonton, Alberta, Canada

Department of Animal Morphology, Adam Mickiewicz University, Poznan, Poland

Department of Zoology of Pamukkale University, Denizli, Turkey

Departamento de Zoologia, Campus de S.I. do Rio Preto, Universidade Estadual Paulista, São Paulo, Brazil

Escola Superior de Agricultura "Luiz de Queiroz", Universidade de São Paulo, Piracicaba, Brazil

Facultad de Ciencias, Universidad Nacional Autónoma de Mexico, Coyoacán, Mexico

Fundación Miguel Lillo, Tucumán, Argentina

Florida State Collection Arthropods, Division of Plant Industry, Gainesville, USA

Hungarian Natural History Museum, Budapest, Hungary

Islamic Azad University of Arak, Department of Entomology, Arak, Iran

Institute for Endemic Disease Prevention and Control of Qinghai Province, Xining, China

International Institute of Tropical Agriculture Insect Museum, Cotonou, Benin

Istituto Sperimentale per la Zoologia Agraria di Firenze, Firenze, Italy

J.B. Wallis Museum of Entomology, University of Manitoba, Winnipeg, Manitoba, Canada

Medical Entomology Gallery, Academy of Military Medical Sciences, Beijing, China

Museo de Historia Natural "Javier Prado", Lima, Peru

Museum of Natural History, Humboldt-University, Berlin, Germany

Museo Nacional de Ciencias Naturales, Madrid, Spain

Muséum National d'Histoire Naturelle, Laboratoire de Zoologie (Arthropodes), Paris, France

Museum Zoologicum Bogoriense, Bogor, Indonesia

Museum of Zoology, University of Navarra, Pamplona, Spain

National Collection of Arachnida (Acari), Plant Protection Research Institute, Pretoria, South Africa

National Museum of Natural History, Smithsonian Institution, Washington, USA

National Museum of Natural Sciences, Taichung, Taiwan

Oregon State University Arthropod Collection, Corvallis, USA

Ohio State University Acarology Laboratory, Columbus, Ohio, USA

Queensland Museum, South Brisbane, Queensland, Australia

- South Australian Museum, Adelaide, Australia  
Slovak Academy of Sciences, Institute of Zoology, Bratislava, Slovakia  
Senckenberg Museum, Frankfurt / Main, Germany  
University of Alberta, E.H. Strickland Entomological Museum, Edmonton, Alberta, Canada  
University College Dublin, Terrestrial Ecology Laboratory, Dublin, Ireland  
University of Queensland Collection, Department of Zoology, St. Lucia, Queensland, Australia  
Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia  
Zoological Museum, Acarological Collection, Tehran University, Karaj, Iran  
Zoologische Staatssammlung, München, Germany

## New species

- Africoseius americanus* Karg & Schorlemmer, 2009 (Page: 63) – TYPES: HT - MNB  
*Afrogamasellus filofissus* Karg & Schorlemmer, 2009 (Page: 65) – TYPES: HT - MNB  
*Amblygamasus anhuiensis* Ma, 2008 (Page: 86) – TYPES: HT + PT - MEG  
*Amblygamasus huangshanensis* Ma, 2008 (Page: 89) – TYPES: HT + PT - MEG  
*Amblygamasus liujingyuani* Ma, 2008 (Page: 83) – TYPES: HT + PT - MEG  
*Amblygamasus vacuifollis* Ma, 2008 (Page: 88) – TYPES: HT + PT - MEG  
*Amblyseius filcae* Denmark & Villanueva, 2008 (Page: 386) – TYPES: HT - NMHN, PT - FSCA  
*Amblyseius talpa* Khan & Ashfaq, 2008 (Page: 179) – TYPES: HT - ARLUAF  
*Ameroseius latofolius* Karg & Schorlemmer, 2009 (Page: 62) – TYPES: HT - MNB  
*Ameroseius qinghaiensis* Ma, 2008 (Page: 748) – TYPES: HT - IECQ  
*Androlaelaps rhabdomysi* Matthee & Ueckermann, 2008 (Page: 186) – TYPES: HT + PT - NCA-PPRI, 13 PT - BMNH  
*Androlaelaps tarsacanthus* Ma & Lin, 2008 (Page: 95) – TYPES: HT + PT - MEG  
*Antennoseius (Vitzthumia) kamalii* Moraza & Kazemi, 2009 (Page: 60) – TYPES: HT + PT - MZUNAV  
*Antennoseius (Vitzthumia) perseus* Beaulieu, Dechene & Walter, 2008 (Page: 39) – TYPES: HT + PT - CNCI  
*Antennoseius (Vitzthumia) pyrophilus* Beaulieu, Dechene & Walter, 2008 (Page: 48) – TYPES: HT + PT - CNCI  
*Arctoseius wisniewskii* Gwiazdowicz & Kamczyk, 2009 (Page: 120) – TYPES: HT + PT - ACAU, PT - NMHN, BMNH  
*Aristadromips escarsidentatus* Guanilo & De Moraes, 2008 (Page: 32) – TYPES: HT - ESALQ/USP  
*Asca fujianensis* Ma & Lin, 2008 (Page: 581) – TYPES: HT + PT - MEG  
*Asca hainanensis* Ma & Lin, 2008 (Page: 582) – TYPES: HT + PT - MEG  
*Asca imitonubes* Ma & Lin, 2008 (Page: 583) – TYPES: HT + PT - MEG  
*Asca shandongensis* Ma & Lin, 2008 (Page: 580) – TYPES: HT + PT - MEG  
*Asca yunnanensis* Ma & Zhang, 2008 (Page: 581) – TYPES: HT + PT - MEG  
*Blaszakiella americana* Sikora & Skoracki, 2008 (Page: 252) – TYPES: HT + PT - OSAC, PT - DAM  
*Cheiroseius neophalangoides* Mineiro, Lindquist & De Moraes, 2009 (Page: 4) – TYPES:  
 HT + PT - ESALQ/USP, PT - CNCI  
*Cryptoseius khayyami* Kazemi & Moraza, 2008 (Page: 14) – TYPES: HT - AETMU, PT - AETMU, MZUN,  
 ZMTU  
*Dendrolaelaps liujingyuani* Ma, 2008 (Page: 128) – TYPES: HT + PT - MEG  
*Dendrolaelaspis sexsetosus* Karg & Schorlemmer, 2009 (Page: 68) – TYPES: HT + PT - MNB  
*Dermanyssus diphyes* Knee, 2008 (Page: 349) – TYPES: HT + PT - CNCI, PT - UASM, CWK  
*Dipolaelaps guyimingi* Bai, Yan & Wei, 2008 (Page: 756) – TYPES: HT + PT - MEG  
*Epicrius simoni* Masan, 2008 (Page: 59) – TYPES: HT + PT - SAS  
*Epicrosejus blaszaki* Kaczmarek, 2008 (Page: 262) – TYPES: HT + 2 PT - DAM  
*Eophysalozercon berlesei* Kim, 2008 (Page: 35) – TYPES: HT + PT - ISZA  
*Evimirus breviscutu* Karg & Schorlemmer, 2009 (Page: 58) – TYPES: HT - MNB  
*Gaeolaelaps gillespiei* Beaulieu, 2009 (Page: 58) – TYPES: HT + PT - CNCI  
*Galendromus (Mugidromus) sulamericanus* Demite, Lofego & Feres, 2008 (Page: 804) – TYPES: HT + PT - DZSJRP  
*Gamasellodes changjiangensis* Ma, 2008 (Page: 129) – TYPES: HT + PT - MEG

- Gamasellobes magniventris* Mineiro, Lindquist & De Moraes, 2009 (Page: 8) – TYPES: HT + PT - ESALQ/USP, PT - CNCI
- Gamasiphis undulatus* Karg & Schorlemmer, 2009 (Page: 83) – TYPES: HT + PT - MNB
- Halolaelaps bilobatus* Halliday, 2008 (Page: 222) – TYPES: HT + PT - ANIC
- Halolaelaps posidonis* Halliday, 2008 (Page: 217) – TYPES: HT + PT - ANIC
- Halolaspis hypedon* Masan & Halliday, 2009 (Page: 51) – TYPES: HT + PT - SAS
- Hydrogamasellus bullarmatus* Karg & Schorlemmer, 2009 (Page: 81) – TYPES: HT - MNB
- Hydrogamasellus conchatus* Karg & Schorlemmer, 2009 (Page: 79) – TYPES: HT + PT - MNB
- Hydrogamasellus iaculi* Karg & Schorlemmer, 2009 (Page: 80) – TYPES: HT + PT - MNB
- Hypoaspis (Cosmolaelaps) parvidentis* Karg & Schorlemmer, 2009 (Page: 61) – TYPES: HT - MNB
- Laelaps horaki* Matthee & Ueckermann, 2009 (Page: 28) – TYPES: HT + PT - NCA-PPRI, PT - BMNH
- Laelaps radovskyi* Matthee & Ueckermann, 2009 (Page: 30) – TYPES: HT + PT - NCA-PPRI, PT - BMNH
- Lasioseius latinoamericanus* Mineiro, Lindquist & De Moraes, 2009 (Page: 10) – TYPES: HT + PT - ESALQ/USP, PT - CNCI
- Lasioseius tetricanthes* Karg & Schorlemmer, 2009 (Page: 64) – TYPES: HT - MNB
- Leioseius lanzhouensis* Ma, 2008 (Page: 751) – TYPES: HT + PT - MEG
- Ljunghia (Ljunghia) luciae* Moraza, Iraola & Alemany, 2009 (Page: 119) – TYPES: HT + PT - MZUN, PT - MNHN
- Macrocheles convexus* Hartini, Dwibadra & Takaku, 2007 (Page: 78) – TYPES: HT + PT - MZB
- Macrocheles donggalensis* Hartini, Dwibadra & Takaku, 2007 (Page: 80) – TYPES: HT + PT - MZB
- Macrocheles minutum* Seifoori, Glida, Saboori & Bertrand (Page: 42) – TYPES: HT - IAUA
- Macrocheles paucipunctatum* Seifoori, Glida, Saboori & Bertrand (Page: 42) – TYPES: HT - IAUA
- Macrocheles persimilis* Hartini, Dwibadra & Takaku, 2007 (Page: 82) – TYPES: HT + PT - MZB
- Macrocheles pilosellus* Hartini, Dwibadra & Takaku, 2007 (Page: 85) – TYPES: HT + PT - MZB
- Macrocheles similiscutatus* Seifoori, Glida, Saboori & Bertrand (Page: 42) – TYPES: HT - IAUA
- Macrocheles simplex* Seifoori, Glida, Saboori & Bertrand (Page: 44) – TYPES: HT - IAUA
- Macrocheles simulans* Hartini, Dwibadra & Takaku, 2007 (Page: 87) – TYPES: HT - MZB
- Macrocheles variodecoratus* Hartini, Dwibadra & Takaku, 2007 (Page: 87) – TYPES: HT + PT - MZB
- Metacryptoseius khorasanicus* Kazemi & Moraza, 2008 (Page: 9) – TYPES: HT - AETMU, PT - AETMU, MZUN, ZMTU
- Metacryptoseius persicus* Kazemi & Moraza, 2008 (Page: 4) – TYPES: HT - AETMU, PT - AETMU, MZUN, ZMTU
- Multidendorhodacarus differentis* Karg & Schorlemmer, 2009 (Page: 67) – TYPES: HT + PT - MNB
- Myrmozercon beardae* Shaw & Seeman, 2009 (Page: 48) – TYPES: HT + PT - SAMA
- Myrmozercon burwelli* Shaw & Seeman, 2009 (Page: 44) – TYPES: HT + PT - QM, PT - ANIC
- Neofedrizzia jeffi* Seeman, 2009 (Page: 55) – TYPES: HT + PT - QM, PT - ANIC
- Neofedrizzia susanae* Seeman, 2009 (Page: 53) – TYPES: HT + PT - QM, PT - ANIC
- Neogamasellavans ammonis* Karg & Schorlemmer, 2009 (Page: 71) – TYPES: HT - MNB
- Neogamasellavans armata* Karg & Schorlemmer, 2009 (Page: 71) – TYPES: HT + PT - MNB
- Neogamasellavans longipes* Karg & Schorlemmer, 2009 (Page: 70) – TYPES: HT + PT - MNB
- Neogamasus peribifiditectus* Ma, 2008 (Page: 6) – TYPES: HT + PT - MEG
- Neomegistus remus* Baker & Seeman, 2008 (Page: 206) – TYPES: HT + PT - ANIC, PT - QM
- Neoseiulus argentinus* Guanilo & De Moraes, 2008 (Page: 17) – TYPES: HT - ESALQ/USP, PT - FML
- Ologamasus brevidigitus* Karg & Schorlemmer, 2009 (Page: 74) – TYPES: HT + PT - MNB
- Ologamasus brevistetus* Karg & Schorlemmer, 2009 (Page: 78) – TYPES: HT - MNB
- Ologamasus latoventer* Karg & Schorlemmer, 2009 (Page: 77) – TYPES: HT - MNB
- Ologamasus postpilus* Karg & Schorlemmer, 2009 (Page: 77) – TYPES: HT + PT - MNB
- Ologamasus simplicitus* Karg & Schorlemmer, 2009 (Page: 74) – TYPES: HT + PT - MNB
- Ologamasus trituberculatus* Karg & Schorlemmer, 2009 (Page: 76) – TYPES: HT + PT - MNB
- Ophionyssus schreibericolus* Moraza, 2009 (Page: 59) – TYPES: HT + PT - MZUN, PT - OSAL, MNCN
- Pachyseius friedrichi* Masan, 2008 (Page: 178) – TYPES: HT + PT - SAS
- Paradiplogynium nahmani* Seeman, 2007 (Page: 32) – TYPES: HT + PT - QM, PT - ANIC
- Parasitus (Bacuterus) brevipellis* Karg & Schorlemmer, 2009 (Page: 85) – TYPES: HT + PT - MNB
- Parasitus yuensis* Ma & Lin, 2008 (Page: 2) – TYPES: HT + PT - MEG
- Parholaspis porulatus* Karg & Schorlemmer, 2009 (Page: 59) – TYPES: HT - MNB

- Parichoronyssus kretzschmari* Hedbergott, 2008 (Page: 188) – TYPES: HT + PT - NMHN, PT - AMNH, ZSM, MNB, FCUMC, CMH
- Parichoronyssus moralesmalacari* Hedbergott, 2008 (Page: 184) – TYPES: HT + PT - NMHN, PT - AMNH, ZSM, MNB, FCUMC, CMH
- Phytoseius (Phytoseius) gleba* Afzal & Bashir, 2008 (Page: 94) – TYPES: HT + PT - ARLUAF
- Phytoseius jatoba* Demite, Lofego & Feres, 2008 (Page: 18) – TYPES: HT + PT - DZSJR
- Phytoseius jurute* Demite, Lofego & Feres, 2008 (Page: 20) – TYPES: HT + PT - DZSJR
- Phytoseius kaapre* Demite, Lofego & Feres, 2008 (Page: 22) – TYPES: HT + PT - DZSJR
- Poropodalius medioflagelli* Karg & Schorlemmer, 2009 (Page: 66) – TYPES: HT - MNB
- Proctolaelaps bulbosus* De Moraes, Reis & Gondim, 2008 (Page: 267) – TYPES: HT + PT - ESALQ/USP, PT - NMHN, FSCA
- Proctolaelaps liupanshanensis* Bai, Yan & Wei, 2008 (Page: 757) – TYPES: HT + PT - MEG
- Proctolaelaps paulista* Mineiro, Lindquist & De Moraes, 2009 (Page: 22) – TYPES: HT - ESALQ/USP, PT - CNCI
- Proprioseiopsis parabelizensis* Guanilo & De Moraes, 2008 (Page: 14) – TYPES: HT + PT - ESALQ/USP, PT - MHN
- Protogamasellus sigilliphorus* Mineiro, Lindquist & De Moraes, 2009 (Page: 26) – TYPES: HT + PT - ESALQ/USP, PT - CNCI
- Prozercon balikesirensis* Urhan, 2008 (Page: 97) – TYPES: HT + PT - DZPU, PT - AUZM
- Prozercon buraki* Urhan, 2008 (Page: 100) – TYPES: HT + PT - DZPU, PT - AUZM
- Ptilonyssus calvaria* Knee, 2008 (Page: 350) – TYPES: HT + PT - CNCI, PT - JBWME, ZISP, UASM
- Ptilonyssus nivalis* Knee, 2008 (Page: 359) – TYPES: HT + PT - CNCI, PT - JBWME
- Ptilonyssus pinicola* Knee, 2008 (Page: 359) – TYPES: HT + PT - CNCI, PT - JBWME, ZISP, UASM
- Ptilonyssus plesiotypicus* Knee, 2008 (Page: 367) – TYPES: HT + PT - CNCI, PT - UASM
- Rhodacarellus shandongensis* Ma, 2008 (Page: 127) – TYPES: HT + PT - MEG
- Rotundabaloghia bukavuensis* Kortschan, 2008 (Page: 27) – TYPES: HT + PT - HNHM
- Rotundabaloghia coricoensisformis* Kortschan, 2008 (Page: 34) – TYPES: HT + PT - HNHM
- Rotundabaloghia danyii* Kortschan, 2008 (Page: 21) – TYPES: HT - HNHM
- Rotundabaloghia ecuadorica* Kortschan, 2008 (Page: 31) – TYPES: HT + PT - HNHM
- Rotundabaloghia erinacea* Kortschan, 2008 (Page: 25) – TYPES: HT + PT - HNHM
- Rotundabaloghia extremica* Kortschan, 2008 (Page: 37) – TYPES: HT + PT - HNHM
- Rotundabaloghia korsosi* Kortschan, 2008 (Page: 45) – TYPES: HT + PT - NMNS, PT - HNHM
- Rotundabaloghia lindqvistiformis* Kortschan, 2008 (Page: 23) – TYPES: HT + PT - HNHM
- Rotundabaloghia reticuloides* Kortschan, 2008 (Page: 30) – TYPES: HT + PT - HNHM
- Rotundabaloghia splendida* Kortschan, 2008 (Page: 22) – TYPES: HT + PT - HNHM
- Rotundabaloghia triangulata* Kortschan, 2008 (Page: 19) – TYPES: HT - HNHM
- Rotundabaloghia vietnamensis* Kortschan, 2008 (Page: 20) – TYPES: HT + PT - HNHM
- Rotundabaloghia zicsiana* Kortschan, 2008 (Page: 28) – TYPES: HT + PT - HNHM
- Rykellus brevipellitus* Karg & Schorlemmer, 2009 (Page: 69) – TYPES: HT - MNB
- Saprolaelaps muelleri* Hedbergott, 2008 (Page: 74) – TYPES: HT - MNB, PT - SMF, CMH
- Sternostoma setifer* Knee, 2008 (Page: 367) – TYPES: HT + PT - CNCI, PT - JBWME
- Trigonuropoda (Baloghiatrigon) dominicana* Kortschan, 2008 (Page: 56) – TYPES: HT + PT - HNHM
- Typhlodromips amazonensis* Guanilo & De Moraes, 2008 (Page: 36) – TYPES: HT - ESALQ/USP, PT - MHN
- Typhlodromips angustus* Guanilo & De Moraes, 2008 (Page: 34) – TYPES: HT + PT - ESALQ/USP, PT - MHN
- Typhlodromus (Anthoseius) asperosetosus* Zannou, De Moraes & Oliveira, 2008 (Page: 12) – TYPES: HT - ESALQ/USP
- Typhlodromus (Anthoseius) denheyeri* Zannou, De Moraes & Oliveira, 2008 (Page: 33) – TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Typhlodromus (Anthoseius) elais* Zannou, De Moraes & Oliveira, 2008 (Page: 38) – TYPES: HT - ESALQ/USP
- Typhlodromus (Anthoseius) galpinii* Ueckermann, Zannou & De Moraes, 2008 (Page: 43) – TYPES: HT + PT - NCA-PPRI

- Typhlodromus (Anthoseius) ghanaensis* Zannou, Moraes & Oliveira, 2008 (Page: 45) – TYPES: HT - ESALQ/USP
- Typhlodromus (Anthoseius) grewiae* Zannou, De Moraes & Oliveira, 2008 (Page: 48) – TYPES: HT - ESALQ/USP
- Typhlodromus (Anthoseius) kenyae* Zannou, De Moraes & Oliveira, 2008 (Page: 57) – TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Typhlodromus (Anthoseius) lobatus* Zannou, Moraes & Oliveira, 2008 (Page: 59) – TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Typhlodromus (Anthoseius) neogutierrezi* Zannou, De Moraes & Oliveira, 2008 (Page: 74) – TYPES: HT + PT - ESALQ/USP, PT - IITAIM
- Typhlodromus (Anthoseius) neohartlandrowei* Zannou, De Moraes & Oliveira, 2008 (Page: 75) – TYPES: HT + PT - ESALQ/USP
- Typhlodromus (Anthoseius) neomichaeli* Zannou, De Moraes & Oliveira, 2008 (Page: 79) – TYPES: HT + PT - ESALQ/USP
- Typhlodromus (Anthoseius) subtilis* Zannou, De Moraes & Oliveira, 2008 (Page: 93) – TYPES: HT + PT - ESALQ/USP
- Typhlodromus (Typhlodromus) neomagdalena* Zannou, De Moraes & Oliveira, 2008 (Page: 113) – TYPES: HT + PT - ESALQ/USP
- Urodiaspis pannonicasimilis* Bal & Özkan, 2009 (Page: 334) – TYPES: HT + PT - AUZM
- Uropoda ocellata* Kortschan & Salmane, 2008 (Page: 336) – TYPES: HT - HNHM, PT - CIS
- Veigaia carpathica* Masan & Fenda, 2008 (Page: 5) – TYPES: HT + PT - SAS
- Veigaia incisilobata* Masan, 2008 (Page: 8) – TYPES: HT + PT - SAS
- Veigaia pentachaeta* Masan, 2008 (Page: 11) – TYPES: HT + PT - SAS
- Veigaia slovaca* Masan, 2008 (Page: 13) – TYPES: HT + PT - SAS
- Veigaia vermiculifera* Masan, 2008 (Page: 16) – TYPES: HT + PT - SAS
- Veigaia yuxini* Bai, Ma & Li, 2007 (Page: 924) – TYPES: HT - MEG
- Vulgarogamasus yunnanensis* Ma & Zhang, 2008 (Page: 3) – TYPES: HT + PT - MEG
- Weiseronyssus persicus* Kazemi, Klompen, Moraza, Kamali & Saboori 2008 (Page: 19) – TYPES: HT + PT - AETMU, PT - OSAL, MZUN
- Zercon anatolicus* Urhan, 2008 (Page: 256) – TYPES: HT + PT - DZPU
- Zercon curri* Moraza, Arroyo & Bolger, 2009 (Page: 30) – TYPES: HT + PT - MZUN, PT - UCD
- Zercon darai* Moraza, 2009 (Page: 32) – TYPES: HT + PT - MZUN
- Zercon hibernia* Moraza, Arroyo & Bolger, 2009 (Page: 34) – TYPES: HT + PT - MZUN, PT - UCD
- Zercon huseyni* Urhan, 2008 (Page: 397) – TYPES: HT + PT - DZPU
- Zercon inonunensis* Urhan, 2007 (Page: 118) – TYPES: HT + PT - DZPU
- Zercon kontschani* Ujvari, 2008 (Page: 66) – TYPES: HT + PT - HNHM
- Zercon longisetosus* Urhan, 2008 (Page: 218) – TYPES: HT + PT - DZPU
- Zercon osmanelinensis* Urhan, 2008 (Page: 220) – TYPES: HT + PT - DZPU
- Zercon uludagicus* Urhan, 2008 (Page: 395) – TYPES: HT + PT - DZPU
- Zygoseius macroporus* Karg & Schorlemmer, 2009 (Page: 86) – TYPES: HT + PT - MNB
- Zygoseius margaritatus* Karg & Schorlemmer, 2009 (Page: 86) – TYPES: HT + PT - MNB
- Zygoseius triramuli* Karg & Schorlemmer, 2009 (Page: 87) – TYPES: HT - MNB

## New genera

- Alloseius* Masan & Halliday, 2009 (Page: 48)
- Typ. sp.: *Iphidosoma pratensis* Karg, 1965
- Blaszakiella* Sikora & Skoracki, 2008 (Page: 251)
- Typ. sp.: *Blaszakiella americana* Sikora & Skoracki, 2008
- Eophysalozercon* Kim, 2008 (Page: 35)
- Typ. sp.: *Eophysalozercon berlesei* Kim, 2008
- Geotrupacarus* Krantz, 2009 (Page: 48)
- Typ. sp.: *Macrocheles mycotrupetes* Krantz & Mellott, 1968
- Halolaspis* Masan & Halliday, 2009 (Page: 50)
- Typ. sp.: *Halolaspis hypedon* Masan & Halliday, 2009

*Metacryptoseius* Kazemi & Moraza, 2008 (Page: 2)  
 Typ. sp.: *Metacryptoseius persicus* Kazemi & Moraza, 2008  
*Pseudoalliphis* Masan & Halliday, 2009 (Page: 44)  
 Typ. sp.: *Alliphis sculpturatus* Karg, 1963

## New families

*Eophysalozerconidae*  
 Typ. gen.: *Eophysalozercon* Kim, 2008

## New combinations

*Alloseius pratensis* (Karg, 1965) – [Masan & Halliday, 2009: 50]  
*Pseudoalliphis sculpturatus* (Karg, 1963) – [Masan & Halliday, 2009: 46]

## New synonyms

*Cilliba circularis* Trägardh, 1931 – [Stachowiak, Halliday & Bloszyk, 2008: 12]  
 = *Cilliba cassidea* (Herman, 1804)  
*Cilliba cassideasimilis* (Bloszyk, Stachowiak & Halliday, 2006) – Stachowiak, Halliday & Bloszyk, 2008:  
 19]  
 = *Cilliba insularis* (Willmann, 1938)  
*Epicrius kargi* Solomon, 1978 – [Masan, 2008 : 63]  
 = *Epicrius tauricus* Bregetova, 1977  
*Lasioseius saltatus* Karg, 1980 – [Mineiro, Lindquist & De Moraes, 2009: 14]  
 = *Lasioseius helvetius* Chant, 1958

## Addresses

ABOU-AWAD, B.A., National Research Centre, Plant Protection Department., Dokki, Cairo 12511, Egypt  
 AKIMOV, DR. I.A., I. I. Schmalhausen Institute of Zoology, B. Khmelnitskogo 15, 01601 Kiev-30, Ukraine;  
**E-Mail:** nnb@iz.freenet.kiev.ua  
 ALBERTI, PROF. DR. GERD, E.-Moritz-Arndt Univ., Zoologisches Institut und Museum, J.-Seb.-Bach-Str.  
 11/12, 17489 Greifswald, Germany; **E-Mail:** alberti@uni-greifswald.de  
 AMANO, PROF. HIROSHI, Laboratory of Appl. Entomol. and Zoology, Faculty of Horticulture, Chiba  
 University, 648 Matsuda, Matsuda, Chiba, 271-8510, Japan; **E-Mail:** amano@faculty.chiba-u.jp  
 BADII, DR. MOHAMMAD H., Autonomous Univ. of Nuevo Leon, Fac. de Ciencias Biologicas, AP. 141, San  
 Nicolas, NL, 66450, México; **E-Mail:** mhbadii@yahoo.com.mx  
 BAI, XUE-LI, Inst. Endemic Disease Contr., Ningxia Hui Autonom. Region, Yinchuan 750004, China  
 BAL, DR. DURMUS ALI, Education Faculty, Ataturk University, 24030 Erzincan, Turkey; **E-Mail:**  
 bal@atauni.edu.tr  
 BASHIR, MUHAMMAD H., Department of Agric. Entomology, University of Agriculture, Faisalabad,  
 Pakistan; **E-Mail:** hamid\_uaf@yahoo.com  
 BAYRAM, DR. SERIFA, Agricultural Faculty, Plant Protection Department, University of Ankara, 06110  
 Ankara, Turkey  
 BEAULIEU, DR. FRÉDÉRIC, Canadian National Collection of Insects, Arachnids and Nematodes, Agriculture  
 & Agri-Food Canada, 960 Carling Avenue, Ottawa, ON, K1Z7P2, Canada; **E-Mail:**  
 frederic.beaulieu@agr.gc.ca  
 BEI, NA-XIN, College of Plant Protection, Shenyang Agricultural Univ., Shenyang, Liaoning 110161,  
 China; **E-Mail:** beinx88@sina.com  
 BERON, DR. PETAR, National Museum of Natural History, Tsar Osvoboditel Blvd. 1, 1000 Sofia, Bulgaria;  
**E-Mail:** beron@mail.bg

- BJORNSON, SUSAN, Department of Biology, Saint Mary's University, 923 Robie Street, Halifax, NS, B3H 3C3, Canada; **E-Mail:** susan.bjornson@stmarys.ca
- BLACKWOOD, J. SCOTT, Department of Entomology, Oregon State University, 2046 Cordley Hall, Corvallis, OR, 97331-2907, USA; **E-Mail:** blackwos@bcc.orst.edu
- BOLGER, DR. THOMAS, Dept. of Zoology, University College, Dublin Belfield, Stillorgan Road, Dublin 4, Ireland; **E-Mail:** tom.bolger@ucd.ie
- BONAFOS, ROMAIN, SupAgro Montpellier, Ctr. Transfet, Domaine Valette 900, 34090 Montpellier 1, France; **E-Mail:** bonafosr@supagro.inra.fr
- BOSTANIAN, DR. NOUBAR J., Horticultural Research and Devel. Centre, Agric. Agri-Food Canada, 430 Gouin Blvd., St-Jean-sur-Richelieu PQ, J3B 3E6, Canada; **E-Mail:** bostaniannj@agr.gc.ca
- BRUIN, DR. JAN, Section Population Biology, Institute of Biodiversity and Ecosystem Dynamics, University of Amsterdam, Kruislaan 302, 1098 SM Amsterdam, The Netherlands; **E-Mail:** bruin@science.uva.nl
- CAKMAK, IBRAHIM, Ziraat Fakultesi, Bitki Koruma Bolumu, Adnan Menderes Universitesi, 09100 Aydin, Turkey; **E-Mail:** icakmak@egenet.com.tr
- CASTAGNOLI, DR. MARISA, CRA-ABP, Agricultural Research Council, Research Centre for Agrobiology and Pedology, Via Lancia 12/A, 50125 Firenze, Italy; **E-Mail:** marisa.castagnoli@tin.it
- CHINNIAH, C., Department of Agricultural Entomology, Tamil Nadu Agricultural University, Coimbatore, 641003, India
- CHMIELEWSKI, DR. WIT, Apiculture Division, Res. Inst. Pomol. & Floriculture, Kazimierska 2, 24-100 Pulawy, Poland; **E-Mail:** wit.chmielewski@man.pulawy.pl
- COBANOGLU, PROF. DR. SULTAN, Agricultural Faculty, Plant Protection Dept., University of Ankara, 06110 Ankara, Turkey; **E-Mail:** sultan.cobanoglu@agri.ankara.edu.tr
- CONSTANTINESCU, IOANA CRISTINA, Natural History Museum of Arges District, Str. Armand Calinescu 44, Arges 117140, Romania; **E-Mail:** cristinactinescu@yahoo.com
- CURRIE, DR. ROB W., Department of Entomology, University of Manitoba, Winnipeg, Manitoba, R3T 2N2, Canada; **E-Mail:** rob.currie@umanitoba.ca
- DA SILVA, FERNANDO R., Depto. Entomol., Fitopatol. e Zoologia Agricola, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, Brazil; **E-Mail:** silvafr@yahoo.com.br
- DA S. MELO, JOSE W., Area de Fitossanidade, Dept. Agron., Univ. Feder. Rural de Pernambuco, Rua Dom M. de Medeiros, s/n 52171-900 Recife, Brazil; **E-Mail:** mguedes@depa.ufrpe.br
- DARA, SURENDRA K., International Institute of Tropical Agriculture, 08 BP 0932 Tri Postal, Cotonou, Rep. Benin; **E-Mail:** sdara@certisusa.com
- DE MORAES, DR. GILBERTO JOSE, Depto. Entomol., Fitopatol. e Zoologia Agricola, ESALQ/USP, Caixa Postal 9, 13418-900 Piracicaba, Brazil; **E-Mail:** gjmoraes@carpa.ciagri.usp.br
- DE MORAIS, ROSANA M., PPG Biologia Animal, Depto. Zoologia, UFRGS, Av. Bento Goncalves 9500, 91501-970 Porte Alegre, Brazil; **E-Mail:** entomorais@yahoo.com.br
- DEMITE, PETERSON R., Univ. Estadual Paulista, UNESP, Programa Pos Grad Biol. Anim., R. Cristovao Colombo 2265, Sao Paulo, Brazil; **E-Mail:** peterson\_demite@yahoo.com.br
- DI PALMA, DR. ANTONELLA, Università degli studi di Foggia, Dipart. di Scienze Agro-ambientali, Chimica e Difesa Vegetale, Via Napoli 25, 71100 Foggia, Italy; **E-Mail:** a.dipalma@unifg.it
- DICKE, DR. MARCEL, Laboratory of Entomology, Wageningen Agric. Univ., P.O. Box 8031, 6700 EH Wageningen, The Netherlands; **E-Mail:** marcel.dicke@wur.nl
- DUNLOP, DR. JASON, Museum für Naturkunde der Humboldt-Univ., Institut für Systematische Zoologie, Invalidenstr. 43, 10115 Berlin, Germany; **E-Mail:** jason.dunlop@museum.hu-berlin.de
- DUSO, DR. CARLO, Dept. Environ. Agron. and Crop Sci., University of Padova, Viale Univ. 16, 35020 Padua, Italy; **E-Mail:** carlo.duso@unipd.it
- EL-KAMMAH, KAWTHER, Department of Zoology, Faculty of Agriculture, Cairo University, Giza, Egypt
- ELLIS, A.M., Fla. Dept. Agric. and Consumer Serv., Division of Plant Industry, Bureau of Plant and Apiary Inspection, 1911 SW 34th St., Gainesville, FL 32614-7100, USA; **E-Mail:** ellisa@doacs.state.fl.us
- EMMERT, C.J., Entomology and Nematology Department, University of Florida, Gainesville, FL 32611-0630, USA
- ENKEGAARD, DR. ANNIE, Univ. of Aarhus, Faculty of Agric. Sciences, Dep. of Integrated Pest Management, Research Centre Flakkebjerg, 4200 Slagelse, Denmark; **E-Mail:** annie.enkegaard@agrsci.dk
- ESTRADA-VENEGAS, DR. EDITH G., Instituto de Fitossanidad, Colegio de Postgrad., Km 36.5 Carr. Mexico-Texcoco, 56230 Montecillo, México; **E-Mail:** estrado@colpos.mx

- FARAJI, DR. FARID, MITOX Consultants, P.O. Box 92260, 1090 AG Amsterdam, Netherlands; **E-Mail:** [farid.faraji@mitox.org](mailto:farid.faraji@mitox.org)
- FERNANDO, L.C., Crop Protection Division, Coconut Research Institute, Bandirippuwa Estate, Lunuwila 61150, Sri Lanka
- FOULY, AHMED, H., Dept. of Crop Production and Protection, Coll. Agric. and Veter. Medicine, P.O. Box 6622, Boraydab 51452, Saudi Arabia
- FRAULO, AIMEE B., MacArthur Agro-Ecology Research Center, 300 Buck Island Ranch Rd., Lake Placid, FL 33852, USA
- GARCIA-FERNANDEZ, PEDRO, Junta Andalucia, CAP, Ctr. Camino Purchil, IFAPA, Area Prod. Agr., Granada 18071, Spain; **E-Mail:** [pedro.garcia@juntadeandalucia.es](mailto:pedro.garcia@juntadeandalucia.es)
- GEORGE, D.R., Univ. Newcastle upon Tyne, School Agr. Food and Rural Devel., Newcastle upon Tyne NE1 7RU, United Kingdom; **E-Mail:** [D.R.George@ncl.ac.uk](mailto:D.R.George@ncl.ac.uk)
- GERDEMAN, DR. BEVERLY, Museum of Biological Diversity, Ohio State University, 1315 Kinnear Rd., Columbus, OH 43212-1192, USA; **E-Mail:** [gerdeman.8@osu.edu](mailto:gerdeman.8@osu.edu)
- GEORGE, DAVID R., School of Agriculture, Food and Rural Development, Newcastle University, Newcastle upon Tyne, NE1 7RU, United Kingdom; **E-Mail:** [D.R.George@ncl.ac.uk](mailto:D.R.George@ncl.ac.uk)
- GOLS, RIETA, Laboratory of Entomology, Wageningen University, PO Box 8031, 6700 EH, Wageningen, The Netherlands; **E-Mail:** [rieta.gols@wur.nl](mailto:rieta.gols@wur.nl)
- GONDIM, MANOEL G.C., Departamento de Agronomia, Universidade Federal Rural de Pernambuco, Rua Dom Manuel de Medeiros s/n, 52171-900 Recife, PE, Brazil; **E-Mail:** [manoguedes@hotmail.com](mailto:manoguedes@hotmail.com)
- GOTOH, DR. TETSUO, Lab. Appl. Entomol. and Zool., Faculty of Agriculture, Ibaraki University, 300-0393 Ibaraki, Japan; **E-Mail:** [gotoh@mx.ibaraki.ac.jp](mailto:gotoh@mx.ibaraki.ac.jp)
- GUANILO, A.D., Univ. Sao Paulo, ESALQ, Dept. Ent. Fitop. & Zool. Agr., 13418900 Piracicaba, SP, Brazil; **E-Mail:** [a\\_guanilo@yahoo.co.uk](mailto:a_guanilo@yahoo.co.uk)
- GWIAZDOWICZ, DR. DARIUSZ J., A. Cieszkowski Agric. Univ., Depart. Forest and Environment Protection, ul. Wojska Polskiego 71C, 60-625 Poznan, Poland; **E-Mail:** [dagwiazd@owl.au.poznan.pl](mailto:dagwiazd@owl.au.poznan.pl)
- HAITLINGER, PROF. DR. RYSZARD, Wroclaw Univ. of Environmental and Life Sci., Department of Zoology and Ecology, ul. Kozuchowska 5b, 51-631 Wroclaw, Poland; **E-Mail:** [ryszard.haitlinger@up.wroc.pl](mailto:ryszard.haitlinger@up.wroc.pl)
- HALLIDAY, DR. ROBERT B., Research Fellow (Acarology), CSIRO Entomology, GPO Box 1700, Canberra City, ACT 2601, Australia; **E-Mail:** [bruce.halliday@csiro.au](mailto:bruce.halliday@csiro.au)
- HARDMAN, DR. JOHN MICHAEL, Atlantic Food and Horticulture Res. C., Agric. and Agri-Food Canada, 32 Main Street, , Kentville, NS, B4N 1J5, Canada; **E-Mail:** [HardmanM@agr.gc.ca](mailto:HardmanM@agr.gc.ca)
- HARTINI, DR. SRI, Zoology Division (Museum Zool. Bogoriense), Res. Center for Biology - LIPI, Jl. Raya Jakarta Bogor, Km. 46, Cibinong, Bogor 16911, Indonesia; **E-Mail:** [takakug@sap.hokkyodai.ac.jp](mailto:takakug@sap.hokkyodai.ac.jp)
- HEDDERGOTT, MIKE, Göttinger Str. 28, 37308 Heilbad Heiligenstadt, Germany; **E-Mail:** [mike-heddergott@web.de](mailto:mike-heddergott@web.de)
- HOY, DR. MAJORIE A., Dept. Entomology & Nematology, Univ. of Florida, P.O. Box 110620, Gainesville, FL 32611-0620, USA; **E-Mail:** [mahoy@mail.ifas.ufl.edu](mailto:mahoy@mail.ifas.ufl.edu)
- HUSSEIN, H., National Research Centre (NRC), Pests and Plant Protection Department, Dokki-Cairo, Egypt
- JEYAPRAKASH, AYYAMPERUMAL, Dept. Entomology & Nematology, Univ. of Florida, P.O. Box 110620, Gainesville, FL 32611-0620, USA; **E-Mail:** [ajey@ifas.ufl.edu](mailto:ajey@ifas.ufl.edu)
- JAMES, PROF. DR. DAVID G., Dept. Entomol., Washington State Univ., 24106 N. Bunn Road, Prosser, WA 99350, USA; **E-Mail:** [djames@tricity.wsu.edu](mailto:djames@tricity.wsu.edu)
- KABICEK, DR. JAN, Czech Univ. of Life Sciences Prague, Dept. of Plant Protection, Kamýcká 12a, 16521 Praha 6-Suchdol, Czech Republic
- KACZMAREK, DR. SLAWOMIR, Pedagogical University, Department of Biology and Environment Protection, Chodkiewicza street 51, 85-667 Bydgoszcz, Poland; **E-Mail:** [slawkacz@wsp.bydgoszcz.pl](mailto:slawkacz@wsp.bydgoszcz.pl)
- KAMALI, KARIM, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, P.O. Box 14115-336, Tehran, Iran; **E-Mail:** [kamali\\_k@modares.ac.ir](mailto:kamali_k@modares.ac.ir)
- KARG, PROF. DR. WOLFGANG, Hohe Kiefer 152, 14532 Kleinmachnow, Germany
- KASAP, ISMAIL, Canakkale Onsekiz Mart University, Faculty of Agriculture, 17020 Canakkale, Turkey; **E-Mail:** [ikasap@comu.edu.tr](mailto:ikasap@comu.edu.tr)
- KATAYAMA, HARUKI, Shizuoka Agricultural Experiment Station, Iwata 438-0803, Japan; **E-Mail:** [haruki1\\_katayama@pref.shizuoka.lg.jp](mailto:haruki1_katayama@pref.shizuoka.lg.jp)

- KAZAK, DR. CENGIZ, Department of Plant Protection, Agriculture Faculty, Cukurova University, 01330 Adana, Turkey; **E-Mail:** [ckazak@mail.cu.edu.tr](mailto:ckazak@mail.cu.edu.tr)
- KAZEMI, SHAHROOZ, Department of Entomology, College of Agriculture, Tarbiat Modares University, P.O. Box 14115-336, 14115-336 Tehran, Iran; **E-Mail:** [kazemi@modares.ac.ir](mailto:kazemi@modares.ac.ir)
- KILPINEN, OLE, Department of Integrated Pest Management, The Danish Pest Infestation Laboratory, University of Aarhus, Skovbrynet 14, DK-2800 Kgs. Lyngby, Denmark; **E-Mail:** [OLE.kilpinen@agrsci.dk](mailto:OLE.kilpinen@agrsci.dk)
- KIM, CHEOL-MIN, Dept. of Ecol. and Evolut. Biol., Univ. of Connecticut, 75 North Eagleville Road, Storrs, Connecticut 06269-3043, USA; **E-Mail:** [cheol-min.kim@uconn.edu](mailto:cheol-min.kim@uconn.edu)
- KISHIMOTO, DR. HIDENARI, Nat. Inst. Fruit Tree Sci., Dept. Citrus Res., Nagasaki, 8592501, Japan; **E-Mail:** [kisimoto@affrc.go.jp](mailto:kisimoto@affrc.go.jp)
- KHAN, AHMAD SAEED, Department of Agric. Entomology, University of Agriculture, Faisalabad, Pakistan
- KLANN, ANJA, E.-Moritz-Arndt-Univ., Zooloiges Institut und Museum, Joh.-Seb.-Bach-Str. 11/12, 17489 Greifswald, Germany; **E-Mail:** [anja.klann@uni-greifswald.de](mailto:anja.klann@uni-greifswald.de)
- KNEE, WAYNE, Univ. Alberta, Dept. Biol. Sci., CW 405 Biol. Sci. Bldg., Edmonton, Alberta, Canada T6G 2E9, Canada; **E-Mail:** [wknee@connect.carleton.ca](mailto:wknee@connect.carleton.ca)
- KLOMPEN, DR. HANS, Acarology Laboratory, Dept. Entomol., Ohio State University, 1315 Kinnear Rd., Columbus, OH, 43212-1192, USA; **E-Mail:** [klompen.1@osu.edu](mailto:klompen.1@osu.edu)
- KOEHLER, PD DR. HARTMUT, Univ. Bremen, FB 2 (Biologie/Chemie), Zentrum für Umweltforsch. u. Umwelttechn., Leobener Str. - UFT, 28359 Bremen, Germany; **E-Mail:** [a13r@uni-bremen.de](mailto:a13r@uni-bremen.de)
- KOLODOCHKA, DR. LEONID A., I. I. Schmalhausen Institute of Zoology, National Ukrainian Academy of Sciences, Bogdan Khmelnitsky str. 15, Kyiv-30, GSP, 01601, Ukraine; **E-Mail:** [leon@izan.kiev.ua](mailto:leon@izan.kiev.ua)
- KONTCHAN, DR. JENÓ, MTA-ELTE, Zootaxónmiai Kutatócsoport, Magyar Termésszettudományi Múzeum Állattárra, Baross u. 13, 1088 Budapest, Hungary; **E-Mail:** [kontscha@zool.nhmus.hu](mailto:kontscha@zool.nhmus.hu)
- KORALLO, N.P., Omsk State Research Institute of Natural Focal Infections, Russian Federal Service for Consumer Rights Protection and Human Health Control, pr. Mira 7, Omsk, 644080, Russia; **E-Mail:** [vinarskayan@inbox.ru](mailto:vinarskayan@inbox.ru)
- KRANTZ, PROF. GEROLD W., Dept. of Zoology, Oregon State University, Cordley Hall 3029, Corvallis, OR 97331-2914, USA; **E-Mail:** [krantzg@science.oregonstate.edu](mailto:krantzg@science.oregonstate.edu)
- KRISTOFIK, JAN, Institute of Zoology, Slovak Academy of Sciences, Dubravská cesta 9, 84506 Bratislava, Slovakia; **E-Mail:** [jan.kristofik@savba.sk](mailto:jan.kristofik@savba.sk)
- KRSIAK, BRANISLAV, Ustav ekologie lesa SAV, Sturova 2, 960 53 Zvolen, Slovakia
- LARESCHI, DR. MARCELA, Univ. Nacionale de La Plata, Centro de Estudios Parasitologicos y de Vextores, Calle 2 No. 584, 1900 La Plata, Argentina; **E-Mail:** [mlareschi@cepave.edu.ar](mailto:mlareschi@cepave.edu.ar)
- LEE, PROF. JOON-HO, Seoul National University, Department Agric. Biotechnol., Entomol Program, Seoul, 151 921, South Korea; **E-Mail:** [jh7lee@snu.ac.kr](mailto:jh7lee@snu.ac.kr)
- LEONOVICH, DR. S.A., Zoological Institute, Academy of Sciences, 199034 St. Petersburg B-34, Russia; **E-Mail:** [leonssa@mail.ru](mailto:leonssa@mail.ru)
- LESNA, IZABELA, Section Population Biology, Inst. for Biodiversity and Ecosystem Dynamics, University of Amsterdam, Kruislaan 320, 1098 SM Amsterdam, The Netherlands; **E-Mail:** [lesna@science.uva.nl](mailto:lesna@science.uva.nl)
- LI, XUE-ZHI, Ningxia Hui Auton. Reg., Ctr. Dis. Prevent and Contr., Yanchuan 750004, China
- LIBURD, OSCAR E., Dept. Entomol. and Nematol., Univ. of Florida, Gainesville, FL 32611, USA
- LIQUORI, DR. MARIALIVIA, Istituto Sperimentale per la Zool. Agraria, Via Lancia 12/A, Cascine del Riccio, 50125 Firenze, Italy; **E-Mail:** [marialivia.liquiri@tin.it](mailto:marialivia.liquiri@tin.it)
- LIN, JIAN-ZHEN, Institute of Plant Protection, Fujian Academy of Agricultural Sciences, Fuzhou, Fujian 350 013, China; **E-Mail:** [jianzhenlin@126.com](mailto:jianzhenlin@126.com)
- LIPINSKI, Z., Specialist Vet. Diagnost. Lab. Biolab., Grunwaldska 62, 14100 Ostroda, Poland; **E-Mail:** [Lipinski@sprint.com.pl](mailto:Lipinski@sprint.com.pl)
- LIU, YU-FANG, Hunan Univ. Sci. and Technol., School of Life Sciences, Xiangtan, China; **E-Mail:** [yurainliu@yahoo.com.cn](mailto:yurainliu@yahoo.com.cn)
- LUCZYNSKI, A., Qadra Consulting Ltd., Research and Development, 16279 30B Avenue, Surrey, BC V3S 0E3, Canada; **E-Mail:** [luczynski@krann.ca](mailto:luczynski@krann.ca)
- LUO, DR. LI-PU, Institute of pathogens and vectors, Dali University, Dali, Yunnan 67100, China; **E-Mail:** [lipudoctor@yahoo.com.cn](mailto:lipudoctor@yahoo.com.cn)

- MA, DR. LI-MING, National Base of Plague and, Brucellosis Control, 85 Haiming West Road, Baicheng City, Jilin Province 137000, China; **E-Mail:** [immabc@msn.com](mailto:immabc@msn.com)
- MA, YING, Institute for Endemic Disease Prevention & Contr., Qinghai Province, Xining 811602, China
- MADEJ, DR. GRAZyna, University of Silesia, Department of Ecology, ul. Bankowa 9, 40-007 Katowice, Poland; **E-Mail:** [gmadej@us.edu.pl](mailto:gmadej@us.edu.pl)
- MAGGI, MATIAS DANIEL, Laboratorio de Artrópodos, Facultad de Ciencias Exactas y Naturales, Universidad Nacional de Mar del Plata, Funes, 3350, 7600 Mar del Plata, Argentina; **E-Mail:** [biomaggi@gmail.com](mailto:biomaggi@gmail.com)
- MAKAROVA, DR. OLGA L., Laboratory of Sinecology, Russian Acad. of Sciences, 33 Leninskij prosp., Moscow 119071, Russia; **E-Mail:** [lsdc@genome.eimb.relarn.ru](mailto:lsdc@genome.eimb.relarn.ru)
- MANGINI, ALEX C., USDA Forest Serv., 2500 Shreveport Highway, Pineville, LA 71360, USA; **E-Mail:** [amangini@fs.fed.us](mailto:amangini@fs.fed.us)
- MANSOOR-UL-HASSAN, PROF., Department of Agric. Entomology, University of Agriculture, Faisalabad, Pakistan; **E-Mail:** [mansoorsahi2000@yahoo.com](mailto:mansoorsahi2000@yahoo.com)
- MARANGI, M., Dipartimento PRIME and Centro Interdipartimentale Bioagromed, Facoltà di Agraria, Università degli Studi di Foggia, 71100 Foggia, Italy; **E-Mail:** [a.giangaspero@unifg.it](mailto:a.giangaspero@unifg.it)
- MARCANGELI, DR. JORGE A., Laboratorio de Artropodos, Fac. Cienc. Exactas y Naturales, Univ. de Mar del Plata, Funes 3350, 7600 Mar del Plata, Argentina; **E-Mail:** [jamarca@mdp.edu.ar](mailto:jamarca@mdp.edu.ar)
- MASAN, DR. PETER, Institute of Zoology, Slovak Acad. of Sciences, Dúbravská cesta 9, 845 06 Bratislava, Slovakia; **E-Mail:** [Peter.Masan@savba.sk](mailto:Peter.Masan@savba.sk)
- MATTHEE, DR. SONJA, Dept. Conservation Ecology and Entomology, University of Stellenbosch, Private bag X1, Matieland, Stellenbosch 7602, South Africa; **E-Mail:** [samatthee@sun.ac.za](mailto:samatthee@sun.ac.za)
- MAURER, VERONIKA, Forschungsinstitut für Biologischen Landbau, Ackerstrasse, 50 Frick, Switzerland; **E-Mail:** [veronika.maurer@fbl.org](mailto:veronika.maurer@fbl.org)
- MEATS, ALAN, School of Biological Sciences, A12, University of Sydney, Sydney, NSW, 2006, Australia; **E-Mail:** [awm@bio.usyd.edu.au](mailto:awm@bio.usyd.edu.au)
- MEIKLE, WILLIAM G., European Biol. Control Labor., USDA-ARS, Campus Intern. Baillarguet, CS 90013, Montferrier sur Lez, 34988 St. Cely du Fesc, France; **E-Mail:** [wmeikle@ars-ebcl.org](mailto:wmeikle@ars-ebcl.org)
- MEJIA-RECAMIER, DR. BLANCA E., Lab. Ecología y Sistemática, de Microartrópodos, Dpto. Biología, Fac. Ciencias, UNAM, 04510 México, D.F., México; **E-Mail:** [bemr@hp.fcienias.unam.mx](mailto:bemr@hp.fcienias.unam.mx)
- MINEIRO, JEFERSON L.C., Depto. de Fitossanidade, Facultade de Ciencias Agrarias e Veterinarias, UNESP/Jacoticabal, CAPES, 14870-000 Jacoticabal, Brazil
- MOMEN, DR. FAT M., Pests & Plant Protection Department, National Research Centre, El Tahrir Street, Dokki, Cairo 12311, Egypt; **E-Mail:** [fatmomen@yahoo.com](mailto:fatmomen@yahoo.com)
- MONTSERRAT, M., E.E. La Mayora, C.S.I.C., 29750 Algarrobo-Costa, Malaga, Spain; **E-Mail:** [mmontserrat@eelm.csic.es](mailto:mmontserrat@eelm.csic.es)
- MORALES-MALACARA, DR. JUAN B., Laboratorio de Acarología, Departamento de Biología, Facultad de Ciencias, Univ. Nacional Autónoma Mexico, Distrito Federal, Coyoacán 04510, México; **E-Mail:** [jbm@hp.fcienias.unam.mx](mailto:jbm@hp.fcienias.unam.mx)
- MORAZA, DR. MARIA LOURDES, Departamento de Zoología y Ecología, Universidad de Navarra, Apdo. 177, 31080 Pamplona, Spain; **E-Mail:** [mlmoraza@unav.es](mailto:mlmoraza@unav.es)
- MORO, CLAIRE VALIENTE, Laboratoire « Microorganismes: Génome et Environnement », CNRS UMR, 6023 Aubiere, France; **E-Mail:** [valienteclaire@yahoo.fr](mailto:valienteclaire@yahoo.fr)
- MOSTINI, L., via Vittorio Veneto 8, 28071 Borgolavezzaro, Italy; **E-Mail:** [mostinileon@interfree.it](mailto:mostinileon@interfree.it)
- MUL, MONIQUE F., Animal Production, Animal Sciences Group of Wageningen UR, P.O. Box 65, 8200 AB Lelystad, The Netherlands; **E-Mail:** [monique.mul@wur.nl](mailto:monique.mul@wur.nl)
- NADIMI, AHMAD, Tarbiat Modares University, Department of Entomology, P.O. Box: 14115-336, Tehran, Iran; **E-Mail:** [ahmad\\_nadimi@yahoo.com](mailto:ahmad_nadimi@yahoo.com)
- NANNELLI, DR. ROBERTO, Istituto Sperimentale per la Zootecnica Agraria, Via Lanciola, 12A, Cascine del Riccio, 50125 Firenze, Italy; **E-Mail:** [roberto.nannelli@tin.it](mailto:roberto.nannelli@tin.it)
- NIOGRET, DR. JEROME, UMR 5175 CEFE, Laboratoire de Zoogéographie, Univ. Paul Valéry-Montpellier 3, Route de Mende, 34199 Montpellier Cedex 5, France; **E-Mail:** [jeromeniogret@yahoo.fr](mailto:jeromeniogret@yahoo.fr)
- OKU, KEIKO, Laboratory of Evolutionary Ecology, Graduate School of Environ. Sciece, Okayama University, Okayama, 700-8530, Japan; **E-Mail:** [okeiko@affrc.go.jp](mailto:okeiko@affrc.go.jp)

OLIVEIRA, HAMILTON, Univ. Fed. Vicosa, Dept. Anim. Biol. Entomol., 36570000 Vicosa, MG, Brazil; **E-Mail:** hamilton@insecta.ufv.br

OMOTO, CELSO, Departamento de Entomologia, Fitopatologia, e Zoologia Agricola, ESALQ/USP, 13419-900 Piracicaba, SP, Brazil; **E-Mail:** celomoto@carpa.ciagri.usp.br

OSAKABE, M.H., Laboratory of Ecological Information, Graduate School of Agric., Kyoto University, Kyoto, 606-8502, Japan; **E-Mail:** mhosaka@kais.kyoto-u.ac.jp

PAIK, DR. C.H., Dept. Agrobiol., Sunchon Natl. Univ., Sunchon 540-742, South Korea

PALEVSKY, ERIC, Dept. of Entomology, Newe-Ya'ar Research Centre, Agricultural Research Organization, Ministry of Agriculture, Ramat Yishay, Israel

PAPADOULIS, DR. GEORGE T., Agriculture Univ. of Athens, Lab. Agric. Zool. Entomol., Iera Odos 75,118 55 Athens, Greece; **E-Mail:** gpapadoulis@aau.gr

PARIS, CAROLINA I., Centro de Estudios e Investigaciones, Universidad Nacional de Quilmes, Roque Saenz Pena 352, Bernal B1876 BXD, Argentina

PAVLOVIC, DR. IVAN, Scientific Veterinary Institute of Serbia, Vojvode Toze 14, 11000 Beograd, Serbia; **E-Mail:** dr.ivanp@yube.net

PHILIPS, JAMES R., Math and Science Department, Babson College, Babson Park, MA, USA; **E-Mail:** philips@habson.edu

PLUMARI, MASSIMO, Museo Civ Lentate Seveso, Via Aureggi 25, 20030 Lenta Sul Seveso, MI, Italy; **E-Mail:** plumari\_massimo@libero.it

POPOV, S.Y., KA Timiryazev Agr. Acad., Russian Acad. Sci., Timiryazevskaya ul. 49, Moscow, 127550, Russia

PRASAD, DR. VIKRAM M.D., 775 South Grand Avenue, P.O. Box 768, Fowlerville, MI 48836-0768, USA; **E-Mail:** v.prasad@ix.netcom.com

PRIETO TRUEBA, DANIA, Dept. Biol. Animals, Facultad de Biología, Universidad de La Habana, Ciudad de La Habana, CP 10400, Cuba

PUTATUNDA, B.N., Department of Zoology, Haryana Agricultural University, Hisar, Haryana, 125 004, India

RAGUSA DI CHIARA, PROF. SALVATORE, Istituto di Entomologia agraria, University of Palermo, Viale delle Scienze 13, 90128 Palermo, Italy; **E-Mail:** ragusa@unipa.it

RAJASHEKHARAPPA, K., Dept. Entomol., University of Agricultural Sciences, Bangalore 560 065, India

RAMOS, DR. MAYRA, Centro Nacional de Seguridad Biológica, 38 No 502, Miramar, Playa Ciudad de La Habana 11300, Cuba; **E-Mail:** mayramos@cnsn.cu

RAZA, ABU BAKUR M., Univ. Sargodha, Univ. Coll. Agr., Sargodha, Pakistan; **E-Mail:** amraza\_pk@yahoo.com

REIS, DR. PAULO R., EPAMIG-CTSM, Caixa Postal 176, 37200-000 Lavras, MG, Brazil; **E-Mail:** paulo.rebelles@epamig.ufla.br

ROY, L., Ecole National Veter. de Lyon, Laboratoire de Parasitologie, 1 Ave Bourgelat, 69280 Marcy Letoile, France; **E-Mail:** l.roy@vet-lyon.fr

SADANANDAN, MARY A., P.G. & Research Department of Zoology, Malabar Christian College, Kozhikode, Kerala 673 001, India

SAMMATARO, DR. DIANA, USDA-ARS Carl Hayden Bee Research Center, 2000 East Allen Road, Tucson, AZ 85719-1596, USA; **E-Mail:** diana.sammataro@ars.usda.gov

SATTA, ALBERTO, Univ. Sassari, Dipartimento Protez Piante, Sez. Entomol. Agr., Via E. de Nicola 9, 07100 Sassari, Italy; **E-Mail:** albsatta@uniss.it

SATTERLEE, DR. SARAH M., 8075 Sky Blue Drive, Alexandria, VA 22315, USA; **E-Mail:** ssatterl@vt.edu

SEEMAN, DR. OWEN D., Queensland Museum, PO Box 3300, South Brisbane, 4101, Australia; **E-Mail:** owen.seeman@qm.qld.gov.au

SEIFOORI, M., Department of Entomology, College of Agric., Islamic Azad University of Arak, Arak, Iran

SIKORA, DR. BOZENA, Adam Mickiewicz University, H. Wieniawskiego 1, 61-712 Poznan, Poland; **E-Mail:** boszka@main.amu.edu.pl

SKIRVIN, DR. DAVE, Horticulture Research International, Department of Entomol. Sciences, Wellesbourne, Warwick, CV35 9EF, United Kingdom; **E-Mail:** dave.skirvin@warwick.ac.uk

SKORUPSKI, DR. MACIEJ, Dept. Game Manag. and For. Prot., A. Cieszkowksi Agricultural University, ul. Wojska Polskiego 71c, 60-625 Poznan, Poland; **E-Mail:** maskorup@owl.au.poznan.pl

- SKUBALA, DR. PIOTR, University of Silesia, Department of Ecology, ul. Bankowa 9, 40-007 Katowice, Poland; **E-Mail:** pskubala@us.edu.pl
- SOMCHOUDHURY, A.K., Bidhan Chandra Krishi Viswavidyalaya, Dept. Agr. Entomol., Nadia 741252, W Bengal, India; **E-Mail:** aksomchoudhury@gmail.com
- SPARAGANO, OLIVIER, School of Agriculture, Food and Rural Development, Newcastle University, Newcastle upon Tyne, NE1 7RU, United Kingdom; **E-Mail:** Olivier.sparagano@ncl.ac.uk
- STACHOWIAK, MARCIN, Natural Science Collection, Faculty of Biology, Adam Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail:** stachoo11@tlen.pl
- STANESCU, MINODORA, Institute of Biology, 296 Splaiul Independentei, P.O. Box 56-53, Bucharest 060031, Romania; **E-Mail:** stanescumina@hotmail.com
- STANYUKOVICH, DR. MARIA K., Laboratory of Parasitology, Zoological Institute, Russian Acad. Sciences University, University Embankment 1, fl. 5, 199034 St. Petersburg B-34, Russia
- SWARTS, DEREK J., Centre for Ecosystem Management, School of Natural Sciences, Edith Cowan Univ., Perth Western Australia, Australia; **E-Mail:** d.swarts@ecu.edu.au
- SZLENDAK, EWA, Department of Applied Entomology, Warsaw University of Life Sciences (SGGW), ul. Nowoursynowska 159, 02-776 Warsaw, Poland; **E-Mail:** ewa\_szlendak@sggw.pl
- TEODORO, ADENIR V., Animal Biology Department/Entomology, Federal University of Viçosa, Viçosa, MG, 36571-000, Brazil; **E-Mail:** ad.teodoro@yahoo.com
- TIXIER, DR. MARIE-S., ENSA / INRA, UFR d'Ecologie Animale et de Zoologie Agricole, Laboratoire d'Acarologie, 2 Place Pierre Viala, 34060 Montpellier Cedex 1, France; **E-Mail:** garcin@ensam.inra.fr
- TOMCZYK, DR. ANNA, Dept. Appl. Entomol., Fac. Hortic. and Landscape Architecture, Warsaw Agric. Univ., ul. Nowoursynowska 166, 02-787 Warsaw, Poland
- TOYOSHIMA, DR. SHINGO, Department of Apple Research, National Institute of Fruit Tree Science (NIFTS), NARO, Shimokuriyagawa, Morioka, 020-0123, Japan; **E-Mail:** toyosin@affrc.go.jp
- TUCCI, DR. E.C., Ctr. Pesquisa and Desenvolvimento Sanidade Anim., Inst. Biol., Av. Conselheiro Rodrigues Alves 1252, 040140002 Sao Paulo, Brazil; **E-Mail:** tucci@biologico.sp.gov.br
- UECKERMAN, DR. EDWARD A., Plant Protection Research Institut, Private Bag X134, Pretoria 0001, South Africa; **E-Mail:** ueckermannE@arc.agric.za
- UJVARI, ZSOLT, Department of Systematic Zoology, and Ecology of Eötvös Loránd University, Pázmány Péter sétány 1/c, 1117 Budapest, Hungary; **E-Mail:** zs\_ujvari@yahoo.com
- URHAN, DR. RASIT, Department of Biology, Faculty of Science and Arts, Pamukkale University, Kinikli, P.O. Box 286, 20100 Denizli, Turkey; **E-Mail:** rurhan@pau.edu.tr; rurhan@pamukkale.edu.tr
- VAN DER GEEST, DR. LEO P.S., Institute for Biodiversity and Ecosystem Dyn., University of Amsterdam, Kruislaan 320, 1098 SM Amsterdam, The Netherlands; **E-Mail:** geest@bio.uva.nl
- VAN ENGELSOPP, DENNIS, Pennsylvania Dept. of Agriculture, 2301 North Cameron St., Harrisburg, PA 17110, USA; **E-Mail:** dennis.vanengelsdorp@gmail.com
- VASQUEZ, CARLOS, Univ. Centroccidental Lisandro Alvarado, Dept. Ciencias Biol., Edif Rectorado, Carrera 19, Barquisimeto 9, Lara Venezuela, Venezuela
- VÁZQUEZ, DR. MARIA M., Quintana Roo State University, Ave. Boulevard Bahia s/n., P.O. Box 10, C.P. 77000 Chetumal, Quintana Roo, Mexico; **E-Mail:** marvazqu@correo.ugroo.mx
- VELLA, A., Institute of Agriculture, University of Malta, Msida MSD06, Malta
- VILLA, JOSEPH D., Honey Bee Breeding, Genetics and Physiology Laboratory, ARS, USDA, 1157 Ben Hur Road, Baton Rouge, LA 70820-5502, USA; **E-Mail:** Jose.Villa@ars.usda.gov
- VILLANUEVA, RAUL T., North Carolina State University, Don Ellis Laboratories, 1320 Varsity Drive, Box 7405, Raleigh, NC 27695, USA; **E-Mail:** Raul\_Villaneuva@ncsu.edu
- WALTER, DR. DAVID EVANS, Department of Biological Sciences, University of Alberta Edmonton, Alberta , AB, T6G 2E9, Canada; **E-Mail:** dew@ualberta.ca
- WALZER, MAG. ANDREAS, Univ. f. Bodenkultur, Dep. für Angew. Pflanzenwiss. u. Pflanzenbiotechnologie (DAPP), Peter Jordan Str. 82, 1190 Wien, Austria; **E-Mail:** andreas.walzer@boku.ac.at
- WARNOCK, D.F., Univ. Illinois, Dept. Nat. Resources & Environ. Sci., Urbana, IL 61801, USA; **E-Mail:** dwarnock@uiuc.edu
- WRIGHT, HARRY W., Parasitology Division, Moredun Research Institute, Midlothian, EH26 0PZ, Scotland, United Kingdom; **E-Mail:** Harry.Wright@moredun.ac.uk
- WU, DONG-HUI, College of Earth Science, Jilin University, Changchun 130061, China
- XIA, BIN, College of Life Science, Nanchang Univ., Nanchang 330031, China; **E-Mail:** xiabin9@163.com

YANO, SHUICHI, Laboratory of Ecological Information, Graduate School of Agriculture, Kyoto University, Kyoto, 606-8502, Japan; **E-Mail:** [yano@kais.kyoto-u.ac.jp](mailto:yano@kais.kyoto-u.ac.jp)

ZALOM, FRANK G., Department of Entomology, University of California, One Shields Avenue, Davis, CA, 95615, USA; **E-Mail:** [fgzalom@ucdavis.edu](mailto:fgzalom@ucdavis.edu)

ZENNER, LIONEL, Unité Mixte de Rech. PEV ENVL/INRA 958, Service de Parasitol., École Nat. Vétérinaire de Lyon, 1 Avenue Bourgelat, BP 83, 69280 Marcy l'Étoile, France; **E-Mail:** [l.zenner@vet-lyon.fr](mailto:l.zenner@vet-lyon.fr)

ZHANG, DR. ZHI-QIANG, Landcare Research, Private Bag 92-170, Auckland, New Zealand; **E-Mail:** [zhangz@landcareresearch.co.nz](mailto:zhangz@landcareresearch.co.nz)

Address of the authors:

Dr. Axel Christian  
Kerstin Franke  
Senckenberg Museum für Naturkunde Görlitz  
Sektion Arachnida  
Postfach 300 154  
02806 Görlitz  
Germany

Tel.: 0049-3581-4760 5201

Fax.: 0049-3581-4760 5101

E-mail: [Axel.Christian@senckenberg.de](mailto:Axel.Christian@senckenberg.de)

[Kerstin.Franke@senckenberg.de](mailto:Kerstin.Franke@senckenberg.de)

Homepage: <http://www.naturkundemuseum-goerlitz.de/acarologie/>

published: 30.09.2009

## Subscription form

I wish to subscribe to **ACARI** – Bibliographia Acarologica  
3 issues per volume and year

Institution and library      20 € incl. postage and handling     

personal      10 € incl. postage and handling     

I cannot cover the costs in convertible currency. I request in publication exchange for my articles about mites one issue per year. (Please indicate the issue chosen by ticking square below.)

Mesostigmata     

Oribatida     

Actinedida     

Please write your **address** exactly and legibly!

name \_\_\_\_\_

address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Signature \_\_\_\_\_

Please return this form to:

**Dr. A. Christian**  
**Senckenberg Museum für Naturkunde Görlitz**  
**PF 300 154**  
**02806 Görlitz**  
**Germany**

Fax.: 0049-3581-4760 5101  
E-Mail: [axel.christian@senckenberg.de](mailto:axel.christian@senckenberg.de)

## Contents

**Christian, A. & K. Franke: Mesostigmata No. 20 ..... 1-32**

### **Acarological literature**

- Publications 2009 .....	1
- Publications 2008 .....	5
- Publications, additions 2007 .....	12
- Publications, additions 2006 .....	18
- Publications, additions 2005 .....	19
- Publications, additions 2004 .....	19

### **Nomina nova**

- New species .....	21
- New genera .....	24
- New families .....	25
- New combinations .....	25
- New synonyms .....	25
<b>Addresses .....</b>	<b>25</b>