


ISSN 1618-8977

ACARI

Bibliographia Acarologica



Oribatida

Band 7 (2)

2007

Staatliches Museum für Naturkunde Görlitz

ACARI

Bibliographia Acarologica

Herausgeber: Dr. Axel Christian
im Auftrag des Staatlichen Museums für Naturkunde Görlitz

Anfragen erbeten an:
ACARI
Dr. Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, D-02806 Görlitz

„ACARI“
ist zu beziehen über:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, D-02806 Görlitz

Eigenverlag Staatliches Museum für Naturkunde Görlitz
Alle Rechte vorbehalten
Titelgrafik: E. Mättig
Druck: MAXROI Graphics GmbH, Görlitz

*Editor-in-chief: Dr Axel Christian
authorised by the Staatliches Museum für Naturkunde Görlitz*

*Enquiries should be directed to:
ACARI
Dr Axel Christian
Staatliches Museum für Naturkunde Görlitz
PF 300 154, 02806 Görlitz, Germany*

*‘ACARI’
may be orderd through:
Staatliches Museum für Naturkunde Görlitz – Bibliothek
PF 300 154, 02806 Görlitz, Germany*

*Published by the Staatliches Museum für Naturkunde Görlitz
All rights reserved
Cover design by: E. Mättig
Printed by MAXROI Graphics GmbH, Görlitz, Germany*

Oribatida Nr. 38

Kerstin Franke
Staatliches Museum für Naturkunde Görlitz

Unter dem Titel „Oribatida“ wird jährlich eine Auflistung der neuesten Arbeiten über Oribatiden publiziert, soweit sie uns bekannt wurden. Die Zusendung Ihrer Publikationen als Sonderdruck oder Kopie sind die Basis unserer Datenbank und dieser Bibliographie. Vorschläge und Kritiken sind zur Verbesserung sehr willkommen.

Die Datenbank über oribatide Milben enthält gegenwärtig 9210 Datensätze zur Literatur und 5007 Datensätze zu den Taxa. Recherchen zur Literatur und zu den Taxa werden auf Wunsch nach Stichwörtern durchgeführt und die Abfrageergebnisse zugeschickt. **Die Literatur der Jahre 1995 bis 2004 ist in unserer Internetdatenbank frei recherchierbar. Die Bände 1 bis 5 der ACARI können als pdf kostenfrei heruntergeladen werden.**
<http://www.naturkundemuseum-goerlitz.de/acarologie/>

Wir sind bemüht, die Referenzsammlungen der Milbengruppen zu erweitern und interessiert an der Übernahme von determiniertem Milbenmaterial. Selbstverständlich können in den acarologischen Sammlungen des Staatlichen Museums für Naturkunde Görlitz auch weiterhin Typen und Paratypen hinterlegt werden. Durch die ständige wissenschaftliche und präparatorische Betreuung der umfangreichen Sammlungen durch derzeit 3 Wissenschaftler und technische Mitarbeiter ist ein hoher Bearbeitungsstand und eine gute Zugänglichkeit gewährleistet. **Die Typen sind mit ihren Originalbeschreibungen im Internet zugänglich.** <http://www.naturkundemuseum-goerlitz.de/acarologie/>

Under the title "Oribatida", the publications on oribatid mites are listed every year as far as they have come to our knowledge. Please help us to keep the literature database as complete as possible by sending us reprints or copies of all your papers on oribatid mites, or, if this is not possible, complete references so that we can include them in the list. Proposals for improvement and criticism are very welcome. Please inform us, if we have failed to list all your publications in the Bibliographia.

*The database about oribatid mites presently contains 9210 papers and 5007 taxa. Every scientist who sends keywords for investigations can receive a list of literature or taxa. **The literature from 1995 to 2004 is searchable on the Internet. The issues 1 to 5 of ACARI can be downloaded free of charge.*** <http://www.naturkundemuseum-goerlitz.de/acarologie/>

*We are presently endeavouring to extend the reference collections on mites and interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the State Museum of Natural History Görlitz will also remain possible in the future. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. **Types and the original descriptions are presented on the Internet.*** <http://www.naturkundemuseum-goerlitz.de/acarologie/>

Acarologische Literatur / *Acarological literature*

Literaturzitate in fett gedruckter Schrift enthalten Beschreibungen neuer Arten. Mit „*“ markierte Titel liegen nur als Zitat oder Kurzfassung vor. Die Adressen der Autoren sind im Teil Adressen zusammengestellt.

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "" were only found as a citation or abstract. The addresses of the corresponding authors are given in the section Addresses.*

Publikationen 2007 / *Publications 2007*

- BADJI, C.A. / GUEDES, R.N.C. / SILVA, A.A. / CORREA, A.S. / QUEIROZ, M.E.L.R. / MICHEREFF FILHO, M. (2007):* Non-target impact of deltamethrin on soil arthropods of maize fields under conventional and no-tillage cultivation. - J. Appl. Entomol. 131: 50-58
- BARAN, S. / AYYILDIZ, N. (2007): **Two new species of soil mites (Acari, Oribatida, Oppiidae and Machuellidae) from Turkey.** - *Zootaxa* 1445: 57-64
- BAYARTOGTOKH, B. (2007): **Oribatid mites of the family Astegistidae (Acari, Oribatida) in Mongolia.** - *Zootaxa* 1472: 55-68
- BEHAN-PELLETIER, V.M. / WALTER, D.E. (2007): ***Phylleremus* n. gen., from leaves of deciduous trees in eastern Australia (Oribatida, Licneremaeoidea).** - *Zootaxa* 1386: 1-17
- BOKHORST, S. / RONFORT, C. / HUISKES, A. / CONVEY, P. / AERTS, R. (2007):* Food choice of antarctic soil arthropods clarified by stable isotope signatures. - Polar Biology: im Druck / in press
- CHEN, J. / WANG, H.F. (2007): **Taxonomic study on the family Nippobodidae (Acari, Oribatida) from China.** - *Zootaxa* 1464: 45-63
- CHEPSTOW-LUSTY, A.J. / FROGLEY, M.R. / BAUER, B.S. / LENG, M.J. / CUNDY, A.B. / BOESSENKOOL, K.P. / GIODA, A. (2007): Evaluating socio-economic change in the Andes using oribatid mite abundances as indicators of domestic animal densities. - J. Archaeol. Sci.: im Druck / in press
- DOMES, K. (2007): Sukzession parthenogenetischer und sexueller Oribatiden: zwei Laborexperimente. - Mitt. AG Bodenmesofauna, Aachen 2006 22: 7-13
- DOMES, K. / NORTON, R.A. / MARAUN, M. / SCHEU, S. (2007): Reevolution of sexuality breaks Dollo's law. - PNAS 104,17: 7139-7144
- DOMES, K. / SCHEU, S. / MARAUN, M. (2007): Resources and sex: soil re-colonization by sexual and parthenogenetic oribatid mites. - Pedobiologia 51: 1-11
- ERDMANN, G. / OTTE, V. / LANGEL, R. / SCHEU, S. / MARAUN, M. (2007): The trophic structure of bark-living oribatid mite communities analysed with stable isotopes (¹⁵N, ¹³C) indicates strong niche differentiation. - Exp. Appl. Acarol. 41: 1-10
- HAWES, T.C. / BALE, J.S. / WORLAND, R. / CONVEY, P. (2007):* Plasticity and superplasticity in the acclimation potential of the antarctic mite *Halozetes belgae* (Michael). - J. exp. Biol. 210: 593-601
- HEETHOFF, M. / DOMES, K. / LAUMANN, M. / MARAUN, M. / NORTON, R.A. / SCHEU, S. (2007):* High genetic divergences indicate ancient separation of parthenogenetic lineages of the oribatid mite *Platynothrus peltifer* (Acari, Oribatida). - J. Evol. Biol. 20,1: 392-402
- LENOIR, L. / PERSSON, T. / BENGTTSSON, J. / WALLANDER, H. / WIREN, A. (2007): Bottom-up or top-down control in forest soil microcosms? Effects of soil fauna on fungal biomass and C/N mineralisation. - Biol. Fertil. Soils 43: 281-294
- LAUMANN, M. / NORTON, R.A. / WEIGMANN, G. / SCHEU, S. / MARAUN, M. / HEETHOFF, M. (2007): Speciation in the parthenogenetic oribatid mite genus *Tectocepheus* (Acari, Oribatida) as indicated by molecular phylogeny. - Pedobiologia 51: 111-122
- LINDO, Z. / WINCHESTER, N.N. (2007): Resident corticolous oribatid mites (Acari, Oribatida): decay in community similarity with distance from the ground. - Ecoscience 14,2: 223-229
- LINDO, Z. / WINCHESTER, N.N. (2007): Local-regional boundary shifts in oribatid mite (Acari, Oribatida) communities: species area relationships in arboreal habitat islands of a coastal temperate rain forest, Vancouver Island, Canada. - J. Biogeogr.: 1-11

- MAHUNKA, S. (2007): **Taxonomical and faunistical studies on oribatids deriving from Kenya (Acari, Oribatida)**. - *Acta zool. hung.* **53,1**: 51-74
- MARAUN, M. / SCHATZ, H. / SCHEU, S. (2007): Awesome or ordinary? Global diversity patterns of oribatid mites. - *Ecogeography* 30: 209-216
- MINOR, M.A. / CIANCIOLO, J.M. (2007):* Diversity of soil mites (Acari, Oribatida, Mesostigmata) along a gradient of land use types in New York. - *Appl. Soil Ecol.* 35: 140-153
- MURVANIDZE, M. / WEIGMANN, G. (2007): **New Carabodidae (Acari, Oribatida) of Georgia**. - *Tijdschr. Entomol.* **150**: 193-200
- SAPORITO, R.A. / DONNELLY, M.A. / NORTON, R.A. / GARRAFFO, H.M. / SPANDE, T.F. / DALY, J.W. (2007): Oribatid mites as a major dietary source for alkaloids in poison frogs. - *PNAS* 104,21: 8885-8890
- SCHEU, S. / DROSSEL, B. (2007):* Sexual reproduction prevails in a world of structured resources in short supply. - *Proc. Roy. Irish Acad. (B)* 274: 1225-1231
- SCHNEIDER, K. / SCHEU, S. / MARAUN, M. (2007):* Microarthropod density and diversity respond little to spatial isolation. - *Basic Appl. Ecol.* 8: 26-35
- SCHOLZ-STARKE, B. (2007): Struktur und Variabilität von Mikroarthropodenzönosen in terrestrischen Modellökosystemen (TME). - *Mitt. AG Bodenmesofauna, Aachen* 2006 22: 15-26
- SOKOLOWSKA, M. / SKUBALA, P. (2007): Assessing of microarthropod numbers in dead wood in polish forests. [Orig. Pol.] - *Zesz. Nauk., Polud. - Wschodni Oddzial Polsk. Towar. Inzynierii Ekol. z siedziba w Rzeszowie Polskie Towarzystwo Gleboznawcze, Oddzial w Rzeszowie* 9: 85-90
- STARZOMSKI, B.M. / SRIVASTAVA, D.S. (2007):* Landscape geometry determines community response to disturbance. - *Oikos* 116: 690-699
- SZYWILEWSKA-SZCZYKUTOWICZ, A. / OLSZANOWSKI, Z. (2007):* Redescription of *C. Willmann's* holarctic species of the genus *Trhypochthonius* (Acari, Oribatida, Trhypochthoniidae). - *Zootaxa* 1406: 17-24
- THEIBEN, B. (2007): Degradationsgeschwindigkeit von Oribatiden - ein Freilandexperiment. - *Mitt. AG Bodenmesofauna, Aachen* 2006 22: 27-36

Publikationen 2006 / Publications 2006

- ADDISON, J.A. / OTVOS, I.S. / BATTIGELLI, J.P. / CONDER, N. (2006):* Does aerial spraying of *Bacillus thuringiensis* subsp. *kurstaki* (Btk.) pose a risk to nontarget soil microarthropods? - *Can. J. Forest Res.* 36,6: 1610-1620
- ALTESOR, A. / PINEIRO, G. / LEZAMA, F. / JACKSON, R.B. / SARASOLA, M. / PARUELO, J.M. (2006):* Ecosystem changes associated with grazing in subhumid South American grasslands. - *J. Veget. Sci.* 17,3: 323-332
- ANDRES, P. / MATEOS, E. (2006):* Soil mesofaunal responses to post-mining restoration treatments. - *Appl. Soil Ecol.* 33,1: 67-78
- AOKI, J.-I. (2006): **New and newly recorded oribatid mites (Arachnida, Acari, Oribatida) from the Ryukyu Islands, Japan**. - *Bull. Natn. Sci. Mus., Tokyo, Ser. A* **32,3**: 105-124
- AOKI, J.-I. (2006): **Oribatid mites collected from drift litter on the beach of Daikiku-jima Island, Hokkaido (Acari, Oribatida)**. - *Bull. Kanagawa prefect. Mus. (Nat. Sci.)* **35**: 61-65
- ARROYO, J. / ITTURRONDOBEITIA, J.C. (2006): Differences in the diversity of oribatid mite communities in forests and agrosystems lands. - *Eur. J. Soil Biol.* 42: 259-269
- BADEJO, M.A. / AKINWOLE, P.O. (2006):* Microenvironmental preferences of oribatid mite species on the floor of a tropical rainforest. - *Exp. Appl. Acarol.* 40,2: 145-156
- BARRATT, B.I.P. / TOZER, P.A. / WIEDEMER, R.L. / FERGUSON, C.M. / JOHNSTONE, P.D. (2006):* Effect of fire on microarthropods in New Zealand indigenous grassland. - *Rangeland Ecol. Manag.* 59: 383-391
- BAYUBAY, A.L.G. / CORPUZ-RAROS, L.A. (2006):* Taxonomic survey of mites and sap-sucking insects associated with cassava especially in commercial plantations in Isabela Province, Philippines. - *Philipp. Entomol.* 20: 102-125
- BEDANO, J.C. / CANTU, M.P. / DOUCET, M.E. (2006):* Influence of three different land management practices on soil mite (Arachnida, Acari) densities in relation to a natural soil. - *Appl. Soil Ecol.* 32,3: 293-304
- BERCH, S.M. / BROCKLEY, R.P. / BATTIGELLI, J.P. / HAGERMAN, S. / HOLL, B. (2006):* Impacts of repeated fertilization on components of the soil biota under a young lodgepole pine stand in the interior of British Columbia. - *Can. J. Forest Res.* 36,6: 1415-1426

- CARUSO, T. / MIGLIORINI, M. (2006):* Micro-arthropod communities under human disturbance: Is taxonomic aggregation a valuable tool for detecting multivariate change? Evidence from mediterranean soil oribatid coenoses. - *Acta Oecol.* 30: 46-53
- CHACHAJ, B. / SENICZAK, S. (2006):* Seasonal dynamics of density of Oribatida (Acari) in a lowland meadow and pastures. - *Biol. Lett.* 43: 145-149
- CIANCIOLO, J.M. / NORTON, R.A. (2006): The ecological distribution of reproductive mode in oribatid mites, as related to biological complexity. - *Exp. Appl. Acarol.* 40: 1-25
- CLASSEN, A.T. / DEMARCO, J. / HART, S.C. / WHITHAM, T.G. / COBB, N.S. / KOCH, G.W. (2006):* Impacts of herbivorous insects on decomposer communities during the early stages of primary succession in a semiarid woodland. - *Soil. Biol. & Biochem.* 38: 972-982
- DEERE, J.A. / SINCLAIR, B.J. / MARSHALL, D.J. / CHOWN, S.L. (2006):* Phenotypic plasticity of thermal tolerances in five oribatid mite species from sub-antarctic Marion Island. - *J. Insect Physiol.* 52,7: 693-700
- ERDMANN, G. / FLOREN, A. / LINSENMAIR, K.E. / SCHEU, S. / MARAUN, M. (2006): Little effect of forest age on oribatid mites on the bark of trees. - *Pedobiologia* 50: 433-441
- ERMILOV, S.G. (2006):* The life cycle of *Hydrozetes lemnae* (Oribatei, Hydrozetidae). - *Zool. Zh.* 85,7: 853-858
- FAGAN, L.L. / DIDHAM, R.K. / WINCHESTER, N.N. / BEHAN-PELLETIER, V. / CLAYTON, M. / LINDQUIST, E. / RING, R.A. (2006): An experimental assessment of biodiversity and species turnover in terrestrial vs canopy leaf litter. - *Oecologia* 147,2: 335-347
- FISK, M.C. / KESSLER, W.R. / GOODALE, A. / FAHEY, T.J. / GROFFMAN, P.M. / DRISCOLL, C.T. (2006): Landscape variation in microarthropod response to calcium addition in a northern hardwood forest ecosystem. - *Pedobiologia* 50,1: 69-78
- FUJIKAWA, T. (2006): Oribatid mites (Acari, Oribatida) from World Cultural Heritage Area in Miyajima, Japan. - *Edaphologia* 80: 1-24**
- FUJIKAWA, T. / ISHIKAWA, K. / SHIBA, M. / ONO, H. / MORIKAWA, K. / TAMURA, H. / NAKAMURA, Y. (2006): Soil animals from 88 temples in Shikoku Island 4. Morphological variation in the nineteen known species of oribatid mites. - *Edaphologia* 79: 1-22
- HASEGAWA, M. / ITO, M. / KITAYAMA, K. (2006):* Community structure of oribatid mites in relation to elevation and geology on the slope of Mount Kinabalu, Sabah, Malaysia. - *Eur. J. Soil Biol.* 42, Suppl.1: 191-196
- HAWES, T.C. / BALE, J.S. / CONVEY, P. / WORLAND, R. (2006):* Ecologically realistic modalities in arthropod supercooling point distributions. - *Eur. J. Entomol.* 103: 717-723
- HEETHOFF, M. / BERGMANN, P. / NORTON, R.A. (2006): Karyology and sex determination of oribatid mites. - *Acarologia* 46,1-2: 127-131
- HEETHOFF, M. / LAUMANN, M. / BERGMANN, P. (2006): Adding to the reproductive biology of the parthenogenetic oribatid mite *Archezogozetes longisetosus* (Acari, Oribatida, Trhypochthoniidae). - *Turk. J. Zool.*: im Druck/ in press
- IVAN, O. / CALUGAR, A. / VASILIU, N. (2006): A survey of the edaphic mites fauna (Acari, Oribatida, Gamasina) from the main types of forest ecosystems in the Danube Delta Biosphere Reserve. - *Sc. Annals of DDI* 12: 45-54
- IVAN, O. / VASILIU, N. (2006): Diversity and distribution of the oribatid mites (Acari, Oribatida) in the forest ecosystems from the middle section of the Prut riverside. - *Sc. Annals of DDI* 12: 55-64
- JOHNSTON, J.M. (2006): Diversity surfaces and species wave fronts in a soil microarthropod assemblage: adding the dimension of time. - *Pedobiologia* 50,6: 527-533
- KARASAWA, S. (2006):* Diversity of oribatid-mite communities (Acari, Oribatida) in suspended soils. - *Edaphologia* 79: 27-40
- KARASAWA, S. / HIJII, N. (2006): Does the existence of bird's nest ferns enhance the diversity of oribatid (Acari, Oribatida) communities in a subtropical forest? - *Biodivers. Conserv.* 15: 4533-4553
- KARASAWA, S. / HIJII, N. (2006): Effects of distribution and structural traits of bird's nest ferns (*Asplenium nidus*) on oribatid (Acari, Oribatida) communities in a subtropical Japanese forest. - *J. Trop. Ecol.* 22,2: 213-222
- KREIBICH, E. / ALBERTI, G. (2006): Reactions of oribatid mites (Acari, Oribatida) to changed forestry methods in the lowlands of northeastern Germany. - *Fragm. Faun.* 49,2: 133-151

- KREIBICH, E. / ALBERTI, G. (2006): The influence of different age stages of forest stands on the oribatid mite community. - Abh. Ber. Naturkundemus. Görlitz 78,1: 19-30
- KRIVOLUTSKY, D.A. / KARPPINEN, E. (2006):* Oribatid mites of Zetomotrichidae - family in arid zone of Palaearctic. [Orig. Russ.] - Arid Ecosystem 12,29: 59-62
- KUPERMAN, R.G. / PHILLIPS, C.T. / CHECKAI, R.T. (2006): Toxicity of chemical warfare agent HD (mustard) to the soil microinvertebrate community in natural soils with contrasting properties. - Pedobiologia 50,6: 535-542
- KUTY, M. (2006): *Nothrus olszanowskii* and *Nothrus pallidus* (Acari, Oribatida, Nothridae) new crotonioid mites from Ecuador. - Ann. Zool. 56,4: 799-804**
- LINDBERG, N. / BENGTSOON, J. (2006):* Recovery of forest soil fauna diversity and composition after repeated summer droughts. - Oikos 114: 494-506
- MAHGOOB, A.E.A. / THARWAT, M.E. / KILANY, S.O. / HAFEZ, T.S. (2006):* Mite fauna associated with some domestic and wild agricultural animals and their habitat in Egypt. - Arab Univ. J. Agric. Sci. 14,1: 475-490
- MAHUNKA, S. (2006): Oribatids from the Carpathian Basin with zoogeographical and taxonomical notes (Acari, Oribatida). - Opusc. Zool. Budapest 35(2004): 63-72**
- MAHUNKA, S. (2006): Some interesting beetle mites from Pacific Islands collected by Antonius van Harten (Acari, Oribatida) (Acarologica Genavensia CVIII). - Rev. suisse Zool. 113,3: 579-593**
- MAHUNKA, S. (2006): Oribatid mites (Acari, Oribatida) from Venezuela. II. New or rare species from montane forests. - Acta zool. hung. 52,3: 271-286**
- MAHUNKA, S. (2006): Oribatids from Maramures (Romania, Transylvania) (Acari, Oribatida). - Studia Univ. Vasile Goldis, Seria St. Vietii 17: 59-75**
- MAHUNKA, S. / MAHUNKA-PAPP, L. (2006): Oribatids from Switzerland XII (Acari, Oribatida: Ceratozetoidea 1 (Acarologica Genavensia CV). - Arch. Sci. Genève 59,1: 1-8**
- MAHUNKA, S./ MAHUNKA-PAPP, L. (2006): Oribatids from Switzerland XIII (Acari, Oribatida, Brachychthoniidae). (Acarologica Genavensia CVII). - Rev. suisse Zool. 113,4: 841-856**
- MEEHAN, T.D. (2006):* Mass and temperature dependence of metabolic rate in litter and soil invertebrates. - Physiol. Biochem. Zool. 79,5: 878-884
- MORDKOVICH, V.G. / BEREZINA, O.G. / LYUBECHANSKII, I.I. / ANDRIEVSKII, V.S. / MARCHENKO, I.I. (2006):* Transformation of soil organic matter in microarthropod community from the Northern Taiga of West Siberia. - Biology, Bull. Russ. Acad. Sci. 33: 81-86
- NAKAMURA, Y. / ISHIKAWA, K. / SHIBA, M. / FUJIKAWA, T. / ONO, H. / TAMURA, H. / MORIKAWA, K. (2006): Soil animals of the 88 Buddhist temples in Shikoku Island. [Orig. Jpn.] - Mem. Fac. Agr., Ehime Univ. 51: 25-48
- NIEDBALA, W. (2006): Supplement to the knowledge of ptyctimous mites (Acari, Oribatida) from Australian region. - Ann. Zool. 56, Suppl. 1: 99-156**
- NIEDBALA, W. (2006): Ptyctimous mites (Acari, Oribatida) of South Africa. - Ann. Zool. 56, Suppl. 1: 1-97**
- NIEDBALA, W. (2006): Four new species of ptyctimous mites (Acari, Oribatida) from Mesoamerica. - Ann. Zool. 56,4: 791-797**
- NIEDBALA, W. / CORPUZ-RAROS, L.A. / GRUEZO, W. S. (2006): Ptyctimous mites mainly from Samar island of the Philippines (Acari, Oribatida). - Genus 17,3: 449-470**
- NIEDBALA, W. / PENTTINEN, R. (2006): Two zoogeographically remarkable mite species from Finland (Acari, Oribatida, Oribotritiidae). - J. Nat. Hist. 40,5-6: 265-272**
- NORTON, R.A. (2006): First record of *Collohmanna* (*C. schusteri* n. sp.) and *Hermannia* (*H. sellnicki* n. sp.) from Baltic amber, with notes on Sellnick's genera of fossil oribatid mites (Acari, Oribatida). - Acarologia 46,1-2: 111-125**
- ORANGE, A. (2006):* *Adelphacarus sellnicki* Grandjean (Acari, Oribatida) new to Britain, as a herbarium pest. - Entomol. monthly Mag. 142: 169-173
- OSLER, G.H.R. / KORYCINSKA, A. / COLE, L. (2006):* Differences in litter mass change mite assemblage structure on a deciduous forest floor. - Ecogeography 29: 811-818

- OSLER, G.H.R. / COLE, L. / KEITH, A.M. (2006): Changes in oribatid mite community structure associated with the succession from heather (*Calluna vulgaris*) moorland to birch (*Betula pubescens*) woodland. - *Pedobiologia* 50,4: 323-330
- PERNIN, C. / AMBROSI, J.P. / CORTET, J. / JOFFRE, R. / LE PETIT, L. / TABONE, E. / TORRE, F. / KROGH, P.H. (2006):* Effects of sewage sludge and copper enrichment on both soil mesofauna community and decomposition of oak leaves (*Quercus suber* L.) in a mesocosm. - *Biol. Fertil. Soils* 43: 39-50
- PERNIN, C. / CORTET, J. / JOFFRE, R. / LE PETIT, L. / TORRE, F. (2006):* Sewage sludge effects on mesofauna and cork oak (*Quercus suber* L.) leaves decomposition in a mediterranean forest firebreak. - *J. Environ. Quality* 35: 2283-2292
- PESCHEL, K. / NORTON, R.A. / SCHEU, S. / MARAUN, M. (2006): Do oribatid mites live in enemy-free space? Evidence from feeding experiments with the predatory mite *Pergamasus septentrionalis*. - *Soil Biol. Biochem.* 38: 2985-2989
- RASPOTNIG, G. (2006): Chemical alarm and defence in the oribatid mite *Collohmanna gigantea* (Acari, Oribatida). - *Exp. Appl. Acarol.* 39,3-4: 177-194
- RASPOTNIG, G. (2006): Characterisation of monophyletic oribatid groups by oil gland chemistry - a novel systematic approach in Oribatida (Acari). - *Abh. Ber. Naturkundemus. Görlitz* 78,1: 31-46
- ROMBKE, J. / HOFER, H. / GARCIA, M.V.B. / MARTIUS, C. (2006):* Feeding activities of soil organisms at four different forest sites in central Amazonia using the bait lamina method. - *J. Trop. Ecol.* 22,3: 313-320
- SALMON, S. / MANTEL, J. / FRIZZERA, L. / ZANELLA, A. (2006):* Changes in humus forms and soil animal communities in two developmental phases of Norway spruce on an acidic substrate. - *For. Ecol. Manag.* 237: 47-56
- SANYAL, A.K. (2006):* Records of soil inhabiting oribatid mites (Acari, Oribatei) in the Sundarban Delta of West Bengal, India. - *Rec. zool. Surv. India* 106,1: 11-31
- SANYAL, A.K. (2006):* Oribatid mites (Acari, Oribatei). In: Alfred, J.R.B. (Ed.), *Fauna of Nagaland*. [State Fauna Series 12]. - *Zool. Surv. India, Calcutta*: 389-392
- SANYAL, A.K. / SARKAR, B.J. / MOITRA, M.N. (2006):* Oribatid mites (Acari, Oribatei). In: Alfred, J.R.B. (Ed.), *Fauna of Arunachal Pradesh. Part 2*. [State Fauna Series 13]. - *Zool. Surv. India, New Delhi*: 467-478
- SANYAL, A.K. / SUSMITA, S. / CHAKRABORTI, S. (2006):* New species of the genus *Graptoppia* (Acarina, Oribatida, Oppiidae) from Tripura, India. - *Zoos' Print J.* 21: 2471-2472
- SAWAHATA, T. (2006):* Oribatid mites collected from fruit bodies and hyphal mats of ectomycorrhizal fungi in a Japanese beech forest. - *Edaphologia* 79: 23-26
- SCHATZ, H. (2006): Hornmilben (Acari, Oribatida). - In: GEO-Tag der Artenvielfalt 2006 am Fuß der Vajolettürme (Rosengarten, Gemeinde Tiers, Südtirol, Italien). - *Gredleriana* 6: 431-434
- SCHATZ, H. (2006): Catalogue of known oribatid mite species (Acari, Oribatida) from the Central American landbridge (First part). - *Trop. Zool.* 19,2: 209-288
- SCHATZ, H. / MCALOON, F.M. / HAGAN, D.F. (2006):* **A new species of oribatid mite, *Eremaeozetes rogersi* n. sp. (Acari, Oribatida) from sandstone outcrops in Georgia, USA.** - *Acarologia* 46,3-4: 243-249
- SCHATZ, H. / SCHATZ, I. / PFALLER, K. / SALVENMOSER, W. (2006): Cuticuläre Feinstrukturen der Hornmilbe *Xenillus athesis* Schatz, 2004 (Acari, Oribatida), einer neuen Tierart aus Südtirol (Prov. Bozen, Italien). - *Gredleriana* 6: 395-400
- SKUBALA, P. / MARZEC, A. / SOKOLOWSKA, M. (2006):* Accidental acarophagy: mites found on fruits, vegetables and mushrooms. - *Biol. Lett.* 43,2: 249-255
- SENICZAK, A. (2006):* The effect of density on life-history parameters and morphology of *Archezogetes longisetosus* Aoki, 1965 (Acari, Oribatida) in laboratory conditions. - *Biol. Lett.* 43,2: 209-213
- SENICZAK, A. / SENICZAK, S. / KOBIERSKI, M. (2006):* Long-term effect of cadmium on the oribatid mite *Archezogetes longisetosus* Aoki, 1965 in laboratory conditions. - *Biol. Lett.* 43,2: 237-242
- SENICZAK, A. / SOLHÖY, T. / SENICZAK, S. (2006):* Oribatid mites (Acari, Oribatida) in the glacier foreland at Hardangerjøkulen (Norway). - *Biol. Lett.* 43,2: 231-235
- SENICZAK, S. / BUKOWSKI, G. / SENICZAK, A. / BUKOWSKA, H. (2006):* Soil Oribatida (Acari) of ecotones between Scots pine forest and lakes in the National Park "Bory Tucholskie". - *Biol. Lett.* 43,2: 221-225
- SENICZAK, S. / CHACHAJ, B. / WASINSKA, B. / GRACZYK, R. (2006):* Effect of ammonia water on seasonal dynamics of the density of Oribatida (Acari) in a lowland meadow. - *Biol. Lett.* 43,2: 227-230

- SENICZAK, S. / SENICZAK, A. (2006):* Oribatid mites (Acari) of some habitats on Rhodes Island (Greece). - Biol. Lett. 43,2: 215-219
- SHAKHAB, S.V. (2006):* Oribatid mites (Oribatei, Acariformes) from nests of passerine birds. - Zool. Zh. 85,8: 1025-1028
- SKUBAŁA, P. (2006): Reclamation on post-industrial dumps and development of mite fauna of the order Oribatida. Case studies on dumps in Czeladz, Murcki and Brzeszcze. [Orig. Pol.] - Probl. Ekologii 10,2: 85-89
- SKUBAŁA, P. (2006): Oribatid mite fauna (Acari, Oribatida) in selected biotopes of the Silesian Botanical Park at Mikolow. - Adv. Pol. Acad., Wydawnictwo SGGW, Warszawa : 356-366
- SKUBAŁA, P. (2006): Do we really need land reclamation on dumps? (Oribatid fauna case studies) - Adv. Pol. Acad., Wydawnictwo SGGW, Warszawa: 367-374
- SKUBAŁA, P. / MARZEC, A. / SOKOLOWSKA, M. (2006): Accidental acarophagy: mites found on fruits, vegetables and mushrooms. - Biol. Lett. 43,2: 249-255
- SKUBAŁA, P. / SOKOLOWSKA, M. (2006): Oribatid fauna (Acari, Oribatida) in fallen spruce trees in the Babia Góra National Park. - Biol. Lett. 43,2: 243-248
- SMELANSKY, I.E. (2006): Oribatid mites (Acari, Oribatida) of the south Ural steppes. [Orig. Russ.] - Evraziatskii Entomol. Zh. 5,1: 1-11
- SMELANSKY, I.E. (2006): Some population characteristics of oribatid mites in steppe habitats. - Acarina 14,1: 123-130
- SMRŽ, J. (2006): Types of haemocytes in saprophagous soil mites (Acari, Oribatida, Acaridida), and the correlation between their presence and certain processes within mites. - Eur. J. Entomol. 103: 679-686
- ST. JOHN, M.G. / WALL, D.H. / BEHAN-PELLETIER, V.M. (2006): Does plant species co-occurrence influence soil mite diversity? - Ecology 87,3: 625-633
- TOLUK, A. / AYYILDIZ, N. (2006): Two lohmanniid species (Acari, Oribatida, Lohmannidae) recorded from Ali Mountain (Kayseri). [Orig. Turk.] - Türk. entomol. derg. 30,2: 151-159
- WALTON, B.M. / TSATIRIS, D. / RIVERA-SOSTRE, M. (2006): Salamanders in forest-floor food webs: invertebrate species composition influences top-down effects. - Pedobiologia 50,4: 313-321
- WAUTHY, G. (2006):* Remarques sur les Chélicérates, les acariens et deux nouvelles espèces d'acariens cavernicoles de Belgique. - Eco Karst 65: 5-8
- WAUTHY, G. / DUCARME, X. (2006): Description of *Hypogeoppia belgicae*, a new species of cave mite (Acari, Oribatida), and comments on some characters. - Belg. J. Zool. 136,2: 203-218**
- WEIGMANN, G. / DEICHSEL, R. (2006): 4. Acari: Limnic Oribatida. In: Gerecke, R. (Ed.), Chelicerata, Araneae, Acari I. Süßwasserfauna von Mitteleuropa. - Spektrum, München 7,2-1: 89-112
- XAVIER, A. / HAQ, M.A. (2006): Reproductive biology and life history stages of *Haplacarus davisi* Xavier, 2005 (Acari, Oribatei). - Zoots-Print J. 21,6: 2272-2276
- ZAITSEV, A.S. / WOLTERS, V. (2006):* Geographic determinants of oribatid mite communities structure and diversity across Europe: a longitudinal perspective. - Eur. J. Soil Biol. 42, Suppl. 1: 358-361
- ZAITSEV, A.S. / WOLTERS, V. / WALDHARDT, R. / DAUBER, J. (2006):* Long-term succession of oribatid mites after conversion of croplands to grasslands. - Appl Soil Ecol. 34: 230-239

Publikationen, Ergänzungen 2005 / Publications, additions 2005

- ARROYO, J. / ITURRONDOBEITIA, J.C. / RAD, C. / GONZALEZ-CARCEDO, S. (2005): Oribatid mite (Acari) community structure in steppic habitats of Burgos Province, central northern Spain. - J. Nat. Hist. 39,39: 3453-3470
- BEDANO, J.C. / CANTU, M.P. / DOUCET, M.E. (2005):* Abundance of soil mites (Arachnida, Acari) in a natural soil of central Argentina. - Zool. Stud. 44,4: 505-512
- BINOTTI, R.S. / OLIVEIRA, C.H. / SANTOS, J.C. / BINOTTI, C.S. / MUNIZ, J.R.O. / PRADO, A.P. (2005):* Survey of acarini fauna in dust samplings of curtains in the city of Campinas, Brazil. - Braz. J. Biol. 65,1: 25-28
- CARUSO, T. / LA DIEGA, R.N. / BERNINI, F. (2005):* The effects of spatial scale on the assessment of soil fauna diversity: data from the oribatid mite community of the Pelagian Islands (Sicilian Channel, southern Mediterranean). - Acta Oecol. 28,1: 23-31
- CHACHAJ, B. / SENICZAK, S. (2005):* The influence of sheep, cattle and horse grazing on soil mites (Acari) of lowland meadows. - Fol. Biol., Cracow 53, Suppl.: 127-132

- CIARKOWSKA, K. / GAMBUS, F. (2005):* Micromorphometric characteristics of upper layers of soils contaminated by heavy metals in the vicinity of a zinc and lead ore plant. - Pol. J. Environ. Stud. 14,4: 417-421
- CORPUZ-RAROS, L.A. (2005):* Checklist and bibliography of philippine Acari (Arachnida), 1844-2005. - Philipp. Entomol. 19,2: 99-167
- CORPUZ-RAROS, L.A. / GARCIA, R.C. / RABARA-BRAVO, C.R. / NAVASERO, M.M. (2005):* **New host and geographic records of philippine plant mites (Acari) mainly on ornamental plant: II. Acaridida and Oribatida, including some new species records.** - Asia Life Sci. 14,2: 163-177
- CORPUZ-RAROS, L.A. / GRUEZO, W.S. (2005):* **Preliminary list of soil mites (Acari) from the Samar Island Natural Park, Philippines with description of a new species and a new record of Oribatida.** - Asia Life Sci. 14,2: 191-206
- CORPUZ-RAROS, L.A. / LIT, I.L. (2005):* **Some soil-inhabiting mites (Acari) from Polillo Island, Philippines, with descriptions of two new species of oribatids (Oribatida).** - Asia Life Sci. 14,2: 179-190
- DOMEK-CHRUSCICKA, K. / SENICZAK, S. (2005):* The effect of pig liquid manure fertilization on the crop of alternating grassland and some groups of soil mesofauna. - Fol. Biol., Cracow 53, Suppl.: 139-143
- ELMER, M. / LA FRANCE, M. / FORSTER, G. / ROTH, M. (2005):* Can silvicultural conversion counteract the negative effects of pure spruce stands on soil biota and soil processes? - Forst und Holz 60,7: 284-286
- FRANKLIN, E. / MAGNUSSON, W.E. / LUIZAO, F.J. (2005):* Relative effects of biotic and abiotic factors on the composition of soil invertebrate communities in an Amazonian savanna. - Appl. Soil Ecol. 29,3: 259-273
- GROBLER, L. / BAYRAM, S. / SOBANOGLU, S. (2005):* Two new records of *Oribatula* (*Zygoribatula*) species (Acari, Oribatida) from Turkey, with redescription. - Zool. Sci. 22,12: 1347-1351
- GUZMAN-SANCHEZ, H. / IGLESIAS MENDOZA, R. (2005):* Los acaros (Acari, Oribatida) de los sotanos "El Tepozan" y "El Venado", San Luis Potosi, Mexico. - Mundos Subterr. 16: 24-25
- KANEKO, N. / SUGAWARA, Y. / MIYAMOTO, T. / HASEGAWA, M. / HIURA, T. (2005): Oribatid mite community structure and tree species diversity: a link? - Pedobiologia 49,6: 521-528
- KNOEPP, J.D. / REYNOLDS, B.C. / CROSSLEY, D.A. / SWANK, W.T. (2005):* Long-term changes in forest floor processes in southern Appalachian forests. - Forest Ecol. Manag. 220,1-3: 300-312
- KOSUGE, K. (2005): Oribatid mites in Hitorizawa community woods, Yokohama. [Orig. Jpn.] - Nat. Hist. Rep. Kanagawa 26: 115-118
- LIN, Y.-H. / SUN, J.-B. / ZHENG, G.-H. / ZHANG, F.-D. / SUN, L. / JIN, S. (2005):* Dynamic change of soil fauna and its function on forest litter decomposition at Maorshan forest region. - J. Northeast Forest. Univ. 33,6: 33-36
- MIAO, Y. / YIN, X. (2005):* Study on soil animals community of *Pinus koraiensis* broad-leaved mixed forest in Xiaoxing' a mountain. - Scientia Silvae Sinicae 41,2: 204-209
- MORAZA, M.L. / PENA, M.A. (2005): Oribatid mites (Acari, Oribatida) in selected habitats of La Gomera (Canary Islands, Spain). - Boln. Asoc. esp. Ent. 29,1-2: 39-54
- MORAZA, M.L. / PENA, M.A. (2005): Oribatid mites (Acari, Oribatida) in selected habitats of Tenerife Island (Canary Islands, Spain). - Bol. de la SEA 36: 285-291
- PAGITZ, K. / HUEMER, P. / JEDINGER, A. (2005): GEO-Tag der Artenvielfalt 2005 in Tirol - Erhebungen im Naturpark Kaunergrat. - Ber. nat.-med. Verein Innsbruck 92: 243-348
- PECK, R.W. / NIWA, C.G. (2005): Longer-term effects of selective thinning on microarthropod communities in a late-successional coniferous forest. - Environ. Entomol. 34,3: 646-655
- PRINZING, A. (2005):* Corticolous arthropods under climatic fluctuations: compensation is more important than migration. - Ecogeography 28,1: 17-28
- RACHNA, G. / KUMKUM, W. / RANJANI, R. (2005):* Acarines as biocontrol agents of plant parasitic nematodes. In: Crop protection: management strategies. - Daya Publ. House, Delhi: 526-534
- ROBSON, T. / MATTHEW, P. / SCOPEL, V.A. / FLINT, A.L. / CALDWELL, S.D. / MARTYN, M. (2005):* Solar UV-B influences microfaunal community composition in a Tierra del Fuego peatland. - Soil Biol. Biochem. 37,12: 2205-2215
- ROY, S. / SRIVASTAV, A.K. / ROY, M.M. (2005):* Abundance of collembolans and mites in *Albizia amara* based silvipasture in Bundelkhand. - Indian J. Forest. 28,2: 150-155
- SANYAL, A.K. (2005):* New records of oribatid mites (Acari) from Bangladesh. - Rec. Zool. Surv. India 105,3-4: 85-91

- SCHWARTS, E.S. (2005):* Specific features of structure and dynamics of Oribatei communities in the course of plant residue decomposition in different biotopes. [Orig. Russ.] - Zool. Zh. 84: 795-802
- SENICZAK, S. / BUKOWSKI, G. / BUKOWSKA, H. / SENICZAK, A. / KOBIERSKI, M. (2005):* The mites (Acari) of ecotone between Scots pine forest and lobelias Wielkie Gacno lake. [Orig. Pol.] - Zesz. Nauk. ATR Bydgoszcz, Zootech. 35: 91-100
- SENICZAK, S. / BUKOWSKI, G. / BUKOWSKA, H. / SENICZAK, A. / KOBIERSKI, M. (2005):* The mites (Acari) of ecotone between Scots pine forest and lobelias Male Gacno lake. [Orig. Pol.] - Zesz. Nauk. ATR Bydgoszcz, Zootech. 35: 101-108
- SJURSEN, H. / MICHELSEN, A. / JONASSON, S. (2005):* Effects of long-term soil warming and fertilisation on microarthropod abundances in three sub-arctic ecosystems. - Appl. Soil Ecol. 30,3: 148-161
- SKUBALA, P. / MADEJ, G. / SOLARZ, K. / KLYS, G. (2005): Old mine underground galleries as the habitat for mites (Acari). In: Tajovský, I. / Schalghamerský, K. / Pizl, V. (Eds.), Contributions to Soil Zoology in Central Europe. - ISB AS CR, České Budejovice: 141-147
- SOKOLOWSKA, L. / SENICZAK, S. (2005):* The effect of cattle liquid manure fertilization on alternating grassland and some groups of soil mesofauna. - Fol. Biol., Cracow 53, Suppl.: 133-137
- SPONGOSKI, S. / REIS, P.R. / ZACARIAS, M.S. (2005):* Acarofauna of cerrado's coffee crops in Patrocinio, Minas Gerais. [Orig. Port.] - Ciencia e Agrotecn., Univ. Fed. de Lavras 29,1: 9-17
- STARÝ, J. (2005):* New oribatid mites of the superfamily Galumnoidea (Acari, Oribatida) from the Republic of Congo. - Biologia, Bratislava 60,2: 113-119**
- STARÝ, J. (2005): Oribatid mites (Acari, Oribatida) of the Nature Reserve Jeleni bučina, Hrubý Jeseník Mts., Czech Republic. - Cas. Slez. Muz. Opava (A) 54: 131-140
- STARÝ, J. (2005):* Oribatid mite communities (Acari, Oribatida) of the locality Hamerska louka (northern Bohemia, Czech Republic). [Orig. Czech.] - Sb. Severoceskeho Muz. Prir. Vedy Sci. Nat. 24: 101-120
- STARÝ, J. (2005):* Records of oribatid mites (Acari, Oribatida) of the families Galumnidae, Galumnellidae and Parakalumnidae from Japan with description of two new species of the genus Pergalumna. - Biologia, Bratislava 60,2: 107-111**
- STARÝ, J. (2005): Contribution to the knowledge of oribatid mites (Acari, Oribatida) from the Malá Kotlina, Hrubý Jeseník Mts., Czech Republic. - Cas. Slez. Muz. Opava (A) 54: 121-130
- TAYLOR, A.R. / WOLTERS, V. (2005):* Responses of oribatid mite communities to summer drought: the influence of litter type and quality. - Soil. Biol. Biochem. 37,11: 2117-2130
- VILLAGRAN-MELLA, R. / CASANUEVA, M.E. / PARRA, L.E. (2005):* Mites in the parenchyma of *Juncus procerus* in marshy wetlands in the Bio Bio region, Chile. - Gayana 69,1: 22-26
- WIGGERS, M.S. / PRATT, P.D. / TIPPING, P.W. / WELBOURN, C. / CUDA, J.P. (2005):* Within-plant distribution and diversity of mites associated with the invasive plant *Schinus terebinthifolius* (Sapindales, Anacardiaceae) in Florida. - Environ. Entomol. 34,4: 953-962
- WILSON, E.O. (2005): Oribatid mite predation by small ants of the genus *Pheidole*. - Ins. Sociaux 52,3: 263-265
- WU, D.-H. / ZHANG, B. / CHEN, P. (2005):* Characteristics of soil mite community structures in the mid-west plain, Jilin Province. - Acta Zool. Sinica 51,3: 401-412
- XAVIER, A. / HAQ, M.A. / RAMANI, N. (2005): Description of two new species of Haplacarus (Acari, Oribatei) from Malabar. - Zootaxa 120,8: 1948-1951**

Publikationen, Ergänzungen 2004 / Publications, additions 2004

- ARABULI, T. (2004):* The quantitative dynamics of oribatid mites (Acari, Oribatida) in natural ecosystems (hornbeam (*Carpinus caucasica* Grossh.) forest). - Bull. Georg. Acad. Sci. 169,1: 169-171
- ARPITA, R. / SANYAL, A.K. / SANTRA, S.C. (2004):* Bio-monitoring of soil quality in agroecosystem with mites as indicator - a preliminary study. - Rec. Zool. Surv. India 218: 1-40
- ARROYO, J. / ITURRONDOBEITIA, J.C. (2004):* Variacion temporal y espacial de las comunidades oribatológicas (Acari, Oribatida) de Burgos (España). - Rev. Iber. Aracnol. 9: 307-317
- BARAN, S. / AYYILDIZ, N. (2004): *Oppia nitens* C.L. Koch, 1836, a new species for the Turkish fauna (Acari, Oribatida, Oppiidae). - Turk. J. Zool. 28,2: 111-113
- BATTIGELLI, J.P. / SPENCE, J.R. / LANGOR, D.W. / BERCH, S.M. (2004):* Short-term impact of forest soil compaction and organic matter removal on soil mesofauna density and oribatid mite diversity. - Can. J. Forest Res. 34,5: 1136-1149

- BEHAN-PELLETIER, V. (2004): Acariformes - Oribatida. In: Smith, I.M. / Lindquist, E.E. / Behan-Pelletier, V.: Mites (Acari). In: Smith, I.M. / Scudder, G.G. (Eds.), Assessment of species diversity in the Montane Cordillera Ecozone. - Ecological Monitoring and Assessment Network, Burlington: 1-19
- BEHAN-PELLETIER, V.M. / EAMER, B. (2004): Web Diversity of Oribatida in Canada. - Electronic publication: http://www.cbif.gc.ca/spp_pages/mites/phps/index_e.php
- CALUGAR, A. / IVAN, O. / MIHAI, V. / NICULAI, V. (2004/06): Diversity and distribution of the oribatid and gamasid (Acari, Oribatida, Gamasina) fauna in the forest and ecosystems of the Siret meadow. - An. Compl. Muz. Bucovina 17-19: 157-173
- CHMIELEWSKI, W. (2004):* Preliminary studies on mites (Acarina) infesting stored grain and other buckwheat products. - Fagopyrum 21: 117-121
- ERMILOV, S.G. / CHISTYAKOV, M.P. / RENZHINA, A.A. (2004):* Temperature effect on the development duration of *Trhypochthonius tectorum* Berlese, 1896 (Acariformes, Oribatei). - Povolzhskii Ekol. Zh. 1: 87-90
- GRISHINA, L.G. / KNOR, O.I. (2004):* Contribution to the fauna of primitive soil mites (Acariformes, Oribatei, Macropylina) in Russian and adjacent countries. - Evraziatskii Ent. Zh. 3,2: 93-95
- IVAN, O. (2004/06): Structural peculiarities of the oribatid mites (Acari, Oribatida) communities in the xero-thermal oak forests from south and south-eastern Romania. - An. Compl. Muz. Bucovina 17-19: 175-183
- KHALIL, M.A. / ABDEL-LATEIF, H.M. / AL-ASSIUTY, A.I. / ABD ALLA, S.M. (2004):* Ecological distribution of soil oribatid mites in relation of different gradients of lead contamination. - Egypt. J. Zool. 42: 155-171
- KRIVOLUTSKII, D.A. (2004):* The arboricular (tree habitat) oribatid mites as bioindicators of environment quality. - Dokl. Akad. Nauk 399,1: 134-137
- MAZYAD, S.A.M. / EL GARHY, M.F. (2004):* Laboratory and field studies on oribatid mites as intermediate host of *Moniezia expansa* infecting Egyptian sheep. - J. Egypt. Soc. Parasitol. 34,1: 305-314
- OZDEMR, A. / TURKOZAN, O. / ILGAZ, C. / MARTIN, R. (2004):* Nest site factors and invertebrate infestation of loggerhead turtle nests. - Isr. J. Zool. 50,4: 333-340
- PRINZING, A. / LENTZSCH, P. / VOIGT, F. / WOAS, S. (2004):* Habitat stratification stratifies a local population: ecomorphological evidence from a bisexual, mobile invertebrate (*Carabodes labyrinthicus*; Acari). - Ann. Zool. Fenn. 41,2: 399-412
- ROJAS ACUNA, L.A. / CAMACHO BUBERTH, G. (2004):* Pineapple (*Ananas comosus* L. Merr) cultivation under minimum tillage and conventional tillage in San Carlos, Costa Rica. [Orig. Span.] - Agron. Mesoamer. 15,2: 161-172
- RYABININ, N.A. (2004):* The history of oribatid mites study (Acariformes, Oribatida) in Russian Far East. - Chtheniya Pamyati Alekseya Ivanovicha Kurentsova 15: 122-130
- SANYAL, A.K. / SARKAR, B.J. (2004):* Diversity in soil oribatid (Acari) mites of Sikkim. - J. Environ. Sociobiol. 1,1-2: 29-34
- SATO, T. / HIRAUCHI, Y. / NOGUCHI, I. (2004):* Forest structure and oribatid mite fauna in Japanese horse chestnut (*Aesculus turbinata*) stand in Ainokura, Taira-mura, Toyama Prefecture. - Bull. Toyama Sci. Mus. 27: 61-67
- SMITH, I.M. / LINDQUIST, E.E. / BEHAN-PELLETIER, V. (2004): Mites (Acari). In: Smith, I.M. (Ed.), Assessment of species diversity in the mixedwood plains ecozone. - Ecological Monitoring and Assessment Network, Burlington: 1-38

Publikationen, Ergänzungen 2003 / Publications, additions 2003

- SANYAL, A.K. (2003):* Diversity in soil oribatid (Acari) mites of Tripura. - Rec. Zool. Surv. India 101,3-4: 55-60
- SMELANSKY, I.E. (2003): New records of oribatid mites from the families Gehypochthoniidae and Pediculochelidae (Acari, Oribatida) in Northern Eurasia. [Orig. Russ.] - Evraziatskii Entomol. Zh. 2,3: 181-183
- STARÝ, J. (2003):* Oribatid mites (Acari, Oribatida) of the Nature Reserve Podkovak, Cesky Ies Mts., Western Bohemia. [Orig. Tschech.] - Erica 11: 11-19

- THOMPSON, I.D. / LARSON, D.J. / MONTEVECCHI, W.A. (2003):* Characterization of old "wet boreal" forests, with an example from balsam fire forests of western Newfoundland. - Environ. Rev. 11, Suppl.1: 23-46
- THUNES, K.H. / SKARTVEIT, J. / GJEDRE, I. (2003):* The canopy arthropods of old and mature *Pinus sylvestris* in Norway. - Ecography 26,4: 490-502

Publikationen, Ergänzungen 2002 / Publications, additions 2002

- ANDRIEVSKIJ, V.S. / BAYARTOGTOKH, B. / GRISHINA, L.G. / SMELYANSKIJ, E. (2002):* Armoured mites of steppe ecosystems in central Asia and adjacent territories. In: Khmelev, V.A. (Ed.), Steppes of Inner Asia. [Orig. Russ.] - Siberian Branch of Russ. Acad. Sci., Novosibirsk: 201-296
- ZAITSEV, A.S. / CHAUVAT, M. / PFLUG, A. / WOLTERS, V. (2002):* Oribatid mite diversity and community dynamics in a spruce chronosequence. - Soil Biol. Biochem. 34,12: 1919-1927

Nomina Nova

Die Namen neuer Taxa werden hier veröffentlicht, sofern uns die Publikationen vorliegen. Eine Überprüfung ihrer Validität erfolgte nicht. Die Autoren von neuen Kombinationen und neuen Synonymen stehen in [eckigen Klammern].

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Typen-Informationen / Type-material informations as follows:

Austrocarabodes bituberculatus Aoki, 2006 (Seite / Page: 119¹) – TYPEN / TYPES: HT²+ 2 PT² - NSMT³

- 1 – erste Seite der Beschreibung / first page of the description
- 2 – Holotypus (HT), Anzahl der Paratypen (PT) oder Syntypen (ST) / holotype (HT), number of paratypes (PT) or syntypes (ST)
- 3 – Abkürzungen der Aufbewahrungsorte der neuen Arten, sofern sie in den Publikationen zitiert sind / Abbreviations of the places of storage of new species, as far as they were cited in the publications

Abkürzungen der Aufbewahrungsorte der neuen Arten / Abbreviations of the places of storage of new species

Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

Basel Natural History Museum, Basel, Switzerland

Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada

Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznan, Poland

Department of Zoology, University of Calicut, Kerala, India

Field Museum of Natural History, Chicago, USA

Geowissenschaftliches Zentrum Universität Göttingen, Göttingen, Germany

Hungarian Natural History Museum, Budapest, Hungary

Instituto Nacional de Biodiversidad, Santa Domingo, Costa Rica

Institute of Animal Systematic and Ecology, Siberian Division of the Russian Academy of Sciences, Novosibirsk, Russia

L'Institut Royal des Sciences Naturelles, Bruelles, Belgium

Institute of Zoology, Chinese Academy of Sciences, Beijing, China

Georgia LEP^L Institute of Zoology, Tbilisi, Georgia

Muséum d'Histoire Naturelle, Geneva, Switzerland

National Museum Bloemfontein, Bloemfontein, South Africa

National Science Museum, Tokyo, Japan

National University of Mongolia, Department of Zoology, Ulaan-baatar, Mongolia

University of Philippines, National Acarological Collection, Los Banos, Philippinen

Zoological Museum of Atatürk University, Erzurum, Turkey

Zoological Museum of Turku, Turku, Turkey

Zoological Museum, Moscow State University, Moscow, Russia

Neue Arten / New species

- Acrotritia munita* Niedbala, 2006 (Seite / Page: 22) – TYPEN / TYPES: HT - NMB, PT - DATE
- Arcoppia corniculifera* Mahunka, 2006 (Seite / Page: 580) – TYPEN / TYPES: HT + 2 PT - MHNG, 2 PT - HNHM
- Arcoppia (Wallworkoppia) directa* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 64) – TYPEN / TYPES: HT + 9 PT - HNHM, 2 PT - MHNG
- Arcozetes rotundatus* Mahunka, 2006 (Seite / Page: 279) – TYPEN / TYPES: HT + 5 PT - HNHM, 2 PT - MHNG
- ArphthiCARUS paraallocotos* Niedbala, 2006 (Seite / Page: 793) – TYPEN / TYPES: HT + PT - INBio, PT - DATE
- ArphthiCARUS scuticus* Niedbala, 2006 (Seite / Page: 109) – TYPEN / TYPES: HT - FMNH
- ArphthiCARUS bulbosus* Niedbala, 2006 (Seite / Page: 34) – TYPEN / TYPES: HT + 2 PT - NMB, 2 PT - DATE
- Atropacarus (Hoplophorella) buffaloensis* Niedbala, 2006 (Seite / Page: 114) – TYPEN / TYPES: HT + PT - DATE
- AtrophthiCARUS (Hoplophorella) brevisetosus* Niedbala, 2006 (Seite / Page: 51) – TYPEN / TYPES: HT + 5 PT - NMB, 6 PT - DATE
- AustroCARAbodes bituberculatus* Aoki, 2006 (Seite / Page: 119) – TYPEN / TYPES: HT + 2 PT - NSMT
- AustroCARAbodes foliaceisetus georgiensis* Murvanidze & Weigmann, 2007 (Seite / Page: 193) – TYPEN / TYPES: HT♀ - LEPLIZ
- AustrophthiCARUS cordylus* Niedbala, 2006 (Seite / Page: 33) – TYPEN / TYPES: HT - NMB, PT - DATE
- AustrophthiCARUS glennieensis* Niedbala, 2006 (Seite / Page: 107) – TYPEN / TYPES: HT + 7 PT - FMNH, 7 PT - DATE
- AustrophthiCARUS papulchellus* Niedbala, 2006 (Seite / Page: 108) – TYPEN / TYPES: HT + 5 PT - FMNH, 6 PT - DATE
- AustrophthiCARUS parafusticulus* Niedbala, 2006 (Seite / Page: 107) – TYPEN / TYPES: HT - FMNH
- AustrophthiCARUS parapilosus* Niedbala, 2006 (Seite / Page: 107) – TYPEN / TYPES: HT + 8 PT - CNC, 8 PT - DATE
- AustrophthiCARUS warburtonensis* Niedbala, 2006 (Seite / Page: 108) – TYPEN / TYPES: HT + 2 PT - FMNH, 3 PT - DATE
- AustrophthiCARUS weldboroughensis* Niedbala, 2006 (Seite / Page: 109) – TYPEN / TYPES: HT - FMNH, PT - DATE
- Austrotritia engelbrechti* Niedbala, 2006 (Seite / Page: 18) – TYPEN / TYPES: HT + 9 PT - NMB, 10 PT - DATE
- Austrotritia finlandica* Niedbala & Penttinen, 2006 (Seite / Page: 269) – TYPEN / TYPES: HT + 2 PT - ZMT, PT - DATE
- Beckiella costulata* Mahunka, 2006 (Seite / Page: 272) – TYPEN / TYPES: HT + 4 PT - HNHM, PT - MHNG
- Beckiella disiuncta* Mahunka, 2006 (Seite / Page: 275) – TYPEN / TYPES: HT + 3 PT - HNHM, PT - MHNG
- Birobates nasutus* Aoki, 2006 (Seite / Page: 123) – TYPEN / TYPES: HT + 17 PT - NSMT
- Carabodes djaparidzae* Murvanidze & Weigmann, 2007 (Seite / Page: 197) – TYPEN / TYPES: HT♀ + 2 PT♀ - LEPLIZ
- Ceratozetes brissago* Mahunka & Mahunka-Papp, 2006 (Seite / Page: 2) – TYPEN / TYPES: HT + 10 PT - MHNG, 6 PT - HNHM

- Ceratozetes genavensis* Mahunka & Mahunka-Papp, 2006 (Seite / Page: 3) – TYPEN / TYPES: HT + 14 PT - MHNG, 9 PT- HNHM
- Ceratozetes spiculatus* Mahunka & Mahunka-Papp, 2006 (Seite / Page: 4) – TYPEN / TYPES: HT + 4 PT - MHNG, 3 PT- HNHM
- Collohmanna schusteri* Norton, 2006 (Seite / Page: 112) – TYPEN / TYPES: HT - GZG
- Conchogneta vasiliorum* Mahunka, 2006 (Seite / Page: 70) – TYPEN / TYPES: HT + PT - HNHM, PT- MHNG
- Cultroribula taigagica* Bayartogtokh, 2007 (Seite / Page: 59) – TYPEN / TYPES: HT♂ + 11 PT - NUM, 3 PT - ZMMSU, 2 PT - IASE
- Damaeus (Damaeus) longiseta* Fujikawa, 2006 (Seite / Page: 6) – TYPEN / TYPES: HT - NSMT
- Defectamerus insularis* Aoki, 2006 (Seite / Page: 112) – TYPEN / TYPES: HT + 2 PT - NSMT
- Dolicheremaeus csuzdii* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 59) – TYPEN / TYPES: HT - HNHM
- Dolicheremaeus magnus* Aoki, 2006 (Seite / Page: 113) – TYPEN / TYPES: HT + 2 PT - NSMT
- Euphthiracarus rectus* Niedbala, 2006 (Seite / Page: 18) – TYPEN / TYPES: HT - NMB, PT - DATE
- Euphthiracarus scuticus* Niedbala, 2006 (Seite / Page: 19) – TYPEN / TYPES: HT + 6 PT - NMB, 7 PT - DATE
- Fissicepheus defectus* Aoki, 2006 (Seite / Page: 117) – TYPEN / TYPES: HT + 20 PT - NSMT
- Fissicepheus gracilis* Aoki, 2006 (Seite / Page: 115) – TYPEN / TYPES: HT + 10 PT - NSMT
- Flagrosuctobelba kotschani* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 70) – TYPEN / TYPES: HT + 5 PT - HNHM, PT- MHNG
- Guatemalozetes atypicus* Mahunka, 2006 (Seite / Page: 283) – TYPEN / TYPES: HT + 3 PT - HNHM, PT - MHNG
- Gustavia transylvanica* Mahunka, 2006 (Seite / Page: 66) – TYPEN / TYPES: HT + PT - HNHM, PT - MHNG
- Haplacarus davisii* Xavier, Haq & Ramani, 2005 (Seite / Page: 1950) – TYPEN / TYPES: HT♀ + 5 PT♀ - DZUC
- Haplacarus xavieri* Xavier, Haq & Ramani, 2005 (Seite / Page: 1948) – TYPEN / TYPES: HT♀ + PT♂ + 2 PT♀ - DZUC
- Hermannia sellnicki* Norton, 2006 (Seite / Page: 117) – TYPEN / TYPES: HT - GZG
- Hermannia shimanoi* Aoki, 2006 (Seite / Page: 61) – TYPEN / TYPES: HT + 27 PT - NSMT
- Hermaniella dubiosa* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 55) – TYPEN / TYPES: HT + 15 PT - MHNG, 15 PT - HNHM
- Hermaniella spiniseta* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 57) – TYPEN / TYPES: HT + 5 PT - HNHM, 2 PT - MHNG
- Heteroppia setigera* Aoki, 2006 (Seite / Page: 112) – TYPEN / TYPES: HT + PT - NSMT
- Hoplophthiracarus insularis* Aoki, 2006 (Seite / Page: 106) – TYPEN / TYPES: HT + PT - NSMT
- Hoplophthiracarus mallacoolaensis* Niedbala, 2006 (Seite / Page: 106) – TYPEN / TYPES: HT + 3 PT - DATE
- Hypogeoppia belgicae* Wauthy & Ducarme, 2006 (Seite / Page: 203) – TYPEN / TYPES: HT♂ + 3 PT♀ - IRSNB
- Indotritia cypha* Niedbala, 2006 (Seite / Page: 14) – TYPEN / TYPES: HT + 4 PT - NMB, 4 PT - DATE
- Indotritia didyma* Niedbala, 2006 (Seite / Page: 15) – TYPEN / TYPES: HT + 2 PT - NMB, 3 PT - DATE
- Indotritia eksteeni* Niedbala, 2006 (Seite / Page: 15) – TYPEN / TYPES: HT - NMB
- Indotritia fusa* Niedbala, 2006 (Seite / Page: 15) – TYPEN / TYPES: HT - NMB, PT - DATE
- Indotritia partita* Niedbala, 2006 (Seite / Page: 16) – TYPEN / TYPES: HT + PT - NMB, PT - DATE
- Indotritia phymatha* Niedbala, 2006 (Seite / Page: 16) – TYPEN / TYPES: HT - NMB, PT - DATE
- Leobodes carinatus* Chen & Wang, 2007 (Seite / Page: 48) – TYPEN / TYPES: HT - IZCAS
- Leobodes praeconcaus* Chen & Wang, 2007 (Seite / Page: 50) – TYPEN / TYPES: HT - IZCAS
- Liacarus chieburnensis* Aoki, 2006 (Seite / Page: 62) – TYPEN / TYPES: HT + 11 PT - NSMT
- Licnodamaeus itsukushima* Fujikawa, 2006 (Seite / Page: 4) – TYPEN / TYPES: HT - NSMT
- Lignobates berndhauseri* Mahunka, 2006 (Seite / Page: 590) – TYPEN / TYPES: HT + PT - HNHM
- Liochthonius tumidus* Mahunka & Mahunka-Papp, 2006 (Seite / Page: 850) – TYPEN / TYPES: HT + 5 PT - MHNG, 4 PT - HNHM

- Liochthonius tumulosus* Mahunka & Mahunka-Papp, 2006 (Seite / Page: 852) – TYPEN / TYPES: HT + 5 PT - MHNG, 3 PT - HNHM
- Lohmannia unsui* Aoki, 2006 (Seite / Page: 105) – TYPEN / TYPES: HT + 6 PT - NSMT
- Machuella turcica* Balan & Ayyildiz, 2007 (Seite / Page: 58) – TYPEN / TYPES: HT♀ - ZMAU
- Macobates tricostatus* Aoki, 2006 (Seite / Page: 121) – TYPEN / TYPES: HT + 2 PT - NSMT
- Mesoplophora (Mesoplophora) parabolicilla* Niedbala, 2006 (Seite / Page: 791) – TYPEN / TYPES: HT + 11 PT - DATE
- Mesoplophora (Parplophora) elsi* Niedbala, 2006 (Seite / Page: 8) – TYPEN / TYPES: HT + PT - NMB, DATE
- Mesoplophora (Parplophora) iuvenalis* Niedbala, 2006 (Seite / Page: 9) – TYPEN / TYPES: HT + 7 PT - NMB, 8 PT - DATE
- Mesoplophora (Parplophora) pertenuis* Niedbala, 2006 (Seite / Page: 9) – TYPEN / TYPES: HT + 5 PT - NMB, 4 PT - DATE
- Mesoplophora (Parplophora) setulosa* Niedbala, 2006 (Seite / Page: 9) – TYPEN / TYPES: HT + 5 PT - NMB, 6 PT - DATE
- Microtritia paratropica* Niedbala, 2006 (Seite / Page: 106) – TYPEN / TYPES: HT - FMNH
- Mochlozetes ryukyensis* Aoki, 2006 (Seite / Page: 121) – TYPEN / TYPES: HT + 2 PT - NSMT
- Monstroripoda tubulifera* Mahunka, 2006 (Seite / Page: 583) – TYPEN / TYPES: HT - MHNG
- Nasozetes lienhardi* Mahunka, 2006 (Seite / Page: 586) – TYPEN / TYPES: HT - MHNG
- Neoamerioppia csabai* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 62) – TYPEN / TYPES: HT + 5 PT - MHNG, 4 PT - HNHM
- Neotrichoppia (Confinoppia) calugarae* Mahunka, 2006 (Seite / Page: 66) – TYPEN / TYPES: HT + 7 PT - HNHM, PT - MHNG
- Nippobodes flagellifer* Chen & Wang, 2007 (Seite / Page: 54) – TYPEN / TYPES: HT + PT - IZCAS
- Nippobodes peniculatus* Chen & Wang, 2007 (Seite / Page: 55) – TYPEN / TYPES: HT + 6 PT - IZCAS
- Nippobodes pseudobrevisetiger* Chen & Wang, 2007 (Seite / Page: 57) – TYPEN / TYPES: HT - IZCAS
- Nothrus nasutus* Fujikawa, 2006 (Seite / Page: 3) – TYPEN / TYPES: HT + 5 PT - NSMT
- Nothrus olszanowskii* Kutý, 2006 (Seite / Page: 800) – TYPEN / TYPES: HT - BNHM
- Nothrus pallidus* Kutý, 2006 (Seite / Page: 800) – TYPEN / TYPES: HT + 3 PT - BNHM, 2 PT - DATE
- Notophthiracarus aethes* Niedbala, Corpuz-Raros & Gruezo, 2006 (Seite / Page: 464) – TYPEN / TYPES: HT + PT - DATE, 3 PT - UPLB
- Notophthiracarus agulhasensis* Niedbala, 2006 (Seite / Page: 35) – TYPEN / TYPES: HT - NMB, PT - DATE
- Notophthiracarus bonangensis* Niedbala, 2006 (Seite / Page: 110) – TYPEN / TYPES: HT - CNC
- Notophthiracarus brachys* Niedbala, 2006 (Seite / Page: 110) – TYPEN / TYPES: HT - CNC
- Notophthiracarus buffaloensis* Niedbala, 2006 (Seite / Page: 110) – TYPEN / TYPES: HT - FMNH
- Notophthiracarus capevidalensis* Niedbala, 2006 (Seite / Page: 36) – TYPEN / TYPES: HT - NMB
- Notophthiracarus coetzeae* Niedbala, 2006 (Seite / Page: 36) – TYPEN / TYPES: HT - NMB
- Notophthiracarus conspersus* Niedbala, 2006 (Seite / Page: 793) – TYPEN / TYPES: HT + 7 PT - INBio, 7 PT - DATE
- Notophthiracarus cristatus* Niedbala, 2006 (Seite / Page: 37) – TYPEN / TYPES: HT + 5 PT - NMB, 5 PT - DATE
- Notophthiracarus dandenongensis* Niedbala, 2006 (Seite / Page: 111) – TYPEN / TYPES: HT - CNC
- Notophthiracarus deminutus* Niedbala, 2006 (Seite / Page: 38) – TYPEN / TYPES: HT + 3 PT - NMB, 3 PT - DATE
- Notophthiracarus diaphorillus* Niedbala, 2006 (Seite / Page: 39) – TYPEN / TYPES: HT + PT - NMB, PT - DATE
- Notophthiracarus frondeus* Niedbala, 2006 (Seite / Page: 40) – TYPEN / TYPES: HT - NMB, PT - DATE
- Notophthiracarus gleeniensis* Niedbala, 2006 (Seite / Page: 111) – TYPEN / TYPES: HT - FMNH
- Notophthiracarus gongylos* Niedbala, 2006 (Seite / Page: 41) – TYPEN / TYPES: HT - NMB, PT - DATE
- Notophthiracarus grossus* Niedbala, 2006 (Seite / Page: 41) – TYPEN / TYPES: HT + 24 PT - NMB, 24 PT - DATE
- Notophthiracarus knysnaensis* Niedbala, 2006 (Seite / Page: 42) – TYPEN / TYPES: HT - NMB, PT - DATE
- Notophthiracarus korannabergensis* Niedbala, 2006 (Seite / Page: 42) – TYPEN / TYPES: HT + PT - NMB, PT - DATE

- Notophthiracarus mekistos* Niedbala, 2006 (Seite / Page: 43) – TYPEN / TYPES: HT - NMB
Notophthiracarus natalensis Niedbala, 2006 (Seite / Page: 44) – TYPEN / TYPES: HT + 4 PT - NMB, 4 PT - DATE
Notophthiracarus parabanangensis Niedbala, 2006 (Seite / Page: 111) – TYPEN / TYPES: HT - FMNH
Notophthiracarus paracapillatus Niedbala, 2006 (Seite / Page: 112) – TYPEN / TYPES: HT + 2 PT - FMNH, 3 PT - DATE
Notophthiracarus paraendroedyoungai Niedbala, 2006 (Seite / Page: 45) – TYPEN / TYPES: HT + 6 PT - NMB, 7 PT - DATE
Notophthiracarus pararavidus Niedbala, 2006 (Seite / Page: 112) – TYPEN / TYPES: HT + 2 PT - FMNH, 3 PT - DATE
Notophthiracarus phyllodes Niedbala, 2006 (Seite / Page: 46) – TYPEN / TYPES: HT + PT - NMB, PT - DATE
Notophthiracarus procerus Niedbala, 2006 (Seite / Page: 47) – TYPEN / TYPES: HT - NMB, PT - DATE
Notophthiracarus pumilus Niedbala, 2006 (Seite / Page: 47) – TYPEN / TYPES: HT - NMB, PT - DATE
Notophthiracarus ravidus Niedbala, 2006 (Seite / Page: 113) – TYPEN / TYPES: HT - DATE
Notophthiracarus rhachis Niedbala, 2006 (Seite / Page: 49) – TYPEN / TYPES: HT - NMB, PT - DATE
Notophthiracarus rotoiensis Niedbala, 2006 (Seite / Page: 113) – TYPEN / TYPES: HT + 2 PT - FMNH, 2 PT - DATE
Notophthiracarus samarensis Niedbala, Corpuz-Raros & Gruezo, 2006 (Seite / Page: 467) – TYPEN / TYPES: HT + PT - DATE, 11 PT - UPLB
Notophthiracarus serratus Niedbala, 2006 (Seite / Page: 49) – TYPEN / TYPES: HT + 10 PT - NMB, 10 PT - DATE
Notophthiracarus spinus Niedbala, 2006 (Seite / Page: 49) – TYPEN / TYPES: HT + 5 PT - NMB, 5 PT - DATE
Notophthiracarus tsitsikamaensis Niedbala, 2006 (Seite / Page: 50) – TYPEN / TYPES: HT + 3 PT - NMB, 3 PT - DATE
Notophthiracarus vermonensis Niedbala, 2006 (Seite / Page: 50) – TYPEN / TYPES: HT + 2 PT - NMB, 2 PT - DATE
Notophthiracarus zululandensis Niedbala, 2006 (Seite / Page: 51) – TYPEN / TYPES: HT - NMB, PT - DATE
Oribotritia afromontanensis Niedbala, 2006 (Seite / Page: 10) – TYPEN / TYPES: HT + PT - NMB, PT - DATE
Oribotritia deminuta Niedbala, 2006 (Seite / Page: 11) – TYPEN / TYPES: HT - NMB, PT - DATE
Oribotritia dipterocarpensis Niedbala, Corpuz-Raros & Gruezo, 2006 (Seite / Page: 459) – TYPEN / TYPES: HT - DATE
Oribotritia gladiola Niedbala, 2006 (Seite / Page: 11) – TYPEN / TYPES: HT + 17 PT - NMB, 17 PT - DATE
Oribotritia lepteces Niedbala, Corpuz-Raros & Gruezo, 2006 (Seite / Page: 459) – TYPEN / TYPES: HT - DATE
Oribotritia paraincognita Niedbala, 2006 (Seite / Page: 105) – TYPEN / TYPES: HT + 5 PT - FMNH, 6 PT - DATE
Oribotritia pecki Niedbala, 2006 (Seite / Page: 12) – TYPEN / TYPES: HT + 8 PT - NMB, 9 PT - DATE
Oxyoppia (Dzarogneta) ilicaensis Balan & Ayyildiz, 2007 (Seite / Page: 59) – TYPEN / TYPES: HT + 14 PT - ZMAU, 2 PT - ANIC
Peloptulus wadatsumi Fujikawa, 2006 (Seite / Page: 11) – TYPEN / TYPES: HT + PT - NSMT
Peloribates lineatus Fujikawa, 2006 (Seite / Page: 16) – TYPEN / TYPES: HT - NSMT
Peloribates latus Fujikawa, 2006 (Seite / Page: 18) – TYPEN / TYPES: HT + 6 PT - NSMT
Peloribates prominens Fujikawa, 2006 (Seite / Page: 19) – TYPEN / TYPES: HT + PT - NSMT
Phthiracarus anakolos Niedbala, 2006 (Seite / Page: 26) – TYPEN / TYPES: HT + PT - NMB, PT - DATE
Phthiracarus blythdalensis Niedbala, 2006 (Seite / Page: 27) – TYPEN / TYPES: HT - NMB, PT - DATE
Phthiracarus densus Niedbala, 2006 (Seite / Page: 28) – TYPEN / TYPES: HT - NMB, PT - DATE
Phthiracarus hillcrestensis Niedbala, 2006 (Seite / Page: 29) – TYPEN / TYPES: HT + 4 PT - NMB, 5 PT - DATE
Phthiracarus humilis Niedbala, 2006 (Seite / Page: 29) – TYPEN / TYPES: HT + PT - NMB, 2 PT - DATE
Phthiracarus kokae Niedbala, 2006 (Seite / Page: 30) – TYPEN / TYPES: HT - NMB, PT - DATE

- Phthiracarus leliehoekensis* Niedbala, 2006 (Seite / Page: 30) – TYPEN / TYPES: HT + 3 PT - NMB, 3 PT - DATE
- Phthiracarus mindanaoensis* Niedbala, Corpuz-Raros & Gruezo, 2006 (Seite / Page: 464) – TYPEN / TYPES: HT - DATE
- Phthiracarus pertenuis* Niedbala, 2006 (Seite / Page: 31) – TYPEN / TYPES: HT + 5 PT - NMB, 6 PT - DATE
- Phylleremus huntii* Behan-Pelletier & Walter, 2007 (Seite / Page: 9) – TYPEN / TYPES: HT♀ + PT - ANIC, PT - CNC
- Phylleremus leei* Behan-Pelletier & Walter, 2007 (Seite / Page: 4) – TYPEN / TYPES: HT♀ + PT - ANIC, PT - CNC
- Plonaphacarus toolangiensis* Niedbala, 2006 (Seite / Page: 106) – TYPEN / TYPES: HT - DATE
- Protophthiracarus crinatus* Niedbala, 2006 (Seite / Page: 34) – TYPEN / TYPES: HT + 2 PT - NMB, 2 PT - DATE
- Protophthiracarus engelbrechti* Niedbala, 2006 (Seite / Page: 35) – TYPEN / TYPES: HT - NMB
- Protophthiracarus varablancus* Niedbala, 2006 (Seite / Page: 793) – TYPEN / TYPES: HT + 9 PT - INBio, 10 PT - DATE
- Protoribates taira* Fujikawa, 2006 (Seite / Page: 15) – TYPEN / TYPES: HT - NSMT
- Punctoribates torii* Fujikawa, 2006 (Seite / Page: 14) – TYPEN / TYPES: HT + 2 PT - NSMT
- Ramusella (Insculpoppia) lunata* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 66) – TYPEN / TYPES: HT + PT - HNHM
- Ramusella (Rectoppia) pararadiata* Mahunka & Mahunka-Papp, 2007 (Seite / Page: 68) – TYPEN / TYPES: HT + 4 PT - HNHM, PT - MHNG
- Rostrozetes (Rostrozetella) decorus* Mahunka, 2006 (Seite / Page: 281) – TYPEN / TYPES: HT + 5 PT - HNHM, PT - MHNG
- Sadocephus yakuensis* Aoki, 2006 (Seite / Page: 110) – TYPEN / TYPES: HT - NSMT
- Schweizerzetes anoporosus* Mahunka, 2006 (Seite / Page: 67) – TYPEN / TYPES: HT - HNHM
- Sternoppia pocsiana* Mahunka, 2006 (Seite / Page: 278) – TYPEN / TYPES: HT + 5 PT - HNHM, PT - MHNG
- Tegezozetes miyajima* Fujikawa, 2006 (Seite / Page: 8) – TYPEN / TYPES: HT + 4 PT - NSMT
- Trichoribates hauseri* Mahunka & Mahunka-Papp, 2006 (Seite / Page: 5) – TYPEN / TYPES: HT - MHNG, PT - HNHM
- Trichoribates strigatus* Mahunka & Mahunka-Papp, 2006 (Seite / Page: 6) – TYPEN / TYPES: HT + 7 PT - MHNG, 2 PT - HNHM
- Tuberemaesus vanharteni* Mahunka, 2006 (Seite / Page: 588) – TYPEN / TYPES: HT + PT - MHNG, PT - HNHM

Neue Gattungen / New genera

- Lignobates* Mahunka, 2006 (Seite / Page: 590)
 Typ. sp.: *Lignobates berndhauseri* Mahunka, 2006
- Phylleremus* Behan-Pelletier & Walter, 2007 (Seite / Page: 2)
 Typ. sp.: *Phylleremus leei* Behan-Pelletier & Walter, 2007
- Monstroripoda* Mahunka, 2006 (Seite / Page: 582)
 Typ. sp.: *Monstroripoda tubulifera* Mahunka, 2006

Neue Untergattungen / New subgenera

- Rostrozetes (Rostrozetella)* Mahunka, 2006 (Seite / Page: 281)
 Typ. sp.: *Rostrozetes (Rostrozetella) decorus* Mahunka, 2006

Neue Kombinationen / New combinations

- Oppiella (Rhinoppia) getica* (Vasilii & Calugar, 1981) - [Mahunka, 2006: 68]

Neue Synonyme / New synonyms

- Acrotritia comteae* Mahunka, 1983 – [Niedbala, 2006: 114]
 = Rhysotritia niedbala Balogh & Balogh, 2002
Atropacarus (Hoplophorella) singularis (Sellnick, 1959) – [Niedbala, 2006: 116]
 = Hoplophthiracarus marianus (Aoki, 1994)
Austrophthiracarus dissonus Niedbala & Colloff, 1997 – [Niedbala, 2006: 115]
 = Phthiracarus praeoccupatus Subias, 2004
Austrophthiracarus largus Niedbala, 2000 – [Niedbala, 2006: 115]
 = Phthiracarus (Neophthiracarus) repetitus Subias, 2004
Austrophthiracarus sellnicki Niedbala, 1987 – [Niedbala, 2006: 115]
 = Phthiracarus obsessus Subias, 2004
Notophthiracarus admirabilis Niedbala & Colloff, 1997 – [Niedbala, 2006: 115]
 = Notophthiracarus (Notophthiracarus) obsessus Subias, 2004

Neue Namen / New names

- Microtritia novazealandiensis* Niedbala, 2006 (Seite / Page: 114) – pro *Microtritia glabrata* Niedbala, 1993

Adressen / Addresses

- ANDRES, DR. P., Centre de Recerca Ecol. i Aplicacions Forestals (CREAF), Univ. Autònoma de Barcelona, 08193 Bellaterra, Barcelona, Spanien / Spain
 AOKI, DR. JUN-ICHI, 3-8-12, Nishi-Azabu, Minato-ku, Tokyo, 106-0031, Japan; E-Mail: jamuck@ma.rosenet.ne.jp
 AYYILDIZ, PROF. DR. NUSRET, Department of Biology, Faculty of Arts and Sciences, Erciyes University, 38039 Kayseri, Türkei / Turkey; E-Mail: nayildiz@erciyes.edu.tr
 BADEJO, PROF. DR. MOSADOLUWA A., Department of Zoology, Obafemi Awolowo University, Ile-Ife, Nigeria; E-Mail: mbadejo@yahoo.com
 BARAN, DR. SULE, Kazim Karabekir Egitim, Fak. Biyoloji Egitimi Anabilim Dalı, Atatürk Univ., 25240 Erzurum, Türkei / Turkey; E-Mail: subarantr@yahoo.com
 BARBOSA, DAISI G.F., Dept. Agron., Area de Fitossanidade, Univ. Fed. Rural de Pernambuco, Rua Dom Manoel de Medeiros s/n, 52171-900 Recife, PE, Brasilien / Brazil; E-Mail: manoguedes@hotmail.com
 BATTIGELLI, J.P., Earthworks Research Group, 10 Naples Way, Saint Albert, AB, T8N 7E8, Canada
 BAYARTOGTOKH, DR. BADAMDORJ, Dept. of Zoology, Faculty of Biology, National Univ. of Mongolia, P.O. Box 377, Ulaanbaatar, 210646, Mongolei / Mongolia; E-Mail: bayartogtokh@num.edu.mn
 BEDANO, DR. JOSÉ, Universität Bremen, FB 2, UFT Abt. Ökologie, PF 330 440, 28334 Bremen, Deutschland / Germany; E-Mail: jcbedano@exa.unrc.edu.pl
 BEHAN-PELLETIER, DR. VALERIE M., Systematic Acarology, Invertebrate Biodiversity, Agriculture and Agri-Food Canada, K.W. Neatby Bldg., 960 Carling Ave., Ottawa, Ontario K1A 0C6, Canada; E-Mail: behanpv@agr.gc.ca
 CALUGAR, DR. ADINA, Institute of Biological Researches, Bd. Carol I, 20 A, 700 505 Iasi, Rumänien / Romania; E-Mail: cadina_2004@yahoo.com
 CHEN, DR. JUN, Institute of Zoology, Chinese Academy of Sciences, Datun Road, Chaoyang District, Beijing, 100101, China; E-Mail: chenj@panda.ioz.ac.cn
 CHMIELEWSKI, DR. WIT, Apiculture Division, Research Inst. of Pomology and Floriculture, Kazimierska 2, 24-100 Pulawy, Polen / Poland
 CORPUZ-RAROS, DR. LEONILA A., UPLB, Museum Hist. Nat., Coll. Agr. and Curator, Dept. Entomol., Laguna 4031, Philippines; E-Mail: lacraros@yahoo.com
 DOMES, DIPL.-BIOL. KATJA, Institut für Zoologie der TU Darmstadt, Schnittspahnstrasse 3, 64287 Darmstadt, Deutschland / Germany
 DUCARME, XAVIER, Ctr. Rech. Biodivers., Unite Ecol. and Biogeogr., Univ. Catholique Louvain, Pl. Croix Sud 4-5, 1348 Louvain, Belgien / Belgium; E-Mail: Xavier_Ducarme@yahoo.fr

- DUNGER, WOLFRAM PROF. DR., Staatliches Museum für Naturkunde Görlitz, Postfach 300 154, 02806 Görlitz, Deutschland / Germany; E-Mail: Dunger-Ebersbach@t-online.de
- ERDMANN, DIPL.-BIOL. GEORGIA, Staatliches Museum für Naturkunde Görlitz, PF 300 154, 02806 Görlitz, Deutschland / Germany; E-Mail: georgia.erdmann@smng.smwk.sachsen.de
- FRANKLIN, DR. ELIZABETH N., CPEn, INPA, Avenida Andre Araujo 1756, Petropolis CP 478, 69011-970 Manaus, Amazonas, Brasilien / Brazil; E-Mail: beth@inpa.gov.br
- FUJIKAWA, DR. TOKUKO, Aidai Shukusha 1-115, Yokogawara 1375, Shigenobu-cho, Ehime Pref., 791-0203 Nippon, Japan
- GRISHINA, L.G., Institute of Systematics and Ecology, Russian Academy of Sciences, Novosibirsk, Russland / Russia; E-Mail: mu4@eco.nsc.ru
- GROBLER, LORINDA, Department of Acarology, National Museum, Bloemfontein, Südafrika / South Africa; E-Mail: mites@nasmus.co.za
- HAQ, PROF. DR. M.A., Department of Zoology, University of Calicut, Kerala 673 635, Indien / India
- HAYWARD, DR. S.A.L., School of Biosciences, University of Birmingham, Edgbaston, Birmingham, B15 2TT, Großbritannien / United Kingdom; E-Mail: s.a.l.hayward@bham.ac.uk
- HEETHOFF, DR. MICHAEL, Institut für Zoologie der TU Darmstadt, Schnittspahnstrasse 3, 64287 Darmstadt, Deutschland / Germany; E-Mail: heethoff@bio.tu-darmstadt.de
- ISHIKAWA, PROF. DR. KAZUO, Biological Laboratory, Matsuyama Shinonome Coll., Kuwabara-Cho, Matsuyama, 790-8531, Japan; E-Mail: ishikawa@shinonome.ac.jp
- ITURRONDOBEITIA, DR. JUAN CARLOS, Dpto. Zoología y Biología Celular Animal, Facultad de Ciencia y Tecnología, Universidad del País Vasco, B Sarriena s/n, 48940 Leioa (Bizcaya), Spanien / Spain; E-Mail: juancarlos.iturrondobeitia@ehu.es
- IVAN, DR. OTILIA, Institute of Biological Researches, Bd. Carol I, 20 A, 700 505 Iasi, Rumänien / Romania; E-Mail: otivan@yahoo.com
- KARASAWA, DR. SHIGENORI, Graduate School of Bioagricultural Sciences, Laboratory of Forest Protection, Nagoya University, Chikusa, Nagoya, 464-8601, Japan; E-Mail: karasawa-shigu@muj.biglobe.ne.jp
- KHALIL, MR. MOHAMED AHMED, Zoological Department, Faculty of Science, Tanta University, 31527 Tanta, Ägypten / Egypt
- KREIBICH, DIPL.-BIOL. EILEEN, E.-Moritz-Armdt Universität, Zool. Institut und Museum, J.-Sebastian-Bach-Str. 11/12, 17489 Greifswald, Deutschland / Germany; E-Mail: eileen_kreibich@hotmail.com
- KRIVOLUTSKY, DR. D.A., A.N. Severtzov Inst. Evol. Morph. & Ecol. Anim., Leninsky Prospect 33, 117071 Moscow W-71R, Russland / Russia; E-Mail: biogeo@geogr.msu.ru
- KURIKI, DR. GENICHI, Department of Biology, Ohu University, Tomita 31-1, Koriyama, Fukushima 963-8611, Japan; E-Mail: kuriki@bh.mbn.or.jp
- LENOIR, LISETTE, Department of Ecology and Environ. Res., Swedish Univ. of Agricultural Sciences, Box 7072, 750 07 Uppsala, Schweden / Sweden; E-Mail: lisette.lenoir@eom.slu.se
- LINDBERG, DR. NIKLAS, Dept. Ecol. and Crop Prod. Sci., Swedish Univ. Agric. Sci., P.O. Box 7043, 750 07 Uppsala, Schweden / Sweden; E-Mail: Niklas.Lindberg@evp.slu.se
- LINDO, ZOE, Department of Biology, University of Victoria, PO Box 3020, Victoria, BC, V8W 3N5, Canada; E-Mail: zlindo@uvic.ca
- MAHUNKA, DR. SANDOR, Hungarian Natural History Museum, Baross u. 13, 1088 Budapest, Ungarn / Hungary; E-Mail: mahunka@zoo.zoo.nhmus.hu
- MARAUN, DR. MARK, TU Darmstadt, Institut für Zoologie, Schnittspahnstr. 3, 64287 Darmstadt, Deutschland / Germany; E-Mail: maraun@bio.tu-darmstadt.de
- MINOR, MARIA A., Institute of Natural Resources, Massey University, Private Bag 11222, Palmerston North, Neuseeland / New Zealand; E-Mail: m.a.minor@massey.ac.nz
- MORAZA, DR. MARIA LOURDES, Departamento de Zoología y Ecología, Universidad de Navarra, Apdo. 177, 31080 Pamplona, Spanien / Spain; E-Mail: mlmoraza@unav.es
- MORDKOVICH, V.G., Siberian Division, Institute of Animal Systematics and Ecology, Russian Academy of Sciences, Novosibirsk, 630091, Russland / Russia
- MURVANIDZE, MR. MAKI, Georgia LEPL, Institute of Zoology, Chavchavadze av. 31, 0079 Tbilisi, Georgien / Georgia; E-Mail: makam94@hotmail.com
- NIEDBALA, PROF. DR. WOJCIECH, Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Polen / Poland; E-Mail: Niedbala@main.amu.edu.pl

- NORTON, PROF. DR. ROY A., One Forestry Drive, Coll. Environ. Sci. & Forestry, State Univ. of New York, 1 Forestry Drive, Syracuse, NY 13210-2778, USA; E-Mail: ranorton@esf.edu
- OSLER, DR. GRAHAM H.R., Macaulay Land Use Res. Inst., Aberdeen AB15 8QH, Großbritannien / United Kingdom; E-Mail: g.osler@macaulay.ac.uk
- PRATT, DR. P.D., USDA-ARS, Invasive Plant Research Laboratory, 3205 College Avenue, Ft. Lauderdale, FL, 33314, USA; E-Mail: pratt@saa.ars.usda.gov
- PRINZING, DR. ANDREAS, Department of Community Ecology, Centre of Environmental Res. Ltd., Theodor Lieser Str. 4, 06120 Halle/ S., Deutschland / Germany
- RASPOTNIG, DR. GÜNTHER, Karl-Franzens-Universität, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Österreich / Austria; E-Mail: guenther.raspotnig@uni-graz.at
- REIS, DR. PAULO R., EPAMIG-CTSM, Caixa Postal 176, 37200-000 Lavras, MG, Brasilien / Brazil
- ROY, SHARMILA, Indian Grassland and Fodder Research Inst., Jhansi, UP, Indien / India
- RYABININ, DR. NIKOLAY, Institute of Water and Ecology Problems FEB RAS, 9, Shevchenko str., Khabarovsk 680000, Russland / Russia; E-Mail: nick@khsc.khv.ru
- SANYAL, DR. ASOH K., Zoological Survey of India, M Block, New Alipure, Calcutta 700 053, W Bengal, Indien / India
- SAPORITO, RALPH A., Dept. of Biological Sciences, Florida International University, Miami, FL, 33199, USA
- SCHATZ, DR. HEINRICH, Institut für Zoologie und Limnologie, Universität Innsbruck, Technikerstr. 25, 6020 Innsbruck, Österreich / Austria; E-Mail: heinrich.schatz@uibk.ac.at
- SCHEU, DR. STEFAN, Institut für Zoologie, TU Darmstadt, Schnittpahnstr. 3, 64287 Darmstadt, Deutschland / Germany; E-Mail: scheu@bio.tu-darmstadt.de
- SCHNEIDER, FRAU KATJA, Institut für Zoologie, TU Darmstadt, Schnittpahnstr. 3, 64287 Darmstadt, Deutschland / Germany; E-Mail: schneider@bio.tu-darmstadt.de
- SENICZAK, PROF. DR. STANISLAW, Dep. Ecol., Univ. Technol. Agric., ul. ks. Kordeckiego 20, 85-225 Bydgoszcz, Polen / Poland; E-Mail: seniczak@mail.atr.bydgoszcz.pl
- SHIMANO, PROF. SATOSHI, Environmental Education Center, Miyagi University of Education, Aramaki Aza-Aoba, Aoba-ku, Sendai city, Miyagi 980-0845, Japan; E-Mail: satothis@staff.miyakyo-u.ac.jp
- SINCLAIR, BRENT J., Department of Zoology, University of Otago, P.O. Box 56, Dunedin, Neuseeland / New Zealand; E-Mail: brent.sinclair@stonebow.otago.ac.nz
- SJURSEN, DR. HEIDI, Nat. Environ. Res. Inst., Dept. Terrestrial Ecology, POB 314, Vejlsøvej 25, 8600 Silkeborg, Dänemark / Denmark; E-Mail: hes@dmu.dk
- SKUBALA, DR. PIOTR, University of Silesia, Department of Ecology, ul. Bankowa 9, 40-007 Katowice, Polen / Poland; E-Mail: pskubala@us.edu.pl
- SMELANSKY, DR. I.E., Siberian Division of Russian Academy of Sciences, Institute of Animal Systematic and Ecol., Novosibirsk 630091, Russland / Russia; E-Mail: ilya@ecoclub.nsu.ru
- SMITH, IAN M., Systematic Acarology Unit, Biodiversity Section, Research Branch, Agric. and Agri-food Canada, ECORC, Central Exp. Farm, Ottawa, Ontario K1A 0C6, Canada; E-Mail: smithi@em.agr.ca
- SMRZ, DR. JAROSLAV, Department of Zoology, Charles University, Vinicna 7, 128 44 Praha 2, Tschechien / Czech Republic; E-Mail: smrz@mbox.cesnet.cz
- SOKOLOWSKA, MAGDALENA, Katedra Ekologii, Wydział Biologii i Ochrony Środowiska, Uniwersytet Śląski, ul. Bankowa 9, 40-007 Katowice, Polen / Poland; E-Mail: magdalena.sokolowska@gmail.com
- ST. JOHN, MARK G., Natural Resource Ecology Laboratory, Colorado State University, Fort Collins, Colorado 80523-11499, USA; E-Mail: mstjohn@laurentian.ca
- STARÝ, DR. JOSEF, Institute of Soil Biology, Czech Academy of Sciences, Na sádach 7, 37005 Ceske Budejovice, Tschechien / Czech Republic; E-Mail: jstary@upb.cas.cz
- WAUTHY, DR. GEORGES, Departement d'Entomologie, Institut Royal des Sciences Naturelles de Belgique, 29 Rue Vautier, 1000 Brussels, Belgien / Belgium; E-Mail: Georges.Wauthy@sciencesnaturelles.be
- WEIGMANN, PROF. DR. GERD, Freie Universität Berlin, Institut für Zoologie, Koenigin Luise Str. 1-3, 14195 Berlin, Deutschland / Germany; E-Mail: weigmann@zedat.fu-berlin.de
- WILSON, E.O., Museum of Comparative Zoology, Harvard University, 26 Oxford Street, Cambridge, MA 02138-2902, USA; E-Mail: ewilson@oeb.harvard.edu
- ZAITSEV, MR. ANDREI S., Institute of Zoology, J.-Liebig University, Heinrich-Buff-Ring 26-32, 35392 Gießen, Deutschland / Germany; E-Mail: andrei.zaitsev@allzool.bio.uni-giessen.de
- ZHANG, PENG-JUN, Life Science School of Shandong Normal University, Jinan 250014, China

Danksagung: Für die freundliche Unterstützung danke ich Herrn Dr. Heinrich Schatz, Institut für Zoologie, Universität Innsbruck.

Acknowledgement: *For the friendly assistances I thank Dr. Heinrich Schatz, Institut für Zoologie, Universität Innsbruck.*

Anschrift des Verfassers / *Address of the author:*

Kerstin Franke
Staatliches Museum für Naturkunde Görlitz
Postfach 300 154
02806 Görlitz
Germany

Tel.: 0049-3581-4760 200

Fax.: 0049-3581-4760 101

E-Mail: Kerstin.Franke@smng.smwk.sachsen.de

Homepage: <http://www.naturkundemuseum-goerlitz.de/acarologie/>

erschienen am / published : 25.08.2007

Inhalt / Contents

Franke, K.: Oribatida Nr. 38 1-20

Acarologische Literatur / Acarological literature

- Publikationen 2007 / *Publications 2007*2
- Publikationen 2006 / *Publications 2006*3
- Publikationen, Ergänzungen 2005 / *Publications, additions 2005*7
- Publikationen, Ergänzungen 2004 / *Publications, additions 2004*9
- Publikationen, Ergänzungen 2003 / *Publications, additions 2003*10
- Publikationen, Ergänzungen 2002 / *Publications, additions 2002*11

Nomina nova

- Neue Arten / *New species*12
- Neue Gattungen / *New genera*16
- Neue Untergattungen / *New subgenera*16
- Neue Kombinationen / *New combinations*16
- Neue Synonyme / *New synonyms*17
- Neue Namen / *New names*17

Adressen / Addresses17