


ISSN 1618-8977

# ACARI

Bibliographia Acarologica



**Oribatida**

Volume 10 (2)

2010

 **senckenberg**  
museum für naturkunde görlitz

# **Senckenberg Museum für Naturkunde Görlitz**

## **ACARI**

### **Bibliographia Acarologica**

Editor-in-chief: Dr Axel Christian  
authorised by the Senckenberg Museum für Naturkunde Görlitz

Enquiries should be directed to:  
ACARI  
Dr Axel Christian  
Senckenberg Museum für Naturkunde Görlitz  
PF 300 154, 02806 Görlitz, Germany

‘ACARI’  
may be ordered through:  
Senckenberg Museum für Naturkunde Görlitz – Bibliothek  
PF 300 154, 02806 Görlitz, Germany

Published by the Senckenberg Museum für Naturkunde Görlitz  
All rights reserved  
Cover design by: E. Mättig  
Printed by MAXROI Graphics GmbH, Görlitz, Germany

## Oribatida No. 41

Kerstin Franke

Senckenberg Museum für Naturkunde Görlitz

Under the title "Oribatida", the publications on oribatid mites are listed every year as far as they have come to our knowledge. Please help us to keep the literature database as complete as possible by sending us reprints or copies of all your papers on oribatid mites, or, if this is not possible, complete references so that we can include them in the list. Proposals for improvement and criticism are very welcome. Please inform us, if we have failed to list all your publications in the Bibliographia.

The database about oribatid mites presently contains 9922 papers and 5678 taxa. Every scientist who sends keywords for investigations can receive a list of literature or taxa. **The literature from 1995 to 2007 is searchable on the Internet. The issues 1 to 9 of ACARI can be downloaded free of charge.** <http://www.naturkundemuseum-goerlitz.de/acarologie/>

We are presently endeavouring to extend the reference collections on mites and interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the Senckenberg Museum of Natural History Görlitz will also remain possible in the future. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. **Types and original descriptions are presented on the Internet.** <http://www.naturkundemuseum-goerlitz.de/acarologie/>

### Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "\*" were only found as a citation or abstract. The addresses of the corresponding authors are given in the section Addresses.

#### Publications 2010

- AKRAMI, M.A. (2010):\* Some genera and species of oribatid mites, new to the fauna of Iran (Acari). - *Zoology in the Middle East* 49: 111-112
- ARILLO, A. / SUBIAS, L.S. / SHTANCHAEVA, U. (2010): **A new genus and species of oribatid mite, *Cretaceobodes martinezae* gen. et. sp. nov., from the lower cretaceous amber of San Just (Teruel Province, Spain) (Acariformes, Oribatida, Otocephelidae).** - *Paleontol. J.* 44,3: 287-290
- AVILA-JIMÉNEZ, M.L. / COULSON, S.J. / SOLHOY, T. / SJÖBLÖM A. (2010):\* Overwintering of terrestrial Arctic arthropods: the fauna of Svalbard now and in the future. - *Polar Res.* 29: 127-137
- AYYILDIZ, N. / TOLUK, A. / TASKIRAN, M. (2010): **Two new species of oppiid mites (Acari, Oribatida) from Turkey.** - *Acarologia* 50,1: 13-20
- BARAN, S. / AYYILDIZ, N. / SUBIAS, L.S. (2010): **Review of the family Damaeolidae Grandjean, 1965 (Acari, Oribatida) with two new records from Turkey.** - *Turk. J. Zool.* 34: 1-7
- BAYARTOGTOKH, B. (2010): ***Asperemaeus striganovae*, a new species of soil mites from the lake Hövsgöl, Northern Mongolia (Acari, Oribatida, Eremaeidae).** - *Internat. J. Acarol.* 36,1: 73-82
- BEHAN-PELLETIER, V.M. / EAMER, B. (2010): **The first sexually dimorphic species of *Oribatella* (Acari, Oribatida, Oribatellidae) and a review of sexual dimorphism in the Brachyphylina.** - *Zootaxa* 2332: 1-20

- BEHAN-PELLETIER, V.M. / KANASHIRO, D. (2010): Chapter 7: Acari in grassland soils of Canada. In: Shorthouse, J.D. / Floate, K.D. (Eds.), Ecology and interactions in grassland habitats. - Biological Survey of Canada: 137-166
- BERGMANN, P. / LAUMANN, M. / HEETHOFF, M. (2010): Ultrastructural aspects of vitellogenesis in *Archeogozetes longisetosus* Aoki, 1965 (Acari, Oribatida, Trhypochthoniidae). - Soil Organisms 82,2: 193-208
- BIRKY, C.W. / ADAMS J. / GEMMEL, M. / PERRY, J. (2010):\* Using population genetic theory and DNA sequences for species detection and identification in asexual organisms. - Plos One 5,5: Doi 10.1371/journal.pone.0010609
- CHEN, Y. / YANG, M.F. / LIANG, W.-Q. (2010): A taxonomic study on the genus *Vepracarus* Aoki (Acari, Oribatida, Lohmanniidae), with description of a new species of China. - Acta Zootaxon. Sinica 35,2: 35-37
- CHEN, Y. / YANG, M.F. / XIE, L.X. (2010): A new species of the genus *Meristolohmannia* (Acari, Oribatida, Lohmanniidae) from China. - Internat. J. Acarol. 36,2: 147-150
- COLLOFF, M.J. (2010): The hyperdiverse oribatid mite genus *Scapheremaeus* (Acari, Oribatida, Cymbaeremaeidae) in Australia, with descriptions of new species and consideration of biogeographical affinities. - Zootaxa 2475: 1-38
- CORPUZ-RAROS, L.A. (2010):\* Philippine soil mites of the family Epilohmanniidae. - Asia Life Sci. 19,1: 191-206
- DABERT, M. / WITALINSKI, W. / KAZMIERSKI, A. / OLSZANOWSKI, Z. / DABERT J. (2010):\* Molecular phylogeny of acariform mites (Acari, Arachnida): Strong conflict between phylogenetic signal and long-branch attraction artifacts. - Mol. Phylogenet. Evol. 56,1: 222-241
- DE MORAIS, J.W. / DOS S. OLIVEIRA, V. / DE S. DAMBROS, C. / TAPIA-CORAL, S.C. / ACIOLI, A.N.S. (2010): Mesofauna do soli em diferentes sistemas de uso da Terra no Alto Rio Solimoes, A.M.. - Neotrop. Entomol. 39,2: 145-152
- DONOSO, D.A. / JOHNSTON, M.K. / KASPARI, M. (2010):\* Trees as templates for tropical litter arthropod diversity. - Oecologia: Doi 10.1007/s00442-010-1607-3
- ERMILOV, S.G. (2010): Morphology of juvenile stages of *Gustavia microcephala* (Acari, Oribatida, Gustaviidae). - Acarina 18,1: 73-78
- ERMILOV, S.G. (2010): The morphology of juvenile stages of two oribatid mite species (Acari, Oribatida, Eremaeidae). - Entomol. Rev. 90,1: 106-115
- ERMILOV, S.G. (2010): The structure of ovipositors in higher oribatid mites (Acari, Oribatida, Brachypylina). [Orig. Russ.] - Zool. Zh. 89,6: 604-702
- ERMILOV, S.G. / LOCHYNSKA, M. (2010): Morphology of juvenile stages of *Gymnodamaeus bicostatus* (Koch, 1835) (Acari, Oribatida, Gymnodamaeidae). - North-West J. Zool. 6,2: 182-189
- ERMILOV, S.G. / LOCHYNSKA, M. / CHISTYAKOV, M.P. (2010): The morphology of juvenile stages of *Malaconothrus gracilis* Hammen, 1952 (Acari, Oribatida, Malaconothridae). - Genus 21,1: 135-141
- ERMILOV, S.G. / SIDORCHUK, E.A. / RYBALOV, L.B. (2010): *Zetorchella nortoni*, a new species of oribatid mite from Ethiopia (Acari, Oribatida, Caloppiidae). - Acarina 18,1: 61-65
- FENG, Z. / WANG, J. / LIU, L.J. (2010):\* First report of oribatid mite (arthropod) borings and coprolites in Permian woods from the Helan Mountains of northern China. - Palaeogeogr. Palaeoclimat. Palaeoecol. 288: 54-61
- FERNANDEZ, N. / CLEVA, R. (2010): Une nouvelle espèce de *Scapheremaeus* (Arachnida, Acari, Oribatida, Cymbaeremaeidae) de Madagascar: *Scapheremaeus pauliani* n. sp.. - Zoosystema 32: 101-115
- FISCHER, B.M. / SCHATZ, H. / MARAUN, M. (2010): Community structure, trophic position and reproductive mode of soil and bark-living oribatid mites in an alpine grassland ecosystem. - Exp. Appl. Acarol.: Doi 10.1007/s10493-010-9366-8
- FUANGARWORN, M. (2010):\* Two new species of the oribatid mite genus *Phyllochthonius* Trave, 1967 (Acari, Oribatida, Phyllochthoniidae) from Thailand. - Zootaxa 2521: 26-36
- FUJIKAWA, T. (2010): A new species of *Epilohmannia* (Acari, Oribatida, Epilohmanniidae) from South Japan. - Edaphologia 86: 15-20
- HU, Z.-Y. / JIN, D.-C. (2010):\* The genus *Nothrus* (Acari, Oribatida, Nothridae) from Guizhou, China, with description of one new species. - Acta Zootaxon. Sinica 35,2: xxx-xxx

- HU, Z.-Y. / JIN, D.-C. (2010):\* *Rhynchthoniellus willmanni*, a newly recorded genus of oribatid mites from China with description of a new species (Acari, Oribatida, Rhynchthoniidae). - *Acta Zootaxon. Sinica* 35,2: xxx-xxx
- HUGO, E. (2010): Two new species of Gymnodamaeidae (Acari, Oribatida) from South Africa. - *Internat. J. Acarol.* 36,3: 199-210
- ILLIG, J. / NORTON, R.A. / SCHEU, S. / MARAUN, S. (2010): Density and community structure of soil- and bark-dwelling microarthropods along an altitudinal gradient in a tropical montane rainforest. - *Exp. Appl. Acarol.* 52: 49-62
- IVAN, O. / VASILIU, N.A. (2010): Fauna of oribatid mites (Acari, Oribatida) from the movile cave area (Doborjega, Romania). - *Trav. Inst. Speol. "E. Racovitza"* 49: 29-40
- JEYATHILAKAN, S. / RAMAN, M. / BASITH, S.A. / JOHN, L. (2010):\* Incidence of oribatid mites in a livestock farm. - *Indian Vet. J.* 87,1: 13-14
- LAUMANN, M. / BERGMANN, P. / NORTON, R.A. / HEETHOFF, M. (2010): First cleavages, preblastula and blastula in the parthenogenetic mite *Archezogozetes longisetosus* (Acari, Oribatida) indicate holoblastic rather than superficial cleavage. - *Arthropod Structure & Devel.* 39: 276-286
- LAUMANN, M. / NORTON, R.A. / HEETHOFF, M. (2010): Acarine embryology: Inconsistencies, artificial results and misinterpretations. - *Soil Organisms* 82,2: 217-236
- LINDO, Z. / CLAYTON, M. / BEHAN-PELLETIER, V.M. (2010): Systematics and ecology of the genus *Dendrozetes* (Acari, Oribatida, Peloppiidae) from arboreal habitats in western North America. - *Zootaxa* 2403: 10-22
- LIU, D. / CHEN, J. (2010): A review of *Mesotritia* (Acari, Oribatida, Oribotritiidae) in China, with descriptions of two new species and a checklist of known taxa. - *Zootaxa* 2479: 39-58
- LIU, D. / NIEBALA, W. / CHEN, J. (2010):\* Taxonomic study of the genus *Maerkelotritia* Hammer, 1967 (Acari, Oribatida, Oribotritiidae) from China, with description of a new species. - *Ann. Zool.* 59,4: 511-516
- LOCHYŇSKA, M. (2010): The ontogeny description of two neotropical species of *Crotonia* (Acari, Oribatida, Crotonioidea). - *J. Nat. Hist.* 44,15/16: 969-992
- MAHUNKA, S. (2010): New and little known oribatid mites from Madagascar (Acari, Oribatida). I. - *Opusc. Zool. Budapest* 41,1: 47-56
- MIKO, L. (2010): Taxonomy of European Damaeidae (Acari, Oribatida) III. Species of the *Kunstdamaeus tenuipes* (Michael, 1885) group, with a description of *Kunstdamaeus fraterculus* n. sp. from East Slovakia. - *Zootaxa* 2327: 51-64
- NORTON, R.A. / CORPUZ-RAROS, L.A. (2010): *Nothrololhmannia samarensis* sp. n. (Acari, Oribatida, Hypochthoniidae) from Samar Island, Philippines. - *Syst. Appl. Acarol.* 15,1: 39-46
- NORTON, R.A. / FRANKLIN, E. / CROSSLEY, D.A. (2010): *Scapheremaeus rodickae* n. sp. (Acari, Oribatida, Cymbaeremaeidae) associated with temporary rock pools in Georgia, with key to *Scapheremaeus* species in eastern USA and Canada. - *Zootaxa* 2393: 1-16
- PFINGSTL, T. / KRISPER, G. (2010): Development and morphology of *Unduloribates undulatus* (Berlese, 1914) (Acari, Oribatida) and some remarks on the Unduloribatidae. - *Acta Zool. Acad. Sci. Hung.* 56,2: 119-138
- PFINGSTL, T. / SCHÄFFER, S. / EBERMANN, E. / KRISPER, G. (2010): The discovery of *Scutovertex ianus* sp. nov. (Acari, Oribatida) - a combined approach of comparative morphology, morphometry and molecular data. - *Contr. Zool.* 79,1: 39-55
- PFINGSTL, T. / SCHÄFFER, S. / EBERMANN, E. / KRISPER, G. (2010): *Scutovertex alpinus* Willmann, 1953 (Acari, Oribatida, Scutoverticidae) - redescription and geographical distribution. - *J. Nat. Hist.* 44,5/6: 379-388
- PFINGSTL, T. / SCHÄFFER, S. / KRISPER, G. (2010): Re-evaluation of the synonymy of *Latovertex* Mahunka, 1987 and *Exochocephus* Woolley and Higgins, 1968 (Acari, Oribatida, Scutoverticidae). - *Internat. J. Acarol.* 36,4: 327-342
- PRINCZ, J.I. / BEHAN-PELLETIER, V.M. / SCROGGINS, R.P. / SICILIANO, S.D. (2010): Oribatid mites in soil toxicity testing - the use of *Oppia nitens* (C.L. Koch) as a new test species. - *Environ. Toxic. Chem.* 29,4: 971-979
- RIVA CABALLERO, A. DE LA / BIRKS, H.J.B. / BJUNE, A.E. / BIRKS, H.H. / SOLHÖY, T. (2010):\* Oribatid mite assemblages across the tree-line in western Norway and their representation in lake sediments. - *J. Paleolimnol.* : Doi 10.1007/s10933-010-9411-y

- SCHAEFER, I. / NORTON, R.A. / SCHEU, S. / MARAUN, M. (2010): Arthropod colonization of land - linking molecules and fossils in oribatid mites (Acari, Oribatida). - *Mol. Phylogenet. Evol.* 57: 113-121
- SCHÄFFER, S. / KOBLMÜLLER, S. / PFINGSTL, T. / STURMBAUER, C. / KRISPER, G. (2010): Contrasting mitochondrial DNA diversity estimates in Austrian *Scutovertex minutus* and *S. sculptus* (Acari, Oribatida, Brachypylina, Scutoverticidae). - *Pedobiologia* 53: 203-211
- SCHÄFFER, S. / PFINGSTL, T. / KOBLMÜLLER, S. / WINKLER, K.A. / STURMBAUER, C. / KRISPER, G. (2010):\* Phylogenetic analysis of European *Scutovertex* mites (Acari, Oribatida, Scutoverticidae) reveals paraphyly and cryptic diversity: A molecular genetic and morphological approach. - *Mol. Phylogenet. Evol.* 55: 677-688
- SCHÄFFER, S. / PFINGSTL, T. / KOBLMÜLLER, S. / WINKLER, K.A. / STURMBAUER, C. / KRISPER, G. (2010): Phylogenetic analysis of European *Scutovertex* mites (Acari, Oribatida, Scutoverticidae) reveals paraphyly and cryptic diversity: a molecular genetic and morphological approach. - *Mol. Phylogenet. Evol.* 55: 677-688
- SCHMELZLE, S. / HELFEN, L. / NORTON, R.A. / HEETHOFF, M. (2010): The ptychoid mechanism in *Phthiracarus longulus* (Acari, Oribatida, Phthiracaridae): Exoskeletal and muscular elements. - *Soil Organisms* 82,2: 253-274
- SENICZAK, S. / SENICZAK, A. (2010): Differentiation of body form of Protoplophoroidea (Acari, Oribatida) in the light of ontogeny of three species. - *J. Nat. Hist.* 44,7-8: 389-419
- SHTANCHAEVA, U.YA. / SUBIAS, L.S. / ARILLO, A. (2010): **New taxa of oribatid mites of the family Liacaridae (Acariformes, Oribatida) from the Caucasus.** - *Entomol. Fenn.* 20: 245-248
- STADDON, P. / LINDO, Z. / CRITTENDEN, P.D. / GILBERT, F. / GONZALEZ, A. (2010): Connectivity, non-random extinction and ecosystem function in experimental metacommunities. - *Ecology Letters* : 1-10
- SYLVAIN, Z.A. (2010): Effects of forest stand type on oribatid mite (Acari, Oribatida) assemblages in a southwestern *Quebec* forest. - *Pedobiologia* 53,5: 321-325
- TOLUK, A. / AYYILDIZ, N. (2010): Two new records of *Suctobelba* (Acari, Oribatida, Suctobelbidae) for the Turkish fauna. - *Turk. J. Zool.* 34: 213-217
- WALTER, D.E. / PROCTOR, H.C. (2010):\* Mites as modern models: Acarology in the 21st Century. - *Acarologia* 50,1: 131-141
- ZHU, Q.-G. / ZHU, A.-N. / ZHANG, J.-B. / ZHANG, H. / QIN, S.-W. / XIN, X.-L. (2010):\* Effects of long-term fertilization on cropland soil meso-micro arthropods in Huang-Huai-Hai Plain of China. - *Chin. J. Ecol.* 29,1: 69-74

## Publications 2009

- ABE, H. / AOKI, J. / GOTOH, T. / OKABE, K. / SHIBA, M. / SHIMANO, S. / TAKAKU, G. (2009): Japanese names for the higher taxa of subclass Acari. [Orig. Jpn.] - *J. Acarol. Soc. Jpn.* 18,2: 99-104
- AKRAMI, M.A. / DINIPOUR, A. (2009): Report of the second species of aquatic oribatid mite (Acari, Oribatida, Hydrozetidae) from Iran. [Orig. Persian] - *J. Entomol. Soc. Iran* 28,2: 67-68
- AKRAMI, M.A. / SABOORI, A. / KAMALI, K. / KHARAZI-PAKDEL, A. (2009): Twenty six new records of oribatid mites (Acari, Oribatida) for Iran. [Orig. Persian] - *J. Entomol. Soc. Iran* 28,2: 1-25
- AKRAMI, M.A. / SUBIAS, L.S. (2009): **A new species of the family Quadroppiidae and a new subspecies of the family Oppiidae (Acari, Oribatida) from Iran.** - *J. Acarol. Soc. Jpn.* 18,2: 65-71
- AKRAMI, M.A. / SUBIAS, L.S. / SABOORI, A. (2009): ***Serratoppia iranica* (Acari, Oppiidae), a new species of oribatid mites from Iran.** - *Syst. Appl. Acarol.* 14: 171-176
- ARROYO, J. / NEVILLE, P. / BOLGER, T. (2009): Mites occurring in the canopy of Sitka spruce growing in Ireland. In: Sabelis M.W. / Bruin, J. (Eds.), *Trends in Acarology, Proceedings of the XII International Congress of Acarology, Amsterdam 2006.* - Springer-Science + Business Media B.V., Dordrecht: 105-109
- BARAN, S. / TOLUK, A. / AYYILDIZ, N. (2009): **Mites of the genus *Quadroppia* Jacot, 1939 (Acari, Oribatida, Quadroppiidae) from Turkey, with zoogeographical remarks.** - *Entomol. News* 120,3: 240-252
- BAYARTOGTOKH, B. / CHATTERJEE, T. / CHAN, B.K.K. / INGOLE, B. (2009): **New species of marine littoral mites (Acari, Oribatida) from Taiwan and India, with a key to the World's species of *Fortuynia* and notes on their distributions.** - *Zool. Stud.* 48,2: 243-261

- BEHAN-PELLETIER, V. / SCHATZ, H. (2009): Patterns of diversity in the Ceratozetoidea (Acari, Oribatida): a North American assessment In: Sabelis M.W. / Bruin J. (Eds.), Trends in Acarology, Proceedings of the XII International Congress of Acarology, Amsterdam 2006. - Springer-Science + Business Media B.V., Dordrecht : 97-104
- BEHAN-PELLETIER, V.M. / WALTER, D.E. (2009): *Unduloribates* from North America (Acari, Oribatida, Unduloribatidae). - *Zootaxa* 2294: 47-61
- BRIDGE, P.D. / WORLAND, M.R. (2009): An association between the antarctic mite *Alaskozetes antarcticus* and an entomophthoralean fungus of the genus *Neozygites*. In: Bruin, J. / Van der Geest, L.P.S. (Eds.), Diseases of mites and ticks. - Exp. Appl. Acarol. 46,1-4: 43-52
- CALUGAR, A. (2009):\* A comparative study of the chemical and integrated treatments impact against the defoliating insects on the structure and dynamics of the edaphic mesofauna in two oak forests from North-Eastern Romania. - Ann. For. Res. 52,1: 19-26
- CARUSO, T. / GARLASCHELLI, D. / BARGAGLI, R. / CONVEY, P. (2009):\* Testing metabolic scaling theory using intraspecific allometries in Antarctic microarthropods. - *Oikos*: doi: 10.1111/j.1600-0706.2009.17915
- CARUSO, T. / MIGLORINI, M. (2009): Euclidean geometry explains why lengths allow precise body mass estimates in terrestrial invertebrates: The case of oribatid mites. - *J. Theoret. Biol.* 256: 436-440
- CARUSO, T. / MIGLORINI, M. / BUCCI, C. / BARGAGLI, R. (2009): Spatial patterns and autocorrelation in the response of microarthropods to soil pollutants: The example of oribatid mites in an abandoned mining and smelting area. - *Environ. Pollut.* 157: 2939-2948
- COBANOGLU, S. (2009): Mite population density analysis of stored dried apricots in Turkey. - *Internat. J. Acarol.* 35,1: 67-75
- COLLOFF, M.J. (2009): Comparative morphology and species-groups of the oribatid mite genus *Scapheremaeus* (Acari, Oribatida, Cymbaeremaeidae), with new species from South Australia. - *Zootaxa* 2213: 1-46
- COLLOFF, M.J. / PERDOMO, G. (2009): New species of *Crotonia* (Acari, Oribatida, Camisiidae) from *Nothofagus* and *Eucalyptus* forests in Victoria, Australia, with a redescription of the fossil species *Crotonia ramus* (Womersley, 1957). - *Zootaxa* 2217: 1-36
- CORPUZ-RAROS, L.A. (2009):\* Additional contributions to the taxonomy of Philippine Oribatida (Acari) including descriptions of three new species of *Phyllhermannia* (Hermannidae), four new records and new island records in other groups. - *Philipp. Entomol.* 23,1: 18-36
- CORPUZ-RAROS, L.A. (2009):\* The genera *Octodurozetes* Mahunka 1993 and *Polillozetes*, new genus (Acari, Oribatida, Xylobatidae) from the Philippines. - *Asia Life Sci.* 18,2: 195-205
- CORPUZ-RAROS, L.A. / GRUEZO, W.S. (2009):\* New species and records of Oribatids (Acari, Oribatida) from Palawan Island, Philippines with a note on *Acrotocepheus duplicornutus* (Aoki) from Bangladesh. - *Asia Life Sci.* 18,2: 177-194
- CORPUZ-RAROS, L.A. / LIT, I.L. (2009):\* Two new species of oribatids (Acari, Oribatida, Astegistidae, Lohmanniidae) and additional records of soil-inhabiting mites from Polillo Island, Philippines. - *Philipp. Entomol.* 23,1: 8-17
- COULSON, S.J. (2009): Association of the soil mite *Diapterobates notatus* (Thorell, 1871) (Acari, Oribatidae) with *Cynomya mortuorum* (Linnaeus, 1761) (Calliphoridae, Calliphorinae): implications for the dispersal of oribatid mites. - *Internat. J. Acarol.* 35,2: 175-177
- COVARRUBIAS, R. (2009): Microartrópodos de la Estepa Altoandina Altiplánica, con detalle de especies de oribátidos (Oribatida, Acarina). - *Neotrop. Entomol.* 38,4: 482-490
- DECHENE, A.D. / BUDDLE, C.M. (2009):\* Effects of experimental forest harvesting on oribatid mite biodiversity. - *For. Ecol. Manag.* 258: 1331-1341
- DEMITE, P.R. / FERES, R.J.F. / LOFEGO, A.C. / OLIVEIRA, A.R. (2009): Plant inhabiting mites (Acari) from the Cerrado biome of Mato Grosso State, Brazil. - *Zootaxa* 2061: 45-60
- EEVA, T. / PENTTINEN, R. (2009): Leg deformities of oribatid mites as an indicator of environmental pollution. - *Science of the Total Environ.* 407: 4771-4776
- ERMILOV, S.G. (2009): Morphology of juvenile stages of *Hermannella dolosa* (Acari, Oribatida, Hermannellidae). - *Acarina* 17,2: 201-209
- ERMILOV, S.G. / LOCHYNSKA, M. (2009): Morphology of juvenile stages of *Conchogneta traegardhi* (Acari, Oribatida, Autognetidae) and comparison with those of *C. willmanni*. - *Acarina* 17,1: 101-106

- ERMILOV, S.G. / LOCHYNSKA, M. (2009): Morphology of juvenile stages of *Epidamaeus kamaensis* (Sellnick, 1925) and *Porobelba spinosa* (Sellnick, 1920) (Acari, Oribatida, Damaeidae). - *Ann. Zool.* 59,4: 527-544
- FERNANDEZ, N. (2009):\* **A new species of *Eremaozetes* (Acari, Oribatida, Eremaozetidae) from Madagascar, *Eremaozetes betschi* n. sp.. - *Acarologia* 49,1: 69-82**
- FERNANDEZ, N. / CLEVA, R. (2009):\* **Contribution to the knowledge of Oribatids from Argentina: The genus *Scapheremaeus*: *Scapheremaeus chaquensis* n. sp.. - *Acarologia* 49,1: 55-68**
- FISCHER, B.M. (2009): Leben im Extrem: Anpassungen von Hornmilben (Acari, Oribatida) an Trockenstandorte. - *Entomol. Austr.* 16: 143-144
- FISCHER, B.M. / PFALLER, K. / SCHATZ, H. (2009): Die Hornmilbenfamilie Quadropiidae (Acari, Oribatida) im Schlerngebiet (Südtirol, Italien). - *Gredleriana* 9: 171-186
- FISCHER, B.M. / SCHATZ, H. (2009): Hornmilben (Oribatida). In: Wilhelm T. (Ed.), GEO-Tag der Artenvielfalt 2008 am Reschenpass (Gemeinde Graun im Vinschgau, Südtirol, Italien). - *Gredleriana* 9: 310-315
- FUJIKAWA, T. (2009): **A new species of Phenopelopidae (Acari, Oribatida) from south Japan. - *Edaphologia* 85: 1-6**
- GERECKE, R. / FRANZ, H. / CANTOMATI, M. (2009):\* Invertebrate diversity in springs of the National Park Berchtesgaden (Germany): relevance for long-term monitoring. - *Verh. Internat. Verein. Limnol.* 30,8: 1229-1233
- GERECKE, R. / SCHATZ, H. / WOHLTMANN, A. (2009): The mites (Chelicerata, Acari) of the crenodat project: faunistic records and ecological data from springs in the autonomous province of Trento (Italian alps). - *Internat. J. Acarol.* 35,4: 303-333
- GERGOC, V. / HUFNAGEL, L. (2009):\* Application of oribatid mites as indicators. - *Appl. Ecol. Environ. Res.* 7,1: 79-98
- GONGALSKY, K.B. / ZAITSEV, A. / KRAINOV, A.S. / PLIGINA, S.F. / TEREHOVA, V.A. (2009):\* Soil Biogeography: Proceedings of the II all Russian conference dedicated to the 70th birthday of D.A. Krivolutsky. [Orig. Russ.] - Moscow State University Press, Moscow : 1-92
- GRISHINA, L.G. / VLADIMIROVA, N.V. (2009): **New species of the genus *Neoribates* (Berlese, 1914) (Acariformes, Oribatida) from Russia and adjacent countries. - *Acarina* 17,2: 211-222**
- GRYZIAK, G. (2009): Colonizaco por caros em reas livres de geleiras na Ilha Rei George, Antrtica. - *Pesq. Agropec. Bras.* 44,8: 891-895
- GRYZIAK, G. (2009): *Scheloribates distinctus* Mihelcic, 1964 - a species of mite (Acari, Oribatida) new to fauna of Poland and new records of three rare species. - *Fragm. Faun.* 52,1: 21-23
- HEETHOFF, M. / NORTON, R.A. (2009): A new use for synchrotron X-ray microtomography: three-dimensional modeling of chelicerata mouthparts and calculation of theoretical bite forces. - *Invertebr. Biol.* 128,4: 332-339
- HEETHOFF, M. / NORTON, R.A. / SCHEU, S. / MARAUN, M. (2009): Parthenogenesis in oribatid mites (Acari, Oribatida): Evolution without sex. In: Schn, I. / Martens, K. / Van Dijk, P.(Eds.), *Lost sex. The evolutionary biology of parthenogenesis.* - Springer Science + Business Media B.V.: 241-257
- IVAN, O. (2009): Structure and dynamics of the oribatid mite communities (Acari, Oribatida) in some *Quercus* forests, in relation with the treatments used in the control of defoliating insects. - *Ann. For. Res.* 52,1: 5-10
- IVAN, O. / VASILIU, A. (2009): Oribatid mites (Acari, Oribatida) - Bioindicators of forest soils pollution with heavy metals and fluorine. - *Ann. For. Res.* 52,1: 11-18
- KAMPICHLER C. / BRUCKNER A. (2009):\* The role of microarthropods in terrestrial decomposition: A meta-analysis of 40 years of litterbag studies. - *Biol. Rev.* 84,3: 375-389
- KARDOL, P. / NEWTON, J.S. / BEZEMER, T.M. / MARAUN, M. / VAN DER PUTTEN, W.H. (2009):\* Contrasting diversity patterns of soil mites and nematodes in secondary succession. - *Acta Oecologica* 35: 603-609
- KASPARI, M. / YANOVIK, S.P. (2009):\* Biogeochemistry and the structure of tropical brown food webs. - *Ecology* 90,12: 3342-3351
- KEMAL, M. / KOCAK, A.. (2009): ***Brazilobates* Kocak & Kemal 2008, a senior synonym of *Salvus zdikmen*, 2008 (Acari, Oribatida). - *Misc. papers, Ctr. of Entomol. Studies Ankara* 147-148: 4-5**
- KHALIL, M.A. / JANSSENS, T.K.S. / BERG, M.P. / VAN STRAALEN, N.M. (2009): Identification of metal-responsive oribatid mites in a comparative survey of polluted soils. - *Pedobiologia* 52: 207-221



- KRISPER, G. / SCHUSTER, R. (2009): Morphological analysis of *Provertex kuehneli* Mihelcic, 1959 - an oribatid mite of rocky habitats (Acari, Oribatida, Scutoverticidae). - *Contr. Nat. Hist.* 12,2: 795-812
- LEBEDEVA, N.V. / BOJARINOVA, JU.G. / LEBEDEV, V.D. / KAVOKIN, K.V. (2009):\* Microarthropods from birds' plumage: lifetime collecting method. - *Caucasian Entomol. Bull.* 5,1: 3-6
- LINDO, Z. (2009): Communities of Oribatida associated with litter input in western red cedar tree crowns: Are moss mats "magic carpets" for oribatid mite dispersal? In: Sabelis M.W. et al. (Eds.), *Trends in Acarology, Proc. XII Int. Congr. Acarol.*, Amsterdam 2006. - Springer-Science + Business Media B.V., Dordrecht: 1-6
- LINDO, Z. / WINCHESTER, N. (2009): Spatial and environmental factors contributing to patterns in arboreal and terrestrial oribatid mite diversity across spatial scales. - *Oecologia* 160: 817-825
- LIU, D. / CHEN, J. (2009): A new species of *Sabahtritia* (Acari, Oribatida, Synichotritiidae) from China. - *Oriental Insects* 43: 461-474
- LIU, D. / NIEBALA, W. / CHEN, J. (2009): Taxonomic study of the genus *Maerkelotritia* Hammer, 1967 (Acari, Oribatida, Oribotritiidae) from China, with description of a new species. - *Ann. Zool.* 59,4: 511-516
- LOCHYNSKA, M. (2009):\* The ontogenetic description of three crotoniid mites (Acari, Oribatida, Crotoniidae) from the Australian Region. - *Ann. Zool.* 58,4: 831-856
- LUOTO, T.P. (2009):\* An assessment of lentic ceratopogonids, ephemeropterans, trichopterans and oribatid mites as indicators of past environmental change in Finland. - *Ann. Zool. Fenn.* 46: 259-270
- MAHUNKA, S. (2009): Oribatid mites from the Vohimana Reserve, Madagascar (Acari, Oribatida), II. - *Opusc. Zool. Budapest* 40,2: 47-61
- MAHUNKA, S. (2009): Oribatids from Madagascar IV (Acari, Oribatida). - *Rev. suisse Zool.* 116,3-4: 337-352
- MAHUNKA, S. / MAHUNKA-PAPP, L. (2009): Oribatids from Switzerland X (Acari, Oribatida, Carabodidae) (Acarologica Genavensia C). - *Contr. Nat. Hist.* 12,2: 931-950
- MAHUNKA, S. / MAHUNKA-PAPP, L. (2009): *Topobates helveticus* sp. n. and some other remarkable moss mites from Switzerland (Acari, Oribatida). - *Rev. suisse Zool.* 116,3-4: 325-336
- MALMSTRÖM, A. / PERSSON, T. / AHLSTRÖM, K. / GONGALSKY, K.B. / BENGTTSSON, J. (2009):\* Dynamics of soil meso- and macrofauna during a 5-year period after clear-cut burning in a boreal forest. - *Appl. Soil Ecol.* 43,1: 61-74
- MARTINEZ, P.A. / FREDES, N.A. / MONTTI, L.F. / CASERTANO, S.A. (2009): Soil oribatid mite in four typical vegetation communities of Misiones forest in the Iguazú area, Argentina. - *Pesq. Agropec. Bras.* 44,8: 1021-1026
- MATEJKA K. / STARY J. (2009):\* Differences in top-soil features between beech-mixture and Norway spruce forests of the Šumava Mts.. - *J. For. Sci.* 55,12: 540-555
- MATSUSHIMA, T. / NAKAMURA, Y.-N. / NAKAMURA, Y. (2009): A new genus and a new species of Symbioribatidae (Acari, Oribatida) from South Japan. - *Acarologia* 59,1-2: 105-110
- MCGAUGHRAN, A. / TORRICELLI, G. / CARAPELLI, A. / FRATI, F. / STEVENS, M.I. / CONVEY, P. / HOGG, I.D. (2009):\* Contrasting phylogeographical patterns for springtails reflect different evolutionary histories between the Antarctic Peninsula and Continental Antarctica. - *J. Biogeogr.*: doi:10.1111/j.1365-2699.2009.02178.x
- MIGLIORINI, M. (2009): Oribatid mite (Arachnida, Oribatida) coenoses from SW Sardinia. In: Cerretti, P. / Mason, F. / Minelli, A. / Nardi, G. / Whitmore, D. (Eds.), *Research on the terrestrial arthropods of Sardinia (Italy)*. - *Zootaxa* 2318: 8-37
- MONSON, F.D. (2009):\* A new species of the genus *Carabodes* C.L. Koch, 1835 (Acari, Oribatida, Carabodidae) from the British Isles. - *The Naturalist* 134: 99-107
- MORAZA, M.L. (2009): La comunidad de ácaros oribátidos (Acari, Cryptostigmata) en diversos hábitats naturales y alterados de Navarra (Sur de Europa). - *Rev. Iber. Aracnol.* 17: 71-82
- MURVANIDZE, M. / KVAVADZE, E. (2009): An inventory of oribatid mites, the main decomposers in bogs of Colchic Lowland (Caucasus, Georgia). - In: Sabelis M.W. / Bruin J. (Eds.), *Trends in Acarology, Proceedings of the XII International Congress of Acarology, Amsterdam, 2006*. - Springer-Science + Business Media B. V., Dordrecht: 175-178
- NAKAMURA, Y. / NAKAI, M. (2009): Re-description of two known species from japanese organic farm of 20 years' duration with erecting a new genus (Acari, Oribatida). - *Acarologia* 49,1-2: 93-103

- NAKAMURA, Y. / NAKAMURA, Y.-N. / HASHIMOTO, S.-I. / GOTOH, T. (2009): Character of oribatid mite composition in japanese grassland with description of a new species. - *Sci. Bill. Fac. Agr., Kyushu Univ.* 64,2: 109-118
- NAKAMURA, Y.-N. (2009): A new species of Oripodidae (Acari, Oribatida) from Japan. - *Acarologia* 49,1-2: 89-92
- NAKAMURA, Y.-N. (2009): A new species of Parakalummidae (Acari, Oribatida) from Southern Japan. - *Acarologia* 49,1-2: 83-87
- NAKAMURA, Y.-N. / GOTOH, T. (2009): Comparative ultrastructural observation of the cuticle and muscle of an enchytraeid (*Enchytraeus japonensis*) and an oribatid species (*Tectocepheus velatus*) using transmission electron microscopy. - *J. Fac. Agric., Kyushu Univ.* 54,1: 97-101
- NIEDBALA, W. (2009): Unusual case of neutrichy in a new species of oribatid mite (Acari, Oribatida, Steganacaridae). - *Aust. J. Entomol.* 48: 317-320
- NORTON, R.A. (2009): Systematic relationships of Lohmanniidae (Acari: Oribatida). In: Sabelis M.W. / Bruin J. (Eds.), Trends in Acarology, Proceedings of the XII International Congress of Acarology, Amsterdam, 2006. - Springer-Science + Business Media B. V., Dordrecht: 9-16
- PAPAC, V. / FENDA, P. / L'UPTACIK, P. / MOCK, A. / SVATON, J. / CHRISTOPHORYOVA, J. (2009): Terestrické bezstavovce (Evertebrata) jaskýn vo vulkanitoch Cerovej Vrchoviny. - *Aragonit* 14,1: 32-42
- PECK, D.C. (2009): Comparative impacts of white grub (Coleoptera, Scarabaeidae) control products on the abundance of non-target soil-active arthropods in turf grass. - *Pedobiologia* 52: 287-299
- PERLINGER, H. / SCHATZ, H. (2009): Faunistik der Hornmilben (Acari, Oribatida) an ausgewählten Trockenstandorten Kärntens (Österreich). - *Carinthia II* 199/119: 543-552
- PFINGSTL, T. / SCHÄFFER, S. / KRISPER, G. (2009): Morphological analysis of the juvenile stages of *Provertex kuehnelti* Mihelcic (Acari, Oribatida, Scutoverticidae). - *Acta zool. hung.* 55,4: 365-379
- PHILLIPS, J.R. (2009): The mite (Acarina) fauna of trogid beetles (Coleoptera, Trogidae). - *Internat. J. Acarol.* 35,1: 1-17
- POLLIERER, M.M. / LANGEL, R. / SCHEU, S. / MARAUN, M. (2009):\* Compartmentalization of the soil animal food web as indicated by dual analysis of stable isotope ratios ( $^{15}\text{N}/^{14}\text{N}$  and  $^{13}\text{C}/^{12}\text{C}$ ). - *Soil Biol. Biochem.* 41: 1221-1226
- RAMSEY, A.C. / MARRA, J.L. / EDMONDS, R.L. (2009):\* Soil microarthropods. - U.S. Forest Service Research Paper PNW 577: 69-80
- ROJAS, A.B. / CASTAÑO-MENESES, G. / PALACIOS-VARGAS, J.G. / GARCÍA-CALDERÓN, N.E. (2009): Ácaros oribatídeos e colembolos de uma plantacao de café em Sierra Sur, Oaxaca, México. - *Pesq. Agropec. Bras.* 44,8: 988-995
- RYABININ, N.A. (2009):\* Peculiarities of Oribatida mites (Acariformes, Oribatida) distribution in soils of the Far East. [Orig. Russ.] - *Vestn. DVO Ran., Khabarovsk* 0,3: 54-60
- RYABININ, N.A. / PANKOVA, A.N. (2009):\* Successions of oribatid mites (Acariformes, Oribatida) on disturbed areas. [Orig. Russ.] - *Izv. Akad. Nauk, Ser. Biol.* 0,5: 604-609
- SCHATZ, H. (2009): *Tricheremaeus travei* Miko, 1993 (Acari, Oribatida, Eremaeidae), a remarkable find in South Tyrol (Italy). - *Gredleriana* 9: 283-286
- SCHATZ, H. / SCHATZ, I. (2009): Oribatid mites (Acari, Oribatida) from the "Isola del Garda" (Lake Garda, Prov. Brescia, Italy). - *Contr. Nat. Hist.* 12,3: 1125-1149
- SCHMELZLE, S. / HELFEN, L. / NORTON, R.A. / HEETHOFF, M. (2009): The ptychoid defense mechanism in Euphthiracaroida (Acari, Oribatida): a comparison of muscular elements with functional considerations. - *Arthropod Structure & Devel.* 38: 461-472
- SCHOWALTER, T.D. / SABIN, T.E. (2009):\* Litter microarthropod responses to canopy herbivory, season and decomposition in literbags in a regenerating conifer ecosystem in Western Oregon. - *Biol. Fertil. Soils* 11: 93-96
- SENICZAK, S. / NORTON, R.A. / SENICZAK, A. (2009): Morphology of *Eniochthonius minutissimus* (Berlese, 1904) and *Hypochthonius rufulus* C.L. Koch, 1835 (Acari, Oribatida, Hypochthonioidea). - *Ann. Zool.* 59,3: 373-386
- SENICZAK, S. / SENICZAK, A. (2009): Morphology of some species of *Limnozetes* Hull, 1916 (Acari, Oribatida, Limnozetidae), and keys to the larvae and nymphs. - *Ann. Zool.* 59,3: 387-396
- SHTANCHAEVA, U.YA. / SUBIAS, L.S. (2009): A review of oribatid mites of the family Suctobelbidae (Acariformes, Oribatida) from the Caucasus. - *Entomol. Rev.* 89,7: 849-873

- SHTANCHAEVA, U.YA. / SUBIAS, L.S. (2009): Fauna of oribatid mites (Acari, Oribatida) of the alpine zone of the Caucasus. [Orig. Russ.] - Abstr. 2nd All-Russian Conf. "Biogeography of the Area", Moscow : 89
- SHTANCHAEVA, U.YA. / SUBIAS, L.S. / ARILLO, A. (2009):\* New taxa of oribatid mites of the family Liacaridae (Acariformes, Oribatida) from the Caucasus. - Entomol. Fenn. 20,4: 245-248**
- SIDORCHUK, E.A. (2009): New Data on the fauna of oribatid mites (Acari, Oribatida) from the Polar Urals. [Orig. Russ.] - Zool. Zh. 88,7: 800-808
- SIDORCHUK, E.A. / RASNITSYN, A.P. (2009): On the taxonomic position of *Palaeonothrus Krivolutsii* et Sidorchuk 2003 (Insecta, Hymenoptera, Ichneumonoidea, non Acariformes, Oribatida). [Orig. Russ.] - Paleontol. J. 43,6: 640-642
- SIEPEL, H. / ZAITSEV, A. / BERG, M. (2009): Checklist of the oribatid mites of the Netherlands (Acari, Oribatida). - Nederlandse Faun. Meded. 30: 83-111
- STRAUBE, D. / JOHNSON, E.A. / PARKINSON, D. / SCHEU, S. / EISENHAEUER, N. (2009): Nonlinearity of effects of invasive ecosystem engineers on abiotic soil properties and soil biota. - Oikos 118: 885-896
- SUBIAS, L.S. (2009): Listado sistemático, sinonímico y biogeográfico de los ácaros oribátidos (Acariformes: Oribatida) del mundo (excepto fósiles). (Originally published in Graellsia, 60 (número extraordinario): 3-305 (2004), actualized in April 2009) - <http://www.ucm.es/info/zoo/Artropodos/Catalogo.pdf> : 1-547
- SUBIAS, L.S. (2009): New name and new record for the Caucasus of a species of Anachipteria Grandjean, 1932 (Acari, Oribatida, Archipteriidae). - Graellsia 65,1: 79-80**
- SUBIAS, L.S. (2009): Nuevos nombres para especies de Oribatida (Acari) descritas por Niedbala. - Rev. Iber. Aracnol. 17: 83-84**
- SUSTR, V. / SIMEK, M. (2009):\* Methane release from millipedes and other soil invertebrates in Central Europe. - Soil Biol. Biochem. 41,8: 1684-1688
- TOLUK, A. / AYYILDIZ, N. (2009): Two new species of the genus *Quadroppia* (Acari, Oribatida, Quadroppiidae) from Turkey. - Biologia 64,5: 930-936**
- VANSCHOENWINKEL, B. / GIELEN, S. / SEAMAN, M. / BRENDONCK, L. (2009):\* Wind mediated dispersal of freshwater invertebrates in a rock pool metacommunity: Differences in dispersal capacities and modes. - Hydrobiologia 635,1: 363-372
- VASILIU, N.A. / IVAN, O. (2009): Errata. *Multioppia* ssg. - Consideration on the genus *Multioppia* Hammer, 1961 new species of the genus from Romania (Acarologia, 49 fasc. 1-2 p 39-53). - Acarologia 49,3-4: 185-185
- VASILIU, N.A. / IVAN, O. (2009): Considerations on the genus *Multioppia* Hammer, 1961 new species of the genus from Romania. - Acarologia 49,1-2: 39-53**
- VLADIMIROVA, N.V. / GRISHINA, L.G. / SLEPTSOVA, E.V. (2009): Spatial-typological organization of the oribatid mites population of the North East Altai. [Orig. Russ.] - Sibirskij Ecol. Zh. 3: 365-377
- WALTER, D.E. (2009): Genera of Gymnodamaeidae (Acari, Oribatida, Plateremaeoidea) of Canada, with notes on some nomenclatorial problems. - Zootaxa 2206: 23-44**
- WEIGMANN, G. (2009): Oribatid mites (Acari, Oribatida) from the coastal region of Portugal. III. New species of Scutoverticidae and Scheloribatidae. - Soil Organisms 81,1: 107-127**
- WEIGMANN, G. (2009): Oribatid mites (Acari, Oribatida) from the coastal region of Portugal. II. The genera *Zachvatkinibates* and *Punctoribates* (Mycobatidae). - Soil Organisms 81,1: 85-105**
- WEIGMANN, G. (2009): Anomalies of notogastral structures in poronotic oribatid mites (Oribatida, Poronota) interpreted as cryptic ancestral characters modulated by regulatory genes. In: Sabelis M.W. / Bruin J. (Eds.), Trends in Acarology, - Proc. XII Int. Congr. Acarol., Amsterdam, 2006, Springer-Science + Business Media B. V., Dordrecht: 17-22
- WEIGMANN, G. / RASPOTNIG, G. (2009): Comparative morphological and biometrical studies on *Trhypochthonius* species of the tectorum species group (Acari, Oribatida, Trhypochthoniidae). - Zootaxa 2269: 1-31**
- XIE, L. / YANG, M. (2009): A taxonomic study on the genus *Tectodamaeus* Aoki (Acari, Oribatida, Damaeidae), with description of two new species from China. - ZooKeys 21: 73-82**

### Publications, additions 2008

- BERON, P. (2008): High-altitude Isopoda, Arachnida and Myriapoda in the old world. In: Beron, P. / Popov, A. / Stoev, P. (Eds.), Bureschiana - Series of Monographs. - Pensoft Publishers, Sofia 1: 1-556

- BOKHORST, S. / HUISKES, A. / CONVEY, P. / VAN BODEGOM, P.M. / AERTS, R. (2008):\* Climate change effects on soil arthropod communities from the Falkland Islands and the Maritime Antarctic. - *Soil Biol. Biochem.* 40: 1547-1556
- FERNANDEZ, J. (2008): Noticia de nuevos táxones para la ciencia en el ámbito Ibérico-Balear y Macaronésico - Nuevos táxones animales descritos en la península Ibérica y Macaronesia desde 1994 (XIII). - *Graellsia* 65,2: 249-280
- FONTANETO, D. / BOSCHETTI, C. / RICCI, C. (2008):\* Cryptic diversification in ancient asexuals: evidence from the bdelloid rotifer *Philodina flaviceps*. - *J. Evol. Biol.* 21: 580-587
- HEETHOFF, M. / HELFEN, L. / CLOETENS, P. (2008):\* Non-invasive 3D-visualization of the internal organization of microarthropods using synchrotron X-ray-tomography with submicron resolution. - *J. Vis. Exp.* 15: doi 10.3791/737
- IGLESIAS, R.M. / PALACIOS-VARGAS, J.G. / CUTZ POOL, L.Q. (2008): Los ácaros oribátidos asociados a musgos corticícolas en un gradiente altitudinal del Volcan Iztaccihuatli, México. - *Mem. X Symp. de Zool.*: 16-17
- KOCAK, A.O. / KEMAL, M. (2008): Nomenclatural notes in the genus group taxa of Acarina. - *Centr. Entomol. Stud. Misc. Papers* 139-140: 4-5**
- LINDO, Z. / WINCHESTER, N. / DIDHAM, R.K. (2008): Nested patterns of community assembly in the colonisation of artificial canopy habitats by oribatid mites. - *Oikos* 117: 1856-1864
- RASPOTNIG, G. / KAISER, R. / STABENTHEINER, E. / LEIS, H.J. (2008): Chrysolmelidial in the opisthotal glands of the oribatid mite, *Oribotritia berlessei*. - *J. Chem. Evol.* 34: 1081-1088
- RASPOTNIG, G. / STABENTHEINER, E. / FÖTTINGER, P. / SCHAIDER, M. / KRISPER G. / RECHBERGER G. / LEIS, H.J. (2008): Opisthotal glands in the Camisiidae (Acari, Oribatida): evidence for a regressive evolutionary trend. - *J. Zool. Syst. Evol. Res.* 47,1: 77-87
- SOBEK, S. / KAMPICHLER, C. / WEIGMANN, G. (2008): Oribatid mites (Acari, Oribatida) in the canopy of a Central European mixed forest: species richness and species similarity between tree species and habitat types. In: Floren, A. / Schmidt, J. (Eds.), *Canopy arthropod research in Europe*. - *Bioform Entomology*, Nuremberg: 339-354
- TOLUK, A. / AYYILDIZ, N. (2008): New and unrecorded oppioid mites (Acari, Oribatida) from Yozgat Pine Grove National Park, Turkey. - *Acarologia* 48,3-4: 209-223**

### Publications, additions 2007

- AOKI, J. (2007):\* A new species of oribatid mite of the genus *Ctenobelba* from the US Army Base on Okinawajima Island (Oribatida, Ctenobelbidae). - *Biol. Mag. Okinawa* 45: 11-13**
- DENEGRI, G.M. / MARTINEZ, P. (2007): Population dynamics of oribatid mites in an endemic zone of sheep cestodosis in Argentina. - *Rev. Vet.* 18,2: 92-94
- PAPAC, V. / L'UPTACIK, P. / FENDA, P. / KOSEL, V. / CHRISTOPHORYOVA, J. (2007): Spolocensťva terestrických článkonozcovo npp snežná diera (Slovenský Kras, Horný Vrch). - *Acta Carsol. Slov.* 45: 151-157

### Publications, additions 2006

- GORMSEN D. / HEDLUND K. / WANG H.F. (2006):\* Diversity of soil mite communities when managing plant communities on set-aside arable land. - *Appl. Soil Ecol.* 31: 147-158

## Nomina Nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material informations as follows:

*Kunstidamaeus fraterculus* Miko, 2010 (Page: 60<sup>1</sup>) – TYPES: HT<sup>2</sup> - SMNG<sup>3</sup>, PT<sup>2</sup> - CLM<sup>3</sup>

1 – first page of the description

2 – holotype (HT), number of paratypes (PT) or syntypes (ST)

3 – Abbreviations of the places of storage of new species, as far as they were cited in the publications

#### Abbreviations of the places of storage of new types

- ANIC - Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia  
 CGW - Collection Gerd Weigmann, Berlin, Germany  
 CIBR - Caspian Institute of Biological Resources, Daghestan Scientific Center, Makhachkala, Russia  
 CLM - Collection Ladislav Miko, Bruxelles, Belgium  
 CNC - Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada  
 CPT - Conjunto Paleontológico de Teruel-Dinópolis, Teruel Province, Spain  
 DATE - Deartment of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznan, Poland  
 DPPSU - Deartment of Plant Protection, Shiraz University, Shiraz, Iran  
 FBUCM - Facultad de Biología de la Universidad Complutense de Madrid, Madrid, Spain  
 FMNH - Field Museum of Natural History, Chicago, USA  
 GMNH - Gorgia Museum of Natural History, Natural History Building, University of Georgia, Athens, Georgia, USA  
 HNHM - Hungarian Natural History Museum, Budapest, Hungary  
 IASE - Zoological Museum of the Institute of Animal Systematics and Ecology, Siberian Division of the Russian Academy of Sciences, Novosibirsk, Russia  
 IEGU - Institute of Entomology, Guizhou University, Guiyang, Guizhou, China  
 MHNG - Muséum d'Histoire Naturelle, Geneva, Switzerland  
 MNB - Museum of Natural History, Humboldt-University, Berlin, Germany  
 NMB - National Museum Bloemfontein, Bloemfontein, South Africa  
 NMVA - National Museum Victoria, Department of Entomology, Melbourne, Australia  
 NSMT - National Science Museum, Tokyo, Japan  
 NUM - National University of Mongolia, Department of Zoology, Ulaan-baatar, Mongolia  
 OSAL - Ohio State University, Acarology Laboratory, Columbus, Ohio, USA  
 PFC - Pacific Forestry Centre, Canadian Forestry Service, Victoria, Brit. Colombia, Canada  
 PMAE - Royal Alberta Museum, Invertebrate Zoology, formerly Provincial Museum of Alberta Herbarium, Edmonton, Alberta, Canada  
 RMNH - National Museum of Natural History Naturalis, formerly Rijks Museum van Natuurlijke Historie, Leiden, The Netherlands  
 RNC - Roy A. Norton Collection, New York, Syracuse, USA  
 SMNG - Senckenberg Museum für Naturkunde Görlitz, Görlitz, Germany  
 SZMN - Siberian Zoological Museum of the Institute of Systematics and Ecology of Animals, Novosibirsk, Russia  
 UNAM - Universidad Nacional Autónoma de Mexico, Laboratorio de Ecología y Sistemática de Microartropodos, Mexico City, Mexico  
 UPLB - University of Philippines Los Banos, Museum of Natural History, Los Banos, Philippines  
 USNM - United States National Museum of Natural History, Washington, USA  
 ZISP - Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia  
 ZMCAS - Zoological Museum, Institute of Zoology, Chinese Academy of Sciences, Beijing, China  
 ZMEU - Zoological Museum, Erciyes University, Kayseri, Iran  
 ZMUC - Zoological Museum, Natural History Museum of Denmark, University of Copenhagen, Copenhagen, Denmark

## New species

- Adoristes (Gordeevilla) krivolutskiyi* Shtanchaeva, Subias & Arillo, 2010 (Page: 246) – TYPES: HT♀ + 12 PT - FBUCM
- Ambrobates translamellatus* Mahunka, 2009 (Page: 348) – TYPES: HT + 6 PT - MHNG, 4 PT - HNHM
- Arthrodamaeus johanni* Hugo, 2010 (Page: 200) – TYPES: HT + PT - NMB
- Asperemaeus striganovae* Bayartogtokh, 2010 (Page: 74) – TYPES: HT♀ + 4 PT♀ - NUM, 2 PT♀ - IASE
- Austrophthiracarus nimus* Niedbala, 2009 (Page: 318) – TYPES: HT + 4 PT - ANIC, 4 PT - DATE
- Carabodes oenipontanus* Mahunka & Mahunka-Papp, 2009 (Page: 941) – TYPES: HT + 2 PT - MHNG, 2 PT - HNHM
- Carabodes thaleri* Mahunka & Mahunka-Papp, 2009 (Page: 943) – TYPES: HT + PT - MHNG, PT - HNHM
- Caveremulus foliaceus* Mahunka, 2009 (Page: 343) – TYPES: HT + 4 PT - MHNG, 2 PT - HNHM
- Caveremulus salicinus* Mahunka, 2009 (Page: 345) – TYPES: HT + PT - MHNG, PT - HNHM
- Cretaceobodes martinezae* Arillo, Subias & Shtanchaeva, 2010 (Page: 288) – TYPES: HT - CPT
- Crotonia alpina* Colloff & Perdomo, 2009 (Page: 3) – TYPES: HT♀ + PT♀ - NMVA, PT - ANIC
- Crotonia blacki* Colloff & Perdomo, 2009 (Page: 16) – TYPES: HT♀ + 4 PT - NMVA, PT - ANIC
- Crotonia cornuta* Colloff & Perdomo, 2009 (Page: 5) – TYPES: HT♀ + 2 PT♂ + PT♀ - NMVA, PT - ANIC
- Crotonia gadubanudi* Colloff & Perdomo, 2009 (Page: 23) – TYPES: HT♀ + PT♀ - NMVA, PT - ANIC
- Crotonia momittoi* Colloff & Perdomo, 2009 (Page: 10) – TYPES: HT♀ + PT - NMVA, PT - ANIC
- Crotonia venetiolana* Lochyńska, 2010 (Page: 970) – TYPES: HT + 7 PT - UNAM, 6 PT - ZMUC
- Crotonia victoriae* Colloff & Perdomo, 2009 (Page: 8) – TYPES: HT♀ + PT♂ + PT♀ - NMVA, PT - ANIC
- Dendrozetes jordani* Lindo, Clayton & Behan-Pell., 2010 (Page: 12) – TYPES: HT♀ + PT - CNC, PT - PFC
- Dissorhina uludagensis* Ayyıldız, Toluk & Taskiran, 2010 (Page: 18) – TYPES: HT + 10 PT - ZMEU
- Eohypochthonius benacensis* Schatz, 2009 (Page: 1139) – TYPES: HT - MHNG
- Epilohmannia rubra* Fujikawa, 2010 (Page: 15) – TYPES: HT♀ + PT - NSMT
- Eupelops kumaensis* Fujikawa, 2009 (Page: 1) – TYPES: HT♀ + 4 PT♀ - NSMT
- Fortuynia arabica* Bayartogtokh, Chatterjee, Chan & Ingole, 2009 (Page: 252) – TYPES: HT♂ - FMNH, 3 PT♂ - NUM
- Fortuynia taiwanica* Bayartogtokh, Chatterjee, Chan & Ingole, 2009 (Page: 244) – TYPES: HT♂ - FMNH, PT♀ - NUM
- Fusuloppia variosetosa* Mahunka, 2010 (Page: 53) – TYPES: HT + 2 PT - HNHM, PT - MHNG
- Gymnodamaeus johanni* Hugo, 2010 (Page: 205) – TYPES: HT + PT - NMB
- Hermannia (Phyllhermannia) maruokaensis* Nakamura, Nakamura, Hashimoto & Gotoh, 2009 (Page: 116) – TYPES: HT♀ + 5 PT♀ - NSMT
- Hymenobelba flagellatissima* Mahunka, 2009 (Page: 48) – TYPES: HT + 3 PT - HNHM, 2 PT - MHNG
- Kunstedamaeus fraterculus* Miko, 2010 (Page: 60) – TYPES: HT - SMNG, PT - CLM
- Lamellobates cuneatus* Mahunka, 2010 (Page: 54) – TYPES: HT + PT - HNHM
- Liacarus (Liacarus) longipilis* Shtanchaeva, Subias & Arillo, 2010 (Page: 248) – TYPES: HT♀ + PT - FBUCM
- Madabelba bercziki* Mahunka, 2009 (Page: 58) – TYPES: HT + 2 PT - HNHM, PT - MHNG
- Maerkelotritia fusiformis* Liu, Niedbala & Chen, 2009 (Page: 513) – TYPES: HT + 14 PT - ZMCAS, 2 PT - DATE
- Masthermannia hauseri* Mahunka, 2009 (Page: 342) – TYPES: HT + PT - MHNG, PT - HNHM
- Meristolohmannia abbreviata* Chen, Yang & Xie, 2010 (Page: 147) – TYPES: HT♂ + 2 PT♂ + 2 PT♀ - IEGU
- Mesoplophora (Parplophora) madegassica* Mahunka, 2009 (Page: 340) – TYPES: HT + 2 PT - MHNG, PT - HNHM
- Mesotritia bicarinata* Liu & Chen, 2010 (Page: 44) – TYPES: HT + PT - ZMCAS
- Mesotritia serrata* Liu & Chen, 2010 (Page: 46) – TYPES: HT + 3 PT - ZMCAS
- Micropirnodus longissimus* Weigmann, 2009 (Page: 119) – TYPES: HT♀ + PT♂ - SMNG, 5 PT♂ - CGW
- Multioppia (Multioppia) callatisiana* Vasiliu & Ivan, 2009 (Page: 49) – TYPES: no information
- Multioppia (Multioppia) orghidani* Vasiliu & Ivan, 2009 (Page: 47) – TYPES: no information
- Multioppia malalatainae* Mahunka, 2009 (Page: 54) – TYPES: HT + PT - HNHM
- Neoribates (Parakalumma) koshiensis* Nakamura, 2009 (Page: 83) – TYPES: HT♀ + PT - NSMT

- Neoribates borealis* Vladimirova, 2009 (In Grishina & Vladimirova, 2009; Page: 214) – TYPES: HT - ZISP, PT - SZMN
- Neoribates bulanovae* Grishina, 2009 (Page: 216) – TYPES: HT - ZISP, PT - SZMN
- Neoribates krivolutskiyi* Grishina, 2009 (Page: 211) – TYPES: HT - ZISP, PT - SZMN
- Neoribates sibericus* Vladimirova, 2009 (In Grishina & Vladimirova, 2009; Page: 219) – TYPES: HT - ZISP, 10 PT - SZMN
- Nothrolohmannia samarensis* Norton & Corpuz-Raros, 2010 (Page: 40) – TYPES: HT + PT - UPLB
- Notophthiracarus inusitatus* Mahunka, 2010 (Page: 50) – TYPES: HT + PT - HNHM, PT - MHNG
- Notophthiracarus pseudosomalicus* Mahunka, 2010 (Page: 50) – TYPES: HT + PT - HNHM
- Oppiella (Oppiella) nova* Akrami & Subias, 2009 (Page: 68) – TYPES: HT + PT - DPSPU
- Oribatella canadensis* Behan-Pelletier & Eamer, 2010 (Page: 3) – TYPES: HT♀ - CNC, 5 PT♂ + 15 PT♀ - CNC, RNC, USNM
- Oxyoppia (Dzarogneta) baranae* Toluk & Ayyildiz, 2008 (Page: 213) – TYPES: HT + 6 PT - ZMEU
- Oxyoppia (Oxyoppia) tuberosa* Mahunka, 2009 (Page: 56) – TYPES: HT + PT - HNHM
- Protoriboda nasuta* Mahunka, 2009 (Page: 58) – TYPES: HT + PT - HNHM, PT - MHNG
- Pseudotocepheus atolanaro* Mahunka, 2009 (Page: 52) – TYPES: HT - HNHM
- Punctoribates aveiroensis* Weigmann, 2009 (Page: 98) – TYPES: HT♀ + 3 PT - SMNG
- Quadroppia (Coronoquadroppia) foveolatai* Toluk & Ayyildiz, 2009 (Page: 933) – TYPES: HT + 15 PT - ZMEU
- Quadroppia (Coronoquadroppia) iranica* Akrami & Subias, 2009 (Page: 66) – TYPES: HT + PT - DPSPU
- Quadroppia (Coronoquadroppia) michaeli* Baran, Toluk & Ayyildiz, 2009 (Page: 241) – TYPES: HT + 3 PT - ZMEU
- Quadroppia (Quadroppia) squarrosai* Toluk & Ayyildiz, 2009 (Page: 930) – TYPES: HT + 2 PT - ZMEU
- Ramusella (Insculptoppia) pinarbasiensis* Ayyildiz, Toluk & Taskiran, 2010 (Page: 14) – TYPES: HT + 5 PT - ZMEU
- Ramusella (Insculptoppia) salmani* Toluk & Ayyildiz, 2008 (Page: 212) – TYPES: HT + 16 PT - ZMEU
- Rugocepheus formosus* Mahunka, 2009 (Page: 50) – TYPES: HT + PT - HNHM, PT - MHNG
- Sabahritia striata* Liu & Chen, 2009 (Page: 361) – TYPES: HT + 3 PT - ZMCAS
- Scapheremaeus alisonae* Colloff, 2010 (Page: 3) – TYPES: HT♀ + PT♀ + PT♂ - ANIC
- Scapheremaeus allmani* Colloff, 2010 (Page: 5) – TYPES: HT♀ + PT♂ + 6 PT♀ - ANIC
- Scapheremaeus angusi* Colloff, 2009 (Page: 19) – TYPES: HT + PT - ANIC
- Scapheremaeus baylyi* Colloff, 2010 (Page: 8) – TYPES: HT♀ + PT♂ - ANIC
- Scapheremaeus bulbosensillatus* Colloff, 2010 (Page: 11) – TYPES: HT♀ + PT♂ + PT♀ - ANIC
- Scapheremaeus cheloniella* Colloff, 2009 (Page: 13) – TYPES: HT + PT - ANIC
- Scapheremaeus ethemellus* Colloff, 2010 (Page: 14) – TYPES: HT♀ + PT♀ - ANIC
- Scapheremaeus ewani* Colloff, 2009 (Page: 24) – TYPES: HT + PT - ANIC
- Scapheremaeus lambiae* Colloff, 2009 (Page: 22) – TYPES: HT - ANIC
- Scapheremaeus minjambuta* Colloff, 2010 (Page: 16) – TYPES: HT♀ - ANIC
- Scapheremaeus nivalis* Colloff, 2010 (Page: 18) – TYPES: HT♀ + PT♂ - ANIC
- Scapheremaeus notoverrucatus* Colloff, 2010 (Page: 20) – TYPES: HT♀ + PT♂ + PT♀ - ANIC
- Scapheremaeus pauliani* Fernandez & Cleva, 2010 (Page: 103) – TYPES: HT + PT - MNHN
- Scapheremaeus pulleni* Colloff, 2009 (Page: 16) – TYPES: HT + PT - ANIC
- Scapheremaeus rodickae* Norton, Franklin & Crossley, 2010 (Page: 2) – TYPES: HT + 5 PT - GMNH, 5 PT - OSAL, 5 PT - CNC, 25 PT - RNC
- Scapheremaeus tegulatus* Colloff, 2010 (Page: 22) – TYPES: HT♀ + PT♀ - ANIC
- Scapheremaeus truncatus* Colloff, 2010 (Page: 24) – TYPES: HT♀ - ANIC
- Scapheremaeus tuberculosus* Colloff, 2010 (Page: 26) – TYPES: HT♀ + PT♂ - ANIC
- Scapheremaeus walteri* Colloff, 2010 (Page: 28) – TYPES: HT♂ + PT♂ - ANIC
- Scapheremaeus zephyrus* Colloff, 2010 (Page: 30) – TYPES: HT♂ + PT♂ - ANIC
- Schelorbates (Euschelorbates) algarvensis* Weigmann, 2009 (Page: 113) – TYPES: HT♀ - SMNG, PT - CGW
- Scutovertex ianus* Pflingstl, Schäffer, Ebermann & Krisper, 2010 (Page: 50) – TYPES: HT♀ - MNB, PT♂ + 2 PT♀ - SMNG, PT♂, 3♀ - RMNH
- Scutovertex ianus* Pflingstl, Schäffer, Ebermann & Krisper, 2010 (Page: 50) – TYPES: HT + PT - MNB, PT - SMNG, RMNH

- Scutovertex miko* Weigmann, 2009 (Page: 108) – TYPES: HT♀ - SMNG, PT - CGW  
*Separatoribates kjuensis* Matsushima, Nakamura & Nakamura, 2009 (Page: 106) – TYPES: HT♀ - NSMT  
*Serratoppia iranica* Akrami, Subias & Saboori, 2009 (Page: 171) – TYPES: HT + 3 PT - DPPSU  
*Serratoppia iranica* Akrami, Subias & Saboori, 2009 (Page: 171) – TYPES: HT + PT - DPPSU  
*Suctobelba cornigera* Shtanchaeva & Subias, 2009 (Page: 850) – TYPES: HT - CIBR, PT - FBUCM  
*Suctobelba flagelliset*a Shtanchaeva & Subias, 2009 (Page: 851) – TYPES: HT - CIBR, PT - FBUCM  
*Suctobelba scalpellata caucasica* Shtanchaeva & Subias, 2009 (Page: 852) – TYPES: HT + PT - CIBR  
*Suctobelbella (Flagrosuctobelba) diversosetosa* Shtanchaeva & Subias, 2009 (Page: 866) – TYPES: HT - CIBR, PT - FBUCM  
*Suctobelbella (Flagrosuctobelba) nana* Shtanchaeva & Subias, 2009 (Page: 862) – TYPES: HT - CIBR  
*Suctobelbella (Flagrosuctobelba) sensillinuda* Shtanchaeva & Subias, 2009 (Page: 864) – TYPES: HT - CIBR, PT - FBUCM  
*Suctobelbella (Suctobelbella) acutidens* Shtanchaeva & Subias, 2009 (Page: 858) – TYPES: HT - CIBR, PT - FBUCM  
*Suctobelbella (Suctobelbella) liacariformis* Shtanchaeva & Subias, 2009 (Page: 857) – TYPES: HT - CIBR, PT - FBUCM  
*Suctobelbella (Suctobelbella) subcornigera* Shtanchaeva & Subias, 2009 (Page: 859) – TYPES: HT + 10 PT - CIBR, 6 PT - FBUCM  
*Tectodamaeus daliensis* Xie & Yang, 2009 (Page: 76) – TYPES: HT + 14 PT - IEGU  
*Tectodamaeus longus* Xie & Yang, 2009 (Page: 78) – TYPES: HT + 3 PT - IEGU  
*Topobates helveticus* Mahunka & Mahunka-Papp, 2009 (Page: 326) – TYPES: HT - MHNG, PT - HNHM  
*Trhypochthonius silvestris* Weigmann & Raspotnig, 2009 (Page: 13) – TYPES: HT + 2 PT - SMNG  
*Truncopes gozeensis* Nakamura, 2009 (Page: 89) – TYPES: HT♀ + PT - NSMT  
*Unduloribates diana*e Behan-Pelletier & Walter, 2009 (Page: 50) – TYPES: HT♀ - CNC, 25 PT - USNM, PMAE, RNC, CNC  
*Veppracarus jinggangshanensis* Yong, Yang & Liang, 2010 (In Chen, Yang & Liang, 2010; page: 36) – TYPES: HT + PT - IEGU  
*Vilhenabates ambohira* Mahunka, 2009 (Page: 348) – TYPES: HT + 6 PT - MHNG, 4 PT - HNHM  
*Zetorchella nortoni* Ermilov, Sidorchuk & Rybalov, 2010 (Page: 61) – TYPES: HT + PT - ZISP

## New subspecies

- Austrophthiracarus aokii malagascensis* Mahunka, 2010 (Page: 48) – TYPES: HT + PT - HNHM

## New genera

- Ambrobates* Mahunka, 2009 (Page: 347)  
 Typ. sp.: *Ambrobates translamellatus* Mahunka, 2009  
*Cretaceobodes* Arillo, Subias & Shtanchaeva, 2010 (Page: 288)  
 Typ. sp.: *Cretaceobodes martinezae* Arillo, Subias & Shtanchaeva, 2010  
*Edaphoribates* Nakamura & Aoki, 2009 (Page: 98)  
 Typ. sp.: *Protoribates agricola* Nakamura & Aoki, 1989  
*Madabelba* Mahunka, 2009 (Page: 56)  
 Typ. sp.: *Madabelba bercziki* Mahunka, 2009  
*Micropirnodus* Weigmann, 2009 (Page: 119)  
 Typ. sp.: *Micropirnodus longissimus* Weigmann, 2009  
*Rugocephus* Mahunka, 2009 (Page: 50)  
 Typ. sp.: *Rugocephus formosus* Mahunka, 2009  
*Separatoribates* Matsushima, Nakamura & Nakamura, 2009 (Page: 105)  
 Typ. sp.: *Separatoribates kjuensis* Matsushima, Nakamura & Nakamura, 2009

## New subgenera

- Adoristes (Gordeevella)* Shtanchaeva, Subias & Arillo, 2010 (Page: 245)  
 Typ.sp.: *Adoristes (Gordeevella) krivolutskiyi* Shtanchaeva, Subias & Arillo, 2009



*Multioppia (Hammeroppia)* Vasiliu & Ivan, 2009 (Page: 41)

Typus-Art: *Multioppia (Hammeroppia) wilsoni* Aoki, 1964

### New combinations

*Afropopia brevipila* (Mahunka, 1982) – [Kocak & Kemal, 2008: 5]

*Brazilobates incertus* (Balogh & Mahunka, 1977) – [Kocak & Kemal, 2008: 5]

*Donjohnstonella subalpina* (Paschoal, 1982) – [Walter, 2009: 31]

*Edaphoribates agricola* (Nakamura & Aoki, 1989) – [Nakamura & Nakai, 2009: 93]

*Euschelorbates monodactylus* (Morell, 1987) – [Weigmann, 2009: 118]

*Gressittolus ocellatus* (Mahunka, 2000) – [Baran, Ayyildiz & Subias, 2010: 2]

*Mahunkana bifurcata* (Mahunka, 1987) – [Kocak & Kemal, 2008: 5]

*Punctoribates ezoensis* (Fujikawa, 1982) (Page: 102) – [Nakamura & Nakai, 2009: 102]

*Roynortonella gildersleeveae* (Hammer, 1952) – [Walter, 2009: 39]

*Roynortonella victoriae* (Paschoal, 1982) – [Walter, 2009: 39]

*Tanzanycha hesperis* (Mahunka, 1984) – [Kocak & Kemal, 2008: 5]

### New synonyms

Salvidae Özdikmen, 2008 [Kemal & Kocak, 2009: 4]

= Brazilobatidae Kocak & Kemal, 2008

*Salvus* Özdikmen, 2008 [Kemal & Kocak, 2009: 4]

= Brazilobates Kocak & Kemal, 2008

### New status

*Schelorbates (Euschelorbates)* Kunst, 1958 – [Weigmann, 2009: 118]

*Suctobelbella (Flagrosuctobelba) forsslundi* Mahunka, 1987 – [Shthanchaeva & Subias, 2009: 867]

### New names

*Afropopia* Kocak & Kemal, 2008 – pro *Xenoppia* Mahunka, 1982 (Page: 5)

*Anachipteria shtanchaevae* Subias, 2009 – pro *Oribata tecta alpina* Schweizer, 1922 non Halbert, 1915 (Page: 79)

*Brazilobates* Kocak & Kemal, 2008 (published 03-20-2008) – pro *Pterobates* Balogh & Mahunka, 1977 (Page: 5, see ACARI 8,2 page 19)

Brazilobatidae Kocak & Kemal, 2008 (published 03-20-2008) – pro *Pterobatidae* Balogh & Mahunka, 1977 (Page: 5, see ACARI 8,2 page 19)

*Donjohnstonella* Walter, 2009 – pro *Johnstonella* Paschoal, 1982 (Page: 30)

*Euphthiracarus arilloi* Subias, 2009 – pro *Euphthiracarus reticulatus* Niedbala, 2004, "nom. praeoc." of *E. reticulatus* (Berlese, 1913) (Page: 84)

*Mahunkana* Kocak & Kemal, 2008 – pro *Fenestrella* Mahunka, 1987 [Page: 5]

*Mesoplophora (Parplophora) niedbalai* Subias, 2009 – pro *Mesoplophora (Parplophora) pertenuis* Niedbala, 2006, "nom. praeoc." of *M. (P.) pertenuis* Niedbala, 2001 [Page: 84]

*Notophthiracarus niedbalai* Subias, 2009 – pro *Notophthiracarus procerus* Niedbala, 2006, "nom. praeoc." of *N. procerus* Niedbala, 2001 [Page: 84]

*Roynortonella* Walter, 2009 – pro *Nortonella* Paschoal, 1982 [Page: 30]

Salvidae Özdikmen, 2008 – pro *Pterobatidae* Balogh & Mahunka, 1977 [Page: 696]

*Salvus* Özdikmen, 2008 – pro *Pterobates* Balogh & Mahunka, 1977 [Page: 696]

*Tanzanycha* Kocak & Kemal, 2008 – pro *Didymonycha* Mahunka, 1984 [Page: 4]

## Addresses

- ABE, HIROSHI, Biological Laboratory, College of Bioresource Sciences, Nihon University, 1866 Kameino, 252-8510 Fujisawa, Kanagawa, Japan; **E-Mail: acari@brs.nihon-u.ac.jp**
- AKRAMI, DR. MOHAMMAD ALI, Department of Plant Protection, College of Agriculture, Shiraz University, Shiraz, Iran; **E-Mail: akrami@shirazu.ac.ir**
- AOKI, PROF. DR. JUN-ICHI, 3-8-12, Nishi-Azabu, Minato-ku, Tokyo, 106-0031, Japan; **E-Mail: ja-muck@ma.rosenet.ne.jp**
- ARILLO, DR. ANTONIO, Facultad de Biología - UCM, Departamento de Zool. y Antropol. Física, C / Jose A. Novais, 2, Ciudad Universitaria, 28040 Madrid, Spain; **E-Mail: aarillo@teleline.es**
- AYYILDIZ, PROF. DR. NUSRET, Department of Biology, Faculty of Arts and Sciences, Erciyes University, 38039 Kayseri, Turkey; **E-Mail: nayildiz@erciyes.edu.tr**
- BARAN, ASS. PROF. DR. SULE, Sakarya University, Sciences and Arts Faculty, Biology Department, Z-501, Sakarya 54187, Turkey; **E-Mail: sbaran@sakarya.edu.tr**
- BAYARTOGTOKH, PROF. DR. BADAMDORJ, Department of Zoology, Faculty of Biology, National Univ. of Mongolia, P.O. Box 377, Ulaanbaatar 210646, Mongolia; **E-Mail: bayartogtokh@num.edu.mn**
- BEHAN-PELLETIER, DR. VALERIE M., Systematic Acarology, Invertebrate Biodiversity, Agriculture and Agri-Food Canada, K.W. Neatby Bldg., 960 Carling Ave., Ottawa, Ontario K1A 0C6, Canada; **E-Mail: Valerie.behan-pelletier@agr.gc.ca**
- BERGMANN, PAAVO, E.-Karls-Universität Tübingen, Abt. Evolutionsbiologie der Invertebraten, Auf der Morgenstelle 28E, 72076 Tübingen, Germany; **E-Mail: bergmann\_paavo@yahoo.de**
- BERON, DR. PETAR, National Museum of Natural History, Tsar Osvoboditel Blvd. 1, 1000 Sofia, Bulgaria; **E-Mail: beron@mail.bg**
- BIRKY, C.W., Graduate Interdisciplinary Program in Genetics, Biological Sciences West, The University of Arizona, Tucson, Arizona, USA; **E-Mail: birky@u.arizona.edu**
- BOLGER, PROF. DR. THOMAS, UCD School of Biology and Environmental Science, University College Dublin, Belfield, Dublin 4, Ireland; **E-Mail: tom.bolger@ucd.ie**
- CALUGAR, DR. ADINA, Institute of Biological Researches, Lascar Catargi 47, 700 505 Iasi, Romania; **E-Mail: cadina\_2004@yahoo.com**
- CARUSO, TANCREDI, Department of Environmental Sciences "G. Sarfatti", University of Siena, via P.A. Mattioli n°4, 53100 Siena, Italy; **E-Mail: tancredicaruso@unisi.it**
- CHEN, DR. JUN, Key Laboratory of Zoological Systematic and Evolution, Institute of Zoology, Chinese Academy of Sciences, Beijing 100101, China; **E-Mail: chenj@ioz.ac.cn**
- COBANOGU, PROF. DR. SULTAN, Agricultural Faculty, Plant Protection Dept., University of Ankara, 06110 Ankara, Turkey; **E-Mail: sultan.cobanoglu@agri.ankara.edu.tr**
- COLLOFF, MATTHEW J., CSIRO Entomology, GPO Box 1700, Canberra, ACT 2601, Australia; **E-Mail: Matt.Colloff@csiro.au**
- CONVEY, DR. PETER, Natural Environment Research Council, British Antarctic Survey, High Cross, Madingley Road, Cambridge, CB3 0ET, United Kingdom; **E-Mail: wcb@bas.ac.uk**
- CORPUZ-RAROS, PROF. DR. LEONILA A., Pest Biology and Biodiversity Division, College of Agriculture, University of the Philippines Los Banos, Laguna 4031, Philippines; **E-Mail: lacraros@yahoo.com**
- COULSON, STEPHEN J., Department of Arctic Biology, University Centre in Svalbard, P.O. Box 156, 9171 Longyearbyen, Norway; **E-Mail: steve.coulson@unis.no**
- COVARRUBIAS, DR. RENE, Univ. Metropolitana de Ciencias de la Educación, Instituto de Entomología, Santiago, Chile; **E-Mail: nerrecovarru@gmail.com**
- DE MORAIS, JOSÉ W., Instituto Nacional de Pesquisas da Amazonia, Coordenacao de Pesquisas em Entomologia, INPA/CPEN, CP 478, 69011-970 Manaus, AM, Brazil; **E-Mail: morais@inpa.gov.br**
- DEMITE, PETERSON R., Univ. Estadual Paulista, UNESP, Programa Pos Grad Biol. Anim., R. Cristovao Colombo 2265, Sao Paulo, Brazil; **E-Mail: peterson\_demite@yahoo.com.br**
- DENEGRI, G., Laboratorio de Zoonosis Parasitarias, Facultad de Ciencias Exactas y Naturales, Univ. Nac. de Mar del Plata, Funes 3250(7600) Mar del Plata, Argentina; **E-Mail: gdenegri@mdp.edu.ar**
- DONOSO, DAVID A., Graduate Program in Ecology and Evolution Biology, Dept. of Zoology, University of Oklahoma, Norman, OK 73019, USA; **E-Mail: david\_donosov@yahoo.com**
- EEVA, TAPIO, Section of Ecology, University of Turku, 20014 Turku, Finland; **E-Mail: tapio.eeva@utu.fi**

- EISENHAEUER, DR. NICO, J.F. Blumenbach Institut für Zoologie u. Anthropologie, Universität Göttingen, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail: nico.eisenhauer@gwdg.de**
- ERMILOV, SERGEY G., Nizhniy Novgorod State Med. Acad., Department of Biology, Rodionov 190A, Nizhnii Novgorod, 603126, Russia; **E-Mail: ermilovacari@yandex.ru**
- FENDA, DR. PETER, Dept. Zool., Faculty of Natural Sciences, Comenius Univ., Mlynská dolina B-1, 84215 Bratislava, Slovak Republic; **E-Mail: fenda@fns.uniba.sk**
- FENG, ZHUO, Yunnan Key Laboratory for Palaeobiology, Yunnan University, Kunming 650091, China; **E-Mail: jumperfeng@126.com**
- FERNANDEZ, PROF. DR. NESTOR A., Universidad Adventista del Plata, Secretaria de Ciencia y Técnica, 25 de Mayo 99, 3103 Libertador San Martin, Entre Rios, Argentina; **E-Mail: nesfernan@yahoo.fr**
- FERNANDEZ, J., Museo Nacional de Ciencias Naturales, C.S.I.C., José Gutiérrez Abascal, 2, 28006 Madrid, Spain; **E-Mail: menp115@mncn.csic.es**
- FISCHER, MAG. BARBARA M., Universität Innsbruck, Institut für Ökologie, Technikerstr. 25, 6020 Innsbruck, Austria; **E-Mail: barbara.fischer@uibk.ac.at**
- FUJIKAWA, DR. TOKUKO, Ueminami 1346-3, Asagiri-cho, Kumagun, Kumamoto Prefecture, 868-0423 Nippon, Japan
- GERECKE, DR. REINHARD, Biesinger Str. 11, 72070 Tübingen, Germany; **E-Mail: reinhard.gerecke@uni-tuebingen.de**
- GOTOH, DR. TETSUO, Laboratory of Applied Entomology and Zoology, Faculty of Agriculture, Ibaraki University, Ami, 300-0393 Ibaraki, Japan; **E-Mail: gotoh@mx.ibaraki.ac.jp**
- GRISHINA, L.G., Institute of Systematic and Ecology, Russian Academy of Sciences, Novosibirsk, Russia; **E-Mail: mu4@eco.nsc.ru**
- GRYZIAK, GRZEGORZ, Polish Academy of Sciences, Centre for Ecological Research, ul. Konopnickiej 1, 05-092 Lomianki, Poland; **E-Mail: ggryzial@cbe-pan.pl**
- HALLIDAY, DR. ROBERT B., Research Fellow (Acarology), CSIRO Entomology, GPO Box 1700, Canberra City, ACT 2601, Australia; **E-Mail: bruce.halliday@csiro.au**
- HEDLUND, KATARINA, Department of Ecology, Ecology Building, Lund University, 223 62 Lund, Sweden; **E-Mail: katarina.hedlund@zoekol.lu.se**
- HEETHOFF, DR. MICHAEL, Abt. Evolutionsbiologie der Invertebraten, Inst. f. Evol. u. Ökol., Eberhard-Karls-Universität Tübingen, Auf der Morgenstelle 28E, 72076 Tübingen, Germany; **E-Mail: michael@heethoff.de**
- HUGO, ELIZABETH A., National Museum, PO Box 266, Bloemfontein, 9300, South Africa; **E-Mail: Lhugo@nasmus.co.za**
- ILLIG, DR. JENS, Technische Universität Darmstadt, Institut für Zoologie, Schnitzpahnstr. 3, 64287 Darmstadt, Germany; **E-Mail: jillig@bio.tu-darmstadt.de**
- IVAN, DR. OTILIA, Biological Research Institute, Lascar Catargi str. 47, 700 107 Iasi, Romania; **E-Mail: otilia.ivan@ymail.com**
- JIN, DAO-CHAO, Key Laboratory for Plant Pest Management of Mountainous Region, Institute of Entomology, Guizhou University, 550 025 Guiyang, China; **E-Mail: dcjin@gzu.edu.cn**
- KAMPICHLER, PD DR. CHRISTIAN, División Académica de Ciencias Biológicas, Universidad Juárez Autónoma de Tabasco, Carretera Villahermosa-Cárdenas Km. 0.5, S/N, Entronque a Bosques de Saloya, C.P. 86150 Villahermosa, Tab., Mexico; **E-Mail: christian.kampichler@web.de**
- KARDOL, PAUL, Netherlands Institute of Ecology (NIOO-KNAW), Centre for Terrestrial Ecology, PO Box 40, 6666 ZG Heteren, Netherlands; **E-Mail: p.kardol@gmail.com**
- KASPARI, MICHAEL, Department of Zoology, Graduate Program in Ecology and Evol. Biology, Univ. of Oklahoma, Norman, Oklahoma 73019-0235, USA; **E-Mail: mkaspari@ou.edu**
- KEMAL, MUHABBET, c/o Yuzuncu Yil Universitesi, Fen-Edebiyat Fakultesi, Biyoloji Bolumu, Kampus, Van, Turkey; **E-Mail: cesa\_tr@yahoo.com.tr**
- KHALIL, MOHAMED AHMED, Zoological Department, Faculty of Science, Tanta University, 31527 Tanta, Egypt
- KOÇAK, PROF. DR. AHMET O., c/o Gazi Universitesi, Fen-Edebiyat Fakultesi, Biyoloji Bolumu, 06500 Ankara, Turkey; **E-Mail: cesa\_tr@yahoo.com.tr**
- KRISPER, DR. GÜNTHER, Institut für Zoologie, Karl-Franzens-Universität Graz, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: guenther.krisper@uni-graz.at**

- LAUMANN, MICHAEL, Eberhard-Karls-Universität Tübingen, AG Evolutionsbiologie der Invertebraten, Auf der Morgenstelle 28E, 72076 Tübingen, Germany; **E-Mail: michael.laumann@email.de**
- LINDO, DR. ZOE, Department of Biology, McGill University, 1205 Docteur Penfield, Montreal, QC H3A 1B1, Canada; **E-Mail: zoe.lindo@mcgill.ca**
- LIU, DONG, Key Laboratory of Zoological Systematic and Evolution, Institute of Zoology, Chinese Academy of Sciences, Beijing 100101, China; **E-Mail: yzliudong@126.com**
- LOCHYNSKA, MGR. MALGORZATA, Department of Animal Taxonomy and Ecology, Faculty of Biology, A. Mickiewicz University, Umoltowska 89, 61-614 Poznan, Poland; **E-Mail: cardamina@interia.pl**
- LUOTO, TOMI P., Department of Geology, P.O. Box 64, University of Helsinki, 00014 Helsinki, Finland; **E-Mail: tomi.luoto@helsinki.fi**
- MAHUNKA, PROF. DR. SANDOR, Department of Zoology, Hungarian Natural History Museum, Baross u. 13, 1088 Budapest, Hungary; **E-Mail: mahunka@zoo.zoo.nhmus.hu**
- MALMSTRÖM, ANNA, Department of Ecology, Swedish University of Agricultural Sciences, Box 7044, 750 07 Uppsala, Sweden; **E-Mail: Anna.Malmstrom@ekol.slu.se**
- MATSUSHIMA, TAMAYO, Suya 2391-2, C-104, Koshi-shi, Kumamoto Prefecture, 861-1102 Nippon, Japan
- MIGLIORINI, DR. MASSIMO, Department of Evolutionary Biology, University of Siena, via A. Moro 2, 53100 Siena, Italy; **E-Mail: migliorinim@unisi.it**
- MIKO, DR. LADISLAV, Directorate B, DG Environment, Avenue de Beaulieu 9, 1160 Bruxelles - Auderghem, Belgium; **E-Mail: Ladislav.Miko@ec.europa.eu**
- MONSON, FRANK, 37 Hillfoot Road, Woolton, Liverpool L25 7UJ, United Kingdom
- MORAZA, DR. MARIA LOURDES, Departamento de Zoología y Ecología, Fac. de Ciencias, Universidad de Navarra, C / Irunlarrea s/n, Apdo. 177, 31080 Pamplona, Spain; **E-Mail: mlmoraza@unav.es**
- MURVANIDZE, PH. D. MAKI, Institute of Zoology, Ilia State University, Chavchavadze av. 31, 0179 Tbilisi, Georgia; **E-Mail: maka.murvanidze@gmail.com**
- NAKAMURA, DR. YOSHI-NORI, National Agricultural Research Center, for Kyushu Okinawa Region, NARO, Koshi-shi, Kumamoto Pref., 861-1192, Japan
- NAKAMURA, YOSHIO, 1346-3, Ue-minami, Asagiti-town, Kumamoto Pref. 868-0423, Japan
- NIEDBALA, PROF. DR. WOJCIECH, Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Umoltowska 89, 61-614 Poznan, Poland; **E-Mail: niedbala@main.amu.edu.pl**
- NORTON, PROF. DR. ROY A., State University of New York, College of Environ. Science and Forestry, Faculty of Environ. and Forest Biology, 1 Forestry Drive, Syracuse, NY 13210-2778, USA; **E-Mail: ranorton@esf.edu**
- PALACIOS-VARGAS, DR. JOSE G., UNAM, Facultad de Ciencias (FC), DERN, Ecol. y Sist. de Microartropodos, 04510 México, D.F., México; **E-Mail: jgpv@hp.fcencias.unam.mx**
- PECK, DANIEL C., Department of Entomology, New York State Agricultural Experiment Station, Cornell University, 630 W. North Street, Geneva, NY 14456, USA; **E-Mail: dp25@cornell.edu**
- PENTTINEN, DR. RITVA, Zoological Museum, University of Turku, 20014 Turku, Finland; **E-Mail: ritva.penttinen@utu.fi**
- PERLINGER, MAG. HEIKE, c/o Dr. H. Schatz, Institut für Ökologie, Leopold-Franzens Univ. Innsbruck, Technikerstr. 25, 6020 Innsbruck, Austria; **E-Mail: heike.perlinger@gmx.de**
- PFINGSTL, MAG. TOBIAS, Karl-Franzens-Universität, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: tobias.pfingstl@gmx.at**
- PHILIPS, JAMES R., Math. and Science Department, Babson College, Babson Park, MA, USA; **E-Mail: philips@babson.edu**
- POLLIERER, MELANIE, J.F. Blumenbach Institute of Zoology and Anthropology, University of Goettingen, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail: mpollie@gwdg.de**
- PRINCZ, JULISKA, Toxicology Group, 44 Campus Drive, University of Saskatchewan, Saskatoon, Saskatchewan S7N 5B3, Canada; **E-Mail: juliska.princz@ec.gc.ca**
- RAMSEY, AMY C., Washington Department of Agriculture, Olympia, WA 98504, USA
- RASPOTNIG, DR. GÜNTHER, Karl-Franzens-Universität, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: guenther.raspotnig@uni-graz.at**
- RYABININ, DR. NIKOLAY, Institute of Water and Ecology Problems FEB RAS, 9, Shevchenko str., Khabarovsk 680000, Russia
- SCHÄFFER, MAG. SYLVIA, Karl-Franzens-Universität, Institut für Zoologie, Abt. Biodiversität & Evolution, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail: sylvia.schaeffer@uni-graz.at**

- SCHATZ, DR. HEINRICH, Leopold-Franzens Universität Innsbruck, Institut für Ökologie, Technikerstr. 25, 6020 Innsbruck, Austria; **E-Mail: heinrich.schatz@uibk.ac.at**
- SCHEU, PROF. DR. STEFAN, J.F. Blumenbach Institut für Zoologie, u. Anthropologie, Universität Göttingen, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail: sscheu@gwdg.de**
- SCHMELZLE, SEBASTIAN, Eberhard-Karls-Universität Tübingen, Abt. Evolutionsbiologie der Invertebraten, Auf der Morgenstelle 28E, 72076 Tübingen, Germany; **E-Mail: sebastianschmelzle@gmail.com**
- SENICZAK, PROF. DR. STANISLAW, Dept. Ecol., University of Technology and Life Sciences, ul. Kordeckiego 20, 85-225 Bydgoszcz, Poland; **E-Mail: stseni@utp.edu.pl**
- SIDORCHUK, E.A., Russian Academy of Sciences, Borissiak Palaeontological Institute, Moscow 117997, Russia; **E-Mail: esidorchuk@rambler.ru**
- SIEPEL, PROF. DR. HENK, Centre for Ecosystem Studies, Alterra and Wageningen University, P.O. Box 47, 6700 AA, Wageningen, The Netherlands; **E-Mail: Henk.Siepel@wur.nl**
- SOBEK, STEFANIE, Institut für Biologie, Freie Universität Berlin, Grunewaldstr. 34, 12165 Berlin, Germany; **E-Mail: ssobek@gwdg.de**
- SUBIAS, PROF. DR. LUIS S., Facultad de Biología - UCM, Departamento de Zool. y Antropol. Física, C/ Jose A. Novais, 2, Ciudad Universitaria, 28040 Madrid, Spain; **E-Mail: subias@bio.ucm.es**
- SUSTR, DR. VLADIMIR, Institute of Soil Biology, Academy of Sciences of Czech Republic, Na sadkach 7, 37005 Ceske Budejovice, Czech Republic; **E-Mail: sustr@upb.cas.cz**
- SYLVAIN, ZACHARY A., Department of Natural Resource Sciences, McGill University, 21,111 Lakeshore Road, Ste-Anne-de-Bellevue, Quebec, H9X3V9, Canada; **E-Mail: zsylvain@nrel.colostate.edu**
- TOLUK, DR. AYSE, Erciyes Universitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 38039 Kayseri, Turkey; **E-Mail: atoluk@erciyes.edu.tr**
- VANSCHOENWINKEL, BRAM, Laboratoy of Aquatic Ecol. and Evolutionary Biol., Katholieke Univ. Leuven, Ch. Deberiotstraat 32, 3000 Leuven, Belgium; **E-Mail: bram.vanschoenwinkel@bio.kuleuven.be**
- VASILIU, NICULAI, Institutul de Cercetări Biologice, Bd. Carol I, 20 A, 700 505 Iasi, Romania
- WALTER, DR. DAVID EVANS, Royal Alberta Museum, 12845-102 Ave, Edmonton, Alberta T5N 0M6, Canada; **E-Mail: David.Walter@gov.ab.ca**
- WEIGMANN, PROF. DR. GERD, Freie Universität Berlin, Institut für Zoologie, Koenigin Luise Str. 1-3, 14195 Berlin, Germany; **E-Mail: weigmann@zedat.fu-berlin.de**
- WITALINSKI, PROF. WOJCIECH, Jagiellonian University, Department of Comparative Anatomy, ul. Romana Ingardena 6, 30 060 Krakow, Poland; **E-Mail: w.witalinski@gmail.com**
- WORLAND, DR. M. ROGER, British Antarctic Survey, Natural Environment Research Council, High Cross, Madingley Road, Cambridge, CB3 0ET, United Kingdom; **E-Mail: mrwo@bas.ac.uk**
- XIE, LIXIA, Institute of Entomology, Guizhou University, Guiyang, Guizhou Province, 550025, China; **E-Mail: yangmaofa68@hotmail.com**
- YANG, MAOFA, Guizhou University, Institute of Entomology, 550025 Guiyang, Guizhou, China; **E-Mail: yangmaofa68@hotmail.com**

**Acknowledgement:** For the friendly assistances I thank Dr. Heinrich Schatz, Institut für Zoologie, Universität Innsbruck.

Address of the author:

Kerstin Franke  
Senckenberg Museum für Naturkunde Görlitz  
Sektion Arachnida  
Postfach 300 154  
02806 Görlitz  
Germany

Tel.: 0049-3581-4760 5200

Fax.: 0049-3581-4760 5101

E-Mail: Kerstin.Franke@senckenberg.de


Homepage: <http://www.naturkundemuseum-goerlitz.de/acarologie/>

published: 30.09.2010



**SOIL ORGANISMS**  
Volume 82 (2) August 2010

Contains contributions of the  
**7th Colloquium on Mites**  
held from 16 – 20 September 2009  
at the Collegium Biologicum of the Adam  
Mickiewicz University in Poznań, Poland



- Alberti, G.: **On predation in Epicriidae (Gamasida, Anactinotrichida) and fine-structural details of their forelegs**
- Bergmann, P., M. Laumann & M. Heethoff: **Ultrastructural aspects of vitellogenesis in *Archezogetes longisetosus* Aoki, 1965 (Acari, Oribatida, Trhypochthoniidae)**
- Christian, A.: **Tick infestation (*Ixodes*) on feral mink (*Neovison vison*) in central Germany**
- Laumann, M., R. A. Norton & M. Heethoff: **Acarine embryology: Inconsistencies, artificial results and misinterpretations**
- Russell, D. J., K. Hohberg & M. Elmer: **Primary colonisation of newly formed soils by actinedid mites**
- Schmelzle, S., L. Helfen, R. A. Norton & M. Heethoff: **The ptychoid defensive mechanism in *Phthiracarus longulus* (Acari, Oribatida, Phthiracaroida): Exoskeletal and muscular elements**

**SOIL ORGANISMS**

Published by Senckenberg Museum für Naturkunde Görlitz  
**may be ordered through:**  
Senckenberg Museum für Naturkunde Görlitz – Bibliothek  
PF 300 154, 02806 Görlitz; Ilse.Grosche@senckenberg.de

**Contents**

**Franke, K.: Oribatida No. 41 ..... 1-20**

**Acarological literature**

- Publications 2010 ..... 1  
- Publications 2009 ..... 4  
- Publications, additions 2008 ..... 9  
- Publications, additions 2007 ..... 10  
- Publications, additions 2006 ..... 10

**Nomina nova**

- New species ..... 12  
- New subspecies ..... 14  
- New genera ..... 14  
- New subgenera ..... 14  
- New combinations ..... 15  
- New synonyms ..... 15  
- New status ..... 15  
- New names ..... 15

**Addresses ..... 16**