


# ACARI

Bibliographia Acarologica



**15** (2) · 2015

## Oribatida

# ACARI

Bibliographia Acarologica

## Publisher

Senckenberg Gesellschaft für Naturforschung, Senckenberganlage 25, 60325 Frankfurt am Main, Germany  
Institute: Senckenberg Museum für Naturkunde Görlitz, Germany

## Editor-in-Chief

Axel Christian  
Senckenberg Museum für Naturkunde Görlitz, Germany  
PF 300 154, 02806 Görlitz, Germany  
Email: [axel.christian@senckenberg.de](mailto:axel.christian@senckenberg.de)

## Technical Editor

Kerstin Franke, Senckenberg Museum für Naturkunde Görlitz, Germany

## Indexed in

CAB Abstracts, Worldcat, Zoological Record

## Cover picture

Ekkehart Mättig, Senckenberg Museum für Naturkunde Görlitz, Germany

## Production

Senckenberg Museum für Naturkunde Görlitz, Germany

## Print

Gustav Winter Druckerei und Verlagsgesellschaft mbH, Herrnhut, Germany. Printed in environmentally friendly paper.

## Distributor

Senckenberg Museum für Naturkunde Görlitz — Library  
PF 300 154, 02806 Görlitz, Germany  
Email: [library-gr@senckenberg.de](mailto:library-gr@senckenberg.de)

## Subscription Information

The issue contains an order form.

## Website

[www.senckenberg.de/acari](http://www.senckenberg.de/acari)

© Senckenberg Gesellschaft für Naturforschung · 2015

All rights reserved.

The scientific content of a paper is the sole responsibility of the author(s).

## Editum

15.07.2015

## ISSN

1618-8977



## Oribatida No. 46

Kerstin Franke

Senckenberg Museum für Naturkunde Görlitz, PF 300 154, 02806 Görlitz, Germany  
E-Mail: kerstin.franke@senckenberg.de

Editorial end 15 July 2015  
Published 15 September 2015

Under the title "Oribatida", the publications on oribatid mites are listed every year as far as they have come to our knowledge. Please help us to keep the literature database as complete as possible by sending us pdf's, reprints or copies of all your papers on oribatid mites, or, if this is not possible, complete references so that we can include them in the list. Proposals for improvement and criticism are very welcome. Please inform us, if we have failed to list all your publications in the Bibliographia.

The database about oribatid mites presently contains 11,494 papers and 8,630 taxa. Every scientist who sends keywords for investigations can receive a list of literature or taxa. The literature from 1995 to 2014 is searchable on the Internet. The Bibliographia Oribatologica of number 1 to 31 and the issues 1 to 14 of ACARI can be downloaded free of charge. <http://www.senckenberg.de/goerlitz/Acari>

We are presently endeavouring to extend the reference collections on mites and interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the Senckenberg Museum of Natural History Görlitz will also remain possible in the future. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. Types and original descriptions are presented on the Internet. <http://www.senckenberg.de/goerlitz/Arachnida-Database>

## Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with "\*" were only found as a citation or abstract. The addresses of the corresponding authors are given in the section Addresses.

*Ramusella (Ramusella) persica* (Acari: Oribatida, Oppidae), a new replacement name for *Ramusella (R.) iranica*. - Pers. J. Acarol. 4,1: 137-138

**BARAN, S. / GÖKYESIL, G.E. (2015): Mites of genus *Corynopippia* (Acari: Oribatida) with description of a new subspecies from Turkey. - J. Acarol. Soc. Jpn. 24,1: 1-7**

**BARDGETT, R.D. / VAN DER PUTTEN, W.H. (2015): Belowground biodiversity and ecosystem functioning. - Nature 515: 505-511**

**BEHAN-PELLETIER, V.M. (2015): Sexual dimorphism in *Autogneta*, with description of three new species from North America and new diagnosis of the genus (Acari, Oribatida, Autognetidae). - Zootaxa**

## Publications 2015

**AKRAMI, M.A. (2015): An annotated checklist of oribatid mites (Acari: Oribatida) of Iran. - Zootaxa 3963 (4): 451-501**

**AKRAMI, M.A. / BEHMANESH, M. / SUBIAS, L.S. (2015):**

**3946 (1): 55-78**

BEHAN-PELLETIER, V.M. (2015): Review of sexual dimorphism in brachypyline oribatid mites. - *Acarologia* 55,2: 127-146

BLUHM, C. / SCHEU, S. / MARAUN, M. (2015): Oribatid mite communities on the bark of dead wood vary with log type, surrounding forest and regional factors. - *Appl. Soil Ecol.* 89: 102-112

CALLEJAS-CHAVERO, A. / CASTANO-MENESES, G. / RAZO-GONZÁLEZ, M. / PÉREZ-VELÁZQUEZ, D. / PALACIOS-VARGAS, J.G. / FLORES-MARTINEZ, A. (2015): Soil microarthropods and their relationship to higher trophic levels in the Pedregal de San Angel Ecological Reserve, Mexico. - *J. Ins. Sci.* 15,1: 59 DOI: 10.1093/jisesa/iev039

COETZEE, L. (2015): Key to the species of *Afroleius* Mahunka, 1984 (Acari, Oribatida, Punctoribatidae), recombination of *A. polygonatus* (Mahunka, 1985), description of *A. lucidus* sp. nov. and discussion of *A. undulatus* (Balogh, 1959). - *Syst. Appl. Acarol.* 20,4: 383-398

COLLOFF, M.J. (2015): The *Crotonia* fauna of New Zealand revisited (Acari, Oribatida): taxonomy, phylogeny, ecological distribution and biogeography. - *Zootaxa* 3947 (1): 1-29

CORPUZ-RAROS, L. / ERMILOV, S.G. (2015): First report of Malacothridae (Acari, Oribatida) from the Philippines, with description of a new species of the genus *Malacothrus*. - *Acarina* 23,1: 63-68

CORRAL-HERNANDEZ, E. / MARAUN, M. / ITURRONDOBEITIA, J.C. (2015): Trophic structure of oribatid mite communities from six different oak forests (*Quercus robur*). - *Soil Biol. & Biochem.* 83: 93-99

DE SOUSA SARAIVA, A. / SARMENTO, R.A. / ERASMO, E.A.L. / PEDRO-NETO, M. / DE SOUZA, D.J. / TEODORO, A.V. / SILVA, D.G. (2015): Weed management practices affect the diversity and relative abundance of physic nut mites. - *Exp. Appl. Acarol.* 65,3: 359-375

DOGAN, S. / SEVSAY, S. / AYYILDIZ, N. / ÖZBEK, H.H. / DILKARAOGLU, S. / ERMAN, O. / AKSOY, H. (2015): The mite fauna of Eksisu Marshes in Erzincan (Turkey). - *Turk. J. Zool.* 39: 571-579

ERMILOV, S.G. (2015): New and little known species of

oribatid mites of the subgenus *Galumna* (*Galumna*) (Acari, Oribatida, Galumnidae) from Vietnam. - *Zootaxa* 3946 (4): 553-566

ERMILOV, S.G. (2015): Two new species of oribatid mites (Acari, Oribatida) from Southern Vietnam. - *Acarina* 23,1: 55-62

ERMILOV, S.G. / ALVARADO-RODRIGUEZ, O. / RETANA-SALAZAR, A.P. (2015): Two new species of oribatid mites (Acari, Oribatida) with auriculate pteromorphs from Costa Rica, including a key to all species of *Galumna* (*Galumna*) of the Neotropical region. - *Syst. Appl. Acarol.* 20,3: 273-285

ERMILOV, S.G. / ALVARADO-RODRIGUEZ, O. / TOLSTIKOV, A.V. / RETANA-SALAZAR, A.P. (2015): Two new species of Scheloribatidae (Acari, Oribatida) from Costa Rica. - *Syst. Appl. Acarol.* 20,4: 399-409

ERMILOV, S.G. / ANICHKIN, A.E. (2015): A new species of oribatid mites (Acari, Oribatida) from a mangrove forest of Southern Vietnam. [Orig. Russ.] - *Zool. Zhur.* 94,6: 651-660

ERMILOV, S.G. / ANICHKIN, A.E. (2015): A new species of oribatid mites of the genus *Scapheremaeus* (Acari, Oribatida, Cymbaeremaeidae) from Vietnam. [Orig. Russ.] - *Zool. Zhur.* 94,4: 488-493

ERMILOV, S.G. / BAYARTOGTOKH, B. (2015): Systematic placement of some taxa in the family Galumnidae (Acari, Oribatida). - *Zootaxa* 3964 (2): 489-493

ERMILOV, S.G. / BAYARTOGTOKH, B. (2015): The oribatid mite fauna (Acari, Oribatida) of the Bu Gia Map National Park (southern Vietnam), with description of two new species. - *Internat. J. Acarol.* 41,3: 220-231

ERMILOV, S.G. / CORPUZ-RAROS, L. (2015): A new subgenus and two new species of oribatid mites of the genus *Neoribates* (Acari, Oribatida, Parakalummidae) from the Philippines. - *Zootaxa* 3656 (2): 224-238

ERMILOV, S.G. / CORPUZ-RAROS, L. (2015): New species of oribatid mites with auriculate pteromorphs (Acari, Oribatida, Galumnidae) from the Philippines. - *Zootaxa* 3905 (4): 511-528

ERMILOV, S.G. / CORPUZ-RAROS, L. (2015): New species of galumnid oribatid mites of the genera

- Mirogalumna and Pergalumna from the Philippines (Acaria, Oribatida, Galumnidae). - Syst. Appl. Acarol. 20,5: 556-566**
- ERMILOV, S.G. / GWIAZDOWICZ, D.J. (2015): Peruvian oribatid mites (Acaria, Oribatida) from the German Biological Expedition, with description of a new species of the genus *Pergalumna*. - ZooKeys 487: 87-96**
- ERMILOV, S.G. / MARTENS, J. (2015): The genus *Uracrobates* (Acaria, Oribatida, Mochlozetidae). - Syst. Appl. Acarol. 20,2: 188-194**
- ERMILOV, S.G. / MINOR, M.A. (2015): The oribatid mite genus *Macrogena* (Acaria, Oribatida, Ceratozetidae), with description of two new species from New Zealand. - ZooKeys 506: 13-26**
- ERMILOV, S.G. / MINOR, M.A. (2015): The genus *Scapheremaeus* (Acaria, Oribatida, Cymbameremaeidae) in the oribatid mite fauna of New Zealand, with description of two new species. - ZooKeys 508: 69-83**
- ERMILOV, S.G. / SALAVATULIN, V.M. / TOLSTIKOV, A.V. (2015): A new species of *Pantelozetes* (Acaria, Oribatida, Thyrisomidae) from environs of lake Baikal (Russia). - Syst. Appl. Acarol. 20,1: 51-60**
- ERMILOV, S.G. / TOLSTIKOV, A.V. (2015): A new species of *Austrocarabodes* (*Austrocarabodes*) from Brazil, including keys to known species of the subgenus from the neotropical region and to the aggressor-Group (Acaria, Oribatida, Carabodidae). - Neotrop. Entomol. 44,3: 264-269**
- ERMILOV, S.G. / TOLSTIKOV, A.V. (2015): The oribatid mite genus *Acaroceras* (Acaria, Oribatida, Microzetidae). - Acarologia 55,1: 61-69**
- ERMILOV, S.G. / TOLSTIKOV, A.V. (2015): Additions to the galumnid oribatid mite fauna of Brazil, with description of two new species of *Trichogalumna* (Acaria, Oribatida, Galumnidae). - Internat. J. Acarol. 41,2: 170-180**
- ERMILOV, S.G. / TOSTIKOV, A.V. (2015): Report on oribatid mites (Acaria, Oribatida) from Brazil, with description of a new species of the genus *Papillacarus*. - Acarina 23,1: 49-54**
- ERMILOV, S.G. / TOLSTIKOV, A.V. (2015): Additions to the oppioid oribatid mite fauna of Brazil, with description of two new species (Acaria, Oribatida, Oppioidea). - Biologia 70,5: 636-644**
- ERMILOV, S.G. / TOLSTIKOV, A.V. / SALAVATULIN, V.M. / BRAGIN, E.A. (2015): Morphology of juvenile instars in two species of arboreal oribatid mites, *Scapheremaeus palustris* and *Phauloppia nemoralis* (Acaria, Oribatida). - Zool. Zh. 94,1: 26-36**
- ERMILOV, S.G. / YURTAEV, A.A. / PESIC, V. (2015): Additions to the Tasmanian oribatid mites, with supplementary description of *Edwardzetes elongatus* Wallwork, 1966 (Acaria, Oribatida). - Ecol. Mont. 2,2: 98-108**
- FALCON-LANG, H.J. / LABANDEIRA, C. / KIRK, R. (2015): Herbivorous and detritivorous arthropod trace fossils associated with subhumid vegetation in the middle Pennsylvanian of Southern Britain. - Palaios 30,3: 192-206**
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. / CASTILLO, E.R. (2015): Oribatid mites from deep soils of Hòn Chong limestone hills, Vietnam: the family Lohmanniidae (Acaria, Oribatida), with the descriptions of *Bedoslohmannia anneae* n. gen., n. sp., and *Paulianacarus vietnamense* n. sp.. - Zoosystema 36,4: 771-787**
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. / LEIVA, S. (2015): Oribatid mites (Acaria, Oribatida) from deep soils of Hòn Chong limestone hills, Kien Giang Province, Vietnam. II. Descriptions of two new species, *Papillacarus whitteni* sp. nov. (Lohmanniidae) and *Basilobelba maidililae* sp. nov. (Basilibelidae). - Internat. J. Acarol. 41,2: 132-146**
- FUJIKAWA, T. (2015):\* The second species of Tokunocepheidae (Acaria, Oribatida) from Chiran-cho, South Japan. - Edaphologia 95: 1-5**
- HEETHOFF, M. / RALL, B.C. (2015): Reducible defence: chemical protection alters the dynamics of predator-prey interactions. - Chemoecology 25: 53-61**
- JALOSZYNSKI, P. / OLSZANOWSKI, Z. (2015): Feeding of *Scydmaenus rufus* (Coleoptera, Staphylinidae, Scydmaeninae) on oribatid and uropodine mites: Prey preferences and hunting behaviour. - Eur. J. Entomol. 112,1: 151-164**
- JAMSHIDIAN, M.K. / SABOORI, A. / AKRAMI, M.A. / VAN**

- STRAALEN, N.M. (2015): Oribatid mite communities in contaminated soils nearby a lead and zinc smelting plant in Zanjan, Iran. - *Syst. Appl. Acarol.* 20,3: 251-262
- KHABIR, Z.H. / IRANI NEJADA, K.H. / MOGHADDAMADA, M. / KHANJANI, M. (2015): Community structure of oribatid mites (Acari, Oribatida) in rangelands of West Azerbaijan Province, Iran. - *Internat. J. Acarol.* 41,4: 344-355
- KONTSCHÁN, J. / ÁCS, A. / WANG, G.Q. / NEMÉNYI, A. (2015): New data to the mite fauna of Hungarian bamboo plantations. - *Acta Phytopathol. Entomol. Hungarica* 50,1: 77-83
- KOTT, P. (2015): *Coranus subapterus* (De Geer, 1773) (Heteroptera, Reduviidae): Die Hornmilbe *Scutovertex sculptus* Michael, 1879 (Acaria, Oribatida) gehört im NSG Wahler Berg zum Beutespektrum. - *Heteropteron* 43: 5-8
- KREIPE, V. / CORRAL-HERNÁNDEZ, E. / SCHEU, S. / SCHAEFER, I. / MARAUN, M. (2015): Phylogeny and species delineation in European species of the genus *Steganacarus* (Acari, Oribatida) using mitochondrial and nuclear markers. - *Exp. Appl. Acarol.* 66,2: 173-186
- KUBOTA, T. (2015):\* Discovery of *Furcoribula tridentata* Wen from Hokkaido Island, Japan (Acari, Oribatida, Astegistidae). [Orig. Jpn.] - *Edaphologia* 96: 9-12
- KUN, M.E. (2015):\* Do oribatid mites enhance fungal growth in *Austrocedrus chilensis*? - *Syst. Appl. Acarol.* 20,2: 162-170
- LINDO, Z. (2015): A rare new species of *Metrioppia* (Acari, Oribatida, Peloppiidae) from a Pacific Northwest temperate rainforest. - *Can. Entomol.*: 11 pp. DOI: 10.4039/tce.2014.83
- LIU, D. / CHEN, J. (2015): *Acrotritia* species (Acari, Oribatida, Euphthiracaridae) from China with description of a new species. - *Zootaxa* 3937 (1): 127-146
- LIU, D. / OCONNOR, B.M. (2015): Ptyctimous mites (Acari, Oribatida) from Colombia, with description of a new species and some remarks on the validity of *Atropacarus (Hoplophorella) andrei* (Balogh, 1958). - *Syst. Appl. Acarol.* 20,1: 61-70
- LIU, D. / ZHANG, Z.-Q. (2015): Three new species of the genus *Notophthiracarus* (Acari, Oribatida, Phthiracaridae), with an updated key to its known species in New Zealand. - *Internat. J. Acarol.* 41,3: 232-240
- MAASS, S. / MARAUN, M. / SCHEU, S. / RILLIG, M.C. / CARUSO, T. (2015): Environmental filtering vs. resource-based niche partitioning in diverse soil animal assemblages. - *Soil Biol. Biochem.* 85: 145-152
- MIKO, L. (2015): Taxonomy of European Damaeidae VIII. Contribution to classification of genus *Damaeus* C. L. Koch, 1835, with a review of *Adamaeus* Norton, 1978 and *Paradamaeus* Bulanova-Zachvatkina, 1957 and redescription of three species. - *Zootaxa* 3980 (2): 151-188
- MUMLADZE, L. / MURVANDIDZE, M. / MARAUN, M. / SALAKAIA, M. (2015): Oribatid mite communities along an elevational gradient in Sairme gorge (Caucasus). - *Exp. Appl. Acarol.* 66,1: 41-51
- MURVANIDZE, M. / ARABULI, T. (2015): Oribatid mite diversity in *Rhododendron ponticum* L. canopy along an altitudinal gradient in Mtirala National Park. - *Acarologia* 55,2: 219-230
- MURVANIDZE, M. / TODRIA, N. (2015): Oribatida diversity on limestone and clay quarries. - *Proc. Inst. Zool.* 24: 159-169
- NAKAMURA, Y.-N. / HASHIMOTO, S. / NISHI, Y. / NAKAMURA, Y. / FUJIKAWA, T. (2015): Two new species of Eremellidae and Scheloribatidae (Acari, Oribatida) from the Kuma district of southern Japan. - *Acarologia* 55,2: 171-187
- NIEDBALA, W. (2015): Current taxonomical and faunistic status of Caucasian ptyctimous mites. - *Northw. J. Zool.* 11,1: 1-7
- NIEDBALA, W. / STARÝ, J. (2015): Three new species of the family Phthiracaridae (Acari, Oribatida) from Bolivia. - *Zootaxa* 3918 (1): 128-140
- NIEDBALA, W. / STARÝ, J. (2015): New species of *Notophthiracarus* (Acari, Oribatida, Phthiracaroidea) from Tanzania. - *J. Nat. Hist.* 49,15-16: 905-914
- NIEDBALA, W. / STARÝ, J. (2015): New species of the superfamily Euphthiracaroidea (Acari, Oribatida) from Madagascar and Tanzania. - *J. Nat. Hist.* 49,27-28: 1689-1702

- NIEDBALA, W. / STARÝ, J. (2015): Two new species of the superfamily Phthiracaroidea (Acari, Oribatida) from the Seychelles and the USA with notes on other ptyctimous mites from diverse countries. - Acta Zool. Acad. Scient. Hung. 61,2: 87-118**
- NORTON, R.A. / SIDORCHUK, E. (2015): *Collohmannia* Sellnick, 1922 (Arachnida, Acari, Oribatida): proposed conservation by giving it precedence over the senior subjective synonym *Embolacarus* Sellnick, 1919. - Bull. Zool. Nomencl. 72,1: 33-40
- PFINGSTL, T. (2015): Morphological diversity in *Selenoribates* (Acari, Oribatida): new species from coasts of the Red Sea and the Indo-Pacific. - Internat. J. Acarol. 41,4: 356-370**
- PFINGSTL, T. (2015): The intertidal Fortuyniidae (Acari, Oribatida): new species, morphological diversity, ecology and biogeography. - Zootaxa 3957 (4): 351-382**
- PFINGSTL, T. (2015): An interesting case of sexual dimorphism in intertidal mites: *Fortuynia dimorpha* sp. nov. (Acari, Oribatida, Fortuyniidae). - Syst. Appl. Acarol. 20,5: 567-578**
- RYABININ, N.A. (2015): Oribatid mites (Acari, Oribatida) in soils of the Russian Far East. - Zootaxa 3914 (3): 201-244
- SCHATZ, H. (2015): Hornmilben (Acari, Oribatida) vom Fohramoos (Vorarlberg, Österreich). - inatura - Forschung online 18: 1-17
- SCHMELZLE, S. / NORTON, R.A. / HEETHOFF, M. (2015): Mechanics of the ptychoid defense mechanism in Ptyctima (Acari, Oribatida): One problem, two solutions. - Zool. Anz. 245: 27-40
- SEmenina, E. / Anichkin, A.E. / Shilenkova, O.L. / Ermilov, S.G. / Tiunov, A.V. (2015): Rapid extraction of invertebrates from tropical forest litter using modified Winkler apparatus. - J. Trop. Ecol. 31: 191-194
- SENICZAK, A. / SENICZAK, S. / KACZMAREK, S. (2015): Morphology, distribution and ecology of *Eupelops curtipilus* and *Eupelops plicatus* (Acari, Oribatida, Phenopelopidae). - Internat. J. Acarol. 41,1: 77-95
- SENICZAK, A. / SENICZAK, S. / KACZMAREK, S. (2015): Morphological and ecological differentiation of *Eupelops* and *Propelops* (Acari, Oribatida, Phenopelopidae). - Internat. J. Acarol. 41,2: 147-169
- SINGH, L.A. / RAY, D.C. (2015):\* Effect of no-tillage and tillage on the ecology of mite, Acarina (Oribatida) in two different farming systems of paddy field in Cachar district of Assam. - J. Environ. Biol. 36,1: 319-323
- SUBIAS, L.S. (2015): Listado sistemático, sinonímico y biogeográfico de los ácaros oribátidos (Acariformes: Oribatida) del mundo (excepto fósiles). (Originally published in Graellsia, 60 (número extraordinario): 3-305 (2004), actualized in March 2015) <http://www.ucm.es/info/zoo/Artropodos/Catalogo.pdf>: 1-587
- SUBIAS, L.S. (2015): Nuevas citas de ácaros oribátidos (Acari: Oribatida) para la fauna de España. - Boln. Asoc. esp. Ent. 39,1-2: 211-213
- SUBIAS, L.S. / SHTANCHAEVA, U.Y. (2015): Acaros oribátidos (Acari: Oribatida) de Portugal central y listado de especies de Portugal. - Bol. R. Soc. Esp. Hist. Nat. Sec. Biol. 109: 91-101
- SUBIAS, L.S. / SHTANCHAEVA, U.Y. / ARILLO, A. (2015): Listado de los ácaros oribátidos (Acariformes, Oribatida) de las diferentes regiones biogeográficas del mundo. (Originally publ. Monografías electrónicas Sociedad Entomológica Aragonesa 4: 805 pp. (2012), actualized in March 2015) - [http://www.sea-entomologia.org/PDF/MESEA\\_5\\_ORIBATIDOS.pdf](http://www.sea-entomologia.org/PDF/MESEA_5_ORIBATIDOS.pdf): 1-833
- SUBIAS, L.S. / SHTANCHAEVA, U.Ya. / ARILLO, A. (2015): Oribátidos (Acariformes, Oribatida) de España peninsular e islas Baleares. Distribución. (Originally publ. Monografías electrónicas Sociedad Entomológica Aragonesa, 5: 355 pp. (2015), actualized in March 2015) - Monografías electrónicas Sociedad Entomológica Aragonesa, 5: 1-364 [http://www.sea-entomologia.org/PDF/MESEA\\_5\\_ORIBATIDOS.pdf](http://www.sea-entomologia.org/PDF/MESEA_5_ORIBATIDOS.pdf)
- WEIGMANN, G. / SCHATZ, H. (2015): Redescription of *Coronoquadroppia monstruosa* (Hammer, 1979) (Acari, Oribatida, Quadroppiidae) from Java and variability of the species in Europe. - Zootaxa 3926 (3): 329-350

## Publications 2014

- ACHARYA, S. / BASU, P. (2014): Diversity and distribution of soil oribatid mites (Acari, Oribatida) in Himachal Pradesh - an overview. - Environ. & Ecol. 32,2: 522-526

- ACHARYA, S. / BASU, P. (2014): New records of soil oribatid mites (Acari, Oribatida) from Himachal Pradesh, India: nine genera and thirteen species. - *J. Exp. Zool. India* 17,1: 91-96
- ACHARYA, S. / BASU, P. (2014): Diversity and species richness of soil oribatid mites (Acari, Oribatida) in Dudhwa National Park, U.P., India. - *J. Exp. Zool. India* 17,1: 145-150
- AKRAMI, M.A. (2014): Redescription of *Moritzoppia (Moritzoppia) unicarinata unicarinata* (Acari: Oribatida, Oppiidae) collected from Iran. - *Pers. J. Acarol.* 3,3: 171-176
- ANDRIEVSKII, V.S. (2014): Oribatid mites in forest and agro-ecosystem soils in the forest-steppe zone of Western Siberia. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 23
- BAYARTOGTOKH, B. / ERMILOV, S.G. (2014): Rediscovery of *Arthrodamaeus rossicus* (Acari, Oribatida, Gymnodamaeidae) with remarks on its generic status and ontogeny of the genus. - *Int. J. Acarol.* 40,7: 556-569
- BECK, L. / HORAK, F. / WOAS, S. (2014): Zur Taxonomie der Gattung *Phthiracarus* Perty, 1841 (Acari, Oribatida) in Südwestdeutschland. - *Carolinaea* 72: 109-132
- BOLGER, T. / ARROYO, J. / KENNY, J. / CAPLICEU, M. (2014): Hierarchical analysis of mite community structures in Irish forests - A study of the relative contribution of location, forest type and microhabitat. - *Appl. Soil Ecol.* 83: 39-43
- CHELINHO, S. / DOMENE, X. / ANDRES, P. / NATAL-DA-LUZ, T. / NORTE, C. / RUFINO, C. / LOPES, I. / CACHADA, A. / ESPINDOLA, E. / RIBEIRO, R. / DUARTE, A.C. / SOUSA, J.P. (2014):\* Soil microarthropod community testing: A new approach to increase the ecological relevance of effect date for pesticide risk assessment. - *Appl. Soil Ecol.* 83: 200-209
- COETZEE, L. (2014): A new species of *Adrodamaeus* (Acari, Oribatida, Gymnodamaeidae) from South Africa. - *Navors. Nas. Mus., Bloemfontein* 30,6: 87-99
- COETZEE, L. (2014): *Afroleius floridus* (Mahunka, 1985) comb. nov. and three new *Afroleius* Mahunka, 1984 species (Acari, Oribatida, Mycobatidae) from South Africa. - *Zootaxa* 3889 (4): 553-573
- COETZEE, L. (2014): Rare new species of the genus *Afroleius* Mahunka, 1984 (Acari, Oribatida, Mycobatidae) from South Africa. - *Navors. Nas. Mus., Bloemfontein* 30,5: 71-85
- DOLGIN, M.M. ET AL. (2014): The structure of soil invertebrate communities in the taiga forests of the Komi Republic. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 85-88
- ELMOGHAZY, M.M.E. (2014): Abundance and diversity of mites associated with date palm, olive and citrus trees in Sakaka, Kingdom of Saudi Arabia. - *Egypt. Acad. J. Biol. Sci.* 6,2: 11-16
- ERMILOV, S.G. (2014): Oribatid mites (Acari, Oribatida) of Ethiopia. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 94
- ERMILOV, S.G. / ALAVADARO-RODRÍGUEZ, O. / RETANA-SALAZAR, A.P. (2014): Contribution to the knowledge of Costa Rican oribatid mite fauna, with supplementary descriptions of *Pergalumna silvatica* and *P. sura* (Acari, Oribatida, Galumnidae). - *Syst. Appl. Acarol.* 19,2: 216-222
- ERMILOV, S.G. / ALVADARO-RODRIGUEZ, O. / RETANA-SALAZAR, A.P. (2014): Erratum: Contribution to the knowledge of Costa Rican oribatid mite fauna, with supplementary descriptions of *Pergalumna silvatica* and *P. sura* (Acari, Oribatida, Galumnidae). - *Syst. Appl. Acarol.* 19,3: 384-384
- ERMILOV, S.G. / ALVARADO-RODRIGUEZ, O. / KONTSCHÁN, J. / RETANA-SALAZAR, A.P. (2014): The oribatid mite genus *Benoibates* (Acari, Oribatida, Oripodidae). - *ZooKeys* 442: 51-72
- ERMILOV, S.G. / ALVARADO-RODRIGUEZ, O. / RETANA-SALAZAR, A.P. (2014): Two new species of *Pergalumna* (Acari, Oribatida, Galumnidae) from Costa Rica, including a key to all species of the genus from the Neotropical region. - *ZooKeys* 435: 7-23
- ERMILOV, S.G. / ANICHKIN, A.E. (2014): Vietnamese oribatid mites of the genus *Dolicheremaeus* (Acari, Oribatida, Tetracondylidae), with description of two new species. - *Syst. Appl. Acarol.* 19,2: 205-215
- ERMILOV, S.G. / ANICHKIN, A.E. (2014): Taxonomic

- study of oribatid mites (Acari, Oribatida) of Bi Dup - Nui Ba National Park (southern Vietnam). - Zootaxa 3834 (1): 1-86**
- ERMILOV, S.G. / ANICHKIN, A.E. (2014): Two new species of *Pedrocortesella*, with the checklist of oribatid mites from riverine substrata in southern Vietnam (Acari, Oribatida, Pedrocortesellidae). - Spixiana 37,2: 207-218**
- ERMILOV, S.G. / CORPUZ-RAROS, L. / SHIMANO, S. (2014): First reports of Galumnellidae (Acari, Oribatida) from the Philippines, with description of *Galumnella junichiokii* sp. n.. - Acarina 22,2: 85-91**
- ERMILOV, S.G. / CORPUZ-RAROS, L. / TOLSTIKOV, A.V. (2014): The oribatid mite subgenus *Galumna* (*Galumna*) (Acari, Oribatida, Galumnidae) in the Philippines. - ZooKeys 452: 1-13**
- ERMILOV, S.G. / KALÚZ, S. (2014): *Mixacarus (Phyllolohmannia) pectinatus* sp. n. (Acari, Oribatida, Lohmanniidae), a new species of oribatid mites from India. [Orig. Russ.] - Zool. Zh. 93,6: 709-719**
- ERMILOV, S.G. / KALÚZ, S. (2014): A new oribatid mite of the genus *Rhynchoribates* (Acari, Rhynchoribatidae) from Ecuador. [Orig. Russ.] - Zool. Zh. 93,4: 615-618**
- ERMILOV, S.G. / KALÚZ, S. (2014): New species of oribatid mites of the genera *Allogalumna*, *Galumna* and *Heterogalumna* from India. - Spixiana 37,1: 73-80**
- ERMILOV, S.G. / MARTENS, J. (2014): Three new species of the subgenus *Neoribates* (*Neoribates*) (Acari, Oribatida, Parakalumnidae) from Nepal. - ZooKeys 431: 19-32**
- ERMILOV, S.G. / MARTENS, J. (2014): A new species of *Metapyropria* Woolley, 1969 (Acari, Oribatida, Peloppiidae) from Nepal. - Graellsia 70,1: e003 5 pp. DOI: 10.3989/graeellsia.2014.v70.101**
- ERMILOV, S.G. / MARTENS, J. (2014): Two new species of oribatid mites (Acari, Oribatida, Galumnidae) from Nepal. [Orig. Russ.] - Zool. Zh. 93,11: 1385-1390**
- ERMILOV, S.G. / MARTENS, J. (2014): Two new species of oribatid mites of the genera *Pergalumna* and *Carinogalumna* (Acari, Oribatida, Galumnidae) from Nepal. - Syst. Appl. Acarol. 19,4: 462-470**
- ERMILOV, S.G. / MARTENS, J. (2014): New species, new records and a checklist of oribatid mites (Acari: Oribatida) from Nepal. - Biologia 69,12: 1716-1729**
- ERMILOV, S.G. / MARTENS, J. / TOLSTIKOV, A.V. (2014): The genus *Galumna* in Nepalese oribatid mite fauna, with notes on systematic placement of some species (Acari, Oribatida, Galumnidae). - ZooKeys 438: 33-44**
- ERMILOV, S.G. / RYBALOV, L.B. / HUNDAMA, T. (2014): Ethiopian oribatid mites (Acari, Oribatida): results of the Joint Russian-Ethiopian Biological Expedition (June 2013). - Syst. Appl. Acarol. 19,2: 197-204**
- ERMILOV, S.G. / SALAVATULIN, V.M. / KAGA, W. / SHIMANO, S. (2014): *Neoribates alias* Fujikawa, 2007, a junior synonym of *Neoribates pallidus* Aoki, 1988 (Acari, Oribatida, Parakalummidae). - Zootaxa 3860 (1): 92-96**
- ERMILOV, S.G. / SANDMANN, D. / MARIAN, F. / MARAUN, M. (2014): New species of oribatid mites of the genera *Hermannobates* and *Rhynchoribates* (Acari, Oribatida, Hermanniellidae, Rhynchoribatidae) from Ecuador. - Syst. Appl. Acarol. 19,3: 313-321**
- ERMILOV, S.G. / SHTANCHAEVA, U.Y. / SUBIAS, L.S. (2014): New species of oribatid mites (Acari: Oribatida) of the genera *Suctobelbella* (Suctobelbidae) and *Neoribates* (Parakalummidae) from Vietnam. - Biologia 69,11: 1593-1600**
- ERMILOV, S.G. / TOLSTIKOV, A.V. / SALAVATULIN, V.M. (2014): Supplementary description of two galumnid mites, *Pergalumna tsavoensis* and *P. bifissurata* (Acari, Oribatida, Galumnidae). - Acarina 22,2: 63-70**
- ERMILOV, S.G. / TOLSTIKOV, A.V. / SENNA, A.R. / PESIC, V. (2014): A new aquatic species of the oribatid mite genus *Mucronothrus* (Acari, Oribatida, Trhypochthoniidae) from Brazil. - Internat. J. Acarol. 40,7: 570-576**
- FARSKA, J. / PREJZKOV, K. / STARÝ, J. / RUSEK, J. (2014): Soil microarthropods in non-intervention montane spruce forest regenerating after bark-beetle outbreak. - Ecol. Res. 29,6: 1087-1096**
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. / CASTILLO, E.R. (2014): Revision of the family Carabodidae V (third part). Redefinition of *Congocephalus*, definition of *Cavaecarabodes* gen. n., and descriptions of**

- three new species, *Congocepheus germani* sp. n., *Cavaecarabodes pulchritude* gen. n., sp. n., and *Cavaecarabodes anouchkae* gen. nov., sp. nov.. - Internat. J. Acarol. 40,7: 535-555**
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. / CASTILLO, E.R. (2014): Revision of the family Carabodidae (Acari: Oribatida) VII. Redefinition of the genus *Malgasodes*; redescription of *M. curvisetus* Mahunka, 2000; and complementary description of *M. hungarorum* Mahunka, 2010. Phylogenetic relationships between *Malgasodes*, *Bovicarabodes*, *Afticarabodes*, *Congocepheus* and *Cavaecarabodes* are discussed. - ZooKeys 435: 25-48
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. / CASTILLO, E.R. (2014): Oribatid mites from deep soils of Hòn Chong limestone hills, Vietnam: the family Lohmanniidae (Acari, Oribatida), with the description of *Bedoslohmannia anneae* n. gen., n. sp., and *Paulianacarus vietnamense* n. sp.. - Zootaxa 36,4: 771-788**
- FERNANDEZ, N. / THERON, P. / ROLLARD, C. / LEIVA, S. (2014): The family Carabodidae (Acari, Oribatida) VIII. The genus *Machadocepheus* (first part) *Machadocepheus leoneae* sp. n. and *Machadocepheus rachii* sp. n. from Gabon. - ZooKeys 456: 1-28**
- FLETCHER, T.L. / SALISBURY, S.W. (2014):\* Probable oribatid mite (Acari: Oribatida) tunnels and faecal pellets in silicified conifer wood from the Upper Cretaceous (Cenomanian-Turonian) portion of the Winton Formation, central-western Queensland, Australia. - Alcheringa 38,4: 541-545
- FREDES, N.A. / MARTINEZ, P.A. (2014): Redescription of *Hemileius suramericanus* (Acari, Oribatida, Scheloribatidae) with comments about Neotropical congeneric species. - Pers. J. Acarol. 3,4: 249-256
- FUJIKAWA, T. (2014): The second species of Tokunocepheidae (Acari, Oribatida) from Chirancho, South Japan. - Edaphologia 95: 1-5**
- GARCIA-GOMEZ, A. / CASTANO-MENENSES, G. / VAZQUEZ-GONZALEZ, M.M. / PALACIOS-VARGASA, J.G. (2014): Mesofaunal arthropod diversity in shrub mangrove litter of Cozumel Island, Quintana Roo, Mexico. - Appl. Soil Ecol. 83: 44-50
- GHEBLEALIVAND, S.S. / IRANI-NEJAD, K.H. (2014): Introducing some of Arasbaran region's oribatid mites (Acari, Oribatida), with new records for Iran's and East Azerbaijan Province fauna. - Pers. J. Acarol. 3,3: 241-247
- GRIKUROVA, A.A. / SUBIAS, L.S. / ABDURACHMANOV, G.M. / SHTANCHAEVA, U.Y. (2014): New for Russia oribatid species in the fauna of the Caspian littoral ecosystem. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 83
- GUSHTAN, G.G. (2014): Zoogeographical structure of moss mite (Oribatida) fauna in the meadow habitats of Transcarpathian Lowland. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 84-85
- HAGVAR, S. / AMUNDSEN, T. / OKLAND, B. (2014): Mites of the genus *Carabodes* (Acari, Oribatida) in Norwegian coniferous forests: occurrence in different soils, vegetation types and polypore hosts. - Scand. J. For. Res. 29,7: 629-638
- HEIDEMANN, K. / HENNIES, A. / SCHAKOWSKE, J. / BLUMENBERG, L. / RUESS, L. / SCHEU, S. / MARAUN, M. (2014): Free-living nematodes as prey for higher trophic levels of forest soil food webs. - Oikos 123: 1199-1211
- HEIDEMANN, K. / RUESS, L. / SCHEU, S. / MARAUN, M. (2014): Nematode consumption by mite communities varies in different forest microhabitats as indicated by molecular gut content analysis. - Exp. Appl. Acarol. 64,1: 49-60
- HUGO-COETZEE, H.A. (2014): New Oppiidae (Acari, Oribatida) from the Golden Gate Highlands National Park in South Africa. - Zootaxa 3884 (6): 533-552**
- ISEKI, A. / KARASAWA, S. (2014):\* First record of *Maculobates* (Acari, Oribatida, Liebstadiidae) from Japan, with a redescription based on specimens from the Ryukyu Archipelago. - Spec. Divers. 19: 59-69
- KAGAINIS, U. / SPUNGIS, V. / MELECIS, V. (2014): The armoured mite fauna (Acari, Oribatida) from a long-term study in the Scots pine forest of the Northern Vidzeme Biosphere Reserve, Latvia. - Fragm. Faun. 57,2:141-149
- KHABIR, Z. / IRANI NEJAD, K.H. / KHANJANI, M. / MOGHADDAM, M. (2014): New records of the oribatid

- mites (Acari, Sarcoptiformes, Oribatida) for the fauna of Iran. - Pers. J. Acarol. 3,2: 163-166
- KLARNER, B. / EHNES, R.B. / ERDMANN, G. / EITZINGER, B. / POLLIERER, M.M. / MARAUN, M. / SCHEU, S. (2014): Trophic shift of soil animal species with forest type as indicated by stable isotope analysis. - Oikos 123: 1173-1181
- KONTSCHÁN, J. / ÁCS, A. / NEMÉNYI, A. (2014):\* Data on the mite (Acari) fauna of bamboos in Hungary. - Növényvédelem 50,7: 339-343
- KUN, M.E. (2014): *Oxyoppia mustaciata* n. sp. from Andean forests of Northwestern Patagonia and key to Oxyoppiinae from Argentina. - Acarologia 54,4: 463-472
- LEONOV, B.D. / RACHLEWA, A.A. / SIDORCHUK, E.A. (2014): Spatial distribution of armored mites (Acari, Oribatida) along the altitudinal gradient in the Khibiny Mountains. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 136-137
- LIANG, W.Q. / YANG, M.F. / TANG, Y.X. (2014): A new species of the genus *Neoribates* (*Neoribates*) (Acari, Oribatida, Parakalummidae) from China. - Zool. Syst. 39,2: 259-262
- LIU, D. / CHEN, J. (2014): Descriptions of two new species of *Austrophthiracarus* Balogh et Mahunka, a newly recorded genus of ptyctimous mites from China (Acari: Oribatida, Phthiracaridae). - Ann. Zool. 64,2: 267-272
- LIU, D. / CHEN, J. (2014): *Atropacarus* (*Hoplophorella*) (Acari, Oribatida, Phthiracaridae) from China, with descriptions of two new species. - Syst. Appl. Acarol. 19,2: 166-176
- LIU, D. / OCONNOR, B.M. (2014): Two new species of oribatid mites of the family Phthiracaridae (Acari, Oribatida) from Venezuela. - Internat. J. Acarol. 40,6: 443-448
- LIU, D. / WU, D. / CHEN, J. (2014): First record of the genus *Arphthiracarus* Niedbala (Acari, Oribatida, Phthiracaridae) from China, with descriptions of two new species. - J. Nat. Hist. 48,35-36: 2199-2206
- LIU, D. / ZHANG, Z.-Q. (2014): Two new peculiar ptyctimous mites (Acari, Oribatida, Phthiracaridae) from the Australian region, with a key to 54 described species of *Notophthiracarus* Ramsay in Australia. - Aust Entomol. 53,2: 159-166
- LIU, D. / ZHANG, Z.-Q. (2014): Three new species of the genus *Notophthiracarus* from New Zealand (Acari, Oribatida, Phthiracaridae). - Syst. Appl. Acarol. 19,2: 189-196
- LYASHCHEV, A.A. / LYASHCHEVA, I.A. / KLIMOVA, G.W. (2014): To the biology of a widespread oribatid mite species, *Oppiella nova*, in Western Siberia. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 144-145
- MAKAROVA, O.L. (2014): The free-living mite fauna (Acari) of Greenland. [Orig. Russ.] - Zool. Zh. 93,12: 1404-1419
- MARUYAMA, I. / SHIMANO, S. (2014): A new species of the genus *Symbioribates* (Acari, Oribatida, Symbioribatidae) from Niigata Prefecture, Central Japan. - Edaphologia 94: 1-8
- MELEKHINA, E.N. (2014): Faunistic diversity of oribatid mites in taiga zone of the European part of Russia. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 154-155
- MELEKHINA, E.N. (2014): Successions of soil microfauna after the oil pollution. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 155-157
- MIKO, L. / MOUREK, J. / ERMILOV, S.G. (2014): Taxonomy of African Damaeidae (Acarina: Oribatida) I. *Metabelba* (*Pateribelba*) *centurion* sp. nov. from Ethiopia and redescription of *Metabelba* (*Pateribelba*) *glabriseta*. - Internat. J. Acarol. 40,7: 519-534
- MINOR, M.A. (2014): Soil oribatid mites in cryophytic cushion plants of sub-nival alpine zone in New Zealand. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 160-161

- MONSON, F.D. (2014): The oribatid mites (Acari: Oribatida) of Shetland. - *Shetl. Natur.* 3,2: 33-48
- MURVANIDZE, M. (2014): Oribatid mites of Georgian (Caucasus) caves including the description of a new species of *Ghilarovus Krivolutsky, 1966.* - *Internat. J. Acarol.* 40,6: 463-472**
- MURVANIDZE, M. / MUMLADZE, L. (2014): Oribatid mite (Acari, Oribatida) diversity in different forest stands of Borjom-Kharagauli National Park (Georgia). - *Pers. J. Acarol.* 3,4: 257-276
- NAKAMURA, K. / NAKAMURA, Y.-N. / FUJIKAWA, T. (2014): Oribatid fauna (Acari, Oribatida) from a cave in south Nippon (Japan), with a description of a new species. - *Acarologia* 54,3: 249-269**
- NGUYEN, H.T. / LAI, T.H. / VU, M.Q. / NGUYEN, H.T. (2014): Oribatid mites (Acari, Oribatida) community structures as a bioindicators of the habitat type in Cát Bà National Park, Hai Phòng City. [Orig. Vietn.] - *J. Natural Sci. and Technol., Vietn. Nat. Univ., Hanoi* 30,1S: 268-274
- NI, Z. / LIU, D. (2014): *Phthiracarus* species from China with descriptions of three new species (Acari, Oribatida, Phthiracaridae). - *Syst. Appl. Acarol.* 19,2: 177-188**
- NIEDBALA, W. / ERMILOV, S.G. (2014): Ptyctimous mites (Acari, Oribatida) from the Joint Russian-Vietnamese Biological Expedition (October 2013 - April 2014). - *Zootaxa* 3884 (2): 156-168**
- NIEDBALA, W. / STARÝ, J. (2014): New and little known species of ptyctimous mites (Acari, Oribatida) from Cameroon. - *Zootaxa* 3889 (1): 31-57**
- NIEDBALA, W. / STARÝ, J. (2014): New species of *Euphthiracarus* Ewing, 1917 (Acari: Oribatida: Euphthiracaroidea) from the Afrotropical region. - *Ann. Zool.* 64,3: 485-494**
- NORTON, R.A. / SIDORCHUK, E.A. (2014): *Collohmnia johnstoni* n. sp. (Acari, Oribatida) from West Virginia (U.S.A.), including description of ontogeny, setal variation, notes on biology and systematics of Collohmniidae. - *Acarologia* 54,3: 271-334**
- OTT, D. / DIGEL, C. / KLARNER, B. / MARAUN, M. / POLLIERER, M. / RALL, B.C. / SCHEU, S. / SEELIG, G. / BROSE, U. (2014): Litter elemental stoichiometry and biomass densities of forest soil invertebrates. - *Oikos* 123: 1212-1223
- OTT, D. / DIGEL, C. / RALL, B.C. / MARAUN, M. / SCHEU, S. / BROSE, U. (2014): Unifying elemental stoichiometry and metabolic theory in predicting species abundances. - *Ecol. Lett.* 17: 1247-1256
- PILSKOG, H.E. / SOLHOY, T. / GWIAZDOWICZ, D.J. / GRYTNES, J.-A. / COULSON, S.J. (2014): Invertebrate communities inhabiting nests of migrating passerine, wild fowl and sea birds breeding in the High Arctic, Svalbard. - *Polar Biol.* 37,7: 981-998
- PIZL, V. / STARÝ, J. / TAJOVSKY, K. (2014): Soil fauna on the bottoms of inverse ravines in the Bohemian Switzerland National Park. [Orig. Czech.] - *Sbor. Oblast. muzea v Mostě, řada přír. věd.* 35/36: 31-42
- PIZL, V. / STARÝ, J. / TAJOVSKY, K. (2014): Soil fauna (Oribatida, Lumbricidae, Chilopoda, Diplopoda, Oniscoidea) of the Kanon Labe NNR and the Liboucheké rybnicky NR (Labsné piskovce PLA) [Orig. Czech.] - *Sbor. Oblast. muzea v Mo stě, řada přír. věd.* 35/36: 9-18
- QUERALT, M. / MORAZA, M.L. / DE MIGUEL, A.M. (2014): Preliminary study of the mite community structure in different black truffle producing soils. - *Forest Syst.* 23,2: 339-348
- REICHERT, M.B. / DA SILVA, G.L. / DOS SANTOS ROCHA, M. / JOHANN, L. / FERLA, N.J. (2014): Mite fauna (Acari) in soybean agroecosystem in the northwestern region of Rio Grande do Sul State, Brazil. - *Syst. Appl. Acarol.* 19,2: 123-136
- RYABININ, N.A. (2014): On the possible ways of development of oribatid fauna in the Russian Far East. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 188-190
- SALTZWEDEL, H. VON / MARAUN, M. / SCHEU, S. / SCHAEFER, I. (2014): Evidence for frozen-niche variation in a cosmopolitan parthenogenetic soil mite species (Acari, Oribatida). - *PLOS One* 9,11: e113268, 11 pp. DOI:10.1371/journal.pone.0113268
- SCHATZ, H. / HOFSTÄTTER, S. (2014): Hornmilben (Acari, Oribatida) aus dem Europa-Schutzgebiet Zurndorfer Eichenwald (Burgenland, Österreich). - *Linzer biol. Beitr.* 46,2: 1775-1793
- SCHLAGHAMERSKY, J. / DEVETTER, M. / HANEL, L. /

- TAJOVSKY, K. / STARÝ, J. / TUF, I.H. / PIZL, V. (2014): Soil fauna across Central European sandstone ravines with temperature inversion: From cool and shady to dry and hot places. - *Appl. Soil Ecol.* 83: 30-38
- SENICZAK, A. / SENICZAK, S. / KACZMAREK, S. / KOWALSKI, J. (2014): Ontogeny of morphological traits in Phenopelopidae (Acari: Oribatida). - *Internat. J. Acarol.* 40,8: 611-637
- SENICZAK, S. / SENICZAK, A. / GWIAZDOWICZ, D.J. / COULSON, S.J. (2014): Community structure of oribatid and gamasid mites (Acari) in moss-grass Tundra in Svalbard (Spitsbergen, Norway). - *Arc. Antarc. Alp. Res.* 46,3: 591-599
- SENICZAK, S. / SENICZAK, A. / KACZMAREK, S. (2014): Morphology of juveniles supports transfer of *Lepidozetes singularis* from Tegoribatidae to Ceratozetidae (Acari, Oribatida). - *Internat. J. Acarol.* 40,6: 449-462
- SHAKHAB, S.W. (2014): The life forms of oribatids dwelling in bird nests. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 251
- SHTANCHAEVA, U.Y. / ERMILOV, S.G. / SUBIAS, L.S. (2014): Supplementary description of *Leptogalumna (Aegyptogalumna) mastigophora* (Al-Assiuty, Abdel-Hamid, Seif et El-Deeb, 1985) comb. n. (Acari, Oribatida, Galumnidae). - *Acarina* 22,2: 71-75
- SHTANCHAEVA, U.Y. / ERMILOV, S.G. / TOLSTIKOV, A.V. / SUBIAS, L.S. (2014): Supplementary description of *Indoribates (Haplozetes) minutus* (Tseng, 1984) and *Muliercula femoroserrata* (Pérrez-Inigo et Baggio, 1980) comb. n. (Acari, Oribatida, Oripodoidea). - *Acarina* 22,2: 76-84
- SHTANCHAEVA, U.Y. / SUBIAS, L.S. (2014): A new species of oribatid mite, *Puncitoribates tschernovi* sp. n. (Acariformes, Oribatida, Puncitoribatidae), from Azerbaijan. [Orig. Russ.] - Zool. Zh. 93,1: 145-146**
- SIDORCHUK, E.A. (2014): Fossil mites: a glimpse into the past through the amber prism. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 207
- SKUBALA, P. / ROLA, K. / OSYČZKA, P. / KAFEL, A. (2014): Oribatid mite communities on lichens in heavily contaminated post-smelting dumps. - *Arch. Environ. Contaminat. Toxicol.* 67,4: 578-592
- SUBIAS, L.S. / OROBITG, J. (2014): Nuevas citas de oribátidos (Acari, Oribatida) para la fauna de España peninsular y región Paleártica. - *Rev. Ibér. Aracnol.* 25: 21-22
- TAHA, H.A. / AL-ASSIUTY, A.I. / SHARRA, L.A.W. / FARID, H.M. (2014): The potential of two different Acari species (Mesostigmata and Oribatida) on suppression of root-knot nematode (*Meloidogyne incognita*) on tomato plants. - *Glob. J. Environ. Sci. Toxicol.* 1,2: 119-135
- TOLUK, A. / AYYILDIZ, N. (2014): A study on *Gymnodamaeus Kulczynski*, 1902 (Acari, Oribatida, Gymnodamaeidae) species. [Orig. Türk.] - Bitki Koruma Bülteni 54,3: 171-179
- TSIAFOULI, M.A. / THÉBAULT, E. / SGARDELIS, S.P. / DE RUITER, P.C. / VAN DER PUTTEN, W.H. / BIRKHOFER K. et al. (2014): Intensive agriculture reduces soil biodiversity across Europe. - *Global Change Biology* 21,2: 973-985
- TSURIKOV, C.M. (2014): Trophic links of soil detritivores in a tropical forest: a comparison of termites and oribatids. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 245-247
- VÁCLAV, R. / KALÚZ, S. (2014): The effect of herbivore faeces on the edaphic mite community: implications for tapeworm transmission. - *Exp. Appl. Acarol.* 62,3: 377-390
- VU, M.Q. / NGUYEN, H.T. / NGUYEN, T.H. (2014): Role of Oribatid mites (Acari, Oribatida) as a vector of transmission of typeworms (Cestoda) in the soil ecosystem of Cát Bà National Park, Hai Phòng City. [Orig. Vietn.] - *J. Natural Sci. and Technol., Vietn. Nat. Univ., Hanoi* 30,1S: 137-146
- VU, M.Q. / NGUYEN, T.H. / LAI, T.H. (2014): Species diversity of Oribatida community (Acari, Oribatida) in the soil ecosystem of the Cát Bà National Park, Northern Vietnam. [Orig. Vietn.] - *Proc. 8th Vietnam Conf. on Entomol.*: 916-928
- VU, M.Q. / NGUYEN, T.H. / VU, L.V. (2014): A review of the genus *Papillacarus* (Acari, Lohmanniidae) in

Vietnam with remarks on the taxonomic status of *P. arboriseta*. - Acta Zool. Bulg. 66,2: 165-172

WEHNER, K. / MARAUN, M. / SCHEU, S. (2014): Resource availability as driving factor of the reproductive mode in soil microarthropods (Acari, Oribatida). - PLOS One 9,8: e104243 DOI:10.1371/journal.pone.0104243

ZAITSEV, A.S. (2014): Regularities of space structuring of oribatid mite communities. [Orig. Russ.] In: Russian Academy of Science, Material of the XVI All-Russian Meeting on Soil Zoology, Syktyvkar, Abstract. - KMK Publishing, Moscow: 95

ZAITSEV, A.S. / GONGALSKY, K.B. / NAKAMORI, T. / KANEKO, N. (2014): Ionizing radiation effects on soil biota: Application of lessons learned from Chernobyl accident for radioecological monitoring. - Pedobiologia 57: 5-14

ZAITSEV, A.S. / GONGALSKY, K.B. / PERSSON, T. / BENGTSSON, J. (2014): Connectivity of litter islands remaining after a fire and unburnt forestdetermines the recovery of soil fauna. - Appl. Soil Biol. 83: 101-108

## Publications, additions 2013

EITZINGER, B. (2013): Molecular analysis of Centipede predation. - Diss. math.-naturwiss. Fak. G.-August-Universität Göttingen: 1-145

KOHYT, J. / SKUBALA, P. (2013): Communities of mites (Acari) in litter and soil under the invasive red oak (*Quercus rubra* L.) and native pedunculate oak (*Q. robur* L.). - Biol. Lett. 50,2: 111-124

NGUYEN, H.T. / LAI, T.H. / VU, M.Q. / NGUYEN, H.T. (2013): Distribution characteristics of Oribatid mite community (Acari, Oribatida) according to seasons and habitats in Cát Bà National Park, Hai Phòng City. [Orig. Vietn.] - Proc. 5th Nat. Scient. Conf. on Ecol. and Biol. Res.: 1673-1678

VU, M.Q. (2013): The Oribatida fauna (Acari, Oribatida) of Vietnam - systematics, zoogeography and zonation, formation and role in the soil ecosystem. - Bulg. Acad. Sci., Inst. Biodivers. and Ecosystem Res.: 1-56

## Publications, additions 2012

KACZMAREK, K. / MARQUARDT, T. / FALENCZYK-KOZIRÓG, K. / MARCYSIAK, K. (2012): Diversity of soil mite communities (Acari) within habitats seasonally flooded by the Vistula River Ostromecko, Poland). - Biol. Lett. 49,2: 97-105

RÖMBKE, J. / ROSS-NICKOLL, M. / TOSCHKI, A. / HÖFER, H. / HORAK, F. / RUSSELL, D. / BURKHARDT, U. / SCHMITT, H. (2012): Erfassung und Analyse des Bodenzustands im Hinblick auf die Umsetzung und Weiterentwicklung der Nationalen Biodiversitätsstrategie. - UBA FKZ 370872201 UBA-FB 001606: 1-389

RÖMBKE, J. / ROSS-NICKOLL, M. / TOSCHKI, A. / HÖFER, H. / HORAK, F. / RUSSELL, D. / BURKHARDT, U. / SCHMITT, H. (2012): Erfassung und Analyse des Bodenzustands im Hinblick auf die Umsetzung und Weiterentwicklung der Nationalen Biodiversitätsstrategie. Anhang. - UBA FKZ 370872201 UBA-FB 001606: 1-169

SENICZAK, S. / KACZMAREK, S. / SENICZAK, A. / GRACZYK, R. (2012): Oribatid mites (Acari, Oribatida) of open and forested habitats of Korcula Island (Croatia). - Biol. Lett. 49,1: 27-34

SENICZAK, S. / SENICZAK, A. (2012): Oribatid mites (Acari, Oribatida) of yew, cypress and pine litter in southern Italy. - Biol. Lett. 49,1: 19-26

## Publications, additions 2011

KALÚZ, S. (2011): Soil mites (Acari) in windthrow areas of High Tatras Mts. [Orig. Czech.] - Štúdie o tatranskom národnom parku 10,43: 221-230

## Publications, additions 2010

EL-SHARABASY, H.M. (2010): Abundance and diversity of soil mites (Acari, Gamasida, Oribatida) in Mango orchards in Ismailia Region, Egypt. - Acarines 4: 31-36

ROMEIH, A.H.M. / HASSAN, M.F. / RIZK, M.A. / ABO-SHNAF, R.I.A. (2010): Egyptian checklist of mites from aromatic, medicinal and ornamental plants. - Acarines 4: 37-46

## Nomina nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material information as follows:

*Adrodamaeus ermilovi* Coetzee, 2014 (Page: 89<sup>1</sup>) –  
TYPES: HT<sup>2♂</sup> + 6 PT<sup>2</sup> - NMB<sup>3</sup>, 3 PT - NMSA<sup>3</sup>

1 – first page of the description

2 – holotype (HT), paratypes (PT) or syntypes (ST)

3 – abbreviations of the places of storage of new types, as far as they were cited in the publications

Abbreviations of the places of storage of new types

CIEMIC - Centro de Investigación en Estructuras, Microscópica, Ciudad de la Investigación, Universidad de Costa Rica, San José, Costa Rica

CLM - Collection Ladislav Miko, Bruxelles, Belgium

CLS - Collection Luis S. Subias, Facultad de Biología - UCM, Madrid, Spain

CNC - Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada

CRUB - Zoology Department of Centro Regional Universitario Bariloche, Universidad Nacional del Comahue, San Carlos de Bariloche, Argentina

CSGE - Collection Sergey G. Ermilov, Nizhniy Novgorod, Russia

CTP - Collection Tobias Pfingstl, Graz, Austria

CUYS - Collection of U.Y. Shtanchaeva, Makhachkala, Dagestan, Russia

DATE - Department of Animal Taxonomy and Ecology, Adam Mickiewicz University, Poznan, Poland

FBUCM - Facultad de Biología de la Universidad Complutense de Madrid, Madrid, Spain

FIOC - Fundação Instituto Oswaldo Cruz, Rio de Janeiro, Brazil

GUGC - Guizhou University, Institute of Entomology, Guiyang, Guizhou, China

ISB - Institute of Soil Biology, Biology Centre Academy of Sciences of the Czech Republic, České Budějovice, Czech Republic

MAUG - Museum of the Agricultural University of Georgia, Tbilisi, Georgia

MCNLP - Museo de Ciencias Naturales de La Plata, La Plata, Argentina

MHNG - Muséum d'Histoire Naturelle, Geneva, Switzerland

MNHN - Muséum National d'Histoire Naturelle, Laboratoire de Zoologie (Arthropodes), Paris, France

MHNJP - Museo de Historia Natural "Javier Prado", Lima, Peru

NIGA - Northeast Institute of Geography and Agroecology, Chinese Academy of Sciences, Changchun, China

NHMW - Naturhistorisches Museum Wien, Wien, Austria

NMB - National Museum Bloemfontein, Bloemfontein, South Africa

NMP - National Museum Prague, Prague, Czech Republic

NMSA - KwaZulu-Natal Museum, Pietermaritzburg, South Africa

NSMT - National Science Museum, Tokyo, Japan

NZAC - New Zealand Arthropod Collection, Auckland, New Zealand

NZMC - National Zoological Museum of China, Institute of Zoology, Chinese Academy of Sciences, Beijing, China

OSAL - Ohio State University, Museum of Biological Diversity, Acarology Laboratory, Columbus, Ohio, USA

RBCM - Royal British Columbia Museum, Victoria, British Columbia, Canada

RNC - <u>Roy A. Norton Collection</u> , New York, Syracuse, USA	<i>Acrotritia paragranulata</i> Niedbała, 2014 (Page: 161) – TYPES: HT + 5 PT - DATE
SMF - <u>Senckenberg Museum</u> , Frankfurt / Main, Germany	<i>Acrotritia quasidivida</i> Niedbała & Starý, 2014 (Page: 38) – TYPES: HT - DATE
SMNG - <u>Senckenberg Museum für Naturkunde</u> , Görlitz, Germany	<i>Acrotritia tibetensis</i> Liu & Chen, 2015 (Page: 130) – TYPES: HT + 3 PT - ZMCAS
SUAC - <u>Sakarya University, Acarological Collection</u> , Sakarya, Turkey	<i>Adrodamaeus ermilovi</i> Coetzee, 2014 (Page: 89) – TYPES: HT♂ + 6 PT - NMB, 3 PT - NMSA
SZMN - <u>Siberian Zoological Museum</u> , Institute of Animal Systematics and Ecology, Siberian Division of the Russian Academy of Sciences, Novosibirsk, Russia	<i>Afroleius amiae</i> Coetzee, 2014 (Page: 561) – TYPES: HT♂ + PT - NMB, PT - NMSA
TUMZ - <u>Tyumen State University, Museum of Zoology</u> , Tyumen, Russia	<i>Afroleius caudatus</i> Coetzee, 2014 (Page: 78) – TYPES: HT♀ + 2 PT♂ - NMB
UMMZ - <u>University of Michigan, Museum of Zoology</u> , Ann Arbor, USA	<i>Afroleius inae</i> Coetzee, 2014 (Page: 564) – TYPES: HT♀ + PT - NMB, PT - NMSA
UPLB - <u>University of Philippines Los Banos, Museum of Natural History</u> , Laguna, Philippines	<i>Afroleius lucidus</i> Coetzee, 2015 (Page: 390) – TYPES: HT♀ + 10 PT♂ + 10 PT♀ - NMSA
USNM - <u>United States National Museum of Natural History</u> , Washington, USA	<i>Afroleius natalensis</i> Coetzee, 2014 (Page: 73) – TYPES: HT♂ + PT♂ + 3 PT♀ - NMB
ZISP - <u>Zoological Institute</u> , Russian Academy of Sciences, St. Petersburg, Russia	<i>Afroleius valerieae</i> Coetzee, 2014 (Page: 568) – TYPES: HT + PT - NMB, PT - NMSA
ZLC - <u>Zoe Lindo Collection</u> , London, Ontario, Canada	<i>Alismobates pseudoeticulatus</i> Pfingstl, 2015 (Page: 366) – TYPES: HT♂ - NHMW
ZMCAS - <u>National Zoological Museum of China</u> , Institute of Zoology, Chinese Academy of Sciences, Beijing, China	<i>Allogalumna asetosa</i> Ermilov & Kalúz, 2014 (Page: 74) – TYPES: HT - ZISP, PT - CSGE

## New species

<i>Acaroceras brasiliensis</i> Ermilov & Tolstikov, 2015 (Page: 62) – TYPES: HT♂ - SMF, 2 PT♂ - TUMZ	<i>Allosuctobelba vietnamensis</i> Ermilov & Anichkin, 2014 (Page: 20) – TYPES: HT♂ - ZISP, 2 PT - SZMN, 3 PT - TUMZ
<i>Acrotritia furca</i> Niedbała & Starý, 2014 (Page: 36) – TYPES: HT + PT - DATE, PT - ISB	<i>Anachipteria svetlanae</i> Ermilov & Anichkin, 2014 (Page: 45) – TYPES: HT♀ - ZISP, 2 PT - SZMN, PT - TUMZ
<i>Acrotritia paraardua</i> Niedbała & Starý, 2015 (Page: 1692) – TYPES: HT + 2 PT - DATE, PT - ISB, PT - MHNG	<i>Arcoppia (Wallworkoppia) minima</i> Ermilov, Rybalov & Hundama, 2014 (Page: 199) – TYPES: HT♀ - ZISP, PT - SZMN, 2 PT - TUMZ
<i>Acrotritia paradikra</i> Niedbała & Starý, 2015 (Page: 1695) – TYPES: HT + 27 PT - DATE, 16 PT - ISB, 31 PT - MHNG	<i>Arphthicarus baculus</i> Liu, Wu & Chen, 2014 (Page: 2200) – TYPES: HT + PT - NZAC

- Arphthicarus filiformis* Liu & OConnor, 2014 (Page: 444) – TYPES: HT - UMMZ, PT - NIGA
- Arphthicarus paratinctus* Niedbała & Starý, 2015 (Page: 88) – TYPES: HT - DATE
- Arphthicarus spiniformis* Liu, Wu & Chen, 2014 (Page: 2203) – TYPES: HT + PT - NZAC
- Atropacarus (Hoplophorella) gibbus* Niedbała & Starý, 2014 (Page: 52) – TYPES: HT - DATE
- Atropacarus (Hoplophorella) inflatus* Liu & Chen, 2014 (Page: 167) – TYPES: HT + 3 PT - NIGA
- Atropacarus (Hoplophorella) minimus* Liu & Chen, 2014 (Page: 169) – TYPES: HT + PT - NIGA
- Atropacarus paraclavigerus* Niedbała & Starý, 2015 (Page: 89) – TYPES: HT - DATE
- Austrocarabodes brasiliensis* Ermilov & Tolstikov, 2015 (Page: 265) – TYPES: HT - FIOC, 7 PT - TUMZ
- Austrophthiracarus bicarinatus* Niedbała & Starý, 2014 (Page: 47) – TYPES: HT + 5 PT - DATE, 2 PT - ISB, PT - MHNG
- Austrophthiracarus filiformis* Liu & Chen, 2014 (Page: 268) – TYPES: HT + PT - NZMC
- Austrophthiracarus hiore* Liu & Zhang, 2014 (Page: 159) – TYPES: HT + 5 PT - NZAC, 2 PT - NIGA
- Austrophthiracarus longisetosus* Liu & Chen, 2014 (Page: 271) – TYPES: HT + PT - NZMC
- Austrophthiracarus longisetosus* Niedbała & Starý, 2015 (Page: 134) – TYPES: HT + 31 PT - DATE, 16 PT - ISB, 10 PT - MHNG
- Autogneta aokii* Behan-Pelletier, 2015 (Page: 61) – TYPES: HT♂ + PT - CNC, PT - USNM, RNC
- Autogneta flaheyi* Behan-Pelletier, 2015 (Page: 65) – TYPES: HT♂ + PT - CNC, PT - USNM, RNC
- Autogneta schusteri* Behan-Pelletier, 2015 (Page: 71) – TYPES: HT♂ + PT - CNC, PT - USNM, RNC
- Basilobelba maidililae* Fernandez, Theron, Rollard & Leiva, 2015 (Page: 136) – TYPES: HT♀ + 2 PT♀ - MNHN
- Bedoslohmannia anneae* Fernandez, Theron, Rollard & Castillo, 2014 (Page: 773) – TYPES: HT♀ + 2 PT♀ - MNHN
- Brachioppia insolita* Ermilov & Tolstikov, 2015 (Page: 641) – TYPES: HT - SMF, 3 PT - TUMZ
- Brachioppia louwi* Hugo-Coetzee, 2014 (Page: 535) – TYPES: HT + 8 PT - NMB, 3 PT - NMSA
- Brachioppiella dawidi* Hugo-Coetzee, 2014 (Page: 538) – TYPES: HT + 5 PT - NMB, 2 PT - NMSA
- Brachioppiella goblina* Hugo-Coetzee, 2014 (Page: 541) – TYPES: HT + 7 PT - NMB, 3 PT - NMSA
- Carinogalumna alineata* Ermilov & Martens, 2014 (Page: 467) – TYPES: HT - SMF, 2 PT - TUMZ
- Carinogalumna philippinensis* Ermilov & Corpuz-Raros, 2015 (Page: 518) – TYPES: HT♂ - ZISP, 5 PT - TUMZ, 2 PT - UPLB
- Cavaecarabodes anouchkae* Fernandez, Theron, Rollard & Castillo, 2014 (Page: 547) – TYPES: HT♀ + PT♀ - MNHN
- Cavaecarabodes pulchritude* Fernandez, Theron, Rollard & Castillo, 2014 (Page: 541) – TYPES: HT♀ + PT♂ - MNHN
- Ceratobates cangioensis* Ermilov & Anichkin, 2015 (Page: 655) – TYPES: HT♀ - ZISP, 4 PT - SZMN, 4 PT - TUMZ
- Collohmания johnstoni* Norton & Sidorchuk, 2014 (Page: 273) – TYPES: HT♂ + 10 PT - OSAL, PT - CNC, SMNG, TUMZ
- Congocepheus germani* Fernandez, Theron, Rollard & Castillo, 2014 (Page: 536) – TYPES: HT♀ + PT♂ - MNHN
- Crotonia ramsayi* Colloff, 2015 (Page: 5) – TYPES: HT♀ + 8 PT♂ + 8 PT♀ - NZAC
- Dolicheremaeus donacunarensis* Ermilov & Anichkin, 2014 (Page: 210) – TYPES: HT♀ - ZISP, PT - SZMN, PT - TUMZ
- Dolicheremaeus dwalteri* Ermilov & Anichkin, 2014

- (Page: 206) – TYPES: HT♀ - ZISP, 4 PT - SZMN, 4 PT - TUMZ
- Dolicheremaeus insolitus* Ermilov & Anichkin, 2014 (Page: 31) – TYPES: HT♀ - ZISP, 4 PT - SZMN, PT - TUMZ
- Epieremulus bidupensis* Ermilov & Anichkin, 2014 (Page: 26) – TYPES: HT♀ - ZISP, 4 PT - SZMN, PT - TUMZ
- Eremella funnagasatoensis* Nakamura, Hashimoto, Nishi, Nakamura & Fujikawa, 2015 (Page: 173) – TYPES: HT♀ + 11 PT♀ - NSMT
- Euphthiracarus duplex* Niedbała & Starý, 2014 (Page: 486) – TYPES: HT - DATE
- Euphthiracarus (Parapocia) medius* Niedbała, 2014 (Page: 160) – TYPES: HT - DATE
- Euphthiracarus netron* Niedbała & Starý, 2014 (Page: 486) – TYPES: HT - DATE
- Euphthiracarus (Pocia) paraafricanus* Niedbała & Starý, 2014 (Page: 487) – TYPES: HT + 3 PT - DATE, PT - ISB, MHNG
- Euphthiracarus quasitakahashii* Niedbała, 2014 (Page: 158) – TYPES: HT - DATE
- Euphthiracarus (Pocia) uluguruensis* Niedbała & Starý, 2014 (Page: 487) – TYPES: HT + 2 PT - DATE, PT - ISB, MHNG
- Fissicepheus striganovae* Ermilov & Anichkin, 2014 (Page: 36) – TYPES: HT♀ - ZISP, PT - SZMN, PT - TUMZ
- Fortuynia dimorpha* Pfingstl, 2015 (Page: 568) – TYPES: HT♂ + PT♂ + PT♀ - NHMW
- Fortuynia longiseta* Pfingstl, 2015 (Page: 357) – TYPES: HT♂ + 2 PT♀ - NHMW
- Fortuynia maledivensis* Pfingstl, 2015 (Page: 353) – TYPES: HT♀ + 2 PT♀ - NHMW
- Galumna (Neogalumna) longilineata* Ermilov & Anichkin, 2014 (Page: 72) – TYPES: HT♀ - ZISP, PT - SZMN, 2 PT - TUMZ
- Galumna makilingensis* Ermilov, Corpuz-Raros &
- Tolstikov, 2014 (Page: 3) – TYPES: HT♀ - ZISP, PT♀ - TUMZ
- Galumna paramastigophora* Ermilov, 2015 (Page: 554) – TYPES: HT♀ - SMF, 2 PT♂ + 2 PT♂ - TUMZ
- Galumna paraocotpunctata* Ermilov, Alvarado-Rodriguez & Retana-Salazar, 2015 (Page: 278) – TYPES: HT♂ - ZISP, PT♀ - TUMZ
- Galumna paraweni* Ermilov & Kalúz, 2014 (Page: 76) – TYPES: HT - ZISP, 3 PT - SZMN, 2 PT - CSGE
- Galumna pseudotriquetra* Ermilov, 2015 (Page: 560) – TYPES: HT♀ - SMF, 4 PT♂ + 3 PT♀ - TUMZ
- Galumna tetraporosa* Ermilov, Martens & Tolstikov, 2014 (Page: 34) – TYPES: HT + PT - SMF, PT - TUMZ
- Galumna (Neogalumna) tolstikovi* Ermilov & Anichkin, 2014 (Page: 77) – TYPES: HT♀ - ZISP, 3 PT - SZMN, PT - TUMZ
- Galumna (Cosmogalumna) vladopesici* Ermilov & Corpuz-Raros, 2015 (Page: 512) – TYPES: HT♀ - ZISP, 3 PT - TUMZ, 2 PT - UPLB
- Galumnella junichiaokii* Ermilov, Corpuz-Raros & Shimano, 2014 (Page: 85) – TYPES: HT♀ - ZISP, 8 PT - TUMZ, 3 PT - UPLB
- Ghilarovus kvavadzei* Murvanidze, 2014 (Page: 468) – TYPES: HT♀ + 3 PT♀ - MAUG
- Granuloppia vietnamensis* Ermilov & Bayartogtokh, 2015 (Page: 228) – TYPES: HT♂ - SMF, PT♂ - TUMZ
- Hermannia bugiamapensis* Ermilov & Bayartogtokh, 2015 (Page: 225) – TYPES: HT♂ - SMF, PT♂ - TUMZ
- Hermannobates dilatatus* Ermilov, Sandmann, Marian & Maraun, 2014 (Page: 314) – TYPES: HT♀ - ZISP, PT♀ - SZMN, PT♀ - TUMZ
- Heterogalumna minima* Ermilov & Kalúz, 2014 (Page: 78) – TYPES: HT - ZISP, PT - CSGE
- Hoplophthiracarus clavatus* Niedbala, 2014 (Page: 162) – TYPES: HT + 174 PT - DATE
- Hoplophthiracarus kumboensis* Niedbala & Starý, 2014 (Page: 39) – TYPES: HT + 3 PT - DATE, 2 PT - ISB, PT - MHNG

- Hoplophthiracarus reticulatus* Niedbała & Starý, 2014  
(Page: 42) – TYPES: HT + 60 PT - DATE, 15 PT - ISB, 5 PT - MHNG
- Hoplophthiracarus spinus* Niedbała & Starý, 2014  
(Page: 42) – TYPES: HT + 15 PT - DATE, 4 PT - ISB, 2 PT - MHNG
- Humerobates kumasoi* Nakamura, Nakamura & Fujikawa, 2014 (Page: 251) – TYPES: HT♀ + 2 PT♂ + 2 PT♀ - NSMT
- Indoribates bicarinatus* Ermilov & Anichkin, 2014  
(Page: 51) – TYPES: HT♀ - ZISP, 2 PT - SZMN, PT - TUMZ
- Indotritia montkouensis* Niedbała & Starý, 2014 (Page: 34) – TYPES: HT + 15 PT - DATE, 5 PT - ISB, PT - MHNG
- Kokoppia mandelai* Hugo-Coetzee, 2014 (Page: 543) – TYPES: HT + 7 PT - NMB, 3 PT - NMSA
- Lanceoppia scytheae* Hugo-Coetzee, 2014 (Page: 545) – TYPES: HT + 9 PT - NMB, 3 PT - NMSA
- Lohmannia (Carolohmannia) monosetosa* Ermilov & Anichkin, 2014 (Page: 10) – TYPES: HT♀ - ZISP, 3 PT - SZMN, PT - TUMZ
- Machadocepheus leoneae* Fernandez, Theron, Rollard & Leiva, 2014 (Page: 4) – TYPES: HT♀ + 2 PT♀ - MNHN, 2 PT♀ - MHNG
- Machadocepheus rachii* Fernandez, Theron, Rollard & Leiva, 2014 (Page: 15) – TYPES: HT♀ + 2 PT♀ - MNHN, 2 PT♀ - MHNG
- Macrogena abbreviata* Ermilov & Minor, 2015 (Page: 20) – TYPES: HT♀ + 2 PT - NZAC, 2 PT - SMF, 2 PT - TUMZ
- Macrogena brevisensilla* Ermilov & Minor, 2015 (Page: 15) – TYPES: HT♀ + 2 PT - NZAC, 2 PT - SMF, 2 PT - TUMZ
- Malaconothrus agusanensis* Ermilov & Corpuz-Raros, 2015 (Page: 63) – TYPES: HT - SMF, 5 PT - TUMZ, 8 PT - UPLB
- Metabelba (Pateribelba) centurion* Miko, Mourek & Ermilov, 2014 (Page: 520) – TYPES: HT + 2 PT -
- NMP, 2 PT - TUMZ, 2 PT - CLM
- Metapyroppia gigantea* Ermilov & Martens, 2014 (Page: 2) – TYPES: HT + PT - SMF, 5 PT - TUMZ
- Metrioppiella walbranensis* Lindo, 2015 (Page: 4) – TYPES: HT♀ - CNC, 3 PT♂ + PT♀ - ZLC, 30 PT - CNC, ZLC, RNC, RBCM
- Microtritia diaphoros* Niedbała & Starý, 2015 (Page: 1697) – TYPES: HT + 5 PT - DATE, 3 PT - ISB, 3 PT - MHNG
- Microtritia parahauseri* Niedbała & Starý, 2015 (Page: 1699) – TYPES: HT + 5 PT - DATE, 3 PT - ISB, 2 PT - MHNG
- Mirogalumna leytenensis* Ermilov & Corpuz-Raros, 2015 (Page: 557) – TYPES: HT♀ - SMF, 5 PT - TUMZ, 2 PT - UPLB
- Mixacarus (Phyllolohmamnia) pectinatus* Ermilov & Kalúz, 2014 (Page: 709) – TYPES: HT - ZISP, 4 PT - SZMN, 7 PT - CSGE
- Mucronothrus brasiliensis* Ermilov, Tolstikov, Senna & Pesic, 2014 (Page: 571) – TYPES: HT + PT - FIOC, 6 PT - TUMZ
- Multioppiella pseudoglabra* Ermilov, 2015 (Page: 58) – TYPES: HT - SMF, 3 PT - TUMZ
- Neoribates cupulatus* Liang, Yang & Tang, 2014 (Page: 261) – TYPES: HT♀ + 2 PT♀ - GUGC
- Neoribates (Pseudoneoribates) kontschani* Ermilov & Corpuz-Raros, 2015 (Page: 231) – TYPES: HT♂ - ZISP, PT - TUMZ
- Neoribates (Pseudoneoribates) negrosensis* Ermilov & Corpuz-Raros, 2015 (Page: 225) – TYPES: HT♂ - ZISP, 3 PT - TUMZ, 2 PT - UPLB
- Neoribates monodactylus* Ermilov & Anichkin, 2014 (Page: 61) – TYPES: HT♀ - ZISP, PT - TUMZ
- Neoribates parabulanovae* Ermilov & Martens, 2014 (Page: 20) – TYPES: HT♂ + PT - SMF, 3 PT - TUMZ
- Neoribates paramacrosacculus* Ermilov & Martens, 2014 (Page: 24) – TYPES: HT♂ + PT - SMF, PT - TUMZ

- Neoribates pararotundus* Ermilov & Martens, 2014  
(Page: 28) – TYPES: HT♂ + PT - SMF, PT - TUMZ
- Neoribates paratuberculatus* Ermilov, Shtanchaeva & Subias, 2014 (Page: 1597) – TYPES: HT♂ - ZISP, PT♂ - TUMZ
- Notophthiracarus biputeus* Liu & Zhang, 2014 (Page: 162) – TYPES: HT - NZAC, PT - NIGA
- Notophthiracarus colombianus* Liu & OConnor, 2015 (Page: 63) – TYPES: UT + PT - UMMZ, PT - NIGA
- Notophthiracarus motumuka* Liu & Zhang, 2014 (Page: 190) – TYPES: HT - NZAC, PT - NIGA
- Notophthiracarus quasiuluguruensis* Niedbała & Starý, 2015 (Page: 908) – TYPES: HT - DATE
- Notophthiracarus rimi* Liu & Zhang, 2014 (Page: 194) – TYPES: HT + 4 PT - NZAC, 3 PT - NIGA
- Notophthiracarus sensifus* Liu & Zhang, 2015 (Page: 232) – TYPES: HT - NZAC, PT - NIGA
- Notophthiracarus sigifurcatus* Liu & Zhang, 2015 (Page: 234) – TYPES: HT - NZAC, PT - NIGA
- Notophthiracarus tamaki* Liu & Zhang, 2014 (Page: 192) – TYPES: HT + 2 PT - NZAC, 2 PT - NIGA
- Notophthiracarus tuberculus* Niedbała & Starý, 2015 (Page: 908) – TYPES: HT + 5 PT - DATE, 3 PT - ISB, 2 PT - MHNG
- Notophthiracarus uluguruensis* Niedbała & Starý, 2015 (Page: 911) – TYPES: HT + 5 PT - DATE, 3 PT - ISB, 2 PT - MHNG
- Oppiella (Quattropiella) goldengatensis* Hugo-Coetzee, 2014 (Page: 549) – TYPES: HT + 5 PT - NMB, 3 PT - NMSA
- Oribatella paraumaethuisorum* Ermilov & Martens, 2014 (Page: 1385) – TYPES: HT♂ + PT♂ - ZISP, PT♂ - CSGE
- Oribotritia breviseta* Niedbała & Starý, 2015 (Page: 1690) – TYPES: HT + 38 PT - DATE, 15 PT - ISB, 7 PT - MHNG
- Oxyoppia (Oxyoppiella) mustaciata* Kun, 2014 (Page: 464) – TYPES: HT + 2 PT - MCNLP, 20 PT - CRUB
- Pantelozetes unitjumeniensis* Ermilov, Salavatulin & Tolstikov, 2015 (Page: 53) – TYPES: HT♂ - ZISP, 6 PT - TUMZ
- Papillacarus luteus* Ermilov, 2015 (Page: 55) – TYPES: HT - SMF, 3 PT - TUMZ
- Papillacarus parapolystosus* Ermilov & Tolstikov, 2015 (Page: 51) – TYPES: HT - SMF, 2 PT - TUMZ
- Papillacarus whitteni* Fernandez, Theron, Rollard & Leiva, 2015 (Page: 133) – TYPES: HT♀ + 2 PT♀ - MNHN
- Paulianacarus vietnamense* Fernandez, Theron, Rollard & Castillo, 2014 (Page: 780) – TYPES: HT♀ + 2 PT♀ - MNHN
- Pedrocortesella dongnaiensis* Ermilov & Anichkin, 2014 (Page: 210) – TYPES: HT - ZISP, PT - TUMZ
- Pedrocortesella vietnamica* Ermilov & Anichkin, 2014 (Page: 215) – TYPES: HT - ZISP, PT - TUMZ
- Peloribates tatyanae* Ermilov & Anichkin, 2014 (Page: 56) – TYPES: HT♀ - ZISP, 2 PT - SZMN, PT - TUMZ
- Pergalumna elongatiporosa* Ermilov, Alvarado-Rodriguez & Retana-Salazar, 2014 (Page: 8) – TYPES: HT - ZISP, PT - TUMZ, CIEMIC
- Pergalumna minutuberculata* Ermilov & Martens, 2014 (Page: 463) – TYPES: HT + PT - SMF, 4 PT - TUMZ
- Pergalumna panayensis* Ermilov & Corpuz-Raros, 2015 (Page: 561) – TYPES: HT♀ - SMF, 7 PT - TUMZ, 2 PT - UPLB
- Pergalumna paraboliviana* Ermilov & Gwiazdowicz, 2015 (Page: 90) – TYPES: HT♂ - SMF, 3 PT - TUMZ, PT - MHNJP
- Pergalumna striatiprodorsum* Ermilov, Alvarado-Rodriguez & Retana-Salazar, 2014 (Page: 13) – TYPES: HT - ZISP, PT - TUMZ, CIEMIC
- Perscheloribates paraluminosus* Ermilov, Alvarado-Rodriguez, Tolstikov & Retana-Salazar, 2015 (Page: 405) – TYPES: HT - SMF, 5 PT - TUMZ
- Phthiracarus allocotos* Niedbała & Starý, 2015 (Page: 132) – TYPES: HT + 17 PT - DATE, 7 PT - ISB, 5 PT - MHNG

- Phthiracarus fujianensis* Ni & Liu, 2014 (Page: 178) – TYPES: HT + 6 PT - NZMC
- Phthiracarus sichuanensis* Liu, 2014 (Page: 181) – TYPES: HT + 3 PT - NZMC
- Phthiracarus yunnanensis* Liu, 2014 (Page: 183) – TYPES: HT + PT - NZMC
- Protophthiracarus amboroensis* Niedbała & Starý, 2015 (Page: 134) – TYPES: HT + 2 PT - DATE, 2 PT - ISB, 1 PT - MHNG
- Protophthiracarus diatropos* Niedbała & Starý, 2014 (Page: 47) – TYPES: HT + 34 PT - DATE, 15 PT - ISB, 5 PT - MHNG
- Protophthiracarus korupensis* Niedbała & Starý, 2014 (Page: 46) – TYPES: HT + 70 PT - DATE, 25 PT - ISB, 3 PT - MHNG
- Protophthiracarus preptos* Niedbała & Starý, 2014 (Page: 52) – TYPES: HT - DATE, PT - ISB
- Puncoribates tschernovi* Shtanchaeva & Subias, 2014 (Page: 145) – TYPES: HT♂ - FBUCM, 5 PT - CLS, CUY'S
- Rhynchoribates longisetosus* Ermilov, Sandmann, Marian & Maraun, 2014 (Page: 317) – TYPES: HT♀ - ZISP, 2 PT - SZMN, 2 PT - TUMZ
- Rhynchoribates parafabulosus* Ermilov & Kalúz, 2014 (Page: 615) – TYPES: HT♂ - ZISP, PT♂ - SZMN
- Scapheremaeus ascissuratus* Ermilov & Anichkin, 2015 (Page: 488) – TYPES: HT♀ - ZISP, 7 PT - TUMZ
- Scapheremaeus gibbus* Ermilov & Minor, 2015 (Page: 71) – TYPES: HT + 2 PT - NZAC, 2 PT - SMF, 3 PT - TUMZ
- Scapheremaeus luxtoni* Ermilov & Minor, 2015 (Page: 76) – TYPES: HT + PT - NZAC, PT - SMF, PT - TUMZ
- Scheloribates costaricensis* Ermilov, Alvarado-Rodriguez, Tolstikov & Retana-Salazar, 2015 (Page: 400) – TYPES: HT - SMF, 8 PT - TUMZ
- Scheloribates yamaeensis* Nakamura, Hashimoto, Nishi, Nakamura & Fujikawa, 2015 (Page: 180) – TYPES: HT♂ + 24 PT♀ - NSMT
- Selenoribates arotroventer* Pfingstl, 2015 (Page: 361) – TYPES: HT♀ + PT♂ - SMNG
- Selenoribates asmodaeus* Pfingstl, 2015 (Page: 357) – TYPES: HT♂ - SMNG
- Selenoribates divergens* Pfingstl, 2015 (Page: 362) – TYPES: HT♀ + 2 PT♂ - SMNG
- Selenoribates niccus* Pfingstl, 2015 (Page: 358) – TYPES: HT♀ - SMNG, 2 PT♀ - CTP
- Steganacarus (Rhacaplacecarus) quaternarius* Niedbała & Starý, 2014 (Page: 44) – TYPES: HT - DATE
- Steganacarus (Rhacaplacecarus) spinus* Niedbała, 2014 (Page: 164) – TYPES: HT + PT - DATE
- Suctobelbella (Ussuribata) phylliformis* Ermilov, Shtanchaeva & Subias, 2014 (Page: 1595) – TYPES: HT♂ - ZISP, 2 PT♂ - SZMN, 2 PT♂ - TUMZ
- Symbioribates yukiguni* Maruyama & Shimano, 2014 (Page: 1) – TYPES: HT♂ + PT♀ - NSMT
- Taiwanoppia nepalica* Ermilov & Martens, 2014 (Page: 1388) – TYPES: HT♂ + PT♂ - ZISP, PT♂ - CSGE
- Taiwanoppia paranepalica* Ermilov & Martens, 2014 (Page: 1723) – TYPES: HT♂ + PT - SMF, 4 PT - TUMZ
- Tectodamaeus heterotrichus* Ermilov & Anichkin, 2014 (Page: 15) – TYPES: HT♀ - ZISP, 2 PT - SZMN, PT - TUMZ
- Tegeocranellus martinezii* Ermilov & Anichkin, 2014 (Page: 40) – TYPES: HT♀ - ZISP, 5 PT - SZMN, 2 PT - TUMZ
- Teratoppia parareducta* Ermilov & Tolstikov, 2015 (Page: 637) – TYPES: HT - SMF, 8 PT - TUMZ
- Tokunocepheus chiranensis* Fujikawa, 2014 (Page: 1) – TYPES: HT♀ + PT♀ - NSMT
- Trichogalumna albomaculata* Ermilov & Tolstikov, 2015 (Page: 171) – TYPES: HT♀ - SMF, 2 PT♂ + 3 PT♀ - TUMZ
- Trichogalumna atypica* Ermilov & Tolstikov, 2015 (Page: 176) – TYPES: HT♀ - SMF, PT♂ + 5 PT♀ - TUMZ

*Truncozetes paraecuadorensis* Ermilov, Alvarado-Rodriguez & Retana-Salazar, 2015 (Page: 274) – TYPES: HT♂ - ZISP, PT♀ - TUMZ

*Uracrobates (Parauracrobates) truncatus* Ermilov & Martens, 2015 (Page: 189) – TYPES: HT♂ + PT - SMF, PT - TUMZ

*Vilhenabates schawalleri* Ermilov & Martens, 2014 (Page: 1720) – TYPES: HT♂ + PT - SMF, 4 PT - TUMZ

### New subspecies

*Corynoppia andulau sakaryaensis* Baran & Gökyesil, 2015 (Page: 4) – TYPES: HT + PT - SUAC

### New genera

*Bedoslohmamnia* Fernandez, Theron, Rollard & Castillo, 2014 (Page: 773) Typ. sp.: *Bedoslohmamnia anneae* Fernandez, Rollard & Castillo, 2014

*Cavaecarabodes* Fernandez, Theron, Rollard & Castillo, 2014 (Page: 540) Typ. sp.: *Cavaecarabodes pulchritude* Fernandez, Theron, Rollard & Castillo, 2014

### New subgenera

*Euphthiracarus (Parapocia)* Niedbała, 2014 (Page: 158) Typ. sp.: *Euphthiracarus (Parapocia) mediuss* Niedbała, 2014

*Neoribates (Pseudoneoribates)* Ermilov & Corpuz-Raros, 2015 (Page: 225) Typ. sp.: *Neoribates (Pseudoneoribates) negrosensis* Ermilov & Corpuz-Raros, 2015

*Oppiella (Quattroppiella)* Hugo-Coetze, 2014 (Page: 548) Typ. sp.: *Oppiella (Quattroppiella) goldengatensis* Hugo Coetze, 2014

*Uracrobates (Parauracrobates)* Ermilov & Martens, 2015 (Page: 189) Typ. sp.: *Uracrobates (Parauracrobates) truncatus* Ermilov & Martens, 2015

### New combinations

*Afroleius floridus* (Mahunka, 1985) – [Coetze, 2014: 554]

*Afroleius polygonatus* (Mahunka, 1985) – [Coetze, 2015: 385]

*Allogalumna brevisetosa* (Bayartogtokh & Weigmann, 2005) – [Ermilov & Bayartogtokh, 2015: 490]

*Allogalumna quadrimaculata* (Mahunka, 1988) – [Ermilov & Bayartogtokh, 2015: 490]

*Damaeus alpinus* (Schweizer, 1956) – [Miko, 2015: 178]

*Damaeus helveticus* (Schweizer, 1956) – [Miko, 2015: 167]

*Galumna (Bigalumna) rimosa* Mahunka & Mahunka-Papp, 2009 – [Ermilov & Bayartogtokh, 2015: 490]

*Leptogalumna (Aegyptogalumna) mastigophora* (Al-Assiuty, Abdel-Hamid, Seif & El-Deeb, 1985) – [Shtanchaeva, Ermilov, Tolstikov & Subias, 2014: 71]

*Muliercula femoroserrata* (Pérez-Inigo & Baggio, 1980) – [Shtanchaeva, Ermilov, Tolstikov & Subias, 2014: 80]

*Muliercula orixaensis* (Badejo, Woas & Beck, 2002) – [Shtanchaeva, Ermilov, Tolstikov & Subias, 2014: 83]

*Tectodamaeus armatus* (Aoki, 1984) – [Miko, 2015: 184]

### New status

*Galumna (Bigalumna)* Mahunka & Mahunka-Papp, 2009 – [Ermilov & Bayartogtokh, 2015: 490]

## Addresses

ACHARYA, SHELLEY, Zoological Survey of India, M-Block, New Alipore, Kolkata 700053, West Bengal, India; **E-Mail:** acharya.shelley@gmail.com

AKRAMI, PROF. DR. MOHAMMAD ALI, Department of Plant Protection, Faculty of Agriculture, Shiraz University, 7144165186 Shiraz, Iran; **E-Mail:** akrami@shirazu.ac.ir

ANDRIEVSKY, V.S., Institute of Systematic and Ecology, Russian Academy of Sciences, Novosibirsk, 630091, Russia; **E-Mail:** VS@issa.nsc.ru

BARAN, PROF. DR. SULE, Sakarya University, Sciences and Arts Faculty, Biology Department, Z-501, Sakarya 54187, Turkey; **E-Mail:** sbaran@sakarya.edu.tr

BAYARTOGTOKH, PROF. DR. BADAMDORJ, Department of Zoology, Faculty of Biology, National University of Mongolia, P.O. Box 377, Ulaanbaatar 210646, Mongolia; **E-Mail:** bayartogtokh@num.edu.mn

BECK, PROF. DR. LUDWIG, Staatliches Museum f. Naturkunde, PF 111364, 76063 Karlsruhe, Germany; **E-Mail:** lbeck\_smnk@compuserve.com

BEHAN-PELLETIER, DR. VALERIE M., Invertebrate Biodiversity Program, Agriculture and Agri-Food Canada, K.W. Neatby Building, 960 Carling Avenue, Ottawa, ON, K1A 0C6, Canada; **E-Mail:** Valerie.behan-pelletier@agr.gc.ca

BLUHM, CHRISTIAN, Georg August University Göttingen, J.F. Blumenbach Institute of Zoology and Anthropodology, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail:** cbluhm@gwdg.de

BOLGER, PROF. DR. THOMAS, UCD School of Biology and Environmental Sciences, University College Dublin, Belfield, Dublin 4, Ireland; **E-Mail:** tom.bolger@ucd.ie

CARUSO, TANCREDI, School of Biological Sciences and Institute for Global Food Security, Queen's University of Belfast, 97 Lisburn Road, Belfast BT9 7BL, Northern Ireland; **E-Mail:** t.caruso@qub.ac.uk

CASTANO-MENESES, GABRIELA, Ecología y Sistemática de Microartrópodos, Departamento de Ecología y Recursos Natur., Facultad de Ciencias, Universidad Nacional

Autónoma de México, Coyoacán 04510, México, D.F., México; **E-Mail:** gabecast99@hotmail.com

CHEN, DR. JUN, Key Laboratory of Zoology, Systematics and Evolution, Institute of Zoology, Chinese Academy of Sciences, 1 Beichen Xi Lu, Beijing, 100101, China; **E-Mail:** chenj@ioz.ac.cn

COETZEE, DR. LOUISE, Department of Acarology, National Museum, P.O. Box 266, 36 Aliwal Street, 9300 Bloemfontein, South Africa; **E-Mail:** louise.coetzee@nasmus.co.za

COLLOFF, DR. MATTHEW J., CSIRO Land and Water, GPO Box 1700, Canberra, ACT 2601, Australia; **E-Mail:** matt.colloff@csiro.au

CORPUZ-RAROS, PROF. DR. LEONILA A., Crop Protection Cluster, College of Agriculture and Museum, University of the Philippines Los Baños, Laguna 4031, Philippines; **E-Mail:** lacraro@gmail.com

CORRAL-HERNÁNDEZ, ELENA, Departamento Zoología y Biología Celular Animal, Facultad de Ciencia y Tecnología, Universidad del País Vasco, Bº Sarriena s/n, 48940 Leioa, Spain; **E-Mail:** elena.corral@ehu.es

DA SILVA, MARCOS Z., Instituto Biológico, Rodovia Heitor Penteado km 3.5, Campinas, SP CEP 13092-543, Brazil; **E-Mail:** makdsil@ig.com.br

DOGAN, SALIH, Erzincan University, Biology Department, Faculty of Arts & Sciences, Erzincan, Turkey; **E-Mail:** salihdоган@erzincan.edu.tr

DOS SANTOS ROCHA, MATHEUS, UNIVATES - Centro Universitário, Museu de Ciências Naturais, Labor. de Acarologia, Avelino Talini, 171, CEP 95900000 Lajeado, RS, Brasil; **E-Mail:** mrocha0602@gmail.com

ELMOGHAZY, MOHAMMED M.E., Biology Department, Faculty of Science, Aljouf University, Sakaka, Saudi Arabia; **E-Mail:** dreelmoghazy@yahoo.com

ERMILOV, DR. SERGEY G., Tyumen State University, Semakova 10, Tyumen 625003, Russia; **E-Mail:** ermilovacari@yandex.ru

FALCON-LANG, HOWARD J., Department of Earth Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, United Kingdom; **E-Mail:** h.falcon-lang@es.rhul.ac.uk

FARID, H.M., Acarology Department, Plant Protection Research Institute, ARC, Dokki, Giza, Egypt; **E-Mail:** [alaska\\_20021@yahoo.com](mailto:alaska_20021@yahoo.com)

FARSKÁ, JITKA, Department of Ecosystem Biology, Faculty of Science, University of South Bohemia, Branišovská 31, 37005 České Budějovice, Czech Republic; **E-Mail:** [jiji@seznam.cz](mailto:jiji@seznam.cz)

FERNANDEZ, PROF. DR. NESTOR A., CONICET, Subtropical Biological Institut (IBS), Evolutive Genetic Laboratory, Misiones National University, Felix de Azara 1552, 3300 Posadas Misiones, Argentina; **E-Mail:** [nestorfernand51@yahoo.fr](mailto:nestorfernand51@yahoo.fr)

FREDES, NATALIA A., Departamento de Biología, Facultad de Cs. Exactas y Naturales, UNMdP, Funes 3350 7600 Mar del Plata, Argentina; **E-Mail:** [nfredes@mdp.edu.ar](mailto:nfredes@mdp.edu.ar)

HAGVAR, SIGMUND, Department of Ecology and Natural Resources Management, Norwegian University of Life Sciences, P.O. Box 5003, 1432 As, Norway; **E-Mail:** [sigmund.hagvar@umb.no](mailto:sigmund.hagvar@umb.no)

HEETHOFF, PD DR. MICHAEL, Technische Universität Darmstadt, AG Ökologische Netzwerke, Schnittspahnstr. 3, 64287 Darmstadt, Germany; **E-Mail:** [michael@heethoff.de](mailto:michael@heethoff.de)

HEIDEMANN, KERSTIN, Georg August Universität Göttingen, Blumenbach Institut für Zoologie und Anthropologie, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail:** [kheidem@gwdg.de](mailto:kheidem@gwdg.de)

HUGO-COETZEE, ELIZABETH A., Department of Acarology, National Museum, PO Box 266, Bloemfontein, 9300, South Africa; **E-Mail:** [Lhugo@nasmus.co.za](mailto:Lhugo@nasmus.co.za)

IRANI-NEJAD, KARIM H., Department of Plant Protection, Faculty of Agriculture, University of Tabriz, Tabriz, Iran; **E-Mail:** [Khaddad@tabrizu.ac.ir](mailto:Khaddad@tabrizu.ac.ir)

JALOSZYNSKI, PAWEŁ, Museum of Natural History, Wrocław University, Sienkiewicza 21, 50-335 Wrocław, Poland; **E-Mail:** [scydmaenus@yahoo.com](mailto:scydmaenus@yahoo.com)

KACZMAREK, SLAWOMIR, Kazimierz Wielki University, Institute of Environmental Biology, Department of Zoology, Ossolinskich 12, 85-094 Bydgoszcz, Poland; **E-Mail:** [slawkacz@ukw.edu.pl](mailto:slawkacz@ukw.edu.pl)

KAGAINIS, UGIS, Institute of Biology, University of

Latvia, 3 Miera Street, 2169 Salaspils, Latvia; **E-Mail:** [oribatida@inbox.lv](mailto:oribatida@inbox.lv)

KALÚZ, RNDR. STANISLAV, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 845 06 Bratislava, Slovakia; **E-Mail:** [stanislav.kaluz@savba.sk](mailto:stanislav.kaluz@savba.sk)

KHABIR, ZAHRA H., Department of Plant Protection, Faculty of Agriculture, University of Tabriz, Tabriz, Iran; **E-Mail:** [hashemikhbir@yahoo.com](mailto:hashemikhbir@yahoo.com)

KLARNER, BERNHARD, J. Georg August Universität Göttingen, Blumenbach Institut für Zoologie und Anthropologie, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail:** [bklarne@gwdg.de](mailto:bklarne@gwdg.de)

KOHYT, JOANNA, Department of Ecology, Faculty of Biology and Environmental Protection, University of Silesia, Bankowa 9, 40-007 Katowice, Poland; **E-Mail:** [asiakohyt@gmail.com](mailto:asiakohyt@gmail.com)

KONTSCHÁN, DR. JENÖ, Plant Protection Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, P.O. Box 102, 1525 Budapest, Hungary; **E-Mail:** [kontschan.jeno@agrar.mta.hu](mailto:kontschan.jeno@agrar.mta.hu)

KOTT, PETER, Am Theuspfad 38, 50259 Pulheim, Germany; **E-Mail:** [info@peter-kott.de](mailto:info@peter-kott.de)

KUN, MARCELO E., Departamento de Zoología, Centro Regional Universitario Bariloche, Universidad Nacional del Comahue, Quintral 1250, San Carlos Bariloche, 8400 Province de Rio Negro, Argentina; **E-Mail:** [marcelo.kun@crub.uncoma.edu.ar](mailto:marcelo.kun@crub.uncoma.edu.ar)

LAI, THU HIEN, Center for Biodiversity (CEBRED), Hanoi National University of Education, Dai Hoc Su Pham Hanoi, 136 Xuan Thuy Rd, Cau Giay Hanoi, Vietnam; **E-Mail:** [Hienlt968@gmail.com](mailto:Hienlt968@gmail.com)

LEONOV, V.G., Lomonosov State University, Moscow, Russia; **E-Mail:** [testacea@mail.ru](mailto:testacea@mail.ru)

LINDO, ZOE, Department of Biology, University of Western Ontario, London, Ontario N6A 5B7, Canada; **E-Mail:** [zlindo@uwo.ca](mailto:zlindo@uwo.ca)

LIU, DONG, Key Laboratory of Wetland Ecology and Environment, Northeast Institute of Geography and Agroecology, Chinese Academy of Sciences, Changchun, Jilin 130102, China; **E-Mail:** [liudong@iga.ac.cn](mailto:liudong@iga.ac.cn)

MAKAROVA, DR. OLGA L., Severtsov Institute of Ecology and Evolution, Russian Academy of Sciences, 33 Leninskij pr., Moscow 119071, Russia; **E-Mail:** ol\_makarova@mail.ru

MARAUN, PD DR. MARK, J.F. Georg August Universität Göttingen, Blumenbach Institut für Zoologie und Anthropologie, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail:** mmaraun@gwdg.de

MIKO, DR. LADISLAV, Institute of Environmental Sciences, Czech University of Life Sciences Prague, Kamýcká 129, 165 21 Prague 6 - Suchdol, Czech Republic; **E-Mail:** ladislavmiko@seznam.cz

MINOR, MARIA A., Institute of Natural Resources, Massey University, Private Bag 11222, Palmerston North, New Zealand; **E-Mail:** m.a.minor@massey.ac.nz

MONSON, FRANCIS D., National Museums Liverpool, Entomology Department, William Brown Street, Liverpool L3 8EN, United Kingdom; **E-Mail:** frank.monson@btinternet.com

MUMLADZE, LEVAN, Institute of Ecology, Ilia State University, Cholokashvili Ave 3/5, 0165 Tbilisi, Georgia; **E-Mail:** lmumladze@gmail.com

MURVANIDZE, PROF. MAKÀ, Institute of Entomology, Agricultural University of Georgia, 240 Aghmashenebely Alley, 0131 Tbilisi, Georgia; **E-Mail:** m.murvanidze@agruni.edu.ge

NAKAMURA, DR. YOSHI-NORI, National Agricultural Research Center for Kyushu Okinawa Region (KONARC), Koshi-shi, Kumamoto Pref., 861-1192, Japan; **E-Mail:** yn1124@affrc.go.jp

NIEDBALA, PROF. DR. WOJCIECH, Department of Animal Taxonomy and Ecology, A. Mickiewicz University, Umultowska 89, 61-614 Poznan, Poland; **E-Mail:** wojciech.niedbala@amu.edu.pl

NORTON, PROF. DR. ROY A., State University of New York, College of Environ. Science and Forestry, Faculty of Environ. and Forest Biology, 1 Forestry Drive, Syracuse, NY 13210-2778, USA; **E-Mail:** ranorton@esf.edu

OTT, DAVID, J.F. Georg August Universität Göttingen, Blumenbach Institut für Zoologie und Anthropologie, Berliner Str. 28, 37073 Göttingen, Germany; **E-Mail:** dott@gwdg.de

PFINGSTL, DR. TOBIAS, Karl-Franzens-Universität, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail:** tobias.pfingstl@uni-graz.at

PILSKOG, HANNE E., Norwegian University of Life Sciences, P.O. Box 5003, 1432 Aas, Norway; **E-Mail:** hanne.pilskog@nmbu.no

QUERALT, M., Departamento de Biología Ambiental, Facultad de Ciencias, Universidad de Navarra, C/ Irúnlarrea, s/n, 31008 Pamplona (Navarra), Spain; **E-Mail:** mqueralt@alumni.unav.es

RASPORTNIG, PD. MAG. DR. GÜNTHER, Karl-Franzens-Universität, Institut für Zoologie, Universitätsplatz 2, 8010 Graz, Austria; **E-Mail:** guenther.rasportnig@uni-graz.at

ROMEIH, AMAL H.M., Zoology and Agricultural Nematology Department, Faculty of Agriculture, Cairo University, Giza, Egypt

RYABININ, NIKOLAY A., Institute of Water and Ecology Problems, Far Eastern Branch, RAS, 56, Dikopolsev st., Khabarovsk 680000, Russia; **E-Mail:** amur21@ivep.as.khb.ru

SABOORI, PROF. ALIREZA, Department of Plant Protection, College of Agriculture, University Tehran, P.O. Box 4111, Karaj 31587-11167, Iran; **E-Mail:** saboori@ut.ac.ir

SARMENTO, RENATO A., Universidade Federal de Tocantins (UFT), P.O. Box 66, Gurupi, State of Tocantins, Brazil; **E-Mail:** rsarmento@uft.edu.br

SCHATZ, DR. HEINRICH, Leopold-Franzens Universität Innsbruck, Institut für Zoologie, Technikerstr. 25, 6020 Innsbruck, Austria; **E-Mail:** heinrich.schatz@uibk.ac.at

SCHLAGHAMERSKÝ, JIRI, Department of Botany and Zoology, Faculty of Science, Masaryk University, Kotlářská 2, 611 37 Brno, Czech Republic; **E-Mail:** schlaghamersky@mail.muni.cz

SCHMELZLE, SEBASTIAN, Technische Universität Darmstadt, AG Ökologische Netzwerke, Schnittspahnstr. 3, 64287 Darmstadt, Germany; **E-Mail:** sebastianschmelze@gmail.com

SENICZAK, PROF. DR. STANISLAW, Department of Zoology, Kazimierz Wielki University, Ossolinskich 12, 85-092

Bydgoszcz, Poland; **E-Mail:** stseni@ukw.edu.pl

SENICZAK, DR. ANNA, Department of Ecology, University of Technology and Life Sciences, Kordeckiego 20, 85-225 Bydgoszcz, Poland; **E-Mail:** aseniczak@utp.edu.pl

SHIMANO, PROF. SATOSHI, Environmental Education Center, Miyagi University of Education, Aramaki Aza-Aoba, Aoba-ku, Sendai city, Miyagi, 980-0845, Japan; **E-Mail:** sim@hosei.ac.jp

SHTANCHAEVA, U.Y., Caspian Sea Institute of Biological Resources, Daghestan Scientific Center, M. Gadjiev Str. 45, Makhachkala, 367000, Daghestan, Russia; **E-Mail:** umukusum@mail.ru

SIDORCHUK, EKATARINA, Russian Academy of Sciences, Palaeontological Institute, Profsoyuznaya ulitsa 123, Moscow 117997, Russia; **E-Mail:** e.a.sidorchuk@gmail.com

STARÝ, DR. JOSEF, Biological Centre v.v.i., Institute of Soil Biology, Academy of Sciences of the Czech Republic, Na sadkach 7, 370 05 České Budějovice, Czech Republic; **E-Mail:** jstarý@upb.cas.cz

SUBIAS, PROF. DR. LUIS S., Universidad Complutense, Departamento de Zoología, Facultad de Biología, C/ Jose A. Novais, 2, 28040 Madrid, Spain; **E-Mail:** subias@bio.ucm.es

TIUNOV, ALEXEI V., A.N. Severtsov Institute of Ecology and Evolution, Russian Academy of Sciences, Leninsky Prospect 33, Moscow, 119071, Russia; **E-Mail:** a\_tunov@mail.ru

TOLUK, DR. AYSE, Erciyes Üniversitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 38039 Kayseri, Turkey; **E-Mail:** atoluk@erciyes.edu.tr

TSIAFOULI, DR. MARIA A., Aristotle University, School of Biology, Department of Ecology, UPB 119, 54124

Thessaloniki, Greece; **E-Mail:** tsiafoul@bio.auth.gr

TSURIKOV, S.M., Lomonosov State University, Moscow, Russia; **E-Mail:** smtsurikov@rambler.ru

VÁCLAV, RADOVAN, Slovak Academy of Sciences, Institute of Zoology, Dúbravská cesta 9, 845 06 Bratislava, Slovakia; **E-Mail:** radovan.vaclav@savba.sk

VU, PROF. MANH Q., Center for Biodiversity (CEBRED), Hanoi National University of Education, Dai Hoc Su Pham Hanoi, 136 Xuan Thuy Rd, Cau Giay Hanoi, Vietnam; **E-Mail:** vqmanh@hnue.edu.vn

WEIGMANN, PROF. DR. GERD, Freie Universität Berlin, Institut für Zoologie, Koenigin Luise Str. 1-3, 14195 Berlin, Germany; **E-Mail:** weigmann@zedat.fu-berlin.de

YANG, MAO-FA, Guizhou University (GUGC), Institute of Entomology, Provincial Key Laboratory for Agricultural Pest Management, Guiyang, Guizhou 550025, China; **E-Mail:** yangmaofa@sohu.com

ZAYTSEV, ANDREY S., A.N. Severtsov Institute of Ecology and Evolution, Russian Academy of Sciences, Leninsky prospect 33, 119071 Moscow, Russia; **E-Mail:** andrey.zaytsev@biogeo.ru

ZHANG, DR. ZHI-QIANG, New Zealand Arthropod Collection, Landcare Research, 231 Morrin Road, St. Johns, Auckland 1072, New Zealand; **E-Mail:** zhangz@landcareresearch.co.nz

## Acknowledgement

For the friendly assistances I thank Dr. Heinrich Schatz, Institut für Zoologie, Universität Innsbruck.

## Subscription form

<p>I wish to subscribe to ACARI—Bibliographia Acarologica 3 issues per volume and year</p>		
Institution and Library	296 (incl. 7% VAT = 1,214,-) incl. postage and handling	<input type="checkbox"/>
Personal	104 (incl. 7% VAT = 0,65 €) incl. postage and handling	<input type="checkbox"/>
<p>I cannot cover the costs in cash or by money. I expect in publication exchange for my article <u>shortnotes and notes per year.</u> (Please indicate the issue chosen by filling square below.)</p>		
Microfiche		<input type="checkbox"/>
Microfilm		<input type="checkbox"/>
Autocards		<input type="checkbox"/>

Please write your address exactly and legibly!

Name:

Address:

---

---

---

---

Date

Signature

Please return this form to:

DrA. Christian  
Senckenberg Museum für Naturkunde Görlitz  
Am Museum 1  
02639 Görlitz  
Germany  
Fax: 0393-2601-0700 6701  
E-Mail: web.admin@senckenberg.de

**15 (2) · 2015**

Franke, K.

Oribatida No. 46 .....	1–24
Acarological literature .....	
Publications 2015 .....	1
Publications 2014 .....	5
Publications, additions 2013 .....	12
Publications, additions 2012 .....	12
Publications, additions 2011 .....	12
Publications, additions 2010 .....	12
Nomina nova .....	
New species .....	14
New subspecies .....	20
New genera .....	20
New subgenera .....	20
New combinations .....	20
New status .....	20
Addresses .....	
	21