

Peer-reviewed Articles in scientific journals

Fengjie Li,; Pandey, P.; Janussen, D.; Chittiboyina, A.; Ferreira, D.; Tasdemir, D.: Tridiscorhabdin and Didiscorhabdin, the First Discorhabdin Oligomers Linked with a Direct C-N Bridge from the Sponge, *Latrunculia biformis*, Collected from the Deep-Sea in Antarctica.- Journal of Natural Products (in review).

Fengjie Li, Janussen D., Tasdemir D. (2020): New Discorhabdin B Dimers with Anticancer Activity from the Antarctic Deep-Sea Sponge *Latrunculia biformis*.-Marine Drugs 2020, **18**, 107-128 (doi:10.3390/md18020107)

Federwisch, L., Janussen, D. & Richter, C. (2020): Macroscopic characteristics facilitate identification of common Antarctic glass sponges. Polar Biology, 43(2), 91-110 (DOI 10.1007/s00300-019-02612-2)

Li Fengjie, Peifer C., Janussen D. & Tasdemir D. (2019): New Discorhabdin Alkaloids from the Antarctic Deep-Sea Sponge *Latrunculia biformis*.- Marine Drugs, **2019**, *17*, 439 (DOI <https://doi.org/10.3390/md17080439>)

Li Lixia, Dorte Janussen, Renbin Zhan & Joachim Reitner (2019): Oldest known fossil Rossellids (Hexactinellida, Porifera) from the Ordovician–Silurian transition of Anhui, South China.- Paläontologische Zeitschrift, May 2019 (DOI: <https://doi.org/10.1007/s12542-019-00452-3>)

Steinert G., Wemheuer B., Janussen D., Erpenbeck D., Daniel R., Simon M., Brinkhoff T., Schupp P. J. (2019): Prokaryotic Diversity and Community Patterns in Antarctic Continental Shelf Sponges Frontiers in Marine Science, 05 June 2019 | <https://doi.org/10.3389/fmars.2019.00297>

Li F., Janussen D., Peifer C., Pérez-Victoria I., Tasdemir D. (2018): Targeted Isolation of Tsitsikammamines from the Antarctic Deep-sea Sponge *Latrunculia biformis* by Molecular Networking and Anticancer Activity.- Marine Drugs **2018**, *16*, 268; doi:10.3390/md16080268

Herzog S., Amon D. J., Smith C.R. & Janussen D. (2018): Two new species of *Sympagella* (Porifera: Hexactinellida: Rossellidae) collected from the Clarion-Clipperton Zone, East Pacific.- Zootaxa: 152-163 (doi.org/10.11646/zootaxa.4466.1.12)

Downey, R., Fuchs, M. & Janussen, D. (2018): Unusually diverse abundant and endemic deep-sea sponge fauna revealed in the Sea of Okhotsk NW Pacific Ocean.- Deep-Sea Research II, 4402: (<https://doi.org/10.1016/j.dsr2.2018.02.005>).

Kersken D, Janussen D and Martínez Arbizu P (2018a): Deep-sea glass sponges (Hexactinellida) from polymetallic nodule fields in the Clarion-Clipperton Fracture Zone, northeastern Pacific: Part I – Amphidiscophora. Marine Biodiversity, 48 (1), 575 – 580. DOI: 10.1007/s12526-017-0727-y. ISSN 1867-1624

Kersken, D., Janussen D. & Martínez Arbizu P., (2018b). Deep-sea glass sponges (Hexactinellida) 3877 from polymetallic nodule fields in the Clarion-Clipperton Fracture Zone (CCFZ), northeastern 3878 Pacific: Part II – Hexasterophora. Marine Biodiversity, 49 (2), 947–98. <https://doi.org/10.1007/s12526-018-0880-y>

Kersken D, Janussen D, Kocot K, Schell T, Pfenninger M and Martínez Arbizu P (2018): First insights into the phylogeny of deep-sea glass sponges (Hexactinellida) from polymetallic nodule fields in the

Clarion-Clipperton Fracture Zone (CCFZ), northeastern Pacific. *Hydrobiologia* (<https://doi.org/10.1007/s10750-017-3498-3>)

Brandt A., Scholz J., Allspach A., Brenke N., Brix S., George K.H., Hörnschemeyer T., Holst S., Hoppenrath M., Iwan F., Janssen A., Janssen R., Janussen D., Jeskulke K., Fiege D., Kaiser S., Kieneke A., Kihara T.C., Krönke I., Krupp F., Martha S.O, Martinez Arbizu P.M., Meißner K., Miljutina M., Miljutin D., Renz J., Riehl T., Saeedi H., Siegler V., Sonnewald M., Stuckas H. & Veit-Köhler G. (2017): 200 years of marine research at Senckenberg: selected highlights.- *Marine Biodiversity* 2017, 20 p.p. (<https://doi.org/10.1007/s12526-017-0839-4>) ISSN: 1867-1616

Botic T, Defant A, Zanini P, Zuzek MC, Frangez R, Janussen D, Kersken D, Knez Z, Mancini I and Sepcic K (2017) Discorhabdin alkaloids from Antarctic *Latrunculia* spp. sponges as a new class of cholinesterase inhibitors. *European Journal of Medicinal Chemistry*, Vol. 136, pp. 294 – 304. DOI: 10.1016/j.ejmech.2017.05.019. _ISSN 0223-5234

Steinert G., Rohde S., Janussen D., Blaurock C. & Schupp P. J. (2017): Host-specific assembly of sponge-associated prokaryotes at high taxonomic ranks.- *Nature Scientific Reports*: 1-9. DOI:10.1038/s41598-017-02656-6 ISSN 2045-2322

Vargas S., Dohrmann, M., Göcke, C., Janussen, D. & Wörheide, G. (2017): Nuclear and mitochondrial phylogeny of *Rossella* (Hexactinellida: Lyssacinosida, Rossellidae) a species and a species flock in the Southern Ocean.- *Polar Biology*, DOI 10.1007/s00300-017-2155-7. ISSN 0722-4060

Dressler-Allame M., Göcke C., Kersken D., Plotkin A. & Janussen D. (2017): Carnivorous sponges (Cladorhizidae) of the deep Weddell Sea, with description of two new species.- *Deep-Sea Research II* 4121, 190-206 (DOI: 10.1016/j.dsr2.2016.08.006). ISSN: 0967-0645

Göcke C., Hestetun J. T., Uhlir C., Freiwald A., Beuck L. & Janussen D. (2016): *Cladorhiza corallophila* sp. nov., a new carnivorous sponge (Cladorhizidae, Demospongiae) living in close association with *Lophelia pertusa* and *Madrepora oculata* (Scleractinia).- *Zootaxa* 4168 (3): 512–524.

Goodwin, C. E., Berman, J., Janussen, D., Göcke C., Hendry, K. R. (2016): Hexactinellida (Porifera) from the Drake Passage (Southern Ocean) with a description of three new species. –*Zootaxa* 4126 (2): 207–220 (<http://doi.org/10.11646/zootaxa.4126.2.2>).

Berne S., Kalauz M., Lapat M., Savin L., Janussen D., Kersken D., Avguštin J. A., Jokhadar S. Z., Domen Jaklič⁵, Gunde-Cimerman N., Lunder M., Roškar I. Eleršek T., Turk T. & Sepčić K. (2016): Screening of the Antarctic marine sponges as a source of bioactive compounds.- *Polar Biology* (in press).

Kersken D., Feldmeyer, B. & Janussen D. (2016): Sponge communities of the Antarctic Peninsula - Influence of environmental variables on species composition and richness- *Polar Biology* (2016) 39: 851–862 (DOI 10.1007/s00300-015-1875-9).

Gutt J., Alvaro M. C., Barco A., Böhmer A., Bracher A., David B., De Ridder, C., Dorschel B., Eléaume M., Janussen D., Kersken D., López-González P. J. Martínez-Baraldés I., Schröder M., Segelken-Voigt A. & Teixidó N. (2016): Macro-epibenthic communities at the tip of the Antarctic Peninsula, an ecological survey at different spatial scales.- *Polar biology* (2016) 39: 829–849 (DOI 10.1007/s00300-015-1797-6).

Lixia Li, Feng Hongzhen, Janussen D., Reitner J. (2015): Unusual Deep Water sponge community in South China - Witness of the end-Ordovician mass extinction.- *Nature Scientific Reports* 5:16060 (DOI: 10.1038/srep16060).

Henkel, D, Borkenhagen, K. & Janussen, D. (2015): Phylogeny of the Hexactinellida: Phylogenetic reconstruction of the subclass Hexasterophora based on morphological characters.- Journal of the Marine Biological Association, vol. 95, no. 7: 1365-1370 (doi:10.1017/S0025315413000180).

Göcke C., Janussen D., Reiswig H. M., Jarrell S.C. & Dayton P.K (2015): *Rossella podagrosa* Kirkpatrick, 1907 – A valid species after all.- Zootaxa, 4021 (1): 169–177.

Botic, T., Cör D, Anesi, A., Guella, G., Sepcic, K., Janussen, D., Kersken, D., Knez, Z. (2015): Fatty acid composition and antioxidant activity of Antarctic marine sponges of the genus *Latrunculia*. –polar Biology, vol. 38, Iss. 10 (2015): 1605-1612 (DOI 10.1007/s00300-015-1722-z).

Brandt A., Havermans C., Janussen D, Jörger K.M., Meyer-Löbbecke A., Schnurr S., Schüller M., Schwabe E., Brandão S.N., Würzberg L. (2014): Composition and abundance of epibenthic sledge catches in the south polar front of the Atlantic.- Deep-Sea Research II, 108 (DOI: 10.1016/j.dsr2.2014.08.017).

Janussen, D. & Downey, R. V. (2014): Porifera. In: C. De Broyer et al. (Eds.), Biogeographic Atlas of the Southern Ocean, Chapter 5.5: 94-102. CAML-SCAR Marine Biodiversity Information Network.

Würzberg, L., Zinkann, A.-C., Brandt A., Janussen, D., Bohn, J. M., Schwabe, E. (2014): Intensity of pelagic-benthic coupling in different regions along the Antarctic Polar Front – clues from abyssal megafauna.- Deep-Sea Research II, 108: 85-92 (<http://dx.doi.org/10.1016/j.dsr2.2014.09.003>).

Göcke, C., Hajdu, E. and Janussen, D. (2014). Phelloderma (Porifera: Demospongiae) and its relation to other Poecilosclerida, including description of *P. oxychaetoides* sp. nov., and redescription of type species, *P. radiatum*. Journal of the Marine Biological Association of the United Kingdom. doi:10.1017/S0025315414000538

Kersken, D., Göcke, C., Brandt, A., Lejzerowicz, F., Schwabe, E., Seefeldt, A. M., Veit-Köhler, G. & Janussen, D. (2014): The Infauna of three widely distributed Sponge Species (Hexactinellida and Demospongiae) from the deep Ekström Shelf in the Weddell-Sea, Antarctica.- Deep-Sea Research II: 108: 101-112 (<http://dx.doi.org/10.1016/j.dsr2.2014.06.005>).

Janussen, D. (2014): The second fossil *Hyalonema* species (Porifera: Hexactinellida), from the Late Cretaceous Arnager limestone, Bornholm, Denmark.- Contributions to Geosciences, 77: 58-62.

Buckeridge J.S., Kelly M., Janussen D. & Reiswig H.M. 2013: New Palaeogene sponges from the Red Bluff Tuff, Chatham Island, New Zealand.- New Zealand Journal of Geology and Geophysics 2013, 1-15 (online publ. 5.08.13: [http://dx. doi.org/10.1080/00288306.2013.808235](http://dx.doi.org/10.1080/00288306.2013.808235)).

Fillinger L., Janussen D., Lundälv T. and Richter C. 2013: Rapid glass sponge expansion after climate-induced Antarctic ice shelf collapse.- Current Biology, 23 No 14, 1-5 (doi.org/10.1016/j.cub.2013.05.051).

Rapp, H.T., Göcke, C., Tendal O.S., and Janussen, D. 2013: Two new species of calcareous sponges (Porifera: Calcarea) from the deep Antarctic Eckström Shelf.- Zootaxa, 3692 (1): 149–159.

Göcke, C. & Janussen, D. 2013: Hexactinellida, genus *Rossella*, of the ANT XXIV/2 (SYSTCO I) Expedition.- Zootaxa, 3692 (1): 102–122.

Göcke, C. & Janussen, D. 2013: Demospongiae of ANT XXIV/2 (SYSTCO I) Expedition.-Zootaxa, 3692 (1): 28–101.

Göcke C. & Janussen D. 2013: Sponge assemblages of the deep Weddell Sea: ecological and zoogeographic results of ANDEEP I–III and SYSTCO I expeditions.- *Polar Biology*: 36 (7) (2): 1059–1068.

Ehrlich H., Kaluzhnaya O. V., Tsurkan M. V., Ereskovsky A., Tabachnick K. R., Ilan M., Stelling A., Galli R., Petrova O. V., Nekipelov S. V., Sivkov V. N., Vyalikh D., Born R., Behm T., Ehrlich A., Chernogor L. I., Belikov S., Janussen D., Bazhenov V. V. & Wörheide G. 2013: First report on chitinous holdfast in sponges (Porifera).- *Proceedings of the Royal Society, B*, **280**, 2013 0339, (published online 15 May 2013)

Kaiser S., N. Brandaño S. N., Brix S., Barnes D. K. A., A. Bowden D. A., Ingels J., Leese F., Schiaparelli S., Arango C. P., Badhe R., Bax N., Blazewicz-Paszkowycz M., Brandt A., Brenke N., Catarino A. I., David B., De Ridder C., Dubois P., Ellingsen K. E., Glover A. G., Griffiths H. J., Gutt J., Halanych, K. M., Havermans C., Held C., Janussen D., Lörz A.-N., Pearce D. A., Pierrat B., Riehl T., Rose A., Sands C. J., Soler-Membrives A., Schnüller M., Strugnell J. M., Vanreusel A., Veit-Köhler G., Wilson N. G. & Yasuhara M. 2013: Patterns, processes and vulnerability of Southern Ocean benthos: a decadal leap in knowledge and understanding.- *Marine Biology* (online publ. DOI 10.1007/s00227-013-2232-6)

Turk T., Ambrožič Avguštin J., Batista U., Strugar G., Kosmina R., Čivović S., Janussen D., Kaufenstein S., Mebs D. and Sepčić K. 2013: Biological Activities of Ethanolic Extracts from Deep-Sea Antarctic Marine Sponges. - *Marine Drugs* 2013, *11*, 1126–1139 (doi:10.3390/md11041126).

Dohrmann, M., Vargas, S., Janussen, D., Collins, A. G. & Wörheide, G. 2013: Molecular paleobiology of early-branching animals: integrating DNA and fossils elucidates the evolutionary history of hexactinellid sponges.- *Paleobiology*, 39(1), 2013: 95–108.

Downey, R. V.; Griffiths, H. J.; Linse, K. & Janussen, D. 2012: Diversity and distribution patterns in high southern latitude sponges.- *PLoS One*, 7 (7), 1–16: e41672. doi:10.1371/journal.pone.0041672

Vargas, S., Erpenbeck, D., Hall, K. A., Hooper, J. N.A., Janussen, D. & Wörheide, G. (2012): Molecular phylogeny of *Abyssocladia* (Cladorhizidae: Poecilosclerida) and *Phelloderma* (Phellodermidae: Poecilosclerida) suggest a diversification of chelae microscleres in cladorhizid sponges.- *Zoologica Scripta*, 2012: 1–11 (<http://onlinelibrary.wiley.com/doi/10.1111/j.1463-6409.2012.00560.x/full>).

Dohrmann, M., Göcke, C., Reed, J. & Janussen, D. (2012): Integrative taxonomy justifies a new genus, *Nodastrella* gen. nov., for North Atlantic "Rossella" species (Porifera: Hexactinellida: Rossellidae).- *Zootaxa*, 3383, 1–13.

Brandt, A., Broyer, C. De, Ebbe, B., Ellingsen, K.E., Gooday, A.J., Janussen, D., Kaiser, S., Linse, K., Schueller, M., Thomson, M.R.A., Tyler, P.A. & Vanreusel, A. (2012).- In: Rogers A. D., Johnston, N. M., Murphy, E. J.; Clarke, A. (Eds.), *Antarctica: An Extreme Environment in a Changing World*, Chapter 10. Southern Ocean deep benthic biodiversity: 291–334, Wiley-Blackwell, 564 pp. ISBN: 978-1-4051-9840-0

Dohrmann, M., Göcke, C., Janussen, D., Reitner, J. Lüter, C. & Wörheide, G. 2011: Systematics and spicule evolution in dictyonal sponges (Hexactinellida: Sceptrolophora) with description of two new species.- *Zoological Journal of the Linnean Society*, 163, 1003–1025.

Janussen, D. & Rapp, H. T. 2011: Redescription of *Jenkinia articulata* Brøndsted from the deep Eckström Shelf, E-Weddell Sea, Antarctica and a comment on the possible mass occurrence of this species.- *Deep-Sea-Research*, II, 58: 2022–2026.

Göcke, C. & Janussen, D. 2011: ANT-XXIV/2 (SYSTCO) Hexactinellida (Porifera) and bathymetric traits of Antarctic glass sponges (incorporating ANDEEP-material); including an emendation of the rediscovered genus *Lonchiphora*. *Deep-Sea-Research II*, 58, 2013-2021.

Henkel, D. & Janussen, D. 2011: Redescription and new records of *Celtodoryx ciocalyptoides* (Demospongiae: Poecilosclerida) – A sponge invader in the North-East Atlantic Ocean of Asian origin?.- *Journal of Marine Biology Association*, 91(2), 347- 355.

Brandt A., Bathmann U., Brix S., Cisewski B., Flores H., Göcke C., Janussen D., Krägefsky S., Kruse S., Leach H., Linse K., Pakhomov E., Peeken I., Riehl T., Sauter E., Sachs O., Schüller M., Schrödl M., Schwabe E., Strass V., Franeker J.A. van, Wilmsen E. 2011: Maud Rise – a snapshot through the water column.- *Deep-Sea Research II*, 58, 1962-1982.

Xin, Y. , Kanagasabhapathy, M., Janussen, . Xue, S. & Zhang, W. (2011) : Phylogenetic diversity of Gram-positive bacteria cultured from Antarctic deep-sea sponges.- *Polar Biology*, 34 (2011): 1501–1512 (DOI 10.1007/s00300-011-1009-y).

Rapp, H. T., Janussen, D. & Tendal, O. S. (2011): Calcareous sponges from abyssal and bathyal depths in the Weddell Sea, Antarctica.- *Deep-Sea Research*, ser. II, 58 (2011) 58–67.

Gutt, J., Barratt, I., Domack E., d'Udekem d'Acoz, C., Dimmler, W., Grémare, A., Heilmayer, O., Isla, E., Janussen, D., Jorgensen, E., Kock, K.-H., Lehnert, L. S., López-González, P., Langner, S., Linse, K., Manjón-Cabeza, M. E., Meißner, M., Montiel, A., Raes M., Robert, H., Rose A., Sañé Schepisi, E., Saucède, T., Scheidat, M., Schenke, H.-W. , Seiler, J., Smith, C. (2011): Biodiversity change after climate-induced ice-shelf collapse in the Antarctic.- *Deep-Sea Research*, 58, 74-83.

Janussen, D. & Reiswig, H. M. (2009): Hexactinellida (Porifera) from the ANDEEP III Expedition to the Weddell Sea, Antarctica.- *Zootaxa* 2136: 1-20.

Plotkin, A. S., & Janussen, D. (2008): Polymastiidae and Suberitidae (Porifera: Demospongiae: Hadromerida) of the deep Weddell Sea, Antarctic.- *Zootaxa*, 1866: 95-135.

Tabachnick, K. R., Janussen, D., Menshenina, L. L. (2008): New Australian Hexactinellida (Porifera) with a revision of *Euplectella aspergillum*.- *Zootaxa*, 1866: 7-68.

Itskovich V, Gontcharov A, Masuda Y, Nohno T, Belikov S, Efremova S, Meixner M, Janussen D. (2008): Molecular phylogeny of freshwater sponges (Porifera) based on ITS1 and ITS2 sequences of ribosomal DNA. – *Journal of Molecular Evolution*, 67, 6: 608 – 620.

Dohrmann, M., Janussen, D., Reitner, J., Collins, A. G. & Wörheide, G. (2008): Phylogeny and Evolution of Glass Sponges (Porifera, Hexactinellida).- *Systematic Biology*, 57 (3): 388 — 405.

Ehrlich H., Janussen D., Simon P, Heinemann S., Bazhenov V.V., Shapkin N.P., Mertig M., Erlen C., Born R., Worch H., Hanke T., (2008) Nanostructural organisation of naturally occurring composites: Part II. Silica-Chitin-Based Biocomposites. *Journal of Nanomaterials* ([published online, Article ID 670235, 8 pages](#)).

Plotkin, A.S. & Janussen, D. (2007): New genus and species of Polymastiidae (Demospongiae: Hadromerida) from the Antarctic deep sea.- *Journal of the Marine Biology Association*, 87, 1395–1401.

Meixner, M. J., Lüter, C., Eckert, C., Itskovich, V., Janussen, D., Rintelen, T. von, Bohne, A. V., Meixner, J. M., Hess, W. R. (2007): Phylogenetic analysis of freshwater sponges provide evidence for endemism and radiation in ancient lakes.- *Molecular Phylogenetics and Evolution*, 45: 875-886.

Brandt, A., Gooday, A., Brix, S., Brökeland, W., Cedhagen T., Choudhury, M., Cornelius, N., Danis, B., Mesel, I. De, Diaz R., Gillan, D., Hilbig, B., Howe, J., Janussen, D., Kaiser, S., Linse, K., Malyutina, M., Brandao, S., Pawlowski, J., Raupach, M., vanreusel, A. 2007: The Southern Ocean deep sea: first insights into biodiversity and biogeography.- *Nature*, 447 (17.05.2007): 307-311.

Linse, K., Brandt A., Bohn J., Danis B., De Broyer C., Ebbe, B., Heterier V., Janussen D., López González, P. J., Schüller, M., Schwabe, E., Thomson, M. R. A. (2007) Macro- and megabenthic assemblages in the bathyal and abyssal Weddell Sea (Southern Ocean) .- *Deep-Sea Research*, II, 54 (16/17): 1848-1863.

Janussen, D. & Tendal, O. S. (2007): Diversity and distribution of Porifera in the bathyal and abyssal Weddell Sea and adjacent areas.- *Deep-Sea Research*, II, 54 (16/17): 1864-1875.

Menshenina, L. L., Tabachnick, K. R. & Janussen, D. (2007): New species of *Crateromorpha* (*Neopsacas*) from the Pacific and Indian oceans and a revision of the subgenus *Neopsacas* (Hexactinellida, Rossellidae).- *Zootaxa*, 1463: 55-68.

Melcher, J., Janussen, D., Garson, M. J., Hiebl, J. & Vetter, W. (2007): Polybrominated hexahydroxanthene derivatives (PBHDs) and other halogenated natural products from the Mediterranean sponge *Scalariispongia scalaris* in marine biota. *Archives of Environmental Contamination and Toxicology*, 52: 512-518.

Barnich, R. & Janussen, D. 2006: Die Typen und Typoide des Naturmuseums Senckenberg, Nr. 86. Type catalogue of the Porifera in the collections of the Senckenberg Museum in Frankfurt am Main, Germany.- Die Typen und Typoide des Naturmuseums Senckenberg, Nr. 86, *Seckenbergiana biologica*, 86 (2): 127-144.

Wen Wu, Ai-Hua Yang, Dorte Janussen, Michael Steiner & Mao-Yan Zhu 2005: Hexactinellide Sponges from the Early Cambrian Black Shale of South Anhui, China. – *Journal of Paleontology*, 79/6: 1043-1051.

Vetter, W. & Janussen, D. 2005: POP-like halogenated natural products in five species of Antarctic sponges.- *Environmental Science & Technology*, Vol. 39/11 : 3889-3895.

Brückner, A. & Janussen, D. 2005: The first entirely preserved fossil sponge species of the genus *Rossella* (Hexactinellida) from the Upper Cretaceous of Bornholm, Denmark. – *Journal of Paleontology*, 79 (1): 21-28.

Janussen, D, Tabachnick K. R. & Tendal O. S. 2004: Deep-sea Hexactinellida (Porifera) of the Weddell Sea.-, In: A. Brandt and B. Hilbig (eds.) ANDEEP (ANtartic benthic DEEP-sea) biodiversity: colonization history and recent community patterns: a tribute to Howard L. Sanders, *Deep-Sea Research*, Part II, 51/14-16: 1857-1882.

Weinberg, I.; Glyzina O.; Weinberg, E.; Kravtsova, L.; Rozhkova N.; Sheveleva N.; Natyaganova, A.; Bonse, D. & Janussen D. 2004: Types of interactions in consortia of Baikalian sponges.- p.p. 655-663. In: M. Pansini, R. Pronzato, G. Bavestrello and R. Manconi (Eds.), *Sponge Science in the New Millennium*, Officine Grafiche Canessa Rapallo (Genova), 706 p.p.

- Tabachnick, K. R. & Janussen, D. 2004: Description of a new species and subspecies of *Fieldingia*; erection of a new family Fieldingidae and a new order Fieldingida (Porifera; Hexactinellida; Hexasterophora). p.p. 623-637 In: M. Pansini, R. Pronzato, G. Bavestrello and R. Manconi (Eds.), *Sponge Science in the New Millennium*, Officine Grafiche Canessa Rapallo (Genova), 706 p.p
- Vetter, W. & Janussen, D. 2004: pop-like halegonated natural products in Antarctic sponges.- *Organohalogene Compound*, 66: 405-410.
- Ilan, M., Gugel, J., Galil, B.S., and Janussen, D. 2003: Small bathyal (sponge) species from East Mediterranean revealed by new soft bottom sampling technique.- *Ophelia* 57 (3) :145-160.
- Hoffmann, F.; Janussen, D.; Dröse, W.; Arp, G. & Reitner, J. 2003: Histological investigations of organisms with hard skeletons: a case study of siliceous sponges.- *Biotechnic and Histochemistry*, 78 (2-4): 191-199.
- Janussen, D. & Reiswig, H. M. 2003: Re-description of *Cyathella lutea* SCHMIDT and formation of the new subfamily Cyathellinae (Hexactinellida, Aulocalycoidea, Aulocalycidae).- *Senckenbergiana Biologica*, 82 (1/2), 1-10.
- Brückner, A.; Janussen, D. & Schneider, S. 2003: Eine neue Poriferen-Fauna aus dem Septarienton (Oligozän, Rupelium) von Bad Freienwalde (NE-Deutschland) und der erste fossil erhaltene Vertreter der nicht-rigiden Hexactinelliden-Gattung *Asconema*. -*Paläontologische Zeitschrift*, 77 (2): 263-280.
- Bonse, D., Janussen, D., Meixner, M. & Eckert, C. 2003: The reconstruction of paleoecological development in Lake Baikal based on recent and fossil sponge associations and their evolutionary development. – *Berliner Paläobiologische Abhandlungen*, 2: 15-16.
- Janussen, D; Steiner, M. & Zhu Maoyan 2002: New well-preserved scleritomes of Chancelloriidae from Early Cambrian Chengjiang (China) and Middle Cambrian Wheeler Shale (USA) and palaeobiological implications.- *Journal of Paleontology*, 76(4): 596-606.
- Mehl-Janussen, D.; Eckert, C. and Weinberg, E. V. 2000: Investigations on the endemic fresh-water sponges of Lake Baikal (Lubomirskiidae): Status and perspectives.- *Terra Nostra*, 00/9: 49-59, Potsdam.
- Weinberg, L.; Eckert, C.; Mehl, D.; Müller, J. & Efremova, S. 1999: Extant and fossil sponge fauna of the underwater Akademichesky Ridge in Lake Baikal (SE-Siberia).- *Memoirs of the Queensland Museum*, 44: 651-657, Brisbane.
- Mehl-Janussen, D. 1999: Die frühe Evolution der Porifera.- *Münchner Geowiss. Abh., Reihe A*, 37: 1-72.
- Mehl, D. 1998: Porifera and Chancelloriidae from the Middle Cambrian Georgina Basin, Australia. *Palaentology*.- *Palaentology*, 41(6): 1153-1182.
- Mehl, D., Müller, I. & Müller, W:E:G. 1998: Molecular biological and palaeontological evidence that Eumetazoa, including Porifera (sponges), are of monophyletic origin.- In: Watanabe, Y. & Fusetani, N. (eds.), *Sponge Sciences. Multidisciplinary perspectives*. 133-156, Springer Verlag, Tokyo, 458 p.p.
- Mehl, D. & Lehnert, O. 1997: Cambro-Ordovician sponge spicule assemblages in the Ordovician of the Argentine Precordillera and environmental ties.- *N. Jb. Geol. Paläont. Abh.*, 204 (2): 221-246.
- Mehl, D. & Fürsich, F.T. 1997: Middle Jurassic Porifera from Kachchh, western India.-

Paläont. Z., **71** (1/2): 19-33.

Mehl, D., Wuttke, M. & Kott, R. 1997: Beiträge zur Spongien-Fauna des Hunsrückschiefers (II). Beschreibung eines neuen Kieselschwammes (Hexactinellida, "Rossellimorpha", fam., gen. et sp. indet.).- N. Jb. Geol. Paläont. Mh., **1997** (2): 79-92.

Reitner, J. & Mehl, D. 1996: Monophyly of the taxon Porifera.- Verh. naturwiss. Ver. Hamburg, **36**: 5-32.

Mehl, D. & Reitner, J. 1996: Observations on *Astreaospongium meniscum* (Roemer, 1848) from the Silurian of western Tennessee: Constructional morphology and palaeobiology of the Astreaospongiidae (Calcarea, Heteractinellidae).- Berliner geowiss. Abh., E **18**: 243-255,

Mehl, D. 1996: Organization and microstructure of the cancelloriid skeleton: implications for the biomineralization of the Cancelloriidae.- Bull. Inst. Océanogr. Monaco, No spéc. **14**, 4 (1996): 377-385.

Mehl, D. 1996: Phylogenie und Evolutionsökologie der Hexactinellida (Porifera) im Paläozoikum.- Geol. Paläont. Mitt. Univ. Innsbruck, Sdbd. **4**: 1-55.

Rosales, I.; Mehl, D.; Fernández-Mendiola, P.A. & García-Mondéjar, J. 1995: An unusual poriferan community in the Albian of Islares (north Spain): Palaeoenvironmental and tectonic implications.- Palaeogeography, Palaeoclimatology, Palaeoecology, **119**: 47-61.

Mehl, D. & Hauschke, N. 1995: *Hyalonema cretacea* n. sp., first bodily preserved Amphidiscophora (Porifera, Hexactinellida) from the Mesozoic.- Geol. Paläont. Westf., **38**: 89-97.

Reitner, J. & Mehl, D. 1995: Early Paleozoic diversification of sponges: New data and evidences.- Geol. Paläont. Mitt. Innsbruck, **20**: 335-347.

Mehl, D. & Niebuhr, B. 1995: Diversität und Wachstumsformen bei *Coeloptychium* (Hexactinellida, Lychniscose) der Meiner Mulde (Untercampan, N-Deutschland) und die Palökologie der Coeloptychidae.- Berliner geowiss. Abh., **E16**: 91-107.

Császár, G.; Mehl, D. Oberhauser, R. & Lobitzer, H. 1994: A comparative study of the Urganian Facies in Vorarlberg (Austria) im Allgäu (Germany) and in the Villány Mountains (Hungary).- Jubiläumsschrift 20 Jahre Geologische Zusammenarbeit Deutschland-Ungarn, Teil 2: 145-207, BÉCS.

Keupp, H. & Mehl, D. 1994: *Ammonella quadrata* WALTHER 1904 (Porifera, Hexactinellida) aus dem Solnhofener Plattenkalk von Pfalspaint: Relikt aus dem Altpaläozoikum?.- Archaeopteryx, **12**: 45-54.

Reiswig, H.M. & Mehl, D. 1994: Reevaluation of *Chonelasma* (Euretidae) and *Leptophragmella* (Craticulariidae (Porifera: Hexactinellida).- In: Soest, R.M.W., Kempen, van T.M.G. & Braekman, J.-C. (eds.), Sponges in Time and Space: 151-165, Balkema, Rotterdam/Brookfield.

Mehl, D. Reitner, J. & Reiswig, H.M. 1994: Soft tissues organization of the arctic deep-sea sponge *Schaudinna arctica* SCHULZE, 1900 (Porifera, Hexactinellida).- Berliner Geowiss. Abh. (E): **13**: 301-313.

Rigby, J.K. & Mehl, D. 1994: A Middle Devonian sponge fauna from the Northern Simpson Park Range, Nevada.- Brigham Young Univ. Geol. Stud., **40**: 111-153.

Mehl, D. & Erdtmann, B.-D. 1994: *Sanshapentella dapingi* n. gen., n. sp. - a new hexactinellid sponge from the Early Cambrian (Tommotian) of China.- Berliner Geowiss. Abh. (E), **13**: 315-318.

- Steiner, M.; Mehl, D.; Reitner, J. & Erdtmann, B.E. 1993: Oldest known entirely preserved sponges and sponge-spicules from Precambrian-Cambrian Boundary sequences in Hunan province, Southern China and a new facies model for the Yangtze-Platform - Berliner Geowiss. Abh. (E), **9**: 293-330.
- Engeser, T. & Mehl, D. 1993: Corrections and additions to the nomenclature of the Porifera in Treatise of Invertebrate Paleontology (Part E).- Berliner Geowiss. Abh. (E), **9**: 183-190.
- Mehl, D. & Mostler, H. 1993: Neue Spicula aus dem Karbon und Perm: Konsequenzen für die Evolutionsökologie der Hexactinellida (Porifera), Strategien ihrer Gerüstbildung im Spät-Paläozoikum und frühen Mesozoikum.- Geol. Paläont. Mitt. Innsbruck, **19**: 1-28.
- Mehl, D.; Rigby, J.K. & Holmes, S.R. 1993: Hexactinellid sponges from the Silurian-Devonian Roberts Formation and hypothesis of hexactine - stauractine origin.- Brigham Young Univ. Geol. Stud., **39**: 101-123, Provo, Utah.
- Mehl, D. 1992: Die Entwicklung der Hexactinellida seit dem Mesozoikum. Paläobiologie, Phylogenie und Evolutionsökologie.- Berliner geowiss. Abh. (E), **2**: 1-164.
- Mehl, D. & Reitner, J. 1991: Monophylie und Systematik der Porifera.- Verh. Dtsch. Zool. Ges. **84** (1991): 447 (Proc. 84. Jahresvers. 20.-25.05.1991 in Tübingen).
- Mehl, D. & Reiswig, H.M. 1991: The presence of flagellar vanes in choanomeses of Porifera and their possible phylogenetic implications.- Z. zoo. Syst. Evolut.-forsch. **29** (1991): 312-319.
- Reiswig, H.M. & Mehl, D. 1991: Tissue organization of *Farrea occa* (Porifera, Hexactinellida).- Zoomorphology, **110** (1991): 301-311.
- Mehl, J.; Mehl, D. & Häckel, W. 1991: Parasitäre Zystenbildungen an jurassischen Cidariden und das *Porospongia*-Problem.-Berliner geowiss. Abh. (A), **134**: 227-261.
- Mehl, D. 1991: Are Protospongiidae the stem group of modern Hexactinellida?.- In: Reitner, J. & Keupp, H. (Eds.) Fossil and Recent Sponges, 44-53, Springer Verlag, Berlin.
- Salomon, D. & Barthel, D. 1990: External choanosome morphology of the hexactinellid sponge *Aulorossella vanhoeffeni* Schulze & Kirkpatrick 1910.- Senckenbergiana marit., **21** (1/4): 87-99.
- Salomon, D. 1990: Ein neuer lyssakiner Kieselschwamm, *Regadrella leptotoichica* (Hexasterophora, Hexactinellida) aus dem Untercenoman von Baddeckenstedt (Nordwestdeutschland).- N. Jb. Geol. Paläont. Mh., **1990** (H.6): 342-352.
- Salomon, D. 1990: Nomenklatur und taxonomischer Status der fossilen Gattung *Cribrospongia* d'Orbigny, 1849 (= *Tremadictyon* Zittel, 1877) (Hexactinosa, Hexactinellida).- Berliner Geowiss. Abh. (A), **124**: 35-41.
- Salomon, D. 1989: Paleoecology and environmental analysis of the Lower Cretaceous shallow-marine Drusberg and Schrattenkalk Facies of the Gottesacker Area (Allgäu/Vorarlberg).- In: Wiedmann, J. (Ed.) Cretaceous of the Western Tethys. Proc. 3rd Int. Cretaceous Symp. Tübingen 1987 (E. Schweizerbart'sche): 353-375.
- Salomon, D. 1989: Sedimentäre Entwicklung und Stratigraphie der helvetischen mittleren und oberen Kreide (Spät-Apt bis Maastricht) im Bereich der Gottesackerwände (Allgäu/Vorarlberg).- Berliner geowiss. Abh. (A), **106**: 385-407.

Fechner, G.G. & Salomon, D. 1989: Paläontologische Untersuchungen in den Leimern-Schichten aus dem Klein Walsertal (Österreich) unter besonderer Berücksichtigung von Mikroflora, Foraminiferen und Ichnofauna.- Berliner geowiss. Abh. (A), **106**: 99-113.

Keupp, H.; Reitner, J. & Salomon, D. 1989: Kieselschwämme (Hexactinellida und "Lithistida") aus den Cipit-Kalken der Cassianer Schichten (Karn, Südtirol).- Berliner geowiss. Abh. (A), **106**: 221-141.

Salomon, D. 1988.: Phylogenetic problems in Hexactinellida.- Berliner geowiss. Abh. (A), **100**: 33-34.

Bassias, J.; Salomon, D. & Jacobshagen, V. 1987.: Upper Cretaceous fossils from the Plattenkalk series of the Parnon (Peloponesus, Greece).- N. Jb. Geol. Paläont. Mh., **1987** H.8: 449-466.

Articles, not peer-reviewed, abstracts, book reviews, popular scientific articles:

Riehl T. und Janussen, D. (2020): Manganknollenfauna.- Begleitbuch zur Tiefseeausstellung, Kapitel *** Senckenberg, Frankfurt a. M.

Janussen, D. (2020): Schwämme der Tiefsee.- Begleitbuch zur Tiefseeausstellung, Kapitel 2.5.5. Senckenberg, Frankfurt a. M.

Janussen, D. (2018): Die Schwämme des antarktischen Meeres.- In: Grein, M. (Hrsg.): Antarktis, 79-84, TenDenZen 2018, Übersee-Museum Bremen.

Steinert, G., Wemheuer B., Janussen D., Erpenbeck, D. Daniel, R., Meinhard S., Brinkhoff, T. & Schupp P. J. (2018): Procaryotic communities associated with Antarctic deep-water sponges and functional prediction of xenobiotic biodegradation and secondary metabolite biosynthesis.- Abstract, 4th International Workshop on Taxonomy of Atlanto-Mediterranean & Cave Sponges, 10.-15.09.18, Station Marine d'Endoume, Marseille.

Herzog S., Amon D., Smith, C. R., Janussen D. (2018): Two new species of Sympagella (Porifera, Hexactinellida: Rossellidae) collected during the ABYSSLINE expedition from the Clarion-Clipperton Zone, East Pacific.- Abstract, 4th International Workshop on Taxonomy of Atlanto-Mediterranean & Cave Sponges, 10.-15.09.18, Station Marine d'Endoume, Marseille.

Janussen D., Buskoviak D. & Eck C. (2018): New unexpected Antarctic occurrences of Cladorhizidae in shelf and hydrothermal environments.- Abstract, 4th International Workshop on Taxonomy of Atlanto-Mediterranean & Cave Sponges, 10.-15.09.18, Station Marine d'Endoume, Marseille.

Kersken, D. & Janussen, D. (2018): Deep-sea glass sponges (Hexactinellida) from polymetallic nodule fields in the Clarion-Clipperton Fracture Zone (CCFZ), northeastern Pacific. Talk, Abstract, 4th International Workshop on Taxonomy of Atlanto-Mediterranean & Cave Sponges, 10.-15.09.18, Station Marine d'Endoume, Marseille.

Kersken, D. ; Janussen, D. & Martinez-Abitzu, P. (2018): Taxonomy of deep-sea sponges living on polymetallic nodule fields in the Clarion-Clipperton Fracture Zone (CCFZ), East Pacific.- Speed talk and poster presentation, Abstract Vol. p.26. 19. Jahrestagung für Biologische Systematik, 11.-14.02.2018, Univ. Wien.

Kersken, D. ; Janussen, D. & Martinez-Abitzu, P. (2017): Taxonomy of deep-sea sponges living on polymetallic nodule fields in the Clarion-Clipperton Fracture Zone (CCFZ), East Pacific.- Speed talk and poster presentation, Abstract Vol. p. 55, 10. World Sponge Conference 25.-30.06.2017, NUI Galway.

Kersken, D. ; Janussen, D. & Martinez-Abitzu, P. (2017): Taxonomy of deep-sea sponges living on polymetallic nodule fields in the Clarion-Clipperton Fracture Zone (CCFZ), East Pacific.- Abstract Vol. p. 70, poster, presentation, Geobiodiversity Conference, 1.-3.10.10.2017, Senckenberg Frankfurt.

Downey, R.; Fuchs, M. & Janussen, D. (2017): Re-examining the under-explored NW Pacific abyssal sponge assemblages of the Kuril-Kamchatka and Okhotsk Sea. Poster presentation, Abstract Vol. p. 209, 10. World Sponge Conference, 25.-30.06.2017, NUI Galway.

Downey, R.; Fillinger, L.; Janussen, D.; Lundälv, T. & Richter, C. (2017): New insights into the temporal and spatial impacts of the Larsen AB ice shelf collapse on sponge assemblages.- Poster presentation, Abstract Vol. p. 210, 10. World Sponge Conference, 25.-30.06.2017, NUI Galway.

Janussen, D., Kersken, D. & Feldmeyer, B. (2017): Sponge communities of the Antarctic Peninsula: influence of environmental variables on species composition and richness.- Poster presentation, Abstract Vol. p. 221, 10. World Sponge Conference 25.-30.06.2017, NUI Galway.

Janussen, D., Kersken, D. & Feldmeyer, B. (2017): Sponge communities of the Antarctic Peninsula: influence of environmental variables on species composition and richness.- Abstract vol. p. 69, oral and poster, presentation, Geobiodiversity Conference, 1.-3.10.10.2017, Senckenberg Frankfurt.

Janussen, D. & Kersken, D. (2016): Suspension feeders in a biodiversity hotspot: sponge distribution and functioning on the eastern Antarctic shelf.- The Expedition PS96 of the Research Vessel POLARSTERN to the southern Weddell Sea in 2015/2016, Reports on Polar and Marine Research, 700: 81-87.

Janussen, D. (2016): Licht-Klang der Elemente: Luminale 2016 bei Senckenberg.- Natur, Forschung, Museum, 146 (heft3/4 2016): 106-107.

Janussen, D. (2016): Schwammforschung in der Tiefsee.- Natur, Forschung, Museum, 146, I: 37-39.

Li, F.J., Marner, M., Wenzel-Storjohann, A., Silber, J., Janussen, D., Tasdemir, D. 2016: Chemical and biological screening of deep-water sponges from Antarctic regions.-*Planta Medica* 81(S 01): S1-S381. DOI 10.1055/s-0036-1596627

Li, F.J., Marner, M., Wenzel-Storjohann, A., Silber, J., Labes, A., Janussen, D., Tasdemir, D. 2015: Anticancer marine natural products from deep-sea sponges from polar regions. International symposium *Challenges and Opportunities in Marine Biotechnology Research and Development in Europe*, 17-18 December 2015, Kiel, Germany, p. 42

Li, F. J. Marner M., Silber, J., Labes, A., Janussen, D., Tasdemir, D. 2015: Chemical and biological screening of deep-water sponges from Antarctic regions.9th Joint Natural Products Conference, July 24-27 2015, Copenhagen, Denmark.

Downey R., Griffiths H., Janussen D. 2015: Biogeographic Atlas of the Southern Ocean -- New insights into Antarctic and sub-Antarctic sponge diversity and distribution. 26 Int. Polartagung, 6.-11.09.2015 in München.

Kersken D., Janussen D. 2015: Diversity of the sponge communities in the Bransfield Strait, the Drake Passage and the Weddell Sea, Antarctica. 26 Int. Polartagung, 6.-11.09.2015 in München.

Janussen, D. & Kersken D. 2015: Diversity of the sponge communities in the Bransfield Strait, the Drake Passage and the Weddell Sea, Antarctica. Abstract, 26. Int. Congress on Polar Research, Munich, 6.-11.09.2015

Janussen, D., & Downey, R. 2015. Carnivorous sponge (Cladorhizidae): new research and sampling strategies reveal key information about their presence, abundance and diversity in deep-sea communities. Abstract 14th Deep Sea Biology Symposium. Aviero, Portugal. 31.08.15-04.09.15.

Janussen, D. & Kersken D. (2015): Suspension feeders in a biodiversity hotspot: Sponge distribution and functioning on the eastern Antarctic shelf.- Expedition booklet, PS 96 Polarstern-expedition DynAMo, 8.12.15-14.02.16. AWI Bremerhaven

Downey, R., Kersken, D. & Janussen, D. (2014): Sponge richness, diversity and associated faunas along environmental gradients at shelf areas of the Antarctic Peninsula, in comparison with biodiversity hotspots in the Eastern Weddell Sea.- Abstract XXXIII SCAR Biennial Meetings and Open Science Conference SkyCity Auckland, 25 - 28 August 2014 (poster presentation).

Downey, R. & Janussen, D. (2014): New insights into Antarctic and sub-Antarctic sponge diversity and distribution reviewed within the Biogeographic Atlas of the Southern Ocean.- Abstract XXXIII SCAR Biennial Meetings and Open Science Conference SkyCity Auckland, 25 - 28 August 2014 (oral presentation).

Kersken & Janussen (2014): Associated infauna of selected Porifera from the Weddell Sea, Antarctica. Abstract XXXIII SCAR Biennial Meetings and Open Science Conference SkyCity Auckland, 25 - 28 August 2014 (poster presentation).

Fillinger L., Janussen, D., Lundaelv T., Richter C. 2013: Goodbye ice shelf, hello sponges! SCAR Open Science Conference 2013.

Janussen D., Hauschke N., Laaß M. & Hoff C. (2013): Mesozoic non-rigid hexactinellid sponges – a rarity or overlooked? Known and new fossils from the Late Cretaceous of Northern Germany and Denmark.- In: Reitner, J., Yang Quin, Wang Yobgdong & Reich, M. (Eds): Fossile Lagerstätten. Palaeobiology and geobiology of fossile Lagerstätten through Earth History, Universitätsdruck Göttingen: 78-79.

Janussen D. & Reitner, J. (2013): Early Cambrian sponges from Sirius Passet, North Greenland.- In: Reitner, J., Yang Quin, Wang Yobgdong & Reich, M. (Eds): Fossile Lagerstätten. Palaeobiology and geobiology of fossile Lagerstätten through Earth History, Universitätsdruck Göttingen: 79.

Janussen, D. & Wolf-Gladrow, D (2013): Tiefseeforschung an der Antarktischen Polarfront: Schwämme am Meeresboden im Südpolarmeer.- Natur, Forschung, Museum, 143 (9): 282-289.

Alvaro M. C., Barco A., Böhmer A., David B., Ridder C. de, Dubois P., d'Udekem d'Acoz C., Eléaume M., Gutt J., Janussen D., Kersken D., López González P., Martínez Baraldés I. & Verheye M., Teixidó Ullod N. (2013): Macrobenthic community analysis and biodiversity study.- Berichte für Polar- und Meeresforschung, 665: 16-19.

Janussen D. & Kersken D. (2013): Prosperity and limitation of the sponge shelf fauna.- Berichte für Polar- und Meeresforschung, 665: 41-45.

Janussen D., Brandao S., Cedhagen T., Hauquier F., Havermans C., Jörger K., Lejzerowicz F., Meyer-Löbbecke A., Schnurr S., Schwabe E., Vortkamp M., Würzberg L., Zinnkann A.- C., & Brandt A. (2013): Agassiz trawl (AGT) deployments.- Reports on Polar and Marine Research, 661: 115-122.

Janussen, D. (2013): Sponges - sessile suspension feeders, a biological nutrients pump in the pelagobenthic coupling system.- Reports on Polar and Marine Research, 661: 118-122.

Angelika Brandt, Laura Würzberg, Simone Brandao, Sarah Schnurr, Anna Meyer-Löbbecke, Charlotte Havermans, Ann-Christine Zinkann, Katharina Jörger, Enrico Schwabe, Dorte Janussen, Martina Vortkamp (2013): Benthic and planktonic ostracoda of the southern Ocean: Biodiversity and biogeography.- Reports on Polar and Marine Research, 661: 87-90.

Dohrmann M., Vargas S., Janussen D., Collins A. & Wörheide G. (2012): Molecular paleobiology of early-branching animals: integrating DNA and fossils elucidates the evolutionary history of hexactinellid sponges.- Terra Nostra, 2012/3 (Abstracts, Centenary Meeting of the paläontologischen Gesellschaft, 26.-29.09.2012, Museum für Naturkunde Berlin): 45.

Janussen D (2012) Diversity of Weddell Sea Porifera and their role in the benthic Communities. Berichte zur Polar- und Meeresforschung, 644, 25-29.

Janussen, D. (2012): New excellently preserved fossils from Late Cretaceous Arnager Pynt, Bornholm shed a light on the Mesozoic history of sub-class Amphidiscophora (Hexactinellida, Porifera).- Terra Nostra, 2012/3 (Abstracts, Centenary Meeting of the paläontologischen Gesellschaft, 26.-29.09.2012, Museum für Naturkunde Berlin): 87.

Janussen, D. & Kersken, D. (2012): Prosperity and limitation of sponge fauna and associated organisms. ANT-XXIX/3 Expedition Booklet, 90, 58-59.

Janussen, D. (2012): Diversity of Weddell Sea Porifera (sponges) and their role in the benthic communities with special focus on Larsen A, B & C shelf and Austasen.- Reports on Polar and Marine Research, 644: 25-29.

Sands, C., Agrawal, S., Arntz, W., Janussen, D., Damerau, M., Hauquier, F., Havermans, C., Hirse, T., Matschiner, M., Knust, R., Koschnick, N., Mintenbeck, K., Montiel, A., Rath, L., Robert, Rose1, A., Rossi, A. S., Storch, D., Uriz, I., Wang, C. (2012): Biodiversity, biogeography, phylogeography and phylogenetics in a latitudinal cline.- Reports on Polar and Marine Research, 644: 13-15.

Janussen, D. 2011: Sponges –sessile suspension feeders, a biological nutrients pump in the pelago-benthic coupling system.- Expeditionsprogramm FS Polarstern, 88, AWI-Bremerhaven, 71-72.

Janussen, D. 2011: Evolutionary ecology of basic metazoans from a historical viewpoint: Palaeontological evidence of sponges.- Zitteliana, 30 “Deep Metazoan Phylogeny 2011. New data, new challenges 11.-14.10.2011, Munich”, p. 26.

Janussen, D. & Henkel, D. (2011): Phylogeny of glass sponges (Hexactinellida: Hexasterophora): An analysis based on morphological characters. -Abstract, World Conference of Marine Biodiversity, 26.-30.09.2011 in Aberdeen, Scotland, p. 182.

Göcke, C., Tabachnick, K. R., Janussen, D. & Vargas, S. (2011) Taxonomy and phylogeny of the Antarctic *Rossella*, an ecologically important sponge genus endemic to the Southern Ocean – highly variable species complex resulting from recent radiation? -Abstract, World Conference of Marine Biodiversity, 26.-30.09.2011 in Aberdeen, Scotland, p. 204.

Henkel, D. & Janussen, D. (2011): Tracing an invasive sponge: status and perspectives. -Abstract, World Conference of Marine Biodiversity, 26.-30.09.2011 in Aberdeen, Scotland, p. 115.

Henkel, D. & Janussen, D. (2011): How many sponges lived in the Chinese Yellow Sea before the chinese oil spill? -Abstract, World Conference of Marine Biodiversity, 26.-30.09.2011 in Aberdeen, Scotland, p. 111.

Janussen, D. & Göcke, C. (2011): Diversity and affinities of the sponge fauna in the deep Southern Ocean: New findings from recent deep-sea Expeditions in the Antarctic Weddell Sea and surrounding areas.- Abstract, World Conference of Marine Biodiversity, 26.-30.09.2011 in Aberdeen, Scotland, p. 126.

Yanjuan Xin, Manmadhan Kangasabhpathy, Dorte Janussen, Daniela Henkel, Song Xue, and Wei Zhang 2011: Phylogenetic Diversity of Gram-Positive Bacteria Cultured from Antarctic Sponges.- Abstract 1st International Symposium on Sponge Microbiology 21-22.03.2011 in Würzburg, p. 48.

Janussen, D.; Göcke C.; Henkel, D.; Würzberg, L. & Mayr, C. (2011): Unusual values of stable isotopes in Antarctic deep-water Porifera, -- taxa-specific Effects and sponge microbial isotope signatures? - Abstract 1st International Symposium on Sponge Microbiology 21-22.03.2011 in Würzburg, p. 47.

Henkel, D. & Janussen, D. (2011): Actinobacteria isolated from four different sponge species of the Chinese Yellow Sea. - Abstract 1st International Symposium on Sponge Microbiology 21-22.03.2011 in Würzburg, p. 46.

Janussen, D. (2010): Phylogeny, ecological role and diversification history of selected Antarctic sponge taxa and the recovery of benthic communities at former Larsen A&B ice shelf and Bendex2, Austrasen, with focus on sponges.- AWI Expeditionsprogrammheft Nr. 86, 82-84.

Janussen, D. und Göcke, C. (2010): Porifera (Sponges) of the deep Weddell Sea, Antarctic: Preliminary results from the ANDEEP-SYSTCO expeditions, 2002-2008 with RV "Polarstern".- Abstract, 24. Int. Polartagung 6.-10.09.2010 in Obergügel, 75-76.

Janussen, D. (2010): Forschung für nachhaltiger Schutz der Biodiversität in der Tiefsee: Bericht über das 12. Tiefsee-Symposium auf Island.- Natur und Museum, 140 (7/8), 198-199.

Janussen, D. & Göcke, C. (2010): Vom Schelf zur Tiefsee. Untersuchungen über antarktische Schwämme im Internationalen Polarjahr.- Natur und Museum, 140 (7/8), 200-205.

Brandt, A., Janussen, D., Schrödl, M. & Ebbe, B. (2010): Biodiversität in den Tiefen des Eismeer.- Mikrokosmos, 99 (2): 70-77.

Henkel, D., Meixner, M. & Janussen, D. (2010) *Celtodoryx ciocalyptoides*: the first documented record of a sponge species transferred from one world ocean into another by human activity. Abstract, VIII International Sponge Conference (Girona, 20-24 September, 2010, Catalonia, Spain), p. 216.

Rapp, H. T., Janussen, D. & Tendal, O. S. (2010): First record of Calcareous sponges from bathyal and abyssal depths in the Antarctic Ocean.- Abstract, VIII International Sponge Conference (Girona, 20-24 September, 2010, Catalonia, Spain), p. 303.

Rapp, H. T., Janussen, D. & Tendal, O. S. (2010): Calcareous sponges from bathyal and abyssal depths of the Weddell Sea -- first record of deep-sea Calcarea in the Antarctic Ocean.- Abstract, 12. Deep-Sea Biology Symposium, 6.-11.06.2010 in Reykjavik, Iceland, p. 152.

Janussen, D. & Göcke, C. (2010): Porifera (Sponges) of the deep Weddell Sea, Antarctic: Preliminary results from the ANDEEP-SYSTCO expeditions, 2002-2008 with RV "Polarstern" .- Abstract, 12. Deep-Sea Biology Symposium, 6.-11.06.2010 in Reykjavik, Iceland, p. 39.

Göcke, C. & Janussen, D. (2010): Bathymetric-zoogeographical Traits Of The Hexactinellida From The Antarctic Deep-sea Expeditions ANDEEP And SYSTCO.- Abstract, 12. Deep-Sea Biology Symposium, 6.-11.06.2010 in Reykjavik, Iceland, p. 123.

Janussen, D. (2010): Diversity and ecological aspects of deep-sea Porifera (sponges) in the central HAUSGARTEN site.- In Klages, M. (ed.), ARK-XXIV/2-Expedition Cruise Report, Reports on Polar and Marine Research, 607, 31-36.

Henkel, D. & Janussen, D. (2010): Phylogeny of the Hexactinellida (JA 1063/2, WO 896/5): Phylogenetic reconstruction of the subclass Hexasterophora based on morphological characters.- Abstract volume, VIII International Sponge Conference, Girona, 20-24 September, 2010, Catalonia, Spain, p.215.

Dohrmann, M., Janussen, D., Collins, A. G. & Wörheide, G. (2010): Glass, rocks and clocks: prospects and problems of molecular dating in hexactinellid sponges.- Abstract, VIII International Sponge Conference, Girona, 20-24 September, 2010, Catalonia, Spain, p. 46.

Soest van R.M.W., Boury-Esnault, N., Hooper, J.N.A., Rützler, K., de Voogd, N.J., Alvarez, B., Hajdu, E., Pisera, A.B., Vacelet, J., Manconi, R., Schoenberg, C., Janussen, D., Tabachnick, K.R., Klautau & M., Picton, B. (2010): The World Porifera Database: ambitions, status, limitations. - Abstract, VIII International Sponge Conference, Girona, 20-24 September, 2010, Catalonia, Spain, p. 117.

Göcke, C. & Janussen, D. (2010): Hexactinellida of the ANT-XXIV/2- (SYSTCO) Expedition -- and the surprising rediscovery of a poorly known genus.- Abstract, VIII International Sponge Conference (Girona, 20-24 September, 2010, Catalonia, Spain), p. 203.

Göcke, C. & Janussen, D. (2010): Report on the ANT-XXIV/2 (SYSTCO) Hexactinellida (Porifera) and Bathymetric-zoogeographical Traits of the Hexactinellida from the Antarctic Deep-sea Expeditions ANDEEP and SYSTCO.- electronic Abstract, oral presentation, IPY Final Meeting, 8.-11.06.2010 in Oslo, Norway.

Vargas, S., Göcke, C., Janussen, D. & Wörheide, G. (2010): Phylogenetic analysis of the genus *Rossella* (Hexactinellida, Rossellidae).- Abstract, VIII International Sponge Conference (Girona, 20-24 September, 2010, Catalonia, Spain), p. 351.

Vargas, S., Janussen, D. & Wörheide, G. (2010): Phylogenetic diversity of Antarctic sponges: Insights and prospects.-Abstract, VIII International Sponge Conference (Girona, 20-24 September, 2010, Catalonia, Spain), p. 354.

Janussen, D. & Göcke, C. (2010): Diversity and affinities of the sponge fauna in the deep Southern Ocean: New findings from the Antarctic ANDEEP-SYSTCO and ANT XXIII/8 Expeditions, 2002-2008.- Abstract, VIII International Sponge Conference (Girona, 20-24 September, 2010, Catalonia, Spain), p. 72.

Brandt, A., Brenke, N., Ebbe, B., Henche, A., Veit-Köhler, G., Janussen, D., Sachs, O. & Sauter, E. J. (2010): ANDEEP - SYSTCO: Work at the seafloor.- In: Bathmann, U. (Ed.), Report on Expedition of the Research Vessel "Polarstern" to the Antarctic in 2007/2008 (ANT-XXIV/2), Reports on polar and marine research, 604: 84-94 (electronic publication, hdl:10013/epic.34024 or <http://hdl.handle.net/10013/epic.34024>, ISSN 1866-3192).

Janussen D., Schrödl M., Schwabe E., Ebbe B., Robert H., Wadley V., Würzberg L., Zapata Guardiola R. & Brandt A. (2010): Preliminary report on AGT catches during ANT XXIV-2.- In: Bathmann, U. (Ed.), Report on Expedition of the Research Vessel "Polarstern" to the Antarctic in 2007/2008 (ANT-XXIV/2), Reports on polar and marine research, 604: 124-128 (electronic publication, hdl:10013/epic.34024 or <http://hdl.handle.net/10013/epic.34024>, ISSN 1866-3192).

Janussen, D. (2010): First report on the Porifera (sponges) caught during the ANT XXIV-2, SYSTCO, programme.- In: Bathmann, U. (Ed.), Report on Expedition of the Research Vessel "Polarstern" to the Antarctic in 2007/2008 (ANT-XXIV/2), Reports on polar and marine research, 604: 129-133 (electronic publication, hdl:10013/epic.34024 or <http://hdl.handle.net/10013/epic.34024>, ISSN 1866-3192).

Janussen, D. & Göcke, C. (2009): Sponge communities and new taxa of the deep Weddell Sea: Diversity and zoogeographic affinities. - Abstract, VI ASAI Symposium in Ecology, 5-6.11.2009, Rio de Janeiro.

Janussen, D. (2009): Antarktische Schwämme im Zuge des Klimawandels: Die Verbreitung wichtiger Porifera-Taxa im tiefen Weddellmeer.- Berliner Paläobiologische Abhandlungen, 10:223-228

Dohrmann, M., Janussen, D., Collins, A.G. & Wörheide, G. (2009): Molecular paleobiology of early-branching Metazoa: a case study on Hexasterophora (Porifera, Hexactinellida).- Abstract Systematics 2009, 11.-14.08.2009 in Leiden (poster no. 45, session: Dating nodes and taxa, Tuesday 11.

Janussen, D. & Plotkin, A. S. (2009): Diversity and distribution of carnivore sponges (Porifera, Demospongiae, family Cladorhizidae) in the deep Southern Ocean.- Abstract (No pages), CAML Final Symposium, 18.-21.05.09 in Genoa.

Janussen, D. (2009): Taxonomy phylogeny, phylogeographic and ecological aspects of Northern Polar deep-sea Porifera (Sponges) compared with the sponge fauna of the Southern Ocean.- ARK XXIV/'- expedition booklet, AWI-Publ.: 34-36.

Janussen, D. (2009): Agassiz Trawl deployments: Report of the Porifera (sponges) collected in the Fram Strait and South of Belgica Bank (NE Greenland).- In Kattner, G. (Ed.), ARKXXIII/2-Expedition Cruise report. Reports on polar and marine research: 48-52.

Janussen, D. (2008): Hexactinellide Schwämme. Grazile Tiefseebewohner.-Natur und Museum, 138 (11/12): 326-327.

Janussen, D. & Plotkin, A. S. (2008): Diverse siliceous sponge faunas linked with benthic biodiversity in the Southern Ocean deep-sea.- Marine Biodiversity Conference, 11.-15.11.2008, Valencia. Abstracts, p. 32.

Henkel, D. & Janussen, D. (2008): Sponges of the Chinese Yellow Sea: A faunal community under high anthropogenic pressure.- Marine Biodiversity Conference, 11.-15.11.2008, Valencia. Abstracts, p. 126.

Janussen, D. & Plotkin, A. S. (2008): Extraordinary high diversity of siliceous sponges plays an important ecological role in the deep Southern Ocean.-101. DZG Jahrestagung 19.-22.09.2008, Jena. Abstracts, p. 58.

Janussen, D. (2008): Taxonomy phylogeny, phylogeographic and ecological aspects of Northern Polar deep-sea Porifera (Sponges) compared with the sponge fauna of the Southern Ocean.- ARK XXIII-2 Expedition booklet, 34-35, publ. AWI Bremerhaven.

Janussen, D. (2008): Diversity of sponges West and East of the Antarctic Peninsula.- Reports on polar and marine research, 569: 41-48 (hdl:[10013/epic.28679](https://hdl.handle.net/10013/epic.28679)).

Janussen, D. (2008): Evolutionary ecology of basic metazoans from a historical viewpoint: Palaeontological evidence of sponges.- Systematics 2008 Symposium, Abstracts p. 80.

Dohrmann, M., Janussen, D., Reitner, J., Collins, A. G. & Wörheide, G. (2008): Phylogeny and Evolution of Glass Sponges (Porifera: Hexactinellida).- Systematics 2008 Symposium, Abstracts p.185.

Janussen, D. (2007): Buchbesprechung: Rigby J. K., Finks, R. M. & Reid, R. E. H. (2004): Porifera (Demospongiae, Hexactinellida, Calcarea). In: Moore, R. C. & Kaesler, R. (Hrsg.): Treatise on Invertebrate Paleontology. Part E. Porifera. Vol. 3.- Revidierte Aufl. XXXII + 872 S., 504 Abb., 1 Tab.; Boulder, Colorado (The Geological Society of America); Lawrence, Kansas.- Zentralblatt für Geologie und Paläontologie, Stuttgart, *Teil II*, Bd. 2007, (Heft 3/4), 604-608.

Janussen, D. (2007): Diversity, Distribution Patterns and Evolutionary Ecology of Antarctic Deep-Sea Sponges and their Zoogeographical Pattern Compared with the Arctic and other Oceans.- German-Russian Workshop ANDEEP-SYSTCO „Future visions“, Vladivostok, 24-30 September 2007: 23-24.

Janussen, D. (2007): „Neue Schwämme aus der Antarktis“. In: Dr. Peter Jäger, Dr. Peter Königshof, Dr. Gritta Veit-Köhler und Thorsten Wenzel (Hrsg.), Senckenberg 2005/2006: 22-23.

Janussen, D. (2007): The role of sponges in the benthic-pelagic coupling in biotopes of the deep Weddell Sea and adjacent areas.- Expeditionsprogramm Nr. 79, FS Polarstern, ANT-XXIV/2, 66-67, AWI Bremerhaven:

Janussen, D. (2006): The impact of shelf ice cover on sponge communities.- Expeditionsprogramm Nr. 77, FS Polarstern, ANT XXIII/8, ANT XXIII/9, ANT XXIII/10. AWI Bremerhaven: 29-30.

Katrin Linse, Angelika Brandt, Jens Bohn, Bruno Danis, Claude De Broyer, Vincent Heterier, Brigitte Hilbig, Dorte Janussen, Pablo J. López González, Enrico Schwabe, Michael R.A. Thomson (2006): Megabenthos collected by the Agassiz trawl.- Berichte zur Polar- und Meeresforschung, 533: 161-173.

Janussen, D. (2006): Collection of Porifera (sponges) during ANDEEP III.- Berichte zur Polar- und Meeresforschung, 533 , 174-178.

Janussen, D, Tabachnick K. R. & Tendal O. S 2006: Deep-sea Hexactinellida (Porifera) of the Weddell Sea.- ASFA: Aquatic Sciences and Fisheries Abstracts (databases CSA Illumina).

Itskovich, V; Belikov, S.; Efremova, S.; Nohn, T.; Masuda, Y.; Meixner, M. & Janussen, D. 2006: Molecular phylogeny of freshwater sponges and evolution of endemic sponge family Lubomirskiidae in Lake Baikal.- Abstract, 4th SIAL Symposium, 4.-8.09.2006 in Berlin

Rapp, H. T., Janussen, D. & Tendal O. S. 2006: Calcareous sponges from abyssal and bathyal depths in the Weddell Sea, Antarctica.- p. 150, Abstract, 11th Symposium on Deep-Sea Biology in Southampton.

Dohrmann, M., Janussen, D., Reitner J. & Wörheide, G. 2006: Phylogeny of Hexactinellida.- 7th International Sponge Symposium, Biodiversity, innovation, sustainability, 7-13.05.2006, Búzios, Rio de Janeiro, Brazil: 187

Janussen, D., Tendal, O. S., Plotkin, A. S. & Rapp, H. T. 2006: Results from the ANDEEP I, II and III expeditions, Antarctica.- p. 53, Abstract, 11th Symposium on Deep-Sea Biology in Southampton.

Dohrmann, M. Janussen, D., Reitner J. & Wörheide, G. 2006: Phylogeny of Hexactinellida.- p. 107-108, Abstract, 11th Symposium on Deep-Sea Biology in Southampton.

Janussen, D. & Tendal, O. S. 2006: What is characteristic for the deep-sea sponge fauna in the Weddell Sea? First results from the ANDEEP I, II and III expeditions, Antarctica.- 7th International Sponge Symposium, Biodiversity, innovation, sustainability, 7-13.05.2006, Búzios, Rio de Janeiro, Brazil: 223

Janussen, D., Zhang W., Henkel, D. & Brümmer F. 2006: Diversity and chemical ecology of shallow water sponge communities in the Chinese Yellow Sea: Status and perspectives.- 7th International Sponge Symposium, Biodiversity, innovation, sustainability:, 7-13.05.2006, Búzios, Rio de Janeiro, Brazil: 119

Scholz, J., Türkay, M. & Janussen, D. (2006): Senckenberg-Beitrag zum Deutschlandjahr in Japan 2005/2006.- Natur und Museum, 236 (3/4): 77-78.

Janussen, D. & Eckert, C. 2006: Hexactinellida (Glass Sponges) of the Sagami Bay Compared with Sponge Faunas in other Seas - History and Present Status of Research.- Abstract, International Symposium to commemorate the German Year in Japan, "History of Academic Exchange between Germany and Japan - Results of the Faunal Research in Sagami Bay" , 8. and 11.01.2006, Tokyo and Sapporo: p. 10.

Janussen, D. 2006: Unbekanntes vom antarktischen Tiefseeboden: ANDEEP III-Expedition ins Weddellmeer mit dem Forschungsschiff Polarstern.- Natur und Museum, 236 (1/2): 34-36.

Janussen, D. 2005: Buchbesprechung, Rigby, J. K. (Ed.), 2003: Treatise of Invertebrate Paleontology, Part E, Porifera, Vol. 2, Introduction to the Porifera, revised.- Zentralblatt für Geologie und Paläontologie, Teil II, Bd. 2005 (1-2): 239-244 Stuttgart (E. Schweizerbart'sche Verlagsbuchhandl.).

Janussen, D. & Tendal, O. S. 2005: Deep-Sea sponges of the Weddell Sea (Antarctica) and adjacent areas – preliminary results of ANDEEP I, II and III.- Terra Nostra, 2005/3: 75-76.

Janussen, D. & Tendal, O. S. 2005: Sponges of the deep Weddell Sea (Antarctica); what does the distribution of taxa tell us? - Terra Nostra, 2005/3: 76-77.

Scholz, J.; · Barnich, R.; · Fiege, D.; · Janussen, D. & Türkay, M. 2005: Muster mariner Biodiversität. Die Tropen und Subtropen Ostasiens.- Natur und Museum, Jahresberichtsheft: Senckenberg 2004: 18-19.

Scholz, J.; · Barnich, R.; · Fiege, D. · Janussen, D.; · Kaselowsky, J. & Türkay, M. 2005: Muster mariner Biodiversität in den Tropen/Subtropen Ostasiens.- Berichte des Institutes der Edwissenschaften Karl-Franzens-Universität Graz, 10: 119-120.

Janussen, D. 2005: Taxonomy, zoogeography, ecological and phylogenetic aspects of the deep-sea sponge fauna (Porifera) in the Eastern Weddell Sea.- Expeditionsprogramm FS Polarstern Nr. 72, , ANT XXII/3-5: 34-35, Alfred Wegener Institut Bremerhaven.

Janussen, D.; Tendal, O. S.; Tabachnick, K. R. & Rapp, H. T. 2005: The sponges of the Weddell Sea slopes and abyssal plain: a normal deep-sea fauna with some surprises.- Berichte zur Polarforschung 507: 65-66.

Janussen, D. 2005: Compilation of Treatise of Invertebrate Paleontology, Vol. E (Porifera) revised.- Fossil Cnidaria & Porifera, Vol. 33.2: 49-50.

Janussen, D. 2005: Schwamm-Vergesellschaftungen des Korsfjords – ein Beispiel ökologischer Zonierung mithilfe von Schwämmen.- *Natur und Museum*, 135 (7/8):188-189.

Eckert, C. & Janussen, D. 2005: Die Glasschwämme der Sagami-Bucht und ihre Erforschung.- *Natur und Museum*, 135 (5/6): 105-116.

Janussen, D. & Tendal, O. S. 2005: Deep-Sea sponges of the Weddell Sea, Antarctica, and adjacent areas - preliminary results of ANDEEP I, II and III.-Abstracts, IX SCAR International Biology Symposium, 25 - 29 July 2005, p.p. 103-104, Curitiba, Brazil.

Janussen, D. 2004: Ecological significance of bioactive compounds in sponges.- Abstract, DFG round table “Chemical Ecology” 25.11.04, Wilhelmshaven.

Janussen, D. & Vetter, W. 2004: Lipidophilic halogenated natural products (HPNs) in sponges and their significance for the food web.- Abstract, DFG round table “Chemical Ecology” 25.11.04, Wilhelmshaven.

Janussen, D. & Barnich, R. 2004: Digital record of the Porifera, Cnidaria, Ctenophora in the Senckenberg Museum Frankfurt (Germany).- GBIF Deutschland, Status Report 2004, BIOLOG Alga Terra: 118-119, Bonn – Berlin.

Janussen, D. 2004: Jahresbericht Marine Evertibraten I.- *Natur und Museum*, 134/11: 348-349.

Weinberg, E. V., Eckert, C. & Janussen, D. 2004: Evolution der Süßwasserschwämme (Porifera: Lubomirskiidae und Spongillidae) im Baikalsee seit dem späten Miozän. (Poster). In: Reitner, J., Reich, M., Schmidt, G. (eds.) (2004). *Geobiologie*. 74. Jahrestagung der Paläontologischen Gesellschaft, Göttingen, 02. bis 08. Oktober 2004. Universitätsdrucke Göttingen: 243-245.

Brückner, A. & Janussen, D. 2004: Der erste fossile Fund der Gattung *Rossella* (Porifera): Paläoökologie und zoogeographische Schlußfolgerungen. – In: Reitner, J.; Reich, M. & Schmidt, G. (eds.) *Geobiologie*, 74. Jahrestagung der Paläontologischen Gesellschaft, Göttingen, 02.-08. Oktober 2004. Universitätsdrucke Göttingen: 65-66..

Janussen, D. 2004: Groß ist nicht immer günstig: Nanismus und Evolutionsökologie bei den Schwämmen -. In: Reitner, J.; Reich, M. & Schmidt, G. (eds.) *Geobiologie*, 74. Jahrestagung der Paläontologischen Gesellschaft, Göttingen, 02.-08.10.2004. Universitätsdrucke Göttingen : 120.

Janussen, D., Brückner, A., Tendal, O. S., Vetter, W. 2004: Investigation of Antarctic deep sea sponges: Status and perspectives.- Abstract S4/P08, S. 174, In: Kunz-Pirrung, M. und Reinke, M. (eds.) *Terra Nostra*, Schriften der Alfred-Wegener-Stiftung 2004/4, SCAR Open Science Conference "Antarctica and the Southern Ocean in the Global System" XI SCALOP Symposium "Towards the International Polar Year and Beyond", 25-31 July 2004, Bremen

Hoffmann, F.; Janussen, D.; Dröge, W.; Arp, G. & Reitner, J. 2004: histological investigations of organisms with hard skeletons. A case study of siliceous sponges.- Abstr. Int. Symposium “Sponges: New views of Old Animals”, SICB Annual Meeting, 5-9.01.2004 in New Orleans, p. 255.

Janussen, D. 2004: Sponges in deep water: A key to success.- Abstr. Int. Symposium “Sponges: New views of Old Animals”, SICB Annual Meeting, 5-9.01.2004 in New Orleans, p. 291.

Janussen, D., Rapp, H. T. & Tendal, O. S. 2003: A myth vanished: Calcareous sponges are alive and well at abyssal depths.- *Deep-Sea Newsletter*, **32**: 17-19.

Janussen, D. 2003: Progress in the registration and documentation of Porifera, Cnidaria, Ctenophota and Tunicata collections at Forschungsinstitut und Naturmuseum Senckenberg.- Abstr. BMBF-conference "Biodiversity" in Berlin 1.-4.12.2003.

Janussen, D.; Rapp, H. T. & Tendal, O. S. 2003: Das Ende eines Mythos: Über das Gedeihen der Kalkschwämme in großen Meerestiefen.- *Natur und Museum*, **133** (11): 337-342.

Janussen, D. 2003: First report on the deep sea Porifera from the Northern Weddell Sea and the slope of South Sandwich Trench.- *Berichte zur Polar- und Meeresforschung*, 470: 104-108.

Brückner, A. & Janussen, D. 2003: Paleoecologic and taphonomic considerations of a hexactinellid sponge fauna from the Septarienton (Rupelium, Oligocene) of Bad Freienwalde (NE-Germany) and the first fossil species of *Asconema*.- *Ber. Inst. Geol. Paläont. K.-F.-Univ. Graz*, **7**: 18.

Brückner, A. & Janussen, D. 2003: The first fossil *Rossella* (Porifera, Hexactinellida) from the Upper Cretaceous (Coniac) of Bornholm (Denmark) and problems of classification within the fossil *Lyssacinosa*.- *Ber. Inst. Geol. Paläont. K.-F.-Univ. Graz*, **7**: 17.

Janussen, D; Steiner, M. & Zhu Maoyan (2003): New Well-preserved Scleritomes Of Chancelloridae From The Early Cambrian Yuanshan Formation (Chengjiang, China) And The Middle Cambrian Wheeler Shale (Utah, USA) And Paleobiological implications. (*Journal of Paleontology* ISSN/ISBN:0022-3360, Volume: 76, Issue: 4, Pages: 596-606).- ASFA: Aquatic Sciences and Fisheries Abstracts database from CSA. Accession Number: 5400574 2003

Janussen, D. 2003: Jahresbericht Marine Evertabraten I.- *Natur & Museum*, **133.12**: 375.

Janussen, D. 2003: Auf Schwammsuche in der Tiefsee der Antarktis. Poriferen (Schwämme) von der ANDEEP II-Expedition.- *Natur und Museum*, **133.2**: 49-54.

Janussen, D. 2003: Literature report: Porifera.- *Fossil Cnidaria & Porifera*, **32.2**, p. 77

Janussen, D. 2002: New book "Systema Porifera. A guide to the Classification of Sponges".-*Fossil Cnidaria & Porifera*, **31.2-2**: 32, Münster.

Weinberg, I.; Glyzina, O.; Weinberg, E.; Kravtsova, L.; Sheveleva, N.; Lathyshev, N. Bonse, D. & Janussen, D. 2002: Interactions between the baikalian sponges and their inhabitants.- *Boll. Mus. Inst. biol. Univ. Genova*, **66- 67.2000-2001(2002)**: 215-216.

--Also on III International Symposium, Speciation in Ancient Lakes (SIAL), 2.-7.09.2002 in Irkutsk.

Bonse, D.; Itskovics, V.; Janussen, D.; Korduan, P.; Masuda, Y.; Meixner, M. & Weinberg, E. 2002: Evolutionary ecology of the endemic Poriferan family Lubomirskiidae and the reconstruction of the palaeoecological development in Lake Baikal based on recent sponge associations.- *Boll. Mus. Inst. biol. Univ. Genova*, **66- 67.2000-2001(2002)**: 30-31.

Brückner, A. & Janussen, D. 2002: An exceptional sponge fauna (Hexactinellida) from the Septarienton (Rupelium, Oligocene) of Bad Freienwalde (NE_Germany): Palaeoecologic and taphonomic implications.- *Boll. Mus. Inst. biol. Univ. Genova*, **66- 67.2000-2001(2002)**: 36.

Janussen, D. 2002: First report on the sponges from the Antarctic deep-sea expedition ANDEEP II (Northern Weddell Sea and slope of South Sandwich trench).- *Boll. Mus. Inst. biol. Univ. Genova*, **66- 67.2000-2001(2002)**: 101.

Janussen, D. & Hilbert, K. 2002: Sponges as raw material.- Fossil Cnidaria & Porifera, **31.1-2**: 79-80.

Janussen, D. 2002: Hunting for Antarctic deep-sea sponges: Porifera of the ANDEEP II-expedition to the Weddell Sea.- Fossil Cnidaria & Porifera, **31.1-2**: 77-79.

Janussen, D. 2002: Jahresbericht Marine Evertebraten I.- Natur & Museum, **132/9**: 325-326.

Janussen, D. 2002: Die Glasschwämme, mehr als Tiefsee-Organismen.- Natur und Museum **132/9**:364.

Janussen, D. & Hilbert, K. 2002: Die schwämme als Rohstoff.- Natur und Museum, **132 /5**: 169-175.

Brückner, A. and Janussen, D. 2001: Hexactinellide Schwammfauna aus dem Rupelton (Oligozän, Tertiär) von Bad Freienwalde (Brandenburg): Überlegungen zu Lebens- und Erhaltungsbedingungen.- Terra Nostra, **01/6**: 23.

Mehl-Janussen, D.; Brückner, A. & Keupp, H. 2000: Die ökologische Bedeutung und phylogenetische Relevanz der lyssakinen Hexactinelliden im Mesozoikum.- Terra Nostra, **00/3**: 158-159.

Mehl-Janussen, D. 2000: Literaturbericht: Schwämme in der fossilen Überlieferung.- Zentralblatt für Geologie und Paläontologie Teil II, H. 1/2: 15-26, Stuttgart.

Mehl-Janussen, D. 2000: A palaeontological review of Poriferan evolution.- Guest lecture in the St. Petersburg Society of Zoology and geology.

Eckert, C.; Veinberg, E.; Oberhänsli, H. & Mehl-Janussen, D. 1999: Utilization of sponge spicules in studies on ancient lakes -perspectives for paleoecological reconstruction of sediments in Lake Baikal.- Abstract International Workshop of Lake Baikal „Recent and Subrecent Sedimentation“ 18-22.11.1999, Gesellschaft für Erdkunde, Berlin.

Johns, R.A.; Molineux, A. & Mehl, D. 1999: Growth form versus environmental conditions in Pennsylvanian Sponges.- Abstr. 8th International Symposium on Fossil Cnidaria and Porifera, 12.-16.09.1999 in Sendai, Japan.

Mehl, D. 1999: Phylogeny and evolutionary ecology of the Demospongiae in Palaeozoic times.-Abstr. 8th International Symposium on Fossil Cnidaria and Porifera, 12.-16.09.1999 in Sendai, Japan.

Mehl, D. 1998: Über die Paläobiologie einer problematischen kambrischen Gruppe: Organisation, Biomineralisation und systematische Affinität der Chancelloriidae.- Abstr. Geo-Berlin '98, 6.-9.10.1998 an der Technischen Universität Berlin.

Weinberg, L.; Eckert, C.; Müller, J.; Efremova, S. & Mehl, D. 1998: Spicule analysis. The possible perspectives of its use for studies of bottom sediments in Lake Baikal.- Abstr. V. International Sponge Symposium, 1.-4.07.1998 in Brisbane, Australien.

Mehl, D. 1998: Towards a phylogenetic systematics of the fossil Hexactinellida.- Abstr. 3. Systema Porifera meeting, 27.-28.06.1998 in Brisbane, Australien.

Mehl, D. 1998: The phylogenetic history of sponges in Palaeozoic times.- Abstr. V. International Sponge Symposium, 1.-4.07.1998 in Brisbane, Australien.

- Mehl, D. 1997: Systematics of the fossil Hexactinellida.- Abstr. 2. Systema Porifera Progress Meeting, 24-30.04.97 in Paris.
- Mehl, D. 1996: Book review: Wiedenmayer, F. "Contributions to the knowledge of post-Palaeozoic neritic and archibenthal sponges (Porifera). Schweiz. Pal. Abh. 116 (1994). - Historical Biology, **12/1**.
- Mehl, D. 1996: Paläobiologie von *Astraeospongium* (Porifera, Calcarea).- Abstr. 66. Jahrestg. Paläont. Ges., 22-28.09.96 in Leipzig. In: Terra Nostra **96/6**: 62.
- Mehl, D. 1996: Early Palaeozoic diversification of the Porifera.- Abstr. International Conference on sponge science, 12-16. 03.96 in Otsu, Japan.
- Keupp, H. & Mehl, D. 1995: *Ammonella quadrata* Walther 1904 (Porifera, Hexactinellida) of the Solnhofener Plattenkalks: Systematics and environmental deductions.- II Int. Symp. Lithographic Limest., Lleida - Cuenca (Spain) 9th - 16th July 1995, extended abstracts, Ediciones de la Universidad Autónoma de Madrid.
- Mehl, D. 1995: Early Palaeozoic evolution of the Porifera.- Abstr. Int. Conference "Early Cambrian Evolutionary Breakthrough", 19.04.-1.05.1995 in Nanjing, Hunan, China.
- Mehl, D. 1995: Book review: Sudhaus, W. & Rehfeld, K. "Einführung in die Phylogenetik und Systematik", 241 S., 82 Abb., 27 Tab, Gustav Fischer Verlag.-, Paläontologie aktuell, **31**: 31-63.
- Mehl, D. 1994: The flagellar velum - a constituent character of the Porifera.- Abstr. Symp. Heterotrophic Flagellates 14.-20.08.1994 in St. Petersburg.
- Mehl, D. 1993: Outstanding sponge community in the Albian of Islares (Northern Spain).- Abstr. 63. Jahrestg. Paläont. Ges. 21.-26.09.1993 in Prag.
- Mehl, D. 1993: Die Evolution der Poriferen im Früh-Paläozoikum.- Abstr. 63. Jahrestg. Paläont. Ges. 21.-26.09.1993 in Prag.
- Mehl, D. 1993: Report on the 4th Int. Porifera Congress "Sponges in time and space", 19-23 1993 in Amsterdam.- Fossil Cnidaria & Porifera Newsletter, **22** (1): 13-17.
- Reitner, J.; Steiner, M. & Mehl, D. 1993: Sponges from the Tommotian (Lowermost Cambrian) of China (N-Hunan). An access to the early beginning of sponge history.- Abstr. IV Int. Porifera Congress 19.-23.04.1993 in Amsterdam.
- Reiswig, H.M. & Mehl, D. 1993: A new collection prompts the return of *Leptophragmella* (Craticulariidae) to *Chonelasma* (Euretidae) (Hexactinellida).- Abstr. IV Int. Porifera Congress 19.-23.04.1993 in Amsterdam.
- Mehl, D.; Reiswig, H. & Imsiecke, G. 1993: Is the flagellar velum a constituent character of the Porifera? -Abstr. IV Int. Porifera Congress 19.-23.04.1993 in Amsterdam.
- Mehl, D. & Reiswig, H. 1993: New aspects on the living lychniscid sponge *Neoaulocystis grayi* (Bowerbank, 1869) and the Lychniscosa (Hexactinellida).- Abstr. IV Int. Porifera Congress 19.-23.04.1993 in Amsterdam.
- Mehl, D. 1993: Buchbesprechung "N. Schmidt-Kittler & R. Willmann (Eds.), Phylogeny and Classification of Fossil and Recent Organisms."- Paläontologie aktuell, **26**: 27-28.

Mehl, D. & Mehl, J. 1991: Bericht über das 1st Gentner-Symposium on Geoscience: "phosphorites and black shales", Jerusalem 1.-5.9.1991.- Paläontologie aktuell.: **24**, 36-38.

Mehl, D. 1991: Attempt to a phylogenetic systematics and evolutionary ecology of the Hexactinellida.- Abstr. VI. Int. Symp. Fossil Cnidaria incl. Archaeocyatha and Porifera in Münster.

Mehl, D. 1991: Wo sind die mesozoischen Lyssakinen (Hexactinellida, Porifera)?- Abstr. 61. Jahrestg. Paläont. Ges., Eggenburg 1991.

Mehl, D. 1991: The phosphoritic terminating hardground of the Urgonian Platform (Aptian of mediterranean facies): Genesis and possible palaeogeographic implications.- Abstr. 1st Gentner-Symp. on Geoscience: "phosphorites and black shales", Jerusalem 1991.

Mehl, D. 1991: Note on the taxon *Lychniscosa* Schrammen (Hexactinellida, Porifera).- Fossil Cnidaria, **20** (1.1): 46-49.

Mostler, H. & Mehl, D. 1990: On the origin of Hexasterophora and amphidiscophora (Hexactinellida). A further discussion of their phylogenetic significance.- Fossil Cnidaria, **19** (2.1): 13-15.

Salomon, D. (1990) & Keupp, H.: C. Devillers & J. Chaline (1989): "La théorie de l'évolution. Etat de la question à la lumière des connaissances scientifiques actuelles".- Buchbesprechung, Paläontologie aktuell, **21**: 48-51.

Salomon, D. 1989: On the origin of Hexasterophora and Ampidiscophora with a special remark on *Itararella gracilis* and *Microhemidiscia ortmanni* Kling & Reif (1969); an important but largely disregarded documentation.- Fossil Cnidaria, **18** (2) 27-28.

Salomon, D. 1989: Stammesgeschichte und Verwandtschaftsverhältnisse der Hexactinelliden - Kenntnisstand und Probleme.- Abstr. 59. Jahrestg. Paläont. Ges. Bonn, 1989.

Salomon, D. 1989: Stammesgeschichte und Verwandtschaftsverhältnisse der Hexactinelliden - Kenntnisstand und Probleme.- Abstr. 59. Jahrestg. Paläont. Ges. Bonn, 1989.