

Research papers (peer reviewed)

- Miguez-Salas, O., Brandt, A., Knauber, H., Riehl, T. (2024): Diversity and density relationships between lebensspuren and tracemaking organisms: a study case from abyssal northwest Pacific. *Biogeosciences*, 21, 641–655, 2024 <https://doi.org/10.5194/bg-21-641-2024>
- Rogers AD, Appiah-Madson H, Ardron JA, Bax NJ, Bhadury P, Brandt A, Buttigieg P-L, De Clerke O, Delgado C, Distel DL, Glover A, Gobin J, Guilhon M, Hampton S, Harden-Davies H, Hebert P, Hynes L, Lowe M, MacIntyre S, Madduppa H, Mazzuco ACdA, McCallum A, McOwen C, Nattkemper TW, Odido M, O'Hara T, Osborn K, Pouponneau A, Provoost P, Rabone M, Ramirez-Llodra E, Scott L, Sink KJ, Turk D, Watanabe HK, Weatherdon LV, Wernberg T, Williams S, Woodall L, Wright DJ, Zeppilli D and Steeds O (2023) Accelerating ocean species discovery and laying the foundations for the future of marine biodiversity research and monitoring. *Front. Mar. Sci.* 10:1224471. doi: 10.3389/fmars.2023.1224471.
- Gorrasi, S.; Brandt, A.; Pittino, F.; Franzetti, A.; Pasqualetti, M.; Muñoz-Palazon, B.; Novello, G.; Fenice, M. Uncovering the Prokaryotic Diversity of the Bathyal Waters above the Kuril–Kamchatka Trench. *J. Mar. Sci. Eng.* 2023, 11, 2145. <https://doi.org/10.3390/jmse11112145>
- Gorrasi, S., Franzetti, A., Brandt, A., Minzloff, U., Pasqualetti, M., Fenice, M. (2023): Insights into the prokaryotic communities of the abyssal-hadal benthic-boundary layer of the Kuril Kamchatka Trench. *Environmental Microbiome* (2023) 18:67. <https://doi.org/10.1186/s40793-023-00522-9>.
- Kürzel, K., Brix, S., Brandt, A., Brenke, N., Enderlein, P., Griffiths, H.J., Kaiser, S., Svavarsson, J., Lörz, A.-N., Frutos, F., Taylor, J., Linse, K. (2023): Pan-Atlantic Comparison of Deep-Sea Macro- and Megabenthos. *Diversity* 2023, 15(7), 814; DOI: 10.3390/d15070814.
- Abel, S., Brandt, A., Gerdt, G. (2023): Journey to the deep: plastic pollution in the hadal of deep-sea trenches. *Environmental Pollution* 333 (2023) 122078. <https://doi.org/10.1016/j.envpol.2023.122078>.
- Kaiser, S., Brandt, A., Brix, S., Brenke, N., Kürzel, K., Martínez Arbizu, P., Pinkerton, M.H., Saeedi, H. (2023); Community structure of abyssal macrobenthos of the South and equatorial Atlantic Ocean - Identifying patterns and environmental controls. *Deep Sea Research Part I: Oceanographic Research Papers*, Volume 197, 2023, 104066, ISSN 0967-0637, <https://doi.org/10.1016/j.dsr.2023.104066>.
- Miguez-Salas, O., Rodríguez-Tovar, F.J., Ekdale, A.A., Kaiser, S., Brandt, A., Gooday, A.J., (2023): Northernmost (Subarctic) and deepest record of Paleodictyon: paleoecological and biological implications. *Scientific Reports*, Vol.: 13:7181 | <https://doi.org/10.1038/s41598-023-34050-w>
- Alfaro Lukas, J., Chaudhary, C., Brandt, A., Saeedi, H. (2023): Species composition comparisons and relationships of Arctic marine ecoregions. *Deep-Sea Research I* 1 98 (2023) 104077. <https://doi.org/10.1016/j.dsr.2023.104077>
- Kohlenbach, K., Knauber, H., Brandt, A., Saeedi, H. (2023): Distribution and species richness of benthic Polychaeta and Sipuncula in the Northwestern Pacific. *Diversity* 2023, 15, 557. <https://doi.org/10.3390/d15040557>
- Brandt, A., Chen, C., Tandberg, A. H. S., Miguez-Salas, O., & Sigwart, J. D. (2023). Complex sublinear burrows in the deep sea may be constructed by amphipods. *Ecology and Evolution*, 13, e9867. <https://doi.org/10.1002/ece3.9867>
- Sigwart JD, Brandt A, Di Franco D, Briones EE, Gerken S, Gooday AJ, Grimes CJ, Gluchowska K, Hoffmann S, Jaz dz ewska AM, Kamyab E, Kelch A, Knauber H, Kohlenbach K, Miguez-Salas O, Moreau C, Ogawa A, Polisenio A, Santin Muriel A, Tandberg AHS, Theising FI, Walter T, Wölfl A-C and Chen C (2023) Heterogeneity on the abyssal plains: A case study in the Bering Sea. *Front. Mar. Sci.* 9:1037482. doi: 10.3389/fmars.2022.1037482
- Knauber, K. Kohlenbach, A. Brandt, et al., Crustaceans of the Northwest Pacific Ocean: Species richness and distribution patterns, *Journal of Sea Research* (2022), <https://doi.org/10.1016/j.seares.2022.102332>.
- Noli, N.F.; Brandt, A.; Di Franco, D.; Schiaparelli, S. *Chaetarcturus cervicornis* sp. n., a New Ross Sea Isopod of the Genus *Chaetarcturus* Brandt, 1990 (Crustacea, Malacostraca). *Diversity* 2022, 14, 386. <https://doi.org/10.3390/d14050386>
- Knauber, H., Silberberg, J.R., Brandt, A., Riehl, T. (2022): Evolution and biogeography of the *Haploniscus belyaevi* species complex (Isopoda: Haploniscidae) revealed by means of integrative taxonomy, *Systematics and Biodiversity*, 20:1, 2099477, DOI:10.1080/14772000.2022.2099477.
- Hahn, S.J., Brandt, A., Sonnewald, M. (2022): Annotated checklist and biodiversity analysis of benthic fauna at Sylt Outer Reef and Borkum Reef Ground (North Sea). *Check List* 18 (3): 593–628. <https://doi.org/10.15560/18.3.593>
- Abel, S.M., Primpke, S., Wu, F., Brandt, A., Gerdt, G. (2022): Human footprints at hadal depths: interlayer and intralayer comparison of sediment cores from the Kuril Kamchatka trench. *Science of the Total Environment* 838. <https://doi.org/10.1016/j.scitotenv.2022.156035>.

- Saeedi, H., Brandt, A., Jacobsen, N. (2022): Biodiversity and distribution of Isopoda and Polychaeta along the northwestern Pacific Ocean and the Arctic Ocean. *Biodiversity Informatics*, 17, 2022, pp. 6-22. <https://doi.org/10.17161/bi.v17i.15581>)
- Saeedi, H., Warren, D. and Brandt, A. (2022): The Environmental Drivers of Benthic Fauna Diversity and Community Composition. *Front. Mar. Sci.* 9:804019. doi: 10.3389/fmars.2022.804019.
- Noli N.F., Di Franco D., Schiaparelli S., Brandt A. (2022) *Pseudidothea armata* sp. n., a new isopod of the genus *Pseudidothea* (Crustacea, Malacostraca, Isopoda) from the Atlantic sector of the Southern Ocean. *Biodiversity Data Journal* 10: e76864. <https://doi.org/10.3897/BDJ.10.e76864>.
- Cordier, T., Angeles, I.B., Henry, N., Lejzerowicz, F., Berney, C., Morard, R., Brandt, A., Cambon-Bonavita, M.-A., GuidiL., Lombard, F., Martinez Arbizu, P., Massana, R., Orejas, C., Poulain, J., Smith, C.R., Wincker, P., Arnaud-Haond, S., Gooday, A.J., de Vargas, C., Pawlowski, J. (2022): Patterns of eukaryotic diversity from the surface to the deep-ocean sediment. *Science Advances*, 2022-02-04 | Journal article, DOI: 10.1126/sciadv.abj9309.
- Brandao, S., Saeedi, H., Brandt, A. (2022): Macroecology of Southern Ocean benthic Ostracoda (Crustacea) from the continental margin and abyss. *Zoological Journal of the Linnean Society*, 2022, 194, 226–255. With 13 figures.
- Uhlir C, Schwentner M, Meland K, Kongsrud JA, Glenner H, Brandt A, Thiel R, Svavarsson J, Lörz A-N, Brix S. (2021): Adding pieces to the puzzle: insights into diversity and distribution patterns of Cumacea (Crustacea: Peracarida) from the deep North Atlantic to the Arctic Ocean. *PeerJ* 9:e12379 DOI 10.7717/peerj.12379
- Simões, V. P. M., Saeedi, H., Cobos, M., Brandt, A. (2021): Environmental matching reveals non-uniform range-shift patterns in benthic marine Crustacea. *Climatic Change* (2021) 168:31; <https://doi.org/10.1007/s10584-021-03240-8>
- Di Franco, D., Linse, K., Griffiths, H.J., Brandt, A. (2021): Abundance data of benthic peracarid crustaceans from the South Atlantic and Southern Ocean. *Elsevier, Data in Brief* 39 (2021) 107468, pp. 1-12; DOI: 10.1016/j.ecolind.2021.107832.
- Ehrlich, J.; Bluhm, B.A.; Peeken, I.; Massicotte, P.; Schaafsma, F.L.; Castellani, G.; Brandt, A.; Flores, H. (2021): Sea-ice associated carbon flux in Arctic spring. *Elementa Science of the Anthropocene*. *Elem Sci Anth*, 9: 1. DOI: <https://doi.org/10.1525/elementa.2020.00169>.
- Brix, S.; Held, C.; Kaiser, S.; Jennings, R.M.; Driskell, A.; Brandt, A. (2021): Evolution and phylogeny of the deep-sea Isopod families Desmosomatidae Sars, 1897 and Nannoniscidae Hansen, 1916 (Isopoda: Asellota). *Organisms, Diversity and Evolution*, pp. 1-27; DOI: 10.1007/s13127-021-00509-9.
- Lejzerowicz F, Gooday AJ, Barrenechea Angeles I, Cordier T, Morard R, Apothéloz-Perret-Gentil L, Lins L, Menot L, Brandt A, Levin LA, Martinez Arbizu P, Smith CR and Pawlowski J (2021) Eukaryotic Biodiversity and Spatial Patterns in the Clarion-Clipperton Zone and Other Abyssal Regions: Insights From Sediment DNA and RNA Metabarcoding. *Front. Mar. Sci.* 8:671033. doi: 10.3389/fmars.2021.671033
- Di Franco D., Linse K, Griffiths H.J., Brandt A. (2021): Drivers of abundance and spatial distribution in Southern Ocean peracarid crustacea. *Ecological Indicators* 128 (2021) 107832. <https://doi.org/10.1016/j.ecolind.2021.107832>
- Colaço, A., Brandt, A., Hilario, A., Lourenço, N., Narayanaswamy, B.E., Priede, I.G., Tuhumwire, J.T., Vecchione, M. and H. Watanabe (2021): Chapter 7O Ridges, plateaux and trenches. *World Ocean Assessment II*, Vol. I, 17 pages.
- David, CL., Schaafsma, F.L., van Franeker, J.A., Pakhomov, E.A., Hunt, B.V.P., Lange, B.A., Brandt, A., Flores, H. (2021): Sea-ice habitat maximizes winter survival of Antarctic krill larvae by minimizing both resource competition and predation risk". *Polar Biology* (2021). <https://doi.org/10.1007/s00300-021-02868-7>
- Jazdzewska, A.M., Brandt, A., Martínez Arbizu, P., Vink, A. (2021): Exploring the diversity of the deep sea – four new species of the amphipod genus *Oedicerina* described using morphological and molecular methods. *Zoological Journal of the Linnean Society*. 2021, XX, 1–45. With 25 figures.
- Brasier, M.J.; Barnes, D.K.A.; Bax, N.; Brandt, A.; Christianson, A.; Constable, A.J.; Downey, R.V.; Figuerola, B.; Griffiths, H.J.; Gutt, J.; Lockhart, S.L.; Morley, S.; Post, A.; van de Putte, A.; Stark, J.S.; Sumner, M.; Waller, C.L. (2021): Responses of Southern Ocean seafloor habitats and communities to global environmental changes. *Frontiers of Marine Sciences*. DOI: 10.3389/fmars.2021.622721
- Ewers-Saucedo, C., Allspach, A., Barilaro, C., BickA., Brandt, A., Fiege, D., Fütting, S., Hausdorf, B., Hayer, S., Husemann, M., Joger, U., Kamcke, C., Kuster, M., Lohrmann, V., Martin, I., Michalik, P., Reinicke, G.-B., Schwentner, M., Stiller, M., Brandis, D. (2021): Museum collections reconstruct faunal changes in North and Baltic Sea. *Royal Society Open Science* 8: 201983. <https://doi.org/10.1098/rsos.201983>
- Abel, S. M.; Primpke, S.; Int-Veen, I.; Brandt, A.; Gerdt, G. (2020): Systematic identification of microplastics in abyssal and hadal sediments of the Kuril Kamchatka trench. *Environmental Pollution*. <https://doi.org/10.1016/j.envpol.2020.116095>
- Di Franco D., Linse K, Griffiths H.J., Haas C., Saeedi H. and Brandt A. (2020): Abundance and Distributional

- Patterns of Benthic Peracarid Crustaceans from the Atlantic Sector of the Southern Ocean and Weddell Sea. *Front. Mar. Sci.* 7:554663. doi: 10.3389/fmars.2020.554663
- Ingels, J., Aronson, R., Smith, C., Baco, A., Bik, H., Blake, J., Brandt, A., Cape, M., DeMaster, D., Dolan, E., Domack, E., Fire, S., Geisz, H., Gigliotti, M., Griffiths, H., Halanych, K., Havermans, C., Huettmann, F., Ishman, S., Kranz, S., Leventer, A., Mahon, A., McClintock, J., McCormick, M., Mitchell, B., Murray, A., Peck, L., Rogers, Alex; R., Shoplock, B., Smith, K., Steffel, B., Stukel, M., Sweetman, A., Taylor, M., Thurber, A., Truffer, M., Van de Putte, A., Vanreusel, A., Zamora-Duran, M. (2020): Antarctic Ecosystem Responses following Ice Shelf Collapse and Iceberg Calving: Science Review and Future Research. *WIREs Climate Change*, p 1-28. <https://doi.org/10.1002/wcc.682>
- Riehl, T., Wöfl, A.-C., Augustin, N., Devey, C.W., Brandt, A. (2020): Discovery of widely available abyssal rock patches reveals overlooked habitat type and prompts rethinking deep-sea biodiversity. *PNAS* 1-10. www.pnas.org/cgi/doi/10.1073/pnas.1920706117; <https://www.pnas.org/lookup/suppl/doi:10.1073/pnas.1920706117/-/DCSupplemental>.
- Ehrlich J, Schaafsma FL, Bluhm BA, Peeken I, Castellani G, Brandt A and Flores H (2020) Sympagic Fauna in and Under Arctic Pack Ice in the Annual Sea-Ice System of the New Arctic. *Front. Mar. Sci.* 7:452. doi: 10.3389/fmars.2020.00452
- Guggolz, T., Meißner, K., Schwentner, M., Dahlgren, T.G., Wiklund, H., Bonifácio, P., Brandt, A. (2020): High diversity and pan-oceanic distribution of deep-sea polychaetes: *Prionospio* and *Aurospio* (Annelida: Spionidae) in the Atlantic and Pacific Ocean. *Organisms Diversity & Evolution* 20; pp. 1-17; <https://doi.org/10.1007/s13127-020-00430-7>
- Dreutter, S., Steffen, M., Martínez Arbizu, P., Brandt, A. (2020): Will the “top five” deepest trenches lose one of its members? *PROOCE* 181, 1-6; <https://doi.org/10.1016/j.pocean.2019.102258>
- Lins, L. Brandt, A. (2020): Comparability between box-corer and epibenthic-sledge data on higher taxon level: A case study based on deep-sea samples from the NW Pacific. *PROOCE. Progress in Oceanography* 182 (2020) 102273
- Józwiak, P., Pabis, K., Brandt, A., Błażewicz, M. (2020): Epibenthic sled versus giant box corer – Comparison of sampling gears for tanaidacean species richness assessment in the abyssal benthic ecosystem. *PROOCE* 181: 1-10; <https://doi.org/10.1016/j.pocean.2019.102255>
- Malyutina M.V., Brandt A. (2020): Munnopsidae (Crustacea, Isopoda, Asellota) from Kuril-Kamchatka Trench with a regional and inter-ocean comparison of their biogeographic and richness patterns. *PROOCE* 183, 1-14; <https://doi.org/10.1016/j.pocean.2020.102289>
- Kohnert P.C., Brandt, A. Schroedl, M. (2020): Pteropoda from the Sea of Okhotsk and the Kurile-Kamchatka trench. *PROOCE; Progress in Oceanography* 181: 102259
- Halsband, C., S. Ah Yong, A. Brandt, K. Kosobokova, P. Ward, WP. Goodall-Copestake, and E. Macpherson. 2019. Biogeography of the Oceans. In G. Poore and M. Thiel, editors. *The Natural History of the Crustacea*, Volume 8: Evolution and Biogeography. Oxford University Press, New York, USA, pages 121-154.
- Riehl, T., Brandão, S.N., Brandt, A. (2019): Chapter 6. Conquering the Ocean Depths Over Three Geological Eras. In G. Poore and M. Thiel, editors. *The Natural History of the Crustacea*, Volume 8: Evolution and Biogeography. Oxford University Press, New York, USA, pages: 155-182.
- Brandt, A., Brix, S. Riehl, T., Malyutina, M. (2019): Biodiversity and biogeography of the abyssal and hadal Kuril-Kamchatka Trench and adjacent NW Pacific deep-sea regions - (Introduction to the KuramBio II volume for PROOCE). [10.1016/j.pocean.2019.102232](https://doi.org/10.1016/j.pocean.2019.102232)
- Johannsen, N., Lins, L., Riehl, T., Brandt, A. (2019): Changes in species composition of Haploneiscidae (Crustacea: Isopoda) across potential barriers to dispersal in the Northwest Pacific. *PROOCE*. <https://doi.org/10.1016/j.pocean.2019.102233>
- Ashford, A.S., Horton, T., Roterman, C.N., Thurston, M., Griffiths, H.J., Brandt, A. (2019): A new genus within the remarkable and rare amphipod family Podosiridae. *The Linnean Society of London, Zoological Journal of the Linnean Society*, 2019, XX, 1–19
- Hayer, S., Bick, A., Brandt, A., Ewers-Saucedo, C., Fiege, D., Fütting, S., Krause-Kyora, B., Michalik, P., Reinicke, G.-B., Brandis, D. (2019): Coming and going – Historical distributions of the European oyster *Ostrea edulis* Linnaeus, 1758 and the introduced slipper limpet *Crepidula fornicata* Linnaeus, 1758 in the North Sea. *PLoS ONE* 14(10): 1-15; e0224249.
- Bergmeier F.S., Brandt A., Jörger K.M. Molecular and morphological diversity of Solenogastres (Mollusca, Aplousobranchia) from abyssal and hadal depths in the Kuril-Kamchatka Trench. *Progress in Oceanography*, 178 (2019)1-17. <https://doi.org/10.1016/j.pocean.2019.102187>
- Brandt, A., Alalykina, I., Brix, S., Brenke, N., Błażewicz, M., Golovan, O., Heitland, N., Hrinko, A.M., Jazdzewska, A.M., Jeskulke, K., Kamenev, G., Lavrenteva, A., Malyutina, M., Riehl, T., Lins, L. (2019): Depth zonation of Northwest Pacific deep-sea macrofauna. *Progress in Oceanography* 176 (2019), pp 1-10102131; <https://doi.org/10.1016/j.pocean.2019.102131>

- Käb, M., Soltwedel, T., Hasemann, C., Brandt, A., Vedenin, A. (2019): Community structure of macrofauna in the deep Fram Strait: A comparison between two bathymetric gradients in ice-covered and ice-free areas. *Deep-Sea Research I* 152: 1-8. <https://doi.org/10.1016/j.dsr.2019.103102>
- Rabone, M., Horton, T., Harden-Davies, H., Brandt, A., Droege, G., Appeltans, W., Zajderman, S., Pardo, L., Dahlgren, T., Glover, A., Collins, J. (2019): Access to Marine Genetic Resources (MGR): raising awareness and strengthening best-practice through a new agreement for biodiversity beyond national jurisdiction (BBNJ). *Frontiers of Marine Sciences*, September 2019, Volume 6, Article 520, pp 1-22: doi: 10.3389/fmars.2019.00520
- Saeedi, H., Simões, M., Brandt, A. (2020): Biodiversity and distribution patterns of deep-sea fauna along the temperate NW Pacific. *Progress in Oceanography* 183, 1-12; <https://doi.org/10.1016/j.pocean.2020.102296>
- Saeedi, H., Simões, M., Brandt, A. (2019): Endemicity and community composition of marine species along the NW Pacific and adjacent Arctic Ocean. *PROOCE* 178, 1-11; <https://doi.org/10.1016/j.pocean.2019.102199>
- Saeedi, H., Costello, M.J., Warren, D., Brandt, A. (2019): Latitudinal and bathymetrical species richness in the NW Pacific and Arctic Ocean. *Nature Scientific Reports*, 2019; 9:9303, 1-10, | <https://doi.org/10.1038/s41598-019-45813-9>.
- Gerdes, K., Schwentner, M., Kihara, T.C., Freitag, R., Brandt, A., Schwarz-Schampera, U., Martinez Arbizu, P. (2019): Megabenthic assemblages at the southern Central Indian Ridge – Geographic segregation of inactive vent fields from active-, periphery- and non-vent sites. *Marine Environmental Research*, Marine Environmental Research, pp 1-11; <https://doi.org/10.1016/j.marenvres.2019.104776>
- Brandão, S., Hoppema M., Riehl, T., Brandt, A., Karanovic, I., Tanaka, H., Vital, H., Kamenev, G. (2019): Review of Ostracoda (Crustacea) living below the Carbonate Compensation Depth and the deepest record of an ostracod with a calcified carapace. *Progress in Oceanography* 178 (2019) 102144. <https://doi.org/10.1016/j.pocean.2019.102144>
- Bober, J., Brandt, A., Frutos, I., Schwentner, M. (2019): Diversity and distribution of Ischnomesidae (Crustacea: Isopoda: Asellota) along the Kuril-Kamchatka Trench – A genetic perspective. *PROOCE* <https://doi.org/10.1016/j.pocean.2019.102174>.
- Canónico, G., Buttigieg, P.L., Montes, E., Carol A., Stepien, Wright, D., Benson, A., Helmuth, B., Costello, M.J., Muller-Karger, F.E., Sousa Pinto, I., Saeedi, H., Newton, J.A., Appeltans, W., Bednaršek, N., Bodrossy, L., Best, B.D., Brandt, A., Goodwin, K., Iken, K., Marques, A., Miloslavich, P., Ostrowski, M., Turner, W., Achterberg, E.P., Barry, T., Defeo, O., Bigatti, G., Henry, L.-A., Sanchez, B.R., Muñoz, P.D., Cuadro, M.M., Morato, T., Roberts, M., Garcia-Alegre, A.G., Murton, B.J. (2019): Global Observational Needs and Resources for Marine Biodiversity. *Frontiers in Marine Science*, section Ocean Observation, doi: 10.3389/fmars.2019.00367.
- Guggolz, T., Meißner, K., Schwentner, M., Brandt, A. (2019): Diversity and distribution of *Laonice* species (Annelida: Spionidae) in the equatorial North Atlantic and Puerto Rico Trench. *Nature Scientific Reports*: 2019, 9:9260 | <https://doi.org/10.1038/s41598-019-45807-7>.
- Ashford, O.S., Kenny, A.J., Barrio Froján, C.R.S., Bonsall, M.B., Horton T., Brandt, A., Bird G.J., Gerken, S. & Rogers, A.D. (2018): Under-dispersed deep-sea crustacean assemblages linked to temperature and trawling. *Proceedings of the Royal Society B* 285: 20180923. <http://dx.doi.org/10.1098/rspb.2018.0923>
- Malyutina, M.V., Chernyshev, A.V., Brandt, A. (2018): Introduction to the SokhoBio (Sea of Okhotsk Biodiversity Studies) expedition 2015. *Deep-Sea Research II*, 154: 1-9.
- Golovan, O., Błażewicz, M., Brandt, A., Jażdżewska, A., Józwiak, P., Lavrenteva, A.V., Malyutina, M.V., Petryashov, V., Riehl, T. (2018): Diversity and distribution of peracarid crustaceans (Malacostraca) from the abyss adjacent to the Kuril-Kamchatka Trench. *Marine Biodiversity*. 49(3): 1343-1360. <https://doi.org/10.1007/s12526-018-0908-3>
- Ostermair, L., Brandt, A., Haszprunar, G., Jörger, K. M., Bergmeier, F. S. (2018): First insights into the Solenogaster diversity of the Sea of Okhotsk with the description of a new species of *Kruppomonia* (Simrothiellidae, Cavibelonia). *Deep-Sea Research II*, 154: 214-229.
- Brasier, M.J., Grant, S.M., Trathan, P.N., Allcock, L., Ashford, O., Blagbrough, H., Brandt, A., Danis, B., Downey, R., Eléaume, M., Enderlein, P., Ghiglione, C., Hogg, O., Linse, K., Mackenzie, M., Moreau, C., Robinson, L., Rodriguez, E., Spiridonov, V., Tate, A., Taylor, M., Waller, C., Wiklund, H. and Griffiths, H.J. (2018): Benthic biodiversity in the South Orkney Islands Southern Shelf Marine Protected Area. *BIODIVERSITY* pp. 1-15, <https://doi.org/10.1080/14888386.2018.1468821>
- Lörz, A.N., Jażdżewska, A.M., Brandt, A. (2018): A new predator connecting the abyssal with the hadal in the Kuril-Kamchatka Trench, NW Pacific. *PeerJ* 6:e4887; DOI 10.7717/peerj.4887
- Kohlbach, D. et al., Brandt, A. (2018): Dependency of Antarctic zooplankton species on ice algae-produced carbon suggests sea ice-driven ecosystem during winter. *Global Change Biology*; 1-15. DOI: 10.1111/gcb.14392
- Brandt, A., Alalykina, I., Fukumori, H., Golovan, O., Kniesz, K., Lavrenteva, A., Loerz, A., Malyutina, M., Philipps-Bussau, K., Stransky, B. (2018): First insights into macrofaunal composition from the SokhoBio

- expedition (Sea of Okhotsk, Bussol Strait and northern slope of the Kuril Kamchatka Trench). Deep-Sea Research II, 154: 106-120.
- Brandt, A., Scholz, J., Allspach, A., Brenke, N., Brix, S., George, K.H., Hörschemeyer, T., Holst, S., Hoppenrath, M., Iwan, F., Janssen, A., Janssen, R., Janussen, D., Jeskulke, K., Fiege, D., Kaiser, S., Kieneke, A., Kihara, T.C., Kröncke, I., Krupp, F., Martha, S.O., Martínez Arbizu, P.M., Meißner, K., Miljutina, M., Miljutin, D., Renz, J., Riehl, T., Saeedi, H., Siegler, V., Sonnewald, M., Stuckas, H., Veit-Köhler, G. (2017 online, 2018): 200 Years of Marine Research at Senckenberg – Selected Highlights. Marine Biodiversity. 200 years of marine research at Senckenberg: selected highlights. Marine Biodiversity 48:159–178. <https://doi.org/10.1007/s12526-017-0839-4>.
- Malyutina, M.V., Brandt, A. (2017 online, 2018): First records of deep-sea Munnopsidae (Isopoda: Asellota) from the Kuril Basin of the Sea of Okhotsk, with description of *Gurjanopsis kurilensis* sp. nov. Deep-Sea Research II 154: 275-291.
- Bober, S., Brix, S., Riehl, T., Schwentner, M., Brandt, A. (2018): Does the Mid Atlantic Ridge affect the distribution of benthic crustaceans across the Atlantic Ocean? Deep-Sea Research II 148: 91-104. <https://doi.org/10.1016/j.dsr2.2018.02.007>
- Devey, C.W.; Augustin, N.; Brandt, A.; Brenke, N.; Köhler, J.; Lins, L.; Schmidt, C.; Yeo, I.A. (2018): Habitat characterization of the Vema Fracture Zone and Puerto Rico Trench. Deep-Sea Research Part II 148: 7-20. <https://doi.org/10.1016/j.dsr2.2018.02.003>
- Bergmeier, F.S., Brandt, A., Schwabe, E. and Jörger, K.M. (2017): Abyssal Solenogastres (Mollusca, Aplacophora) from the Northwest Pacific: Scratching the Surface of Deep-Sea Diversity Using Integrative Taxonomy. Front. Mar. Sci. 4:410. doi: 10.3389/fmars.2017.00410
- Golovan, O.A., Malyutina, M.V., Brandt, A. (2017 online, 2018): Arcturoid isopods (Isopoda: Valvifera) from the SokhoBio expedition: first records from the abyss of the Sea of Okhotsk with description of *Neastacilla birsteini* sp. nov. Deep-Sea Research II.
- Riehl, T., Kaiser, S., Brandt, A. (2018): Vema-Transit – An interdisciplinary study on the bathymetry of the Vema-Fracture Zone and Puerto Rico Trench as well as abyssal Atlantic biodiversity. Deep-Sea Research II 148: 1-6.
- Malyutina, M.V., Frutos, I., Brandt, A. (2017 online, 2018): Diversity and distribution of the deep-sea Atlantic *AcanthoCOPE* (Crustacea, Isopoda, Munnopsidae), with description of two new species. Deep-Sea Research II 148: 130-150.
- Lörz, A.-N., Jązdewska, A.M., A., Brandt, A. (2017 online, 2018): Abyssal *Rhachotropis* (Eusiroidea, Amphipoda) from the Sea of Okhotsk. Deep-Sea Research II 154: 320-329.
- Baker, P., Minzclaff-Weber, U., Schoenle, A., Schwabe, E., Hohlfeld, M., Brenke, N., Rothenbeck, M., Brix, S., Frutos, I., Koppelman, R., Devey, C., Brandt, A., Arndt, H. (2017 online, 2018): Potential contribution of surface-dwelling *Sargassum* algae to deep-sea ecosystems in the southern North Atlantic. Deep-Sea Research II 148: 21-34.
- Riehl, T., Bober, S., Voltski, I., Malyutina, M.V., Brandt, A. (2018): Caught in the act: an abyssal isopod collected while feeding on Komokiaceae. Mar Biodiv Oceanarium (2018) 48:157–158. DOI 10.1007/s12526-016-0606-y
- Riehl, T., Lins, L., Brandt, A. (2017 online, 2018): The effects of depth, distance, and the Mid-Atlantic Ridge on genetic differentiation of abyssal and hadal isopods (Macrostylidae). Deep-Sea Research II 148: 74-90.
- Kniesz, K., Riehl, T., Brandt, A. (2017 online, 2018): Peritrich epibionts on the hadal isopod species *Macrostylis marionae* n. sp. from the Puerto Rico Trench as an indicator for sex-specific behaviour. Deep-Sea Research II 148: 151-179.
- Bober S., Riehl T., Henne S., Brandt A. (2017): New Macrostylidae (Crustacea, Isopoda) from the abyssal Northwest Pacific Basin described by means of integrative taxonomy with a reference to geographic barriers in the abyssal deep sea. Zoological Journal of the Linnean Society XX: 1–55, 40 figures. <https://doi.org/10.1093/zoolinnean/zlx042/4604647>
- Bober S., Riehl T., Brandt, A. (2017 online; 2018): An organ of equilibrium in deep-sea isopods revealed. The statocyst of Macrostylidae (Crustacea, Peracarida, Janiroidea). Zoomorphology 137:71–82. <https://doi.org/10.1007/s00435-017-0376-5>
- Brandt, A., Frutos, I., Bober, S., Brix, S., Brenke, N., Guggolz, T., Heitland, N., Malyutina, M., Minzclaff, U., Riehl, T., Schwabe, E., Zinkann, A.-C., Linse, K. (2017 online, 2018): Composition of abyssal macrofauna along the Vema Fracture Zone and the hadal Puerto Rico Trench, northern tropical Atlantic. Deep-Sea Research II 148: 35-44. <https://doi.org/10.1016/j.dsr2.2017.07.014>
- Schmidt, C., Wolf, K.H.E., Lins, L., Martinez, P., Brandt, A., (2017 online, 2018): Abundance and community pattern of meiofauna in the Vema Fracture Zone and in the Puerto Rico trench. Deep-Sea Research II 148: 236-250.
- Guggolz, T., Lins, L., Meißner, K., Brandt, A. (2017 online, 2018): Biodiversity and distribution of polychaetes (Annelida) in the Vema Fracture Zone. Deep-Sea Research II 148: 54-63.

<https://doi.org/10.1016/j.dsr2.2017.07.013>

- Golovan, O.A., Maljutina, M.V., Brandt, A. (2017): First record of the deep-sea isopod family Dendrotonidae (Isopoda: Asellota) from the Northwest Pacific with description of two new species of *Dendromunna*. *J. Mar. Biodiversity* DOI 10.1007/s12526-017-0725-0.
- Kohlbach, D., Graeve, M., Lange, B.A., David, C., F.J., Schaafsma, van Franeker, J.A., Vortkamp, M., Brandt, A., Leu, E., Flores, H. (2017 online): Overwintering of Weddell Sea under-ice community strongly linked to sea ice-associated food sources. *Journal of Plankton Research*.
- David, C., Schaafsma, F.J., van Franeker, J.A., Lange, B., Brandt, A., Flores, H. (2017): Community structure of under-ice fauna in relation to winter sea-ice habitat properties from the Weddell Sea. *Polar Biology* 40:247-261.
- Frutos, I., Brandt, A., Sorbe, J.C. (2017): Deep-sea suprabenthic communities: the forgotten biodiversity. In: Sergio Rossi, Lorenzo Bramanti, Andrea Gori, Covadonga Orejas (eds.), *Marine Animal Forests*. Springer, Heidelberg, 1-29.
- Brandt, A. (2016): Tiefseebiodiversität am Beispiel des Kurilen-Kamtschatka-Grabens. In: Lozán, J. L. et al. (Hrsg.). *Warnsignal Klima: Die Biodiversität*. pp. 128-133. Online: www.klima-warnsignale.uni-hamburg.de. doi:10.2312/warnsignal.klima.
- Xavier, J.C., Brandt, A., Ropert-Coudert, Y., Badhe, R., Gutt, J., Havermans, C., Jones, C., Costa, E.S., Lochte, K., Schloss, I.R., Kennicutt, M.C. II, Sutherland, W.J. (2016): Future Challenges in Southern Ocean Ecology Research. *Frontiers in Marine Sciences* 3:94. doi: 10.3389/fmars.2016.00094.
- Brandão, S. N., Stuhlmann, A., Vital, V., Brandt, A. (2016): Biogeography of *Abyssocythere* and *Dutoitella* (Ostracoda), with description of three new species. *Zootaxa* 4139 (3): 391–418.
- Brandt, A., Gutt, J., Hildebrandt, M., Pawlowski, J., Schwendner, J., Soltwedel, T., Thomsen, L. (2016): Cutting the umbilical - new technological perspectives in benthic deep-sea research. *Journal of Marine Systems and Engineering* 4, 36; doi:10.3390/jmse4020036.
- Constable, A.J., Costa, D.P., Schofield, O., Newman, L., Urban Jr., E.R., Fulton, E.A., Melbourne-Thomas, J., Ballerini, T., Boyd, P.W., Brandt, A., de la Mare, W.K., Edwards, M., Eléaume, M., Emmerson, L., Fennel, K., Fielding, S., Griffiths, H., Gutt, J., Hindell, M.A., Hofmann, E.E., Jennings, S., La, H-S, McCurdy, A., Mitchell, B.G., Moltmann, T., Muelbert, M., Murphy, E., Press, A.J., Raymond, B., Reid, K., Reiss, C., Rice, J., Salter, I., Smith, D.C., Song, S., Southwell, C., Swadling, K.M., Van de Putte, A., Willis, Z., (2016): Developing priority variables ("ecosystem Essential Ocean Variables" - eEOVs) for observing dynamics and change in Southern Ocean ecosystems. *Journal of Marine Systems* 161: 26–41, doi: 10.1016/j.jmarsys.2016.05.003.
- Brandt, A., Linse, K., Ellingsen, K., Somerfield, P. (2016): Depth-related gradients in community structure and relatedness of bivalves and isopods in the Southern Ocean? *Progress in Oceanography* 144: 25–38, doi: <http://dx.doi.org/10.1016/j.pocean.2016.03.003>
- Miloslavich, P., Webb, T., Snelgrove, P., Vanden Berghe, E., Kaschner, K., Halpin, P.N., Reeves, R.R., Lascelles, B., Tarzia, M., Wallace, B.P., Dulvy, N., Simpfendorfer, C.A., Schillinger, G., Boustany, A., Collette, B.B., Graves, J.E., Obura, D., Edwards, M., Clark, M., Stocks, K., Morato, T., Tunnicliffe, V., Hopcroft, R., Archambault, P., Pepin, P., Tunnell, Jr., J.W., Moretzsohn, F., Escobar-Briones, E., Ojaveer, H., Gobin, J., Nakaoka, M., Fujikura, K., Yamano, H., Li, H., Venkataraman, K., Raghunathan, C., Griffiths, C.L., Bax, N.J., Butler, A.L., Brandt, A., Griffiths, H.J., Rice, J. (2015). *World Ocean Assessment*. Chapter 35 Extent of Assessment of Marine Biological Diversity, p. 1-58.
- Snelgrove, P., Van den Berghe, E., Miloslavich, P., Archambault, P., Bailly, N., Brandt, A., Bucklin, A., Clark, M., Dahdouh-Guebas, F., Danovaro, R., Frere, E., Halpin, P., Hopcroft, R., Kaschner, K., Lascelles, B., Levin, L.A., Menden-Deuer, S., Metaxas, A., Obura, D., O'Dor, R., Reeves, R.R., Rynearson, T., Sato, M., Stocks, K., Tarzia, M., Tittensor, D., Tunnicliffe, V., Wallace, B., Wanless, R., Webb, T., Wei, C.-L. (2015): *World Ocean Assessment*. Chapter 34 Global Patterns in Marine Biodiversity, p.1-37.
- Brandt A., Maljutina, M.V. (2015): The German-Russian deep-sea expedition KuramBio (Kurile Kamchatka Biodiversity Studies) to the abyssal area of the Kuril-Kamchatka Trench on board of the RV *Sonne* in 2012 following the footsteps of the legendary expeditions with RV *Vityaz*. *Deep-Sea Research II* 111: 1-10. doi.org/10.1016/j.dsr2.2014.11.001
- Brandt, A. Stüven, J.K., Caurant, C., Elsner, N.O. (2015): An account of the Ischnomesidae (Peracarida, Isopoda) from the Kurile Kamchatka Trench and abyssal plain (Northwest Pacific) with the description of two new species. *Deep-Sea Research II* 111: 279-294. doi.org/10.1016/j.dsr2.2014.08.014
- Fischer, V., Brandt, A. (2015): Composition of the abyssal fauna of the Kuril-Kamchatka area (NW Pacific) collected with a box corer. *Deep-Sea Research II* 111: 26-34.
- Fischer, V., Elsner, N.O., Brenke, N., Schwabe, E., Brandt, A. (2015): Plastic pollution of the Kuril-Kamchatka-trench area (NW Pacific). *Deep-Sea Research II* 111: 399-406.
- Elsner, N., Maljutina, M.V., Golovan, O.A., Nis Brenke, N., Riehl, T., Brandt, A. (2015): Deep down: Isopod biodiversity of the Kuril-Kamchatka abyssal area including a comparison with previous expeditions of the RV

- Vityaz. Deep-Sea Research II 111: 210-220.
- Malyutina, M.V., Brandt, A. (2015): The first data on the composition and distribution of Munnopsidae (Crustacea, Isopoda, Asellota), collected during the KuramBio expedition 2012 from the Kuril-Kamchatka Trench area. Deep-Sea Research II 111: 245-256. doi.org/10.1016/j.dsr2.2014.08.016
- Brandt A., Elsner N., Brenke, N., Golovan, O.A., Lavrenteva, A.V., Malyutina, M.V., Riehl, T. (2015): Abyssal macrofauna of the Kuril-Kamchatka Trench area collected by means of a camera-epibenthic sledge (Northwest Pacific). Deep-Sea Research II 111: 175-188. 10.1016/j.dsr2.2014.11.002
- Hultgren, K. M.; Brandt, A. (2015): Taxonomy and phylogenetics of the Synalpheus-species-complex (Decapoda, Alpheidae) with a description of two new species. Journal of Crustacean Biology 35(4), 547-558. DOI: 10.1163/1937240X-00002354
- Kennicutt II M., Chown S.L., Cassano J., Liggett D., Massom R., Peck L., Rintoul S., Storey J., Vaughan D., Wilson T., Allison I., Ayton J., Badhe R., Baeseman J., Barrett P., Bell R., Bertler N., Bo S., Brandt A., Bromwich D., Cary C., Clark M., Convey P., Costa E.S., Cowan D., Deconto R., Dunbar R., Elfring C., Escutia C., Francis J., Fricker H., Fukuchi M., Gilbert N., Gutt J., Havermans C., Hik D., Hosie G., Jones C., Kim Y., Le Maho Y., Lee S.H., Leppe M., Leichenkov G., Li X., Lipenkov V., Lochte K., López-Martínez J., Lüdecke C., Lyons W., Marensi S., Miller H., Morozova P., Naish T., Nayak S., Ravindra R., Retamales J., Ricci C., Rogan-Finnemore M., Ropert-Coudert Y., Samah A.A., Sanson L., Scambos T., Schloss I., Shiraishi K., Siegert M.J., Simões J., Sparrow M., Storey B., Wall D., Walsh J., Wilson G., Winther J.G., Xavier J., Yang H., Sutherland W.J. (2014b). A roadmap for Antarctic and Southern Ocean science for the next two decades and beyond. Antarctic Science, online, 1-16, doi:10.1017/S0954102014000674.
- Kennicutt II, M. C., Chown, S. L., Cassano, J. J., Liggett, D., Massom, R., Peck, L. S., Rintoul, S. R., Storey, J., W. V., Vaughn, D. G., Wilson, T. J., Sutherland, W. J., Allison, I., Ayton, J., Badhe, R., Baeseman, J., Barrett, P. J., Bell, R. E., Bertler, N., Bo, S., Brandt, A., Bromwich, D., Cary, C., Clark, M. S., Convey, P., Costa, E. S., Cowan, D., DeConto, R., Dunbar, R., Elfring, C., Escutia, C., Francis, J., Fricker, H. A., Fukuchi, M., Gilbert, N., Gutt, J., Havermans, C., Hik, D., Hosie, G., Jones, C., Kim, Y., Le Maho, Y., Lee, S., Leppe, M., Leichenkova, G., Li, X., Lipenkov, V., Lochte, K., López-Martínez, J., Lüdecke, C., Lyons, W. B., Marensi, S., Miller, H., Morozova, P., Naish, T., Nayak, S., Ravindra, R., Retamales, J., Ricci, C. A., Rogan-Finnemore, M., Ropert-Coudert, Y., Samah, A. A., Sanson, L., Scambos, T., Schloss, I., Shiraishia, K., Siegert, M. A., Simões, J., Sparrow, M. D., Storey, B., Wall, D. H., Walsh, J. C., Wilson, G., Winter, J.-G., Xavier, J. C., Yang, H. (2014a). Six priorities for Antarctic science (and supplementary information). Nature 512: 23-25. doi:10.1038/512023a (all scientists are co-signatories in this COMMENT paper).
- Brandt, A., Griffiths, H., Gutt, J., Linse, K., Schiaparelli, S., Ballerini, T., Danis, B., Pfannkuche, O. (2014): Challenges of Southern Ocean deep-sea biodiversity assessments. Advances in Polar Sciences, Vol. 25 No. 3: 204-212, doi: 10.13679/j.advps.2014.3.00204.
- Meyer-Löbbecke, A., Brandt, A., Brix, S. (2014): Diversity and abundance of deep-sea Isopoda along the Southern Polar Front: Results from the SYSTCO I and II expeditions. Deep-Sea Research II, 108: 76-84.
- Würzberg, L., Zinkann, A.-C., Brandt, A., Janussen, D., Bohn, J.M., Schwabe, E. (2014): Abyssal megafauna sampled with the Agassiz Trawl along the Polar Front during the expedition SYSTCO II (ANTXXVIII/3) – general comments on abundance and comparison of echinoderm biomass estimates. Deep-Sea Research II, 108: 85-94.
- Brandão, S. N. Vital, H., Brandt, A. (2014): Southern Polar Front Macroecological and Biogeographical Insights gained from Benthic Ostracoda. Deep-Sea Research II, 108: 33-50.
- Brandt A., Havermans, C., Janussen, D., Jörger, K.M., Meyer-Löbbecke, A., Schnurr, S., Schüller, M., Schwabe, E., Würzberg, L., Zinkann, A.-C. (2014): Composition of epibenthic sledge catches in the South Polar Front of the Atlantic. Deep-Sea Research II (2014), 108: 69-75.
- Brandt A., Würzberg, L. (2014): Southern Ocean biodiversity – a benthic view to pelagic processes. Deep-Sea Research II (2014), 108: 1-5. DOI: 10.1016/j.dsr2.2014.07.011
- Brandt, A., Vanreusel, A., Bracher, A., Hoppe, C., Lins, L., Meyer-Löbbecke, A., Altenburg Soppa, M., Würzberg, L. (2014): Are boundary conditions in surface productivity at the Southern Polar Front are reflected in benthic activity? Deep-Sea Research II (2014), 108: 51-60.
- Brandt A., Brix, S.B., Held, C, Kihara, T.C. (2014): Molecular differentiation in sympatry despite morphological stasis: deep-sea *Atlantoserolis* Wägele, 1994 and *Glabroserolis* Menzies, 1962 from the south-west Atlantic (Crustacea: Isopoda: Serolidae). Zoological Journal of the Linnean Society 172: 318–359.
- Kersken, D., Göcke, C., Brandt, A., Lejzerowicz, F., Schwabe, E., Sefeld, M., Veit-Köhler, G., Janussen, D. (2014): The infauna of three widely distributed sponge species (Hexactinellida and Demospongiae) from the deep Ekström shelf in the Weddell Sea, Antarctica. Deep-Sea Research II (2014), <http://dx.doi.org/10.1016/j.dsr2.2014.06.005>.
- Douglass, L.L., Beaver, D., Raymond, B., Constable, A.J., Brandt, A., Post, A.L., Kaiser, S., Grantham, H.S., Nicoll, R.A. (2014): Benthic regional classification. In: De Broyer C., Koubbi P., Griffiths H.J., Raymond B.,

- Udekem d'Acoz C. d', Van de Putte A.P., Danis B., David B., Grant S., Gutt J., Held C., Hosie G., Huettmann F., Post A., Ropert-Coudert Y. (eds.), 2014. Biogeographic Atlas of the Southern Ocean. Scientific Committee on Antarctic Research, Cambridge, XII + 498 pp., pp. 414-417.
- Douglass, L.L., Grantham, H.S., Kaiser, S., Constable, A., Nicoll, R., Raymond, B., Post, A., Brandt, A., Beaver, D., (2014): A hierarchical classification of benthic biodiversity and assessment of protected areas in the Southern Ocean. PLOS ONE 9(7): 1-16.
- Riehl, T. Brenke, N., Brix, S.B., Driskell, A., Kaiser, S., Brandt, A. (2014): Field and laboratory methods for DNA studies on deep-sea isopod crustaceans. Polish Polar Research 35(2): 203–224.
- Constable, A.J., Melbourne-Thomas, J., Corney, S.P., Arrigo, K.R., Barbraud, C., Barnes, D.K.A., Bindoff, N.L., Boyd, P.W., Brandt, A., Costa, D.P., Davidson, A.T., Ducklow, H.W., Emmerson, L., Fukuchi, M., Gutt, J., Hindell, M.A., Hofman, H.E., Hosie, G.W., Iida, T., Jacob, S., Johnston, N.M., Kawaguchi, S., Koubbi, P., Lea, M.-A., Makhado, A., Massom, R.A., Meiners, K., Meredith, M.P., Murphy, E.J., Nicol, S., Richerson, K., Riddle, M.J., Rintoul, S.R., Smith Jr., W.O., Southwell, C., Stark, J.S., Sumner, M., Swadling, K.M., Takahashi, K.T., Trathan, P.N., Welsford, D.C., Weimerskirch, H., Westwood, K.J., Wienecke, B.C., Wolf-Gladrow, D., Wright, S.W., Xavier, J.C., Ziegler, P. (2014): Climate change and Southern Ocean ecosystems I: How changes in physical habitats directly affect marine biota. Global Change Biology, 1-22, doi: 10.1111/gcb.12623.
- Connolly, S.R., MacNeil, M.A., Caley, M.J., Knowlton, N., Cripps, E., Hisano, M., Thibaut, L.M., Bhattacharya, B.D., Benedetti-Cecchi, L., Brainard, R.E., Brandt, A., Bulleri, F., Ellingsen, K.E., Kaiser, S., Kröncke, I., Linse, K., Maggi, E., O'Hara, T.D., Plaisance, L., Poore, G.C.B, Sarkar, S.K., Satpathy, K.K., Schückel, U., Williams, A., Wilson, R.S., 2014. Commonness and rarity in the marine biosphere. Proc. Nat. Ac. Sci. 111, 8524-8529. www.pnas.org/cgi/doi/10.1073/pnas.1406664111
- Brandt, A. van de Putte, A., Griffiths, H. (2014): Southern Ocean benthic deep-sea biodiversity and biogeography. In: De Broyer C., Koubbi P., Griffiths H.J., Raymond B., Udekem d'Acoz C. d', Van de Putte A.P., Danis B., David B., Grant S., Gutt J., Held C., Hosie G., Huettmann F., Post A., Ropert-Coudert Y. (eds.), 2014. Biogeographic Atlas of the Southern Ocean. Scientific Committee on Antarctic Research, Cambridge, XII + 498 pp., pp. 233-239.
- Malyutina M.V. & Brandt A. (2014): New species of the deep-sea munnopsid genus *Tythocope* (Crustacea, Isopoda, Asellota) from the south Atlantic and the Weddell Sea. Zootaxa 3786 (1): 001–043.
- Linse, K., Jackson, J.A., Malyutina, M.V., Brandt, A. (2014) Shallow-Water Northern Hemisphere *Jaera* (Crustacea, Isopoda, Janiridae) Found on Whale Bones in the Southern Ocean Deep Sea: Ecology and Description of *Jaera tyleri* sp. nov.. PLoS ONE 9(3): e93018. doi:10.1371/journal.pone.0093018.
- Schnurr, S., Brandt, A., Brix, S., Fiorentino, D., Malyutina, M. & J. Svavarsson (2014): Diversity, Ecology and Distribution of selected munnopsid genera (Crustacea) around Iceland. Deep-Sea Research I 84: 42–155.
- Linse, K., Griffiths, H.J., Barnes, D.K.A., Brandt, A., David, B., Eleaume, M., Glover, A., Mah, C., Munilla, T., O'Loughlin, M., Saucedo, T., Sands, C., Strugnell, J.M., Enderlein, P. (2013): The macro- and megabenthic fauna on the continental shelf of the eastern Amundsen Sea, Antarctica. Continental Shelf Research 68: 80–90.
- Brandt, A. (2014): Marine Biodiversität in den Polarregionen nach der Volkszählung der Meere. In: Lozán, J. L., Grassl, H., Notz, D. & D. Piepenburg (Hrsg.). Warnsignal Klima: Die Polarregionen. pp. 200-205. Online: www.klima-warnsignale.uni-hamburg.de. doi:10.2312/warnsignal.klima.die-Polarregionen.
- Schüller, M., Brandt, A. Ebbe, B. (2013): Diversity of Southern Ocean deep-sea benthos between cosmopolitanism and cryptic speciation: new species from the ANDEEP expeditions. Zootaxa 3692 (1): 4-6.
- Kaiser, S., Brandão, S.N., Brix, S., Barnes, D.K.A., Bowden, D., Ingels, J., Leese, F., Linse, K., Schiaparelli, S., Arango, C., Bax, N., Blazewicz-Paszkwycz, M., Brandt, A., Catarino, A.I., Danis B., David, B.,¹³ De Ridder, C., Dubois, P., Ellingsen, K.E., Glover, A., Griffiths, H.J., Gutt, J., Halanych, K., Havermans, C., Held, C., Janussen, D., Lörz, A.-N., Pearce, D., Pierrat, B., Riehl, T., Rose, A., Sands, C.J., Soler i Membrives, A., Schüller, M., Strugnell, J., Vanreusel, A., Veit-Köhler, G., Wilson, N., Yasuhara, M. (2013): Pattern, process and vulnerability of Southern Ocean benthos - a decadal leap in knowledge and understanding. Marine Biology DOI 10.1007/s00227-013-2232-6.
- Brandt, A. (2013): *Fissarcturus walteri* sp. nov. from the Ross Sea of the Southern Ocean (Isopoda, Antarcturidae). Zootaxa 3670(3) 339-348.
- Nickel, J., Brandt, A. (2013): A new species of *Fissarcturus* Brandt, 1990 (Isopoda, Valvifera, Antarcturidae) from the Southern Ocean, off the South Sandwich Islands. Zootaxa 3692 (1): 136–148.
- Timm, M., Kaiser, S., Brandt, A. (2013): A new species of *Acanthaspidia* Stebbing, 1898 (Isopoda, Asellota, Acanthaspidiidae Menzies, 1962) from the bathyal Weddell Sea (Southern Ocean). Zootaxa 3692 (1): 238–258.
- Riehl, T., Brandt, A. (2013): Southern-Ocean Macrostylidae reviewed with a key to the species and new descriptions from Maud Rise. Zootaxa 3692(1): 160-203.

- Convey, P.; Brandt, A. & S. Nicol (2013): Life in a cold environment. In: D.W.H. Walton (ed.) *Antarctica – Global Science from a Frozen Continent*. CUP, Cambridge, Chapter 10, pp. 161-211.
- Malyutina M.V., Brandt A. (2013): Introduction to SoJaBio (Sea of Japan Biodiversity Studies). *Deep-Sea Research II* 86-87: 1-9.
- Kharlamenko V., Brandt A., Kiyashko S., Würzberg L. (2013): Trophic position of benthic invertebrates from the Sea of Japan derived by multidimensional analysis. Part I: Bathyal communities. *Deep-Sea Research II* 86-87: 34-42.
- Golovan, O.A., Blazewicz-Paszkowycz, M., Brandt, A., Budnikova, L.L., Elsner, N.O., Ivin, V.V., Lavrenteva, A.V., Malyutina, M.V., Petryashov, V.V. Tzareva L.A. (2013): Diversity and distribution of peracarid crustaceans (Malacostraca) from the continental slope and the deep-sea basin of the Sea of Japan. *Deep-Sea Research II* 86-87: 66-78.
- Elsner, N.O., Golovan, G.A.; Malyutina, M. & A. Brandt (2013): Alone in the dark: population structure and reproductive mode of the most prevalent isopod species *Eurycope spinifrons* (Asellota: Munnopsidae). from bathyal and abyssal depths of the Sea of Japan. *Deep-Sea Research II* 86-87: 66-78.
- Brandt A., Elsner N., Golovan, O., Malyutina, M.V., Riehl, T., Schwabe, E., Würzberg, L., Brenke, N. (2013): Epifauna of the Sea of Japan collected via a new epibenthic sledge equipped with camera and environmental sensor systems. *Deep-Sea Research II* 86-87: 43-55.
- Brandt, A., Bamber, R.N., Mühlenhardt-Siegel, U., Malyutina, M., Kaiser, S., Blazewicz-Paszkowycz, M., De Broyer, C., Havermans, C., Osborn, K. (2012): Are there widespread peracarid species in the deep sea (Crustacea: Malacostraca)? *Polish Polar Research* 33(2): 139-162.
- Ingels, J., Vanreusel, A., Brandt, A., Catarino, A.I., David, B., De Ridder, C., Dubois, P.; Gooday, A.J.; Martin, P.; Pasotti, f.; Robert, H. (2012): Possible effects of global environmental changes on Antarctic benthos: a synthesis across five major taxa. *Ecology and Evolution*, pp. 453-485. doi: 10.1002/ece3.96
- Brandt, A. (2012): Southern Ocean deep-sea isopod biodiversity research – from census towards ecosystem functioning. In: G. di Prisco, David Walton, Roland Kallenborn (eds.), *From Pole to Pole: Polar Environmental Research during the International Polar Year 2007 – 2009*, Springer Verlag, Heidelberg, pp. 21-34.
- Brandt, A.; De Broyer, C.; Ebbe, B.; Ellingsen, K.E.; Gooday, A.J.; Janussen, D.; Kaiser, S.; Linse, K.; Schueller, M.; Thomson, M.R.A; Tyler, P.A. & A. Vanreusel (2012): Southern Ocean deep benthic biodiversity. In: *Antarctic Ecosystems: An Extreme Environment in a Changing World*, First Edition. Edited by Alex D. Rogers, Nadine M. Johnston, Eugene J. Murphy and Andrew Clarke. Blackwell Publishing Ltd., Oxford, pp. 291-334.
- Malyutina, M. & Brandt, A. (2011): *Dubinectes infirmus*, a new species of deep-water Munnopsidae (Crustacea, Isopoda, Asellota) from the Argentine Basin, South Atlantic Ocean. *Zookeys* 144: 1–19. doi: 10.3897/zookeys.144.1578
- Brandt, A. & J. Gutt (2011): Biodiversity of a unique environment: The Southern Ocean benthos threat by climate change. In: *Zachos, F. & J. C. Habel, Biodiversity hotspots*, 25, pp. 503-526, Springer Publishers, Heidelberg. DOI 10.1007/978-3-642-20992-5.
- Brandt, A.; Bathmann, U.; Brix, S.; Cisewski, B., Flores, H.; Göcke, C.; Janussen, D.; Krägefsky, S.; Kruse, S.; Leach, H., Linse, K.; Pakhomov, E.; Peeken, I.; Riehl, T.; Sauter, E.; Sachs, O.; Schüller, M.; Schrödl, M.; Schwabe, E.; Strass, V.; van Franeker, J.; Wilmsen, E. (2011): Maud Rise – A snapshot through the water column. *DSR II* 58: 1962-1982. DOI: 10.1016/j.dsr2.2011.01.008
- Brandt, A.; Ebbe, B., Bathmann, U. (2011): Southern Ocean biodiversity – From pelagic processes to deep-sea response. *DSR II* 58: 1945-1947.
- Würzberg, L.; Peters, J.; Flores, H. & A. Brandt (2011 c): Demersal fishes from the Antarctic shelf and deep sea: a diet study based on fatty acid patterns and gut content analyses. *Deep-Sea Research II* (2011) 2036-2042.
- Würzberg, L.; Peters, J.; A. Brandt (2011b): Fatty acid patterns of Southern Ocean shelf and deep sea peracarid crustaceans and a possible food source, foraminiferans. *Deep-Sea Research II* (2011) 2027-2035.
- Würzberg, L.; Peters, J.; Schüller, M. & A. Brandt (2011a): Diet insights of deep-sea polychaetes derived from fatty acid analyses. *Deep-Sea Research II* 58: 153-162. doi:10.1016/j.dsr2.2010.10.014.
- Kaiser, S. Griffiths, H. J., Barnes, D. K. A., Brandão, S. N. & Brandt, A. (2011). Is there a distinct continental slope fauna in the Antarctic? *Deep-sea Research II*, 58: 91–104. (doi: 10.1016/j.dsr2.2010.05.017)
- De Broyer, C., Danis, B., Allock, L., Angel, M., Arango, C., Artois, T., Barnes, D., Bartsch, I., Bester, M., Blachowiak-Samolyk, K., Blasewicz, M., Bohn, J., Brandt, A., Brandão, S. N., David, B., de Salas, M., Eleaume, M., Emig, C., Fautin, D., George, K.H., Gillan, D., Gooday, A., Hopcroft, R., Jangoux, M., Janussen, D., Koubbi, P., Kouwenberg, J., Kuklinski, P., Ligowski, R., Lindsay, D., Linse, K., Longshaw, M., Lopez-Gonzalez, P., Martin, P., Munilla, T., Mühlenhardt-Siegel, U., Neuhaus, B., Norenburg, J., Ozouf-Costaz, C., Pakhomov, E., Perrin, W., Petryashov, V., Pena-Cantero, A.L., Piatkowski, U., Pierrot-Bults, A., Rocka, A., Saiz-Salinas, J., Salvini-Plawen, L., Scarabino, V., Schiaparelli, S., Sschrodl, M., Schwabe, E.,

- Scott, F., Sicinski, J., Siegel, V., Smirov, I., Thatje, S., Utevsky, A., Vanreusel, A., Wiencke, C., Woehler, E., Zdzitowiecki, K. & Zeidler, W. (2011). How many species in the Southern Ocean? Towards a dynamic inventory of the Antarctic marine species. *Deep-sea Research II*, 58: 5-17. (doi:10.1016/j.dsr2.2010.10.007)
- Choudhury, M., Doti, B. & A. Brandt (2011): *Coulmannia rossensis* sp. nov. (Isopoda: Asellota: Paramunnidae) from the Ross Sea, Southern Ocean. *Zookeys* 82: 45-57.
- Ebbe, B., Billett, D.S.M., Brandt, A., Ellingsen, K., Glover, A., Keller, S., Malyutina, M., Martinez Arbizu, P., Molodtsova, T., Rex, M., Smith, C. & A. Tselepidis. 2010. Chapter 8. Diversity of Abyssal Marine Life. Pp. 139-160 in: A.D. McIntyre (ed), *Life in the World's Oceans*. Blackwell Publishing Ltd., 361 pp.
- Ramirez-Llodra, E., Brandt, A., Danovaro, R., Escobar, E., German, C. R., Levin, L. A., Martínez Arbizu, P., Menot, L., Buhl-Mortensen, P., Narayanaswamy, B. E., Smith, C. R., Tittensor, D. P., Tyler, P. A., Vanreusel, A. and M. Vecchione (2010): Deep, diverse and definitely different: unique attributes of the world's largest ecosystem. *Biogeosciences Discussions* 7: 2361-2485.
- Riehl, T. & A. Brandt (2010): Two new species in the genus *Macrostylis* Sars, 1964 (Isopoda, Asellota, Macrostylidae) from the Weddell Sea, with a synonymisation of *Desmostylis* Brandt, 1992 with *Macrostylis*. *ZooKeys* 57: 9–49 (2010) doi: 10.3897/zookeys.@@.310.
- Stransky, B. & A. Brandt (2010): Occurrence, diversity and community structures of peracarid crustaceans (Crustacea, Malacostraca) along the southern shelf of Greenland. *Polar Biology* 33:851–867; DOI 10.1007/s00300-010-0785-0
- Brandt A., Malyutina M., Majorova N., Bashmanov A., Brenke N., Chizhova T., Elsner N., Golovan O., Göcke C., Kaplunenko D., Karnaukhov A., Kharlamenko V., Koptev A., Korovitskaya E., Kudryavtsev A., Lejzerowicz F., Miljutin D., Minin K., Popov O., Riehl T., Savelyev P., Schott T., Schwabe E., Stepanov V., Trebukhova J., Vereshagina O., Würzberg L. (2020): The Russian-German deep-sea expedition (SoJaBio) to the Sea of Japan onboard of the R/V Akademik Lavrentyev 51st Cruise, August 11th – September 5th, 2010 The Cruise Report.
- Brandt, A. (2009): *Acutiserolis poorei* sp. nov. from the Amundsen Sea, Southern Ocean (Crustacea, Isopoda, Serolidae). *Mem. Mus. Vict. Austr.* 66:17-24.
- Malyutina, M. & Brandt, A. (2009): Description of three new species of the deep-sea munnopsid genus *Belonectes* (Crustacea, Isopoda, Asellota) from the Weddell Sea, Southern Ocean. *Zootaxa* 2277: 33-52.
- Brandt, A.; Linse, K. & M. Schüller (2009): Bathymetric distribution patterns of Southern Ocean macrofaunal taxa: Bivalvia, Gastropoda, Isopoda and Polychaeta. *DSR I* 56: 2013-2025. doi:10.1016/j.dsr.2009.06.007
- Brandt, A. & B. Ebbe (2009): Southern Ocean deep-sea biodiversity – from patterns to processes. *Deep-Sea Research II* 56: 1732-1738. doi:10.1016/j.dsr2.2009.05.017
- Brandt, A., Enderlein, P. & K. Linse (2009): Investigations of the unknown: The benthos of the Antarctic deep sea and Amundsen Sea. In: G. and I. Hempel (eds), *Biological studies in Polar Oceans – Exploration of life in icy waters*, pp. 143-150.
- Doti, B.L.; Choudhury, M. & A. Brandt (2009): *Holodentata*, n. gen. of Paramunnidae (Isopoda: Asellota) with description of two new species: *H. caeca* and *H. triangulata* from the Southern Ocean, Antarctica. *Zootaxa* 2096: 395-412.
- Merrin, K. L., Malyutina, M. V. and Brandt, A. (2009): A revision of the munnopsid genus *Bathybadistes* (Isopoda: Asellota: Munnopsidae) with two new species from the Southern Hemisphere. *Invertebrate Systematics* 23: 61-76.
- Kaiser, S., Barnes, D. K. A., Sands, C.J. & A. Brandt (2009): Biodiversity of the Amundsen Sea (Southern Ocean): spatial patterns of richness and abundance in shelf isopods. *Marine Biodiversity* 39: 27-43.
- Choudhury, M. & A. Brandt (2009): Benthic isopods (Crustacea, Malacostraca) from the Ross Sea, Antarctica: species checklist and their distribution in the Southern Ocean. *Polar Biology* 32: 599-610.
- Pearse, J. S., Mooi, R., Lockhart, S.J., Brandt, A. (2009): Brooding and Species Diversity in the Southern Ocean: Selection for Brooders or Speciation within Brooding Clades? In: "Smithsonian at the Poles: Contributions to International Polar Year Science" ed. Igor Krupnik, Michael A. Lang, and Scott E. Miller, pp. 181-196. *Proceedings of Smithsonian at the Poles Symposium*, Smithsonian Institution, Washington, D.C., 3-4 May 2007. Washington, D.C.: Smithsonian Institution Scholarly Press.
- Stuart, C.T.; Martinez Arbizu, P.; Smith, C. R.; Molodtsova, T.; Brandt, A.; Etter, R.; Escobar-Briones, E.; Fabri, M.-C. & M. Rex (2008): CeDAMar global database of abyssal biological sampling. *Aquatic Biology* 4: 143-145.
- Brandt, A. (2008): Deep-sea ecology: infectious impact on ecosystem function. *Current Biology* 18(23): R1104-R1105.
- Brandt, A. & H.G. Andres (2008): A new species of Ischnomesidae (Crustacea: Isopoda) from the Southern Ocean, *Stylomesus weddellensis* sp. nov. *Zootaxa* 1866: 263–276 (CeDAMar volume).
- Kaiser, S.; Barnes, D.K.A., Linse, K. & Brandt, A. (2008): Epibenthic macrofauna associated with the shelf and slope of a young and isolated Southern Ocean island. *Antarctic Science* 20(3): 281-290.

- Brandt, A. (2008): Leben im ewigen Dunkel – Expedition in die Tiefsee des Südozeans. In: D. Fütterer & E. Fahrbach (eds.), „Polarstern – 25 Jahre Forschung in Arktis und Antarktis“, S. 212-220.
- Brandt, A. (2008): Leben in Kälte und Dunkel - Wirbellose in der südpolaren Tiefsee. *Meer und Museum* 20: 114-122.
- Brandt, A. & H.G. Andres (2008): Description of *Aega sarsae* sp. nov. and redescription of *Syscenus atlanticus* Kononenko, 1988 (Crustacea, Isopoda, Aegidae) from the Mid-Atlantic ridge. *Marine Research* 4:61-75.
- Brandt, A. & J. Berge (2007). Peracarid composition, diversity and species richness in the area of the Northeast Water polynya, East Greenland (Crustacea, Malacostraca). *Polar Biology* 31: 15-22. DOI 10.1007/s00300-007-0327-6.
- Kaiser, S. Barnes, D.K.A. & Brandt, A. (2007): Slope and deep-sea abundance across scales: Southern Ocean isopods show how complex the deep sea can be. *DSR II* 54: 1776-1789.
- Linse, K., Brandt, A., Bohn, J., Danis, B., De Broyer, C., Heterier, V., Hilbig, B., Janussen, D., López González, P.J., Schwabe, E., Thomson, M. (2007): Macro- and megabenthic communities in the abyssal Weddell Sea (South Atlantic). *DSR II*, 54:1848–1863.
- Raupach, M.J., Malyutina, M., Brandt, A. & Wägele, J. W. (2007): Molecular data reveal a highly diverse species flock within the deep-sea isopod *Betamorpha fusiformis* (Crustacea: Isopoda: Asellota) in the Southern Ocean. *DSR II*, 54: 1820-1830.
- Malyutina, M. & Brandt, A. (2007b): *Gurjanopsis antarcticus* gen. nov., sp. nov, a new epibenthic deep-sea munnopsid (Crustacea, Isopoda, Munnopsidae) from the Weddell Sea, Southern Ocean. *DSR II* 54: 1806-1819.
- Malyutina, M. & Brandt, A. (2007a): Diversity and zoogeography of Antarctic deep-sea Munnopsidae (Crustacea, Isopoda, Asellota). *DSR II* 54: 1790-1805.
- Brökeland, W., Choudhury, M. & Brandt, A. (2007): Composition, abundance and distribution of Peracarida from the Southern Ocean deep sea, *DSR II*, 54: 1752-1759.
- Brandt, A., Brökeland, W., Choudhury, M., Brix, S., Kaiser, S & Malyutina, M. (2007): Deep-sea isopod biodiversity, abundance and endemism in the Atlantic sector of the Southern Ocean – results from the ANDEEP I - III expeditions. *DSR II*, 54: 1760-1775.
- Brandt, A., Hilbig, B., Gooday, A.J., (2007): Introduction to ANDEEP, summary and outlook. *DSR II*, 54: 1645-1651.
- Choudhury, M. & A. Brandt (2007): Distribution and composition of benthic Isopoda off Victoria-Land Coast (Ross Sea, Antarctica). *Polar Biology* 30: 1431-1437.
- Ellingsen, K., Brandt, A., Hilbig, B. & K. Linse (2007): The diversity and spatial distribution of polychaetes, isopods and bivalves in the Atlantic sector of the deep Southern Ocean. *Polar Biology* 30: 1265-1273.
- Brandt, A., Gooday, A.J., Brix S.B., Brökeland, W., Cedhagen, T., Choudhury, M., Cornelius, N., Danis, B., De Mesel, I., Diaz, R.J., Gillan, D.C., Ebbe, B., Howe, J., Janussen, D., Kaiser, S., Linse, K., Malyutina, M., Brandao, S., Pawlowski, J., Raupach, M., (2007): The Southern Ocean deep sea: first insights into biodiversity and biogeography. *Nature* 447: 307-311.
- Rehm, P., Thatje, S., Mühlenthal-Siegel, U. & A. Brandt (2007): Composition and distribution of the peracarid crustacean fauna along a latitudinal transect off Victoria Land (Ross Sea, Antarctica) with special emphasis on the Cumacea. *Polar Biology* 30: 871 - 881.
- Brandt, A., De Broyer, C., De Mesel, I., Ellingsen, K.E., Gooday, A., Hilbig B., Linse, K., Thomson, M., Tyler, P. (2007): The deep benthos. In: A. Rogers (ed.): *Antarctic Ecology: From Genes to Ecosystems*, Royal Society, London. *Phil. Trans. R. Soc. B* (2007) 362, 39–66
- Kaiser, S. & A. Brandt (2007): On sympatric sibling species within the genus *Austroniscus* Vanhoeffen, 1914 (Isopoda: Nannoniscidae) from the Antarctic shelf. *ZOOTAXA* 1394:47-68.
- Brandt, A. (2007): Three new species of *Fissarcturus* (Isopoda, Antarcturidae) from the Southern Ocean. *Journal of the Linnean Society* 149: 263-290.
- Brandt, A. (2007); *Marine Biology: History and Evolution*. *Encyclopedia of the Antarctic*, vol. 2., ed. Beau Riffenburgh. New York: Routledge, 627-630.
- Brandt, A. (2007); *Marine Biology: Biodiversity, Marine*. *Encyclopedia of the Antarctic*, vol. 1, ed. Beau Riffenburgh. New York: Routledge, 144-149.
- Brandt, A. (2007); *ANDEEP Programme*. *Encyclopedia of the Antarctic*, vol. 1, ed. Beau Riffenburgh. New York: Routledge, 38-39.
- Rehm, P., Arntz, W., Brandt, A. & S. Thatje (2006): Distribution and composition of macrozoobenthic communities along a Victoria-land transect (Ross Sea, Antarctica), with special emphasis on the peracarid crustacean fauna. *Polar Biology* 29:782-790.
- Malyutina, M. & Brandt, A. (2006): A revaluation of the Eurycopinae (Crustacea, Isopoda, Munnopsidae) with a description of *Dubinectes* gen. nov. from the southern Atlantic deep sea. *Zootaxa* 1272: 1-44.
- Choudhury, M. & Brandt, A. (2006) *Mesosignum bathyalis* sp. nov. (Crustacea, Isopoda, Asellota) from the

- bathyal Weddell Sea, Antarctica. Mitt. Ham. zool. Mus. Inst. 103: 129-136.
- Brökeland, W. & Brandt, A. (2006): New records of *Mastigoniscus* Lincoln, 1985 (Isopoda: Asellota: Haploniscidae) in the Southern Ocean, with descriptions of three new species. Mitt. Ham. zool. Mus. Inst. 103: 85-128.
- Bruce, N. & Brandt, A. (2006): A new species of *Cirolana* (Isopoda, Cymothoidea, Cirolanidae) from the western Ross Sea, Antarctica, the first record of the genus from polar waters. Zoosystema 28(2): 315-324.
- Brandt, A. & Bruce, N. (2006): *Edotia tangaroa* sp. nov. (Crustacea: Isopoda: Idoteidae) from the western Ross Sea, Antarctica. Zootaxa 1313: 57-68.
- Brandt, A. (2006): Lebensgemeinschaften der Tiefsee. In: G. Hempel, I. Hempel & S. Schiel (eds.), Ökologisches Lesebuch, H.M. Hauschild Verlag, Bremen, pp. 166-170.
- Brandt, A. (2006): Marine Biodiversität in den Polarregionen: Nordpolarmeer versus Südpolarmeer. In: J. L. Lozán (ed.) Warnsignale aus den Polarregionen 2006, pp. 164-168.
- Guerrero-Kommritz, J. & Brandt, A. (2005): Phylogenetic analysis of genera of “Akanthophoreinae” (Crustacea: Tanaidacea) Organisms, Diversity & Evolution 5:285-296.
- Brandt, A. (2005): Isopoda of the European North Atlantic from depths exceeding 2000 m (without Epicaridea). Mitt. Hamb. Zool. Mus. Inst. 102: 179-190.
- Arndt, C. E., Berge, J. & Brandt, A. (2005): Mouthpart-Atlas of Arctic sympagic amphipods – trophic niche separation based on mouthpart morphology and feeding ecology. Journal of Crustacean Biology 25(3): 401-412.
- Brandt, A., Ellingsen, K.E.E., Brix, S., Brökeland, W. and M. Malyutina (2005): Southern Ocean deep-sea isopod species richness (Crustacea, Malacostraca): influences of depth, latitude and longitude. Polar Biology 28: 284-289.
- Brandt, A. (2005): Evolution of Antarctic biodiversity in the context of the past: the importance of the Southern Ocean deep sea. Antarctic Science 17(4): 509-521.
- Brandt, A., Brenke, N., Andres, H.-G., Brix, S., Guerrero-Kommritz, J., Mühlenhardt-Siegel, U., & J.-W. Wägele (2005): Diversity of peracarid crustaceans (Malacostraca) from the abyssal plain of the Angola Basin. Organisms, Diversity and Evolution 5: 105-112.
- Brandt, A.; Malyutina, M.; Borowski, C.; Schriever, G. & H. Thiel (2004): Munnopsidid isopod attracted to bait in the DISCOL area, Pacific Ocean. Mitt. Hamb. Zool. Mus. Inst. 101: 275-279.
- Brökeland, W. & Brandt, A. (2004): Neoteny in the deep sea asellote family Ischnomesidae (Crustacea: Isopoda) and descriptions of two new species from the Southern Ocean. Deep-Sea Research II 51 (14-16): 1769-1787.
- Brandt, A. C. de Broyer, A. J. Gooday, B. Hilbig & M.R.A. Thomson: Introduction to ANDEEP (ANtarctic benthic DEEP-sea biodiversity: colonization history and recent community patterns: a tribute to Howard L. Sanders (2004): Deep-Sea Research II 51 (14-16): 1457-1467.
- Brandt, A.; Brökeland, W.; Brix, S.; Malyutina, M. (2004): Diversity of Antarctic deep-sea Isopoda (Crustacea, Malacostraca) – a comparison with shelf data. Deep-Sea Research II 51 (14-16): 1753-1769.
- Malyutina, M. & Brandt, A. (2004): An addition to the fauna of Storthyngurinae (Isopoda: Asellota: Munnopsididae) from the Antarctic deep sea with the descriptions of three new species. Beaufortia, 54 (1): 1-38.
- Malyutina, M. & Brandt, A. (2004): Acanthocopinae (Crustacea: Isopoda: Munnopsididae) from the Southern Ocean deep sea with the description of *Acanthocope eleganta* sp. nov. Zootaxa 550:1-20.
- Malyutina, M. & Brandt, A. (2004): *Rectisura menziesi* sp. nov. - a new deep-sea isopod from the Weddell Sea, Southern Ocean (Storthyngurinae: Munnopsididae: Asellota). Mitt. Hamb. Zool. Mus. Inst. 101: 237-247.
- Choudhury, M. & Brandt, A. (2004): *Mesosignum weddellensis* sp. nov. (Crustacea: Asellota: Mesosignidae), a new isopod species from the abyssal Weddell Sea, Antarctica. Zootaxa 501: 1-10.
- Peters, J.; Tuschling, K. & A. Brandt (2004): Zooplankton in the Arctic Laptev Sea – feeding ecology as indicated by fatty acid composition. Journal of Plankton Research 26(2): 227-234.
- Malyutina, M. & A. Brandt (2004): New records of *Storthyngura* (Crustacea, Isopoda, Asellota) from the Antarctic deep sea with descriptions of two new species. Mitt. Mus. Nat.kd. Berl., Zool., Reihe. 80 (1): 3-32.
- Lörz & Brandt (2004): Phylogeny of Antarctic *Epimeria* (Epimeriidae, Amphipoda). Journal of the Marine Biological Association of the United Kingdom 84: 179-190.
- Brandt, A. (2004): New deep-sea species of Macrostylidae (Asellota: Isopoda: Malacostraca) from the Angola Basin off Namibia, South West Africa. Zootaxa 448:1-35.
- Brandt, A. (2004): Abundance, diversity, and community patterns of isopods in the Weddell Sea (Crustacea, Isopoda). (EVOLANTAR), Antarctic Science 16 (1): 5-10.
- Martínez Arbizu, P., Brandt, A., Türkay, M., Wägele, W., Schminke, H.-K. & K. Hausmann (2003): Census of Abyssal Marine Life (CeDAMar). Pp 409-410. In Sustainable use and conservation of biological diversity. A challenge for society. Symposium Report, Part A. BMBF, Pp 464. ISBN:3-00-012577-9

- Lörz, A.-N. & A. Brandt (2003): Composition of suprabenthic Peracarida (Crustacea, Malacostraca) during the Antarctic autumn. *Antarctic Science*, 15 (4): 433-438.
- Gutt, J.; Arntz, W. E.; Balguerias, E.; Brandt, A.; Gerdes, D.; Gorny, M.; Sirenko, B. (2003): Diverse approaches to the questions of biodiversity: German contributions to studies of marine benthos around South America and Antarctica. *Gayana* 76(2): 177-189.
- Fütterer, D. K.; Brandt, A. & G. C. B. Poore (2003): The expeditions Antarktis-XIX/3 and XIX/4 of the Research Vessel POLARSTERN in 2002 (ANDEEP I and II: Antarctic Benthic deep-sea Biodiversity: colonisation history and recent community patterns). *Berichte Polarforsch Meeresforsch.* 470: 1-174.
- Brandt, A. & Poore, G. (2003): Higher classification of flabelliferan and related Isopoda based on a reappraisal of relationships. *Invertebrate Systematics* 17: 893-923.
- Heip, C. ; Brandt, A.; Gattuso, J.-P.; Antia, A.; Berger, W. H.; Boissonnas, J.; Burkill, P.; d'Ozouville, L.; Graf, G.; Herndl, J.; Patching, J.; Reise, K.; Riou, G.; Simó, R.; Smetacek, V. & P. Wassmann (2003): Ecosystem functioning and biodiversity. In: Wefer, G.; Lamy, F.; Mantoura, F. (eds): *Marina Science Frontiers for Europe*. Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, pp. 289-302.
- Brandt, A. (2003): *Frontoserolis abyssalis* sp. nov. and *Serolis arntzi* sp. nov. from the Antarctic deep sea. *Beaufortia* 53(3): 111-128.
- Guerrero-Kommritz, J., Schmidt, A. & A. Brandt (2002): *Paranathrura* Hansen, 1913 (Crustacea: Tanaidacea) from the Angola Basin, description of *Paranathrura angolensis* n. sp. *Zootaxa* 116: 1-12.
- Weitschat, W.; Brandt, A.; Coleman, C.O.; Møller-Andersen, N.; Myers, A. A. & W. Wichard (2002): Taphocoenosis of an extraordinary arthropod community in Baltic amber. *Mitt. Geol.-Paläont. Inst. Univ. Hamburg* 86: 189-210.
- Andres, H. G.; Lörz, A.N. & A. Brandt (2002): *Eusirus giganteus*, n. sp., a huge amphipod from the Weddell Sea, Antarctica with a key to the Antarctic species of Eusiridae. *Mitt. Hamb. Zool. Mus. Inst.* 99: 109-126.
- Brandt, A. & G.C. B. Poore (2002): Suborder Limnoriidea. In: Houston, W.W.K. & P. L. Beesley (eds), *Zoological Catalogue of Australia*. Vol. 19.2A Crustacea: Malacostraca. Syncarida, Peracarida: Isopoda, Tanaidacea, Mictacea, Thermosbaenacea, Speleogriphacea. CSIRO Publishing, Collingwood, Australia, p.196.
- Brandt, A. & Retzlaff, B. (2002): *Anuropus panteni* sp. nov. (Isopoda: Anuropidae) from East Greenland. *Mitt. Hamb. Zool. Mus. Inst.* 99: 127-137.
- Brandt, A. (2002): *Desmostylis gerdesi* sp. nov. (Isopoda, Malacostraca) from Kapp Norvegia, Weddell Sea. *Proc. Biol. Soc. Wash.* 115(3): 616-627.
- Brandt, A. (2002): New species of Nannoniscidae (Crustacea, Isopoda) and *Saetoniscus* n. gen. from the deep sea of the Angola Basin. *Zootaxa* 88: 1-36.
- Schmidt, A.; Siegel, V. & A. Brandt (2002): Postembryonic development of *Apseudes heroae* Sieg, 1986 and *Allotanais hirsutus* (Beddard, 1886). *Antarctic Science* 14 (3): 201-211.
- Brandt, A. (2002): *Cylindrarturus longitelson* n. sp. from the South Shetland Islands, Antarctica. *Beaufortia* 52 (3): 25-35.
- Brandt, A. (2002): *Storhyngura spinosissima* n. sp. from the Weddell Sea and the Drake Passage. *Beaufortia* 52 (1): 1-13.
- Storch, V., Strus, J. & A. Brandt (2002): Microscopic anatomy and ultrastructure of the alimentary canal of *Natolana obtusata* (Vanhöffen, 1914) (Crustacea, Isopoda). *Acta Zoologica* 83: 1-14.
- Linse, K.; Brandt, A.; Hilbig, B. & G. Wegener (2002): Composition and distribution of suprabenthic fauna in the southeastern Weddell Sea and at King George Island. *Antarctic Science* 14(1): 3-10.
- Brandt, A. & M. Malyutina (2002): *Storhyngura kussakini* sp. nov. from the Southern Ocean. *Mitt. Mus. Nat.kd. Berl., Zool., Reihe* 78 (1): 97-107.
- Schmidt, A. & A. Brandt (2001): Diversity of Subantarctic Tanaidacea (Crustacea, Malacostraca) in and off the Beagle Channel. *Polish Polar Research* 22 (3-4): 213-226.
- Schmidt, A. & A. Brandt (2001): The tanaidacean fauna of the Beagle Channel (southern Chile) and its relationship to the fauna of the Antarctic continental shelf. *Antarctic Science* 13 (4): 420-429.
- Poore, G. C. B. & Brandt, A. (2001): *Plakarthrium australiense*, a third species of Plakarthriidae (Crustacea, Isopoda). *Mem. Mus. Vic.* 58(2): 373-382.
- Negoescu, I. & A. Brandt (2001): *Apanthura monodi* sp. nov. and *Apanthura forceps* sp. nov. (Isopoda: Anthuridea) from the southwest Pacific Ocean, Papua New Guinea and redescription of two species. *Mitt. Hamb. Zool. Mus. Inst.* 98: 99-130.
- Andres, H.G. & Brandt, A. (2001): Lepechinellid genera *Paralepechinella* Pirlot, 1933 and *Lepeschinelloides* Thurston, 1980: first records from Antarctica (Crustacea: Amphipoda). *Mitt. Hamb. Zool. Mus. Inst.* 98: 77-97.
- Brandt, A. & G. C. B. Poore (2001): Two new species of *Tridentella* (Crustacea: Isopoda: Tridentellidae) from Namibia. *Beaufortia* 51 (11): 199-212.
- Brandt, A. (2001): *Acanthaspidia namibia* sp. nov. from the deep Angola basin. *Beaufortia* 51 (5): 91-101.

- Brandt, A. (2001): Great differences in peracarid crustacean density of Arctic and Antarctic deep sea. *Polar Biology* 24: 785-789.
- Piepenburg, D.; Brandt, A.; Mayer, M.; Schnack, K.; Seiler, D.; von Juterzenka, K.; Witte, U. & M. Spindler (2000): Patterns in the distribution and structure of benthic assemblages in the northern North Atlantic. In: Schäfer, P., Ritzrau, W., Schlüter, M., & J. Thiede (eds.): *The Northern North Atlantic: A Changing Environment*. Springer, Berlin 2000, pp. 179-198.
- Postel, U.; Becker, W.; Brandt, A.; Luck-Kopp, S.; Riesenpatt, S.; Weihrauch, D. & D. Siebers (2000): Active osmoregulatory ion uptake across the pleopods of the isopod *Idotea baltica* (Pallas, 1772): Electrophysiological measurements on isolated split rami mounted in a micro-ussing chamber. *Journal of Experimental Biology* 203: 1141-1152.
- Brandt, A. (2000): Hypotheses on Southern Ocean peracarid evolution and radiation (Crustacea, Malacostraca). *Antarctic Science* 12 (3): 269-275.
- Wolff, T. & A. Brandt (1999): Caribbean species of Munnidae, Paramunnidae, and Santiidae (Isopoda, Asellota). *Steenstrupia* 25:121-146.
- Brandt, A.; Linse, K. & U. Mühlenhardt-Siegel (1999): Biogeography of Crustacea and Mollusca of the Magellan and Antarctic region. *Scientia Marina* 63(1): 383-389.
- Brandt, A. (1999): On the origin and evolution of Antarctic Peracarida (Crustacea, Malacostraca). *Scientia Marina*, 63(1): 261-274.
- Brandt, A. (1999): *Dolichiscus spinosetosus* n. sp., a new arcturid isopod from the Weddell Sea, Antarctica. *Antarctic Science* 11(4): 399-407.
- Brandt, A. (1999): Redescriptions of *Paramunna lunata* Hale, 1937 and *Pleurosignum chilensis* Menzies, 1962 (Crustacea, Isopoda, Paramunnidae). *Mitt. Hamb. Zool. Mus. Inst.* 96: 129-139.
- Brandt, A. (1999): Redescription of *Heteroserolis mgrayi* (Menzies & Frankenberg, 1966), the northernmost species of the Serolidae from Florida (Crustacea, Isopoda). *Senckenbergiana biologica* 79(2): 195-210.
- Brandt, A.; Thomsen, H.; Heide Jørgensen, H.; Kristensen, R. M. & H. Ruhberg (eds.) (1999): The 1998 Danish-German Excursion to Disco Island, West Greenland. *Berichte zur Polarforschung* 330: 1-184.
- Brandt, A.; Mühlenhardt-Siegel, U. & A. Schmidt (1999). Density, diversity, and community patterns of selected peracarid taxa (Crustacea, Malacostraca) in the Beagle Channel, South America. *Proceedings of the Fourth International Crustacean Congress, Amsterdam, The Netherlands, July 20-24, 1998. "Crustaceans in the Biodiversity Crisis"*, Schramm, F. R. & J. C. von Vaupel Klein, Brill, Leiden, 541-558.
- Brandt, A.; Crame, A.; Polz, H. & M. Thomson (1999): Late Jurassic Tethyan ancestry of recent southern high latitude marine isopods (Crustacea, Malacostraca). *Palaeontology* 42 (4): 663-675.
- Brandt, A. & K. Schnack (1999): Macrofaunal abundance at 79°N off East Greenland: opposing data from epibenthic-sledge and box-corer samples. *Polar Biology* 22: 75-81.
- Brandt, A. (1999): Redescription of *Echinomunna horrida* Vanhöffen, 1914, a highly derived and rare species from the Antarctic (Crustacea, Isopoda, Munnidae). *Bulletin Zoologisch Museum, Amsterdam*, 17(2): 9-16.
- Brandt, A. (1998): Sphaeromatidae (Crustacea, Isopoda) of the Beagle Channel and description of *Cymodopsis beageli*, n. sp.. *Beaufortia*, 48 (7): 137-161.
- Linse, K. & Brandt, A. (1998): Distribution of epibenthic Mollusca on a transect through the Beagle Channel (southern Chile). *Journal of the Marine Biological Association of the United Kingdom* 78: 875-889.
- Brandt, A.; Mühlenhardt-Siegel, U. & V. Siegel (1998): An account of the Mysidacea (Crustacea, Malacostraca) of the Southern Ocean. *Antarctic Science* 10 (1): 3-11.
- Poore, G. C. B & A. Brandt (1997): Crustacea Isopoda Serolidae: *Acutiserolis cidaris* and *Caecoserolis novaecaledoniae*, two new species from the Coral Sea. *Res. Camp. Musorstrom* 18, Mem. Mus. Nat. Hist. 176:151-168.
- Piepenburg, D.; Ambrose, W. G.; Brandt, A.; Renaud, P. E., Ahrens, M. J. & P. Jensen (1997): Benthic community patterns reflect water column processes in the Northeast Water Polynya (Greenland). *J. Marine Systems* 10: 467-482.
- Brandt, A. (1997): Biodiversity of peracarid crustaceans (Malacostraca) from the shelf down to the deep Arctic Ocean. *Biodiversity and Conservation* 6: 1533-1556.
- Brandt, A.; Linse, K. & U. Weber (1997): Abundance and diversity of peracarid taxa (Crustacea, Malacostraca) along a transect through the Beagle Channel, Patagonia. *Polar Biology* 18: 83-90.
- Brandt, A. & I. Negoescu (1997): Revision of the Arctic-boreal species *Calathura brachiata* (Stimpson, 1853) (Isopoda, Anthuridea, Paranthuridae). *Crustaceana* 70(4): 418-453.
- Brandt, A. (1997): Redescription of *Munnopsurus giganteus* (Sars, 1879) (Isopoda, Asellota, Munnopsidae, Eurycopidae) and description of its postembryonal development. *Crustaceana* 70(3): 288-303.
- Seiler, D. & A. Brandt (1997): Seasonal occurrence of Crustacea in sediment trap samples in three depth horizons off the Greenland Sea. *Polar Biology* 17: 337-349.
- Brandt, A. (1997): Abundance, diversity, and community patterns of epi- and benthic-boundary layer Crustacea

- Peracarida at 75°N of East Greenland. *Polar Biology* 17: 159-174.
- Vassilenko, S. V. & A. Brandt (1996): Composition and biogeographic structure of the Cumacea (Peracarida) off Northeast Greenland (New Polynya). *Arthropoda Selecta* 5(3/4): 27-38.
- Brandt, A. (1996): Peracarid crustaceans from a "time-series-station" in the Westwind Trough of the NEW-Polynya (Greenland) document a benthic response to productivity. *Crustaceana* 69 (8): 985-1004.
- Barthel, D. & A. Brandt (1996): *Gnathia robusta* (G. O. Sars, 1879) (Crustacea, Isopoda) in *Geodia mesotriaena* (Hentschel, 1929) (Demospongiae, Choristidae) at 75°N off NE Greenland. *Sarsia* 80: 223-228.
- Brandt, A., Vassilenko, S., Piepenburg, D. & M. Thurston (1996): The species composition of the peracarid fauna (Crustacea, Malacostraca) of the Northeast Water Polynya (Greenland). *Meddelelser om Groenland, Bioscience* 44: 1-30.
- Brandt, A. & Barthel, D. (1995): An improved supra- and epibenthic sledge for catching Peracarida (Crustacea, Malacostraca). *Ophelia* 43 (1): 15-23.
- Brandt, A. (1995): The Peracarida (Crustacea, Malacostraca) of the Northeast Water Polynya off Greenland, documenting close pelagic-benthic coupling. *Marine Ecology Progress Series* 121: 39-51.
- Brandt, A. & S. V. Vassilenko (1995): Amphipoda from Northeast Greenland: a new genus and two new species (Crustacea: Peracarida). *Journal of Natural History* 29: 1447-1459.
- Brandt, A. (1995): Taxonomie in der Polarforschung - unverzichtbar?! In: Hempel, I & G. Hempel (Hrg.) "Biologie der Polarmeere", Gustav Fischer Verlag, Jena, 282-290.
- Janssen, H. H. & A. Brandt (1994): *Heterocephon marginatum* Shiino, 1936, (Crustacea: Isopoda: Epicaridea: Bopyridae), a new Philippine hyperparasite, and a short review of the biology of the Bopyridae. *Philippine Scientist* 31: 5-31.
- Brandt, A., Svavarsson, J. & T. Brattegard (1994): *Eurycope brevis* (Isopoda, Asellota) from the deep Arctic Ocean; redescription, postmarsupial development and reproductive patterns. *Sarsia* 79: 127-143.
- Brandt, A. & H. H. Janssen (1994): Redescription of *Zonophryxus quinquedens* Barnard, 1913 (Crustacea, Isopoda, Bopyridae) from the Weddell Sea, Antarctica (with remarks on the zoogeography). *Polar Biology* 14: 343-350.
- Brandt, A. (1994): Acanthaspidiidae (Crustacea: Isopoda) from the continental shelf and slope of southeastern Australia with description of two new species. *Memoirs of the Museum of Victoria* 54: 125-147.
- Brandt, A. & D. Piepenburg (1994): Peracarid crustacean assemblages of the Kolbeinsey-Ridge, north of Iceland. *Polar Biology* 14: 97-105.
- Brandt, A. (1993): *Notophryxus clypeatus* Sars, 1885, a parasitic isopod of mysidaceans from the Kolbeinsey-Ridge, North Atlantic. *Sarsia* 78: 123-127.
- Winkler, H. & A. Brandt (1993): Janiridae (Crustacea, Asellota) from the Southern Hemisphere: *Janiropsis varians* sp. n., and redescription of five little known species. *Zoologica Scripta* 22(4): 387-424.
- Brandt, A. (1993): Composition, abundance and diversity of peracarid crustaceans on a transect of the Kolbeinsey-Ridge, north of Iceland. *Polar Biology* 13: 565-576.
- Brandt, A. (1993): Redescription of *Janiralata pulchra* (Hansen, 1916) (Janiridae) from the Kolbeinsey-Ridge, North Atlantic, and synonymy with *Ianthopsis (Acanthaspidiidae)*. *Ophelia* 37:127-141.
- Zimmermann, A. & A. Brandt (1992): New results of the "EPOS" leg 3-cruise to Antarctica: Horizontal and vertical distribution of isopods (Crustacea) in the eastern Weddell Sea. *Polar Biology* 12: 121-128.
- Wägele, J. W. & A. Brandt (1992): Aspects of the biogeography and biology of Antarctic isopods (Crustacea). In: V. A. Gallardo, O. Ferretti & H. I. Moyano (eds.): *Oceanografia in Antartide*. ENEA - PROGRETTO ANTARTIDE - ITALIA, pp. 417-420.
- Brandt, A. (1992): Comparative morphology of *Frontoserolis* Brandt, 1991, *Heteroserolis* Brandt, 1991, and *Thysanoserolis* Brandt, 1991 (Crustacea, Isopoda, Serolidae). *Zoologischer Anzeiger* 229 (5/6): 227-235.
- Brandt, A. (1992): *Nannoniscus bidens* Vanhöffen, 1914 from West Antarctica (Crustacea, Isopoda, Nannoniscidae). *Zoologischer Anzeiger* 228(3-4): 140-148.
- Brandt, A. (1992): Origin of Antarctic Isopoda (Crustacea, Malacostraca). *Marine Biology* 113: 415-423.
- Brandt, A. (1992): A new deep-sea isopod from the Weddell Sea, Antarctica, *Coperonus pinguis* n. sp. (Crustacea, Isopoda, Munnopsidae). *Bijdragen tot de Dierkunde* 62(1): 55-61.
- Brandt, A. (1992): The genus *Coperonus* (Isopoda: Asellota: Munnopsidae). *Journal of the Linnean Society* 106: 63-95.
- Brandt, A. (1992): The occurrence of the asellote isopod genera *Haplomesus* (Ischnomesidae) and *Haplomiscus* (Haplomiscidae) in Antarctica, with two redescription and description of *Ischnomesus curtispinis* n. sp. *Mitteilungen des Zoologischen Museums Berlin* 68(2): 183-207.
- Brandt, A. (1992): New Asellota from the Antarctic deep sea (Crustacea, Isopoda, Asellota), with description of two new genera. *Zoologica Scripta* 21(1):57-78.
- Brandt, A. (1992): Biogeography and redescription of the deep-sea isopod *Mesosignum antarcticum* Schultz, 1979 (Isopoda, Asellota, Mesosignidae). *Zoologischer Anzeiger* 227(3/4): 229-239.

- Brandt, A. & Wägele, J. W. (1991): Parasitic Isopoda of the Family Gnathiidae from the Atlantic Sector of the Southern Ocean, Redescriptions and Remarks on the Synonymy (Crustacea, Isopoda). *Senckenbergiana maritima* 21(5/6): 233-261.
- Brandt, A. (1991): Zur Besiedlungsgeschichte des antarktischen Schelfes am Beispiel der Isopoda (Crustacea, Malacostraca). *Berichte zur Polarforschung* 98: 1-240.
- Brandt, A. (1991): Redescriptions of the most frequent Antarctic fish parasites *Aega glacialis* Tattersall, 1921 and *Aega antarctica* Hodgson, 1910 (Crustacea, Isopoda, Aegidae). *Senckenbergiana Maritima* 21(5/6): 215-232.
- Brandt, A. (1991): Revision of the Acanthaspididae Menzies, 1962 (Asellota, Isopoda, Crustacea). *Journal of the Linnean Society of London* 102: 203-252.
- Brandt, A. (1990): The Deep-Sea Genus *Echinozoe* Sars, 1897 and its Occurrence on the Continental shelf of Antarctica (Ilyarachnidae, Munnopsidae, Isopoda, Crustacea). *Antarctic Science* 2(3): 215-219.
- Brandt, A. & Wägele, J. W. (1990): Isopoda (Aseln). In: Sieg, J. & Wägele, J. W. (Hrsg.) *Fauna der Antarktis*. Verlag Paul Parey, Berlin und Hamburg, S. 152-160.
- Brandt, A. & Wägele, J. W. (1990): Redescription of *Pseudidothea scutata* (Stephensen, 1947) (Crustacea, Isopoda, Valvifera) and adaptations to a microphagous nutrition. *Crustaceana* 58 (1): 97-105.
- Brandt, A. & Wägele, J. W. (1989): Redescriptions of *Cymodocella tubicauda* Pfeffer, 1878 and *Exosphaeroma gigas* (Leach, 1818) (Crustacea, Isopoda, Sphaeromatidae). *Antarctic Science* 1(3): 205-214.
- Wägele, J. W. & Brandt, A. (1988): *Protognathia* n. gen. *bathypelagica* (Schultz, 1978) rediscovered in the Weddell Sea: A missing link between the Gnathiidae and the Cirolanidae (Crustacea, Isopoda). *Polar Biology* 8: 359-365.
- Brandt, A. & Wägele, J. W. (1988): *Antarcturus bovinus* n. sp., a new Weddell Sea isopod of the family Arcturidae (Isopoda, Valvifera) *Polar Biology* 8: 411-419.
- Brandt, A. (1988): Morphology and ultrastructure of the sensory spine, a presumed mechanoreceptor of the isopod *Sphaeroma hookeri* (Crustacea, Isopoda) and remarks on similar spines in other peracarids. *J. Morphol.* 198: 219-229.
- Wägele, J. W. & Brandt, A. (1985): New West Atlantic localities for the stygobiont paranthurid *Curassanthura* (Crustacea, Isopoda, Anthuridea) with description of *C. bermudensis* n. sp. *Bijdr. tot de Dierkd.* 55 (2): 324-330.

Books

- Bridges, A.E.H., Howell, K.L., Amaro, T., Atkinson, L., Barnes, D.K.A., Bax, N., Bell, J.B., Bernardino, A.F., Beuck, L., Braga-Henriques, A., Brandt, A., Bravo, M.E., Brix, S., Butt, S., Carranza, A., Doti, B.L., Elegbede, I.O., Esquete, P., Freiwald, A., Gaudron, S.M., Guillhon, M., Hebbeln, D., Horton, T., Kainge, P., Kaiser, S., Lauretta, D., Limongi, P., Mcquaid, K.A., Milligan, R.J., Miloslavich, P., Narayanaswamy, B.E., Orejas, C., Paulus, S., Pearman, T.R.R., Perez, J.A., Ross, R.E., Saedi, H., Shimabukuro, M., Sink, K., Stevenson, A., Taylor, M., Titschack, J., Vieira, R.P., Vinha, B. & Wienberg, C. 2023. Review of the Central and South Atlantic Shelf and Deep-Sea Benthos: Science, Policy and Management. *Oceanography and Marine Biology: An Annual Review (OMBAR)*, 4. 1st Edition, CRC Press, 92 pages, eBook ISBN 9781003363873; DOI: 10.1201/9781003363873-5.
- Saedi, H., Brandt, A. (2020): *Biogeographic Atlas of the Deep NW Pacific Fauna*. Advanced Books. Pensoft Publisher; Sofia, Bulgaria; appr. 528 pages; <https://ab.pensoft.net/book/51315/> <https://doi.org/10.3897/ab.e51315>. <https://ab.pensoft.net/>
- Xavier JC, Chereil Y, Boxshall, G., Brandt, A., Coffey, T., Forman, J., Havermans, C., Jazdzewska, A. M., Kouwenberg, J., Schnabel, K., Schiaparelli, S., Siegel, V., Tarling, G. A., Thatje, S., Ward, P., Gutt, J. (2020) *Crustacean guide for predator studies in the Southern Ocean*. Scientific Committee on Antarctic Research, Cambridge, UK. 260pp. ISBN 978-0-85665-146-5.
- Naylor, E., Brandt, A. (2015): *Intertidal Marine Isopods*. *Synopses of the British Fauna (New Series)*. Edited by J.H. Crothers and P.J. Hayward. Linnean Society of London, London, No. 3: 1-144. ISBN 978-1-908819-23-9.
- Malyutina, M., Lutaenko, K., Brandt, A. (2013): Proceedings of the Russian-German Workshop „Future Vision II“. *Deep-Sea Investigations in the Northwestern Pacific*. Vladivostok, Russia, September 6-12 2013. A.V. Zhirmunsky Institute of Marine Biology FEB RAS, Vladivostok, 1-92.
- Willmott, V., Azzolini, R., Brandt, A., Brinkhuis, H., Camerlenghi, A., Coakley, B., De Santis, L., Kristoffersen, Y., Lembke-Jene, L., Rebesco, M., Thiede, J. (2012): *The Aurora Borealis Science Plan*. ESF Publication, pp. 1-161.

- Brandt, A., Kotthoff, U. & G. Kranz (2010): Naturwissenschaftliche Museen und Sammlungen Hamburg – VNSH. Hamburg, Zoologisches Museum Hamburg, Druckerei Steffens, 1-68, ISBN: 978-3-00-031816-0.
- Brandt, A.; Haas, A.; Misof, B. & R. Thiel (2008): Zoologisches Museum Hamburg. Wissenschaftliche Sammlungen und Forschung. Hamburg, Zoologisches Museum Hamburg, 1-75.
- Spindler, M., Arntz, W., Kleinschmidt, G., Oerter, H., Brandt, A. (2005): Deutsche Forschung in der Antarktis. Wissenschaftlicher Fortschritt und Perspektiven. DFG Denkschrift. Wiley-VCH Verlag Weinheim, 1-211.
- Brandt, A. (1990): Antarctic Valviferans (Crustacea, Isopoda, Valvifera): New Genera, New Species, and Redescriptions. Brill, Leiden, 178 Seiten.
- Brandt, A. (1988): Antarctic Serolidae and Cirolanidae (Crustacea, Isopoda): New Genera, New Species, and Redescriptions, With a Key to the Antarctic Serolidae and Cirolanidae. Koeltz, Theses Zoologicae, 143 Seiten.

Books or journal volumes edited

- Saeedi, H., Reimer, J.D., Brandt, A. (planned 2023): Mapping Marine Biodiversity Knowledge Gaps Using Open Data. Diversity, xx pages, xx articles.
- Brandt A., Brix, S., Malyutina, M.V., Riehl, T. (eds.) (2020): Biodiversity and biogeography of the abyssal and hadal Kuril-Kamchatka Trench and adjacent NW Pacific deep-sea regions. Progress in Oceanography. 672 pages, 49 articles.
- Malyutina, M.V., Chernyshev, A.V., Brandt, A. (eds.) (2018): SokhoBio (Sea of Okhotsk Biodiversity Studies). Deep-Sea Research II 154: 1-382.
- Brandt A., Kaiser, S., Riehl, T. (eds.) (2018): bathymetry of the Vema-Fracture Zone and Puerto Rico Trench and Abyssal Atlantic Biodiversity Study (Vema-TRANSIT). Deep-Sea Research II 148: 1-259.
- Brandt, A. (2016): "Research Tools and Methods for Marine Species Acquisition and Identification". Journal of Marine Science and Engineering.
- Brandt A., Malyutina, M.V. (eds.) (2015): The German-Russian deep-sea expedition KuramBio (Kurile Kamchatka Biodiversity Studies) to the abyssal area of the Kuril-Kamchatka Trench on board of the RV *Sonne* in 2012 following the footsteps of the legendary expeditions with RV *Vityaz*. Deep-Sea Research II 111: 1-405.
- Brandt, A., Würzberg, L. (2014): Southern Ocean deep sea – a benthic view to pelagic processes. Deep-Sea Research II: 108: 1-112.
- Schüller, M., Brandt, A., Ebbe, B. (2013): Diversity of Southern Ocean deep-sea benthos between cosmopolitanism and cryptic speciation: new species from the ANDEEP expeditions. Zootaxa 3692: 1-258.
- Malyutina, M. & Brandt, A. (2013): SoJaBio (Sea of Japan Biodiversity study). Deep-Sea Research II (guest editors) 86-87: Pages 1-238.
- Brandt, A. & Ebbe, B. (2011): Southern Ocean biodiversity - from pelagic processes to deep-sea response. Deep-Sea Research II (19-20): 1945-2050.
- Brandt, A. & Ebbe, B. (2007): ANDEEP III Antarctic benthic DEEP-sea biodiversity: colonisation history and recent community patterns. Deep-Sea Research II, 54(16-17): 1645-1904.
- Brandt, A. & Hilbig, B. (2004): ANDEEP (Antarctic benthic DEEP-sea biodiversity: colonization history and recent community patterns) - a tribute to Howard L. Sanders. Deep-Sea Research II, 51 (14-16): 1457-1919.

Scientific films

- Wägele, J. W. & Brandt, A. (1989): Organisation und Bewegungsweisen der Arcturidae (Isopoda). Wissenschaftlicher Film (IWF) C 1679 mit Begleitheft, Publ. Wiss. Film., Biol. 21 (1991), 1-10.

Online datasets

- Knauber H., Kohlenbach K., Böhm, P., Lüter C., Ziegler, A., Brandt A., Saeedi H. (2023): Knauber H, Kohlenbach K, Yasuhara P, Lüter C, Werner R, Brandt A, Saeedi H (2023). Data in Brief.**
- Knauber H., Kohlenbach K., Yasuhara P., Lüter C., Werner R., Brandt A., Saeedi H. (2023). Deep-sea benthic crustacean, polychaete, and sipunculid data from the Bering Sea. Deep-sea OBIS node. Sampling event dataset <https://doi.org/10.15468/acfpyn> accessed via GBIF.org on 2023-03-02.
- Knauber, H., Kohlenbach, K., Brandt, A., & Saeedi, H. (2023). Crustaceans of the Northwest Pacific Ocean:

- Species richness and distribution patterns. *J. Sea Res.* 191, 102332. DOI: <https://doi.org/10.1016/j.seares.2022.102332>
- Brandt, Angelika (2023): Master tracks in different resolutions of SONNE cruise SO293, Dutch Harbour - Vancouver, 2022-07-22 - 2022-09-06. Senckenberg Forschungsinstitut und Naturmuseum, Frankfurt, PANGAEA, <https://doi.pangaea.de/10.1594/PANGAEA.954253> (DOI registration in progress).
- Knauber, H., Riehl, T., Brandt, A. (2022) Haploniscid isopods from the Kuril-Kamchatka Trench and the Sea of Okhotsk collected during the SokhoBio (2015) and KuramBio II (2016) expeditions in the Northwest Pacific. https://ipt.iobis.org/obis-deepsea/resource?r=deep-sea_haploniscid_isopods.
- Kaiser, S., Brix, S., Kürzel, K., Brandt, A., Martinez Arbizu, P., Brenke, N., Mühlenhardt-Siegel, U., Wägele, J.W., 2022b. Benthic macrofauna from the abyssal equatorial and South Atlantic collected during the DIVA 2 expedition (2005) using an epibenthic sledge. Deep-sea OBIS node. Occurrence dataset <https://doi.org/10.15468/6u9w5w> accessed via GBIF.org on 2022-07-01.
- Kaiser, S., Brix, S., Saeedi, H., Kürzel, K., Brandt, A., Martinez Arbizu, P., Brenke, N., Mühlenhardt-Siegel, U., Wägele, J.W., 2022a. Benthic macrofauna from the abyssal equatorial and South Atlantic collected during the DIVA 1&3 expeditions (2000, 2009) using an epibenthic sledge. Deep-sea OBIS node. Occurrence dataset <https://doi.org/10.15468/t4s8s3> accessed via GBIF.org on 2022-07-01.
- Jennings, R., Brix, S., Held, C., Kaiser, S., Driskell, A., Brandt, A. (2021), Evolution and phylogeny of the deep-sea isopod families Desmosomatidae Sars, 1897 and Nannoniscidae Hansen, 1916 (Isopoda: Asellota), Dryad, Dataset, <https://doi.org/10.5061/dryad.9w0vt4bfp>
- Brandao, S., Saeedi, H. Brandt, A. (2021): "Benthic and benthopelagic Ostracoda from a wide depth range (189-6224 m) in the Atlantic Sector of the Southern Ocean" Dryad, <https://doi.org/10.5061/dryad.f7m0cfxww>.
- Di Franco, D., Brandt, A., & Linse, K. (2021). Macrobenthic Isopoda collected by epibenthic sledge from the southern Weddell Sea in 2012, South Orkney Islands in 2016, Prince Gustav Channel in 2018 and Eastern Antarctic Peninsula in 2019 (Version 1.0) [Data set]. NERC EDS UK Polar Data Centre. <https://doi.org/10.5285/68315D6D-E7BF-4DA0-A73A-5D6E0BA242A7>
- Saeedi H & Brandt A (2020): NW Pacific Deep-sea Benthos Biodiversity (Beneficial Project). v1.2. Deep-sea OBIS node. Dataset/Samplingevent. http://ipt.iobis.org/obis-deepsea/resource?r=deep-sea_biodiversity_benthos_beneficial&v=1.2
- Saeedi H (2020). NW pacific deep-sea benthos distribution and abundance (Beneficial Project). Deep-sea OBIS node. Sampling event dataset <https://doi.org/10.15468/zkex9m> accessed via GBIF.org on 2020-06-25.
- Ehrlich, Julia; Schaafsma, Fokje L; Bluhm, Bodil Annikki; Peeken, Ilka; Castellani, Giulia; Brandt, Angelika; Flores, Hauke (2020): Sea-ice meiofauna (>10 µm) abundance in Arctic pack ice north of Svalbard during the Polarstern expedition PS92 in 2015. PANGAEA, <https://doi.org/10.1594/PANGAEA.915960>
- David, Carmen L; Schaafsma, Fokje L; van Franeker, Jan Andries; Lange, Benjamin Allen; Brandt, Angelika; Flores, Hauke (2019): Zooplankton and environmental parameters sampled under-ice during POLARSTERN cruise PS81 (ANT-XXIX/7). PANGAEA, <https://doi.org/10.1594/PANGAEA.909682>
- Saeedi H, Winterberg H, Alalykina LI, Bergmeier SF, Downey R, Golovan O, Jazdzewska A, kamenev G, kameneva N, Maiorova A, Malyutina M, Minin K, Mordukhovich V, Petrunina A, Schwabe E, Brandt A (2018): NW pacific deep-sea benthos distribution and abundance (Beneficial Project). v1.1. Deep-sea OBIS node. Dataset/Samplingevent. http://ipt.iobis.org/obis-deepsea/resource?r=beneficial_deepsea&v=1.1
- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP III – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2647>.
- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP II – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2646>.
- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP I – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2644>.
- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP SYSTCO – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2648>.

Popular articles, short research papers and notes

- Kaiser, S. Brandt, A. (2023): Neuer Senckenberg Policy Brief. „Wirksamer Meereschutz braucht mehr Wissen über Arten“. Gesellschaft für Biologische Systematik Newsletter 42: 38-39.
- Brandt, A., Hiller, M., Printzen, C., Pauls, S., Uhl, D., Kaiser, S., Müller, L. (2023): 24. Jahrestagung der

- gesellschaft für Biologische Systematik 2023. Gesellschaft für Biologische Systematik Newsletter 42: 6-8.
- Brandt, A., (2022): Auf der Suche nach Leben im tiefen Ozean. Wie eine internationale Expedition Licht ins dunkel des Nordwestpazifiks bringen will. In: M. Lohse (Hrsg.) „Wenn der Funke überspringt. 200 Jahre Gesellschaft Deutscher Naturforscher und Ärzte.“ Passage Verlag, Leipzig, ISBN 978-3-95415-130-1.
- Kürzel, K., Brix, S., Brandt, A., Brenke, N., Enderlein, P., Griffiths, H.J., Kaiser, S., Svavarsson, J., Lörz, A.-N., Frutos, I., Taylor, J., Linse, K. (2023): Pan-Atlantic comparison of deep-sea Macro- and Megabenthos. EMBS 2023.
- Miguez-Salas, O., Rodríguez-Tovar, F.J., Brandt, A., Riehl, T. (2023): Deep-sea neotechnology: new in-situ observations on bottom current affected settings. 4DWC Abstract Book.
- Brandt, A. (und Scientific team) (2023): AleutBio – 38 Wissenschaftler*innen aus zwölf Nationen im Dienst der Tiefseeforschung. Natur – Forschung – Museum 153: 20-27.
- Kaiser, S., Di Franco, D., Kelch, A., Akdogan, D., Kohlenbach, K., Spies, L., Brandt, A. (2023): Abyssal-hadal connections: Delving deep into benthic isopod diversity of the northern Pacific Ocean. ICC New Zealand.
- Spies, L.1, 2, Kelch A.1, 2, Di Franco, D.1, Kaiser, S.1, Brandt, A. (2023): A new species of the isopod family Mesosignidae Schultz, 1969 (Crustacea, Malacostraca) from the Aleutian Trench, North Pacific. GfBS Abstract.
- Kohlenbach, K., Kelch, A., Kaiser, S., Di Franco, D. & Brandt, A. (2023): Diversity and distribution of Ischnomesidae (Crustacea: Isopoda) in the Bering Sea and along the Aleutian trench. GfBS Abstract.
- Kelch, A., Di Franco, D. & Brandt, A. (2023): Biodiversity assessment of the isopod family Paramunnidae Vanhöffen, 1914 (Crustacea, Malacostraca) from the Weddell Sea, Southern Ocean. GfBS Abstract.
- Akdogan, D., Kaiser, S., Di Franco, D., Kelch, A. & Brandt, A. (2023): A new *Austroniscus* Vanhöffen, 1914 (Isopoda, Asellota, Nannoniscidae) species from the abyss of the Aleutian trench, NE Pacific. GfBS Abstract
- Brandt, Angelika (2022): SO293 AleutBio (Aleutian Trench Biodiversity Studies) Cruise Report/Fahrtbericht Cruise No. SO293 24.07.2022 – 06.09.2022 Dutch Harbor (USA) – Vancouver (Canada) ALEUTBIO (Aleutian Trench Biodiversity Studies). 209 Seiten; ISSN: 2510-764X; http://doi.org/10.48433/cr_so293; Database provider: Technische Informationsbibliothek (TIB), TIB-Portal URL: <https://www.tib.eu/de/suchen/id/awi%3A2e09a2d10868cda723395545e3fcc6a29cfb49a8>
- Kaiser, Stefanie, Sigwart, Julia, Niamir, Aidin, Saedi, Hanieh, Chen, Chong, Hilário, Ana, Horton, Tammy, Howell, Kerry, Levin, Lisa, Osborn, Karen, & Brandt, Angelika. (2022): Diving through the darkness; Species information is vital for effective marine conservation [Senckenberg Policy Brief - Appeal to Montreal] (2.2). Zenodo. <https://doi.org/10.5281/zenodo.7410159>
- Kaiser, S., Sigwart, J., Niamir, A., Saedi, H., Chen, C., Hilário, A., Horton, T., Howell, K., Levin, L., Osborn, K., Brandt, A. (2022): Vielfalt in der Finsternis – Wirksamer Meeresschutz braucht mehr Wissen über Arten. SGN Policy Brief, 12/2022, <https://doi.org/10.5281/zenodo.7373440>
- Kaiser, S. // Sigwart, J., Niamir, A., Saedi, H., Chen, C., Hilário, A., Horton, T., Howell, K., Levin, L., Osborn, K., Brandt, A. (2022): Diving through the darkness - Species information is vital for effective marine conservation. SGN Policy Brief, 12/2022, <https://doi.org/10.5281/zenodo.7373440>
- Abel, S.; Brandt, A. (2022): Die Tiefsee wird zur Müllhalde_ 1600 Mikroplastik Partikel pro Kologramm Meeresboden. Natur Forschung Museum 152: 168-169.
- Watanabe, H.K., Downey, R., Lindsay, D., Methou, P., Chan, B.K.K., Brandt, A. and workshop participants (2022): NW Pacific Working Group, Challenger 150 Program. Deep-Sea Life 19, Page 30.
- Sigwart, J.D., Schleuning, M., Brandt, A., Pfenninger, M., Senckenberg Collectomics Consortium (2022): Integrated use of enhanced natural history collections is key to solve the biodiversity crisis. <https://doi.org/10.12761/sgn.2021.04.1>
- Kaikkonen, L., Victorero, L., Gianni, M., Amaro, T., Aranha, S.G., Auster, P.J., Bailey, D.M., Bell, J., Brandt, A., Drazen, J., Clark, M.R., Du Preez, C., Olalekan, E.I., Escobar-Briones, E., Giacomello, E., Howell, K.L., Johnson, A.F., Levin, L., Maloueki, L., Milligan, R.J., Molodtsova, T.N., Oduware, S., Pearman, T.R.R., Pham, C.K., Ramalho, S.P., Rowden, A.A., Sutton, T.T., Taylor, M., Watling, L., Whitten, P. (DOSI) (2022): A Review of Impact Assessments for Deep-Sea Fisheries on the High Seas against the FAO Deep-Sea Fisheries Guidelines. Deep Ocean Stewardship Initiative Report. (38 pages) <https://www.dosi-project.org/fisheries-review-2022/>
- Brandt, A. (2022): AleutBio Studien zur Biodiversität im Aleutengraben. Deutsche Tiefsee-Biodiversitätsstudien im Aleutengraben und östlichen Kurilen-Kantschatka-Graben. GfBS Newsletter 40: 38-41.
- Veit-Köhler, G., Janussen, D., Brandt, A. (2022): Vom antarktischen Schelf bis in die Tiefsee. Große Artenvielfalt im Südpolarmer. Biologie in unserer Zeit 8/2022 (52), DOI:10.11576/biuz-5011.
- Brix, S., Held, C., Kaiser, S., Jennings, R.M., Driskell, A. & Brandt, A. (2022): A long-lasting story: To worm out the secret of "the feet" of Desmosomatidae Sars, 1897. Abstract, GfBS Tagung 2022, 1-2.
- Brandt, A. (2022): Aleutian Trench Biodiversity Studies (AleutBio), 2022: German Russian Deep-Sea

- Biodiversity Studies in the Aleutian Trench and eastern Kuril-Kamchatka Trench. *Deep-Sea Life* 18: 9-11.
- Beck, E.; Brandt, A.; Schlacke, S.; Palmethofer, A.; Karger, E.; Sett, S.; Frederichs, E.; Greiber, T. (2022): Erläuterungen zum Umgang mit den rechtlichen Vorgaben des Nagoya-Protokolls und der Verordnung (EU) Nr. 511/2014 in Hochschulen und anderen Forschungseinrichtungen, 1-33.
- Apel, M. & Brandt, A. (2021): In Memoriam Dr. Vassily A. Spiridonov *7.4.1957 t 17.12.2020. *Natur Forschung Museum* 151, 210.
- Brandt, A. (2021): 40 Jahre Senckenberg. Andreas Allspach. *Natur Forschung Museum* 151, 209.
- Saeedi, H. & Brandt, A. (2021): Environmental drivers of benthic community composition in the NW Pacific and the Arctic Ocean. International Conference Marine Biology in the 21st Century: Achievements and Development Outlook (in Commemoration of the 100th Anniversary of the Birth of Academician Alexey V. Zhirmunsky) October 6–8, 2021, Vladivostok, Russia: NSCMB FEB RAS, 2021. 236 p., pp. 176-177.
- Brandt, A. & Saeedi, H. (2021): NW Pacific biodiversity and biogeography studies help understanding faunal changes in the Arctic Ocean. International Conference Marine Biology in the 21st Century: Achievements and Development Outlook (in Commemoration of the 100th Anniversary of the Birth of Academician Alexey V. Zhirmunsky) October 6–8, 2021, Vladivostok, Russia: NSCMB FEB RAS, 2021. 236 p., pp. 38-39.
- Di Franco, D., Brandt, A., & Linse, K. (2021). Macrobenthic Isopoda collected by epibenthic sledge from the southern Weddell Sea in 2012, South Orkney Islands in 2016, Prince Gustav Channel in 2018 and Eastern Antarctic Peninsula in 2019 (Version 1.0) [Data set]. NERC EDS UK Polar Data Centre. <https://doi.org/10.5285/68315D6D-E7BF-4DA0-A73A-5D6E0BA242A7>
- Kelch, A., Di Franco, D., Brandt, A. (2021): Biodiversity assessment of the isopod family Paramunnidae Vanhöffen, 1914 (Crustacea, Malacostraca) from the Weddell Sea, Southern Ocean. DSBS Abstract Brest, September 2021.
- Saeedi, H., Brandt, A. (2021): Marine biodiversity in the NW Pacific and the adjacent Arctic Ocean. DSBS Abstract Brest, September 2021.
- Abel, S., Brandt, A., Gerdts, G. (2021): Plastic pollution in the abyssal and Hadal sediments of the Kuril Kamchatka trench. DSBS Abstract Brest, September 2021.
- Chaudhary, C., Alfaro-Lucas, J.M., Brandt, A., Saeedi, H. (2021): Global distribution of corals and their associated taxa under climate change. DSBS Abstract Brest, September 2021.
- Alfaro-Lucas, J.M., Chaudhary, C., Brandt, A., Saeedi, H. (2021): Diversity patterns, endemisms and bioregions of the Arctic Ocean. DSBS Abstract Brest, September 2021.
- Di Franco, D., Linse, K., Griffiths, H.J., Brandt, A. (2021): Environmental drivers of peracarid assemblages from the Southern Ocean. DSBS Abstract Brest, September 2021.
- Knauber, H., Riehl, T., Brandt, A. (2021): Evolution and Biogeography of the *Haploniscus belyaevi* species complex. DSBS Abstract Brest, September 2021.
- Saeedi, H. & Brandt, A. (2020): Biogeography of the northwest Pacific fauna. A benchmark study for estimations of alien invasions into the Arctic Ocean in times of rapid climate change. (Beneficial Project). Report number: 03F0780AAffiliation: Bundesministerium für Bildung und Forschung; DOI:10.13140/RG.2.2.21549.72169/1
- Saeedi, H., Brandt, A., & Donecker, A. (2020). Tiefsee in der Übersicht. Senckenberg Press Release. <https://idw-online.de/de/news?print=1&id=750207>
- Saeedi, H. & Brandt, A. (2020). Tiefsee in der Übersicht. Tiefseeatlas des Nordwest-Pazifik erschienen. GfBS news: 37. https://www.gfbs-home.de/fileadmin/user_upload/Newsletter/GfBS-Newsletter_nr37.pdf
- Brandt, A., Freiwald, A. Martinez, P. (2020): Meeresforschung bei Senckenberg. *Senckenberg Natur Forschung Museum* 150: 130-134.
- Brandt, A., Kihara, T.C., Riehl, T. (2020): Gepanzerte Gliedertiere. In Müller, T. & Hoffmann-Wieck, G. (eds.). *Tiefsee – Vielfalt in der Dunkelheit*. Schweitzerbart'sche Verlagsbuchhandlung (Nägele und Obermiller), Stuttgart, pp. 80-86.
- Brandt, A., Freiwald, A. (2020): Tiefseeforschung bei Senckenberg. In Müller, T. & Hoffmann-Wieck, G. (eds.). *Tiefsee – Vielfalt in der Dunkelheit*. Schweitzerbart'sche Verlagsbuchhandlung (Nägele und Obermiller), Stuttgart, pp. 23-28.
- Brandao, S.N., Baumann, E., Jost, A.B., Karanovic, I., Tanaka, H., Yasuhara, M., Yoo, H., Saeedi, H. & Brandt, A. (2020) Biodiversity and biogeography of Ostracoda (Crustacea) from the deep NW Pacific. In: *Biogeographic Atlas of the Deep NW Pacific Fauna*. Pensoft Publishers, pp. 287–338.
- Saeedi, H. & Brandt, A. (2020). Introduction to Biogeographic Atlas of the Deep NW Pacific Fauna. In: Saeedi, H. and Brandt, A. (Ed), *Biogeographic Atlas of the Deep NW Pacific Fauna*. Advanced Book. Pensoft Publishers. Chapter 1.
- Di Franco, D., Linse, K., Griffiths, H., Brandt, A. (2020): Influence of ice cover and latitude on Antarctic peracarid crustaceans in a changing environment. *Deep-Sea Life* 14: 15-17.

- Saeedi, H., Costello, M. J., Warren, D., Brandt, A. (2019). Latitudinal and bathymetrical species richness patterns in the NW Pacific and adjacent Arctic Ocean. International Biogeography Society Meeting, January 8-12 January, Malaga, Spain.
- Saeedi, H., Costello, M. J., Warren, D., Brandt, A. (2019). GODAE OceanView Symposium 2019 - OceanPredict '19. Latitudinal and bathymetrical species richness patterns in the NW Pacific and adjacent Arctic Ocean. 6-10, May, Halifax, Canada.
- Saeedi, H., Simoes, M., Brandt, A. (2019). Endemicity and Community Composition of Marine Species along the NW Pacific and Adjacent Arctic Ocean. Biodiversity_Next, 22-25 October. Leiden, Netherlands. <https://biss.pensoft.net/article/36750/>
- Saeedi, H. & Brandt, A. (2018). Biogeography of the NW Pacific deep-sea fauna and their possible future invasions to the Arctic Ocean (Beneficial Project). Deep-Sea Life, 10.
- Saeedi, H. & Brandt, A. (2018). The first big dataset from the deep-sea NW Pacific is now available worldwide. Deep-Sea Life, 11.
- Saeedi, H., Simoes, M., Brandt, A. (2018): Deep-sea fauna in the NW Pacific: biodiversity patterns and future invasions into the Arctic Ocean (Beneficial Project). Deep-Sea Life 12: 11-12.
- Ingels, J., Aronson, R., Smith, C.R., Taylor, A.B., Bik, H., Blake, J., Brandt, A., Cape, M., DeMaster, D., Dolan, E., Domack, E., Fire, S., Geisz, H., Griffiths, H., Halanych, K.C. (2018): Antarctic Ecosystem Research Following Ice Shelf Collapse and Iceberg Calving Events. MEASO (Marine Ecosystem Assessment of the Southern Ocean) 2018 Conference.
- Brandt, A (2018): Außer Reichweite des Menschen? Nirgendwo leben mehr Arten als in der Tiefsee. Aber auf unseren Tauchgängen sehen wir auch: Die Bedrohungen nehmen zu. Frankfurter Allgemeine Zeitung 235: Seite 2 (10.10.2018).
- Saeedi, H., Brandt, A. (2018): The first big dataset from the deep-sea NW Pacific is now available worldwide. Deep-Sea Life 11: page 13.
- Brandt, A., Heitland, N., Riehl, T. (2018): Kleine Unbekannte vom Meeresgrund. Senckenberg Natur Forschung Museum 148: 64-71.
- Wright, D.J., Kavanaugh, M., Henry, L.-A., Brandt, A., Saeedi, H., Bednarsek, N., Muller-Karger, F., Ramiro-Sánchez, B., Roberts, J.M., Morato, T., Butler, K., VanGraafeiland, K., Breyer, S., Sayre, R. (2018): Use Cases of Ecological Marine Units for Improved Regional Ocean Observation Data Integration and Linkage Between End Users and Providers. Abstract Submitted to Ocean Observation 19.
- Bober, S., Riehl, T., Schwentner, M., Brandt, A. (2018): Does the mid-Atlantic Ridge affect the distribution of abyssal benthic crustaceans across the Atlantic Ocean? ICC9 (International Crustacean Conference 9, Washington May 2018), Poster and Abstract.
- Riehl, T., Augustin, N., Bober, S., Brix, S., Devey, C., Heitland, N., Lins, L., Wöfl, A.-C., Brandt, A. (2018): The evolutionary origins of abyssal biodiversity — new ideas from biogeography and habitat mapping. PeerJ Preprints, <https://doi.org/10.7287/peerj.preprints.26845v1>.
- Brandt, A., Malyutina, M., Martinez, P. (2018): Faunistic deep-sea investigations in the Northwest Pacific have increased faunal knowledge at the edge of the changing Arctic Ocean. PeerJ Preprints, <https://doi.org/10.7287/peerj.preprints.26541v1>.
- Saeedi, H.; Brandt, A. (2017): Biogeography of the NW Pacific deep-sea fauna and their possible future invasions to the Arctic Ocean (Beneficial Project). Deep-Sea Life 10: 21-22.
- Heitland, N.; Lins, L.; Riehl, T.; Brandt, A. (2017): Updates on the project KuramBio II: Kuril Kamchatka Biodiversity Studies. Deep-Sea Life 10: 15-16.
- Riehl, T.; Brandt, A. (2017): The final stage of the Vema-TRANSIT project, Deep-Sea Life 10: 9-10.
- Brasier, M.J., Grant, S.M., Trathan, P.N., Allcock, L., Ashford, O., Blagbrough, H., Brandt, A., Danis, B., Downey, R., Eléaume, M., Enderlein, P., Ghiglione, C., Hogg, O., Linse, K., Mackenzie, M., Moreau, C., Robinson, L., Rodriguez, E., Spiridonov, V., Tate, A., Taylor, M., Waller, C., Wiklund, H. and Griffiths, H.J. (2017): SO-AntEco: Contributing information and scientific advice on benthic biodiversity in the South Orkney Islands (Domain 1) region. Report to CCAMLR, pp.- 1-28.
- Heitland, N, Riehl, T., Brandt, A. (2017): SO237 – Eine monophyletische Gruppe sexualdimorpher Arten – Hinweise auf eine neue Gattung der Macrostylidae (Crustacea: Isopoda). Statusseminar Meeresforschung mit FS SONNE 14. – 15. Februar 2017 in Oldenburg, 124.
- Brandt, A., Martinez Arbizu, P., Malyutina, M., Riehl, T., Schmidt, C., Heitland, C. (2017): SO250 – KuramBio II (Kuril Kamchatka Biodiversity Studies). Statusseminar Meeresforschung mit FS SONNE 14. – 15. Februar 2017 in Oldenburg, 91-95.
- Brandt, A., Devey, C., Arndt, H., Martinez Arbizu, P., Riehl, T., Bober, S., Schmidt, C., Schönle A., Heitland, N. (2017): SO237 – Vema-TRANSIT – Bathymetry of the Vema-Fracture Zone and Puerto Rico Trench and Abyssal Atlantic Biodiversity Study. Statusseminar Meeresforschung mit FS SONNE 14. – 15. Februar 2017 in Oldenburg, 23-29.

- Riehl, T., Bober, S., Voltski, I., Malyutina, M.V., Brandt, A. (2016): Caught in the act: An abyssal isopod collected while feeding on Komokiaceae. *Marine Biodiversity* (in press).
- Brandt, A., Riehl, T., and shipboard scientific party (2016): KuramBio II (SO250). (Kuril Kamchatka Biodiversity Studies). *Deep-Sea Life* 8 (11/2016): 5-6.
- Brandt, A. and shipboard scientific party (2016): RV Sonne SO-250. Cruise Report / Fahrtbericht, Tomakomai - Yokohama (Japan) (16.08.-26.09.2016), KuramBio II (Kuril Kamchatka Biodiversity Studies). ZB MED - Leibniz-Informationszentrum Lebenswissenschaften, Fachrepositorium Lebenswissenschaften, doi:10.4126/FRL01-006401131. <https://repository.publisso.de/resource/frl:6401131>
- Brandt, A. (2016): *Lebensgemeinschaften am Grund der Tiefsee*. Erschienen in: Schickhoff, Udo (Hrsg.): Biogeographie und Biodiversität. Hamburg 2016 (Hamburger Symposium Geographie, Band 8): 21-38.
- Brandt, A. (2016): KuramBio II (Kuril-Kamchatka Trench Deep-Sea Biodiversity Studies II): German Russian deep-sea biodiversity studies in the Kuril-Kamchatka Trench (KKT). *Deep-Sea Life* 7: 3.
- Brandt, A., Ashford, O., Spiridonov, V. (2016): Crustacea (Malacostraca) sampled with the Agassiz trawl during the expedition SO-AntEco. In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 53-58. BAS Archive Reference Number: ES*/*/2015/*
- Brandt, A., Ashford, O., Brasier, M., Hogg, O., Enderlein, P., Griffiths, H.L. (2016): Epi-benthic Sledge (EBS). In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 18-22. BAS Archive Reference Number: ES*/*/2015/*
- Ghiglione, C., Brandt, CA., Enderlein, P., Blagbrough, H., Spiridonov, V., Griffiths, H.J. (2016): Rauschert dredge. In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 15-17. BAS Archive Reference Number: ES*/*/2015/*
- Griffiths, H.J., Brandt, A., Danis, B., Moreau, C., Waller, C., Ghiglione, C., Rodriguez, E., Wiklund, H., Blagbrough, H., Robinson, L., Allcock, L., Brasier, M., Eléaume, M., Mackenzie, M., Taylor, M., Ashford, O., Hogg, O., Enderlein, P., Downey, R., Grant, S., Spiridonov, V. (2016): Agassiz Trawl (AGT). In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 11-14. BAS Archive Reference Number: ES*/*/2015/*
- Brandt, A. (2016): Review. J.C. von Vaupel Klein, M. Charmatier & F.R. Schram (eds.), 2013. *Treatise on Zoology—Anatomy, taxonomy, biology. The Crustacea revised and updated, as well as extended from the Traité de Zoologie*, 5: i-viii, 1-370. (Brill, Leiden). ISBN 978-90-04-19084-9. Hardcover. *Crustaceana* 89 (4) 515-517.
- Brandt, A., Frutos, I., Fukumori, H., Golovan, O., Kniesz, K., Lavrenteva, A., Malyutina, M., Philipps-Bussau, K. (2015): Investigations of the macrofauna using the camera-epibenthic sledge during the Sea of Okhotsk Biodiversity Studies (SokhoBio) expedition. In: Malyutina, M., Brandt, A., Ivin, V.V. (eds.): *The Russian-German deep-sea expedition SokhoBio (Sea of Okhotsk Biodiversity Studies) to the Kurile Basin of the Sea of Okhotsk on board of the R/V Akademik M.A. Lavrentyev 71st Cruise, July 6th - August 6th, 2015*, 66-84.
- Malyutina, M., Brandt, A., Ivin, V.V. (2015): *The Russian-German deep-sea expedition SokhoBio (Sea of Okhotsk Biodiversity Studies) to the Kurile Basin of the Sea of Okhotsk on board of the R/V Akademik M.A. Lavrentyev 71st Cruise, July 6th - August 6th, 2015*. Expedition report, 100 pages.
- Brandt, A., Malyutina, M. (2015): Polar deep-sea biodiversity and the SokhoBio expedition to the Sea of Okhotsk. In: *High latitudes and high mountains: driver of or driven by global change? 26th International Congress on Polar Research 6 – 11 September 2015, Munich, Germany* German Society for Polar Research, eds. Eva-Maria Pfeiffer, Heidemarie Kassens, Christoph Mayer, Mirko Scheinert, Ralf Tiedemann and Members of the DGP Advisory Board, *Reports on Polar and Marine Research*, p. 34.
- Brandt, A. (2015): Sampling the hadal Puerto Rico Trench with fine meshed gear. *Deep-Sea Life* 15:18.
- Zinkann, A., Minzlaff, U., Peters, J., Koppelman, R., Brandt, A. (2015): Food-web analysis using fatty acids and stable isotope composition of benthic organisms along an east-west transect of the Vema Transform. *Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23*: 39-40.
- Riehl, T., Brix, S. Bober, S., Malyutina, M., Heitland, N., Brandt, A. (2015): Analysis of trans-Mid-Atlantic-Ridge distribution and connectivity of abyssal Isopoda using molecular methods. *Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23*: 37-38.
- Brandt, A., Bober, S., Brix, Frutos, I., S. Guggolz, T., Heitland, N., Linse, K., Malyutina, M., Riehl, T., Schwabe, E. (2015): The diversity of macrofaunal Isopoda of the abyssal Vema Transform. *Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23*: 31-36.
- Guggolz, T., Brandt, A. (2015): The diversity of macrofaunal Polychaeta of the abyssal Vema Transform. *Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23*: 29-30
- Brenke, N., Elsner, N., Brandt, A. (2015): The Epibenthic sledge: technical descriptions, sensor data and photo

- and video documentation of the seabed. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 24-27.
- Brandt, A., Bober, S., Brix, Frutos, I., S. Guggolz, T., Heitland, N., Linse, K., Malyutina, M., Minzloff, U., Riehl, T., Schwabe, E., Zinkann, A.-C.) (2015): Camera-epibenthic sledge deployment and preliminary results. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 17-23.
- Devey, C. W., ed and Shipboard scientific party. (2015) [RV SONNE Fahrtbericht / Cruise Report SO237 Vema-TRANSIT : bathymetry of the Vema-Fracture-Zone and Puerto Rico Trench and Abyssal Atlantic BiodiverSITy Study, Las Palmas \(Spain\) - Santo Domingo \(Dom. Rep.\) 14.12.14 - 26.01.15](#) GEOMAR Report, N.Ser. 023 . GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel, Kiel, 130 pp. doi:10.3289/GEOMAR_REP_NS_23_2015.
- Martínez Arbizu, P. S. Brix, S. Kaiser, A. Brandt, K. George, H. Arndt, K. Hausmann, M. Türkay, J. Renz, E. Hendrycks, H. Reiss, G. Diaz Agras, J. Pawlowski (2015): Deep-Sea Biodiversity, Current Activity, and Seamounts in the Atlantic – Cruise No. M79/1 – June 10 – August 26, 2009 – Montevideo (Uruguay) – Ponta Delgada (Portugal). METEOR-Berichte, M79/1, 92 pp., DFG-Senatskommission für Ozeanographie, DOI:10.2312/cr_m79_1.
- Teschke, K. Bester, M.N., Bornemann, H., Brandt, A., Brtnik, P., de Broyer, C., Burkhardt, E., Dieckmann., Flores, H., Gerdes, D., Griffiths, H.J., Gutt, J., Hain, S., Hellmer, H., Herata, H. Isla, E., Jerosch, K., Knust, R., Kock, K.-H., Krause, R. Kuhn,G., Lemke, P., Liebschner, A., Linse, K., Pehlke, H., Petrov, A., Schröder, A.M., Shust, K.V., Schwegmann, S., Siegel, V., Timmermann, R., Trathan, P.N., van de Putte, A., van Franeker, J., van Opzeeland, I.C., von Nordheim, H., Brey, T. (2014): Scientific background document in support of the development of a CCAMLR MPA in the Weddell Sea (Antarctica) – Version 2014. This report has been compiled by members of the German Weddell Sea MPA project team and by experts from other CCAMLR member states and acceding states.
- Brandt, A. (2013): Tiefsee – die große Unbekannte. Akademie der Wissenschaften und der Literatur, Mainz; Jahrbuch 2013; Franz Steiner Verlag, Stuttgart, pp. 125-126.
- Brandt, A., Malyutina, M. (2013): Die deutsch-russische Tiefsee-Expedition KuramBio (SO 223) (Kurile Kamchatka Biodiversity Study). GfS (Gesellschaft für biologische Systematik) newsletter 28: 20-23.
- Brandt, A. (2013): Bericht aus dem DGM Vorstand. Mitteilungen der Deutschen Gesellschaft für Meeresforschung 2(2012), 2.
- Fischer, V., Alalykina, I L., Meißner, K., Brandt, A. (2013): Preliminary data on the composition of the macrobenthic infauna from the Kurile-Kamchatka deep-sea area collected with the giant box corer with a special focus on the Polychaeta (Annelida). Proceedings of the German-Russian Workshop Future Visions II.” Ed., K.A. Lutaenko, Vladivostok, Russia, 35-37.
- Elsner, N.O., Golovan, O.A., Malyutina, M.V., Brandt, A. (2013): Preliminary results of the macrofauna with a special focus on the Isopoda from the Kurile- Kamchatka deep-sea area sampled by the means of an epibenthic sledge. Proceedings of the German-Russian Workshop Future Visions II.” Ed., K.A. Lutaenko, Vladivostok, Russia, 31-34.
- Brandt, A., Malyutina, M. (2013): The German-Russian deep-sea expedition KuramBio (Kuril-Kamchatka Biodiversity Studies) to the Kuril-Kamchatka Trench and abyssal plain on board of the RV *Sonne*. Proceedings of the German-Russian Workshop Future Visions II.” Ed., K.A. Lutaenko, Vladivostok, Russia, 10-14.
- Brandt, A., Malyutina, M. (2013): Russian-German workshop Future Visions II - Deep-Sea Investigations in the Northwestern Pacific. Proceedings of the German-Russian Workshop Future Visions II.” Ed., K.A. Lutaenko, Vladivostok, Russia, 7-9.
- Nils Brenke^{1,2}, Angelika Brandt (2012): Seabed Images and Videos from the C-EBS during SO 223. Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 62-67). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Torben Riehl¹, Angelika Brandt¹, Marina Malyutina², Nikolaus Elsner (2012): Molecular genetic studies on deep-sea isopods. Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 57-61). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Angelika Brandt¹, Nils Brenke², Nikolaus Elsner¹, Olga Golovan³, Anna Lavrenteva³, Marina Malyutina³, Torben Riehl (2012): Investigations of the epifaunal macrofauna using the camera-epibenthic sledge during the KuramBio (*Kurile Kamchatka Biodiversity Study*) expedition. Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 43-52). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Laura Würzberg, Nils Brenke¹, Kirill Minin², Angelika Brandt (2012): Video survey on the seafloor of the

- abyssal plain adjacent to the Kurile-Kamchatka Trench by means of the OFOS (Ocean Floor Observation System). Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 17-20). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Brandt, A., Malyutina, M. (2012) "The German-Russian deep-sea expedition KuramBio (Kurile Kamchatka Biodiversity Study) : to the Kurile Kamchatka Trench and abyssal plain on board of the R/V Sonne, 223rd Expedition, July 21th - September 7th 2012". Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (100 S., 5,46 MB). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Würzberg, L., Zinkann, A.-C., Brandt, A. (2013): On the functional biodiversity and ecology of benthic abyssal key species. *Berichte zur Polar und Meeresforschung* 661, pp. 91-93.
- Schnurr, S., Meyer-Löbbecke, A., Brandt, A., Brix, S. (2013): Barcoding deep-sea Isopoda. *Berichte zur Polar und Meeresforschung* 661, pp. 94-95.
- Meyer-Löbbecke, A., Brandt, A. (2013): Investigations on systematics, zoogeography and diversity of deep-sea Isopoda (Crustacea, Malacostraca) in the polar front of the Southern Ocean. *Berichte zur Polar und Meeresforschung* 661, pp. 99-101.
- Janussen, D., Brandao, S., Cedhagen, T., Hauquier, F., Havermans, C., Jörger, K., Lejzerowicz, F., Meyer-Löbbecke, A., Schnurr, S., Schwabe, E., Vortkamp, M., Würzberg, L., Zinkann, A.-C., Brandt, A. (2013): Agassiz trawl (AGT) deployments. *Berichte zur Polar und Meeresforschung* 661, pp. 115-117.
- Brandt, A., Malyutina, M. (2013): The German-Russian deep-sea expedition KuramBio (Kurile kamchatka Biodiversity Study) to the Kurile Kamchatka Trench and abyssal plain on board of the R/V Sonne, 223 rd expedition. *DGM Mitteilungen* 2: 3-9.
- Malyutina, M., Brandt, A. (2013): The joint Russian-German deep-sea research projects SoJaBio (Sea of Japan Biodiversity Studies) and KuramBio (Kurile Kamchatka Deep-Sea Biodiversity). *Proceedings of the Russia-China Biolateral Symposium on "Marine Ecosystems under Global Change in the Northwestern Pacific."* Ed., M. Malyutina, K.A. Lutaenko, A. Brandt, Vladivostok, Russia, 11-15.
- Brandt, A., Würzberg, L., Schnurr, S., Meyer Löbbecke, A., Zinkann, A.-C., Vortkamp, M., Schüller, M. (2013): On the functional biodiversity and ecology of macrobenthic abyssal key species with focus on the Isopoda and Polychaeta. *Berichte zur Polar und Meeresforschung* 661, pp. 96-98.
- Brandt, A., Würzberg, L., Brandao, S., Schnurr, S., Meyer Löbbecke, A., Havermans, C., Zinkann, A.-C., Jörger, K., Schwabe, E., Janussen, D., Vortkamp, M. (2013): The epibenthic (EBS) deployment. *Berichte zur Polar und Meeresforschung* 661, pp. 87-90.
- Brandt, A., Ebbe, B. (2013): System Coupling in the Southern Ocean. *Berichte zur Polar und Meeresforschung* 661, pp. 75.
- Brandt, A. (2012): Das kalte Leuchten. In: Wefer, G., Schmieder, F., von Neuhoff, S. *Tiefsee-Expeditionen zu den Quellen des Lebens. Begleitbuch zur Sonderausstellung im Ausstellungszentrum Lokschuppen Rosenheim. Bibliographische Information der Deutschen Nationalbibliothek*, pp. 121-122.
- Brandt, A. (2012): Leben unter Druck – Organismen in der Tiefsee. In: Wefer, G., Schmieder, F., von Neuhoff, S. *Tiefsee-Expeditionen zu den Quellen des Lebens. Begleitbuch zur Sonderausstellung im Ausstellungszentrum Lokschuppen Rosenheim. Bibliographische Information der Deutschen Nationalbibliothek*, pp. 112-121.
- Brandt, A., Malyutina, M. (2012): Die deutsch-russische Tiefsee-Expedition KuramBio (SO 223) (Kurile Kamchatka Biodiversity Study). TIB (Technische Instituts Bibliothek), Hannover. *Expeditions Fahrtbericht*, 100 Seiten.
- Malyutina, M., Brandt, A. (2011): Die russisch deutsche Tiefseeexpedition SoJaBio (Sea of Japan Biodiversity Studies) an Bord des FS *Akademik Lavrentyev* (11. Aug. – 5. Sept. 2010). *DGM Mitteilungen* 1/2011:8 -9.
- Kaiser, S., Brandt, A., Brix, S., Díaz-Agras, G., Riehl, T., Schüller, M. (in press): Macrobenthic richness and abundance patterns along a latitudinal (productivity) gradient in the Argentinean and Brazil Basin (South-West Atlantic) using an epibenthic sledge. *Meteor cruise M79-1 Meteor Berichte*.
- Brandt, A., Janussen, D., Schroedl, M. & B. Ebbe (2010): Biodiversität in den Tiefen des Eismeer. *Mikrokosmos* 99 (2): 70-77.
- Janussen, Schrödl, M., Schwabe, E., Ebbe, B., Robert, H., Wadley, V., Würzberg, L., Zapata Guardiola, R., Brandt, A. (2010): Preliminary report on AGT catches during ANT XXIV-2. *Ber. Polar & Meeresforsch.* 604: 128-132.
- Brandt, A., Brix, S., Ebbe, B., Kramer, L., Riehl, T., Schüller, M., Würzberg, L. (2010): Macrofauna - Biodiversity, ecology and zoogeography of peracarid crustaceans and Polychaeta. *Ber. Polar & Meeresforsch.* 604: 114-122.
- Brandt, A., Brenke, N., Ebbe, B., Henche, A., Janussen, D., Veit-Köhler, G., Sachs, O., Sauter, E.J. (2010): Work at the seafloor - introduction to work at sea. *Ber. Polar & Meeresforsch.* 604: 88-98.

- Brandt, A., Ebbe, B., Sauter, E.J. (2010): ANDEEP-SYSTCO (System Coupling in the Southern Ocean) From census to ecosystem functioning. *Ber. Polar & Meeresforsch.* 604: 82-87.
- Kaiser, S., Barnes, D.K.A., Brandt, A. (2007): Antarctic deep-sea biodiversity, scale and predicting responses to climate change? EMBS Symposium Kiel (abstract).
- Brandt, A. Brenke, N., Mühlenhardt-Siegel, U. & J. W. Wägele (2007): Macrofauna represented in sledge samples. Meteor cruise M48-1 Meteor Berichte No.xxx.
- Ellingsen, K.E., Brandt, A., Hilbig, B., Linse, K. & A. J. Gooday (2006): Spatial patterns of Antarctic deep-sea soft-sediment biodiversity. *Ber. Polar & Meeresforsch.* 533: 114-116.
- Linse, K., Schwabe, E., & A. Brandt (2006): Mollusca collected during ANDEEP III – preliminary results. *Ber. Polar & Meeresforsch.* 533: 151-160.
- Linse, K., Brandt, A., Bohn, J., Danis, B., De Broyer, C., Heterier, V., Hilbig, B., Janussen, D., Lopéz Gonzales, P.J., Schwabe, E. & M.R.A. Thomson (2006): Megabenthos collected by the Agassiz trawl. *Ber. Polar & Meeresforsch.* 533: 161-173.
- Linse, K. & A. Brandt (2006): Megabenthos. Introduction to work at sea. *Ber. Polar & Meeresforsch.* 533: 160-161.
- Brandt, A., Brökeland, W., Choudhury, M., Malyutina, M., Raupach, M. & G. Wegener (2006): Investigations on the systematics, zoogeography, and evolution of Antarctic deep-sea isopods (Crustacea, Malacostraca). *Ber. Polar & Meeresforsch.* 533: 120-126.
- Brandt, A., Brökeland, W., Choudhury, M., Hilbig, B., Malyutina, M., Raupach, M. & G. Wegener (2006): Biodiversity and zoogeography of Crustacea Peracarida and Polychaeta. *Ber. Polar & Meeresforsch.* 533: 127-134.
- Brandt, A. & B. Hilbig (2006): Macrobenthos. Introduction to work at sea. *Ber. Polar & Meeresforsch.* 533: 107-110.
- Brandt, A., De Broyer, C., Gooday, A.J., Hilbig, B. & M.R.A. Thomson (2006): Introduction to ANDEEP: ANtartic benthic DEEP-sea biodiversity - colonization history and recent community patterns (ANDEEP III). *Ber. Polar & Meeresforsch.* 533: 77-84.
- Brandt, A. (2003): Biodiversität in der Tiefsee insbesondere des Benthos der Antarktis. *Mitteilungen zur Kieler Polarforschung* 19: 20-25.
- Brandt, A. & G. Wegener (2003): Ultrastructure of isopod sensillae (Crustacea, Malacostraca). *Berichte zur Polarforschung* 470: 90-91.
- Brandt, A. Hilbig, B., Blake, J., Ellingsen, K. & B. E. Narayanaswamy (2003): Macrobenthos - Introduction to work at sea. *Berichte zur Polarforschung* 470: 62-64.
- Brandt, A., Brökeland, W., Raupach, M., Strieso, G. & Wegener, G. (2003): Investigations on the systematics, zoogeography, and evolution of Antarctic deep-sea isopods (Crustacea, Malacostraca). *Berichte zur Polarforschung* 470: 86-88.
- Brandt, A., Brökeland, W., Hilbig, B., Mühlenhardt-Siegel, U., Raupach, M., Strieso, G. & Wegener, G. (2003): Biodiversity and zoogeography of Crustacea Peracarida and Polychaeta. *Berichte zur Polarforschung* 470: 66-71
- Brandt, A., de Broyer, C., Gooday, A., Hilbig, B. & Thomson, M. (2003): Introduction to ANtartic benthic DEEP-sea biodiversity (ANDEEP): colonization history and recent community patterns. *Berichte zur Polarforschung* 470: 45-50.
- Brandt, A. (2002): Marine Biodiversity – An Ultimate Gift. *Pacem in Maribus XXVIII*, International Ocean Institute, Halifax, pp. 21-24.
- Brandt, A. (2001): Die Tiefsee-Expedition "DIVA 1" mit FS "Meteor". *DGM Mitteilungen*, 1-3.
- Brandt, A. (2000): A *Storothyngura* from the Bellingshausen Sea, Antarctica (Crustacea, Isopoda). *Contributions to Zoology* 68 (4): 261-264.
- Brandt, A. (1999): (book review) *The Biology of Polar Habitats* (G. E. FOGG, 1998) Oxford, Oxford University Press, 1-263, a series edited by M. Crawley, C. Little, T. R. E. Southwood, and S. Ulfstrand, *Crustaceana*: 72(7): 713, (book review).
- Thomsen, H. & A. Brandt (1999): The 1998 Danish-German Excursion to Disco Island, West Greenland. Introduction. *Ber. Polarforsch* 330: 1-10.
- Brandt, A., Bohlmann, H., De Broyer, C., Gambi, M. C., Gerdes, D., Lee, H.J. Hilbig, B., Linse, K., Rauschert, M., Scailteur, Y., Storch, V., Van de Velde, J. & G. Wegener (1999). Peninsula transects. *Ber. Polarforsch.* 301: 181-182.
- Storch, V., Bluhm, B., Brandt, A. & A. Lombarte (1999): Anatomy, histochemistry, and ultrastructure of selected taxa. *Ber. Polarforsch.* 301: 178-181.
- Brandt, A. & G. Wegener (1999): Inventory of chemo- and mechanosensitive sensillae and lipid storage in Antarctic and boreal Isopoda (Crustacea, Malacostraca). *Ber. Polarforsch.* 301: 177-178.
- Brandt, A. Hilbig, B., Linse, K. & G. Wegener (1999): Biodiversity and zoogeography of Mollusca, Polychaeta,

- and Crustacea Peracarida. Ber. Polarforsch. 301: 135-149.
- Brandt, A. & C. De Broyer (1999): Biodiversity and biogeography. Rationale and general objectives for EASIZ. Ber. Polarforsch 301: 123-124.
- Brandt, A. (1999): Variety is the spice of life. Biodiversity in the Ocean. Ocean Challenge 9 (2): 34-39.
- Postel, U., Brandt, A., Becker, W., Riestenpatt, S., Weihrauch, D. & D. Siebers (1998): Die aktive Ionenabsorption über die Pleopoden der Meeresassel *Idotea baltica*: Elektrophysiologische Untersuchungen an isolierten Pleopoden-Halbplättchen. Verh. Dt. Zool. Ges. 91.1: 66
- Vassilenko, S. & A. Brandt (1998): Composition and biogeographic structure of the cumacean fauna in the polynya near northeast Greenland in relation to the geomorphology and hydrology of the region. In: Current conditions in the plankton and benthos, the problems of biodiversity conservation in the Arctic Seas. Abstract, international conference held in Murmansk on April 27-30, 1998: 13-15.
- Brandt, A., Crame, A. Polz, H. & M. Thomson (1998): Origin and adaptive radiation of Antarctic taxa with special reference to the Sphaeromatidea (Isopoda, Crustacea). New Zealand Natural Sciences 23: 19.
- Brandt, A. (1998): Polarforschung in der Tiefsee - Stand der Forschung und Perspektiven dargestellt am Beispiel der Peracarida (Crustacea, Malacostraca). Ber. Polarforsch. 277: 17-18.
- Schmidt, M. & Brandt, A. (1997): Presumptive chemosensory sensilla on the tailfan of the crayfish *Cherax destructor*. Verh. Dt. Zool. Ges. 90.1: 319.
- Brandt, A.; Linse, K. & Mühlenhardt-Siegel, U. (1997): Biogeography of Crustacea and Mollusca of the Magellan and Antarctic region. Verh. Dt. Zool. Ges. 90.1: 167.
- Brandt, A. (1997): (book review) Annelida, Borstenwürmer. (Hartman-Schröder, G. 1996) 2. Aufl. (Die Tierwelt Deutschlands, T. 58), Jena, Fischer, 1996, 648 pp., Helgoländer Meeresunters. 51: 393-394.
- Brandt, A. (1997): Suprabenthic Peracarida (Crustacea, Malacostraca) sampled at 75°N off East Greenland. Polar Biology 17: 462-464 (short note).
- Brandt, A. (1996): Was kann man von Krebsen über die Tiefsee lernen? Meer und Museum Band 12, Stralsund, 69-72.
- Brandt, A. (1996): Community patterns of benthic Crustacea Peracarida at 75°N of East Greenland and the influence of lateral advection". Verh. Dt. Zool. Ges. 89.1: 5.
- Brandt, A.; Berg, S.; Gedamke, M.; Lunau, A.; Sauter, E.; Scheltz, A.; Schnack, K. & S. Wanner (1996): Benthic-pelagic coupling. Ber. Polarforsch. 197: 45-55.
- Brandt, A. (1996): First observations on the composition and occurrence of Peracarida (Crustacea, Malacostraca) in the Beagle Channel. Ber. Polarforsch. 190: 54-55.
- Brandt, A.; Berg, J. S.; Gedamke, M.; Lunau, A.; Sauter, E.; Scheltz, A.; Schnack, K.; Wanner, S. (1996): Benthic-pelagic coupling. Ber. Polarforsch. 197: 45-55.
- Barthel, D., Brandt, A., Göbel, Y., Maier, M., Ritzrau, W., Scheltz, A., Schnack, K. (1995): Benthosuntersuchungen am Grönländischen Kontinentalhang. Ber. Polarforsch. 181: 63-69.
- Brandt, A. (1995): Comments on the proposed conservation of *Livoneca* Leach, 1818 (Crustacea, Isopoda) as the correct spelling (case 2915). Bull. Zool. Nomencl. 52 (1): 69.
- Brandt, A. (1995): Postmarsupiale Entwicklung und reproduktive Stadien von Isopoda des Europäischen Nordmeeres. Verh. Dt. Zool. Ges. 1995 (88.1): 23.
- Ambrose, W., Ahrens, M., Brandt, A., Dimmler, W., Graf, G., Gutt, J., Herman, R. L., Jensen, P., Piepenburg, D., Queisser, W., Renard, P., Ritzrau, W., Scheltz, A., Thomsen, L. (1994): Benthic studies ARK IX 2-3. Berichte für Polarforschung 142: 106-112.
- Brandt, A., v. Juterzenka, K., Müller-Wille, S., Piepenburg, D., Reitner, U., Witte, U. (1993): Benthic communities of the Greenland, Island, and Norwegian Sea (SFB 313). In: Pfannkuche, O. et al., Meteor Berichte 93(4): 155-159.
- Sieg, J., Brandt, A. & B. Hosfeld (1991): Zoogeographie und Systematik von Tiefseecrustaceen. Ber. Polarforsch. 90: 139-145.
- Brandt, A. & H. H. Janssen (1994): *Zonophryxus quinquegens* Barnard, 1913 (Crustacea, Isopoda, Dajidae), a parasite of *Nematocarcinus longirostris* Bate, 1888 from the Weddell Sea, Antarctica. Verh. dt. Zool. Ges., 1994 (87.1): 217.
- Brandt, A. (1993): Colonization of Antarctica by the isopod families Serolidae and Arcturidae. In: Proceedings of the First European Crustacean Conference. P. Noel (Hrg); Paris, 16-17.
- Brandt, A. & H. Winkler (1992): Ein ungewöhnlicher Sexualdimorphismus bei *Notasellus sarsii* Pfeffer, 1887 (Crustacea, Isopoda). Verh. Dt. Zool. Ges. 1992(85.1): 185.
- Brandt, A.; Coleman, O. & J. W. Wägele (1992): Antarctica - Home of a unique fauna and centre of radiation. Verh. Dt. Zool. Ges. 1992(85.1): 184.